Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| **AIRPORT** | | | | |
| COPPER SULFATE (PENTAHYDRATE) | 990.00 | | 4.00 | U |
| Site Total | 990.00 | | | |
| **ALFALFA** | | | | |
| ABAMECTIN | 6.46 | 9 | 828.00 | A |
| ACEPHATE | 1,193.15 | 14 | 1,225.00 | A |
| ACRYLIC ACID | 6.18 | 15 | 721.69 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1,390.25 | 133 | 7,839.90 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 89.03 | 30 | 1,258.75 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 263.24 | 26 | 2,031.50 | A |
| ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 10.87 | 5 | 350.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 155.66 | 19 | 1,265.50 | A |
| AMMONIUM NITRATE | 10.96 | 28 | 1,111.75 | A |
| AMMONIUM PROPIONATE | 487.94 | 27 | 2,547.19 | A |
| AMMONIUM SULFATE | 608.07 | 85 | 5,698.56 | A |
| BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362 | 27.65 | 1 | 9.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 104.64 | 1 | 193.77 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 78.82 | 6 | 287.28 | A |
| BENZOIC ACID | 11.04 | 56 | 1,751.98 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 25.76 | 36 | 3,013.00 | A |
| BROMOXYNIL HEPTANOATE | 755.81 | 47 | 3,332.66 | A |
| BROMOXYNIL OCTANOATE | 795.42 | 48 | 3,371.48 | A |
| BUTYL ALCOHOL | 39.68 | 62 | 2,849.66 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | 2.68 | 3 | 167.00 | A |
| CALCIUM CHLORIDE | 56.01 | 56 | 3,247.26 | A |
| CARFENTRAZONE-ETHYL | 0.44 | 1 | 29.90 | A |
| CHLORANTRANILIPROLE | 114.31 | 67 | 4,438.20 | A |
| CHLORPYRIFOS | 5,614.05 | 122 | 9,067.36 | A |
| CITRIC ACID | 479.08 | 113 | 7,834.07 | A |
| CLETHODIM | 1,044.35 | 79 | 5,067.50 | A |
| COCONUT DIETHANOLAMIDE | 1.73 | 11 | 416.90 | A |
| CYFLUTHRIN | 5.63 | 3 | 145.00 | A |
| BETA-CYFLUTHRIN | 64.03 | 43 | 3,379.27 | A |
| (S)-CYPERMETHRIN | 62.84 | 26 | 2,237.00 | A |
| 4-(2,4-DB), DIMETHYLAMINE SALT | 567.77 | 13 | 702.00 | A |
| DIETHYLENE GLYCOL | 68.09 | 53 | 3,330.40 | A |
| DIMETHOATE | 644.55 | 22 | 1,396.99 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 12.02 | 56 | 1,751.98 | A |
| DIMETHYLPOLYSILOXANE | 3.55 | 182 | 11,397.75 | A |
| DIQUAT DIBROMIDE | 1,077.49 | 15 | 936.00 | A |
| DIURON | 2,373.51 | 41 | 2,180.60 | A |
| DODECYLBENZENE SULFONIC ACID | 7.50 | 11 | 416.90 | A |
| EDTA, SODIUM SALT | 0.03 | 2 | 210.00 | A |
| EDTA, TETRASODIUM SALT | 0.46 | 11 | 416.90 | A |
| FATTY ACIDS, MIXED | 551.98 | 160 | 12,500.65 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 62.27 | 19 | 1,265.50 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| FLONICAMID | 47.70 | 6 | 545.00 | A |
| FLUMIOXAZIN | 118.50 | 14 | 929.39 | A |
| FORMETANATE HYDROCHLORIDE | 814.20 | 10 | 885.00 | A |
| GLYPHOSATE, DIAMMONIUM SALT | 130.11 | 1 | 138.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 12,369.27 | 39 | 3,915.96 | A |
| GLYPHOSATE, POTASSIUM SALT | 118.46 | 1 | 138.00 | A |
| HEXAZINONE | 816.45 | 54 | 3,075.76 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 2,756.36 | 73 | 5,026.08 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 28.83 | 14 | 544.49 | A |
| IMAZAMOX, AMMONIUM SALT | 134.86 | 38 | 3,121.08 | A |
| IMAZETHAPYR, AMMONIUM SALT | 209.20 | 41 | 2,828.20 | A |
| INDOXACARB | 1,188.80 | 205 | 13,226.55 | A |
| ISOPARAFFINIC HYDROCARBONS | 1,025.81 | 36 | 3,013.00 | A |
| ISOPROPYL ALCOHOL | 218.87 | 184 | 10,909.70 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.12 | 2 | 32.00 | A |
| KEROSENE | 21.37 | 56 | 1,751.98 | A |
| LAMBDA-CYHALOTHRIN | 348.40 | 182 | 11,916.51 | A |
| LECITHIN | 363.35 | 40 | 2,771.50 | A |
| MALATHION | 4,573.39 | 58 | 3,550.09 | A |
| MANGANESE SULFATE | 0.28 | 1 | 45.40 | A |
| MCPA, DIMETHYLAMINE SALT | 16.80 | 1 | 29.90 | A |
| METHAMIDOPHOS | 536.70 | 6 | 545.00 | A |
| METHIDATHION | 344.07 | 4 | 344.00 | A |
| METHOMYL | 828.12 | 46 | 3,115.50 | A |
| METHOXYFENOZIDE | 351.63 | 26 | 2,498.09 | A |
| METHYLATED SOYBEAN OIL | 1,628.57 | 88 | 3,614.08 | A |
| MINERAL OIL | 122.91 | 2 | 133.00 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 12.95 | 4 | 405.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 30.46 | 19 | 1,438.88 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2,718.77 | 416 | 29,178.15 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 253.75 | 54 | 3,921.96 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 710.73 | 85 | 6,990.88 | A |
| NOVALURON | 39.31 | 6 | 501.00 | A |
| OLEIC ACID | 7.36 | 3 | 300.00 | A |
| OLEIC ACID, METHYL ESTER | 1,880.61 | 54 | 3,200.49 | A |
| ORCHEX 796 OIL | 741.31 | 38 | 3,160.00 | A |
| PARAQUAT DICHLORIDE | 4,853.20 | 107 | 5,947.40 | A |
| PENDIMETHALIN | 13,775.22 | 109 | 6,354.97 | A |
| PETROLEUM OIL, PARAFFIN BASED | 80.87 | 3 | 70.82 | A |
| PHOSPHORIC ACID | 410.98 | 170 | 12,402.20 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 17.35 | 23 | 1,644.30 | A |
| POLYACRYLAMIDE POLYMER | 4.83 | 57 | 4,769.00 | A |
| POLYACRYLIC POLYMER | 0.92 | 7 | 442.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 7.04 | 22 | 1,131.10 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 0.48 | 2 | 32.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 3.15 | 2 | 32.00 | A |
| POLYSACCHARIDE POLYMER | 0.51 | 2 | 228.00 | A |
| PROPIONIC ACID | 100.10 | 14 | 740.00 | A |
| PROPYLENE GLYCOL | 3.38 | 2 | 150.00 | A |
| PROPYLENE GLYCOL, METHYL ETHER | 2.96 | 1 | 153.00 | A |
| SETHOXYDIM | 0.75 | 1 | 4.00 | A |
| SILICONE DEFOAMER | 0.20 | 11 | 416.90 | A |
| SODIUM POLYACRYLATE | 141.10 | 27 | 2,547.19 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| SODIUM XYLENE SULFONATE | | 2.31 | 11 | 416.90 | A |
| TALL OIL | | 19.56 | 25 | 1,675.71 | A |
| TALL OIL FATTY ACIDS | | 394.40 | 114 | 8,360.90 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 12.35 | 13 | 626.90 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 1.15 | 11 | 416.90 | A |
| TRIETHANOLAMINE | | 2.94 | 11 | 416.90 | A |
| TRIFLURALIN | | 607.40 | 6 | 303.70 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 152.01 | 46 | 2,830.40 | A |
| UREA | | 120.90 | 57 | 4,846.00 | A |
| VEGETABLE OIL | | 1,745.72 | 24 | 2,114.60 | A |
| VINYL POLYMER | | 2.52 | 3 | 192.00 | A |
| ZINC SULFATE | | 62.48 | 57 | 4,377.99 | A |
| Site Total | | 76,910.13 | 2,525 | | |
| **ALMOND** | | | | | |
| ABAMECTIN | | 1,225.51 | 1,373 | 98,835.75 | A |
| ACEQUINOCYL | | 10.79 | 1 | 40.00 | A |
| ACETAMIPRID | | 27.78 | 6 | 219.00 | A |
| ACRYLIC ACID | | 13.29 | 9 | 418.06 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 22,059.06 | 864 | 53,249.81 | A |
| ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE) | | 6.49 | 5 | 307.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 1,004.65 | 280 | 9,582.20 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 1,310.31 | 274 | 15,772.23 | A |
| ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 1,247.68 | 228 | 8,588.31 | A |
| ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 5.36 | 2 | 45.53 | A |
| ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 0.67 | 2 | 45.53 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | | 162.08 | 8 | 665.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 2,955.38 | 430 | 24,273.58 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | | 254.12 | 150 | 8,814.81 | A |
| ALKYL (C8,C10) POLYGLYCOSIDE | | 577.24 | 86 | 3,190.46 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | | 339.45 | 82 | 7,454.00 | A |
| ALUMINUM PHOSPHIDE | | 1,490.94 | | 10,296.25 | K |
| | | 826.29 | | 1,744,146.50 | C |
| | | 144.10 | 28 | 1,144.75 | A |
| Total Pounds On This Chemical | 2,461.33 | | | | |
| AMMONIUM NITRATE | | 343.24 | 301 | 10,173.58 | A |
| AMMONIUM PROPIONATE | | 187.97 | 23 | 1,266.20 | A |
| AMMONIUM SULFATE | | 8,242.40 | 558 | 24,144.61 | A |
| AZOXYSTROBIN | | 3,291.09 | 274 | 16,182.01 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | | 107.13 | 11 | 223.00 | A |
| BENZOIC ACID | | 9.79 | 51 | 1,137.31 | A |
| BIFENAZATE | | 626.03 | 38 | 1,233.69 | A |
| BIFENTHRIN | | 14,700.30 | 344 | 22,938.28 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 327.57 | 29 | 2,826.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| BOSCALID | 5,163.16 | 404 | 27,338.41 | A |
| BUPROFEZIN | 90.30 | 1 | 45.00 | A |
| BUTYL ALCOHOL | 652.09 | 407 | 14,821.82 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | 167.14 | 15 | 761.00 | A |
| CALCIUM CHLORIDE | 14.76 | 14 | 847.65 | A |
| CAPTAN | 547.41 | 14 | 774.20 | A |
| CAPTAN, OTHER RELATED | 11.74 | 14 | 774.20 | A |
| CARBO METHOXY ETHER CELLULOSE, SODIUM SALT | 0.18 | 1 | 160.00 | A |
| CARFENTRAZONE-ETHYL | 56.07 | 71 | 2,824.44 | A |
| CASTOR OIL ETHOXYLATE | 13.49 | 2 | 209.45 | A |
| CHLORANTRANILIPROLE | 1,259.26 | 189 | 15,236.53 | A |
| CHLOROPHACINONE | 0.05 | 10 | 914.00 | A |
| CHLOROPICRIN | 3,476.21 | 1 | 10.70 | A |
| CHLOROTHALONIL | 11,192.35 | 35 | 3,753.00 | A |
| CHLORPYRIFOS | 11,395.74 | 100 | 6,778.37 | A |
| CITRIC ACID | 608.72 | 172 | 9,897.08 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 764.21 | 3 | 310.00 | A |
| CLETHODIM | 0.09 | 1 | 2.00 | A |
| CLOFENTEZINE | 369.14 | 32 | 3,529.09 | A |
| COCONUT DIETHANOLAMIDE | 1,160.23 | 169 | 9,434.77 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 0.66 | 5 | 252.15 | A |
| COPPER HYDROXIDE | 39,049.10 | 223 | 16,564.74 | A |
| COPPER OXIDE (OUS) | 716.71 | 6 | 226.60 | A |
| COPPER OXYCHLORIDE | 23.37 | 1 | 19.00 | A |
| COPPER SULFATE (BASIC) | 10,149.57 | 37 | 2,225.89 | A |
| COTTONSEED OIL | 950.07 | 5 | 187.00 | A |
| BETA-CYFLUTHRIN | 2.10 | 4 | 111.00 | A |
| (S)-CYPERMETHRIN | 60.95 | 20 | 1,227.89 | A |
| CYPRODINIL | 6,390.43 | 422 | 24,552.90 | A |
| 2,4-D | 222.98 | 8 | 518.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 5,410.89 | 68 | 4,790.86 | A |
| ALPHA-DECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | 52.44 | 9 | 356.00 | A |
| DELTAMETHRIN | 3.09 | 1 | 144.00 | A |
| DERIVATED NATURAL POLYMERS | 0.42 | 4 | 219.30 | A |
| DIAZINON | 251.82 | 5 | 126.46 | A |
| 1,3-DICHLOROPROPENE | 16,484.86 | 2 | 53.82 | A |
| DIETHYLENE GLYCOL | 1,145.17 | 321 | 13,702.76 | A |
| DIETHYLENE GLYCOL MONOETHYL ETHER | 3.60 | 8 | 272.04 | A |
| DIFENOCONAZOLE | 4.10 | 1 | 36.00 | A |
| DIFLUBENZURON | 4,125.81 | 299 | 19,942.78 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 10.66 | 51 | 1,137.31 | A |
| 3,7-DIMETHYL-6-OCTEN-1-OL | 0.66 | 1 | 40.00 | A |
| DIMETHYLPOLYSILOXANE | 2,470.81 | 1,026 | 54,762.78 | A |
| DIPHACINONE | 0.03 | 11 | 555.30 | A |
| DIQUAT DIBROMIDE | 33.56 | 4 | 365.00 | A |
| DODECYLBENZENE SULFONIC ACID | 22.23 | 19 | 619.96 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 8.64 | 8 | 665.00 | A |
| EDTA, SODIUM SALT | 1.31 | 15 | 765.00 | A |
| EDTA, TETRASODIUM SALT | 1.37 | 19 | 619.96 | A |
| EMAMECTIN BENZOATE | 0.45 | 1 | 30.00 | A |
| EMULSIFIABLE METHYLATED VEGETABLE OIL | 416.68 | 34 | 2,126.00 | A |
| ESFENVALERATE | 2,186.98 | 503 | 36,500.47 | A |
| ETOXAZOLE | 855.86 | 69 | 6,939.26 | A |
| FARNESOL | 0.27 | 1 | 40.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| FATTY ACIDS, MIXED | | 1,252.80 | 976 | 71,492.78 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | | 1,222.93 | 29 | 2,826.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | | 1,182.15 | 430 | 24,273.58 | A |
| FENBUCONAZOLE | | 365.69 | 92 | 4,847.77 | A |
| FENPYROXIMATE | | 630.13 | 81 | 5,773.30 | A |
| FERROUS SULFATE | | 3.44 | 5 | 252.15 | A |
| FLUAZIFOP-P-BUTYL | | 3.01 | 1 | 40.00 | A |
| FLUBENDIAMIDE | | 1,594.60 | 190 | 13,513.21 | A |
| FLUMIOXAZIN | | 4,456.47 | 412 | 19,840.19 | A |
| GAMMA-CYHALOTHRIN | | 5.44 | 4 | 280.00 | A |
| GERANIOL | | 0.66 | 1 | 40.00 | A |
| GLUFOSINATE-AMMONIUM | | 53,957.10 | 1,272 | 61,665.91 | A |
| GLYPHOSATE | | 65,808.12 | 577 | 39,908.54 | A |
| GLYPHOSATE, DIAMMONIUM SALT | | 849.63 | 20 | 1,085.62 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 160,644.04 | 2,692 | 126,795.21 | A |
| GLYPHOSATE, POTASSIUM SALT | | 7,659.76 | 113 | 5,007.08 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | | 1,854.43 | 247 | 14,475.77 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | | 113.91 | 26 | 2,919.00 | A |
| HEXYTHIAZOX | | 1,839.41 | 111 | 12,641.36 | A |
| HYDROTREATED PARAFFINIC SOLVENT | | 1,950.61 | 94 | 4,711.46 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 3,915.72 | 365 | 25,991.76 | A |
| IMIDACLOPRID | | < 0.01 | 3 | 42.00 | A |
| IPRODIONE | | 27,283.75 | 959 | 55,088.60 | A |
| ISOPROPYL ALCOHOL | | 2,031.50 | 1,190 | 66,527.20 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | | 34.46 | 124 | 6,226.95 | A |
| KEROSENE | | 18.96 | 51 | 1,137.31 | A |
| LAMBDA-CYHALOTHRIN | | 284.41 | 92 | 7,358.38 | A |
| LAURIC ACID | | 231.02 | 150 | 8,814.81 | A |
| LECITHIN | | 8,492.31 | 366 | 34,797.39 | A |
| LIME-SULFUR | | 1,764.06 | 2 | 57.50 | A |
| MANGANESE SULFATE | | 4.76 | 5 | 252.15 | A |
| METCONAZOLE | | 658.22 | 101 | 7,465.72 | A |
| S-METHOPRENE | | 52.29 | 63 | 7,696.95 | A |
| METHOXYFENOZIDE | | 7,452.00 | 450 | 30,897.34 | A |
| METHYLATED SOYBEAN OIL | | 10,462.73 | 618 | 36,592.15 | A |
| METHYL BROMIDE | | 306.00 | | 153.00 | K |
| | | 162.00 | | 81,000.00 | U |
| | | 18.00 | | 50,000.00 | C |
| Total Pounds On This Chemical | 486.00 | | | | |
| METHYL SILICONE RESINS | | 0.54 | 10 | 316.00 | A |
| MINERAL OIL | | 475,893.56 | 571 | 33,747.66 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | | 893.70 | 92 | 5,460.70 | A |
| MSMA | | 30.18 | 1 | 20.00 | A |
| MYCLOBUTANIL | | 9.50 | 3 | 86.00 | A |
| NAPROPAMIDE | | 239.50 | 2 | 76.20 | A |
| NEROLIDOL | | 0.66 | 1 | 40.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 1,715.77 | 657 | 40,218.98 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 19,449.80 | 2,812 | 166,550.55 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 205.59 | 89 | 4,340.91 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 1,417.49 | 113 | 7,145.17 | A |
| NORFLURAZON | | 764.56 | 12 | 408.04 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 730.83 | 24 | 1,783.80 | A |
| OIL OF JOJOBA | | 60.28 | 3 | 95.50 | A |
| OLEIC ACID | | 2.36 | 1 | 75.00 | A |
| OLEIC ACID, METHYL ESTER | | 4,174.10 | 184 | 10,154.43 | A |
| ORCHEX 796 OIL | | 16.27 | 1 | 75.00 | A |
| ORYZALIN | | 28,900.53 | 239 | 11,656.95 | A |
| OXYFLUORFEN | | 20,159.54 | 1,661 | 80,529.37 | A |
| PARAQUAT DICHLORIDE | | 14,678.44 | 217 | 13,190.09 | A |
| PENDIMETHALIN | | 33,730.60 | 393 | 17,577.50 | A |
| PENOXSULAM | | 41.15 | 52 | 2,070.97 | A |
| PERMETHRIN | | 2,781.09 | 114 | 7,623.88 | A |
| PETROLEUM DISTILLATES | | 14.69 | 3 | 55.50 | A |
| PETROLEUM OIL, PARAFFIN BASED | | 16,452.64 | 135 | 7,004.95 | A |
| PETROLEUM OIL, UNCLASSIFIED | | 1,061,442.05 | 917 | 84,164.57 | A |
| PHOSMET | | 981.01 | 13 | 370.36 | A |
| PHOSPHINE | | 3.45 | | 79,871.00 | C |
| | | 0.12 | | 2,000.00 | K |
| Total Pounds On This Chemical | 3.57 | | | | |
| PHOSPHORIC ACID | | 2,669.32 | 393 | 25,948.58 | A |
| BETA-PINENE POLYMER | | 24.88 | 4 | 72.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | | 4.35 | 19 | 495.64 | A |
| POLYACRYLAMIDE POLYMER | | 3.42 | 6 | 674.00 | A |
| POLYACRYLIC POLYMER | | 18.96 | 75 | 4,192.29 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 436.46 | 477 | 29,942.10 | A |
| POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE | | 102.21 | 34 | 2,126.00 | A |
| POLYBUTENES | | 218.38 | 29 | 2,826.00 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 200.51 | 17 | 1,146.80 | A |
| POLYETHYLENE GLYCOL | | 1,546.64 | 109 | 10,222.36 | A |
| POLYETHYLENE GLYCOL DIACETATE | | 30.86 | 82 | 7,454.00 | A |
| POLY-I-PARA-MENTHENE | | 2,159.73 | 77 | 4,922.40 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | | 1,635.12 | 394 | 23,520.60 | A |
| POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER | | 447.57 | 24 | 2,704.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 137.86 | 124 | 6,226.95 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 953.80 | 133 | 6,582.95 | A |
| POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER | | 101.15 | 2 | 209.45 | A |
| POLYPROPYLENE GLYCOL | | 0.64 | 10 | 316.00 | A |
| POLYSILOXANE | | 4.82 | 4 | 219.30 | A |
| POTASSIUM HYDROXIDE | | 2.36 | 2 | 124.50 | A |
| POTASSIUM NITRATE | | 22.39 | 2 | 124.50 | A |
| PROPARGITE | | 7,959.36 | 54 | 5,105.39 | A |
| PROPICONAZOLE | | 3,855.89 | 341 | 23,233.14 | A |
| PROPIONIC ACID | | 6,898.74 | 265 | 28,523.43 | A |
| PROPYLENE GLYCOL | | 434.09 | 161 | 9,412.81 | A |
| PYRACLOSTROBIN | | 2,622.56 | 404 | 27,338.41 | A |
| PYRAFLUFEN-ETHYL | | 0.27 | 2 | 113.00 | A |
| PYRIDABEN | | 17.87 | 1 | 36.00 | A |
| PYRIMETHANIL | | 467.56 | 42 | 2,029.10 | A |
| PYRIPROXYFEN | | 379.39 | 203 | 15,730.31 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | 17.12 | 4 | 135.50 | A |
| QUILLAJA | | 0.36 | 1 | 160.00 | A |
| RIMSULFURON | | 358.93 | 172 | 8,266.70 | A |
| SAFLUFENACIL | | 95.91 | 60 | 3,014.54 | A |
| SETHOXYDIM | | 164.57 | 10 | 1,140.63 | A |
| SILICONE DEFOAMER | | 0.58 | 19 | 619.96 | A |
| SIMAZINE | | 3,009.23 | 94 | 3,341.66 | A |
| SODIUM POLYACRYLATE | | 24.97 | 23 | 1,266.20 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| SODIUM TETRATHIOCARBONATE | | 1,617.59 | 1 | 60.00 | A |
| SODIUM XYLENE SULFONATE | | 6.84 | 19 | 619.96 | A |
| SORBITAN TRIOLEATE | | 26.22 | 9 | 356.00 | A |
| SPINETORAM | | 22.53 | 9 | 621.60 | A |
| SPINOSAD | | 6.27 | 2 | 106.00 | A |
| SPIRODICLOFEN | | 2,478.63 | 114 | 7,263.16 | A |
| SPIROTETRAMAT | | 2.82 | 2 | 230.00 | A |
| STRYCHNINE | | 7.03 | 44 | 1,828.06 | A |
| STYRENE BUTADIENE COPOLYMER | | 53.38 | 8 | 479.00 | A |
| SULFUR | | 3,701.35 | 19 | 827.00 | A |
| TALL OIL | | 832.86 | 256 | 9,730.40 | A |
| TALL OIL FATTY ACIDS | | 477.19 | 176 | 8,991.54 | A |
| TEBUCONAZOLE | | 40.75 | 3 | 652.00 | A |
| TEBUFENOZIDE | | 0.64 | 1 | 5.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 191.37 | 34 | 1,384.96 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 3.42 | 19 | 619.96 | A |
| THIOPHANATE-METHYL | | 1,300.78 | 55 | 2,612.15 | A |
| TRIETHANOLAMINE | | 8.72 | 19 | 619.96 | A |
| TRIFLOXYSTROBIN | | 609.79 | 56 | 6,339.01 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 719.14 | 79 | 4,546.41 | A |
| UREA | | 315.00 | 18 | 1,224.50 | A |
| VEGETABLE OIL | | 1,823.36 | 16 | 1,559.00 | A |
| WARFARIN | | < 0.01 | 1 | 30.00 | A |
| ZINC PHOSPHIDE | | 0.39 | 6 | 3.25 | A |
| ZINC SULFATE | | 234.65 | 55 | 3,873.28 | A |
| ZIRAM | | 17,293.38 | 66 | 3,531.91 | A |
| Site Total | | 2,311,656.09 | 23,496 | | |
| **ANIMAL PREMISE** | | | | | |
| PARA-TERT-AMYLPHENOL | | 13.23 | | 9,048.00 | U |
| | | 1.07 | | 1,000.00 | ? |
| Total Pounds On This Chemical | 14.30 | | | | |
| ORTHO-BENZYL-PARA-CHLOROPHENOL | | 27.52 | | 9,048.00 | U |
| | | 1.61 | | 1,000.00 | ? |
| Total Pounds On This Chemical | 29.13 | | | | |
| DDVP | | 3.69 | | 4.00 | A |
| DDVP, OTHER RELATED | | 0.28 | | 4.00 | A |
| ORTHO-PHENYLPHENOL | | 39.16 | | 9,048.00 | U |
| | | 2.96 | | 1,000.00 | ? |
| Total Pounds On This Chemical | 42.12 | | | | |
| PYRETHRINS | | 0.11 | | 1.00 | A |
| TETRACHLORVINPHOS | | 16.00 | | 4.00 | A |
| Site Total | | 105.63 | | | |
| **APPLE** | | | | | |
| ABAMECTIN | | 2.70 | 2 | 135.00 | A |
| ACETAMIPRID | | 47.60 | 4 | 320.00 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 28.34 | 7 | 440.00 | A |
| CARBARYL | | 79.98 | 2 | 160.00 | A |
| CHLORANTRANILIPROLE | | 24.35 | 5 | 295.10 | A |
| COPPER HYDROXIDE | | 1.38 | 2 | 2.00 | A |
| CYPRODINIL | | 18.75 | 2 | 80.00 | A |
| DIAZINON | | 1.50 | 2 | 2.00 | A |
| DIMETHYLPOLYSILOXANE | | 39.79 | 2 | 160.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| GLYPHOSATE, ISOPROPYLAMINE SALT | 0.15 | 2 | 0.13 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 47.24 | 7 | 440.00 | A |
| MINERAL OIL | 6,322.89 | 4 | 255.00 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 0.15 | 3 | 0.23 | A |
| MYCLOBUTANIL | 6.00 | 1 | 40.00 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 0.05 | 2 | 0.20 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 18.90 | 7 | 440.00 | A |
| PYRIPROXYFEN | 13.13 | 2 | 120.00 | A |
| STREPTOMYCIN SULFATE | 80.72 | 5 | 120.20 | A |
| TRIFLOXYSTROBIN | 12.50 | 2 | 160.00 | A |
| Site Total | 6,746.13 | 49 | | |
| **APRICOT** | | | | |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY(OXYETHYLENE) SULFATE, SODIUM SALT | 0.17 | 2 | 38.40 | A |
| ALKYL (C8,C10) POLYGLYCOSIDE | 1.49 | 2 | 8.44 | A |
| ALUMINUM PHOSPHIDE | 0.18 | | 1,152.00 | C |
| AMMONIUM NITRATE | 0.71 | 2 | 8.44 | A |
| AMMONIUM SULFATE | 1.42 | 2 | 8.44 | A |
| AZOXYSTROBIN | 5.41 | 2 | 26.00 | A |
| BOSCALID | 3.63 | 1 | 19.20 | A |
| COCONUT DIETHANOLAMIDE | 0.97 | 4 | 64.40 | A |
| COPPER HYDROXIDE | 104.91 | 2 | 26.00 | A |
| CYPRODINIL | 18.28 | 4 | 52.00 | A |
| DIAZINON | 51.78 | 2 | 26.00 | A |
| DIMETHYLPOLYSILOXANE | 0.01 | 2 | 8.44 | A |
| DODECYLBENZENE SULFONIC ACID | 0.92 | 2 | 26.00 | A |
| EDTA, TETRASODIUM SALT | 0.06 | 2 | 26.00 | A |
| ESFENVALERATE | 1.31 | 2 | 26.00 | A |
| FATTY ACIDS, MIXED | 0.52 | 4 | 52.00 | A |
| GLYPHOSATE | 18.30 | 2 | 8.44 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 38.45 | 2 | 38.40 | A |
| ISOPROPYL ALCOHOL | 0.28 | 2 | 26.00 | A |
| LAURIC ACID | 0.15 | 2 | 38.40 | A |
| LECITHIN | 12.21 | 4 | 52.00 | A |
| METHOXYFENOZIDE | 2.03 | 1 | 19.20 | A |
| MINERAL OIL | 186.54 | 2 | 26.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 3.28 | 4 | 52.00 | A |
| OXYFLUORFEN | 9.87 | 2 | 8.44 | A |
| PENDIMETHALIN | 17.16 | 2 | 8.44 | A |
| PHOSPHORIC ACID | 0.18 | 2 | 26.00 | A |
| PROPICONAZOLE | 11.08 | 6 | 90.40 | A |
| PROPIONIC ACID | 12.21 | 4 | 52.00 | A |
| PROPYLENE GLYCOL | 0.26 | 2 | 38.40 | A |
| PYRACLOSTROBIN | 1.84 | 1 | 19.20 | A |
| SILICONE DEFOAMER | 0.02 | 2 | 26.00 | A |
| SODIUM XYLENE SULFONATE | 0.28 | 2 | 26.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.08 | 2 | 26.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.14 | 2 | 26.00 | A |
| TRIETHANOLAMINE | 0.36 | 2 | 26.00 | A |
| Site Total | 507.52 | 40 | | |

# Department of Pesticide Regulation
## 2010 Annual Statewide Pesticide Use Report Indexed by Commodity
## Madera County

| Commodity<br>Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| **BARLEY** | | | | | |
| CARFENTRAZONE-ETHYL | | 1.28 | 2 | 88.00 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | | 22.82 | 2 | 88.00 | A |
| ETHYLENE GLYCOL | | 10.60 | 2 | 88.00 | A |
| FATTY ACIDS, MIXED | | 0.12 | 1 | 49.80 | A |
| ISOPROPYL ALCOHOL | | 1.93 | 2 | 88.00 | A |
| MALATHION | | 107.60 | 2 | 88.00 | A |
| MCPA, DIMETHYLAMINE SALT | | 28.24 | 1 | 49.80 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 0.65 | 1 | 49.80 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 5.62 | 3 | 137.80 | A |
| PHOSPHORIC ACID | | 2.86 | 2 | 88.00 | A |
| POLYACRYLAMIDE POLYMER | | 0.19 | 1 | 17.00 | A |
| Site Total | | 181.91 | 13 | | |
| **BEAN, DRIED** | | | | | |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | | 1.83 | 2 | 72.00 | A |
| BIFENAZATE | | 53.93 | 2 | 72.00 | A |
| DIMETHOATE | | 396.20 | 16 | 899.60 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 6.33 | 2 | 72.00 | A |
| LAMBDA-CYHALOTHRIN | | 18.06 | 13 | 572.40 | A |
| METHYLATED SOYBEAN OIL | | 76.41 | 4 | 322.80 | A |
| S-METOLACHLOR | | 229.49 | 5 | 183.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 14.33 | 4 | 322.80 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 3.82 | 4 | 322.80 | A |
| POLYETHYLENE GLYCOL DIACETATE | | 0.17 | 2 | 72.00 | A |
| TRIFLURALIN | | 83.07 | 4 | 151.00 | A |
| Site Total | | 883.64 | 46 | | |
| **BEEHIVE** | | | | | |
| ALUMINUM PHOSPHIDE | | 0.70 | | 5,690.00 | C |
| | | 0.31 | | 40.00 | U |
| Total Pounds On This Chemical | 1.01 | | | | |
| FENPYROXIMATE | | 0.75 | | 600.00 | U |
| Site Total | | 1.76 | | | |
| **BLUEBERRY** | | | | | |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | | 3.12 | 3 | 55.00 | A |
| BOSCALID | | 32.04 | 6 | 110.00 | A |
| BUTYL ALCOHOL | | 1.26 | 3 | 55.00 | A |
| DIMETHYLPOLYSILOXANE | | 0.01 | 3 | 55.00 | A |
| FENHEXAMID | | 82.50 | 6 | 110.00 | A |
| GLUFOSINATE-AMMONIUM | | 68.87 | 3 | 55.00 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 10.76 | 3 | 55.00 | A |
| ISOPROPYL ALCOHOL | | 3.88 | 6 | 110.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 24.82 | 9 | 165.00 | A |
| ORYZALIN | | 228.81 | 3 | 55.00 | A |
| POLYETHYLENE GLYCOL DIACETATE | | 0.28 | 3 | 55.00 | A |
| PYRACLOSTROBIN | | 16.27 | 6 | 110.00 | A |
| SPINETORAM | | 5.15 | 3 | 55.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| TALL OIL | 1.02 | 6 | 110.00 | A |
| Site Total | 478.81 | 33 | | |
| **CANTALOUPE** | | | | |
| ABAMECTIN | 0.53 | 1 | 72.00 | A |
| AZOXYSTROBIN | 7.95 | 1 | 72.00 | A |
| BIFENTHRIN | 7.64 | 1 | 72.00 | A |
| BUPROFEZIN | 13.11 | 1 | 60.00 | A |
| CHLORANTRANILIPROLE | 3.78 | 1 | 72.00 | A |
| DIETHYLENE GLYCOL | 1.69 | 1 | 72.00 | A |
| DIMETHYLPOLYSILOXANE | 0.04 | 1 | 72.00 | A |
| FATTY ACIDS, MIXED | 3.15 | 2 | 132.00 | A |
| FLUBENDIAMIDE | 1.89 | 1 | 60.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 0.78 | 1 | 60.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 5.36 | 2 | 132.00 | A |
| TRIFLURALIN | 96.15 | 2 | 132.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 4.40 | 1 | 72.00 | A |
| Site Total | 146.47 | 9 | | |
| **CARROT** | | | | |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 136.85 | 14 | 1,159.39 | A |
| BOSCALID | 243.97 | 19 | 1,475.30 | A |
| CHLOROTHALONIL | 916.28 | 10 | 793.34 | A |
| CYAZOFAMID | 295.10 | 24 | 1,890.56 | A |
| 1,3-DICHLOROPROPENE | 54,877.06 | 6 | 467.84 | A |
| ESFENVALERATE | 21.86 | 6 | 448.35 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 510.91 | 14 | 1,159.39 | A |
| FLUAZIFOP-P-BUTYL | 336.92 | 14 | 1,159.39 | A |
| IPRODIONE | 792.34 | 10 | 793.34 | A |
| LINURON | 1,070.64 | 15 | 1,109.25 | A |
| MEFENOXAM | 361.82 | 39 | 2,893.79 | A |
| METAM-SODIUM | 181,802.34 | 12 | 935.19 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 173.35 | 14 | 1,159.39 | A |
| PENDIMETHALIN | 299.13 | 5 | 315.91 | A |
| POLYBUTENES | 91.23 | 14 | 1,159.39 | A |
| PYRACLOSTROBIN | 265.70 | 31 | 2,420.58 | A |
| SULFUR | 12,176.02 | 50 | 3,870.09 | A |
| Site Total | 254,371.52 | 236 | | |
| **CHERRY** | | | | |
| ABAMECTIN | 2.41 | 3 | 122.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 57.33 | 5 | 158.77 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 32.99 | 2 | 108.00 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.23 | 1 | 3.00 | A |
| ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.93 | 1 | 10.56 | A |
| ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.24 | 1 | 10.56 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.62 | 2 | 2.50 | A |
| ALKYL (C8,C10) POLYGLYCOSIDE | 71.98 | 5 | 206.77 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | 1.03 | 2 | 36.00 | A |
| ALUMINUM PHOSPHIDE | 3.62 | | 22,982.00 | C |
| AMMONIUM NITRATE | 34.28 | 5 | 206.77 | A |
| AMMONIUM SULFATE | 87.36 | 7 | 233.77 | A |
| AZOXYSTROBIN | 6.80 | 3 | 31.00 | A |
| BENZOIC ACID | 0.15 | 2 | 13.82 | A |
| BIFENAZATE | 66.02 | 5 | 132.04 | A |
| BOSCALID | 98.71 | 18 | 523.31 | A |
| BUTYL ALCOHOL | 1.88 | 5 | 93.91 | A |
| CITRIC ACID | 34.54 | 3 | 118.56 | A |
| COCONUT DIETHANOLAMIDE | 0.43 | 4 | 42.08 | A |
| COPPER HYDROXIDE | 113.48 | 4 | 39.04 | A |
| BETA-CYFLUTHRIN | 9.27 | 14 | 406.58 | A |
| (S)-CYPERMETHRIN | 15.42 | 11 | 367.81 | A |
| DIAZINON | 54.24 | 3 | 39.04 | A |
| DIETHYLENE GLYCOL | 26.33 | 6 | 103.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 0.16 | 2 | 13.82 | A |
| DIMETHYLPOLYSILOXANE | 1.33 | 25 | 681.78 | A |
| DODECYLBENZENE SULFONIC ACID | 1.85 | 4 | 42.08 | A |
| EDTA, SODIUM SALT | 0.04 | 3 | 24.00 | A |
| EDTA, TETRASODIUM SALT | 0.11 | 4 | 42.08 | A |
| ESFENVALERATE | 1.36 | 3 | 25.04 | A |
| ETOXAZOLE | 15.49 | 4 | 120.77 | A |
| FATTY ACIDS, MIXED | 13.01 | 19 | 371.12 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 0.25 | 2 | 2.50 | A |
| FENBUCONAZOLE | 3.55 | 1 | 36.50 | A |
| FLUMIOXAZIN | 8.69 | 3 | 33.82 | A |
| GIBBERELLINS | 32.37 | 24 | 645.66 | A |
| GLYPHOSATE | 130.11 | 4 | 63.00 | A |
| GLYPHOSATE, DIAMMONIUM SALT | 0.58 | 1 | 5.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 241.75 | 25 | 197.92 | A |
| GLYPHOSATE, POTASSIUM SALT | 0.53 | 1 | 5.00 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 0.38 | 1 | 3.00 | A |
| HYDROGEN CYANAMIDE | 2,742.69 | 7 | 159.04 | A |
| HYDROGEN PEROXIDE | 12.32 | 1 | 10.00 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 7.58 | 3 | 56.00 | A |
| IPRODIONE | 315.18 | 14 | 415.04 | A |
| ISOPROPYL ALCOHOL | 18.80 | 22 | 512.95 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.04 | 1 | 4.00 | A |
| KAOLIN | 1,710.00 | 1 | 18.00 | A |
| KEROSENE | 0.29 | 2 | 13.82 | A |
| LECITHIN | 10.57 | 5 | 53.12 | A |
| MALATHION | 81.78 | 1 | 20.00 | A |
| METHOXYFENOZIDE | 4.24 | 1 | 20.00 | A |
| METHYLATED SOYBEAN OIL | 5.53 | 2 | 13.82 | A |
| MINERAL OIL | 520.39 | 5 | 133.04 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 695.19 | 65 | 1,897.70 | A |
| MYCLOBUTANIL | 12.23 | 5 | 89.04 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 2.75 | 9 | 233.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 197.88 | 38 | 784.19 | A |
| ORYZALIN | 41.60 | 1 | 18.00 | A |
| OXYFLUORFEN | 125.04 | 9 | 206.81 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| PARAQUAT DICHLORIDE | | 164.70 | 8 | 275.87 | A |
| PENDIMETHALIN | | 357.12 | 9 | 192.96 | A |
| PERMETHRIN | | 63.85 | 14 | 340.81 | A |
| PETROLEUM OIL, PARAFFIN BASED | | 6.08 | 1 | 4.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | | 125.87 | 1 | 18.00 | A |
| PHOSPHORIC ACID | | 0.36 | 4 | 42.08 | A |
| POLYETHYLENE GLYCOL | | 78.55 | 9 | 278.10 | A |
| POLYETHYLENE GLYCOL DIACETATE | | 0.09 | 2 | 36.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | | 0.15 | 1 | 3.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 0.15 | 1 | 4.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 0.98 | 1 | 4.00 | A |
| POTASSIUM HYDROXIDE | | 1.36 | 2 | 108.00 | A |
| POTASSIUM NITRATE | | 12.95 | 2 | 108.00 | A |
| PROPICONAZOLE | | 6.60 | 6 | 56.08 | A |
| PROPIONIC ACID | | 10.57 | 5 | 53.12 | A |
| PYRACLOSTROBIN | | 50.14 | 18 | 523.31 | A |
| PYRETHRINS | | 7.59 | 14 | 475.08 | A |
| PYRIPROXYFEN | | 1.23 | 1 | 14.00 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | 23.75 | 9 | 208.60 | A |
| QUINOXYFEN | | 1.58 | 1 | 14.00 | A |
| RIMSULFURON | | 2.78 | 4 | 140.77 | A |
| SILICONE DEFOAMER | | 0.05 | 4 | 42.08 | A |
| SODIUM XYLENE SULFONATE | | 0.57 | 4 | 42.08 | A |
| SPINETORAM | | 1.63 | 1 | 20.00 | A |
| SPIRODICLOFEN | | 5.70 | 1 | 20.00 | A |
| SULFUR | | 96.00 | 1 | 20.00 | A |
| TALL OIL | | 0.27 | 1 | 10.00 | A |
| TEBUCONAZOLE | | 41.40 | 11 | 225.31 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 6.89 | 7 | 66.08 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 0.28 | 4 | 42.08 | A |
| TRIETHANOLAMINE | | 0.73 | 4 | 42.08 | A |
| TRIFLOXYSTROBIN | | 1.25 | 1 | 10.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 17.61 | 5 | 85.00 | A |
| Site Total | | 8,765.79 | 381 | | |
| **CITRUS** | | | | | |
| IMIDACLOPRID | | 40.03 | | 110.80 | K |
| | | 5.82 | | 16,100.00 | C |
| Total Pounds On This Chemical | 45.84 | | | | |
| Site Total | | 45.84 | | | |
| **COMMODITY FUMIGATION** | | | | | |
| ALUMINUM PHOSPHIDE | | 1,005.96 | | | |
| METHYL BROMIDE | | 180.00 | | | |
| Site Total | | 1,185.96 | | | |
| **CORN (FORAGE - FODDER)** | | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 479.29 | 70 | 2,630.20 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 116.39 | 37 | 2,237.42 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 16.93 | 9 | 115.00 | A |
| ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 1.38 | 2 | 49.46 | A |

# Department of Pesticide Regulation
## 2010 Annual Statewide Pesticide Use Report Indexed by Commodity
## Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural<br>Applications | Amount<br>Treated | Unit<br>Type |
|---|---|---|---|---|
| ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.17 | 2 | 49.46 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 35.69 | 9 | 169.30 | A |
| AMMONIUM NITRATE | 15.02 | 37 | 2,237.42 | A |
| AMMONIUM PROPIONATE | 68.03 | 30 | 1,733.37 | A |
| AMMONIUM SULFATE | 510.87 | 77 | 4,520.29 | A |
| BENZOIC ACID | 7.47 | 23 | 1,331.72 | A |
| BIFENTHRIN | 7.33 | 26 | 79.50 | A |
| BUTYL ALCOHOL | 79.28 | 65 | 3,738.48 | A |
| CALCIUM CHLORIDE | 71.69 | 58 | 3,108.42 | A |
| CHLORPYRIFOS | 222.44 | 5 | 221.70 | A |
| CITRIC ACID | 239.01 | 97 | 5,375.75 | A |
| COCONUT DIETHANOLAMIDE | 0.25 | 2 | 152.00 | A |
| DICAMBA, DIMETHYLAMINE SALT | 47.73 | 6 | 162.96 | A |
| DICAMBA, SODIUM SALT | 65.60 | 12 | 593.94 | A |
| DIETHYLENE GLYCOL | 7.91 | 1 | 150.00 | A |
| DIFLUFENZOPYR, SODIUM SALT | 19.34 | 11 | 536.34 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 8.13 | 23 | 1,331.72 | A |
| DIMETHYLPOLYSILOXANE | 5.34 | 73 | 4,262.48 | A |
| DODECYLBENZENE SULFONIC ACID | 1.07 | 2 | 152.00 | A |
| EDTA, SODIUM SALT | 0.15 | 9 | 459.00 | A |
| EDTA, TETRASODIUM SALT | 0.07 | 2 | 152.00 | A |
| FATTY ACIDS, MIXED | 14.45 | 8 | 270.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 14.28 | 9 | 169.30 | A |
| GLYPHOSATE | 583.63 | 8 | 454.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 9,224.15 | 128 | 7,884.95 | A |
| GLYPHOSATE, POTASSIUM SALT | 789.99 | 9 | 638.00 | A |
| HALOSULFURON-METHYL | 3.60 | 1 | 57.60 | A |
| HEXYTHIAZOX | 427.44 | 74 | 4,490.62 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 80.40 | 2 | 88.10 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 11.17 | 5 | 217.00 | A |
| ISOPROPYL ALCOHOL | 34.97 | 69 | 2,800.20 | A |
| KEROSENE | 14.46 | 23 | 1,331.72 | A |
| LECITHIN | 25.30 | 16 | 235.00 | A |
| METHOMYL | 208.72 | 10 | 663.23 | A |
| METHYLATED SOYBEAN OIL | 322.38 | 25 | 1,526.22 | A |
| S-METOLACHLOR | 134.34 | 3 | 106.00 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 9.55 | 9 | 459.00 | A |
| NICOSULFURON | 9.54 | 5 | 153.10 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 780.82 | 86 | 4,421.74 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 8.40 | 2 | 88.10 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 49.32 | 30 | 1,733.37 | A |
| OLEIC ACID, METHYL ESTER | 112.52 | 14 | 332.00 | A |
| PARAQUAT DICHLORIDE | 80.23 | 2 | 115.90 | A |
| PHOSPHORIC ACID | 29.19 | 23 | 1,221.73 | A |
| POLYACRYLIC POLYMER | 1.09 | 5 | 411.50 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 2.30 | 2 | 194.50 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 16.89 | 7 | 374.00 | A |
| PROPARGITE | 581.99 | 15 | 264.66 | A |
| PROPIONIC ACID | 8.37 | 7 | 120.00 | A |
| SILICONE DEFOAMER | 0.03 | 2 | 152.00 | A |
| SODIUM POLYACRYLATE | 1.70 | 30 | 1,733.37 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| SODIUM XYLENE SULFONATE | | 0.33 | 2 | 152.00 | A |
| SPIROMESIFEN | | 961.21 | 128 | 7,157.27 | A |
| TALL OIL FATTY ACIDS | | 7.41 | 2 | 88.10 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 20.39 | 11 | 611.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 0.16 | 2 | 152.00 | A |
| TRIETHANOLAMINE | | 0.42 | 2 | 152.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 20.62 | 1 | 150.00 | A |
| ZINC SULFATE | | 1.82 | 2 | 144.23 | A |
| Site Total | | 16,620.18 | 787 | | |
| **CORN, HUMAN CONSUMPTION** | | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 60.33 | 7 | 343.90 | A |
| ALUMINUM PHOSPHIDE | | 399.74 | | 4,813.35 | K |
| | | 299.81 | | 2,288,415.80 | C |
| Total Pounds On This Chemical | 699.55 | | | | |
| BENZOIC ACID | | 0.22 | 3 | 181.33 | A |
| BUTYL ALCOHOL | | 0.74 | 1 | 80.00 | A |
| DDVP | | 0.79 | | 110,000.00 | C |
| DDVP, OTHER RELATED | | 0.02 | | 110,000.00 | C |
| DIMETHYL ALKYL TERTIARY AMINES | | 0.23 | 3 | 181.33 | A |
| DIMETHYLPOLYSILOXANE | | < 0.01 | 1 | 80.00 | A |
| FORAMSULFURON | | 3.76 | 2 | 101.33 | A |
| HEXYTHIAZOX | | 23.94 | 3 | 214.10 | A |
| ISOPROPYL ALCOHOL | | 3.77 | 7 | 343.90 | A |
| KEROSENE | | 0.42 | 3 | 181.33 | A |
| METHYLATED SOYBEAN OIL | | 7.96 | 3 | 181.33 | A |
| S-METOLACHLOR | | 693.43 | 8 | 416.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 6.66 | 1 | 80.00 | A |
| OLEIC ACID, METHYL ESTER | | 41.31 | 2 | 101.33 | A |
| PHOSPHINE | | 5.03 | | 4,194.27 | K |
| | | 2.02 | | 158,953.60 | C |
| | | 0.63 | | 453,600.00 | S |
| Total Pounds On This Chemical | 7.68 | | | | |
| PROPARGITE | | 175.83 | 2 | 70.80 | A |
| SPIROMESIFEN | | 19.72 | 3 | 139.00 | A |
| Site Total | | 1,746.38 | 31 | | |
| **COTTON** | | | | | |
| ABAMECTIN | | 31.31 | 53 | 3,541.48 | A |
| ACEPHATE | | 1,696.83 | 20 | 1,744.00 | A |
| ACETAMIPRID | | 104.37 | 26 | 2,099.00 | A |
| ALCOHOLS, C4-C12, NORMAL | | 13.07 | 11 | 651.30 | A |
| ALDICARB | | 212.10 | 4 | 308.80 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 70.41 | 7 | 335.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 0.85 | 1 | 30.00 | A |
| AMMONIUM NITRATE | | 0.11 | 1 | 30.00 | A |
| AMMONIUM PROPIONATE | | 1,248.01 | 96 | 6,461.56 | A |
| AMMONIUM SULFATE | | 381.99 | 102 | 6,928.06 | A |
| BENZOIC ACID | | 2.50 | 4 | 231.40 | A |
| BIFENTHRIN | | 32.41 | 2 | 327.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 120.20 | 44 | 3,278.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| BUTYL ALCOHOL | 15.04 | 12 | 520.40 | A |
| CALCIUM CHLORIDE | 23.51 | 14 | 764.10 | A |
| CHLORPYRIFOS | 481.32 | 9 | 804.00 | A |
| CITRIC ACID | 689.84 | 113 | 7,362.16 | A |
| COCONUT DIETHANOLAMIDE | 1.97 | 9 | 516.00 | A |
| COTTONSEED OIL | 1,292.36 | 14 | 802.30 | A |
| CYFLUTHRIN | 35.41 | 13 | 1,070.90 | A |
| BETA-CYFLUTHRIN | 7.52 | 23 | 1,970.00 | A |
| DICOFOL | 172.50 | 3 | 138.80 | A |
| DIETHYLENE GLYCOL | 50.54 | 26 | 1,457.48 | A |
| DIFLUBENZURON | 8.22 | 1 | 130.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 2.72 | 4 | 231.40 | A |
| DIMETHYLPOLYSILOXANE | 2.47 | 83 | 5,473.65 | A |
| DIURON | 96.28 | 49 | 3,177.49 | A |
| DODECYLBENZENE SULFONIC ACID | 8.55 | 9 | 516.00 | A |
| EDTA, TETRASODIUM SALT | 0.53 | 9 | 516.00 | A |
| ESFENVALERATE | 3.57 | 1 | 78.00 | A |
| ETHEPHON | 5,087.73 | 61 | 3,633.98 | A |
| FATTY ACIDS, METHYL ESTERS | 448.74 | 44 | 3,278.00 | A |
| FATTY ACIDS, MIXED | 213.22 | 112 | 7,389.16 | A |
| FLONICAMID | 101.70 | 28 | 1,331.28 | A |
| FLUMIOXAZIN | 10.96 | 3 | 172.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 2,478.91 | 48 | 2,394.66 | A |
| GLYPHOSATE, POTASSIUM SALT | 246.72 | 5 | 268.00 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 8.75 | 3 | 103.77 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 7.89 | 1 | 130.00 | A |
| IMIDACLOPRID | 61.38 | 35 | 2,910.90 | A |
| INDOXACARB | 31.91 | 8 | 343.47 | A |
| ISOPROPYL ALCOHOL | 6.37 | 13 | 700.00 | A |
| KEROSENE | 4.84 | 4 | 231.40 | A |
| LAMBDA-CYHALOTHRIN | 10.70 | 6 | 357.40 | A |
| LECITHIN | 144.55 | 39 | 2,333.68 | A |
| MEPIQUAT CHLORIDE | 102.59 | 58 | 3,120.28 | A |
| METAM-SODIUM | 4,274.56 | 1 | 100.00 | A |
| METHYLATED SOYBEAN OIL | 92.50 | 4 | 231.40 | A |
| METOLACHLOR | 237.78 | 3 | 178.80 | A |
| S-METOLACHLOR | 11.44 | 1 | 12.00 | A |
| MINERAL OIL | 119.97 | 1 | 78.00 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 1.27 | 1 | 8.69 | A |
| MSMA | 1,445.82 | 11 | 720.50 | A |
| NALED | 648.65 | 7 | 644.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 152.25 | 44 | 3,278.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,008.94 | 175 | 11,879.86 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 336.80 | 96 | 6,461.56 | A |
| NOVALURON | 214.59 | 43 | 3,519.00 | A |
| OLEIC ACID, METHYL ESTER | 106.49 | 5 | 363.77 | A |
| PARAQUAT DICHLORIDE | 1,240.33 | 24 | 1,792.00 | A |
| PENDIMETHALIN | 16.68 | 1 | 33.00 | A |
| PHOSPHORIC ACID | 156.38 | 63 | 4,571.40 | A |
| POLYACRYLAMIDE POLYMER | 15.34 | 53 | 3,949.10 | A |
| POLYACRYLIC POLYMER | 0.26 | 3 | 136.50 | A |
| PROMETRYN | 88.14 | 1 | 45.80 | A |
| PROPIONIC ACID | 144.55 | 39 | 2,333.68 | A |
| PROPYLENE GLYCOL | 15.37 | 10 | 559.90 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PYRAFLUFEN-ETHYL | 8.29 | 29 | 2,081.00 | A |
| SILICONE DEFOAMER | 0.22 | 9 | 516.00 | A |
| SODIUM HYDROXIDE | 3.67 | 7 | 381.30 | A |
| SODIUM POLYACRYLATE | 377.98 | 96 | 6,461.56 | A |
| SODIUM XYLENE SULFONATE | 2.63 | 9 | 516.00 | A |
| SPINETORAM | 3.51 | 3 | 178.80 | A |
| TALL OIL FATTY ACIDS | 13.13 | 1 | 78.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 10.02 | 9 | 516.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 1.32 | 9 | 516.00 | A |
| THIAMETHOXAM | 11.16 | 3 | 178.60 | A |
| THIDIAZURON | 192.55 | 49 | 3,177.49 | A |
| S,S,S-TRIBUTYL PHOSPHOROTRITHIOATE | 3,188.62 | 23 | 1,703.00 | A |
| TRIETHANOLAMINE | 3.35 | 9 | 516.00 | A |
| TRIFLURALIN | 442.78 | 7 | 547.80 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 10.70 | 3 | 103.77 | A |
| TRISODIUM PHOSPHATE | 1.63 | 3 | 178.60 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 131.68 | 26 | 1,457.48 | A |
| UREA | 91.31 | 39 | 3,241.00 | A |
| UREA DIHYDROGEN SULFATE | 2,647.95 | 23 | 1,248.49 | A |
| VEGETABLE OIL | 700.50 | 5 | 701.00 | A |
| ZINC SULFATE | 6.02 | 2 | 118.00 | A |
| Site Total | 33,950.64 | 1,009 | | |
| **FIG** | | | | |
| ALCOHOLS, C4-C12, NORMAL | 0.36 | 4 | 47.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 348.62 | 49 | 1,465.00 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 42.23 | 5 | 150.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,799.28 | 82 | 6,001.20 | A |
| ALKYL (C8,C10) POLYGLYCOSIDE | 14.09 | 14 | 246.00 | A |
| ALUMINUM PHOSPHIDE | 79.75 | | 250.00 | K |
| AMMONIUM NITRATE | 6.71 | 14 | 246.00 | A |
| AMMONIUM SULFATE | 64.20 | 17 | 506.00 | A |
| CARFENTRAZONE-ETHYL | 0.92 | 2 | 72.00 | A |
| CHLORANTRANILIPROLE | 82.09 | 10 | 820.00 | A |
| CHLORPYRIFOS | 159.97 | 1 | 80.00 | A |
| CITRIC ACID | 1.98 | 1 | 180.00 | A |
| COTTONSEED OIL | 32.00 | 4 | 47.00 | A |
| DIAZINON | 294.37 | 2 | 68.33 | A |
| DIETHYLENE GLYCOL | 0.90 | 1 | 86.00 | A |
| DIMETHYLPOLYSILOXANE | 0.15 | 15 | 332.00 | A |
| DIQUAT DIBROMIDE | 24.24 | 2 | 80.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 719.71 | 82 | 6,001.20 | A |
| GLYPHOSATE | 844.72 | 9 | 402.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 13,074.05 | 164 | 8,419.70 | A |
| ISOPROPYL ALCOHOL | 55.35 | 72 | 1,928.00 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 2.38 | 7 | 798.33 | A |
| LECITHIN | 42.23 | 5 | 150.00 | A |
| METHYLATED SOYBEAN OIL | 148.70 | 8 | 716.00 | A |
| METHYL BROMIDE | 356.00 | | 356,000.00 | C |
| MINERAL OIL | 4,144.17 | 6 | 383.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,963.41 | 126 | 7,419.20 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 22.33 | 7 | 93.00 | A |
| OLEIC ACID, METHYL ESTER | | 197.08 | 5 | 150.00 | A |
| ORYZALIN | | 280.45 | 5 | 86.33 | A |
| OXYFLUORFEN | | 1,578.20 | 75 | 3,186.00 | A |
| PARAQUAT DICHLORIDE | | 1,328.14 | 30 | 1,051.83 | A |
| PETROLEUM OIL, PARAFFIN BASED | | 386.52 | 7 | 798.33 | A |
| PHOSPHORIC ACID | | 41.44 | 24 | 643.00 | A |
| POLYACRYLIC POLYMER | | 0.99 | 1 | 180.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 7.43 | 8 | 716.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 9.50 | 7 | 798.33 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 62.45 | 7 | 798.33 | A |
| PROPYLENE GLYCOL | | 0.90 | 1 | 86.00 | A |
| PYRIPROXYFEN | | 0.80 | 2 | 80.00 | A |
| TALL OIL FATTY ACIDS | | 2.49 | 2 | 99.00 | A |
| Site Total | | 28,221.31 | 511 | | |
| **FOOD PROCRESSING PLANT** | | | | | |
| ESFENVALERATE | | 0.76 | | 660.00 | U |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | | 29.90 | | 6,750.00 | K |
| | | 8.54 | | 2,250.00 | C |
| Total Pounds On This Chemical | 38.45 | | | | |
| PIPERONYL BUTOXIDE | | 15.95 | | 6,750.00 | K |
| | | 4.56 | | 2,250.00 | C |
| Total Pounds On This Chemical | 20.50 | | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | | 3.99 | | 6,750.00 | K |
| | | 1.14 | | 2,250.00 | C |
| Total Pounds On This Chemical | 5.13 | | | | |
| PYRETHRINS | | 9.97 | | 6,750.00 | K |
| | | 2.85 | | 2,250.00 | C |
| Total Pounds On This Chemical | 12.82 | | | | |
| Site Total | | 77.65 | | | |
| **FORAGE HAY/SILAGE** | | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 4.77 | 1 | 16.00 | A |
| CARFENTRAZONE-ETHYL | | 0.24 | 1 | 16.00 | A |
| ISOPROPYL ALCOHOL | | 0.30 | 1 | 16.00 | A |
| Site Total | | 5.31 | 2 | | |
| **FOREST, TIMBERLAND** | | | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 83.76 | 1 | 50.00 | A |
| TRICLOPYR, TRIETHYLAMINE SALT | | 29.52 | 1 | 50.00 | A |
| Site Total | | 113.28 | 2 | | |
| **GARBANZO BEAN** | | | | | |
| PENDIMETHALIN | | 6.63 | 2 | 14.00 | A |
| Site Total | | 6.63 | 2 | | |
| **GRAIN** | | | | | |
| ALUMINUM PHOSPHIDE | | 19.80 | | 69,900.00 | C |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | | 56.14 | | 12,200.00 | K |
| PIPERONYL BUTOXIDE | | 29.94 | | 12,200.00 | K |
| PIPERONYL BUTOXIDE, OTHER RELATED | | 7.49 | | 12,200.00 | K |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| PYRETHRINS | | 18.71 | | 12,200.00 | K |
| Site Total | | 132.09 | | | |
| **GRAPE** | | | | | |
| ABAMECTIN | | 99.80 | 125 | 7,194.98 | A |
| S-ABSCISIC ACID | | 110.37 | 19 | 656.11 | A |
| ACETAMIPRID | | 2.41 | 1 | 50.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 2,206.07 | 180 | 7,000.32 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 197.46 | 116 | 2,077.72 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 40.30 | 12 | 474.68 | A |
| ALPHA-ALKYL (SECONDARY C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 1.09 | 4 | 110.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | | 143.54 | 8 | 569.72 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 491.27 | 82 | 4,317.04 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | | 122.33 | 79 | 5,722.20 | A |
| ALKYL (C8,C10) POLYGLYCOSIDE | | 406.46 | 192 | 4,020.44 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | | 29.41 | 14 | 668.99 | A |
| ALUMINUM PHOSPHIDE | | 446.19 | | 4,122.00 | K |
| | | 205.74 | | 1,620,547.00 | C |
| Total Pounds On This Chemical | 651.93 | | | | |
| AMMONIUM NITRATE | | 213.85 | 292 | 5,469.16 | A |
| AMMONIUM PROPIONATE | | 6.64 | 2 | 90.45 | A |
| AMMONIUM SULFATE | | 945.65 | 304 | 5,774.63 | A |
| AZOXYSTROBIN | | 137.41 | 23 | 738.56 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | | 18.58 | 4 | 211.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | | 204.12 | 7 | 378.00 | A |
| BENZOIC ACID | | 0.31 | 7 | 144.00 | A |
| BIFENAZATE | | 270.92 | 20 | 622.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 41.64 | 8 | 314.99 | A |
| BOSCALID | | 1,060.64 | 165 | 5,844.11 | A |
| BUPROFEZIN | | 746.73 | 11 | 1,236.00 | A |
| BUTYL ALCOHOL | | 190.46 | 166 | 6,062.60 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | | 23.53 | 4 | 115.00 | A |
| CALCIUM HYDROXIDE | | 1,288.80 | 6 | 132.00 | A |
| CARFENTRAZONE-ETHYL | | 8.55 | 19 | 635.75 | A |
| CHLORANTRANILIPROLE | | 33.93 | 14 | 592.64 | A |
| CHLOROPICRIN | | 218.24 | 1 | 2.20 | A |
| CHLORPYRIFOS | | 276.07 | 4 | 147.00 | A |
| CITRIC ACID | | 52.77 | 15 | 406.20 | A |
| COCONUT DIETHANOLAMIDE | | 556.42 | 81 | 5,779.20 | A |
| COPPER | | 2,643.27 | 50 | 1,338.57 | A |
| COPPER HYDROXIDE | | 8,309.65 | 279 | 12,911.30 | A |
| COPPER OXIDE (OUS) | | 1,942.51 | 57 | 1,975.54 | A |
| COPPER OXYCHLORIDE | | 403.21 | 5 | 155.89 | A |
| COPPER SULFATE (BASIC) | | 3,747.94 | 90 | 3,394.53 | A |
| CRYOLITE | | 30,286.04 | 77 | 4,573.06 | A |
| BETA-CYFLUTHRIN | | 1.95 | 2 | 80.00 | A |
| CYPRODINIL | | 35.96 | 1 | 76.72 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| 2,4-D, DIMETHYLAMINE SALT | 820.40 | 34 | 1,170.48 | A |
| DICLORAN | 133.08 | 5 | 150.80 | A |
| DIETHYLENE GLYCOL | 96.35 | 29 | 1,789.78 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 0.34 | 7 | 144.00 | A |
| DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE | 3.86 | 1 | 20.00 | A |
| 3,7-DIMETHYL-6-OCTEN-1-OL | 2.38 | 3 | 143.50 | A |
| DIMETHYLPOLYSILOXANE | 201.99 | 601 | 21,888.06 | A |
| DIQUAT DIBROMIDE | 9.32 | 1 | 312.00 | A |
| DIURON | 633.47 | 36 | 920.80 | A |
| DODECYLBENZENE SULFONIC ACID | 1.60 | 2 | 57.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 7.66 | 8 | 569.72 | A |
| EDTA, SODIUM SALT | 2.51 | 87 | 3,873.00 | A |
| EDTA, TETRASODIUM SALT | 0.10 | 2 | 57.00 | A |
| EMULSIFIABLE METHYLATED VEGETABLE OIL | 50.90 | 6 | 112.29 | A |
| ESFENVALERATE | 7.55 | 1 | 123.00 | A |
| ETHEPHON | 567.82 | 69 | 2,495.92 | A |
| ETOXAZOLE | 114.73 | 39 | 888.97 | A |
| FARNESOL | 0.95 | 3 | 143.50 | A |
| FATTY ACIDS, MIXED | 158.09 | 250 | 8,205.78 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 155.45 | 8 | 314.99 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 196.51 | 82 | 4,317.04 | A |
| FENARIMOL | 211.66 | 99 | 5,605.79 | A |
| FENPROPATHRIN | 159.12 | 29 | 1,005.12 | A |
| FENPYROXIMATE | 119.80 | 25 | 1,120.27 | A |
| FLUBENDIAMIDE | 1.25 | 1 | 11.00 | A |
| FLUMIOXAZIN | 554.12 | 124 | 3,278.70 | A |
| FORCHLORFENURON | 145.47 | 36 | 651.26 | A |
| GERANIOL | 2.38 | 3 | 143.50 | A |
| GIBBERELLINS | 921.65 | 635 | 24,302.36 | A |
| GLUFOSINATE-AMMONIUM | 7,591.18 | 426 | 11,938.28 | A |
| GLYPHOSATE | 5,843.67 | 179 | 3,456.06 | A |
| GLYPHOSATE, DIAMMONIUM SALT | 15.94 | 3 | 46.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 23,092.97 | 741 | 22,999.20 | A |
| GLYPHOSATE, POTASSIUM SALT | 1,419.53 | 52 | 1,873.30 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 42.37 | 11 | 404.23 | A |
| HYDROGEN CYANAMIDE | 7,414.43 | 25 | 997.88 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 247.13 | 18 | 299.84 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 828.32 | 92 | 5,249.94 | A |
| IMIDACLOPRID | 1,779.68 | 282 | 15,443.32 | A |
| INDOXACARB | 3.54 | 2 | 37.73 | A |
| IPRODIONE | 1,195.65 | 35 | 2,275.87 | A |
| ISOPROPYL ALCOHOL | 357.34 | 313 | 13,031.99 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 1.13 | 14 | 690.67 | A |
| KEROSENE | 0.61 | 7 | 144.00 | A |
| KRESOXIM-METHYL | 1,571.69 | 286 | 12,727.59 | A |
| LAURIC ACID | 111.21 | 79 | 5,722.20 | A |
| LECITHIN | 100.37 | 6 | 436.45 | A |
| LIME-SULFUR | 41,467.79 | 37 | 2,099.44 | A |
| MALATHION | 120.20 | 1 | 60.00 | A |
| MANCOZEB | 433.46 | 6 | 353.00 | A |
| METALDEHYDE | 2.00 | 1 | 312.00 | A |
| METHOXYFENOZIDE | 1,911.12 | 223 | 12,755.52 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| METHYLATED SOYBEAN OIL | 371.00 | 29 | 1,087.31 | A |
| METHYL BROMIDE | 660.00 | 1 | 2.20 | A |
| MINERAL OIL | 3,605.78 | 11 | 736.72 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 9,083.41 | 946 | 45,988.59 | A |
| MYCLOBUTANIL | 2,253.81 | 420 | 21,057.85 | A |
| NEROLIDOL | 2.38 | 3 | 143.50 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 202.58 | 228 | 6,631.99 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 3,620.29 | 637 | 23,419.84 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 32.15 | 25 | 445.84 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 18.59 | 5 | 291.45 | A |
| NORFLURAZON | 29.48 | 1 | 75.00 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 5.74 | 4 | 159.00 | A |
| OIL OF JOJOBA | 76.86 | 2 | 76.00 | A |
| OLEIC ACID | 9.02 | 51 | 750.70 | A |
| OLEIC ACID, METHYL ESTER | 249.77 | 12 | 608.40 | A |
| ORYZALIN | 5,385.08 | 77 | 3,232.64 | A |
| OXYFLUORFEN | 2,588.96 | 344 | 10,158.10 | A |
| PARAQUAT DICHLORIDE | 794.63 | 30 | 1,257.19 | A |
| PENDIMETHALIN | 7,890.49 | 187 | 5,520.70 | A |
| PETROLEUM DISTILLATES | 14.99 | 2 | 100.00 | A |
| PETROLEUM DISTILLATES, REFINED | 1,474.24 | 6 | 301.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 306.11 | 15 | 775.22 | A |
| PETROLEUM OIL, UNCLASSIFIED | 554.12 | 6 | 97.50 | A |
| PHOSPHORIC ACID | 221.64 | 55 | 2,137.13 | A |
| BETA-PINENE POLYMER | 130.64 | 10 | 564.09 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 9.93 | 5 | 200.00 | A |
| POLYACRYLAMIDE POLYMER | 2.07 | 1 | 120.00 | A |
| POLYACRYLIC POLYMER | 0.08 | 1 | 60.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 16.03 | 16 | 652.31 | A |
| POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE | 12.48 | 6 | 112.29 | A |
| POLYBUTENES | 27.76 | 8 | 314.99 | A |
| POLYETHER MODIFIED POLYSILOXANE | 6.48 | 2 | 100.00 | A |
| POLYETHYLENE GLYCOL | 309.02 | 38 | 1,721.12 | A |
| POLYETHYLENE GLYCOL DIACETATE | 2.67 | 14 | 668.99 | A |
| POLYETHYLENE GLYCOL OLEATE | 8.94 | 1 | 20.00 | A |
| POLY-I-PARA-MENTHENE | 255.26 | 26 | 1,353.72 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 427.53 | 118 | 6,673.12 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 4.51 | 14 | 690.67 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 29.66 | 14 | 690.67 | A |
| POTASH SOAP | 526.77 | 4 | 55.50 | A |
| POTASSIUM BICARBONATE | 3,915.50 | 21 | 1,119.80 | A |
| POTASSIUM HYDROXIDE | 1.55 | 4 | 127.40 | A |
| POTASSIUM NITRATE | 14.69 | 4 | 127.40 | A |
| PROPARGITE | 348.80 | 5 | 220.00 | A |
| PROPIONIC ACID | 69.92 | 3 | 185.00 | A |
| PROPYLENE GLYCOL | 219.13 | 130 | 6,472.90 | A |
| PYRACLOSTROBIN | 538.74 | 165 | 5,844.11 | A |
| PYRAFLUFEN-ETHYL | 0.03 | 1 | 12.00 | A |
| PYRETHRINS | 8.07 | 6 | 589.20 | A |
| PYRIMETHANIL | 128.97 | 18 | 344.71 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 12.34 | 8 | 88.50 | A |
| QUINOXYFEN | 948.48 | 187 | 9,843.52 | A |
| REYNOUTRIA SACHALINENSIS | 16.80 | 1 | 155.00 | A |
| RIMSULFURON | 77.79 | 67 | 2,444.25 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| SETHOXYDIM | | 176.10 | 13 | 501.99 | A |
| SILICONE DEFOAMER | | 0.04 | 2 | 57.00 | A |
| SIMAZINE | | 5,111.41 | 154 | 5,075.75 | A |
| SODIUM DIOCTYLSULFOSUCCINATE | | 16.84 | 51 | 750.70 | A |
| SODIUM POLYACRYLATE | | 0.17 | 2 | 90.45 | A |
| SODIUM XYLENE SULFONATE | | 0.49 | 2 | 57.00 | A |
| SPINETORAM | | 88.51 | 46 | 1,454.10 | A |
| SPINOSAD | | 46.84 | 9 | 517.72 | A |
| SPIRODICLOFEN | | 173.50 | 12 | 565.32 | A |
| SPIROTETRAMAT | | 23.28 | 34 | 1,853.15 | A |
| SULFUR | | 2,019,374.27 | 4,623 | 232,542.73 | A |
| SULFUR DIOXIDE | | 2,679.76 | | 9,885.79 | K |
| | | 1,038.76 | | 1,497,386.60 | C |
| Total Pounds On This Chemical | 3,718.52 | | | | |
| TALL OIL | | 5.81 | 10 | 317.00 | A |
| TALL OIL FATTY ACIDS | | 37.48 | 19 | 384.39 | A |
| TEBUCONAZOLE | | 1,392.57 | 295 | 13,759.67 | A |
| TETRACONAZOLE | | 12.95 | 5 | 343.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 318.23 | 89 | 3,930.00 | A |
| ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER | | 0.66 | 1 | 0.18 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 0.25 | 2 | 57.00 | A |
| THIOPHANATE-METHYL | | 21.00 | 2 | 26.00 | A |
| TRIETHANOLAMINE | | 0.63 | 2 | 57.00 | A |
| TRIFLOXYSTROBIN | | 758.57 | 223 | 11,400.13 | A |
| TRIFLUMIZOLE | | 714.63 | 69 | 3,575.28 | A |
| TRIFLURALIN | | 223.27 | 5 | 193.33 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 185.28 | 27 | 1,703.78 | A |
| ZINC SULFATE | | 1.15 | 1 | 76.72 | A |
| ZIRAM | | 912.00 | 10 | 475.00 | A |
| Site Total | | 2,239,836.28 | 13,795 | | |
| **GRAPE, WINE** | | | | | |
| ABAMECTIN | | 143.49 | 175 | 8,305.26 | A |
| ACETAMIPRID | | 4.75 | 2 | 145.00 | A |
| ACRYLIC ACID | | 1.70 | 2 | 67.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 469.67 | 73 | 2,630.55 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 1,218.16 | 174 | 8,396.19 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 260.12 | 51 | 3,957.79 | A |
| ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 12.91 | 6 | 448.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 352.03 | 78 | 2,457.71 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | | 96.88 | 93 | 6,559.00 | A |
| ALKYL (C8,C10) POLYGLYCOSIDE | | 453.79 | 75 | 1,606.92 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | | 68.50 | 11 | 915.88 | A |
| AMMONIUM NITRATE | | 240.82 | 145 | 3,240.65 | A |
| AMMONIUM PROPIONATE | | 8.87 | 2 | 78.50 | A |
| AMMONIUM SULFATE | | 7,007.97 | 182 | 9,032.98 | A |
| AZOXYSTROBIN | | 25.93 | 3 | 174.89 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | | 23.89 | 6 | 398.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 125.82 | 7 | 233.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1 | 27.84 | 2 | 160.00 | A |
| BENZOIC ACID | 0.12 | 4 | 89.00 | A |
| BIFENAZATE | 732.08 | 33 | 1,490.65 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 16.61 | 3 | 123.00 | A |
| BOSCALID | 1,597.35 | 105 | 9,576.78 | A |
| BUPROFEZIN | 1,649.64 | 51 | 2,494.01 | A |
| BUTYL ALCOHOL | 601.43 | 298 | 27,364.54 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | 6.46 | 2 | 40.00 | A |
| CALCIUM CHLORIDE | 15.13 | 8 | 484.23 | A |
| CALCIUM HYDROXIDE | 504.00 | 2 | 56.00 | A |
| CARFENTRAZONE-ETHYL | 78.50 | 109 | 3,146.99 | A |
| CHLORANTRANILIPROLE | 70.66 | 26 | 1,136.88 | A |
| CHLORPYRIFOS | 5,244.91 | 38 | 2,792.82 | A |
| CITRIC ACID | 48.27 | 14 | 689.16 | A |
| CLOFENTEZINE | 744.36 | 20 | 3,610.00 | A |
| CLOTHIANIDIN | 131.56 | 19 | 1,283.00 | A |
| COCONUT DIETHANOLAMIDE | 442.05 | 95 | 6,662.90 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 0.75 | 2 | 112.00 | A |
| COPPER | 1,245.00 | 8 | 465.00 | A |
| COPPER HYDROXIDE | 11,156.07 | 269 | 16,988.57 | A |
| COPPER OXIDE (OUS) | 567.37 | 9 | 503.00 | A |
| COPPER SULFATE (BASIC) | 1,678.24 | 28 | 1,333.50 | A |
| CRYOLITE | 584.64 | 3 | 101.50 | A |
| CYFLUTHRIN | 1.22 | 1 | 71.00 | A |
| BETA-CYFLUTHRIN | 30.42 | 16 | 1,161.91 | A |
| CYPRODINIL | 184.24 | 8 | 392.75 | A |
| 2,4-D, DIMETHYLAMINE SALT | 740.22 | 16 | 718.24 | A |
| DICLORAN | 556.20 | 4 | 309.00 | A |
| DIETHYLENE GLYCOL | 318.34 | 44 | 2,357.34 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 0.13 | 4 | 89.00 | A |
| 3,7-DIMETHYL-6-OCTEN-1-OL | 2.67 | 3 | 129.00 | A |
| DIMETHYLPOLYSILOXANE | 1,255.80 | 719 | 44,018.62 | A |
| ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA-HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE | 2.77 | 3 | 123.00 | A |
| DIPHACINONE | 0.02 | 5 | 230.80 | A |
| DIURON | 268.83 | 13 | 260.83 | A |
| DODECYLBENZENE SULFONIC ACID | 7.38 | 2 | 103.90 | A |
| EDTA, SODIUM SALT | 1.01 | 32 | 1,219.00 | A |
| EDTA, TETRASODIUM SALT | 0.45 | 2 | 103.90 | A |
| EMULSIFIABLE METHYLATED VEGETABLE OIL | 14.83 | 1 | 90.00 | A |
| ESFENVALERATE | 4.54 | 3 | 87.00 | A |
| ETHEPHON | 42.43 | 6 | 196.00 | A |
| ETOXAZOLE | 379.90 | 49 | 3,070.54 | A |
| FARNESOL | 1.07 | 3 | 129.00 | A |
| FATTY ACIDS, MIXED | 357.01 | 244 | 12,821.35 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 140.81 | 78 | 2,457.71 | A |
| FENARIMOL | 178.14 | 91 | 5,277.20 | A |
| FENHEXAMID | 36.53 | 4 | 72.75 | A |
| FENPROPATHRIN | 110.56 | 4 | 452.94 | A |
| FENPYROXIMATE | 773.42 | 65 | 6,799.01 | A |
| FERROUS SULFATE | 3.91 | 2 | 112.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| FLUAZIFOP-P-BUTYL | 18.84 | 2 | 85.00 | A |
| FLUBENDIAMIDE | 5.32 | 1 | 56.80 | A |
| FLUMIOXAZIN | 804.57 | 77 | 3,810.76 | A |
| GARLIC | 14.94 | 4 | 280.00 | A |
| GERANIOL | 2.67 | 3 | 129.00 | A |
| GIBBERELLINS | 64.13 | 77 | 3,215.99 | A |
| GLUFOSINATE-AMMONIUM | 21,594.56 | 560 | 24,598.38 | A |
| GLYPHOSATE | 2,903.37 | 68 | 1,515.39 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 35,946.86 | 670 | 27,284.34 | A |
| GLYPHOSATE, POTASSIUM SALT | 12,975.73 | 80 | 4,425.94 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 429.20 | 54 | 4,282.79 | A |
| HEXYTHIAZOX | 49.19 | 9 | 415.00 | A |
| HYDROGEN CYANAMIDE | 210.15 | 1 | 35.00 | A |
| HYDROGEN PEROXIDE | 1,185.70 | 9 | 560.10 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 952.57 | 57 | 1,984.37 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 1,815.32 | 146 | 10,352.56 | A |
| IMIDACLOPRID | 4,189.37 | 321 | 21,751.90 | A |
| INDOXACARB | 89.97 | 21 | 991.65 | A |
| IPRODIONE | 111.04 | 3 | 221.40 | A |
| IRON PHOSPHATE | 1.00 | 1 | 15.00 | A |
| ISOPROPYL ALCOHOL | 153.79 | 135 | 6,005.40 | A |
| KEROSENE | 0.23 | 4 | 89.00 | A |
| KRESOXIM-METHYL | 1,479.30 | 180 | 11,549.58 | A |
| LAURIC ACID | 88.07 | 93 | 6,559.00 | A |
| LECITHIN | 539.06 | 71 | 2,913.56 | A |
| LIME-SULFUR | 23,377.70 | 6 | 580.00 | A |
| MANGANESE SULFATE | 5.42 | 2 | 112.00 | A |
| METHOXYFENOZIDE | 3,911.46 | 292 | 22,148.41 | A |
| METHYLATED SOYBEAN OIL | 954.67 | 29 | 4,625.20 | A |
| METHYL SILICONE RESINS | 1.78 | 13 | 649.60 | A |
| MINERAL OIL | 10,156.75 | 21 | 1,326.00 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 896.92 | 190 | 9,290.93 | A |
| MYCLOBUTANIL | 1,937.86 | 322 | 19,004.03 | A |
| NEROLIDOL | 2.67 | 3 | 129.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 190.55 | 148 | 8,395.59 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 9,356.48 | 871 | 55,454.92 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 99.50 | 57 | 1,984.37 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 6,136.20 | 130 | 4,179.82 | A |
| NORFLURAZON | 256.04 | 9 | 212.99 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 8.54 | 3 | 81.00 | A |
| OIL OF JOJOBA | 29.77 | 2 | 118.00 | A |
| OLEIC ACID | 2.19 | 20 | 180.00 | A |
| OLEIC ACID, METHYL ESTER | 757.73 | 16 | 896.08 | A |
| ORYZALIN | 3,764.12 | 51 | 2,484.89 | A |
| OXYFLUORFEN | 4,730.86 | 290 | 12,164.66 | A |
| PARAQUAT DICHLORIDE | 4,842.35 | 57 | 4,865.79 | A |
| PENDIMETHALIN | 23,527.70 | 180 | 11,782.51 | A |
| PETROLEUM DISTILLATES | 3.00 | 1 | 30.00 | A |
| PETROLEUM DISTILLATES, REFINED | 211.11 | 3 | 60.00 | A |
| PHOSMET | 83.40 | 1 | 119.14 | A |
| PHOSPHORIC ACID | 275.58 | 64 | 2,461.34 | A |
| BETA-PINENE POLYMER | 2.38 | 1 | 10.30 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 2.82 | 4 | 129.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| POLYACRYLAMIDE POLYMER | | 10.27 | 25 | 947.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 59.02 | 25 | 4,618.70 | A |
| POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE | | 3.64 | 1 | 90.00 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 29.85 | 7 | 361.00 | A |
| POLYETHYLENE GLYCOL | | 198.98 | 32 | 1,666.26 | A |
| POLYETHYLENE GLYCOL DIACETATE | | 6.23 | 11 | 915.88 | A |
| POLY-I-PARA-MENTHENE | | 31.68 | 3 | 167.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | | 689.85 | 168 | 9,077.52 | A |
| POLYPROPYLENE GLYCOL | | 2.12 | 13 | 649.60 | A |
| POTASSIUM BICARBONATE | | 7,833.77 | 37 | 2,401.54 | A |
| PROPARGITE | | 316.80 | 2 | 165.00 | A |
| PROPIONIC ACID | | 529.54 | 70 | 2,906.06 | A |
| PROPYLENE GLYCOL | | 309.01 | 137 | 7,938.34 | A |
| PYRACLOSTROBIN | | 811.35 | 105 | 9,576.78 | A |
| PYRAFLUFEN-ETHYL | | 0.34 | 5 | 170.00 | A |
| PYRIMETHANIL | | 627.31 | 17 | 3,269.90 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | 35.30 | 3 | 310.00 | A |
| QUINOXYFEN | | 595.80 | 120 | 6,777.78 | A |
| RIMSULFURON | | 215.84 | 51 | 4,424.77 | A |
| SETHOXYDIM | | 461.59 | 19 | 1,425.99 | A |
| SILICONE DEFOAMER | | 0.19 | 2 | 103.90 | A |
| SIMAZINE | | 4,980.85 | 150 | 4,600.11 | A |
| SODIUM DIOCTYLSULFOSUCCINATE | | 4.09 | 20 | 180.00 | A |
| SODIUM POLYACRYLATE | | 0.22 | 2 | 78.50 | A |
| SODIUM XYLENE SULFONATE | | 2.27 | 2 | 103.90 | A |
| SPINOSAD | | 69.30 | 14 | 756.17 | A |
| SPIRODICLOFEN | | 168.56 | 11 | 595.42 | A |
| SPIROTETRAMAT | | 4.20 | 12 | 311.00 | A |
| SULFUR | | 2,346,779.81 | 3,559 | 258,116.23 | A |
| TALL OIL | | 5.51 | 6 | 234.70 | A |
| TALL OIL FATTY ACIDS | | 394.75 | 77 | 2,884.01 | A |
| TEBUCONAZOLE | | 2,053.36 | 263 | 19,012.12 | A |
| TETRACONAZOLE | | 3.65 | 3 | 100.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 136.16 | 34 | 1,322.90 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 1.14 | 2 | 103.90 | A |
| THIOPHANATE-METHYL | | 7.88 | 2 | 30.00 | A |
| TRIETHANOLAMINE | | 2.90 | 2 | 103.90 | A |
| TRIFLOXYSTROBIN | | 1,185.88 | 229 | 16,487.62 | A |
| TRIFLUMIZOLE | | 247.59 | 26 | 1,274.00 | A |
| TRIFLURALIN | | 271.72 | 13 | 1,838.27 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 443.42 | 28 | 1,615.20 | A |
| UREA | | 12.79 | 2 | 99.50 | A |
| VINYL POLYMER | | 1.70 | 7 | 90.40 | A |
| YUCCA SCHIDIGERA | | 44.82 | 4 | 280.00 | A |
| ZINC SULFATE | | 43.36 | 19 | 894.00 | A |
| ZIRAM | | 91.20 | 1 | 39.00 | A |
| Site Total | | 2,593,947.30 | 11,228 | | |
| **INDUSTRIAL SITE** | | | | | |
| ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | | 0.38 | | 0.50 | A |
| | | 0.35 | | 45.00 | U |
| Total Pounds On This Chemical | 0.73 | | | | |
| ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | | 0.38 | | 0.50 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| | | 0.35 | | 45.00 | U |
| Total Pounds On This Chemical | 0.73 | | | | |
| Site Total | | 1.46 | | | |
| **KIWI** | | | | | |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 2.35 | 2 | 48.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | | 0.94 | 2 | 48.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 89.24 | 9 | 86.66 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 2.35 | 2 | 48.00 | A |
| ORYZALIN | | 34.40 | 2 | 48.00 | A |
| OXYFLUORFEN | | 11.03 | 8 | 62.66 | A |
| STRYCHNINE | | 0.43 | 1 | 24.00 | A |
| Site Total | | 140.76 | 22 | | |
| **LANDSCAPE MAINTENANCE** | | | | | |
| ACEPHATE | | 2.63 | | | |
| ACID BLUE 9, DIAMMONIUM SALT | | 1.09 | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 17.87 | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 0.56 | | | |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 6.04 | | | |
| ALKYL (C8,C10) POLYGLYCOSIDE | | 45.89 | | | |
| ALUMINUM PHOSPHIDE | | 5.63 | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | | 0.30 | | | |
| AMMONIUM NITRATE | | 0.07 | | | |
| AMMONIUM PROPIONATE | | 0.35 | | | |
| AMMONIUM SULFATE | | 1.89 | | | |
| AZOXYSTROBIN | | 5.00 | | | |
| BENSULIDE | | 19.84 | | | |
| BIFENTHRIN | | 2.01 | | | |
| BROMACIL | | 2.40 | | | |
| CARFENTRAZONE-ETHYL | | 2.10 | | | |
| CHLORFLURENOL, METHYL ESTER | | 1.13 | | | |
| CHLOROPHACINONE | | < 0.01 | | | |
| CHLOROTHALONIL | | 114.51 | | | |
| CHLORPYRIFOS | | 1.23 | | | |
| CITRIC ACID | | 0.18 | | | |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | | 0.21 | | | |
| CLOPYRALID, MONOETHANOLAMINE SALT | | 2.26 | | | |
| CLOTHIANIDIN | | 0.65 | | | |
| COPPER AMMONIUM COMPLEX | | 0.87 | | | |
| COPPER CARBONATE, BASIC | | 8.08 | | | |
| CYFLUTHRIN | | 5.41 | | | |
| CYPERMETHRIN | | 0.21 | | | |
| 2,4-D | | 0.02 | | | |
| 2,4-D, BUTOXYETHANOL ESTER | | 0.14 | | | |
| 2,4-D, DIMETHYLAMINE SALT | | 0.36 | | | |
| 2,4-D, 2-ETHYLHEXYL ESTER | | 14.33 | | | |
| DICAMBA | | 0.89 | | | |
| DICAMBA, DIMETHYLAMINE SALT | | 0.03 | | | |
| DIKEGULAC SODIUM | | 0.16 | | | |
| DIPHACINONE | | < 0.01 | | | |
| DIQUAT DIBROMIDE | | 60.78 | | | |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural<br>Applications | Amount<br>Treated | Unit<br>Type |
|---|---|---|---|---|
| DITHIOPYR | 68.67 | | | |
| DIURON | 246.20 | | | |
| ETHEPHON | 40.76 | | | |
| ETHOFUMESATE | 12.38 | | | |
| FLUAZIFOP-P-BUTYL | 0.16 | | | |
| FLUOXASTROBIN | 1.95 | | | |
| FLURECOL-METHYL | 0.27 | | | |
| FLUTOLANIL | 38.68 | | | |
| FORAMSULFURON | 0.30 | | | |
| FOSETYL-AL | 79.20 | | | |
| GAMMA-CYHALOTHRIN | 1.36 | | | |
| GLUFOSINATE-AMMONIUM | 56.47 | | | |
| GLYPHOSATE, DIAMMONIUM SALT | 8.56 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 3,075.64 | | | |
| GLYPHOSATE, MONOAMMONIUM SALT | 28.95 | | | |
| GLYPHOSATE, POTASSIUM SALT | 6.77 | | | |
| HALOSULFURON-METHYL | 0.13 | | | |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 0.09 | | | |
| IMIDACLOPRID | 12.36 | | | |
| IPRODIONE | 14.70 | | | |
| IRON PHOSPHATE | 1.01 | | | |
| ISOPROPYL ALCOHOL | 1.12 | | | |
| ISOXABEN | 4.81 | | | |
| LECITHIN | 6.04 | | | |
| MANCOZEB | 60.00 | | | |
| MCPP-P, DIMETHYLAMINE SALT | 0.10 | | | |
| MECOPROP-P | 3.30 | | | |
| MEFLUIDIDE, DIETHANOLAMINE SALT | 0.91 | | | |
| METALDEHYDE | 0.55 | | | |
| METHYL-2,7-DICHLORO-9-HYDROXYFLUORENE-9-CARBOXYLATE | 0.21 | | | |
| MINERAL OIL | 26.96 | | | |
| MSMA | 18.16 | | | |
| MUSCALURE | < 0.01 | | | |
| MYCLOBUTANIL | 2.51 | | | |
| NAA, AMMONIUM SALT | 0.57 | | | |
| NONANOIC ACID | 3.06 | | | |
| NONANOIC ACID, OTHER RELATED | 0.16 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 5.19 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 0.26 | | | |
| OLEIC ACID, METHYL ESTER | 34.18 | | | |
| ORYZALIN | 169.75 | | | |
| OXADIAZON | 328.22 | | | |
| OXYFLUORFEN | 22.07 | | | |
| PACLOBUTRAZOL | 10.00 | | | |
| PENDIMETHALIN | 146.40 | | | |
| POLYACRYLAMIDE POLYMER | < 0.01 | | | |
| PRODIAMINE | 89.08 | | | |
| PROPICONAZOLE | 10.86 | | | |
| PYRETHRINS | < 0.01 | | | |
| SIDURON | 8.00 | | | |
| SIMAZINE | 120.36 | | | |
| SODIUM CARBONATE PEROXYHYDRATE | 127.50 | | | |
| SODIUM POLYACRYLATE | < 0.01 | | | |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| STREPTOMYCIN SULFATE | 0.07 | | | |
| STRYCHNINE | 0.37 | | | |
| SULFENTRAZONE | 0.49 | | | |
| SULFOMETURON-METHYL | 1.95 | | | |
| SULFOSULFURON | 0.17 | | | |
| TARTRAZINE | 0.11 | | | |
| TEBUTHIURON | 55.20 | | | |
| THIOPHANATE-METHYL | 9.96 | | | |
| TRIADIMEFON | 3.89 | | | |
| TRICLOPYR, BUTOXYETHYL ESTER | 7.66 | | | |
| TRIFLOXYSULFURON-SODIUM | < 0.01 | | | |
| TRIFLURALIN | 10.43 | | | |
| TRINEXAPAC-ETHYL | 7.16 | | | |
| VINCLOZOLIN | 2.70 | | | |
| Site Total | 5,320.25 | | | |
| **MELON** | | | | |
| ABAMECTIN | 0.37 | 1 | 50.00 | A |
| AZOXYSTROBIN | 7.95 | 1 | 50.00 | A |
| BIFENTHRIN | 7.64 | 1 | 50.00 | A |
| DIETHYLENE GLYCOL | 11.54 | 4 | 344.60 | A |
| DIMETHYLPOLYSILOXANE | 0.26 | 4 | 344.60 | A |
| FATTY ACIDS, MIXED | 20.55 | 4 | 344.60 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 176.99 | 1 | 122.30 | A |
| LAMBDA-CYHALOTHRIN | 1.50 | 1 | 50.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 30.06 | 4 | 344.60 | A |
| PHOSPHORIC ACID | 2.30 | 1 | 50.00 | A |
| POLYACRYLAMIDE POLYMER | 1.31 | 1 | 122.30 | A |
| PROPYLENE GLYCOL | 1.07 | 1 | 50.00 | A |
| SODIUM HYDROXIDE | 0.34 | 1 | 50.00 | A |
| THIAMETHOXAM | 2.34 | 1 | 50.00 | A |
| TRIFLURALIN | 25.10 | 1 | 50.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 30.06 | 4 | 344.60 | A |
| Site Total | 319.36 | 13 | | |
| **N-GRNHS FLOWER** | | | | |
| ABAMECTIN | 0.15 | 14 | 14.73 | A |
| ACEPHATE | 13.52 | 40 | 25.91 | A |
| ACEQUINOCYL | 0.05 | 2 | 0.39 | A |
| ACETAMIPRID | 0.56 | 9 | 3.92 | A |
| ANCYMIDOL | < 0.01 | 6 | 0.08 | A |
| AZADIRACHTIN | 0.20 | 5 | 6.13 | A |
| AZOXYSTROBIN | 0.71 | 17 | 9.46 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 2.28 | 8 | 3.92 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 1.02 | 4 | 2.33 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 0.77 | 2 | 1.62 | A |
| BIFENAZATE | 0.94 | 1 | 0.09 | A |
| CHLORFENAPYR | 0.08 | 2 | 1.05 | A |
| CHLORMEQUAT CHLORIDE | 5.65 | 40 | 6.95 | A |
| CHLOROTHALONIL | 3.49 | 9 | 1.72 | A |
| COCONUT DIETHANOLAMIDE | 0.37 | 52 | 24.74 | A |
| COPPER HYDROXIDE | 1.64 | 6 | 2.51 | A |
| COPPER SALTS OF FATTY AND ROSIN ACIDS | 2.88 | 2 | 4.25 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural<br>Applications | Amount<br>Treated | Unit<br>Type |
|---|---|---|---|---|
| COPPER SULFATE (PENTAHYDRATE) | 9.08 | 52 | 14.70 | A |
| CYFLUTHRIN | < 0.01 | 2 | 0.22 | A |
| CYROMAZINE | 0.12 | 1 | 0.04 | A |
| DAMINOZIDE | 49.22 | 91 | 41.90 | A |
| DIMETHOMORPH | 2.11 | 7 | 4.54 | A |
| DIMETHYLPOLYSILOXANE | 0.83 | 8 | 3.27 | A |
| DINOTEFURAN | 3.78 | 12 | 2.55 | A |
| DODECYLBENZENE SULFONIC ACID | 1.59 | 52 | 24.74 | A |
| EDTA, TETRASODIUM SALT | 0.10 | 52 | 24.74 | A |
| ETHEPHON | 1.38 | 22 | 1.75 | A |
| ETOXAZOLE | 0.05 | 2 | 1.05 | A |
| FENHEXAMID | 3.36 | 11 | 6.77 | A |
| FLUDIOXONIL | 0.19 | 4 | 1.93 | A |
| TAU-FLUVALINATE | 0.85 | 4 | 6.50 | A |
| FOSETYL-AL | 35.22 | 28 | 9.23 | A |
| GIBBERELLINS | 0.35 | 21 | 15.65 | A |
| GLUFOSINATE-AMMONIUM | 4.86 | 9 | 5.14 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 207.58 | 36 | 68.00 | A |
| HALOSULFURON-METHYL | < 0.01 | 1 | 0.12 | A |
| IBA | < 0.01 | 20 | 0.36 | A |
| IMIDACLOPRID | 1.53 | 10 | 0.94 | A |
| IPRODIONE | 14.01 | 29 | 8.31 | A |
| ISOPROPYL ALCOHOL | 0.48 | 52 | 24.74 | A |
| ISOXABEN | 36.71 | 16 | 37.10 | A |
| MANCOZEB | 2.67 | 6 | 2.51 | A |
| MEFENOXAM | 9.42 | 45 | 12.70 | A |
| METHYLATED FATTY ACIDS FROM CANOLA OIL | 0.06 | 1 | 0.12 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 0.18 | 3 | 0.85 | A |
| NONANOIC ACID | 170.07 | 39 | 47.55 | A |
| NONANOIC ACID, OTHER RELATED | 8.95 | 39 | 47.55 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | < 0.01 | 1 | 0.12 | A |
| NOVALURON | 0.04 | 3 | 0.78 | A |
| PACLOBUTRAZOL | 2.60 | 89 | 59.81 | A |
| PHOSPHORIC ACID | 0.31 | 52 | 24.74 | A |
| PIPERALIN | 1.67 | 7 | 1.69 | A |
| PIPERONYL BUTOXIDE | 0.84 | 8 | 11.10 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | < 0.01 | 1 | 0.12 | A |
| PRODIAMINE | 45.80 | 15 | 36.80 | A |
| PYMETROZINE | 0.63 | 7 | 2.89 | A |
| PYRETHRINS | 0.08 | 8 | 11.10 | A |
| PYRIDABEN | 0.28 | 1 | 0.75 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.64 | 10 | 3.74 | A |
| SILICONE DEFOAMER | 0.04 | 52 | 24.74 | A |
| SODIUM XYLENE SULFONATE | 0.49 | 52 | 24.74 | A |
| SPINOSAD | 0.82 | 9 | 6.38 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.87 | 52 | 24.74 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.24 | 52 | 24.74 | A |
| THIOPHANATE-METHYL | 159.50 | 46 | 13.52 | A |
| TRIETHANOLAMINE | 0.62 | 52 | 24.74 | A |
| TRIFLOXYSTROBIN | 0.14 | 10 | 2.11 | A |
| UNICONIZOLE-P | 0.05 | 44 | 4.35 | A |
| Site Total | 815.77 | 946 | | |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| **N-GRNHS PLANTS IN CONTAINERS** | | | | | |
| FENPROPATHRIN | | 1.68 | 6 | 2.10 | A |
| | | 0.45 | 31 | 67,200.00 | S |
| Total Pounds On This Chemical | 2.13 | | | | |
| THIOPHANATE-METHYL | | 0.05 | 4 | 4,800.00 | S |
| Site Total | | 2.18 | 41 | | |
| **N-OUTDR PLANTS IN CONTAINERS** | | | | | |
| ACEQUINOCYL | | 2.29 | 21 | 14.49 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 18.31 | 8 | 69.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | | 5.09 | 22 | 18.67 | A |
| AZOXYSTROBIN | | 1.33 | 1 | 5.50 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | | 0.19 | 2 | 0.18 | A |
| BIFENAZATE | | 0.87 | 4 | 1.78 | A |
| BOSCALID | | 1.00 | 1 | 4.40 | A |
| COPPER HYDROXIDE | | 99.12 | 1 | 43.00 | A |
| CRYOLITE | | 48.24 | 12 | 3.34 | A |
| CYPRODINIL | | 0.47 | 2 | 2.00 | A |
| DIETHYLENE GLYCOL | | 8.13 | 22 | 775.00 | A |
| DIMETHYLPOLYSILOXANE | | 0.41 | 22 | 775.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 0.27 | 22 | 18.67 | A |
| ESFENVALERATE | | 11.86 | 6 | 234.00 | A |
| ETOXAZOLE | | 5.13 | 1 | 38.00 | A |
| GLUFOSINATE-AMMONIUM | | 4.70 | 4 | 27.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 259.67 | 11 | 162.90 | A |
| HEXYTHIAZOX | | 2.36 | 14 | 12.54 | A |
| IMIDACLOPRID | | 12.72 | 5 | 49.03 | A |
| | | 7.08 | | 12,250.00 | C |
| Total Pounds On This Chemical | 19.80 | | | | |
| ISOPROPYL ALCOHOL | | 1.14 | 8 | 69.00 | A |
| LAMBDA-CYHALOTHRIN | | 3.80 | 3 | 119.00 | A |
| MALATHION | | 9.30 | 6 | 5.10 | A |
| METALDEHYDE | | 12.00 | 3 | 23.00 | A |
| METHOXYFENOZIDE | | 2.06 | 34 | 9.53 | A |
| MINERAL OIL | | 1.42 | 22 | 18.67 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 41.46 | 22 | 775.00 | A |
| PENDIMETHALIN | | 162.88 | 1 | 43.00 | A |
| PERMETHRIN | | 30.54 | 5 | 149.00 | A |
| POLY-I-PARA-MENTHENE | | 3.12 | 6 | 8.75 | A |
| POTASH SOAP | | 29.71 | 8 | 11.70 | A |
| PROPYLENE GLYCOL | | 8.13 | 22 | 775.00 | A |
| PYRACLOSTROBIN | | 0.51 | 1 | 4.40 | A |
| SABADILLA ALKALOIDS | | 0.04 | 6 | 1.69 | A |
| SPINOSAD | | 7.82 | 13 | 80.75 | A |
| SPIROMESIFEN | | 0.71 | 14 | 4.97 | A |
| TALL OIL FATTY ACIDS | | 15.04 | 22 | 775.00 | A |
| Site Total | | 818.90 | 236 | | |
| **N-OUTDR TRANSPLANTS** | | | | | |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 7.70 | 1 | 2.00 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | | 0.03 | 1 | 2.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALKYL (C8,C10) POLYGLYCOSIDE | 0.16 | 2 | 2.00 | A |
| AMMONIUM NITRATE | 0.08 | 2 | 2.00 | A |
| AMMONIUM SULFATE | 0.15 | 2 | 2.00 | A |
| BENZOIC ACID | 0.20 | 6 | 18.66 | A |
| COCONUT DIETHANOLAMIDE | 0.13 | 1 | 2.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 0.22 | 6 | 18.66 | A |
| DIMETHYLPOLYSILOXANE | < 0.01 | 2 | 2.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 3.08 | 1 | 2.00 | A |
| FLUMIOXAZIN | 4.75 | 6 | 18.66 | A |
| GLUFOSINATE-AMMONIUM | 23.64 | 7 | 20.66 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 44.54 | 7 | 11.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 4.56 | 1 | 10.00 | A |
| ISOPROPYL ALCOHOL | 0.42 | 1 | 2.00 | A |
| KEROSENE | 0.39 | 6 | 18.66 | A |
| LAURIC ACID | 0.03 | 1 | 2.00 | A |
| METHYLATED SOYBEAN OIL | 7.47 | 6 | 18.66 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 8.95 | 2 | 4.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.48 | 1 | 10.00 | A |
| ORYZALIN | 4.01 | 1 | 2.00 | A |
| OXYFLUORFEN | 10.36 | 7 | 20.66 | A |
| PARAQUAT DICHLORIDE | 13.84 | 1 | 10.00 | A |
| PENDIMETHALIN | 53.01 | 6 | 18.66 | A |
| PERMETHRIN | 1.50 | 1 | 2.00 | A |
| PROPYLENE GLYCOL | 0.04 | 1 | 2.00 | A |
| PYRIMETHANIL | 0.13 | 1 | 2.00 | A |
| TALL OIL FATTY ACIDS | 0.42 | 1 | 10.00 | A |
| TRIFLOXYSTROBIN | 0.13 | 1 | 2.00 | A |
| Site Total | 190.43 | 50 | | |
| **NECTARINE** | | | | |
| ABAMECTIN | 0.25 | 1 | 17.00 | A |
| AZADIRACHTIN | 1.75 | 6 | 160.27 | A |
| BIFENAZATE | 82.89 | 6 | 165.77 | A |
| BOSCALID | 51.77 | 10 | 273.87 | A |
| CHLORANTRANILIPROLE | 14.36 | 8 | 213.13 | A |
| COCONUT DIETHANOLAMIDE | 1.23 | 3 | 121.51 | A |
| COPPER HYDROXIDE | 1,100.59 | 10 | 272.74 | A |
| CYPRODINIL | 63.93 | 10 | 272.74 | A |
| 2,4-D, DIMETHYLAMINE SALT | 16.68 | 29 | 783.22 | A |
| DIETHYLENE GLYCOL | 91.83 | 29 | 783.22 | A |
| DIMETHYLPOLYSILOXANE | 2.04 | 29 | 783.22 | A |
| Z-8-DODECENOL | 0.02 | 9 | 216.59 | A |
| E-8-DODECENYL ACETATE | 0.10 | 9 | 216.59 | A |
| Z-8-DODECENYL ACETATE | 1.53 | 9 | 216.59 | A |
| DODECYLBENZENE SULFONIC ACID | 5.34 | 3 | 121.51 | A |
| EDTA, TETRASODIUM SALT | 0.33 | 3 | 121.51 | A |
| ESFENVALERATE | 13.86 | 10 | 272.74 | A |
| FATTY ACIDS, MIXED | 171.47 | 57 | 1,566.53 | A |
| FORMETANATE HYDROCHLORIDE | 313.68 | 10 | 272.74 | A |
| GLYPHOSATE | 23.20 | 2 | 34.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 2,759.55 | 39 | 1,055.96 | A |
| HEXYTHIAZOX | 29.20 | 7 | 190.40 | A |
| IPRODIONE | 17.02 | 2 | 34.00 | A |
| ISOPROPYL ALCOHOL | 74.82 | 28 | 771.11 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| LECITHIN | 184.94 | 28 | 783.31 | A |
| METHOXYFENOZIDE | 10.80 | 3 | 37.46 | A |
| MINERAL OIL | 11,741.71 | 10 | 272.74 | A |
| MYCLOBUTANIL | 15.19 | 3 | 121.51 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 543.14 | 82 | 2,216.13 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 25.47 | 6 | 165.77 | A |
| PHOSPHORIC ACID | 14.94 | 9 | 287.28 | A |
| PROPICONAZOLE | 25.42 | 9 | 217.27 | A |
| PROPIONIC ACID | 184.94 | 28 | 783.31 | A |
| PYRACLOSTROBIN | 26.29 | 10 | 273.87 | A |
| SILICONE DEFOAMER | 0.14 | 3 | 121.51 | A |
| SODIUM XYLENE SULFONATE | 1.64 | 3 | 121.51 | A |
| SPINETORAM | 17.05 | 10 | 272.74 | A |
| SPINOSAD | 17.47 | 7 | 177.27 | A |
| SULFUR | 946.25 | 13 | 394.25 | A |
| TALL OIL | 19.26 | 25 | 649.60 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) | 6.26 | 3 | 121.51 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.82 | 3 | 121.51 | A |
| TRIETHANOLAMINE | 2.10 | 3 | 121.51 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 239.26 | 29 | 783.22 | A |
| ZIRAM | 444.75 | 2 | 73.15 | A |
| Site Total | 19,305.31 | 307 | | |
| **OAT** | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 6.17 | 1 | 70.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 7.66 | 3 | 173.00 | A |
| BENZOIC ACID | 0.74 | 5 | 121.20 | A |
| BROMOXYNIL HEPTANOATE | 40.49 | 7 | 292.00 | A |
| BROMOXYNIL OCTANOATE | 41.99 | 7 | 292.00 | A |
| BUTYL ALCOHOL | 2.57 | 3 | 69.20 | A |
| CARFENTRAZONE-ETHYL | 7.32 | 13 | 490.20 | A |
| 2,4-D, DIMETHYLAMINE SALT | 18.68 | 2 | 33.20 | A |
| DICAMBA, DIMETHYLAMINE SALT | 40.85 | 6 | 272.00 | A |
| DIETHYLENE GLYCOL | 1.63 | 2 | 73.00 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 8.34 | 1 | 60.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 0.81 | 5 | 121.20 | A |
| DIMETHYLPOLYSILOXANE | 0.07 | 5 | 142.20 | A |
| FATTY ACIDS, MIXED | 2.91 | 2 | 73.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 3.06 | 3 | 173.00 | A |
| ISOPROPYL ALCOHOL | 4.58 | 3 | 125.00 | A |
| KEROSENE | 1.44 | 5 | 121.20 | A |
| MCPA, DIMETHYLAMINE SALT | 125.84 | 5 | 246.00 | A |
| METHYLATED SOYBEAN OIL | 39.07 | 6 | 197.20 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 51.68 | 11 | 446.20 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 0.60 | 1 | 25.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.58 | 1 | 76.00 | A |
| TALL OIL | 1.10 | 2 | 55.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 4.25 | 2 | 73.00 | A |
| Site Total | 412.42 | 52 | | |
| **OAT (FORAGE - FODDER)** | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 16.22 | 4 | 239.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 16.98 | 10 | 270.00 | A |
| BROMOXYNIL HEPTANOATE | 7.09 | 1 | 46.00 | A |
| BROMOXYNIL OCTANOATE | 7.35 | 1 | 46.00 | A |
| CARFENTRAZONE-ETHYL | 11.96 | 24 | 803.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 127.78 | 6 | 179.00 | A |
| DICAMBA, DIMETHYLAMINE SALT | 11.54 | 2 | 134.00 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 34.68 | 2 | 250.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 6.79 | 10 | 270.00 | A |
| ISOPROPYL ALCOHOL | 1.01 | 4 | 239.00 | A |
| MCPA, DIMETHYLAMINE SALT | 324.55 | 10 | 558.00 | A |
| METHOXYFENOZIDE | 2.12 | 1 | 80.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 16.98 | 10 | 270.00 | A |
| OXYFLUORFEN | 7.11 | 1 | 112.00 | A |
| Site Total | 592.16 | 61 | | |
| **OLIVE** | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 193.41 | 29 | 1,282.74 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 14.54 | 4 | 114.67 | A |
| AMMONIUM NITRATE | 1.88 | 4 | 114.67 | A |
| AMMONIUM SULFATE | 950.98 | 8 | 450.83 | A |
| BENTONITE | 943.20 | 7 | 1,048.00 | A |
| BUPROFEZIN | 302.18 | 3 | 200.20 | A |
| BUTYL ALCOHOL | 9.17 | 5 | 170.67 | A |
| CARBARYL | 3,605.10 | 7 | 601.00 | A |
| CARFENTRAZONE-ETHYL | 27.35 | 13 | 622.83 | A |
| CASEIN | 70.74 | 7 | 1,048.00 | A |
| CITRIC ACID | 8.76 | 2 | 73.85 | A |
| COPPER HYDROXIDE | 2,124.92 | 4 | 380.00 | A |
| COPPER OXIDE (OUS) | 230.11 | 1 | 34.00 | A |
| COPPER SULFATE (BASIC) | 5,984.49 | 7 | 1,075.00 | A |
| DIMETHYLPOLYSILOXANE | 0.10 | 5 | 170.67 | A |
| FATTY ACIDS, MIXED | 0.04 | 1 | 13.85 | A |
| FLUMIOXAZIN | 7.14 | 1 | 18.67 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,320.61 | 39 | 1,314.74 | A |
| GLYPHOSATE, POTASSIUM SALT | 56.00 | 3 | 363.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 3.04 | 2 | 6.67 | A |
| ISOPROPYL ALCOHOL | 12.09 | 29 | 1,282.74 | A |
| LACTOSE | 70.74 | 7 | 1,048.00 | A |
| LIMONENE | 126.13 | 5 | 10.50 | A |
| MINERAL OIL | 3,568.44 | 1 | 57.00 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 65.08 | 4 | 92.00 | A |
| NAA, AMMONIUM SALT | 15.29 | 1 | 38.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 0.23 | 1 | 13.85 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 82.71 | 6 | 184.52 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.32 | 2 | 6.67 | A |
| ORYZALIN | 784.08 | 4 | 188.67 | A |
| OXYFLUORFEN | 212.23 | 3 | 183.67 | A |
| PARAQUAT DICHLORIDE | 206.18 | 2 | 310.00 | A |
| PENDIMETHALIN | 390.43 | 1 | 155.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | 42,271.59 | 11 | 805.20 | A |
| PHOSPHORIC ACID | 7.01 | 2 | 73.85 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PYRIPROXYFEN | 9.88 | 4 | 130.00 | A |
| SIMAZINE | 651.85 | 11 | 963.67 | A |
| SPINOSAD | 1.28 | 122 | 6,028.50 | A |
| TALL OIL FATTY ACIDS | 0.28 | 2 | 6.67 | A |
| Site Total | 64,329.63 | 299 | | |
| **ONION, DRY** | | | | |
| BROMOXYNIL HEPTANOATE | 23.61 | 2 | 177.57 | A |
| BROMOXYNIL OCTANOATE | 24.48 | 2 | 177.57 | A |
| CALCIUM CHLORIDE | 1.58 | 3 | 72.00 | A |
| CHLOROTHALONIL | 174.59 | 14 | 181.52 | A |
| CITRIC ACID | 4.38 | 3 | 72.00 | A |
| CLETHODIM | 3.05 | 2 | 23.13 | A |
| DIMETHOMORPH | 0.50 | 2 | 25.00 | A |
| FENAMIDONE | 6.60 | 3 | 37.00 | A |
| LAMBDA-CYHALOTHRIN | 3.09 | 2 | 26.13 | A |
| MANCOZEB | 30.00 | 2 | 25.00 | A |
| MANEB | 44.51 | 2 | 22.00 | A |
| MEFENOXAM | 14.41 | 10 | 129.26 | A |
| METHOMYL | 67.50 | 3 | 75.00 | A |
| METHYLATED SOYBEAN OIL | 18.40 | 2 | 23.13 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 3.27 | 2 | 23.13 | A |
| OXYFLUORFEN | 78.04 | 8 | 710.28 | A |
| PENDIMETHALIN | 126.14 | 2 | 177.57 | A |
| SPINETORAM | 1.97 | 2 | 22.00 | A |
| Site Total | 626.13 | 49 | | |
| **ORANGE** | | | | |
| ABAMECTIN | 18.54 | 29 | 1,026.28 | A |
| ACETAMIPRID | 15.67 | 4 | 215.50 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 2,021.55 | 274 | 7,835.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 22.49 | 2 | 200.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 178.32 | 20 | 1,585.00 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | 3.14 | 1 | 27.00 | A |
| AMMONIUM SULFATE | 45.89 | 2 | 67.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 207.46 | 8 | 247.50 | A |
| BENTONITE | 2,004.62 | 39 | 1,393.59 | A |
| BROMACIL | 369.48 | 10 | 352.40 | A |
| BUPROFEZIN | 161.00 | 2 | 80.00 | A |
| CALCIUM HYDROXIDE | 24,861.04 | 77 | 2,657.33 | A |
| CARFENTRAZONE-ETHYL | 5.16 | 7 | 225.67 | A |
| CASEIN | 150.35 | 39 | 1,393.59 | A |
| CHLORPYRIFOS | 4,793.16 | 37 | 1,009.36 | A |
| CITRIC ACID | 2.57 | 2 | 67.00 | A |
| COCONUT DIETHANOLAMIDE | 14.28 | 1 | 27.00 | A |
| COPPER | 705.69 | 8 | 235.23 | A |
| COPPER HYDROXIDE | 27.66 | 1 | 30.00 | A |
| COPPER OXIDE (OUS) | 2,698.97 | 36 | 1,193.49 | A |
| COPPER SULFATE (BASIC) | 4,836.12 | 37 | 1,337.60 | A |
| BETA-CYFLUTHRIN | 21.74 | 12 | 709.10 | A |
| (S)-CYPERMETHRIN | 53.58 | 8 | 247.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| 2,4-D, ISOPROPYL ESTER | 101.51 | 42 | 1,598.18 | A |
| DIFLUBENZURON | 14.42 | 3 | 92.00 | A |
| DIMETHYLPOLYSILOXANE | 510.81 | 42 | 1,483.77 | A |
| DIQUAT DIBROMIDE | 415.80 | 9 | 680.00 | A |
| DIURON | 1,361.72 | 27 | 749.75 | A |
| FATTY ACIDS, MIXED | 1.44 | 7 | 140.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 71.33 | 20 | 1,585.00 | A |
| FLUMIOXAZIN | 17.85 | 2 | 80.00 | A |
| GIBBERELLINS | 100.94 | 41 | 1,424.27 | A |
| GLYPHOSATE | 98.01 | 5 | 73.73 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 15,720.16 | 300 | 9,340.57 | A |
| GLYPHOSATE, POTASSIUM SALT | 1,571.07 | 19 | 931.00 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 0.02 | 1 | 1.75 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 42.79 | 2 | 82.00 | A |
| IMIDACLOPRID | 1,374.93 | 84 | 2,753.00 | A |
| ISOPROPYL ALCOHOL | 133.69 | 278 | 7,917.50 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.37 | 1 | 40.00 | A |
| LACTOSE | 150.35 | 39 | 1,393.59 | A |
| LAURIC ACID | 2.86 | 1 | 27.00 | A |
| LECITHIN | 31.89 | 7 | 268.00 | A |
| MALATHION | 78.76 | 3 | 190.00 | A |
| METALDEHYDE | 310.00 | 24 | 788.40 | A |
| METHOXYFENOZIDE | 2.26 | 1 | 10.19 | A |
| METHYLATED SOYBEAN OIL | 60.52 | 16 | 926.75 | A |
| MINERAL OIL | 2,424.64 | 13 | 578.50 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 5.86 | 6 | 100.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 247.80 | 43 | 2,643.25 | A |
| OLEIC ACID, METHYL ESTER | 13.02 | 2 | 10.00 | A |
| ORYZALIN | 512.59 | 7 | 190.58 | A |
| OXYFLUORFEN | 70.83 | 4 | 86.75 | A |
| PARAQUAT DICHLORIDE | 51.78 | 1 | 40.00 | A |
| PENDIMETHALIN | 151.51 | 1 | 40.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 171.47 | 3 | 280.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | 24,356.82 | 84 | 2,766.72 | A |
| PHOSPHORIC ACID | 14.20 | 2 | 67.00 | A |
| POLYACRYLIC POLYMER | 1.29 | 2 | 67.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 2.26 | 9 | 697.00 | A |
| POLYETHYLENE GLYCOL | 9.61 | 2 | 60.00 | A |
| POLY-I-PARA-MENTHENE | 2.38 | 1 | 10.19 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 1.50 | 1 | 40.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 9.85 | 1 | 40.00 | A |
| PROPIONIC ACID | 7.56 | 1 | 40.00 | A |
| PROPYLENE GLYCOL | 4.86 | 1 | 27.00 | A |
| PYRIPROXYFEN | 2.74 | 1 | 25.50 | A |
| RIMSULFURON | 10.49 | 5 | 171.33 | A |
| SAFLUFENACIL | 0.73 | 4 | 17.00 | A |
| SIMAZINE | 4,781.71 | 41 | 1,347.75 | A |
| SPINETORAM | 30.29 | 6 | 377.00 | A |
| SPINOSAD | 265.48 | 62 | 2,128.84 | A |
| SPIROTETRAMAT | 0.61 | 2 | 22.50 | A |
| TALL OIL | 1.53 | 2 | 22.50 | A |
| TALL OIL FATTY ACIDS | 38.04 | 7 | 388.75 | A |
| THIAMETHOXAM | 1.52 | 1 | 27.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 14.96 | 8 | 238.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| VEGETABLE OIL | 26.67 | 1 | 40.00 | A |
| Site Total | 98,626.56 | 1,473 | | |
| **PASTURELAND** | | | | |
| 2,4-D, DIMETHYLAMINE SALT | 9.11 | 4 | 44.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 9.58 | 2 | 10.00 | A |
| Site Total | 18.69 | 6 | | |
| **PEACH** | | | | |
| ABAMECTIN | 8.44 | 14 | 502.80 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 21.60 | 5 | 95.33 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.92 | 1 | 13.00 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 26.38 | 18 | 389.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2.19 | 1 | 26.00 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | 0.38 | 1 | 26.00 | A |
| ALKYL (C8,C10) POLYGLYCOSIDE | 6.47 | 5 | 49.84 | A |
| AMMONIUM NITRATE | 3.08 | 5 | 49.84 | A |
| AMMONIUM PROPIONATE | 2.79 | 1 | 80.00 | A |
| AMMONIUM SULFATE | 22.73 | 9 | 195.84 | A |
| AZADIRACHTIN | 0.21 | 1 | 19.04 | A |
| AZOXYSTROBIN | 4.16 | 1 | 20.00 | A |
| BIFENAZATE | 166.82 | 15 | 319.63 | A |
| BOSCALID | 79.10 | 15 | 430.63 | A |
| CARFENTRAZONE-ETHYL | 0.81 | 2 | 57.00 | A |
| CHLORANTRANILIPROLE | 81.24 | 46 | 1,099.61 | A |
| CITRIC ACID | 1.61 | 2 | 106.00 | A |
| CLOFENTEZINE | 2.33 | 1 | 12.00 | A |
| COCONUT DIETHANOLAMIDE | 2.30 | 7 | 89.32 | A |
| COPPER HYDROXIDE | 2,461.81 | 30 | 664.50 | A |
| COPPER SULFATE (BASIC) | 2,073.28 | 8 | 292.80 | A |
| CYPRODINIL | 108.84 | 22 | 464.54 | A |
| 2,4-D, DIMETHYLAMINE SALT | 23.92 | 42 | 1,123.55 | A |
| DIAZINON | 164.26 | 7 | 82.66 | A |
| DIETHYLENE GLYCOL | 131.69 | 42 | 1,123.55 | A |
| DIMETHYLPOLYSILOXANE | 19.94 | 50 | 1,305.39 | A |
| Z-8-DODECENOL | 0.13 | 16 | 422.47 | A |
| E-8-DODECENYL ACETATE | 0.73 | 16 | 422.47 | A |
| Z-8-DODECENYL ACETATE | 11.37 | 16 | 422.47 | A |
| DODECYLBENZENE SULFONIC ACID | 2.51 | 6 | 63.32 | A |
| EDTA, TETRASODIUM SALT | 0.15 | 6 | 63.32 | A |
| ESFENVALERATE | 53.18 | 52 | 1,122.08 | A |
| FATTY ACIDS, MIXED | 249.37 | 119 | 3,408.14 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 0.87 | 1 | 26.00 | A |
| FENBUCONAZOLE | 2.43 | 2 | 25.00 | A |
| FLUBENDIAMIDE | 16.64 | 8 | 133.00 | A |
| FLUMIOXAZIN | 17.07 | 2 | 122.00 | A |
| GLYPHOSATE | 37.71 | 4 | 35.84 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 4,575.25 | 94 | 2,262.75 | A |
| GLYPHOSATE, POTASSIUM SALT | 15.56 | 1 | 20.00 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 43.96 | 18 | 389.00 | A |
| HEXYTHIAZOX | 46.13 | 13 | 301.24 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 13.03 | 4 | 97.00 | A |
| IPRODIONE | 135.92 | 11 | 221.00 | A |
| ISOPROPYL ALCOHOL | 113.63 | 45 | 1,018.97 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.24 | 1 | 26.00 | A |
| LAURIC ACID | 0.34 | 1 | 26.00 | A |
| LECITHIN | 215.74 | 40 | 985.39 | A |
| METCONAZOLE | 9.09 | 4 | 97.00 | A |
| METHOXYFENOZIDE | 124.79 | 16 | 522.62 | A |
| MINERAL OIL | 28,889.44 | 40 | 913.62 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 33.36 | 14 | 268.00 | A |
| MYCLOBUTANIL | 16.29 | 10 | 163.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 29.34 | 37 | 1,299.20 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 828.05 | 157 | 4,355.46 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 2.02 | 1 | 80.00 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 29.69 | 6 | 193.13 | A |
| ORYZALIN | 8.32 | 1 | 4.00 | A |
| OXYFLUORFEN | 71.83 | 15 | 209.67 | A |
| PENDIMETHALIN | 352.71 | 11 | 185.17 | A |
| PETROLEUM OIL, PARAFFIN BASED | 39.61 | 1 | 26.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | 10,659.75 | 9 | 307.30 | A |
| PHOSMET | 88.65 | 3 | 31.66 | A |
| PHOSPHORIC ACID | 21.19 | 15 | 317.45 | A |
| POLYACRYLIC POLYMER | 0.11 | 1 | 26.00 | A |
| POLY-I-PARA-MENTHENE | 4.28 | 1 | 12.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 21.72 | 20 | 441.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 0.97 | 1 | 26.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 6.40 | 1 | 26.00 | A |
| PROPICONAZOLE | 65.29 | 22 | 575.04 | A |
| PROPIONIC ACID | 215.74 | 40 | 985.39 | A |
| PROPYLENE GLYCOL | 0.58 | 1 | 26.00 | A |
| PYRACLOSTROBIN | 40.18 | 15 | 430.63 | A |
| PYRIMETHANIL | 95.75 | 7 | 280.80 | A |
| RIMSULFURON | 2.34 | 4 | 81.00 | A |
| SILICONE DEFOAMER | 0.07 | 6 | 63.32 | A |
| SODIUM POLYACRYLATE | 0.07 | 1 | 80.00 | A |
| SODIUM XYLENE SULFONATE | 0.77 | 6 | 63.32 | A |
| SPINETORAM | 26.84 | 16 | 425.96 | A |
| SPINOSAD | 7.52 | 3 | 76.75 | A |
| SPIRODICLOFEN | 20.55 | 5 | 76.00 | A |
| SULFUR | 980.75 | 9 | 183.28 | A |
| TALL OIL | 29.35 | 36 | 895.32 | A |
| TALL OIL FATTY ACIDS | 1.06 | 1 | 26.00 | A |
| TEBUCONAZOLE | 14.71 | 7 | 280.80 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 2.95 | 6 | 63.32 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.39 | 6 | 63.32 | A |
| TRIETHANOLAMINE | 0.99 | 6 | 63.32 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 343.13 | 42 | 1,123.55 | A |
| ZIRAM | 2,772.81 | 17 | 534.80 | A |
| Site Total | 56,828.72 | 831 | | |
| **PEAR** | | | | |
| ABAMECTIN | 0.55 | 1 | 22.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural<br>Applications | Amount<br>Treated | Unit<br>Type |
|---|---|---|---|---|
| ACETAMIPRID | 5.50 | 2 | 37.00 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | 1.28 | 2 | 30.00 | A |
| BUTYL ALCOHOL | 1.05 | 2 | 27.50 | A |
| CHLORANTRANILIPROLE | 1.15 | 1 | 15.00 | A |
| CHLORPYRIFOS | 22.53 | 1 | 15.00 | A |
| COPPER HYDROXIDE | 8.53 | 2 | 37.00 | A |
| DIMETHYLPOLYSILOXANE | 0.01 | 2 | 27.50 | A |
| E,E-8,10-DODECADIEN-1-OL | 0.82 | 1 | 15.00 | A |
| FLUMIOXAZIN | 3.98 | 1 | 12.50 | A |
| HEXYTHIAZOX | 2.28 | 1 | 15.00 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 4.98 | 3 | 40.00 | A |
| LAURYL ALCOHOL | 0.46 | 1 | 15.00 | A |
| MINERAL OIL | 317.15 | 2 | 37.00 | A |
| MYRISTYL ALCOHOL | 0.09 | 1 | 15.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 9.40 | 2 | 27.50 | A |
| OLEIC ACID, METHYL ESTER | 1.63 | 1 | 10.00 | A |
| OXYTETRACYCLINE, CALCIUM COMPLEX | 11.81 | 1 | 25.00 | A |
| PARAQUAT DICHLORIDE | 31.15 | 2 | 22.50 | A |
| PETROLEUM OIL, UNCLASSIFIED | 415.39 | 1 | 15.00 | A |
| POLYETHYLENE GLYCOL DIACETATE | 0.12 | 2 | 30.00 | A |
| PSEUDOMONAS FLUORESCENS, STRAIN A506 | 7.77 | 1 | 25.00 | A |
| SPINETORAM | 1.64 | 1 | 15.00 | A |
| STREPTOMYCIN SULFATE | 6.05 | 1 | 15.00 | A |
| Site Total | 855.30 | 24 | | |
| **PERSIMMON** | | | | |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 40.29 | 7 | 152.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 16.11 | 7 | 152.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 309.97 | 21 | 180.75 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.02 | 1 | 5.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 40.29 | 7 | 152.00 | A |
| OXYFLUORFEN | 3.94 | 15 | 48.75 | A |
| PARAQUAT DICHLORIDE | 31.17 | 2 | 25.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 3.84 | 1 | 5.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 0.09 | 1 | 5.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 0.62 | 1 | 5.00 | A |
| Site Total | 446.36 | 46 | | |
| **PISTACHIO** | | | | |
| ACEPHATE | 1,007.94 | 9 | 1,095.70 | A |
| ACETAMIPRID | 3.05 | 1 | 17.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 4,452.54 | 265 | 13,321.22 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 40.77 | 9 | 865.00 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 393.09 | 99 | 4,682.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 3,824.92 | 688 | 33,301.18 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | 34.77 | 13 | 1,512.00 | A |
| ALKYL (C8,C10) POLYGLYCOSIDE | 9.24 | 3 | 72.00 | A |
| ALUMINUM PHOSPHIDE | 0.60 | 2 | 7.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| AMMONIUM NITRATE | 9.17 | 11 | 917.00 | A |
| AMMONIUM PROPIONATE | 190.42 | 24 | 2,329.28 | A |
| AMMONIUM SULFATE | 2,989.69 | 264 | 18,718.19 | A |
| AZOXYSTROBIN | 2,291.08 | 209 | 10,529.54 | A |
| BENZOIC ACID | 8.26 | 24 | 1,464.00 | A |
| BIFENTHRIN | 577.18 | 68 | 5,625.50 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 22.62 | 15 | 1,143.70 | A |
| BOSCALID | 5,570.28 | 438 | 28,290.64 | A |
| BUTYL ALCOHOL | 354.86 | 172 | 9,003.82 | A |
| CALCIUM CHLORIDE | 5.68 | 9 | 789.29 | A |
| CARBARYL | 867.43 | 9 | 336.00 | A |
| CARFENTRAZONE-ETHYL | 14.78 | 25 | 992.16 | A |
| CHLORANTRANILIPROLE | 533.03 | 105 | 6,932.91 | A |
| CHLOROPHACINONE | 0.14 | 29 | 1,654.00 | A |
| CHLOROTHALONIL | 3,655.97 | 14 | 835.00 | A |
| CITRIC ACID | 383.85 | 216 | 17,457.95 | A |
| COCONUT DIETHANOLAMIDE | 158.17 | 17 | 1,592.00 | A |
| COPPER HYDROXIDE | 85.75 | 2 | 93.00 | A |
| COTTONSEED OIL | 71.64 | 3 | 94.00 | A |
| BETA-CYFLUTHRIN | 205.01 | 111 | 10,115.10 | A |
| 2,4-D | 211.28 | 6 | 607.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 1,783.82 | 32 | 1,840.09 | A |
| DIETHYLENE GLYCOL | 628.98 | 67 | 4,959.70 | A |
| DIFLUBENZURON | 18.09 | 6 | 1,016.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 9.00 | 24 | 1,464.00 | A |
| DIMETHYLPOLYSILOXANE | 433.15 | 283 | 14,353.08 | A |
| DIPHACINONE | 0.11 | 37 | 2,016.40 | A |
| DODECYLBENZENE SULFONIC ACID | 0.57 | 4 | 80.00 | A |
| EDTA, SODIUM SALT | 0.84 | 15 | 747.00 | A |
| EDTA, TETRASODIUM SALT | 0.03 | 4 | 80.00 | A |
| FATTY ACIDS, MIXED | 1,181.52 | 216 | 18,420.69 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 84.46 | 15 | 1,143.70 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 1,529.97 | 688 | 33,301.18 | A |
| FLUMIOXAZIN | 1,558.50 | 142 | 8,019.61 | A |
| GLUFOSINATE-AMMONIUM | 20,021.86 | 779 | 39,302.67 | A |
| GLYPHOSATE | 3,954.95 | 88 | 7,970.86 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 60,412.86 | 1,139 | 54,773.73 | A |
| GLYPHOSATE, POTASSIUM SALT | 4,033.98 | 89 | 3,386.15 | A |
| HALOSULFURON-METHYL | 11.10 | 2 | 236.85 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 532.95 | 96 | 4,217.00 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 0.37 | 2 | 78.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 38.09 | 2 | 30.48 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 425.65 | 66 | 2,562.81 | A |
| IMIDACLOPRID | 259.08 | 5 | 514.29 | A |
| ISOPROPYL ALCOHOL | 320.39 | 289 | 14,711.92 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 18.12 | 110 | 9,455.43 | A |
| KEROSENE | 16.00 | 24 | 1,464.00 | A |
| LAMBDA-CYHALOTHRIN | 1,088.01 | 384 | 28,706.32 | A |
| LAURIC ACID | 31.61 | 13 | 1,512.00 | A |
| LECITHIN | 718.51 | 66 | 5,756.68 | A |
| METCONAZOLE | 1,749.51 | 168 | 13,992.47 | A |
| METHOXYFENOZIDE | 1,902.55 | 74 | 6,352.22 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| METHYLATED SOYBEAN OIL | 3,939.37 | 340 | 16,499.47 | A |
| MINERAL OIL | 4,837.36 | 123 | 6,314.33 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 1,755.22 | 152 | 17,722.41 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 247.80 | 127 | 10,650.01 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 9,191.47 | 1,476 | 77,754.21 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 989.46 | 62 | 4,139.96 | A |
| OLEIC ACID, METHYL ESTER | 3,729.19 | 138 | 10,113.06 | A |
| ORYZALIN | 12,734.20 | 155 | 6,840.16 | A |
| OXYFLUORFEN | 7,187.42 | 377 | 18,356.57 | A |
| PARAQUAT DICHLORIDE | 211.67 | 3 | 209.20 | A |
| PENDIMETHALIN | 15,725.03 | 173 | 10,355.77 | A |
| PENOXSULAM | 15.01 | 19 | 550.58 | A |
| PERMETHRIN | 7,090.79 | 401 | 25,147.25 | A |
| PETROLEUM OIL, PARAFFIN BASED | 2,949.73 | 110 | 9,455.43 | A |
| PETROLEUM OIL, UNCLASSIFIED | 130,340.45 | 45 | 5,371.00 | A |
| PHOSMET | 63.00 | 1 | 17.00 | A |
| PHOSPHORIC ACID | 714.01 | 198 | 15,255.08 | A |
| POLYACRYLIC POLYMER | 47.11 | 126 | 11,730.23 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 171.57 | 287 | 13,603.80 | A |
| POLYBUTENES | 15.08 | 15 | 1,143.70 | A |
| POLYETHYLENE GLYCOL | 95.19 | 8 | 573.00 | A |
| POLY-I-PARA-MENTHENE | 3,752.50 | 168 | 10,371.79 | A |
| POLYOXIN D | 44.62 | 9 | 1,019.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 335.87 | 108 | 5,396.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 72.50 | 110 | 9,455.43 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 476.85 | 110 | 9,455.43 | A |
| PROPICONAZOLE | 1,071.82 | 43 | 5,059.00 | A |
| PROPIONIC ACID | 457.08 | 37 | 3,954.68 | A |
| PROPYLENE GLYCOL | 53.73 | 13 | 1,512.00 | A |
| PYRACLOSTROBIN | 2,829.35 | 438 | 28,290.64 | A |
| PYRETHRINS | 41.86 | 5 | 430.00 | A |
| PYRIMETHANIL | 3,048.28 | 216 | 13,812.68 | A |
| RIMSULFURON | 124.33 | 66 | 5,056.59 | A |
| SAFLUFENACIL | 48.26 | 36 | 2,441.71 | A |
| SETHOXYDIM | 44.98 | 1 | 120.00 | A |
| SILICONE DEFOAMER | 0.01 | 4 | 80.00 | A |
| SODIUM POLYACRYLATE | 4.76 | 24 | 2,329.28 | A |
| SODIUM XYLENE SULFONATE | 0.17 | 4 | 80.00 | A |
| STRYCHNINE | 2.87 | 47 | 4,650.00 | A |
| SULFUR | 106,862.72 | 136 | 12,023.20 | A |
| TALL OIL | 0.87 | 1 | 32.00 | A |
| TALL OIL FATTY ACIDS | 462.48 | 127 | 6,422.81 | A |
| TEBUCONAZOLE | 606.81 | 29 | 2,696.79 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 106.15 | 19 | 827.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.09 | 4 | 80.00 | A |
| THIOPHANATE-METHYL | 9,926.31 | 119 | 8,816.84 | A |
| TRIETHANOLAMINE | 0.22 | 4 | 80.00 | A |
| TRIFLOXYSTROBIN | 1,025.83 | 139 | 13,262.19 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1,638.83 | 67 | 4,959.70 | A |
| UREA | 10.03 | 1 | 39.00 | A |
| ZINC SULFATE | 8.54 | 4 | 517.40 | A |
| Site Total | 465,846.72 | 8,775 | | |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| **PLUM** | | | | |
| ALKYL (C8,C10) POLYGLYCOSIDE | 3.15 | 2 | 13.93 | A |
| AMMONIUM NITRATE | 1.50 | 2 | 13.93 | A |
| AMMONIUM SULFATE | 3.00 | 2 | 13.93 | A |
| AZOXYSTROBIN | 4.57 | 1 | 22.00 | A |
| COCONUT DIETHANOLAMIDE | 0.22 | 1 | 22.00 | A |
| COPPER HYDROXIDE | 464.99 | 7 | 115.24 | A |
| 2,4-D, DIMETHYLAMINE SALT | 1.23 | 6 | 57.51 | A |
| DIAZINON | 213.96 | 7 | 115.24 | A |
| DIETHYLENE GLYCOL | 6.93 | 7 | 67.15 | A |
| DIETHYLENE GLYCOL MONOETHYL ETHER | 0.19 | 1 | 9.64 | A |
| DIMETHYLPOLYSILOXANE | 0.30 | 9 | 81.08 | A |
| DODECYLBENZENE SULFONIC ACID | 0.97 | 1 | 22.00 | A |
| EDTA, TETRASODIUM SALT | 0.06 | 1 | 22.00 | A |
| ESFENVALERATE | 7.27 | 10 | 156.41 | A |
| FATTY ACIDS, MIXED | 14.15 | 20 | 284.10 | A |
| GLYPHOSATE | 17.14 | 1 | 7.33 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 302.60 | 21 | 266.34 | A |
| HEXYTHIAZOX | 3.33 | 1 | 22.00 | A |
| IPRODIONE | 55.44 | 3 | 55.50 | A |
| ISOPROPYL ALCOHOL | 2.12 | 3 | 41.17 | A |
| LECITHIN | 51.23 | 15 | 236.23 | A |
| MINERAL OIL | 5,786.48 | 9 | 134.41 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 38.58 | 23 | 312.91 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.39 | 2 | 19.17 | A |
| ORYZALIN | 20.80 | 1 | 10.00 | A |
| OXYFLUORFEN | 50.91 | 7 | 100.57 | A |
| PENDIMETHALIN | 185.42 | 6 | 90.57 | A |
| PHOSMET | 115.30 | 3 | 41.17 | A |
| PHOSPHORIC ACID | 0.95 | 3 | 41.17 | A |
| PROPICONAZOLE | 19.48 | 11 | 174.62 | A |
| PROPIONIC ACID | 51.10 | 15 | 236.23 | A |
| SILICONE DEFOAMER | 0.03 | 1 | 22.00 | A |
| SODIUM XYLENE SULFONATE | 0.30 | 1 | 22.00 | A |
| SPINETORAM | 1.20 | 2 | 19.17 | A |
| TALL OIL | 0.48 | 2 | 19.17 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.14 | 1 | 22.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.15 | 1 | 22.00 | A |
| TRIETHANOLAMINE | 0.38 | 1 | 22.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 17.59 | 6 | 57.51 | A |
| Site Total | 7,446.01 | 124 | | |
| **POMEGRANATE** | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 5.64 | 2 | 60.00 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.15 | 2 | 34.00 | A |
| ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 99.04 | 1 | 160.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 155.69 | 36 | 1,211.16 | A |
| ALKYL (C8,C10) POLYGLYCOSIDE | 1.20 | 1 | 4.57 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | 1.58 | 2 | 54.50 | A |
| AMMONIUM NITRATE | 1.30 | 3 | 64.57 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| AMMONIUM SULFATE | 83.26 | 15 | 356.99 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 4.59 | 2 | 34.00 | A |
| BUTYL ALCOHOL | 2.28 | 8 | 152.99 | A |
| CARFENTRAZONE-ETHYL | 3.71 | 5 | 142.24 | A |
| CITRIC ACID | 3.33 | 8 | 183.00 | A |
| COCONUT DIETHANOLAMIDE | 0.65 | 2 | 28.40 | A |
| DIETHYLENE GLYCOL | 65.30 | 6 | 287.67 | A |
| DIMETHYLPOLYSILOXANE | 0.20 | 14 | 285.23 | A |
| ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA-HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE | 0.76 | 2 | 34.00 | A |
| DIQUAT DIBROMIDE | 408.34 | 14 | 555.00 | A |
| DODECYLBENZENE SULFONIC ACID | 2.82 | 2 | 28.40 | A |
| EDTA, TETRASODIUM SALT | 0.17 | 2 | 28.40 | A |
| FATTY ACIDS, MIXED | 75.24 | 59 | 8,852.22 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 62.27 | 36 | 1,211.16 | A |
| GLYPHOSATE | 14,985.67 | 59 | 8,852.22 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,940.11 | 65 | 1,852.22 | A |
| GLYPHOSATE, POTASSIUM SALT | 346.34 | 22 | 417.35 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 0.95 | 2 | 106.67 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 5.44 | 2 | 54.50 | A |
| IMIDACLOPRID | 912.77 | 22 | 3,696.71 | A |
| ISOPROPYL ALCOHOL | 4.71 | 5 | 208.40 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.09 | 1 | 20.00 | A |
| LECITHIN | 1,454.82 | 54 | 8,724.55 | A |
| METHYLATED SOYBEAN OIL | 161.43 | 2 | 106.67 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 77.75 | 6 | 414.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 695.05 | 108 | 10,503.04 | A |
| ORYZALIN | 43.61 | 2 | 20.00 | A |
| OXYFLUORFEN | 195.87 | 23 | 584.49 | A |
| PENDIMETHALIN | 635.28 | 18 | 544.22 | A |
| PETROLEUM OIL, PARAFFIN BASED | 15.21 | 1 | 20.00 | A |
| PHOSPHORIC ACID | 9.40 | 9 | 195.40 | A |
| POLYACRYLIC POLYMER | 0.66 | 4 | 120.00 | A |
| POLYETHYLENE GLYCOL DIACETATE | 0.14 | 2 | 54.50 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 0.37 | 1 | 20.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 2.46 | 1 | 20.00 | A |
| PROPIONIC ACID | 1,454.82 | 54 | 8,724.55 | A |
| SILICONE DEFOAMER | 0.07 | 2 | 28.40 | A |
| SODIUM XYLENE SULFONATE | 0.87 | 2 | 28.40 | A |
| SULFUR | 2,045.60 | 3 | 255.70 | A |
| TALL OIL | 61.48 | 1 | 160.00 | A |
| TALL OIL FATTY ACIDS | 4.75 | 2 | 106.67 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 3.30 | 2 | 28.40 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.43 | 2 | 28.40 | A |
| TRIETHANOLAMINE | 1.10 | 2 | 28.40 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 18.86 | 5 | 127.67 | A |
| Site Total | 26,057.91 | 370 | | |
| **PRUNE** | | | | |
| ABAMECTIN | 2.89 | 3 | 183.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 8.40 | 2 | 178.70 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 1.57 | 1 | 20.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 23.16 | 5 | 95.17 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | | 13.82 | 9 | 549.00 | A |
| ALKYL (C8,C10) POLYGLYCOSIDE | | 55.68 | 5 | 162.50 | A |
| ALUMINUM PHOSPHIDE | | 147.29 | | 1,634,918.00 | C |
| | | 49.06 | | 107,184.00 | K |
| Total Pounds On This Chemical | 196.35 | | | | |
| AMMONIUM NITRATE | | 27.60 | 7 | 341.20 | A |
| AMMONIUM SULFATE | | 87.03 | 9 | 439.49 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | | 40.88 | 1 | 75.70 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 4.07 | 1 | 50.00 | A |
| BUTYL ALCOHOL | | 12.27 | 7 | 679.00 | A |
| CAPTAN | | 1,647.54 | 9 | 658.70 | A |
| CAPTAN, OTHER RELATED | | 37.06 | 9 | 658.70 | A |
| CHLOROTHALONIL | | 480.87 | 2 | 173.00 | A |
| CHLORPYRIFOS | | 480.44 | 2 | 157.90 | A |
| CITRIC ACID | | 0.40 | 2 | 98.29 | A |
| COCONUT DIETHANOLAMIDE | | 64.72 | 11 | 699.00 | A |
| COPPER HYDROXIDE | | 698.06 | 2 | 173.00 | A |
| BETA-CYFLUTHRIN | | 0.47 | 2 | 178.70 | A |
| 2,4-D, DIMETHYLAMINE SALT | | 0.64 | 1 | 10.00 | A |
| DIAZINON | | 344.01 | 2 | 173.00 | A |
| DIETHYLENE GLYCOL | | 4.69 | 2 | 40.00 | A |
| DIMETHYLPOLYSILOXANE | | 10.71 | 23 | 1,289.80 | A |
| DODECYLBENZENE SULFONIC ACID | | 8.25 | 2 | 150.00 | A |
| EDTA, TETRASODIUM SALT | | 0.51 | 2 | 150.00 | A |
| ESFENVALERATE | | 9.81 | 3 | 193.00 | A |
| FATTY ACIDS, MIXED | | 8.86 | 6 | 121.04 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | | 15.19 | 1 | 50.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | | 9.26 | 5 | 95.17 | A |
| FLUMIOXAZIN | | 19.65 | 3 | 77.06 | A |
| GLYPHOSATE | | 425.28 | 3 | 122.79 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 1,619.23 | 18 | 859.61 | A |
| GLYPHOSATE, POTASSIUM SALT | | 58.33 | 1 | 75.00 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | | 2.62 | 1 | 20.00 | A |
| HEXYTHIAZOX | | 11.50 | 1 | 75.00 | A |
| IMIDACLOPRID | | 4.91 | 4 | 218.70 | A |
| IPRODIONE | | 91.38 | 3 | 183.00 | A |
| ISOPROPYL ALCOHOL | | 3.93 | 6 | 196.60 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | | 2.14 | 4 | 276.99 | A |
| LAURIC ACID | | 12.56 | 9 | 549.00 | A |
| LECITHIN | | 5.93 | 1 | 25.04 | A |
| MAGNESIUM PHOSPHIDE | | 103.82 | | 1,574,400.00 | C |
| | | 34.61 | | 53,592.00 | K |
| Total Pounds On This Chemical | 138.43 | | | | |
| METHIDATHION | | 40.01 | 1 | 19.00 | A |
| METHYLATED SOYBEAN OIL | | 67.68 | 2 | 178.70 | A |
| MINERAL OIL | | 8,308.22 | 3 | 193.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| NITRAPYRIN | 12.14 | 1 | 6.75 | A |
| NITRAPYRIN, OTHER RELATED | 1.37 | 1 | 6.75 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 6.51 | 4 | 106.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 201.27 | 25 | 1,196.21 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 8.12 | 1 | 75.00 | A |
| OXYFLUORFEN | 31.18 | 4 | 111.60 | A |
| PARAQUAT DICHLORIDE | 414.66 | 6 | 351.59 | A |
| PENDIMETHALIN | 238.75 | 4 | 101.56 | A |
| PETROLEUM OIL, PARAFFIN BASED | 1,776.58 | 6 | 400.99 | A |
| PETROLEUM OIL, UNCLASSIFIED | 2,934.90 | 3 | 107.95 | A |
| PHOSMET | 210.00 | 1 | 75.00 | A |
| PHOSPHORIC ACID | 8.28 | 5 | 323.29 | A |
| POLYACRYLIC POLYMER | 0.20 | 2 | 98.29 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 3.38 | 2 | 178.70 | A |
| POLYBUTENES | 2.71 | 1 | 50.00 | A |
| POLYETHYLENE GLYCOL | 8.96 | 4 | 46.60 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 40.54 | 6 | 381.70 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 8.55 | 4 | 276.99 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 56.27 | 4 | 276.99 | A |
| PROPICONAZOLE | 31.09 | 5 | 278.70 | A |
| PROPIONIC ACID | 5.93 | 1 | 25.04 | A |
| PROPYLENE GLYCOL | 21.36 | 9 | 549.00 | A |
| RIMSULFURON | 1.56 | 1 | 75.00 | A |
| SILICONE DEFOAMER | 0.22 | 2 | 150.00 | A |
| SODIUM XYLENE SULFONATE | 2.54 | 2 | 150.00 | A |
| SULFUR | 112.10 | 1 | 75.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) | 9.67 | 2 | 150.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 1.27 | 2 | 150.00 | A |
| TRIETHANOLAMINE | 3.24 | 2 | 150.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 12.21 | 2 | 40.00 | A |
| Site Total | 21,272.52 | 148 | | |
| **PUBLIC HEALTH** | | | | |
| BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362 | 56.19 | | | |
| BACILLUS THURINGIENSIS, SUBSP. ISRAELENSIS, STRAIN AM 65-52 | 2,276.06 | | | |
| LAMBDA-CYHALOTHRIN | 1.31 | | | |
| METHOPRENE | 1.89 | | | |
| S-METHOPRENE | 29.75 | | | |
| MINERAL OIL | 119.57 | | | |
| PETROLEUM DISTILLATES, REFINED | 80,778.82 | | | |
| PHENOTHRIN | 40.39 | | | |
| PIPERONYL BUTOXIDE | 167.05 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 31.66 | | | |
| PYRETHRINS | 31.29 | | | |
| Site Total | 83,533.98 | | | |
| **RADICCHIO** | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 3.97 | 4 | 220.00 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 5.16 | 3 | 86.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 163.35 | 3 | 165.00 | A |
| PYRETHRINS | 2.91 | 4 | 220.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| SPINOSAD | | 5.50 | 1 | 55.00 | A |
| SULFUR | | 109.16 | 1 | 35.00 | A |
| Site Total | | 290.05 | 16 | | |
| **RANGELAND** | | | | | |
| CLOPYRALID, MONOETHANOLAMINE SALT | | 7.50 | 4 | 59.73 | A |
| 2,4-D, BUTOXYETHANOL ESTER | | 5.79 | 3 | 2.00 | A |
| 2,4-D, 2-ETHYLHEXYL ESTER | | 14.47 | | 27.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 36.77 | 1 | 12.50 | A |
| ORYZALIN | | 4.06 | | 1.50 | A |
| OXYFLUORFEN | | 2.01 | | 1.50 | A |
| TRICLOPYR, BUTOXYETHYL ESTER | | 62.31 | 3 | 114.00 | A |
| TRICLOPYR, TRIETHYLAMINE SALT | | 8.43 | 1 | 10.00 | A |
| Site Total | | 141.33 | 9 | | |
| **REGULATORY PEST CONTROL** | | | | | |
| S-METHOPRENE | | 5.10 | | | |
| | | 2.44 | | 413.50 | A |
| Total Pounds On This Chemical | 7.54 | | | | |
| PYRIPROXYFEN | | 9.17 | | | |
| | | 4.23 | | 332.50 | A |
| Total Pounds On This Chemical | 13.39 | | | | |
| Site Total | | 20.93 | | | |
| **RIGHTS OF WAY** | | | | | |
| ABAMECTIN | | 6.41 | | | |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | | 0.82 | | | |
| ALCOHOLS, C4-C12, NORMAL | | 0.48 | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 227.97 | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 25.21 | | | |
| ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 61.90 | | | |
| ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 0.19 | | | |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 70.28 | | | |
| ALUMINUM PHOSPHIDE | | 1.38 | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | | 139.99 | | | |
| AMMONIUM NITRATE | | 3.25 | | | |
| AMMONIUM PROPIONATE | | 978.03 | | | |
| AMMONIUM SULFATE | | 1,276.50 | | | |
| | | 158.26 | 4 | 466.00 | A |
| Total Pounds On This Chemical | 1,434.76 | | | | |
| BENZOIC ACID | | 1.12 | | | |
| BIFENTHRIN | | 0.18 | | | |
| BORAX | | 199.85 | | | |
| BROMACIL | | 126.40 | | | |
| BROMADIOLONE | | < 0.01 | | | |
| BUTYL ALCOHOL | | 9.08 | | | |
| CARBARYL | | 17.50 | | | |
| CHLORSULFURON | | 5.91 | | | |
| CITRIC ACID | | 513.19 | | | |
| CLOPYRALID, MONOETHANOLAMINE SALT | | 8.57 | | | |
| COCONUT DIETHANOLAMIDE | | 0.03 | | | |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| COPPER NAPHTHENATE | | 36.97 | | | |
| COPPER 8-QUINOLINOLEATE | | 1.37 | | | |
| COTTONSEED OIL | | 42.67 | | | |
| 2,4-D, DIMETHYLAMINE SALT | | 518.12 | | | |
| DIETHYLENE GLYCOL | | 67.04 | | | |
| | | 15.00 | 2 | 160.00 | A |
| Total Pounds On This Chemical | 82.04 | | | | |
| DIMETHYL ALKYL TERTIARY AMINES | | 1.22 | | | |
| DIMETHYLPOLYSILOXANE | | 0.42 | | | |
| | | 0.33 | 2 | 160.00 | A |
| Total Pounds On This Chemical | 0.75 | | | | |
| DIPHACINONE | | < 0.01 | | | |
| DIQUAT DIBROMIDE | | 341.93 | | | |
| DITHIOPYR | | 76.38 | | | |
| DIURON | | 4,456.47 | | | |
| DODECYLBENZENE SULFONIC ACID | | 0.14 | | | |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 31.56 | | | |
| EDTA, TETRASODIUM SALT | | < 0.01 | | | |
| FATTY ACIDS, MIXED | | 98.12 | | | |
| | | 34.74 | 8 | 1,060.00 | A |
| Total Pounds On This Chemical | 132.86 | | | | |
| FATTY ACIDS DERIVED FROM TALLOW | | 28.11 | | | |
| FLUAZIFOP-P-BUTYL | | 0.56 | | | |
| FLUMIOXAZIN | | 31.24 | | | |
| FLURIDONE | | 33.95 | | | |
| GLUFOSINATE-AMMONIUM | | 768.66 | | | |
| GLYPHOSATE | | 2,885.96 | 9 | 1,350.00 | A |
| | | 608.39 | | | |
| Total Pounds On This Chemical | 3,494.35 | | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 31,235.69 | | | |
| GLYPHOSATE, MONOAMMONIUM SALT | | 17.59 | | | |
| GLYPHOSATE, POTASSIUM SALT | | 332.26 | | | |
| HEXAZINONE | | 12.50 | | | |
| IMAZAPYR, ISOPROPYLAMINE SALT | | 8.72 | | | |
| ISOPROPYL ALCOHOL | | 16.43 | | | |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | | 0.03 | | | |
| ISOXABEN | | 40.50 | | | |
| KEROSENE | | 2.17 | | | |
| LECITHIN | | 1,901.19 | | | |
| | | 187.15 | 6 | 900.00 | A |
| Total Pounds On This Chemical | 2,088.33 | | | | |
| METAM-SODIUM | | 139.06 | | | |
| METHYLATED SOYBEAN OIL | | 183.26 | | | |
| METHYL SILICONE RESINS | | 18.84 | | | |
| MINERAL OIL | | 849.33 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 789.09 | | | |
| | | 111.93 | 9 | 1,210.00 | A |
| Total Pounds On This Chemical | 901.03 | | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 874.57 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT | | 0.16 | | | |
| OLEIC ACID, METHYL ESTER | | 316.67 | | | |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | | 10.96 | | | |
| ORYZALIN | | 1,853.68 | | | |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| OXYFLUORFEN | | 263.36 | 7 | 1,050.00 | A |
| | | 262.57 | | | |
| Total Pounds On This Chemical | 525.93 | | | | |
| PARAQUAT DICHLORIDE | | 21.15 | | | |
| PENDIMETHALIN | | 94.70 | | | |
| PETROLEUM DISTILLATES | | 90.56 | 1 | 150.00 | A |
| | | 2.83 | | | |
| Total Pounds On This Chemical | 93.39 | | | | |
| PETROLEUM DISTILLATES, ALIPHATIC | | 0.05 | | | |
| PETROLEUM NAPHTHENIC OILS | | 0.58 | | | |
| PETROLEUM OIL, PARAFFIN BASED | | 73.11 | | | |
| PHOSPHORIC ACID | | 133.61 | | | |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | | 13.31 | | | |
| POLYACRYLAMIDE POLYMER | | 64.06 | | | |
| POLYACRYLIC POLYMER | | 12.09 | | | |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 0.23 | | | |
| POLYMERIZED PINENE | | 560.20 | | | |
| POLYOXYETHYLENE DIOLEATE | | 0.23 | | | |
| POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER | | 172.42 | | | |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | | 5.09 | | | |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 0.12 | | | |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 0.78 | | | |
| PRODIAMINE | | 213.96 | | | |
| PROPIONIC ACID | | 1,770.97 | | | |
| | | 187.15 | 6 | 900.00 | A |
| Total Pounds On This Chemical | 1,958.12 | | | | |
| PYRAFLUFEN-ETHYL | | 0.05 | | | |
| SETHOXYDIM | | 17.52 | | | |
| SILICONE DEFOAMER | | < 0.01 | | | |
| SIMAZINE | | 121.84 | | | |
| SODIUM POLYACRYLATE | | 24.45 | | | |
| SODIUM XYLENE SULFONATE | | 0.04 | | | |
| SORBITAN FATTY ACID ESTERS | | 1.11 | | | |
| SORBITAN MONOOLEATE | | 0.14 | | | |
| SULFOMETURON-METHYL | | 37.38 | | | |
| TALL OIL | | 38.42 | | | |
| TEBUCONAZOLE | | 0.91 | | | |
| TEBUTHIURON | | 8.00 | | | |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 71.53 | | | |
| TETRAPOTASSIUM PYROPHOSPHATE | | 0.02 | | | |
| TRICLOPYR, BUTOXYETHYL ESTER | | 82.22 | | | |
| TRICLOPYR, TRIETHYLAMINE SALT | | 233.74 | | | |
| TRIETHANOLAMINE | | 0.06 | | | |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 96.90 | | | |
| | | 39.08 | 2 | 160.00 | A |
| Total Pounds On This Chemical | 135.99 | | | | |
| UREA DIHYDROGEN SULFATE | | 44.11 | | | |
| ZINC PHOSPHIDE | | 2.00 | | | |
| Site Total | | 57,576.37 | 29 | | |
| **SOIL FUMIGATION/PREPLANT** | | | | | |
| CHLOROPICRIN | | 16,532.62 | 10 | 292.39 | A |
| 1,3-DICHLOROPROPENE | | 254,777.84 | 18 | 785.13 | A |
| DIETHYLENE GLYCOL | | 4.25 | 1 | 36.22 | A |
| DIMETHYLPOLYSILOXANE | | 0.09 | 1 | 36.22 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| FATTY ACIDS, MIXED | 7.56 | 1 | 36.22 | A |
| METHYL BROMIDE | 84,593.74 | 9 | 280.99 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 11.07 | 1 | 36.22 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 11.07 | 1 | 36.22 | A |
| Site Total | 355,938.24 | 29 | | |
| **SORGHUM (FORAGE - FODDER)** | | | | |
| CALCIUM CHLORIDE | 0.18 | 1 | 71.81 | A |
| CITRIC ACID | 0.51 | 1 | 71.81 | A |
| MALATHION | 97.73 | 1 | 71.81 | A |
| Site Total | 98.43 | 2 | | |
| **STONE FRUIT** | | | | |
| COPPER HYDROXIDE | 13.23 | 2 | 4.10 | A |
| ESFENVALERATE | 2.33 | 2 | 4.10 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 6.66 | 4 | 5.50 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 9.55 | 8 | 10.90 | A |
| OXYFLUORFEN | 0.80 | 2 | 3.30 | A |
| PETROLEUM OIL, UNCLASSIFIED | 173.64 | 2 | 4.10 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 1.07 | 2 | 4.10 | A |
| PROPICONAZOLE | 0.48 | 2 | 4.10 | A |
| Site Total | 207.77 | 24 | | |
| **STRAWBERRY** | | | | |
| BOSCALID | 0.14 | 1 | 3.00 | A |
| CHLOROPICRIN | 158.40 | 1 | 1.60 | A |
| FATTY ACIDS, MIXED | 0.03 | 1 | 3.00 | A |
| METHYL BROMIDE | 321.60 | 1 | 1.60 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 0.18 | 1 | 3.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.23 | 1 | 3.00 | A |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 869.84 | 1 | 3.00 | A |
| PYRACLOSTROBIN | 0.07 | 1 | 3.00 | A |
| Site Total | 1,350.50 | 4 | | |
| **STRUCTURAL PEST CONTROL** | | | | |
| ABAMECTIN | < 0.01 | | | |
| ABAMECTIN, OTHER RELATED | < 0.01 | | | |
| ACEPHATE | 10.20 | | | |
| ACETAMIPRID | 0.33 | | | |
| D-TRANS ALLETHRIN | 0.12 | | | |
| ALUMINUM PHOSPHIDE | 0.14 | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | 0.12 | | | |
| 4-AMINOPYRIDINE | 0.08 | | | |
| BACILLUS THURINGIENSIS, SUBSP. ISRAELENSIS, STRAIN AM 65-52 | < 0.01 | | | |
| BIFENTHRIN | 542.89 | | | |
| BORAX | 3.78 | | | |
| BORIC ACID | 53.23 | | | |
| BRODIFACOUM | < 0.01 | | | |
| BROMADIOLONE | 0.06 | | | |
| BROMETHALIN | < 0.01 | | | |
| CARBARYL | 0.05 | | | |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural<br>Applications | Amount<br>Treated | Unit<br>Type |
|---|---|---|---|---|
| CARFENTRAZONE-ETHYL | < 0.01 | | | |
| CHLORFENAPYR | 31.98 | | | |
| CHLOROPHACINONE | < 0.01 | | | |
| CHOLECALCIFEROL | 0.04 | | | |
| COCONUT DIETHANOLAMIDE | 0.02 | | | |
| COPPER NAPHTHENATE | 3.11 | | | |
| CYFLUTHRIN | 47.30 | | | |
| BETA-CYFLUTHRIN | 13.48 | | | |
| CYPERMETHRIN | 490.31 | | | |
| 2,4-D, 2-ETHYLHEXYL ESTER | 0.02 | | | |
| DDVP | 24.72 | | | |
| DDVP, OTHER RELATED | 0.63 | | | |
| DELTAMETHRIN | 16.31 | | | |
| DIATOMACEOUS EARTH | 0.59 | | | |
| DIAZINON | 0.05 | | | |
| DICAMBA | < 0.01 | | | |
| DIDECYL DIMETHYL AMMONIUM CHLORIDE | 0.38 | | | |
| DIFETHIALONE | 0.04 | | | |
| DINOTEFURAN | 0.02 | | | |
| DIPHACINONE | 0.07 | | | |
| DIPHACINONE, SODIUM SALT | < 0.01 | | | |
| DISODIUM OCTABORATE TETRAHYDRATE | 28.11 | | | |
| DITHIOPYR | 6.30 | | | |
| DODECYLBENZENE SULFONIC ACID | 0.11 | | | |
| EDTA, TETRASODIUM SALT | < 0.01 | | | |
| ESFENVALERATE | 14.14 | | | |
| FIPRONIL | 81.92 | | | |
| GAMMA-CYHALOTHRIN | < 0.01 | | | |
| HYDRAMETHYLNON | 0.30 | | | |
| HYDROPRENE | 9.41 | | | |
| IMIDACLOPRID | 7.10 | | | |
| INDOXACARB | 1.23 | | | |
| IRON PHOSPHATE | 7.02 | | | |
| ISOPROPYL ALCOHOL | 0.03 | | | |
| ISOXABEN | < 0.01 | | | |
| LAMBDA-CYHALOTHRIN | 30.07 | | | |
| LINALOOL | 0.21 | | | |
| MALATHION | 85.44 | | | |
| MECOPROP-P | < 0.01 | | | |
| METALDEHYDE | 7.09 | | | |
| S-METHOPRENE | 0.09 | | | |
| METHYL BROMIDE | 33.83 | | | |
| MUSCALURE | 0.07 | | | |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | 4.84 | | | |
| PERMETHRIN | 1,040.45 | | | |
| PERMETHRIN, OTHER RELATED | < 0.01 | | | |
| PHENOTHRIN | 0.35 | | | |
| PHENYLETHYL PROPIONATE | 2.57 | | | |
| PHOSPHORIC ACID | 0.02 | | | |
| PIPERONYL BUTOXIDE | 43.91 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 10.59 | | | |
| PRALLETHRIN | < 0.01 | | | |
| PROPOXUR | 0.24 | | | |
| PYRETHRINS | 6.90 | | | |
| PYRIPROXYFEN | 0.08 | | | |
| SILICA AEROGEL | 10.74 | | | |
| SILICONE DEFOAMER | < 0.01 | | | |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| SODIUM CARBONATE | 0.06 | | | |
| SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE | 0.10 | | | |
| SODIUM XYLENE SULFONATE | 0.03 | | | |
| SPINOSAD | < 0.01 | | | |
| STRYCHNINE | 0.06 | | | |
| SULFURYL FLUORIDE | 1,561.33 | | | |
| TETRAMETHRIN | < 0.01 | | | |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.12 | | | |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.02 | | | |
| THIAMETHOXAM | < 0.01 | | | |
| THYME | 4.27 | | | |
| TRIETHANOLAMINE | 0.04 | | | |
| TRIFLURALIN | 0.01 | | | |
| Site Total | 4,239.37 | | | |
| **SUDANGRASS** | | | | |
| METHOMYL | 17.82 | 1 | 79.20 | A |
| Site Total | 17.82 | 1 | | |
| **TANGELO** | | | | |
| ABAMECTIN | 4.36 | 8 | 224.30 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 400.23 | 56 | 1,519.39 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.22 | 1 | 20.00 | A |
| BENTONITE | 27.00 | 1 | 18.00 | A |
| BROMACIL | 160.00 | 4 | 137.00 | A |
| CALCIUM HYDROXIDE | 3,051.60 | 7 | 170.00 | A |
| CARFENTRAZONE-ETHYL | 0.30 | 1 | 20.00 | A |
| CASEIN | 2.03 | 1 | 18.00 | A |
| CHLORPYRIFOS | 385.19 | 4 | 142.10 | A |
| COPPER | 90.00 | 1 | 30.00 | A |
| COPPER HYDROXIDE | 23.05 | 1 | 25.00 | A |
| COPPER OXIDE (OUS) | 413.98 | 5 | 127.00 | A |
| COPPER SULFATE (BASIC) | 63.99 | 1 | 18.00 | A |
| BETA-CYFLUTHRIN | 0.24 | 1 | 9.40 | A |
| (S)-CYPERMETHRIN | 4.68 | 5 | 127.00 | A |
| 2,4-D, ISOPROPYL ESTER | 36.25 | 20 | 565.30 | A |
| DIFLUBENZURON | 16.77 | 4 | 108.00 | A |
| DIMETHYLPOLYSILOXANE | 148.63 | 14 | 455.10 | A |
| DIURON | 928.56 | 15 | 454.90 | A |
| GIBBERELLINS | 46.86 | 20 | 594.10 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 2,691.46 | 58 | 1,497.39 | A |
| GLYPHOSATE, POTASSIUM SALT | 591.10 | 4 | 200.00 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 6.47 | 1 | 30.00 | A |
| IMIDACLOPRID | 296.45 | 18 | 588.90 | A |
| ISOPROPYL ALCOHOL | 25.01 | 56 | 1,519.39 | A |
| LACTOSE | 2.03 | 1 | 18.00 | A |
| METALDEHYDE | 40.40 | 3 | 104.40 | A |
| MINERAL OIL | 1,640.63 | 10 | 255.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 26.10 | 3 | 60.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | 3,685.91 | 16 | 527.10 | A |
| SPINOSAD | 51.46 | 12 | 393.80 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| TALL OIL FATTY ACIDS | 5.12 | 3 | 60.00 | A |
| Site Total | 14,867.07 | 289 | | |
| **TANGERINE** | | | | |
| ABAMECTIN | 5.49 | 9 | 494.20 | A |
| ACETAMIPRID | 90.65 | 3 | 518.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 3,173.21 | 87 | 8,331.42 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.22 | 1 | 20.00 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | 60.28 | 3 | 518.00 | A |
| AMMONIUM SULFATE | 163.39 | 5 | 668.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 338.88 | 4 | 730.60 | A |
| BENTONITE | 1,256.87 | 15 | 1,088.11 | A |
| BROMACIL | 677.12 | 8 | 594.77 | A |
| BUPROFEZIN | 49.31 | 1 | 24.50 | A |
| CALCIUM HYDROXIDE | 10,126.81 | 15 | 1,088.11 | A |
| CARFENTRAZONE-ETHYL | 16.84 | 10 | 975.00 | A |
| CASEIN | 94.27 | 15 | 1,088.11 | A |
| CHLORPYRIFOS | 89.59 | 7 | 197.70 | A |
| CITRIC ACID | 9.86 | 5 | 668.00 | A |
| COCONUT DIETHANOLAMIDE | 274.00 | 3 | 518.00 | A |
| COPPER SULFATE (BASIC) | 6,726.32 | 18 | 1,606.11 | A |
| BETA-CYFLUTHRIN | 25.72 | 9 | 832.97 | A |
| (S)-CYPERMETHRIN | 1.63 | 3 | 44.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 88.30 | 1 | 54.00 | A |
| 2,4-D, ISOPROPYL ESTER | 61.67 | 10 | 1,103.01 | A |
| DIETHYLENE GLYCOL | 41.76 | 3 | 495.00 | A |
| DIMETHYLPOLYSILOXANE | 0.93 | 3 | 495.00 | A |
| DIURON | 4,525.71 | 22 | 1,819.27 | A |
| FATTY ACIDS, MIXED | 74.43 | 4 | 505.00 | A |
| FENPYROXIMATE | 18.79 | 2 | 156.00 | A |
| GIBBERELLINS | 17.90 | 3 | 495.00 | A |
| GLYPHOSATE | 937.08 | 6 | 668.90 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 14,716.10 | 88 | 8,111.59 | A |
| GLYPHOSATE, POTASSIUM SALT | 3,503.59 | 11 | 1,100.89 | A |
| HEXYTHIAZOX | 11.88 | 1 | 74.40 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 495.86 | 2 | 164.87 | A |
| IMIDACLOPRID | 932.17 | 17 | 1,962.70 | A |
| ISOPROPYL ALCOHOL | 198.33 | 87 | 8,331.42 | A |
| LACTOSE | 94.27 | 15 | 1,088.11 | A |
| LAURIC ACID | 54.80 | 3 | 518.00 | A |
| LECITHIN | 4.07 | 1 | 80.00 | A |
| MEFENOXAM | 11.90 | 2 | 85.00 | A |
| METALDEHYDE | 20.00 | 2 | 50.00 | A |
| METHIDATHION | 2,359.92 | 13 | 704.71 | A |
| S-METHOPRENE | 1.18 | 1 | 157.00 | A |
| METHYLATED SOYBEAN OIL | 184.70 | 8 | 1,256.00 | A |
| MINERAL OIL | 2,537.87 | 9 | 631.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 0.33 | 1 | 10.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 213.85 | 14 | 2,199.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 51.80 | 2 | 164.87 | A |
| ORYZALIN | 1,161.93 | 4 | 538.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| OXYFLUORFEN | 21.71 | 2 | 37.89 | A |
| PENDIMETHALIN | 50.83 | 1 | 17.89 | A |
| PETROLEUM OIL, PARAFFIN BASED | 33.77 | 4 | 80.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | 13,092.44 | 24 | 1,911.27 | A |
| PHOSPHORIC ACID | 50.62 | 5 | 668.00 | A |
| POLYACRYLIC POLYMER | 4.52 | 4 | 658.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 9.13 | 7 | 1,176.00 | A |
| PROPYLENE GLYCOL | 93.16 | 3 | 518.00 | A |
| RIMSULFURON | 49.19 | 7 | 1,058.00 | A |
| SAFLUFENACIL | 7.13 | 2 | 164.87 | A |
| SPINETORAM | 58.62 | 11 | 888.50 | A |
| SPINOSAD | 162.60 | 17 | 1,281.57 | A |
| SPIRODICLOFEN | 196.81 | 8 | 690.70 | A |
| TALL OIL FATTY ACIDS | 122.73 | 9 | 762.87 | A |
| TRIFLURALIN | 168.78 | 1 | 154.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 110.83 | 4 | 575.00 | A |
| Site Total | 69,735.42 | 472 | | |
| **TOMATO** | | | | |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 24.31 | 8 | 627.08 | A |
| CHLOROTHALONIL | 986.43 | 6 | 480.50 | A |
| COCONUT DIETHANOLAMIDE | 2.23 | 2 | 112.00 | A |
| CYFLUTHRIN | 51.59 | 15 | 1,149.68 | A |
| CYMOXANIL | 19.50 | 1 | 160.00 | A |
| (S)-CYPERMETHRIN | 14.67 | 3 | 317.00 | A |
| DIETHYLENE GLYCOL | 3.32 | 1 | 141.69 | A |
| DIMETHYLPOLYSILOXANE | 0.91 | 2 | 203.69 | A |
| DODECYLBENZENE SULFONIC ACID | 9.65 | 2 | 112.00 | A |
| EDTA, TETRASODIUM SALT | 0.59 | 2 | 112.00 | A |
| EMAMECTIN BENZOATE | 6.91 | 4 | 477.00 | A |
| FAMOXADONE | 19.50 | 1 | 160.00 | A |
| FATTY ACIDS, METHYL ESTERS | 90.75 | 8 | 627.08 | A |
| FATTY ACIDS, MIXED | 5.91 | 1 | 141.69 | A |
| FLUBENDIAMIDE | 2.25 | 1 | 50.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 136.73 | 1 | 141.69 | A |
| HARPIN PROTEIN | 2.22 | 3 | 259.05 | A |
| IMIDACLOPRID | 7.05 | 1 | 160.00 | A |
| ISOPROPYL ALCOHOL | 2.94 | 2 | 112.00 | A |
| MANCOZEB | 1,592.73 | 15 | 1,097.83 | A |
| METHOXYFENOZIDE | 223.47 | 17 | 1,307.83 | A |
| MYCLOBUTANIL | 60.62 | 10 | 611.73 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 30.79 | 8 | 627.08 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 8.65 | 1 | 141.69 | A |
| PHOSPHORIC ACID | 1.90 | 2 | 112.00 | A |
| PYRACLOSTROBIN | 188.12 | 8 | 954.00 | A |
| SILICONE DEFOAMER | 0.25 | 2 | 112.00 | A |
| SODIUM XYLENE SULFONATE | 2.97 | 2 | 112.00 | A |
| SPINETORAM | 42.95 | 8 | 800.50 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 11.31 | 2 | 112.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 1.48 | 2 | 112.00 | A |
| TRIETHANOLAMINE | 3.78 | 2 | 112.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 8.65 | 1 | 141.69 | A |
| Site Total | 3,565.13 | 105 | | |
| **TOMATO, PROCESSING** | | | | |
| ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 15.04 | 6 | 336.00 | A |
| AMMONIUM PROPIONATE | 57.26 | 3 | 249.00 | A |
| AMMONIUM SULFATE | 94.22 | 8 | 1,071.90 | A |
| AZOXYSTROBIN | 17.83 | 2 | 151.00 | A |
| CALCIUM CHLORIDE | 15.74 | 3 | 300.00 | A |
| CARFENTRAZONE-ETHYL | 0.07 | 1 | 4.50 | A |
| CHLORANTRANILIPROLE | 32.34 | 7 | 591.09 | A |
| CHLOROTHALONIL | 5,187.11 | 28 | 2,866.09 | A |
| CITRIC ACID | 76.84 | 11 | 1,371.90 | A |
| CLETHODIM | 129.35 | 2 | 495.00 | A |
| COPPER HYDROXIDE | 874.35 | 16 | 1,509.06 | A |
| COPPER SULFATE (BASIC) | 680.87 | 6 | 491.09 | A |
| DIETHYLENE GLYCOL | 151.92 | 46 | 3,246.58 | A |
| DIFENOCONAZOLE | 11.17 | 2 | 151.00 | A |
| DIMETHYLPOLYSILOXANE | 3.28 | 48 | 3,601.58 | A |
| EMAMECTIN BENZOATE | 12.98 | 11 | 1,125.00 | A |
| ETHEPHON | 848.58 | 10 | 900.19 | A |
| FATTY ACIDS, MIXED | 282.90 | 49 | 3,781.48 | A |
| FLUBENDIAMIDE | 18.90 | 2 | 420.00 | A |
| GLYPHOSATE | 171.60 | 2 | 165.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,332.97 | 15 | 1,238.41 | A |
| IMIDACLOPRID | 156.65 | 8 | 670.78 | A |
| INDOXACARB | 21.41 | 5 | 326.89 | A |
| ISOPROPYL ALCOHOL | 2.86 | 7 | 443.90 | A |
| LAMBDA-CYHALOTHRIN | 4.99 | 3 | 177.89 | A |
| LECITHIN | 18.71 | 2 | 165.00 | A |
| MANCOZEB | 445.20 | 5 | 370.99 | A |
| MEFENOXAM | 27.62 | 5 | 442.00 | A |
| METHOXYFENOZIDE | 16.94 | 2 | 77.89 | A |
| S-METOLACHLOR | 825.23 | 16 | 1,125.53 | A |
| MYCLOBUTANIL | 78.80 | 5 | 788.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 579.32 | 64 | 4,916.38 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 14.31 | 3 | 249.00 | A |
| NOVALURON | 20.70 | 2 | 263.90 | A |
| OXYFLUORFEN | 75.25 | 2 | 600.00 | A |
| PENDIMETHALIN | 133.82 | 2 | 238.23 | A |
| PHOSPHORIC ACID | 34.68 | 13 | 1,513.90 | A |
| POLYACRYLAMIDE POLYMER | 2.91 | 9 | 535.41 | A |
| POLYACRYLIC POLYMER | 2.24 | 5 | 822.90 | A |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 10,283.53 | 2 | 29.95 | A |
| PROPIONIC ACID | 18.71 | 2 | 165.00 | A |
| PYRACLOSTROBIN | 104.80 | 4 | 539.00 | A |
| RIMSULFURON | 4.60 | 5 | 442.00 | A |
| SODIUM POLYACRYLATE | 18.04 | 3 | 249.00 | A |
| SULFUR | 50,708.18 | 38 | 3,132.97 | A |
| TALL OIL | 9.33 | 6 | 336.00 | A |
| THIAMETHOXAM | 20.45 | 7 | 642.00 | A |
| TRIFLURALIN | 282.83 | 14 | 887.30 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 372.86 | 40 | 2,910.58 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| UREA | 8.87 | 8 | 691.00 | A |
| VINYL POLYMER | 0.04 | 2 | 165.00 | A |
| Site Total | 74,309.20 | 313 | | |
| **UNCULTIVATED AG** | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.84 | 4 | 26.64 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 25.49 | 6 | 281.00 | A |
| ALUMINUM PHOSPHIDE | 1.28 | 1 | 80.00 | A |
| AMMONIUM NITRATE | 0.11 | 4 | 26.64 | A |
| AMMONIUM SULFATE | 6.62 | 5 | 28.64 | A |
| BENZOIC ACID | 0.42 | 1 | 77.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 8.56 | 4 | 299.81 | A |
| BUTYL ALCOHOL | 0.71 | 1 | 77.00 | A |
| CARBARYL | 9.89 | 1 | 5.00 | A |
| CITRIC ACID | 0.22 | 1 | 2.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 144.04 | 1 | 92.00 | A |
| 1,3-DICHLOROPROPENE | 5,972.09 | 2 | 18.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 0.45 | 1 | 77.00 | A |
| DIMETHYLPOLYSILOXANE | < 0.01 | 1 | 77.00 | A |
| FATTY ACIDS, MIXED | 0.70 | 1 | 54.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 31.95 | 4 | 299.81 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 10.19 | 6 | 281.00 | A |
| GLUFOSINATE-AMMONIUM | 168.08 | 5 | 311.81 | A |
| GLYPHOSATE | 139.17 | 1 | 54.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,794.45 | 24 | 1,038.45 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 66.56 | 2 | 124.68 | A |
| KEROSENE | 0.80 | 1 | 77.00 | A |
| LECITHIN | 16.33 | 1 | 54.00 | A |
| METHYLATED SOYBEAN OIL | 15.35 | 1 | 77.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 10.84 | 4 | 299.81 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 36.26 | 8 | 412.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 6.95 | 2 | 124.68 | A |
| OXYFLUORFEN | 46.07 | 11 | 230.64 | A |
| PARAQUAT DICHLORIDE | 155.43 | 1 | 112.00 | A |
| PHOSPHORIC ACID | 1.22 | 1 | 2.00 | A |
| POLYACRYLIC POLYMER | 0.11 | 1 | 2.00 | A |
| POLYBUTENES | 5.71 | 4 | 299.81 | A |
| PROPIONIC ACID | 16.33 | 1 | 54.00 | A |
| TALL OIL FATTY ACIDS | 6.13 | 2 | 124.68 | A |
| TRIFLURALIN | 15.07 | 2 | 26.00 | A |
| Site Total | 8,714.44 | 70 | | |
| **UNCULTIVATED NON-AG** | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 5.26 | 1 | 4.87 | A |
| GLUFOSINATE-AMMONIUM | 5.73 | 1 | 4.87 | A |
| ISOPROPYL ALCOHOL | 0.33 | 1 | 4.87 | A |
| Site Total | 11.32 | 2 | | |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| **UNKNOWN** | | | | |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.05 | 2 | 6.82 | A |
| PARAQUAT DICHLORIDE | 9.44 | 2 | 6.82 | A |
| PETROLEUM OIL, PARAFFIN BASED | 8.47 | 2 | 6.82 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 0.21 | 2 | 6.82 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 1.37 | 2 | 6.82 | A |
| Site Total | 19.54 | 4 | | |
| **VEGETABLE** | | | | |
| COPPER OCTANOATE | 2.10 | 2 | 2.40 | A |
| HYDROGEN PEROXIDE | 14.79 | 5 | 6.00 | A |
| MANCOZEB | 0.04 | 1 | 1.00 | A |
| MYCLOBUTANIL | 0.03 | 2 | 2.00 | A |
| SPINOSAD | 0.03 | 2 | 2.00 | A |
| Site Total | 16.98 | 11 | | |
| **VERTEBRATE CONTROL** | | | | |
| ALUMINUM PHOSPHIDE | 409.39 | | | |
| BROMADIOLONE | 0.01 | | | |
| CARBON | 333.45 | | | |
| CHLOROPHACINONE | 0.13 | | | |
| DIPHACINONE | 0.42 | | | |
| IRON PHOSPHATE | 0.01 | | | |
| METALDEHYDE | 3.20 | | | |
| SODIUM NITRATE | 631.17 | | | |
| STRYCHNINE | 5.53 | | | |
| THIOPHANATE-METHYL | 0.50 | | | |
| ZINC PHOSPHIDE | 2.10 | | | |
| Site Total | 1,385.91 | | | |
| **WALNUT** | | | | |
| ABAMECTIN | 1.11 | 2 | 54.30 | A |
| ACETAMIPRID | 5.90 | 2 | 80.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 276.08 | 13 | 537.61 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 15.16 | 2 | 80.00 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.67 | 2 | 226.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 1.96 | 1 | 11.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 98.41 | 27 | 3,946.00 | A |
| ALKYL (C8,C10) POLYGLYCOSIDE | 0.53 | 1 | 1.00 | A |
| AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE | 32.81 | 4 | 299.00 | A |
| AMMONIUM NITRATE | 0.25 | 1 | 1.00 | A |
| AMMONIUM SULFATE | 24.10 | 6 | 125.27 | A |
| BIFENAZATE | 2.50 | 2 | 7.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 2.44 | 2 | 19.33 | A |
| BUTYL ALCOHOL | 376.30 | 7 | 562.00 | A |
| CHLORANTRANILIPROLE | 36.04 | 8 | 440.00 | A |
| CHLOROPHACINONE | < 0.01 | 1 | 220.00 | A |
| CHLORPYRIFOS | 165.62 | 4 | 104.00 | A |
| CITRIC ACID | 10.13 | 6 | 130.27 | A |
| COPPER AMMONIUM COMPLEX | 371.69 | 5 | 225.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| COPPER HYDROXIDE | 1,535.30 | 9 | 520.00 | A |
| COPPER OXIDE (OUS) | 270.72 | 1 | 35.00 | A |
| COPPER SULFATE (BASIC) | 2,332.08 | 9 | 493.00 | A |
| CORN PRODUCT, HYDROLYZED | 50.58 | 3 | 185.00 | A |
| DIETHYLENE GLYCOL | 11.54 | 10 | 609.30 | A |
| DIMETHYLPOLYSILOXANE | 4.24 | 15 | 712.30 | A |
| ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA-HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE | 0.13 | 1 | 6.00 | A |
| DIQUAT DIBROMIDE | 167.81 | 7 | 524.00 | A |
| DIURON | 124.00 | 1 | 220.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.10 | 1 | 11.00 | A |
| EMULSIFIABLE METHYLATED VEGETABLE OIL | 136.17 | 2 | 45.00 | A |
| ESFENVALERATE | 1.63 | 2 | 20.00 | A |
| ETHEPHON | 46.17 | 2 | 65.00 | A |
| ETOXAZOLE | 8.78 | 2 | 65.00 | A |
| FATTY ACIDS, MIXED | 14.64 | 9 | 593.30 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 6.07 | 1 | 13.33 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 39.36 | 27 | 3,946.00 | A |
| FENPYROXIMATE | 4.81 | 1 | 36.00 | A |
| FLUBENDIAMIDE | 11.74 | 2 | 94.00 | A |
| FLUMIOXAZIN | 38.01 | 6 | 237.27 | A |
| GLUFOSINATE-AMMONIUM | 1,217.39 | 40 | 4,729.24 | A |
| GLYPHOSATE | 93.14 | 4 | 104.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 822.40 | 26 | 1,708.78 | A |
| GLYPHOSATE, POTASSIUM SALT | 4.14 | 1 | 6.00 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 0.79 | 1 | 220.00 | A |
| HEXYTHIAZOX | 16.54 | 2 | 115.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 4.32 | 1 | 11.37 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 46.77 | 8 | 364.00 | A |
| ISOPROPYL ALCOHOL | 17.23 | 10 | 345.61 | A |
| KAOLIN | 3,894.95 | 3 | 108.00 | A |
| LECITHIN | 4.07 | 1 | 11.20 | A |
| MALATHION | 200.33 | 1 | 25.00 | A |
| METHOXYFENOZIDE | 222.53 | 11 | 747.00 | A |
| METHYLATED SOYBEAN OIL | 2.03 | 1 | 11.20 | A |
| MINERAL OIL | 417.42 | 4 | 73.00 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 1,284.53 | 8 | 684.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 2.97 | 2 | 53.33 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 133.15 | 40 | 4,647.30 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.45 | 1 | 11.37 | A |
| NORFLURAZON | 87.25 | 2 | 50.00 | A |
| ORYZALIN | 168.88 | 3 | 190.00 | A |
| OXYFLUORFEN | 133.79 | 10 | 281.44 | A |
| PARAQUAT DICHLORIDE | 57.28 | 2 | 91.37 | A |
| PENDIMETHALIN | 106.25 | 4 | 83.47 | A |
| PHOSPHORIC ACID | 30.19 | 10 | 396.27 | A |
| BETA-PINENE POLYMER | 221.14 | 6 | 578.00 | A |
| POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE | 33.40 | 2 | 45.00 | A |
| POLYBUTENES | 1.08 | 1 | 13.33 | A |
| POLY-I-PARA-MENTHENE | 838.46 | 12 | 885.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 16.19 | 3 | 270.00 | A |
| PYRIPROXYFEN | 4.38 | 1 | 40.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| RIMSULFURON | | 4.69 | 3 | 76.20 | A |
| SIMAZINE | | 621.90 | 6 | 450.00 | A |
| SPINOSAD | | 5.22 | 3 | 170.00 | A |
| SPIRODICLOFEN | | 0.69 | 1 | 1.34 | A |
| SPIROTETRAMAT | | 0.24 | 1 | 18.00 | A |
| STRYCHNINE | | 0.11 | 1 | 6.00 | A |
| TALL OIL FATTY ACIDS | | 0.40 | 1 | 11.37 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 23.20 | 9 | 564.50 | A |
| ZINC SULFATE | | 6.12 | 2 | 80.00 | A |
| Site Total | | 16,971.65 | 314 | | |
| **WATER AREA** | | | | | |
| ACID BLUE 9, DIAMMONIUM SALT | | 3.41 | | 1,920,000.00 | U |
| | | 0.55 | | 320,000.00 | ? |
| Total Pounds On This Chemical | 3.95 | | | | |
| BRONOPOL | | 175.89 | | 1.00 | A |
| | | 175.84 | | 1.00 | U |
| Total Pounds On This Chemical | 351.73 | | | | |
| CALCIUM HYPOCHLORITE | | 23,433.07 | | 207.00 | U |
| 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE | | 39.11 | | 3.00 | U |
| | | 37.72 | | 2.00 | A |
| Total Pounds On This Chemical | 76.83 | | | | |
| COPPER CARBONATE, BASIC | | 896.80 | | 2,220.00 | U |
| COPPER SULFATE (PENTAHYDRATE) | | 46,256.76 | | 29,875.00 | U |
| | | 8,319.83 | | 478.50 | A |
| Total Pounds On This Chemical | 54,576.59 | | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 413.47 | | 136.00 | A |
| 2-METHYL-4-ISOTHIAZOLIN-3-ONE | | 14.20 | | 3.00 | U |
| | | 13.71 | | 2.00 | A |
| Total Pounds On This Chemical | 27.92 | | | | |
| SODIUM BROMIDE | | 49.81 | | 1.00 | A |
| SODIUM HYPOCHLORITE | | 34.32 | | 1.00 | A |
| TARTRAZINE | | 0.34 | | 1,920,000.00 | U |
| | | 0.06 | | 320,000.00 | ? |
| Total Pounds On This Chemical | 0.40 | | | | |
| Site Total | | 79,864.90 | | | |
| **WHEAT** | | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 79.83 | 6 | 249.00 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 46.70 | 5 | 296.60 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 20.82 | 3 | 270.00 | A |
| AZOXYSTROBIN | | 29.41 | 4 | 226.30 | A |
| BENZOIC ACID | | 2.54 | 10 | 408.80 | A |
| BROMOXYNIL HEPTANOATE | | 216.16 | 12 | 654.80 | A |
| BROMOXYNIL OCTANOATE | | 224.17 | 12 | 654.80 | A |
| BUTYL ALCOHOL | | 6.84 | 9 | 367.80 | A |
| CARFENTRAZONE-ETHYL | | 15.75 | 17 | 842.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | | 12.56 | 1 | 14.90 | A |
| DICAMBA, DIMETHYLAMINE SALT | | 58.72 | 6 | 402.50 | A |
| DIETHYLENE GLYCOL | | 5.31 | 4 | 226.50 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | | 24.96 | 2 | 90.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | | 2.76 | 10 | 408.80 | A |
| DIMETHYLPOLYSILOXANE | | 0.20 | 13 | 594.30 | A |
| FATTY ACIDS, MIXED | | 9.77 | 6 | 355.00 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| FATTY ACIDS DERIVED FROM TALLOW | 8.33 | 3 | 270.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 621.84 | 2 | 551.00 | A |
| ISOPROPYL ALCOHOL | 17.48 | 14 | 713.50 | A |
| KEROSENE | 4.92 | 10 | 408.80 | A |
| LAMBDA-CYHALOTHRIN | 6.77 | 4 | 226.30 | A |
| LECITHIN | 46.70 | 5 | 296.60 | A |
| MCPA, DIMETHYLAMINE SALT | 186.06 | 4 | 304.50 | A |
| MESOSULFURON-METHYL | 2.89 | 5 | 211.50 | A |
| METHYLATED SOYBEAN OIL | 93.91 | 10 | 408.80 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 1.68 | 2 | 128.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 173.22 | 26 | 1,457.30 | A |
| OLEIC ACID | 1.05 | 2 | 136.00 | A |
| OLEIC ACID, METHYL ESTER | 385.68 | 7 | 409.60 | A |
| OXYFLUORFEN | 39.54 | 2 | 551.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 4.78 | 3 | 254.00 | A |
| PROPYLENE GLYCOL, METHYL ETHER | 2.63 | 2 | 136.00 | A |
| PYRAFLUFEN-ETHYL | 0.99 | 14 | 612.50 | A |
| TALL OIL | 1.57 | 3 | 230.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 13.83 | 4 | 226.50 | A |
| Site Total | 2,370.37 | 125 | | |
| **WHEAT (FORAGE - FODDER)** | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 696.40 | 106 | 6,762.99 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 3.01 | 3 | 101.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 6.59 | 2 | 171.00 | A |
| AMMONIUM NITRATE | 0.39 | 3 | 101.00 | A |
| AMMONIUM SULFATE | 9.60 | 3 | 101.00 | A |
| BENZOIC ACID | 2.80 | 15 | 552.03 | A |
| BROMOXYNIL HEPTANOATE | 21.26 | 2 | 60.00 | A |
| BROMOXYNIL OCTANOATE | 29.31 | 3 | 80.00 | A |
| BUTYL ALCOHOL | 8.16 | 16 | 530.77 | A |
| CARFENTRAZONE-ETHYL | 156.60 | 192 | 10,760.10 | A |
| DICAMBA, DIMETHYLAMINE SALT | 365.96 | 55 | 2,690.63 | A |
| DIETHYLENE GLYCOL | 28.21 | 38 | 2,023.09 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 5.56 | 1 | 40.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 3.05 | 15 | 552.03 | A |
| DIMETHYLPOLYSILOXANE | 0.72 | 54 | 2,553.86 | A |
| FATTY ACIDS, MIXED | 51.63 | 40 | 2,115.18 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 2.64 | 2 | 171.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 702.98 | 9 | 166.37 | A |
| GLYPHOSATE, POTASSIUM SALT | 82.75 | 2 | 15.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 4.75 | 1 | 62.30 | A |
| ISOPROPYL ALCOHOL | 48.09 | 108 | 6,882.99 | A |
| KEROSENE | 5.43 | 15 | 552.03 | A |
| MCPA, DIMETHYLAMINE SALT | 4,094.98 | 138 | 7,658.64 | A |
| MESOSULFURON-METHYL | 0.45 | 1 | 40.00 | A |
| METHYLATED SOYBEAN OIL | 103.64 | 15 | 552.03 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 176.29 | 60 | 2,936.95 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.50 | 1 | 62.30 | A |
| OXYFLUORFEN | 30.10 | 2 | 15.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 9.50 | 13 | 998.76 | A |

Department of Pesticide Regulation
2010 Annual Statewide Pesticide Use Report Indexed by Commodity
Madera County

| Commodity<br>Chemical | Pounds Applied | Agricultural<br>Applications | Amount<br>Treated | Unit<br>Type |
|---|---|---|---|---|
| PYRAFLUFEN-ETHYL | 2.59 | 26 | 1,653.68 | A |
| TALL OIL | 1.20 | 2 | 120.00 | A |
| TALL OIL FATTY ACIDS | 0.44 | 1 | 62.30 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 73.50 | 38 | 2,023.09 | A |
| Site Total | 6,729.04 | 629 | | |
| Madera County Total | 9,129,883.51 | 70,516 | | |