

2020 Annual Statewide Pesticide Use Report Indexed by Chemical SANTA CLARA County

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------|------------------------------|----------------|------|--------------|--------------|
| abamectin | Bean, dried | 3.76 | 5 | 185.0 | A |
| abamectin | Bean, succulent | 0.26 | 9 | 24.85 | A |
| abamectin | Bean, unspecified | 0.98 | 28 | 90.57 | A |
| abamectin | Celery | 4.51 | 27 | 269.8 | A |
| abamectin | Cherry | 3.17 | 2 | 123.0 | A |
| abamectin | Landscape maintenance | 0.65 | N/A | N/A | N/A |
| abamectin | Lettuce, head | 1.95 | 11 | 104.9 | A |
| abamectin | Lettuce, leaf | 4.5 | 35 | 250.8 | A |
| abamectin | N-grnhs flower | 0.05 | 7 | 5.5 | A |
| abamectin | N-grnhs flower | 0.05 | 14 | 152,460.0 | S |
| abamectin | N-grnhs plants in containers | 0.36 | 39 | 24.51 | A |
| abamectin | N-grnhs plants in containers | <0.01 | 4 | 6,495.15 | S |
| abamectin | N-grnhs transplants | 1.48 | 116 | 3,260,800.0 | S |
| abamectin | N-outdr flower | 0.06 | 7 | 6.0 | A |
| abamectin | N-outdr flower | 0.13 | 27 | 512,383.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| abamectin | N-outdr plants in containers | 0.11 | 5 | 4.75 | A |
| abamectin | N-outdr transplants | <0.01 | 1 | 0.16 | A |
| abamectin | Pepper, fruiting | 35.06 | 58 | 1,200.05 | A |
| abamectin | Pumpkin | 1.28 | 3 | 85.5 | A |
| abamectin | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| abamectin | Research commodity | <0.01 | 5 | 0.35 | A |
| abamectin | Research commodity | 0.01 | 2 | 15,560.0 | S |
| abamectin | Spinach | 4.67 | 40 | 301.8 | A |
| abamectin | Structural pest control | 0.17 | N/A | N/A | N/A |
| abamectin | Tomato, processing | 0.82 | 1 | 50.0 | A |
| abamectin | Walnut | 4.32 | 2 | 180.0 | A |
| abamectin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| abietic anhydride | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| acephate | Celery | 203.22 | 25 | 225.8 | A |
| acephate | Landscape maintenance | 170.34 | N/A | N/A | N/A |
| acephate | Lettuce, head | 143.19 | 15 | 158.2 | A |
| acephate | N-grnhs flower | 3.82 | 4 | 7.0 | A |
| acephate | N-grnhs flower | 2.53 | 4 | 9,600.0 | S |
| acephate | N-grnhs plants in containers | 18.67 | 35 | 13.31 | A |
| acephate | N-grnhs transplants | 3.8 | 7 | 78,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------|---|----------------|------|--------------|--------------|
| acephate | N-outdr flower | 48.69 | 106 | 99.0 | A |
| acephate | N-outdr plants in containers | 30.45 | 7 | 26.25 | A |
| acephate | N-outdr transplants | 4.49 | 6 | 3.23 | A |
| acephate | Pepper, fruiting | 407.51 | 18 | 436.3 | A |
| acephate | Structural pest control | 166.0 | N/A | N/A | N/A |
| acequinocyl | N-grnhs flower | 0.58 | 13 | 114,360.0 | S |
| acequinocyl | N-outdr flower | 0.21 | 6 | 43,100.0 | S |
| acequinocyl | N-outdr plants in containers | 0.34 | 1 | 1.0 | A |
| acequinocyl | Research commodity | 0.03 | 1 | 5,000.0 | S |
| acetamiprid | Cabbage | 6.44 | 15 | 121.0 | A |
| acetamiprid | Celery | 18.63 | 27 | 256.8 | A |
| acetamiprid | Chinese cabbage (napa, won bok, celery cabbage) | 0.47 | 1 | 9.0 | A |
| acetamiprid | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| acetamiprid | Lettuce, head | 3.3 | 3 | 44.4 | A |
| acetamiprid | Lettuce, leaf | 25.01 | 37 | 382.5 | A |
| acetamiprid | Mustard greens | 0.48 | 3 | 7.5 | A |
| acetamiprid | N-grnhs flower | 0.04 | 2 | 15,000.0 | S |
| acetamiprid | N-outdr flower | 0.02 | 1 | 0.5 | A |
| acetamiprid | N-outdr plants in containers | 3.25 | 3 | 12.25 | A |
| acetamiprid | N-outdr plants in containers | 0.43 | 58 | 351,600.0 | S |
| acetamiprid | Onion, dry | 5.8 | 3 | 39.0 | A |
| acetamiprid | Parsley | 2.24 | 6 | 33.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|---|-----------------------|-------------|---------------------|---------------------|
| acetamiprid | Pepper, fruiting | 23.61 | 16 | 330.95 | A |
| acetamiprid | Pumpkin | 13.59 | 8 | 135.0 | A |
| acetamiprid | Rights of way | 41.44 | N/A | N/A | N/A |
| acetamiprid | Structural pest control | 14.99 | N/A | N/A | N/A |
| acetamiprid | Tomato | 4.71 | 2 | 75.0 | A |
| acetamiprid | Tomato, processing | 5.05 | 3 | 68.0 | A |
| acetic acid | Grape, wine | 6.84 | 3 | 14.0 | A |
| acetic acid | Landscape maintenance | 0.09 | N/A | N/A | N/A |
| acetic acid | Structural pest control | 0.11 | N/A | N/A | N/A |
| acibenzolar-s-methyl | Golf course turf | 0.4 | N/A | 25.5 | A |
| acibenzolar-s-methyl | Landscape maintenance | 2.13 | N/A | N/A | N/A |
| acibenzolar-s-methyl | N-grnhs flower | 0.1 | N/A | 6.0 | A |
| acibenzolar-s-methyl | N-grnhs plants in containers | 0.07 | 7 | 2.73 | A |
| acibenzolar-s-methyl | N-grnhs transplants | 0.1 | N/A | 8.0 | A |
| acibenzolar-s-methyl | Spinach | 11.3 | 68 | 481.42 | A |
| afidopyropen | Broccoli | 0.37 | 2 | 10.33 | A |
| afidopyropen | Cabbage | 0.18 | 2 | 18.0 | A |
| afidopyropen | Chinese cabbage (napa, won bok, celery cabbage) | 0.69 | 9 | 72.2 | A |
| afidopyropen | Lettuce, leaf | 1.9 | 26 | 197.32 | A |
| afidopyropen | Pepper, fruiting | 10.72 | 17 | 263.3 | A |
| afidopyropen | Pumpkin | 4.6 | 5 | 100.5 | A |
| afidopyropen | Spinach | 0.33 | 3 | 33.0 | A |
| alcohols, c12-c14, aliphatic | Rights of way | 83.14 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| alpha-alkylaryl-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 3.2 | 1 | 15.0 | A |
| alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride | Structural pest control | 10.86 | N/A | N/A | N/A |
| alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride | Landscape maintenance | 0.08 | N/A | N/A | N/A |
| alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride | N-grnhs plants in containers | 2.49 | 2 | 0.36 | A |
| alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride | Structural pest control | 0.01 | N/A | N/A | N/A |
| alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride | Water (industrial) | 3.27 | N/A | 3.0 | A |
| alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride | Water (industrial) | 1,022.72 | N/A | 1.0 | U |
| alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride | Landscape maintenance | 0.08 | N/A | N/A | N/A |
| alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride | N-grnhs plants in containers | 2.49 | 2 | 0.36 | A |
| alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride | Structural pest control | 0.01 | N/A | N/A | N/A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Apple | 53.98 | 7 | 311.9 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Bean, dried | 3.93 | 2 | 85.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Bean, succulent | 5.9 | 13 | 120.6 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Bean, unspecified | 15.07 | 80 | 280.38 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Broccoli | 11.03 | 29 | 229.62 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Cherry | 10.08 | 4 | 161.22 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-----------------------|----------------|------|--------------|--------------|
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Garlic | 33.07 | 15 | 270.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 0.75 | N/A | N/A | N/A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Lettuce, head | 8.6 | 33 | 293.71 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 32.4 | 115 | 989.25 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Onion, dry | 6.4 | 6 | 81.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 66.41 | 68 | 1,281.72 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Pumpkin | 8.01 | 8 | 135.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Rights of way | 0.05 | N/A | N/A | N/A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Squash | 0.93 | 2 | 17.5 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Tomato | 117.61 | 74 | 2,274.14 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Tomato, processing | 21.64 | 17 | 390.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 0.08 | 1 | 2.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Uncultivated non-ag | 0.19 | 1 | 1.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Bean, dried | 3.93 | 3 | 100.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Carrot | 16.76 | 4 | 120.6 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Cherry | 76.13 | 7 | 318.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 28.15 | 6 | 100.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 19.52 | 12 | 213.4 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Sunflower | 9.57 | 2 | 17.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Tomato | 49.59 | 13 | 351.8 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Triticale | 1.52 | 4 | 17.25 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 30.64 | 6 | 206.6 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Watermelon | 4.23 | 2 | 30.0 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Broccoli | 9.92 | 13 | 70.0 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Cauliflower | 2.46 | 7 | 18.8 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Grape | 1.17 | 5 | 38.5 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Grape, wine | 1.95 | 6 | 27.36 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 16.56 | N/A | N/A | N/A |
| alpha-pinene beta-pinene copolymer | Broccoli | 1.77 | 1 | 7.0 | A |
| alpha-pinene beta-pinene copolymer | Cauliflower | 1.24 | 1 | 4.88 | A |
| alpha-pinene beta-pinene copolymer | Grape, wine | 4.67 | 17 | 32.3 | A |
| alpha-pinene beta-pinene copolymer | N-grnhs plants in containers | 95.58 | 190 | 183.39 | A |
| alpha-pinene beta-pinene copolymer | N-outdr transplants | 13.01 | 22 | 24.19 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|----------------|------|--------------|--------------|
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 26.3 | N/A | N/A | N/A |
| alkyl (c9-c11) oligomeric d-glucopyranoside | Rights of way | 237.54 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Landscape maintenance | 180.65 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | N-outdr plants in containers | 2.19 | 83 | 197.7 | A |
| alkyl (c8,c10) polyglucoside | Rights of way | 61.57 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Structural pest control | <0.01 | N/A | N/A | N/A |
| allethrin | Cabbage | <0.01 | 1 | 9.97 | A |
| allethrin | Structural pest control | <0.01 | N/A | N/A | N/A |
| allethrin, other related | Cabbage | <0.01 | 1 | 9.97 | A |
| d-allethrin | Structural pest control | 0.03 | N/A | N/A | N/A |
| d-allethrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| d-trans allethrin | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| d-trans allethrin | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| d-trans allethrin | Structural pest control | 1.16 | N/A | N/A | N/A |
| allyloxypolyethylene glycol acetate | Cabbage | 15.3 | 42 | 343.0 | A |
| allyloxypolyethylene glycol acetate | Chinese cabbage (napa, won bok, celery cabbage) | 0.24 | 2 | 18.0 | A |
| allyloxypolyethylene glycol acetate | Lettuce, leaf | 4.88 | 29 | 367.3 | A |
| allyloxypolyethylene glycol acetate | Pepper, fruiting | 0.5 | 2 | 38.0 | A |
| allyloxypolyethylene glycol acetate | Rights of way | <0.01 | N/A | N/A | N/A |
| aluminum phosphide | Apricot | 3.91 | 4 | 72.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| aluminum phosphide | Cherry | 0.61 | 4 | 48.0 | A |
| aluminum phosphide | Fumigation, other | 0.39 | N/A | N/A | N/A |
| aluminum phosphide | Grape, wine | 0.4 | N/A | 1.5 | A |
| aluminum phosphide | Landscape maintenance | 159.93 | N/A | N/A | N/A |
| aluminum phosphide | Pastureland | 3.64 | 2 | 34.0 | A |
| aluminum phosphide | Vertebrate control | 17.64 | N/A | N/A | N/A |
| ametoctradin | Lettuce, head | 45.37 | 12 | 170.7 | A |
| ametoctradin | Lettuce, leaf | 32.09 | 12 | 122.8 | A |
| aminocyclopyrachlor, potassium salt | Industrial site | 16.01 | N/A | 121.4 | A |
| aminocyclopyrachlor, potassium salt | Landscape maintenance | 3.47 | N/A | N/A | N/A |
| aminocyclopyrachlor, potassium salt | Rights of way | 23.25 | N/A | N/A | N/A |
| amino ethoxy vinyl glycine hydrochloride | Cucumber | 15.86 | 12 | 129.15 | A |
| amino ethoxy vinyl glycine hydrochloride | Plum | 1.44 | 2 | 3.25 | A |
| aminopyralid, triisopropanolamine salt | Landscape maintenance | 50.67 | N/A | N/A | N/A |
| aminopyralid, triisopropanolamine salt | Rights of way | 393.67 | N/A | N/A | N/A |
| 4-aminopyridine | Structural pest control | 0.17 | N/A | N/A | N/A |
| ammonium nonanoate | Landscape maintenance | 46.91 | N/A | N/A | N/A |
| ammonium nitrate | Landscape maintenance | 5.19 | N/A | N/A | N/A |
| ammonium nitrate | Rights of way | 2.56 | N/A | N/A | N/A |
| ammonium nitrate | Structural pest control | <0.01 | N/A | N/A | N/A |
| ammonium nitrate | Uncultivated non-ag | 0.02 | 1 | 1.0 | A |
| ammonium propionate | Broccoli | 7.75 | 14 | 191.0 | A |
| ammonium propionate | Cabbage | 17.2 | 63 | 435.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| ammonium propionate | Carrot | 8.35 | 1 | 29.5 | A |
| ammonium propionate | Cherry | 34.32 | 11 | 260.0 | A |
| ammonium propionate | Corn, human consumption | 43.72 | 6 | 193.0 | A |
| ammonium propionate | Lettuce, leaf | 9.62 | 2 | 34.0 | A |
| ammonium propionate | Oat | 4.05 | 2 | 41.0 | A |
| ammonium propionate | Pepper, fruiting | 50.02 | 7 | 195.4 | A |
| ammonium propionate | Rangeland | 4.71 | 1 | 50.0 | A |
| ammonium propionate | Sunflower | 4.02 | 2 | 17.0 | A |
| ammonium propionate | Tomato | 86.02 | 12 | 353.0 | A |
| ammonium propionate | Uncultivated ag | 159.26 | 40 | 417.2 | A |
| ammonium propionate | Wheat | 4.71 | 1 | 40.0 | A |
| ammonium sulfate | Carrot | 2.09 | 1 | 29.5 | A |
| ammonium sulfate | Cherry | 37.08 | 12 | 358.22 | A |
| ammonium sulfate | Corn, human consumption | 10.93 | 6 | 193.0 | A |
| ammonium sulfate | Garlic | 6.28 | 1 | 32.0 | A |
| ammonium sulfate | Grape, wine | 96.13 | 2 | 65.0 | A |
| ammonium sulfate | Landscape maintenance | 32.79 | N/A | N/A | N/A |
| ammonium sulfate | Lettuce, leaf | 2.4 | 2 | 34.0 | A |
| ammonium sulfate | Oat | 1.01 | 2 | 41.0 | A |
| ammonium sulfate | Pepper, fruiting | 12.5 | 7 | 195.4 | A |
| ammonium sulfate | Rangeland | 1.18 | 1 | 50.0 | A |
| ammonium sulfate | Rights of way | 221.75 | N/A | N/A | N/A |
| ammonium sulfate | Structural pest control | <0.01 | N/A | N/A | N/A |
| ammonium sulfate | Sunflower | 1.0 | 2 | 17.0 | A |
| ammonium sulfate | Tomato | 21.5 | 12 | 353.0 | A |
| ammonium sulfate | Uncultivated ag | 45.7 | 41 | 477.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|------|--------------|--------------|
| ammonium sulfate | Uncultivated non-ag | 0.6 | 1 | 1.0 | A |
| ammonium sulfate | Walnut | 69.61 | 1 | 90.0 | A |
| ammonium sulfate | Wheat | 1.18 | 1 | 40.0 | A |
| amyl acetate | Broccoli | 3.1 | 14 | 191.0 | A |
| amyl acetate | Cabbage | 6.88 | 63 | 435.9 | A |
| ancymidol | N-grnhs plants in containers | <0.01 | 2 | 0.33 | A |
| ancymidol | N-grnhs transplants | 0.01 | 35 | 173,100.0 | S |
| aromatic 200 | Apricot | 1.62 | 6 | 8.9 | A |
| aromatic 200 | Cherry | 19.43 | 12 | 73.5 | A |
| aromatic 200 | Garlic | 9.77 | 1 | 32.0 | A |
| aromatic 200 | Grape, wine | 2.38 | 2 | 6.2 | A |
| aromatic 200 | Nectarine | 2.62 | 6 | 9.0 | A |
| aromatic 200 | Peach | 2.91 | 8 | 13.5 | A |
| aromatic 200 | Plum | 2.57 | 8 | 13.25 | A |
| aromatic 200 | Pumpkin | 43.52 | 3 | 57.0 | A |
| aromatic 200 | Tomato | 19.45 | 1 | 25.5 | A |
| aromatic 200 | Uncultivated ag | 9.16 | 1 | 60.0 | A |
| aureobasidium pullulans strain dsm 14940 | Pome fruit | 0.65 | N/A | 2.0 | A |
| aureobasidium pullulans strain dsm 14941 | Pome fruit | 0.65 | N/A | 2.0 | A |
| azadirachtin | Basil, sweet | 0.01 | 6 | 23,600.0 | S |
| azadirachtin | Broccoli | 0.57 | 10 | 18.0 | A |
| azadirachtin | Cannabis (all or unspecified) | 3.72 | 49 | 85,133.0 | S |
| azadirachtin | Cauliflower | 2.92 | 10 | 73.8 | A |
| azadirachtin | Landscape maintenance | 2.5 | N/A | N/A | N/A |
| azadirachtin | Lettuce, leaf | 1.22 | 7 | 44.28 | A |
| azadirachtin | N-grnhs flower | 0.05 | 6 | 34,947.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|---|----------------|------|--------------|--------------|
| azadirachtin | N-grnhs plants in containers | 2.55 | 128 | 75.76 | A |
| azadirachtin | N-grnhs plants in containers | <0.01 | 3 | 4,410.1 | S |
| azadirachtin | N-grnhs transplants | 0.24 | 9 | 131,000.0 | S |
| azadirachtin | N-outdr flower | 0.22 | 12 | 95,330.0 | S |
| azadirachtin | N-outdr transplants | 0.27 | 11 | 9.03 | A |
| azadirachtin | Research commodity | <0.01 | 1 | 0.01 | A |
| azadirachtin | Research commodity | 0.04 | 4 | 27,200.0 | S |
| azoxystrobin | Bean, succulent | 3.69 | 7 | 18.75 | A |
| azoxystrobin | Bean, unspecified | 32.66 | 51 | 165.69 | A |
| azoxystrobin | Carrot | 0.01 | 1 | 0.05 | A |
| azoxystrobin | Cauliflower | 6.39 | 4 | 34.9 | A |
| azoxystrobin | Cherry | 64.01 | 4 | 374.0 | A |
| azoxystrobin | Chinese cabbage (napa, won bok, celery cabbage) | 1.0 | 2 | 4.0 | A |
| azoxystrobin | Garbanzo bean | 10.48 | 5 | 46.0 | A |
| azoxystrobin | Garlic | 55.85 | 17 | 390.0 | A |
| azoxystrobin | Golf course turf | 15.88 | 3 | 37.88 | A |
| azoxystrobin | Grape, wine | 4.95 | 7 | 30.3 | A |
| azoxystrobin | Landscape maintenance | 99.08 | N/A | N/A | N/A |
| azoxystrobin | Lettuce, leaf | 6.15 | 2 | 38.0 | A |
| azoxystrobin | N-grnhs flower | 7.24 | 22 | 52.8 | A |
| azoxystrobin | N-grnhs flower | 0.69 | 14 | 130,160.0 | S |
| azoxystrobin | N-grnhs plants in containers | 15.2 | 37 | 13.39 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| azoxystrobin | N-grnhs transplants | 1.75 | N/A | 4.0 | A |
| azoxystrobin | N-grnhs transplants | 28.16 | 13 | 193,800.0 | S |
| azoxystrobin | N-outdr flower | 0.34 | 4 | 2.75 | A |
| azoxystrobin | N-outdr flower | 0.13 | 8 | 54,115.0 | S |
| azoxystrobin | N-outdr plants in containers | 2.59 | 6 | 12.5 | A |
| azoxystrobin | N-outdr transplants | 0.05 | 1 | 0.16 | A |
| azoxystrobin | Pepper, fruiting | 152.69 | 41 | 844.65 | A |
| azoxystrobin | Plum | 0.91 | 3 | 5.75 | A |
| azoxystrobin | Research commodity | 0.05 | 5 | 0.5 | A |
| azoxystrobin | Research commodity | 0.12 | 4 | 19,400.0 | S |
| azoxystrobin | Tomato | 23.43 | 7 | 224.5 | A |
| bacillus amyloliquefaciens strain d747 | Grape, wine | 65.65 | 7 | 39.92 | A |
| bacillus amyloliquefaciens strain d747 | Landscape maintenance | 125.92 | N/A | N/A | N/A |
| bacillus amyloliquefaciens strain d747 | Lettuce, head | 1.0 | 1 | 4.0 | A |
| bacillus amyloliquefaciens strain d747 | Lettuce, leaf | 82.64 | 1 | 7.5 | A |
| bacillus amyloliquefaciens strain d747 | N-grnhs flower | 1.3 | 1 | 3,800.0 | S |
| bacillus amyloliquefaciens strain d747 | N-grnhs transplants | 16.25 | 32 | 306,600.0 | S |
| bacillus amyloliquefaciens strain d747 | Pepper, fruiting | 526.43 | 4 | 65.0 | A |
| bacillus amyloliquefaciens strain d747 | Pome fruit | 55.07 | N/A | 4.0 | A |
| bacillus amyloliquefaciens strain d747 | Stone fruit | 11.01 | N/A | 2.0 | A |
| bacillus amyloliquefaciens strain d747 | Walnut | 14.0 | 2 | 28.0 | A |
| bacillus mycoides isolate j | Lettuce, head | 5.71 | 26 | 57.0 | A |
| bacillus pumilus, strain qst 2808 | Grape, wine | 28.68 | 20 | 307.2 | A |
| bacillus pumilus, strain qst 2808 | Pome fruit | 0.36 | N/A | 2.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins | Public health | 41.92 | N/A | N/A | N/A |
| bacillus subtilis gb03 | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| bacillus subtilis gb03 | Research commodity | <0.01 | 4 | 0.16 | A |
| bacillus amyloliquefaciens strain mbi 600 | Grape, wine | 0.48 | 4 | 4.36 | A |
| bacillus thuringiensis (berliner) | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Cauliflower | 3.05 | 2 | 6.1 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Lettuce, head | 33.13 | 17 | 36.5 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Walnut | 14.0 | 2 | 28.0 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7 | N-grnhs plants in containers | 0.04 | 1 | 0.48 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Broccoli | 77.22 | 10 | 89.5 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Cauliflower | 39.24 | 10 | 38.8 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Celery | 34.26 | 7 | 31.72 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Kale | 0.81 | 1 | 1.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | N-grnhs plants in containers | 23.22 | 71 | 55.37 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | N-outdr transplants | 2.3 | 8 | 5.47 | A |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Landscape maintenance | 0.68 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | N-grnhs flower | 0.04 | 2 | 24,500.0 | S |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | N-grnhs transplants | 0.76 | 1 | 2,000.0 | S |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Public health | 36.21 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Rights of way | 0.18 | 1 | 465.0 | A |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Structural pest control | 0.12 | N/A | N/A | N/A |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | Cannabis (all or unspecified) | 2.83 | 7 | 5,440.0 | S |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | N-grnhs flower | 0.21 | 1 | 6,000.0 | S |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | N-grnhs plants in containers | 2.01 | 24 | 1,258.0 | S |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | N-grnhs transplants | 0.14 | 1 | 300.0 | S |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | Public health | 64.26 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b | Bok choy | <0.01 | 1 | 0.5 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b | Bok choy | 0.02 | 1 | 32,000.0 | S |
| bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b | Mustard | <0.01 | 1 | 0.5 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Apricot | 13.78 | 4 | 37.5 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Bok choy | 1.28 | 3 | 2.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Broccoli | 35.37 | 6 | 36.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Cauliflower | 18.47 | 7 | 17.14 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Herb, spice | 0.27 | 1 | 10,000.0 | S |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Landscape maintenance | 5.63 | N/A | N/A | N/A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Lettuce, leaf | 8.1 | 1 | 7.5 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-grnhs flower | 1.08 | 1 | 2.5 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-grnhs plants in containers | 19.58 | 59 | 46.69 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-grnhs transplants | 3.65 | 8 | 155,000.0 | S |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr flower | 20.52 | 19 | 17.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr transplants | 3.38 | 12 | 7.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Strawberry | 9.72 | 7 | 12.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Walnut | 28.08 | 3 | 52.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Broccoli | 57.38 | 5 | 45.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Cabbage | 27.56 | 7 | 62.85 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Cauliflower | 302.91 | 25 | 350.35 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Chinese cabbage (napa, won bok, celery cabbage) | 60.82 | 6 | 47.7 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Corn, human consumption | 168.63 | 16 | 132.25 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Herb, spice | 7.65 | 1 | 9.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Landscape maintenance | 0.09 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Lettuce, head | 10.2 | 3 | 10.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Lettuce, leaf | 6.38 | 1 | 7.5 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Pepper, fruiting | 54.83 | 3 | 43.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Swiss chard | 19.2 | 5 | 33.75 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Walnut | 47.6 | 4 | 56.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| bacteriophages active against xylella fastidiosa | Grape, wine | <0.01 | 2 | 24.8 | A |
| beauveria bassiana strain gha | Basil, sweet | 0.15 | 6 | 23,600.0 | S |
| beauveria bassiana strain gha | Broccoli | 5.25 | 2 | 12.0 | A |
| beauveria bassiana strain gha | Cauliflower | 4.16 | 1 | 15.0 | A |
| beauveria bassiana strain gha | Herb, spice | 6.13 | 2 | 19.0 | A |
| beauveria bassiana strain gha | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| beauveria bassiana strain gha | Lettuce, head | 8.44 | 23 | 51.0 | A |
| beauveria bassiana strain gha | Pepper, fruiting | 4.82 | 1 | 22.0 | A |
| beauveria bassiana strain gha | Structural pest control | 0.11 | N/A | N/A | N/A |
| beauveria bassiana strain ppri 5339 | N-grnhs flower | 0.08 | 1 | 1.0 | A |
| beauveria bassiana strain ppri 5339 | N-outdr flower | 0.17 | 8 | 87,975.0 | S |
| beauveria bassiana strain ppri 5339 | Research commodity | 0.03 | 2 | 19,120.0 | S |
| benefin | Landscape maintenance | 4.0 | N/A | N/A | N/A |
| bensulide | Broccoli | 108.94 | 10 | 109.83 | A |
| bensulide | Cabbage | 81.34 | 6 | 29.0 | A |
| bensulide | Landscape maintenance | 246.85 | N/A | N/A | N/A |
| bensulide | Lettuce, head | 543.96 | 24 | 279.07 | A |
| bensulide | Lettuce, leaf | 1,375.78 | 55 | 385.57 | A |
| bensulide | Mustard greens | 17.85 | 2 | 4.5 | A |
| bensulide | N-grnhs transplants | 95.26 | N/A | 8.0 | A |
| bensulide | Squash | 4.96 | 1 | 1.0 | A |
| bensulide | Squash, summer | 148.72 | 1 | 25.0 | A |
| bentazon, sodium salt | Bean, unspecified | 7.66 | 3 | 7.02 | A |
| benzoic acid | Broccoli | 0.43 | 4 | 75.6 | A |
| benzoic acid | Cherry | 0.65 | 1 | 20.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| benzoic acid | Rights of way | <0.01 | N/A | N/A | N/A |
| benzoic acid | Sunflower | 0.99 | 5 | 86.4 | A |
| benzoic acid | Uncultivated non-ag | 0.01 | 1 | 1.0 | A |
| n6-benzyl adenine | N-grnhs flower | 0.22 | 45 | 540,650.0 | S |
| n6-benzyl adenine | N-grnhs plants in containers | 0.01 | 6 | 3.64 | A |
| n6-benzyl adenine | N-grnhs transplants | 0.82 | 30 | 89,000.0 | S |
| n6-benzyl adenine | N-outdr flower | <0.01 | 6 | 33,264.0 | S |
| beta-conglutin | Grape, wine | 16.18 | 3 | 33.0 | A |
| bifenazate | Cherry | 60.0 | 2 | 123.0 | A |
| bifenazate | Landscape maintenance | 2.05 | N/A | N/A | N/A |
| bifenazate | N-grnhs plants in containers | <0.01 | 1 | 1,024.0 | S |
| bifenazate | N-grnhs transplants | 5.43 | 24 | 638,000.0 | S |
| bifenazate | N-outdr flower | 1.17 | 16 | 12.25 | A |
| bifenazate | N-outdr flower | 0.01 | 2 | 11,220.0 | S |
| bifenazate | N-outdr plants in containers | 0.25 | 1 | 0.5 | A |
| bifenazate | Research commodity | 0.01 | 2 | 0.15 | A |
| bifenazate | Research commodity | 0.06 | 1 | 5,000.0 | S |
| bifenthrin | Bean, dried | 18.33 | 5 | 185.0 | A |
| bifenthrin | Bean, succulent | 39.63 | 17 | 428.85 | A |
| bifenthrin | Bean, unspecified | 15.7 | 26 | 162.44 | A |
| bifenthrin | Bok choy | 0.05 | 2 | 24,000.0 | S |
| bifenthrin | Broccoli | 20.3 | 16 | 222.0 | A |
| bifenthrin | Cabbage | 14.67 | 23 | 152.47 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|-----------------------|-------------|---------------------|---------------------|
| bifenthrin | Cauliflower | 3.26 | 5 | 35.1 | A |
| bifenthrin | Celery | 14.51 | 15 | 156.1 | A |
| bifenthrin | Celery | 0.02 | 1 | 6,000.0 | S |
| bifenthrin | Chinese cabbage (napa, won bok, celery cabbage) | 0.4 | 2 | 4.0 | A |
| bifenthrin | Chinese cabbage (napa, won bok, celery cabbage) | 0.05 | 2 | 18,000.0 | S |
| bifenthrin | Corn, human consumption | 52.45 | 47 | 529.5 | A |
| bifenthrin | Cucumber | 3.51 | 3 | 35.33 | A |
| bifenthrin | Gai choy | 0.05 | 2 | 20,000.0 | S |
| bifenthrin | Gai lon | 0.09 | 3 | 36,000.0 | S |
| bifenthrin | Garbanzo bean | 4.56 | 5 | 46.0 | A |
| bifenthrin | Landscape maintenance | 2,556.56 | N/A | N/A | N/A |
| bifenthrin | Lettuce, head | 4.92 | 6 | 53.0 | A |
| bifenthrin | Lettuce, leaf | 0.48 | 3 | 4.7 | A |
| bifenthrin | N-grnhs flower | 0.19 | 2 | 1.75 | A |
| bifenthrin | N-grnhs plants in containers | 1.59 | 43 | 16.37 | A |
| bifenthrin | N-grnhs transplants | 11.05 | 77 | 2,058,400.0 | S |
| bifenthrin | N-outdr flower | 1.51 | 18 | 17.25 | A |
| bifenthrin | N-outdr transplants | 0.27 | 5 | 2.73 | A |
| bifenthrin | Peas | 1.98 | 2 | 25.85 | A |
| bifenthrin | Pepper, fruiting | 17.06 | 6 | 162.0 | A |
| bifenthrin | Pumpkin | 20.91 | 15 | 210.25 | A |
| bifenthrin | Regulatory pest control | 1.06 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| bifenthrin | Research commodity | 0.09 | 7 | 0.97 | A |
| bifenthrin | Squash | 1.86 | 2 | 18.5 | A |
| bifenthrin | Squash, summer | 5.01 | 2 | 50.0 | A |
| bifenthrin | Structural pest control | 467.49 | N/A | N/A | N/A |
| bifenthrin | Swiss chard | 1.78 | 5 | 32.5 | A |
| bifenthrin | Tomato | 33.16 | 9 | 334.5 | A |
| bifenthrin | Vegetable | 0.1 | 1 | 1.5 | A |
| bifenthrin | Walnut | 18.0 | 1 | 90.0 | A |
| bifenthrin | Watermelon | 0.56 | 1 | 5.5 | A |
| s-bioallethrin | Structural pest control | <0.01 | N/A | N/A | N/A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Apricot | 1.08 | 13 | 121.1 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Celery | 1.2 | 12 | 102.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Cherry | 5.98 | 22 | 249.25 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Garlic | 1.99 | 2 | 63.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Grape, wine | 0.64 | 19 | 38.5 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Nectarine | 0.52 | 9 | 13.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Oat | 0.08 | 1 | 10.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Peach | 0.62 | 12 | 20.25 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Pepper, fruiting | 0.26 | 1 | 46.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Plum | 0.53 | 11 | 19.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Pumpkin | 7.81 | 3 | 57.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Tomato | 4.62 | 4 | 133.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Uncultivated ag | 2.02 | 2 | 110.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Walnut | 0.94 | 1 | 90.0 | A |
| borax | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| borax | Rights of way | 20.49 | N/A | N/A | N/A |
| borax | Structural pest control | 9.91 | N/A | N/A | N/A |
| boric acid | Landscape maintenance | 204.21 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| boric acid | Structural pest control | 28,539.92 | N/A | N/A | N/A |
| boscalid | Apricot | 6.99 | 8 | 17.2 | A |
| boscalid | Cauliflower | 0.04 | 1 | 0.1 | A |
| boscalid | Cherry | 183.14 | 45 | 898.65 | A |
| boscalid | Cucumber | 6.47 | 2 | 29.33 | A |
| boscalid | Grape | 0.89 | 2 | 13.5 | A |
| boscalid | Grape, wine | 126.75 | 27 | 425.94 | A |
| boscalid | Landscape maintenance | 0.44 | N/A | N/A | N/A |
| boscalid | Lettuce, head | 155.27 | 31 | 351.8 | A |
| boscalid | Lettuce, leaf | 280.44 | 74 | 674.4 | A |
| boscalid | N-grnhs flower | 0.69 | 17 | 148,240.0 | S |
| boscalid | N-grnhs plants in containers | 0.3 | 9 | 1.6 | A |
| boscalid | N-grnhs transplants | 4.62 | 99 | 824,400.0 | S |
| boscalid | N-outdr flower | 1.01 | 8 | 8.0 | A |
| boscalid | N-outdr flower | 0.06 | 4 | 34,400.0 | S |
| boscalid | N-outdr plants in containers | 1.91 | 3 | 2.75 | A |
| boscalid | N-outdr transplants | 0.03 | 1 | 0.16 | A |
| boscalid | Nectarine | 3.24 | 14 | 17.75 | A |
| boscalid | Peach | 3.62 | 12 | 19.3 | A |
| boscalid | Plum | 1.2 | 3 | 5.75 | A |
| boscalid | Research commodity | 0.06 | 1 | 0.16 | A |
| boscalid | Squash | 1.21 | 1 | 5.5 | A |
| boscalid | Tomato | 81.12 | 5 | 154.5 | A |
| boscalid | Watermelon | 1.9 | 1 | 6.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| brodifacoum | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| brodifacoum | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| brodifacoum | Structural pest control | 0.09 | N/A | N/A | N/A |
| brodifacoum | Vertebrate control | 0.01 | N/A | N/A | N/A |
| bromadiolone | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| bromadiolone | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| bromadiolone | Structural pest control | 1.36 | N/A | N/A | N/A |
| bromadiolone | Vertebrate control | 0.1 | N/A | N/A | N/A |
| bromethalin | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| bromethalin | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| bromethalin | Structural pest control | 0.11 | N/A | N/A | N/A |
| bromethalin | Vertebrate control | 0.01 | N/A | N/A | N/A |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Water (industrial) | 910.27 | N/A | 20.0 | A |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Water (industrial) | 7,495.24 | N/A | 79.0 | U |
| bromoxynil heptanoate | Forage hay/silage | 5.51 | 2 | 16.0 | A |
| bromoxynil heptanoate | Garlic | 52.31 | 6 | 152.0 | A |
| bromoxynil heptanoate | Oat | 107.87 | 22 | 385.0 | A |
| bromoxynil heptanoate | Onion, dry | 1.05 | 1 | 12.0 | A |
| bromoxynil heptanoate | Rangeland | 8.6 | 1 | 50.0 | A |
| bromoxynil heptanoate | Wheat | 10.32 | 1 | 40.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|-----------------------|-------------|---------------------|---------------------|
| bromoxynil octanoate | Forage hay/silage | 5.71 | 2 | 16.0 | A |
| bromoxynil octanoate | Garlic | 54.24 | 6 | 152.0 | A |
| bromoxynil octanoate | Oat | 130.45 | 26 | 427.0 | A |
| bromoxynil octanoate | Onion, dry | 1.08 | 1 | 12.0 | A |
| bromoxynil octanoate | Peas | 0.07 | 1 | 0.2 | A |
| bromoxynil octanoate | Rangeland | 8.92 | 1 | 50.0 | A |
| bromoxynil octanoate | Wheat | 10.71 | 1 | 40.0 | A |
| bronopol | Industrial processing water | 10.14 | N/A | 16,924.0 | C |
| buprofezin | Grape, wine | 40.69 | 2 | 65.0 | A |
| buprofezin | Pepper, fruiting | 29.7 | 5 | 85.5 | A |
| burkholderia sp strain a396 cells and fermentation media | Cannabis (all or unspecified) | 584.2 | 96 | 96,000.0 | S |
| burkholderia sp strain a396 cells and fermentation media | Cauliflower | 119.44 | 1 | 18.4 | A |
| burkholderia sp strain a396 cells and fermentation media | Celery | 92.09 | 2 | 10.64 | A |
| burkholderia sp strain a396 cells and fermentation media | Chinese cabbage (napa, won bok, celery cabbage) | 543.56 | 9 | 66.75 | A |
| burkholderia sp strain a396 cells and fermentation media | Lettuce, head | 82.23 | 5 | 14.0 | A |
| burkholderia sp strain a396 cells and fermentation media | Lettuce, leaf | 55.48 | 5 | 12.8 | A |
| burkholderia sp strain a396 cells and fermentation media | Pepper, fruiting | 372.18 | 3 | 43.0 | A |
| burkholderia sp strain a396 cells and fermentation media | Walnut | 121.18 | 2 | 28.0 | A |
| 2-butoxyethanol | Rights of way | 213.79 | N/A | N/A | N/A |
| butyl alcohol | Landscape maintenance | 40.0 | N/A | N/A | N/A |
| butyl alcohol | Sunflower | 19.84 | 5 | 86.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Apricot | 0.16 | 3 | 2.9 | A |
| alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Cherry | 1.5 | 6 | 29.75 | A |
| alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Nectarine | 0.28 | 3 | 4.5 | A |
| alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Peach | 0.44 | 4 | 6.75 | A |
| alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Pepper, fruiting | 2.91 | 1 | 18.0 | A |
| alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Plum | 0.51 | 5 | 7.5 | A |
| cadmium chloride | Landscape maintenance | 0.07 | N/A | N/A | N/A |
| calcium chloride | Apple | 40.0 | 7 | 311.9 | A |
| calcium chloride | Cherry | 4.81 | 2 | 40.0 | A |
| calcium chloride | Grape, wine | 4.01 | 6 | 33.62 | A |
| calcium hypochlorite | Landscape maintenance | 9,581.2 | N/A | N/A | N/A |
| calcium hypochlorite | Mushroom | 919.59 | 1,297 | 8,835,500.0 | S |
| calcium hypochlorite | Mushroom house | 246.33 | 9 | 886,750.0 | S |
| calcium hypochlorite | Structural pest control | 42.92 | N/A | N/A | N/A |
| canola oil | Landscape maintenance | 0.46 | N/A | N/A | N/A |
| capric acid | Cilantro | 79.18 | 1 | 11.0 | A |
| capric acid | Garlic | 573.45 | 9 | 117.4 | A |
| capric acid | Grape, wine | 224.34 | 6 | 18.2 | A |
| capric acid | Herb, spice | 143.96 | 1 | 20.0 | A |
| capric acid | Landscape maintenance | 19.21 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| capric acid | N-grnhs transplants | 14.4 | 3 | 20,000.0 | S |
| capric acid | Uncultivated ag | 97.89 | 2 | 11.0 | A |
| capric acid | Walnut | 12.0 | 1 | 4.0 | A |
| caprylic acid | Cherry | 0.09 | 1 | 23.0 | A |
| caprylic acid | Cilantro | 116.29 | 1 | 11.0 | A |
| caprylic acid | Garlic | 842.26 | 9 | 117.4 | A |
| caprylic acid | Grape, wine | 329.49 | 6 | 18.2 | A |
| caprylic acid | Herb, spice | 211.44 | 1 | 20.0 | A |
| caprylic acid | Landscape maintenance | 28.22 | N/A | N/A | N/A |
| caprylic acid | N-grnhs transplants | 21.14 | 3 | 20,000.0 | S |
| caprylic acid | Uncultivated ag | 143.78 | 2 | 11.0 | A |
| caprylic acid | Walnut | 17.62 | 1 | 4.0 | A |
| capsicum oleoresin | Public health | <0.01 | N/A | N/A | N/A |
| capsicum oleoresin | Structural pest control | <0.01 | N/A | N/A | N/A |
| carbaryl | Broccoli | 6.0 | 1 | 3.0 | A |
| carbaryl | Landscape maintenance | 8.71 | N/A | N/A | N/A |
| carbaryl | N-grnhs transplants | 9.85 | N/A | 4.0 | A |
| carbaryl | N-outdr plants in containers | 0.05 | 1 | 3.5 | A |
| carbaryl | Nectarine | 20.55 | 7 | 8.5 | A |
| carbaryl | Peach | 34.08 | 8 | 12.5 | A |
| carbaryl | Plum | 2.01 | 1 | 2.5 | A |
| carbaryl | Structural pest control | 1.8 | N/A | N/A | N/A |
| carbo methoxy ether cellulose, sodium salt | Grape, wine | 0.06 | 1 | 7.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| carbon | Landscape maintenance | 22.2 | N/A | N/A | N/A |
| carbon | Rights of way | 5.35 | N/A | N/A | N/A |
| carbon dioxide | Landscape maintenance | 72.64 | N/A | N/A | N/A |
| carbon dioxide | Vertebrate control | 12.45 | N/A | N/A | N/A |
| carfentrazone-ethyl | Bean, succulent | 0.22 | 1 | 21.5 | A |
| carfentrazone-ethyl | Bean, unspecified | 0.7 | 1 | 48.0 | A |
| carfentrazone-ethyl | Cabbage | 1.14 | 2 | 58.0 | A |
| carfentrazone-ethyl | Cherry | 20.85 | 24 | 976.22 | A |
| carfentrazone-ethyl | Corn, human consumption | 1.1 | 2 | 56.0 | A |
| carfentrazone-ethyl | Forage hay/silage | 1.52 | 6 | 82.0 | A |
| carfentrazone-ethyl | Garlic | 0.92 | 2 | 63.0 | A |
| carfentrazone-ethyl | Golf course turf | 6.76 | 2 | 173.93 | A |
| carfentrazone-ethyl | Landscape maintenance | 14.64 | N/A | N/A | N/A |
| carfentrazone-ethyl | Lettuce, head | 0.07 | 14 | 182.18 | A |
| carfentrazone-ethyl | Lettuce, leaf | 0.1 | 30 | 252.91 | A |
| carfentrazone-ethyl | N-grnhs flower | 0.3 | N/A | 87.3 | A |
| carfentrazone-ethyl | N-grnhs plants in containers | 0.04 | N/A | 2.0 | A |
| carfentrazone-ethyl | N-grnhs transplants | 0.05 | N/A | 30.0 | A |
| carfentrazone-ethyl | N-outdr flower | 0.16 | N/A | 6.0 | A |
| carfentrazone-ethyl | Nectarine | <0.01 | 1 | 2.0 | A |
| carfentrazone-ethyl | Oat | 0.66 | 1 | 45.0 | A |
| carfentrazone-ethyl | Peach | 0.01 | 1 | 3.0 | A |
| carfentrazone-ethyl | Pepper, fruiting | 6.16 | 12 | 376.8 | A |
| carfentrazone-ethyl | Plum | 0.01 | 2 | 3.5 | A |
| carfentrazone-ethyl | Sod farm (turf) | 0.3 | 1 | 12.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|------------------------------|----------------|------|--------------|--------------|
| carfentrazone-ethyl | Structural pest control | 0.01 | N/A | N/A | N/A |
| carfentrazone-ethyl | Tomato | 4.55 | 9 | 231.0 | A |
| carfentrazone-ethyl | Uncultivated ag | 9.33 | 22 | 437.2 | A |
| carfentrazone-ethyl | Walnut | 0.09 | 1 | 3.0 | A |
| carfentrazone-ethyl | Watermelon | 0.67 | 2 | 30.0 | A |
| chlorantraniliprole | Apple | 19.94 | 4 | 202.6 | A |
| chlorantraniliprole | Broccoli | 3.16 | 4 | 54.0 | A |
| chlorantraniliprole | Cabbage | 6.26 | 12 | 77.5 | A |
| chlorantraniliprole | Celery | 12.0 | 12 | 119.7 | A |
| chlorantraniliprole | Corn, human consumption | 7.78 | 10 | 122.0 | A |
| chlorantraniliprole | Cucumber | 2.51 | 1 | 25.0 | A |
| chlorantraniliprole | Garbanzo bean | 2.99 | 1 | 20.0 | A |
| chlorantraniliprole | Golf course turf | 7.28 | N/A | 53.3 | A |
| chlorantraniliprole | Golf course turf | 0.08 | N/A | 20,000.0 | S |
| chlorantraniliprole | Landscape maintenance | 73.53 | N/A | N/A | N/A |
| chlorantraniliprole | Lettuce, head | 19.51 | 22 | 297.0 | A |
| chlorantraniliprole | Lettuce, leaf | 16.76 | 21 | 255.0 | A |
| chlorantraniliprole | N-grnhs plants in containers | 1.68 | N/A | 10.0 | A |
| chlorantraniliprole | Pepper, fruiting | 71.33 | 38 | 786.3 | A |
| chlorantraniliprole | Pumpkin | 6.22 | 5 | 51.75 | A |
| chlorantraniliprole | Squash | 1.2 | 1 | 12.0 | A |
| chlorantraniliprole | Structural pest control | 160.61 | N/A | N/A | N/A |
| chlorantraniliprole | Swiss chard | 3.68 | 5 | 33.75 | A |
| chlorantraniliprole | Tomato | 37.93 | 22 | 647.1 | A |
| chlorantraniliprole | Tomato, processing | 3.99 | 3 | 68.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| chlordecone | Structural pest control | <0.01 | N/A | N/A | N/A |
| chlorfenapyr | N-grnhs flower | 0.4 | 14 | 125,740.0 | S |
| chlorfenapyr | N-grnhs plants in containers | 0.19 | 9 | 1.6 | A |
| chlorfenapyr | N-grnhs transplants | 9.85 | 39 | 931,400.0 | S |
| chlorfenapyr | N-outdr flower | 0.24 | 7 | 108,195.0 | S |
| chlorfenapyr | N-outdr transplants | 0.02 | 1 | 0.16 | A |
| chlorfenapyr | Regulatory pest control | 0.58 | N/A | N/A | N/A |
| chlorfenapyr | Research commodity | 0.03 | 1 | 13,680.0 | S |
| chlorfenapyr | Structural pest control | 101.39 | N/A | N/A | N/A |
| chlorflurenol, methyl ester | Landscape maintenance | 16.01 | N/A | N/A | N/A |
| chlorine dioxide | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| chlorine dioxide | Structural pest control | 0.01 | N/A | N/A | N/A |
| chlorine dioxide | Water (industrial) | 2.0 | N/A | 1.0 | U |
| chlormequat chloride | N-grnhs flower | 0.01 | 1 | 13,580.0 | S |
| chlormequat chloride | N-grnhs plants in containers | 24.0 | 22 | 23.71 | A |
| chlormequat chloride | N-grnhs transplants | 26.46 | 187 | 1,633,700.0 | S |
| chlormequat chloride | N-outdr flower | 0.14 | 16 | 116,363.0 | S |
| chlormequat chloride | N-outdr transplants | 1.69 | 3 | 1.28 | A |
| chlormequat chloride | Research commodity | 0.01 | 2 | 4,400.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| 5-chloro-2-methyl-4-isothiazolin-3-one | Industrial processing water | 3.5 | N/A | 16,924.0 | C |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Water (industrial) | 117.3 | N/A | 25.0 | A |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Water (industrial) | 533.86 | N/A | 2,895.0 | U |
| chlorophacinone | Landscape maintenance | 0.11 | N/A | N/A | N/A |
| chlorophacinone | N-outdr plants in containers | 0.03 | 2 | 65.0 | A |
| chlorophacinone | Structural pest control | <0.01 | N/A | N/A | N/A |
| chlorophacinone | Vertebrate control | 1.27 | N/A | N/A | N/A |
| chloropicrin | Pepper, fruiting | 48,630.22 | 19 | 360.83 | A |
| chloropicrin | Structural pest control | 36.58 | N/A | N/A | N/A |
| chlorothalonil | Broccoli | 79.97 | 6 | 53.0 | A |
| chlorothalonil | Cabbage | 90.6 | 9 | 60.0 | A |
| chlorothalonil | Cauliflower | 4.95 | 2 | 4.0 | A |
| chlorothalonil | Celery | 639.94 | 43 | 424.0 | A |
| chlorothalonil | Garbanzo bean | 29.96 | 1 | 20.0 | A |
| chlorothalonil | Golf course turf | 314.32 | 1 | 52.37 | A |
| chlorothalonil | Golf course turf | 4.71 | N/A | 20,000.0 | S |
| chlorothalonil | Landscape maintenance | 2,880.45 | N/A | N/A | N/A |
| chlorothalonil | N-grnhs flower | 47.2 | N/A | 6.0 | A |
| chlorothalonil | N-grnhs flower | 0.03 | 1 | 2,200.0 | S |
| chlorothalonil | N-grnhs plants in containers | 58.61 | 69 | 27.16 | A |
| chlorothalonil | N-grnhs transplants | 30.47 | N/A | 4.0 | A |
| chlorothalonil | N-grnhs transplants | 31.39 | 35 | 583,600.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|----------------|------|--------------|--------------|
| chlorothalonil | N-outdr flower | 0.01 | 1 | 2,200.0 | S |
| chlorothalonil | N-outdr plants in containers | 17.46 | 5 | 13.0 | A |
| chlorothalonil | N-outdr transplants | 5.99 | 6 | 2.73 | A |
| chlorothalonil | Nectarine | 13.48 | 3 | 4.5 | A |
| chlorothalonil | Onion, dry | 40.74 | 3 | 39.0 | A |
| chlorothalonil | Peach | 17.98 | 3 | 6.0 | A |
| chlorothalonil | Pepper, fruiting | 149.73 | 3 | 94.0 | A |
| chlorothalonil | Plum | 6.74 | 2 | 3.25 | A |
| chlorothalonil | Research commodity | 0.01 | 1 | 2,200.0 | S |
| chlorothalonil | Structural pest control | 0.09 | N/A | N/A | N/A |
| chlorothalonil | Tomato | 1,793.89 | 41 | 1,231.2 | A |
| chlorothalonil | Tomato, processing | 334.46 | 10 | 254.0 | A |
| chlorpyrifos | Cabbage | <0.01 | 1 | 9.97 | A |
| chlorpyrifos | Landscape maintenance | 9.04 | N/A | N/A | N/A |
| chlorpyrifos | Structural pest control | 0.1 | N/A | N/A | N/A |
| chlorsulfuron | Industrial site | 7.26 | N/A | 121.4 | A |
| chlorsulfuron | Landscape maintenance | 3.4 | N/A | N/A | N/A |
| chlorsulfuron | Rights of way | 3.41 | N/A | N/A | N/A |
| chlorsulfuron | Structural pest control | 0.37 | N/A | N/A | N/A |
| chlorthal-dimethyl | Bok choy | 18.78 | 2 | 3.0 | A |
| chlorthal-dimethyl | Bok choy | 6.65 | 11 | 94,000.0 | S |
| chlorthal-dimethyl | Broccoli | 207.27 | 10 | 109.83 | A |
| chlorthal-dimethyl | Cabbage | 82.65 | 5 | 26.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|-----------------------|-------------|---------------------|---------------------|
| chlorthal-dimethyl | Chinese cabbage (napa, won bok, celery cabbage) | 16.36 | 1 | 2.0 | A |
| chlorthal-dimethyl | Chinese cabbage (napa, won bok, celery cabbage) | 5.66 | 11 | 80,000.0 | S |
| chlorthal-dimethyl | Gai choy | 6.13 | 11 | 86,000.0 | S |
| chlorthal-dimethyl | Gai lon | 1.7 | 2 | 24,000.0 | S |
| chlorthal-dimethyl | Landscape maintenance | 7.55 | N/A | N/A | N/A |
| chlorthal-dimethyl | Onion, dry | 283.76 | 3 | 47.0 | A |
| chlorthal-dimethyl | Peas | 26.41 | 7 | 1.7 | A |
| cholecalciferol | Landscape maintenance | 0.1 | N/A | N/A | N/A |
| cholecalciferol | Structural pest control | 1.58 | N/A | N/A | N/A |
| cholecalciferol | Vertebrate control | 0.02 | N/A | N/A | N/A |
| chromobacterium subtsugae strain praa4-1 | Cannabis (all or unspecified) | 59.81 | 153 | 152,383.0 | S |
| chromobacterium subtsugae strain praa4-1 | Cauliflower | 4.5 | 2 | 24.0 | A |
| chromobacterium subtsugae strain praa4-1 | Celery | 12.65 | 5 | 21.08 | A |
| chromobacterium subtsugae strain praa4-1 | Grape, wine | 36.3 | 11 | 25.0 | A |
| chromobacterium subtsugae strain praa4-1 | Industrial hemp | 0.06 | 1 | 2,000.0 | S |
| chromobacterium subtsugae strain praa4-1 | Lettuce, head | 15.53 | 20 | 42.0 | A |
| chromobacterium subtsugae strain praa4-1 | Lettuce, leaf | 22.37 | 4 | 27.35 | A |
| chromobacterium subtsugae strain praa4-1 | N-grnhs plants in containers | 47.7 | 52 | 51.22 | A |
| chromobacterium subtsugae strain praa4-1 | N-grnhs transplants | 1.17 | 7 | 60,600.0 | S |
| chromobacterium subtsugae strain praa4-1 | N-outdr transplants | 5.55 | 7 | 5.95 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| chromobacterium subtsugae strain praa4-1 | Nectarine | 4.2 | 3 | 4.5 | A |
| chromobacterium subtsugae strain praa4-1 | Pepper, fruiting | 110.27 | 10 | 173.0 | A |
| chromobacterium subtsugae strain praa4-1 | Squash | 14.1 | 2 | 19.0 | A |
| citric acid | Apple | 106.16 | 7 | 311.9 | A |
| citric acid | Apricot | 0.09 | 4 | 7.2 | A |
| citric acid | Broccoli | 23.25 | 14 | 191.0 | A |
| citric acid | Cabbage | 51.6 | 63 | 435.9 | A |
| citric acid | Carrot | 4.18 | 1 | 29.5 | A |
| citric acid | Cherry | 30.71 | 22 | 367.75 | A |
| citric acid | Corn, human consumption | 21.86 | 6 | 193.0 | A |
| citric acid | Garlic | 0.62 | 2 | 63.0 | A |
| citric acid | Grape, wine | 11.49 | 7 | 83.62 | A |
| citric acid | Landscape maintenance | 1.77 | N/A | N/A | N/A |
| citric acid | Lettuce, leaf | 4.81 | 2 | 34.0 | A |
| citric acid | Nectarine | 0.06 | 3 | 4.5 | A |
| citric acid | Oat | 2.11 | 3 | 51.0 | A |
| citric acid | Peach | 0.11 | 4 | 6.75 | A |
| citric acid | Pepper, fruiting | 25.31 | 8 | 241.4 | A |
| citric acid | Plum | 0.08 | 3 | 5.75 | A |
| citric acid | Pome fruit | 7.47 | N/A | 2.0 | A |
| citric acid | Rangeland | 2.36 | 1 | 50.0 | A |
| citric acid | Rights of way | 79.1 | N/A | N/A | N/A |
| citric acid | Sunflower | 2.01 | 2 | 17.0 | A |
| citric acid | Tomato | 43.01 | 12 | 353.0 | A |
| citric acid | Uncultivated ag | 80.4 | 42 | 527.2 | A |
| citric acid | Wheat | 2.36 | 1 | 40.0 | A |
| clarified hydrophobic extract of neem oil | Fig | 0.02 | 1 | 3.0 | U |
| clarified hydrophobic extract of neem oil | Landscape maintenance | 62.49 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|----------------|------|--------------|--------------|
| clarified hydrophobic extract of neem oil | Mint | 2.87 | 2 | 3.0 | A |
| clarified hydrophobic extract of neem oil | N-grnhs plants in containers | 0.32 | 6 | 13,215.1 | S |
| clarified hydrophobic extract of neem oil | N-outdr plants in containers | 0.97 | 3 | 2.25 | A |
| clarified hydrophobic extract of neem oil | N-outdr plants in containers | 0.81 | 7 | 24,900.0 | S |
| clarified hydrophobic extract of neem oil | Pepper, fruiting | 120.36 | 3 | 31.5 | A |
| clarified hydrophobic extract of neem oil | Rights of way | 0.5 | N/A | N/A | N/A |
| clarified hydrophobic extract of neem oil | Watercress | 6.69 | 5 | 7.0 | A |
| clethodim | Garlic | 19.13 | 3 | 79.0 | A |
| clethodim | Onion, dry | 5.69 | 2 | 29.0 | A |
| clethodim | Walnut | 2.49 | 2 | 19.09 | A |
| clofentezine | Apple | 19.7 | 2 | 101.3 | A |
| clofentezine | Walnut | 23.4 | 1 | 90.0 | A |
| clopyralid, monoethanolamine salt | Landscape maintenance | 22.4 | N/A | N/A | N/A |
| clopyralid, monoethanolamine salt | Rights of way | 3.93 | N/A | N/A | N/A |
| clopyralid,triethylamine salt | Golf course turf | 9.19 | N/A | 40.0 | A |
| clopyralid,triethylamine salt | Landscape maintenance | 0.57 | N/A | N/A | N/A |
| clothianidin | Bok choy | 0.28 | 1 | 2.0 | A |
| clothianidin | Cabbage | 19.22 | 16 | 127.0 | A |
| clothianidin | Chinese cabbage (napa, won bok, celery cabbage) | 5.47 | 10 | 68.95 | A |
| clothianidin | Golf course turf | 2.5 | N/A | 7.0 | A |
| clothianidin | Landscape maintenance | 917.56 | N/A | N/A | N/A |
| clothianidin | Lettuce, head | 1.79 | 1 | 27.0 | A |
| clothianidin | Lettuce, leaf | 6.79 | 9 | 63.85 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| clothianidin | N-grnhs plants in containers | 5.17 | 109 | 49.97 | A |
| clothianidin | N-outdr transplants | 0.47 | 11 | 4.01 | A |
| clothianidin | Structural pest control | 14.4 | N/A | N/A | N/A |
| coconut diethanolamide | Grape, wine | 0.18 | 23 | 28.5 | A |
| coconut diethanolamide | Landscape maintenance | 2.91 | N/A | N/A | N/A |
| coconut diethanolamide | N-outdr plants in containers | 0.15 | 6 | 19.5 | A |
| coconut diethanolamide | Research commodity | <0.01 | 3 | 0.25 | A |
| coconut diethanolamide | Rights of way | 0.02 | N/A | N/A | N/A |
| coconut diethanolamide | Structural pest control | 0.3 | N/A | N/A | N/A |
| coniothyrium minitans strain con/m/91-08 | Broccoli | 4.19 | 4 | 36.75 | A |
| coniothyrium minitans strain con/m/91-08 | Lettuce, leaf | 0.5 | 2 | 9.34 | A |
| copper ammonium carbonate | Landscape maintenance | 0.98 | N/A | N/A | N/A |
| copper ammonium complex | Landscape maintenance | 1.98 | N/A | N/A | N/A |
| copper ammonium complex | N-outdr plants in containers | 0.88 | 1 | 0.75 | A |
| copper diammonium diacetate complex | Landscape maintenance | 121.05 | N/A | N/A | N/A |
| copper diammonium diacetate complex | N-outdr plants in containers | 21.35 | 3 | 7.0 | A |
| copper ethanolamine complexes, mixed | Landscape maintenance | 31.27 | N/A | N/A | N/A |
| copper ethanolamine complexes, mixed | N-grnhs plants in containers | 13.81 | N/A | 1.0 | A |
| copper ethanolamine complexes, mixed | Water area | 214.36 | N/A | 50.93 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| copper hydroxide | Apple | 9.22 | 1 | 20.0 | A |
| copper hydroxide | Apricot | 18.18 | 2 | 41.0 | A |
| copper hydroxide | Broccoli | 133.83 | 18 | 390.4 | A |
| copper hydroxide | Cauliflower | 0.03 | 1 | 0.1 | A |
| copper hydroxide | Celery | 58.5 | 11 | 91.0 | A |
| copper hydroxide | Cherry | 9.22 | 1 | 4.0 | A |
| copper hydroxide | Grape, wine | 75.99 | 17 | 115.0 | A |
| copper hydroxide | Landscape maintenance | 35.64 | N/A | N/A | N/A |
| copper hydroxide | Mint | 0.23 | 1 | 5.0 | A |
| copper hydroxide | N-grnhs plants in containers | 15.17 | 46 | 21.36 | A |
| copper hydroxide | N-grnhs transplants | 2.73 | 9 | 86,000.0 | S |
| copper hydroxide | N-outdr plants in containers | 11.91 | 8 | 19.0 | A |
| copper hydroxide | N-outdr transplants | 0.06 | 1 | 0.16 | A |
| copper hydroxide | Nectarine | 34.23 | 9 | 15.0 | A |
| copper hydroxide | Onion, dry | 25.59 | 3 | 37.0 | A |
| copper hydroxide | Parsley | 70.07 | 13 | 81.0 | A |
| copper hydroxide | Peach | 51.15 | 13 | 22.25 | A |
| copper hydroxide | Pepper, fruiting | 7.26 | 1 | 63.0 | A |
| copper hydroxide | Plum | 22.13 | 4 | 8.0 | A |
| copper hydroxide | Research commodity | 0.26 | 2 | 0.12 | A |
| copper hydroxide | Rights of way | 1.46 | N/A | N/A | N/A |
| copper hydroxide | Tomato | 52.78 | 3 | 77.0 | A |
| copper hydroxide | Tomato, processing | 85.75 | 7 | 186.0 | A |
| copper hydroxide | Walnut | 329.64 | 5 | 80.0 | A |
| copper hydroxide | Watercress | 0.23 | 1 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| copper octanoate | Cauliflower | 0.33 | 1 | 0.62 | A |
| copper octanoate | Celery | 95.81 | 12 | 93.82 | A |
| copper octanoate | Grape, wine | 5.45 | 6 | 8.72 | A |
| copper octanoate | Landscape maintenance | 12.49 | N/A | N/A | N/A |
| copper octanoate | Lettuce, leaf | 7.83 | 2 | 15.05 | A |
| copper octanoate | N-grnhs plants in containers | 77.41 | 200 | 127.25 | A |
| copper octanoate | N-grnhs transplants | 9.21 | 15 | 189,000.0 | S |
| copper octanoate | N-outdr flower | 1.25 | 11 | 92,768.0 | S |
| copper octanoate | N-outdr plants in containers | 3.5 | 1 | 1.0 | A |
| copper octanoate | N-outdr transplants | 11.16 | 27 | 18.21 | A |
| copper octanoate | Nectarine | <0.01 | 1 | 5.0 | U |
| copper octanoate | Parsley | 35.02 | 8 | 42.0 | A |
| copper octanoate | Peach | <0.01 | 1 | 12.0 | U |
| copper oxide (ous) | Grape, wine | 113.77 | 8 | 105.98 | A |
| copper oxide (ous) | Landscape maintenance | 0.56 | N/A | N/A | N/A |
| copper oxide (ous) | Pome fruit | 39.17 | N/A | 3.5 | A |
| copper oxide (ous) | Stone fruit | 162.42 | N/A | 22.3 | A |
| copper oxychloride | Apricot | 4.76 | 1 | 35.0 | A |
| copper oxychloride | Grape, wine | 6.67 | 8 | 28.0 | A |
| copper oxychloride | Landscape maintenance | 5.34 | N/A | N/A | N/A |
| copper oxychloride | N-outdr plants in containers | 10.71 | 2 | 8.0 | A |
| copper 8-quinolinoleate | Landscape maintenance | 0.24 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| copper salts of fatty and rosin acids | Landscape maintenance | 0.28 | N/A | N/A | N/A |
| copper salts of fatty and rosin acids | N-grnhs transplants | 4.87 | 1 | 20,000.0 | S |
| copper sulfate (basic) | Landscape maintenance | 6.89 | N/A | N/A | N/A |
| copper sulfate (pentahydrate) | Grape, wine | 4.46 | 1 | 0.38 | A |
| copper sulfate (pentahydrate) | Landscape maintenance | 148.5 | 1 | 150.0 | ? |
| copper sulfate (pentahydrate) | Landscape maintenance | 218.3 | N/A | N/A | N/A |
| copper sulfate (pentahydrate) | N-grnhs flower | 0.71 | 4 | 2.75 | A |
| copper sulfate (pentahydrate) | N-grnhs transplants | 0.48 | 3 | 30,000.0 | S |
| copper sulfate (pentahydrate) | N-outdr flower | 0.55 | 3 | 2.25 | A |
| copper sulfate (pentahydrate) | Water area | 263.23 | N/A | 11.0 | A |
| cyantraniliprole | Broccoli | 7.3 | 3 | 74.0 | A |
| cyantraniliprole | Cabbage | 0.92 | 1 | 9.0 | A |
| cyantraniliprole | Cauliflower | 0.3 | 2 | 4.0 | A |
| cyantraniliprole | Celery | 14.08 | 15 | 160.3 | A |
| cyantraniliprole | Garlic | 1.67 | 1 | 19.0 | A |
| cyantraniliprole | Landscape maintenance | 1.66 | 1 | 0.02 | A |
| cyantraniliprole | Lettuce, head | 13.69 | 16 | 142.87 | A |
| cyantraniliprole | Lettuce, leaf | 38.84 | 55 | 406.21 | A |
| cyantraniliprole | N-grnhs flower | 0.77 | 12 | 7.1 | A |
| cyantraniliprole | N-grnhs flower | 1.36 | 22 | 289,110.0 | S |
| cyantraniliprole | N-grnhs plants in containers | 624.98 | 149 | 20.48 | A |
| cyantraniliprole | N-grnhs transplants | 38.04 | 100 | 1,542,100.0 | S |
| cyantraniliprole | N-outdr flower | 0.68 | 10 | 7.05 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| cyantraniliprole | N-outdr flower | 1.31 | 12 | 172,471.0 | S |
| cyantraniliprole | N-outdr transplants | 15.32 | 12 | 120.19 | A |
| cyantraniliprole | Pepper, fruiting | 99.24 | 23 | 464.05 | A |
| cyantraniliprole | Research commodity | 0.13 | 4 | 0.52 | A |
| cyantraniliprole | Research commodity | 0.06 | 1 | 10,000.0 | S |
| cyantraniliprole | Spinach | 2.92 | 4 | 24.87 | A |
| cyantraniliprole | Sunflower | 13.11 | 10 | 161.3 | A |
| cyantraniliprole | Walnut | 9.48 | 1 | 90.0 | A |
| cyazofamid | Landscape maintenance | 2.27 | N/A | N/A | N/A |
| cyazofamid | N-grnhs plants in containers | 2.49 | N/A | 3.0 | A |
| cyazofamid | N-grnhs transplants | 0.35 | 4 | 100,000.0 | S |
| cyazofamid | N-outdr flower | 0.02 | 3 | 27,200.0 | S |
| cycloate | Spinach | 486.23 | 43 | 325.5 | A |
| cyflufenamid | Cucumber | 0.57 | 1 | 25.0 | A |
| cyflufenamid | Grape | 0.1 | 2 | 13.5 | A |
| cyflufenamid | Grape, wine | 14.72 | 14 | 411.2 | A |
| cyflufenamid | N-grnhs transplants | 3.61 | 46 | 990,200.0 | S |
| cyflufenamid | Pepper, fruiting | 0.54 | 2 | 23.0 | A |
| cyflufenamid | Squash | 0.28 | 1 | 12.0 | A |
| cyflumetofen | Grape, wine | 0.41 | 1 | 2.34 | A |
| cyflumetofen | N-grnhs flower | 0.05 | 1 | 9,120.0 | S |
| cyflumetofen | N-grnhs transplants | 5.73 | 25 | 665,400.0 | S |
| cyflumetofen | N-outdr flower | 0.09 | 1 | 10,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| cyflumetofen | N-outdr plants in containers | 0.27 | 1 | 1.5 | A |
| cyfluthrin | Broccoli | 4.32 | 5 | 83.0 | A |
| cyfluthrin | Cabbage | 4.01 | 11 | 77.0 | A |
| cyfluthrin | Corn, human consumption | 34.26 | 53 | 752.4 | A |
| cyfluthrin | Landscape maintenance | 0.27 | N/A | N/A | N/A |
| cyfluthrin | Lettuce, head | 3.51 | 7 | 70.9 | A |
| cyfluthrin | Lettuce, leaf | 21.39 | 52 | 414.9 | A |
| cyfluthrin | N-grnhs flower | 0.08 | 9 | 58,727.0 | S |
| cyfluthrin | N-grnhs plants in containers | <0.01 | 3 | 6,799.15 | S |
| cyfluthrin | N-outdr flower | <0.01 | 1 | 0.5 | A |
| cyfluthrin | N-outdr flower | <0.01 | 1 | 5,427.0 | S |
| cyfluthrin | N-outdr plants in containers | 0.54 | 3 | 8.75 | A |
| cyfluthrin | N-outdr transplants | 0.1 | 1 | 60.0 | A |
| cyfluthrin | Parsley | 0.25 | 1 | 5.0 | A |
| cyfluthrin | Pepper, fruiting | 0.32 | 1 | 10.0 | A |
| cyfluthrin | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| cyfluthrin | Research commodity | 0.01 | 1 | 10,000.0 | S |
| cyfluthrin | Spinach | 16.44 | 42 | 315.5 | A |
| cyfluthrin | Structural pest control | 55.1 | N/A | N/A | N/A |
| beta-cyfluthrin | Bean, unspecified | 1.42 | 14 | 55.25 | A |
| beta-cyfluthrin | Broccoli | 2.78 | 10 | 109.83 | A |
| beta-cyfluthrin | Corn, human consumption | 0.16 | 1 | 7.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|-----------------------|-------------|---------------------|---------------------|
| beta-cyfluthrin | Landscape maintenance | 12.32 | N/A | N/A | N/A |
| beta-cyfluthrin | Lettuce, head | 2.02 | 8 | 79.47 | A |
| beta-cyfluthrin | Lettuce, leaf | 4.0 | 24 | 158.59 | A |
| beta-cyfluthrin | Pepper, fruiting | 2.04 | 11 | 88.5 | A |
| beta-cyfluthrin | Public health | 0.49 | N/A | N/A | N/A |
| beta-cyfluthrin | Regulatory pest control | 0.04 | N/A | N/A | N/A |
| beta-cyfluthrin | Structural pest control | 143.4 | N/A | N/A | N/A |
| beta-cyfluthrin | Tomato | 9.56 | 7 | 294.5 | A |
| cymoxanil | Lettuce, leaf | 7.03 | 6 | 37.45 | A |
| cymoxanil | Tomato | 32.44 | 7 | 259.5 | A |
| cypermethrin | Landscape maintenance | 2.09 | N/A | N/A | N/A |
| cypermethrin | Structural pest control | 3.48 | N/A | N/A | N/A |
| zeta-cypermethrin | Bean, dried | 5.23 | 2 | 105.0 | A |
| zeta-cypermethrin | Bean, succulent | 2.6 | 4 | 113.0 | A |
| zeta-cypermethrin | Bean, unspecified | 0.32 | 1 | 14.0 | A |
| zeta-cypermethrin | Bok choy | 0.12 | 2 | 4.0 | A |
| zeta-cypermethrin | Bok choy | 0.01 | 1 | 6,000.0 | S |
| zeta-cypermethrin | Cabbage | 13.19 | 30 | 249.0 | A |
| zeta-cypermethrin | Celery | 0.65 | 1 | 13.0 | A |
| zeta-cypermethrin | Chinese cabbage (napa, won bok, celery cabbage) | 1.47 | 4 | 26.75 | A |
| zeta-cypermethrin | Corn, human consumption | 1.76 | 8 | 37.0 | A |
| zeta-cypermethrin | Garbanzo bean | 0.4 | 1 | 8.0 | A |
| zeta-cypermethrin | Lettuce, leaf | 26.8 | 41 | 540.4 | A |
| zeta-cypermethrin | Mustard greens | 0.36 | 3 | 7.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| zeta-cypermethrin | N-grnhs plants in containers | 0.61 | 22 | 8.52 | A |
| zeta-cypermethrin | N-outdr transplants | 0.28 | 6 | 3.87 | A |
| zeta-cypermethrin | Onion, dry | 1.66 | 2 | 34.0 | A |
| zeta-cypermethrin | Parsley | 0.76 | 2 | 15.0 | A |
| zeta-cypermethrin | Pepper, fruiting | 15.91 | 12 | 320.3 | A |
| zeta-cypermethrin | Pumpkin | 0.16 | 1 | 3.25 | A |
| zeta-cypermethrin | Research commodity | 0.01 | 2 | 0.17 | A |
| zeta-cypermethrin | Structural pest control | 2.85 | N/A | N/A | N/A |
| zeta-cypermethrin | Sunflower | 0.84 | 2 | 17.0 | A |
| zeta-cypermethrin | Yam | <0.01 | 1 | 4,000.0 | S |
| cyprodinil | Apricot | 0.02 | 1 | 0.6 | A |
| cyprodinil | Cherry | 0.05 | 2 | 2.0 | A |
| cyprodinil | Grape | 3.75 | 3 | 21.5 | A |
| cyprodinil | Grape, wine | 158.45 | 26 | 414.81 | A |
| cyprodinil | Lettuce, leaf | 11.65 | 5 | 35.5 | A |
| cyprodinil | N-grnhs plants in containers | 0.26 | 10 | 1.76 | A |
| cyprodinil | N-grnhs transplants | 3.9 | 25 | 573,800.0 | S |
| cyprodinil | N-outdr flower | <0.01 | 2 | 4,600.0 | S |
| cyprodinil | N-outdr transplants | 0.02 | 1 | 0.16 | A |
| cyprodinil | Nectarine | 0.05 | 2 | 1.2 | A |
| cyprodinil | Plum | 0.17 | 2 | 4.75 | A |
| cyromazine | N-grnhs flower | 0.94 | 1 | 2.5 | A |
| cyromazine | N-grnhs flower | 0.01 | 1 | 26,208.0 | S |
| cyromazine | N-grnhs plants in containers | 3.46 | 7 | 1.04 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|------------------------------|----------------|------|--------------|--------------|
| cyromazine | N-outdr flower | 0.12 | 1 | 2,655.0 | S |
| cyromazine | N-outdr transplants | 2.24 | 1 | 0.32 | A |
| cyromazine | Pepper, fruiting | 106.24 | 45 | 855.0 | A |
| 2,4-d | Landscape maintenance | 0.06 | N/A | N/A | N/A |
| 2,4-d, dimethylamine salt | Forage hay/silage | 69.85 | 6 | 82.0 | A |
| 2,4-d, dimethylamine salt | Golf course turf | 6.16 | N/A | 4.5 | A |
| 2,4-d, dimethylamine salt | Landscape maintenance | 105.43 | N/A | N/A | N/A |
| 2,4-d, dimethylamine salt | Oat | 152.24 | 7 | 231.0 | A |
| 2,4-d, dimethylamine salt | Rangeland | 27.25 | 1 | 50.0 | A |
| 2,4-d, dimethylamine salt | Wheat | 2.62 | 2 | 77.0 | A |
| 2,4-d, dimethylamine salt | Wheat (forage - fodder) | 0.24 | 1 | 7.0 | A |
| 2,4-d, 2-ethylhexyl ester | Golf course turf | 47.09 | 2 | 120.47 | A |
| 2,4-d, 2-ethylhexyl ester | Landscape maintenance | 258.26 | N/A | N/A | N/A |
| 2,4-d, 2-ethylhexyl ester | N-grnhs flower | 1.57 | N/A | 85.0 | A |
| 2,4-d, 2-ethylhexyl ester | N-grnhs plants in containers | 0.78 | N/A | 2.0 | A |
| 2,4-d, 2-ethylhexyl ester | N-grnhs transplants | 2.31 | N/A | 30.0 | A |
| 2,4-d, 2-ethylhexyl ester | N-outdr flower | 3.16 | N/A | 6.0 | A |
| 2,4-d, 2-ethylhexyl ester | N-outdr plants in containers | 3.14 | 12 | 33.0 | A |
| 2,4-d, 2-ethylhexyl ester | Sod farm (turf) | 13.88 | 1 | 12.0 | A |
| 2,4-d, 2-ethylhexyl ester | Structural pest control | 0.1 | N/A | N/A | N/A |
| 2,4-d, isooctyl ester | Landscape maintenance | 23.07 | N/A | N/A | N/A |
| daminozide | N-grnhs flower | 1.33 | 5 | 3.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| daminozide | N-grnhs flower | 0.06 | 1 | 3.0 | U |
| daminozide | N-grnhs plants in containers | 43.46 | 57 | 19.65 | A |
| daminozide | N-grnhs transplants | 352.05 | 456 | 3,186,200.0 | S |
| daminozide | N-outdr flower | 4.68 | 11 | 1.9 | A |
| daminozide | N-outdr flower | 2.32 | 42 | 208,858.0 | S |
| daminozide | N-outdr flower | 1.77 | 1 | 3.0 | U |
| daminozide | N-outdr transplants | 3.69 | 6 | 1.76 | A |
| ddvp | Commodity fumigation | 26.04 | N/A | N/A | N/A |
| ddvp | Structural pest control | 0.96 | N/A | N/A | N/A |
| ddvp, other related | Commodity fumigation | 1.96 | N/A | N/A | N/A |
| ddvp, other related | Structural pest control | 0.06 | N/A | N/A | N/A |
| deet | Mushroom house | 0.4 | 6 | 34,500.0 | S |
| deet, other related | Mushroom house | 0.02 | 6 | 34,500.0 | S |
| deltamethrin | Landscape maintenance | 0.61 | N/A | N/A | N/A |
| deltamethrin | Regulatory pest control | 0.08 | N/A | N/A | N/A |
| deltamethrin | Structural pest control | 401.5 | N/A | N/A | N/A |
| dextrin | Landscape maintenance | 0.41 | N/A | N/A | N/A |
| n-dialkyl (60%c14, 30%c16, 5%c12, 5%c18) methyl benzyl ammonium chloride | Water (industrial) | 0.01 | N/A | 3.0 | A |
| n-dialkyl (60%c14, 30%c16, 5%c12, 5%c18) methyl benzyl ammonium chloride | Water (industrial) | 4.17 | N/A | 1.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| diatomaceous earth | Broccoli | 892.5 | 8 | 58.5 | A |
| diatomaceous earth | Cauliflower | 357.17 | 6 | 24.06 | A |
| diatomaceous earth | Lettuce, leaf | 181.8 | 3 | 19.85 | A |
| diatomaceous earth | Regulatory pest control | 0.58 | N/A | N/A | N/A |
| diatomaceous earth | Structural pest control | 60.15 | N/A | N/A | N/A |
| 2,2-dibromo-3-nitrilopropionamide | Industrial processing water | 119.74 | N/A | 4.0 | A |
| 2,2-dibromo-3-nitrilopropionamide | Industrial processing water | 20.25 | N/A | 1.0 | U |
| 2,2-dibromo-3-nitrilopropionamide | Water (industrial) | 337.6 | N/A | 13.0 | A |
| 2,2-dibromo-3-nitrilopropionamide | Water (industrial) | 516.07 | N/A | 195.0 | U |
| dicamba | Golf course turf | 3.01 | 2 | 120.47 | A |
| dicamba | Landscape maintenance | 18.2 | N/A | N/A | N/A |
| dicamba | N-grnhs flower | 0.1 | N/A | 85.0 | A |
| dicamba | N-grnhs plants in containers | 0.05 | N/A | 2.0 | A |
| dicamba | N-grnhs transplants | 0.14 | N/A | 30.0 | A |
| dicamba | N-outdr flower | 0.21 | N/A | 6.0 | A |
| dicamba | Sod farm (turf) | 0.83 | 1 | 12.0 | A |
| dicamba | Structural pest control | 0.01 | N/A | N/A | N/A |
| dicamba, dimethylamine salt | Golf course turf | 0.56 | N/A | 4.5 | A |
| dicamba, dimethylamine salt | Landscape maintenance | 9.73 | N/A | N/A | N/A |
| 1,3-dichloro-5,5-dimethylhydantoin | Water (industrial) | 462.4 | N/A | 20.0 | A |
| 1,3-dichloro-5,5-dimethylhydantoin | Water (industrial) | 945.59 | N/A | 69.0 | U |
| 1,3-dichloro-5-ethyl-5-methylhydantoin | Water (industrial) | 232.03 | N/A | 20.0 | A |
| 1,3-dichloro-5-ethyl-5-methylhydantoin | Water (industrial) | 500.05 | N/A | 69.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| 1,3-dichloropropene | Pepper, fruiting | 31,875.99 | 19 | 360.83 | A |
| dicloran | N-grnhs plants in containers | 7.03 | 6 | 1.92 | A |
| dicofol | Landscape maintenance | 0.09 | N/A | N/A | N/A |
| didecyl dimethyl ammonium chloride | N-grnhs flower | 13.93 | 6 | 12.5 | A |
| didecyl dimethyl ammonium chloride | N-grnhs transplants | 0.15 | 3 | 6,200.0 | S |
| didecyl dimethyl ammonium chloride | N-outdr flower | 6.42 | 5 | 6.0 | A |
| didecyl dimethyl ammonium chloride | Structural pest control | 4.21 | N/A | N/A | N/A |
| diethylene glycol | Cabbage | 6.48 | 4 | 36.0 | A |
| diethylene glycol | Cherry | 246.62 | 23 | 1,158.0 | A |
| diethylene glycol | Corn, human consumption | 16.85 | 3 | 80.0 | A |
| diethylene glycol | Cucumber | 4.4 | 2 | 29.33 | A |
| diethylene glycol | Grape, wine | 15.92 | 3 | 45.0 | A |
| diethylene glycol | Landscape maintenance | 0.89 | N/A | N/A | N/A |
| diethylene glycol | Lettuce, leaf | 43.77 | 22 | 239.6 | A |
| diethylene glycol | Onion, dry | 2.55 | 2 | 29.0 | A |
| diethylene glycol | Pepper, fruiting | 22.58 | 6 | 125.0 | A |
| diethylene glycol | Rights of way | 4.33 | N/A | N/A | N/A |
| diethylene glycol | Walnut | 12.78 | 5 | 128.18 | A |
| diethylene glycol abietate | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| difenoconazole | Apricot | 0.01 | 1 | 0.6 | A |
| difenoconazole | Carrot | 0.01 | 1 | 0.05 | A |
| difenoconazole | Cauliflower | 3.7 | 2 | 32.4 | A |
| difenoconazole | Cherry | 40.11 | 6 | 376.0 | A |
| difenoconazole | Garlic | 6.63 | 2 | 58.0 | A |
| difenoconazole | Golf course turf | 1.37 | N/A | 7.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| difenoconazole | Grape | 1.31 | 3 | 21.5 | A |
| difenoconazole | Grape, wine | 10.43 | 18 | 142.4 | A |
| difenoconazole | Landscape maintenance | 17.32 | N/A | N/A | N/A |
| difenoconazole | Nectarine | 0.02 | 2 | 1.2 | A |
| difenoconazole | Pepper, fruiting | 95.64 | 41 | 844.65 | A |
| difenoconazole | Plum | 0.06 | 2 | 4.75 | A |
| difenoconazole | Research commodity | 0.02 | 1 | 0.15 | A |
| difenoconazole | Tomato | 14.67 | 7 | 224.5 | A |
| difethialone | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| difethialone | Structural pest control | 0.31 | N/A | N/A | N/A |
| difethialone | Vertebrate control | <0.01 | N/A | N/A | N/A |
| diflubenzuron | N-outdr flower | 0.13 | 1 | 1.0 | A |
| diflubenzuron | Structural pest control | <0.01 | N/A | N/A | N/A |
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Barley | 4.35 | 2 | 23.0 | A |
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Oat | 33.35 | 13 | 213.0 | A |
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Triticale | 2.6 | 4 | 13.75 | A |
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Wheat | 7.75 | 2 | 50.0 | A |
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Wheat (forage - fodder) | 2.27 | 1 | 12.0 | A |
| dikegulac sodium | Golf course turf | 0.66 | 2 | 5.17 | A |
| dikegulac sodium | Landscape maintenance | 157.47 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| dimethenamid-p | Landscape maintenance | 3.52 | N/A | N/A | N/A |
| dimethenamid-p | N-outdr plants in containers | 22.6 | 10 | 33.5 | A |
| dimethenamid-p | N-outdr transplants | 12.0 | 10 | 600.0 | A |
| dimethoate | Bean, succulent | 165.79 | 17 | 445.05 | A |
| dimethoate | Bean, unspecified | 28.64 | 4 | 64.0 | A |
| dimethoate | Pepper, fruiting | 0.53 | 1 | 18.0 | A |
| dimethoate | Tomato | 18.78 | 2 | 75.0 | A |
| dimethoate | Tomato, processing | 67.22 | 6 | 136.0 | A |
| dimethomorph | Lettuce, head | 40.0 | 13 | 200.7 | A |
| dimethomorph | Lettuce, leaf | 65.79 | 32 | 334.2 | A |
| dimethomorph | N-grnhs plants in containers | 1.19 | 15 | 2.56 | A |
| dimethomorph | N-grnhs transplants | 1.67 | 7 | 142,000.0 | S |
| dimethomorph | N-outdr flower | 0.52 | 2 | 2.0 | A |
| dimethomorph | N-outdr flower | 0.06 | 1 | 10,000.0 | S |
| dimethomorph | N-outdr plants in containers | 1.22 | 2 | 6.0 | A |
| dimethomorph | N-outdr transplants | 0.16 | 2 | 0.32 | A |
| dimethomorph | Structural pest control | 8.54 | N/A | N/A | N/A |
| dimethyl alkyl tertiary amines | Broccoli | 0.47 | 4 | 75.6 | A |
| dimethyl alkyl tertiary amines | Cherry | 0.71 | 1 | 20.0 | A |
| dimethyl alkyl tertiary amines | Rights of way | <0.01 | N/A | N/A | N/A |
| dimethyl alkyl tertiary amines | Sunflower | 1.08 | 5 | 86.4 | A |
| dimethyl alkyl tertiary amines | Uncultivated non-ag | 0.01 | 1 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|---|----------------|------|--------------|--------------|
| dimethyl phthalate | Mushroom house | 0.28 | 6 | 34,500.0 | S |
| dimethylpolysiloxane | Apple | 0.44 | 2 | 101.3 | A |
| dimethylpolysiloxane | Bean, unspecified | 0.79 | 3 | 23.95 | A |
| dimethylpolysiloxane | Broccoli | 11.3 | 7 | 53.0 | A |
| dimethylpolysiloxane | Cabbage | 4.63 | 10 | 95.85 | A |
| dimethylpolysiloxane | Carrot | 0.03 | 1 | 0.05 | A |
| dimethylpolysiloxane | Cauliflower | 11.01 | 19 | 254.1 | A |
| dimethylpolysiloxane | Cherry | 11.23 | 56 | 2,447.0 | A |
| dimethylpolysiloxane | Chinese cabbage (napa, won bok, celery cabbage) | 5.72 | 3 | 23.65 | A |
| dimethylpolysiloxane | Corn, human consumption | 0.04 | 3 | 80.0 | A |
| dimethylpolysiloxane | Cucumber | 3.32 | 3 | 54.33 | A |
| dimethylpolysiloxane | Garbanzo bean | 7.21 | 5 | 46.0 | A |
| dimethylpolysiloxane | Garlic | 81.18 | 16 | 355.4 | A |
| dimethylpolysiloxane | Grape, wine | 8.83 | 18 | 181.92 | A |
| dimethylpolysiloxane | Landscape maintenance | 1.09 | N/A | N/A | N/A |
| dimethylpolysiloxane | Lettuce, head | 123.56 | 55 | 823.7 | A |
| dimethylpolysiloxane | Lettuce, leaf | 97.05 | 76 | 861.6 | A |
| dimethylpolysiloxane | N-grnhs transplants | 25.01 | 120 | 3,625,600.0 | S |
| dimethylpolysiloxane | N-outdr transplants | 1.29 | 3 | 180.0 | A |
| dimethylpolysiloxane | Onion, dry | 1.41 | 3 | 39.0 | A |
| dimethylpolysiloxane | Pepper, fruiting | 60.66 | 58 | 1,137.15 | A |
| dimethylpolysiloxane | Plum | 17.61 | 2 | 3.25 | A |
| dimethylpolysiloxane | Pumpkin | 0.06 | 5 | 100.5 | A |
| dimethylpolysiloxane | Research commodity | 0.24 | 4 | 0.67 | A |
| dimethylpolysiloxane | Rights of way | 0.92 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| dimethylpolysiloxane | Squash | 0.01 | 2 | 19.0 | A |
| dimethylpolysiloxane | Structural pest control | 0.07 | N/A | N/A | N/A |
| dimethylpolysiloxane | Sunflower | 2.49 | 7 | 103.4 | A |
| dimethylpolysiloxane | Swiss chard | 8.94 | 7 | 55.0 | A |
| dimethylpolysiloxane | Tomato | 1.02 | 24 | 741.2 | A |
| dimethylpolysiloxane | Tomato, processing | 0.81 | 2 | 41.0 | A |
| dimethylpolysiloxane | Uncultivated ag | 1.9 | 9 | 64.3 | A |
| dimethylpolysiloxane | Walnut | 41.13 | 22 | 362.68 | A |
| dimethylpolysiloxane | Watermelon | 1.38 | 3 | 17.0 | A |
| dimethyl silicone fluid emulsion | Bean, succulent | 0.4 | 17 | 45.06 | A |
| dimethyl silicone fluid emulsion | Bean, unspecified | 5.04 | 140 | 474.12 | A |
| dimethyl silicone fluid emulsion | Broccoli | 2.92 | 35 | 296.17 | A |
| dimethyl silicone fluid emulsion | Forage hay/silage | 0.77 | 6 | 82.0 | A |
| dimethyl silicone fluid emulsion | Grape, wine | 0.21 | 4 | 23.0 | A |
| dimethyl silicone fluid emulsion | Landscape maintenance | 1.38 | N/A | N/A | N/A |
| dimethyl silicone fluid emulsion | Lettuce, head | 1.26 | 30 | 288.38 | A |
| dimethyl silicone fluid emulsion | Lettuce, leaf | 2.81 | 84 | 586.49 | A |
| dimethyl silicone fluid emulsion | Oat | 0.85 | 3 | 165.0 | A |
| dimethyl silicone fluid emulsion | Spinach | 7.71 | 82 | 506.31 | A |
| dimethyl silicone fluid emulsion | Uncultivated ag | 3.5 | 25 | 365.2 | A |
| dimethyl silicone fluid emulsion | Walnut | 0.01 | 1 | 3.0 | A |
| dinotefuran | Landscape maintenance | 21.81 | N/A | N/A | N/A |
| dinotefuran | Lettuce, leaf | 1.27 | 1 | 10.0 | A |
| dinotefuran | N-grnhs flower | 0.37 | 4 | 37,088.0 | S |
| dinotefuran | N-grnhs flower | 0.08 | 2 | 15,000.0 | U |
| dinotefuran | N-grnhs plants in containers | 16.22 | 47 | 15.81 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| dinotefuran | N-grnhs plants in containers | 0.75 | 14 | 1,126.0 | S |
| dinotefuran | N-outdr flower | 1.18 | 21 | 20.5 | A |
| dinotefuran | N-outdr flower | 2.78 | 14 | 295,268.0 | S |
| dinotefuran | N-outdr plants in containers | 2.1 | 5 | 7.4 | A |
| dinotefuran | N-outdr transplants | 1.01 | 6 | 2.81 | A |
| dinotefuran | Pumpkin | 1.01 | 1 | 4.6 | A |
| dinotefuran | Regulatory pest control | 0.65 | N/A | N/A | N/A |
| dinotefuran | Research commodity | 0.01 | 2 | 0.15 | A |
| dinotefuran | Research commodity | 0.07 | N/A | N/A | N/A |
| dinotefuran | Rights of way | 4.94 | N/A | N/A | N/A |
| dinotefuran | Structural pest control | 875.41 | N/A | N/A | N/A |
| dioctyl dimethyl ammonium chloride | Structural pest control | 3.97 | N/A | N/A | N/A |
| dioctyl dimethyl ammonium chloride | Water (industrial) | 168.42 | N/A | 1.0 | A |
| diphacinone | Apricot | <0.01 | 1 | 35.0 | A |
| diphacinone | Grape, wine | <0.01 | N/A | 0.75 | A |
| diphacinone | Landscape maintenance | 0.54 | N/A | N/A | N/A |
| diphacinone | N-grnhs flower | <0.01 | 3 | 55.0 | U |
| diphacinone | N-outdr flower | <0.01 | 4 | 120.0 | U |
| diphacinone | Pastureland | <0.01 | 4 | 3.01 | A |
| diphacinone | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| diphacinone | Structural pest control | 0.09 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| diphacinone | Vertebrate control | 0.1 | N/A | N/A | N/A |
| diphacinone, sodium salt | Structural pest control | <0.01 | N/A | N/A | N/A |
| dipropyl isocinchomeronate | Mushroom house | 0.02 | 6 | 34,500.0 | S |
| diquat dibromide | Landscape maintenance | 0.47 | 1 | 1.0 | A |
| diquat dibromide | Landscape maintenance | 288.1 | N/A | N/A | N/A |
| diquat dibromide | N-grnhs flower | 10.2 | 13 | 3.5 | A |
| diquat dibromide | N-grnhs transplants | 62.09 | 82 | 703,700.0 | S |
| diquat dibromide | N-outdr flower | 5.07 | 11 | 3.07 | A |
| diquat dibromide | Rights of way | 926.67 | N/A | N/A | N/A |
| diquat dibromide | Structural pest control | 0.01 | N/A | N/A | N/A |
| diquat dibromide | Water area | 48.55 | N/A | 37.1 | A |
| disodium octaborate anhydrous | Rights of way | 0.36 | N/A | N/A | N/A |
| disodium octaborate tetrahydrate | Regulatory pest control | 0.18 | N/A | N/A | N/A |
| disodium octaborate tetrahydrate | Structural pest control | 11,218.43 | N/A | N/A | N/A |
| disodium phosphate | Pome fruit | 3.97 | N/A | 2.0 | A |
| dithiopyr | Industrial site | 33.47 | N/A | 74.5 | A |
| dithiopyr | Landscape maintenance | 6.25 | 1 | 60.0 | A |
| dithiopyr | Landscape maintenance | 2,513.6 | N/A | N/A | N/A |
| dithiopyr | N-outdr flower | 3.0 | 1 | 4.0 | A |
| dithiopyr | N-outdr plants in containers | 0.49 | 1 | 0.5 | A |
| dithiopyr | Rights of way | 543.86 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| dithiopyr | Structural pest control | 0.25 | N/A | N/A | N/A |
| diuron | Landscape maintenance | 281.68 | N/A | N/A | N/A |
| diuron | Rights of way | 7.19 | N/A | N/A | N/A |
| dodecylbenzene sulfonic acid | Grape, wine | 0.8 | 23 | 28.5 | A |
| dodecylbenzene sulfonic acid | Landscape maintenance | 12.62 | N/A | N/A | N/A |
| dodecylbenzene sulfonic acid | N-outdr plants in containers | 0.64 | 6 | 19.5 | A |
| dodecylbenzene sulfonic acid | Research commodity | 0.01 | 3 | 0.25 | A |
| dodecylbenzene sulfonic acid | Rights of way | 0.11 | N/A | N/A | N/A |
| dodecylbenzene sulfonic acid | Structural pest control | 1.3 | N/A | N/A | N/A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Bean, dried | 1.51 | 2 | 52.5 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Broccoli | 0.09 | 1 | 7.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Cauliflower | 0.07 | 1 | 4.88 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Garlic | 0.35 | 1 | 9.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | N-grnhs plants in containers | 5.1 | 190 | 183.39 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | N-outdr transplants | 0.69 | 22 | 24.19 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Onion, dry | 1.81 | 3 | 47.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 3.89 | 4 | 101.05 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|----------------|------|--------------|--------------|
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 0.52 | 1 | 9.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Walnut | 1.11 | 2 | 76.0 | A |
| 2,4-dp-p, dimethylamine salt | Landscape maintenance | 0.62 | N/A | N/A | N/A |
| 2,4-dp-p, isooctyl ester | Golf course turf | 1.03 | N/A | 4.5 | A |
| 2,4-dp-p, isooctyl ester | Landscape maintenance | 5.24 | N/A | N/A | N/A |
| 2,4-dp-p, isooctyl ester | N-grnhs plants in containers | 0.45 | N/A | 2.0 | A |
| 2,4-dp-p, isooctyl ester | N-outdr flower | 1.82 | N/A | 6.0 | A |
| edta, tetrasodium salt | Grape, wine | 0.05 | 23 | 28.5 | A |
| edta, tetrasodium salt | Landscape maintenance | 0.78 | N/A | N/A | N/A |
| edta, tetrasodium salt | N-outdr plants in containers | 0.04 | 6 | 19.5 | A |
| edta, tetrasodium salt | Research commodity | <0.01 | 3 | 0.25 | A |
| edta, tetrasodium salt | Rights of way | 0.01 | N/A | N/A | N/A |
| edta, tetrasodium salt | Structural pest control | 0.08 | N/A | N/A | N/A |
| emamectin benzoate | Bok choy | 0.28 | 13 | 12.25 | A |
| emamectin benzoate | Bok choy | 0.02 | 7 | 88,000.0 | S |
| emamectin benzoate | Broccoli | 1.96 | 12 | 143.74 | A |
| emamectin benzoate | Cabbage | 1.69 | 17 | 124.47 | A |
| emamectin benzoate | Cauliflower | 0.75 | 8 | 55.0 | A |
| emamectin benzoate | Celery | <0.01 | 1 | 10,000.0 | S |
| emamectin benzoate | Chinese amaranth (chinese spinach, tampala, yin choy) | 0.03 | 1 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------|---|----------------|------|--------------|--------------|
| emamectin benzoate | Chinese amaranth (chinese spinach, tampala, yin choy) | 0.02 | 4 | 72,000.0 | S |
| emamectin benzoate | Chinese cabbage (napa, won bok, celery cabbage) | 0.96 | 8 | 63.75 | A |
| emamectin benzoate | Chinese cabbage (napa, won bok, celery cabbage) | 0.02 | 7 | 74,000.0 | S |
| emamectin benzoate | Chive | 0.02 | 2 | 0.5 | A |
| emamectin benzoate | Chrysanthemum, garland | 0.01 | 1 | 1.0 | A |
| emamectin benzoate | Gai choy | 0.02 | 7 | 78,000.0 | S |
| emamectin benzoate | Gai lon | <0.01 | 1 | 16,000.0 | S |
| emamectin benzoate | Landscape maintenance | 0.24 | N/A | N/A | N/A |
| emamectin benzoate | Lettuce, leaf | 0.5 | 3 | 40.0 | A |
| emamectin benzoate | N-grnhs flower | 0.23 | 4 | 7.0 | A |
| emamectin benzoate | Peas | <0.01 | 2 | 0.4 | A |
| emamectin benzoate | Pepper, fruiting | 1.11 | 3 | 74.0 | A |
| emamectin benzoate | Structural pest control | <0.01 | N/A | N/A | N/A |
| emulsifiable methylated vegetable oil | Apple | 497.95 | 7 | 311.9 | A |
| emulsifiable methylated vegetable oil | Bean, succulent | 12.89 | 9 | 24.85 | A |
| emulsifiable methylated vegetable oil | Bean, unspecified | 142.58 | 80 | 280.38 | A |
| emulsifiable methylated vegetable oil | Broccoli | 104.35 | 29 | 229.62 | A |
| emulsifiable methylated vegetable oil | Cherry | 27.96 | 1 | 20.0 | A |
| emulsifiable methylated vegetable oil | Garlic | 312.88 | 15 | 270.0 | A |
| emulsifiable methylated vegetable oil | Lettuce, head | 81.33 | 33 | 293.71 | A |
| emulsifiable methylated vegetable oil | Lettuce, leaf | 306.57 | 115 | 989.25 | A |
| emulsifiable methylated vegetable oil | Uncultivated ag | 0.72 | 1 | 2.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|----------------|------|--------------|--------------|
| emulsifiable polyethylene | N-outdr flower | 0.18 | 8 | 8.75 | A |
| endosulfan | Pepper, fruiting | 11.41 | 1 | 62.0 | A |
| endosulfan | Tomato | 95.56 | 1 | 13.0 | A |
| endothall, dipotassium salt | Landscape maintenance | 44.42 | N/A | N/A | N/A |
| endothall, mono [n,n-dimethyl alkylamine] salt | Landscape maintenance | 2.24 | N/A | N/A | N/A |
| endothall, mono [n,n-dimethyl alkylamine] salt | Water (industrial) | 11.31 | N/A | 3.5 | A |
| eptc | Bean, dried | 245.69 | 3 | 123.0 | A |
| eptc | Bean, succulent | 302.19 | 18 | 178.41 | A |
| eptc | Bean, unspecified | 408.23 | 45 | 147.22 | A |
| esfenvalerate | Apple | 16.84 | 6 | 303.9 | A |
| esfenvalerate | Apricot | 2.4 | 9 | 24.9 | A |
| esfenvalerate | Bean, succulent | 0.36 | 1 | 13.3 | A |
| esfenvalerate | Broccoli | 5.08 | 14 | 123.65 | A |
| esfenvalerate | Cabbage | 0.31 | 3 | 6.5 | A |
| esfenvalerate | Cauliflower | 1.91 | 5 | 38.5 | A |
| esfenvalerate | Cherry | 2.73 | 4 | 43.0 | A |
| esfenvalerate | Chinese cabbage (napa, won bok, celery cabbage) | 0.33 | 2 | 4.0 | A |
| esfenvalerate | Corn, human consumption | 91.08 | 158 | 1,821.9 | A |
| esfenvalerate | Kale | 0.02 | 1 | 0.4 | A |
| esfenvalerate | Lettuce, head | 0.98 | 3 | 24.64 | A |
| esfenvalerate | Nectarine | 0.1 | 1 | 2.0 | A |
| esfenvalerate | Peach | 0.29 | 4 | 4.3 | A |
| esfenvalerate | Pepper, fruiting | 7.44 | 5 | 123.15 | A |
| esfenvalerate | Plum | 0.1 | 1 | 2.0 | A |
| esfenvalerate | Regulatory pest control | 0.07 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| esfenvalerate | Research commodity | 0.01 | 1 | 0.21 | A |
| esfenvalerate | Structural pest control | 18.48 | N/A | N/A | N/A |
| esfenvalerate | Tomato | 13.14 | 8 | 263.0 | A |
| esfenvalerate | Tomato, processing | 6.8 | 6 | 136.0 | A |
| esfenvalerate | Uncultivated ag | 0.04 | 1 | 2.0 | A |
| ethephon | Golf course turf | 196.44 | N/A | 61.8 | A |
| ethephon | Golf course turf | 10.0 | N/A | 160,261.0 | S |
| ethephon | Landscape maintenance | 15.07 | 1 | 4.5 | A |
| ethephon | Landscape maintenance | 654.98 | N/A | N/A | N/A |
| ethephon | N-grnhs flower | 17.77 | N/A | 5.3 | A |
| ethephon | N-grnhs flower | 0.7 | 18 | 166,860.0 | S |
| ethephon | N-grnhs plants in containers | 0.26 | 3 | 0.64 | A |
| ethephon | N-grnhs transplants | 39.99 | N/A | 15.0 | A |
| ethephon | N-grnhs transplants | 7.62 | 111 | 531,600.0 | S |
| ethephon | N-outdr flower | 0.15 | 16 | 62,624.0 | S |
| ethephon | N-outdr plants in containers | 0.04 | 1 | 3,500.0 | S |
| ethephon | Squash | 9.38 | 12 | 56.75 | A |
| ethephon | Tomato | 8.58 | 3 | 26.0 | A |
| etofenprox | Public health | 9.93 | N/A | N/A | N/A |
| etofenprox | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| etofenprox | Structural pest control | 4.51 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| ethofumesate | Golf course turf | 300.79 | N/A | 148.0 | A |
| ethofumesate | Landscape maintenance | 986.61 | N/A | N/A | N/A |
| ethyl alcohol | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| ethylene glycol | Bean, unspecified | 4.93 | 6 | 16.0 | A |
| ethylene glycol | Grape, wine | 460.68 | 35 | 1,072.85 | A |
| ethylene glycol | Lettuce, head | 46.25 | 14 | 182.18 | A |
| ethylene glycol | Lettuce, leaf | 73.25 | 32 | 279.73 | A |
| etoxazole | Cucumber | 2.64 | 2 | 29.33 | A |
| etoxazole | Grape, wine | 0.77 | 2 | 6.06 | A |
| etoxazole | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| etoxazole | N-grnhs flower | 0.01 | 1 | 10,000.0 | S |
| etoxazole | Research commodity | 0.01 | 1 | 10,000.0 | S |
| etoxazole | Squash | 0.5 | 1 | 5.5 | A |
| etoxazole | Watermelon | 0.74 | 1 | 5.5 | A |
| famoxadone | Tomato | 32.44 | 7 | 259.5 | A |
| fatty acids, mixed | Bean, unspecified | 0.42 | 6 | 88.5 | A |
| fatty acids, mixed | Broccoli | 0.43 | 3 | 32.0 | A |
| fatty acids, mixed | Cabbage | 1.22 | 16 | 107.8 | A |
| fatty acids, mixed | Cauliflower | 0.26 | 3 | 63.95 | A |
| fatty acids, mixed | Celery | 0.4 | 4 | 32.8 | A |
| fatty acids, mixed | Cherry | 36.89 | 21 | 1,467.22 | A |
| fatty acids, mixed | Corn, human consumption | 9.35 | 110 | 1,557.4 | A |
| fatty acids, mixed | Landscape maintenance | 0.83 | N/A | N/A | N/A |
| fatty acids, mixed | Lettuce, head | 0.73 | 5 | 61.8 | A |
| fatty acids, mixed | Lettuce, leaf | 0.79 | 7 | 65.0 | A |
| fatty acids, mixed | Onion, dry | 4.54 | 2 | 29.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|----------------|------|--------------|--------------|
| fatty acids, mixed | Rights of way | 7.71 | N/A | N/A | N/A |
| fatty acids, mixed | Tomato | 1.22 | 10 | 322.6 | A |
| fatty acids, mixed | Uncultivated ag | 5.57 | 39 | 394.2 | A |
| fatty acids, mixed | Walnut | 25.19 | 9 | 384.18 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Apricot | 2.66 | 3 | 105.0 | A |
| fatty acids derived from tallow | Landscape maintenance | 10.52 | N/A | N/A | N/A |
| fenamidone | Bean, succulent | 1.03 | 1 | 4.0 | A |
| fenamidone | Bean, unspecified | 0.66 | 1 | 3.0 | A |
| fenamidone | Broccoli | 0.37 | 1 | 2.0 | A |
| fenamidone | Chinese cabbage (napa, won bok, celery cabbage) | 7.64 | 4 | 28.75 | A |
| fenamidone | Lettuce, head | 26.04 | 8 | 100.8 | A |
| fenamidone | Lettuce, leaf | 154.91 | 72 | 599.41 | A |
| fenamidone | N-grnhs plants in containers | 14.77 | 87 | 43.84 | A |
| fenamidone | N-outdr transplants | 1.06 | 7 | 3.55 | A |
| fenamidone | Pumpkin | 5.65 | 4 | 31.75 | A |
| fenamidone | Spinach | 55.06 | 26 | 212.87 | A |
| fenhexamid | Cherry | 13.5 | 1 | 18.0 | A |
| fenhexamid | Grape | 6.0 | 2 | 12.0 | A |
| fenhexamid | Grape, wine | 110.45 | 10 | 271.27 | A |
| fenhexamid | N-grnhs flower | 0.25 | 1 | 0.5 | A |
| fenhexamid | N-grnhs plants in containers | 7.25 | 16 | 10.45 | A |
| fenhexamid | N-grnhs transplants | 34.74 | 42 | 1,245,000.0 | S |
| fenhexamid | N-outdr flower | 3.0 | 6 | 6.0 | A |
| fenhexamid | N-outdr flower | <0.01 | 1 | 2,200.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|---|----------------|------|--------------|--------------|
| fenhexamid | N-outdr transplants | 0.13 | 1 | 0.16 | A |
| fenpropathrin | Cherry | 206.53 | 25 | 572.0 | A |
| fenpropathrin | N-grnhs plants in containers | 0.17 | 16 | 3,473.0 | U |
| fenpropathrin | N-outdr flower | 0.08 | 1 | 0.5 | A |
| fenpropathrin | N-outdr transplants | 0.05 | 3 | 943.0 | U |
| fenpropathrin | Peach | 0.2 | 1 | 1.0 | A |
| fenpyroximate | Grape, wine | 25.26 | 2 | 235.0 | A |
| fenpyroximate | N-grnhs transplants | 1.68 | 18 | 554,000.0 | S |
| fenpyroximate | Pepper, fruiting | 10.78 | 8 | 101.0 | A |
| fenpyroximate | Watermelon | 0.53 | 1 | 5.0 | A |
| ferric sodium edta | Landscape maintenance | 27.13 | N/A | N/A | N/A |
| fipronil | Landscape maintenance | 1.75 | N/A | N/A | N/A |
| fipronil | Regulatory pest control | 0.1 | N/A | N/A | N/A |
| fipronil | Structural pest control | 894.68 | N/A | N/A | N/A |
| flazasulfuron | Grape, wine | 1.56 | 1 | 50.0 | A |
| flonicamid | Apple | 8.87 | 2 | 101.3 | A |
| flonicamid | Bean, dried | 13.57 | 4 | 155.0 | A |
| flonicamid | Cabbage | 0.79 | 1 | 9.0 | A |
| flonicamid | Celery | 3.27 | 4 | 40.9 | A |
| flonicamid | Chinese cabbage (napa, won bok, celery cabbage) | 9.31 | 14 | 106.3 | A |
| flonicamid | Cucumber | 2.57 | 2 | 29.33 | A |
| flonicamid | Lettuce, head | 6.1 | 9 | 79.64 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| flonicamid | Lettuce, leaf | 16.72 | 26 | 215.89 | A |
| flonicamid | N-grnhs flower | 0.32 | 11 | 94,240.0 | S |
| flonicamid | N-grnhs transplants | 7.39 | 45 | 1,372,828.0 | S |
| flonicamid | N-outdr flower | 0.19 | 2 | 1.5 | A |
| flonicamid | N-outdr flower | 0.62 | 10 | 244,905.0 | S |
| flonicamid | Parsley | 0.63 | 2 | 10.0 | A |
| flonicamid | Pepper, fruiting | 37.37 | 19 | 305.8 | A |
| flonicamid | Spinach | 1.64 | 2 | 21.0 | A |
| flonicamid | Squash | 0.48 | 1 | 5.5 | A |
| flonicamid | Tomato | 4.82 | 1 | 55.0 | A |
| flonicamid | Vegetable | 0.09 | 1 | 1.2 | A |
| fluazifop-butyl | Landscape maintenance | 0.25 | N/A | N/A | N/A |
| fluazifop-p-butyl | Landscape maintenance | 23.99 | N/A | N/A | N/A |
| fluazinam | Landscape maintenance | 15.72 | N/A | N/A | N/A |
| fluazinam | N-grnhs plants in containers | 0.42 | N/A | 3.0 | A |
| flubendiamide | Pepper, fruiting | 0.56 | 1 | 12.0 | A |
| fludioxonil | Golf course turf | 6.34 | 1 | 16.49 | A |
| fludioxonil | Landscape maintenance | 20.64 | N/A | N/A | N/A |
| fludioxonil | Lettuce, leaf | 7.77 | 5 | 35.5 | A |
| fludioxonil | N-grnhs flower | 0.39 | 3 | 3.1 | A |
| fludioxonil | N-grnhs plants in containers | 19.92 | 55 | 13.38 | A |
| fludioxonil | N-grnhs transplants | 43.53 | 99 | 2,204,908.0 | S |
| fludioxonil | N-outdr flower | 0.19 | 2 | 1.5 | A |
| fludioxonil | N-outdr flower | 0.5 | 6 | 21,600.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|---|----------------|------|--------------|--------------|
| fludioxonil | N-outdr plants in containers | 0.75 | 1 | 1.4 | A |
| fludioxonil | N-outdr transplants | 0.03 | 2 | 0.32 | A |
| flumioxazin | Bean, dried | 2.51 | 2 | 52.5 | A |
| flumioxazin | Celery | 9.64 | 11 | 100.8 | A |
| flumioxazin | Cherry | 87.86 | 13 | 525.22 | A |
| flumioxazin | Garbanzo bean | 1.28 | 1 | 20.0 | A |
| flumioxazin | Garlic | 25.63 | 6 | 144.0 | A |
| flumioxazin | Golf course turf | 0.23 | N/A | 31,000.0 | S |
| flumioxazin | Grape, wine | 17.6 | 2 | 55.38 | A |
| flumioxazin | Landscape maintenance | 23.88 | N/A | N/A | N/A |
| flumioxazin | N-outdr plants in containers | 32.7 | 73 | 314.7 | A |
| flumioxazin | Pepper, fruiting | 12.89 | 4 | 101.05 | A |
| flumioxazin | Rights of way | 63.94 | N/A | N/A | N/A |
| fluopicolide | Landscape maintenance | 0.63 | N/A | N/A | N/A |
| fluopicolide | N-grnhs transplants | 1.51 | 17 | 285,600.0 | S |
| fluopicolide | N-outdr flower | 0.25 | 2 | 2.0 | A |
| fluopyram | Cabbage | 2.48 | 3 | 28.97 | A |
| fluopyram | Cherry | 75.77 | 26 | 707.25 | A |
| fluopyram | Chinese cabbage (napa, won bok, celery cabbage) | 0.5 | 2 | 4.0 | A |
| fluopyram | Grape | 1.35 | 2 | 13.5 | A |
| fluopyram | Grape, wine | 29.76 | 19 | 302.42 | A |
| fluopyram | Landscape maintenance | 5.77 | N/A | N/A | N/A |
| fluopyram | Lettuce, leaf | 21.55 | 16 | 173.95 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|----------------|------|--------------|--------------|
| fluopyram | N-grnhs transplants | 3.37 | 14 | 843,000.0 | S |
| fluopyram | Parsley | 2.19 | 3 | 20.0 | A |
| fluopyram | Pepper, fruiting | 59.99 | 26 | 573.17 | A |
| fluopyram | Pumpkin | 29.99 | 19 | 241.75 | A |
| fluopyram | Research commodity | 0.02 | 1 | 0.16 | A |
| fluopyram | Sunflower | 20.42 | 11 | 168.0 | A |
| fluopyram | Tomato | 13.13 | 4 | 106.0 | A |
| fluopyram | Tomato, processing | 6.2 | 2 | 50.0 | A |
| flupyradifurone | Bok choy | 0.53 | 2 | 4.0 | A |
| flupyradifurone | Broccoli | 0.43 | 1 | 3.17 | A |
| flupyradifurone | Cabbage | 3.35 | 9 | 22.0 | A |
| flupyradifurone | Cauliflower | 2.02 | 7 | 14.0 | A |
| flupyradifurone | Celery | 29.36 | 18 | 182.0 | A |
| flupyradifurone | Chinese cabbage (napa, won bok, celery cabbage) | 17.43 | 14 | 98.9 | A |
| flupyradifurone | Cucumber | 4.55 | 1 | 25.0 | A |
| flupyradifurone | Grape, wine | 9.49 | 5 | 71.3 | A |
| flupyradifurone | Landscape maintenance | 0.95 | N/A | N/A | N/A |
| flupyradifurone | Lettuce, head | 9.64 | 7 | 68.83 | A |
| flupyradifurone | Lettuce, leaf | 29.5 | 21 | 197.92 | A |
| flupyradifurone | N-outdr flower | 1.06 | 9 | 8.5 | A |
| flupyradifurone | N-outdr flower | 0.07 | 1 | 10,000.0 | S |
| flupyradifurone | Pepper, fruiting | 111.13 | 33 | 614.1 | A |
| flupyradifurone | Pumpkin | 2.47 | 2 | 13.5 | A |
| flupyradifurone | Squash | 2.19 | 1 | 12.0 | A |
| flupyradifurone | Tomato | 11.74 | 2 | 75.0 | A |
| flupyradifurone | Watermelon | 1.0 | 1 | 5.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| flurecol-methyl | Landscape maintenance | 3.82 | N/A | N/A | N/A |
| fluridone | Landscape maintenance | 1.73 | N/A | N/A | N/A |
| fluridone | Water area | 9.85 | N/A | 75.0 | A |
| fluroxypyr | Landscape maintenance | 10.68 | N/A | N/A | N/A |
| fluroxypyr, 1-methylheptyl ester | Rights of way | 0.12 | N/A | N/A | N/A |
| flurprimidol | Golf course turf | 92.24 | N/A | 401.5 | A |
| flurprimidol | Golf course turf | 0.1 | N/A | 278,000.0 | S |
| flurprimidol | Landscape maintenance | 196.8 | N/A | N/A | N/A |
| flurprimidol | N-grnhs transplants | 0.05 | 5 | 10,200.0 | S |
| flutolanil | Golf course turf | 63.17 | N/A | 9.3 | A |
| flutolanil | Landscape maintenance | 19.6 | N/A | N/A | N/A |
| flutolanil | N-grnhs flower | 19.6 | N/A | 2.3 | A |
| flutolanil | N-grnhs transplants | 21.0 | N/A | 4.0 | A |
| flutriafol | Grape, wine | 6.01 | 5 | 76.5 | A |
| flutriafol | Pepper, fruiting | 13.67 | 13 | 136.0 | A |
| flutriafol | Pumpkin | 11.25 | 9 | 98.9 | A |
| flutriafol | Squash | 0.56 | 1 | 5.0 | A |
| flutriafol | Tomato, processing | 5.68 | 1 | 50.0 | A |
| tau-fluvalinate | Landscape maintenance | 0.37 | N/A | N/A | N/A |
| tau-fluvalinate | N-grnhs flower | 1.83 | 4 | 2.25 | A |
| tau-fluvalinate | N-grnhs transplants | 17.77 | 85 | 2,702,000.0 | S |
| tau-fluvalinate | N-outdr flower | 2.76 | 14 | 19.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| tau-fluvalinate | Structural pest control | 0.02 | N/A | N/A | N/A |
| fluxapyroxad | Apricot | 0.59 | 2 | 6.2 | A |
| fluxapyroxad | Cabbage | 5.11 | 7 | 59.0 | A |
| fluxapyroxad | Cherry | 5.25 | 5 | 53.5 | A |
| fluxapyroxad | Golf course turf | 1.79 | N/A | 8.6 | A |
| fluxapyroxad | Landscape maintenance | 28.2 | N/A | N/A | N/A |
| fluxapyroxad | Lettuce, leaf | 15.34 | 10 | 106.1 | A |
| fluxapyroxad | N-grnhs transplants | 7.41 | 21 | 797,000.0 | S |
| fluxapyroxad | N-outdr plants in containers | 0.13 | 1 | 2.0 | A |
| fluxapyroxad | Nectarine | 0.44 | 3 | 4.5 | A |
| fluxapyroxad | Peach | 0.56 | 3 | 6.0 | A |
| fluxapyroxad | Pepper, fruiting | 43.42 | 28 | 499.4 | A |
| fluxapyroxad | Research commodity | 0.01 | 2 | 0.12 | A |
| fluxapyroxad | Tomato | 34.03 | 13 | 410.5 | A |
| fluxapyroxad | Tomato, processing | 5.92 | 3 | 68.0 | A |
| foramsulfuron | Golf course turf | 0.47 | N/A | 12.0 | A |
| foramsulfuron | Landscape maintenance | 0.53 | N/A | N/A | N/A |
| fosetyl-al | Chive | 8.0 | 4 | 1.5 | A |
| fosetyl-al | Landscape maintenance | 157.9 | N/A | N/A | N/A |
| fosetyl-al | Lettuce, head | 297.28 | 12 | 92.9 | A |
| fosetyl-al | Lettuce, leaf | 528.64 | 11 | 173.1 | A |
| fosetyl-al | N-grnhs flower | 2.64 | 3 | 25,163.0 | U |
| fosetyl-al | N-grnhs plants in containers | 354.85 | 111 | 39.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| fosetyl-al | N-outdr flower | 4.8 | 6 | 6.0 | A |
| fosetyl-al | N-outdr plants in containers | 45.4 | 3 | 8.45 | A |
| fosetyl-al | N-outdr transplants | 11.0 | 7 | 3.05 | A |
| fosetyl-al | Peas | 2.0 | 1 | 0.5 | A |
| fox urine | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| free fatty acids and/or amine salts | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| freon 12 | Structural pest control | 1.01 | N/A | N/A | N/A |
| gamma-cyhalothrin | Landscape maintenance | 1.21 | N/A | N/A | N/A |
| gamma-cyhalothrin | Structural pest control | 15.75 | N/A | N/A | N/A |
| garlic | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| gibberellins | Cherry | 48.15 | 34 | 1,109.5 | A |
| gibberellins | N-grnhs plants in containers | 0.01 | 6 | 3.64 | A |
| gibberellins | N-grnhs transplants | 0.21 | 21 | 39,400.0 | S |
| gibberellins | N-outdr flower | <0.01 | 6 | 33,264.0 | S |
| gibberellins | Pepper, fruiting | 0.81 | 14 | 326.0 | A |
| glufosinate-ammonium | Cherry | 259.64 | 8 | 334.22 | A |
| glufosinate-ammonium | Corn, human consumption | 69.88 | 4 | 122.0 | A |
| glufosinate-ammonium | Golf course turf | 0.88 | N/A | 49,000.0 | S |
| glufosinate-ammonium | Grape, wine | 58.96 | 10 | 150.2 | A |
| glufosinate-ammonium | Industrial site | 25.71 | N/A | 46.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| glufosinate-ammonium | Landscape maintenance | 558.67 | N/A | N/A | N/A |
| glufosinate-ammonium | N-outdr plants in containers | 1.25 | 5 | 18.5 | A |
| glufosinate-ammonium | Nectarine | 0.15 | 1 | 2.0 | A |
| glufosinate-ammonium | Peach | 0.21 | 1 | 3.0 | A |
| glufosinate-ammonium | Plum | 0.49 | 2 | 3.5 | A |
| glufosinate-ammonium | Rights of way | 166.34 | N/A | N/A | N/A |
| glufosinate-ammonium | Structural pest control | 0.12 | N/A | N/A | N/A |
| glufosinate-ammonium | Uncultivated ag | 171.96 | 29 | 225.0 | A |
| glufosinate-ammonium | Walnut | 59.12 | 5 | 41.18 | A |
| glutaraldehyde | Industrial processing water | 343.28 | N/A | 75,195.0 | C |
| glutaraldehyde | Water (industrial) | 3,383.22 | N/A | 25.0 | A |
| glutaraldehyde | Water (industrial) | 8,855.4 | N/A | 1,171.0 | U |
| glycerol | Landscape maintenance | 0.1 | N/A | N/A | N/A |
| glyphosate, diammonium salt | Rights of way | 15.0 | N/A | N/A | N/A |
| glyphosate, dimethylamine salt | Landscape maintenance | 1.24 | N/A | N/A | N/A |
| glyphosate, dimethylamine salt | Rights of way | 6,393.05 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Apricot | 8.07 | 6 | 8.9 | A |
| glyphosate, isopropylamine salt | Bean, succulent | 185.52 | 6 | 84.2 | A |
| glyphosate, isopropylamine salt | Bean, unspecified | 72.01 | 1 | 48.0 | A |
| glyphosate, isopropylamine salt | Cabbage | 156.27 | 2 | 58.0 | A |
| glyphosate, isopropylamine salt | Carrot | 70.74 | 1 | 29.5 | A |
| glyphosate, isopropylamine salt | Cherry | 701.35 | 33 | 640.5 | A |
| glyphosate, isopropylamine salt | Christmas tree | 11.49 | 5 | 20.0 | A |
| glyphosate, isopropylamine salt | Corn, human consumption | 379.68 | 6 | 193.0 | A |
| glyphosate, isopropylamine salt | Golf course turf | 34.92 | N/A | 8.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|----------------|------|--------------|--------------|
| glyphosate, isopropylamine salt | Grape, wine | 160.19 | 7 | 113.0 | A |
| glyphosate, isopropylamine salt | Industrial site | 90.37 | N/A | 74.5 | A |
| glyphosate, isopropylamine salt | Landscape maintenance | 3.36 | 2 | 80.0 | U |
| glyphosate, isopropylamine salt | Landscape maintenance | 6,452.52 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Lettuce, head | 36.93 | 1 | 30.8 | A |
| glyphosate, isopropylamine salt | Lettuce, leaf | 81.53 | 2 | 34.0 | A |
| glyphosate, isopropylamine salt | N-grnhs flower | 46.54 | 19 | 16.85 | A |
| glyphosate, isopropylamine salt | N-grnhs flower | 15.95 | 1 | 60,000.0 | S |
| glyphosate, isopropylamine salt | N-grnhs plants in containers | 17.95 | 10 | 11.25 | A |
| glyphosate, isopropylamine salt | N-grnhs transplants | 40.87 | N/A | 99.0 | A |
| glyphosate, isopropylamine salt | N-outdr flower | 41.68 | 28 | 8.95 | A |
| glyphosate, isopropylamine salt | N-outdr flower | 0.06 | 1 | 2,400.0 | S |
| glyphosate, isopropylamine salt | N-outdr plants in containers | 620.3 | 113 | 418.5 | A |
| glyphosate, isopropylamine salt | Nectarine | 11.3 | 5 | 7.0 | A |
| glyphosate, isopropylamine salt | Peach | 10.33 | 7 | 10.5 | A |
| glyphosate, isopropylamine salt | Pepper, fruiting | 904.39 | 19 | 535.7 | A |
| glyphosate, isopropylamine salt | Plum | 8.86 | 6 | 9.75 | A |
| glyphosate, isopropylamine salt | Rights of way | 2.97 | 1 | 1.5 | A |
| glyphosate, isopropylamine salt | Rights of way | 7,903.36 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Structural pest control | 0.21 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Tomato | 1,205.92 | 23 | 666.3 | A |
| glyphosate, isopropylamine salt | Tomato, processing | 62.95 | 2 | 41.0 | A |
| glyphosate, isopropylamine salt | Uncultivated ag | 1,967.58 | 54 | 739.3 | A |
| glyphosate, isopropylamine salt | Uncultivated ag | 0.58 | 1 | 12,000.0 | S |
| glyphosate, isopropylamine salt | Walnut | 511.56 | 4 | 256.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| glyphosate, isopropylamine salt | Watermelon | 45.0 | 2 | 30.0 | A |
| glyphosate, monoammonium salt | Landscape maintenance | 388.01 | N/A | N/A | N/A |
| glyphosate, monoammonium salt | Rights of way | 55.28 | N/A | N/A | N/A |
| glyphosate, potassium salt | Apricot | 3.19 | 2 | 2.4 | A |
| glyphosate, potassium salt | Bok choy | 6.03 | 3 | 3.0 | A |
| glyphosate, potassium salt | Cherry | 650.42 | 7 | 456.0 | A |
| glyphosate, potassium salt | Garlic | 42.75 | 1 | 31.0 | A |
| glyphosate, potassium salt | Golf course turf | 5.52 | N/A | 1.5 | A |
| glyphosate, potassium salt | Grape, wine | 26.03 | 2 | 18.75 | A |
| glyphosate, potassium salt | Landscape maintenance | 126.19 | 12 | 9.84 | A |
| glyphosate, potassium salt | Landscape maintenance | 3,533.51 | N/A | N/A | N/A |
| glyphosate, potassium salt | N-grnhs flower | 9.66 | 2 | 30,060.0 | S |
| glyphosate, potassium salt | N-outdr flower | 5.0 | 2 | 2.08 | A |
| glyphosate, potassium salt | N-outdr plants in containers | 1.72 | 3 | 30.0 | A |
| glyphosate, potassium salt | Peas | 34.48 | 7 | 13.5 | A |
| glyphosate, potassium salt | Pepper, fruiting | 63.44 | 1 | 46.0 | A |
| glyphosate, potassium salt | Rights of way | 1,857.59 | N/A | N/A | N/A |
| glyphosate, potassium salt | Tomato | 54.07 | 1 | 20.0 | A |
| glyphosate, potassium salt | Uncultivated ag | 1,069.83 | 20 | 294.6 | A |
| glyphosate, potassium salt | Uncultivated non-ag | 4.14 | 1 | 1.0 | A |
| glyphosate, potassium salt | Vegetable | 1.9 | N/A | 2.0 | A |
| glyphosate, potassium salt | Vertebrate control | 2.93 | N/A | N/A | N/A |
| glyphosate, potassium salt | Walnut | 105.37 | 4 | 38.18 | A |
| gs-omega/kappa-hctx-hv1a (versitude peptide) | Cabbage | 0.13 | 1 | 3.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-----------------------|----------------|------|--------------|--------------|
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Cauliflower | 0.17 | 2 | 4.0 | A |
| halosulfuron-methyl | Golf course turf | 0.05 | N/A | 1.0 | A |
| halosulfuron-methyl | Landscape maintenance | 4.31 | N/A | N/A | N/A |
| halosulfuron-methyl | Tomato, processing | 2.35 | 1 | 50.0 | A |
| heptamethyltrisiloxane ethoxylated | Bean, dried | 13.1 | 5 | 185.0 | A |
| heptamethyltrisiloxane ethoxylated | Bean, succulent | 7.56 | 4 | 95.75 | A |
| heptamethyltrisiloxane ethoxylated | Cherry | 4.24 | 2 | 43.0 | A |
| heptamethyltrisiloxane ethoxylated | Onion, dry | 10.67 | 6 | 81.0 | A |
| heptamethyltrisiloxane ethoxylated | Pepper, fruiting | 120.73 | 75 | 1,434.72 | A |
| heptamethyltrisiloxane ethoxylated | Pumpkin | 13.35 | 8 | 135.0 | A |
| heptamethyltrisiloxane ethoxylated | Squash | 1.55 | 2 | 17.5 | A |
| heptamethyltrisiloxane ethoxylated | Tomato | 241.91 | 98 | 3,015.34 | A |
| heptamethyltrisiloxane ethoxylated | Tomato, processing | 36.07 | 17 | 390.0 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Broccoli | 20.75 | 17 | 217.0 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Cabbage | 34.4 | 63 | 435.9 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Cauliflower | 4.47 | 5 | 22.82 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Celery | 6.96 | 10 | 42.32 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Lettuce, leaf | 7.24 | 6 | 42.45 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Rights of way | 2.02 | N/A | N/A | N/A |
| heptyl butyrate | Landscape maintenance | 0.07 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| heptyl butyrate | Structural pest control | 0.17 | N/A | N/A | N/A |
| hexylene glycol | Rights of way | 213.79 | N/A | N/A | N/A |
| hexythiazox | Bean, dried | 3.07 | 1 | 18.0 | A |
| hexythiazox | Corn, human consumption | 33.67 | 18 | 267.0 | A |
| hexythiazox | Landscape maintenance | 0.59 | N/A | N/A | N/A |
| hexythiazox | N-grnhs flower | 0.16 | 7 | 60,720.0 | S |
| hydramethylnon | Structural pest control | 0.72 | N/A | N/A | N/A |
| hydrogen chloride | Landscape maintenance | 456.09 | N/A | N/A | N/A |
| hydrogen peroxide | Cannabis (all or unspecified) | 0.55 | 2 | 1,750.0 | S |
| hydrogen peroxide | Cauliflower | 1.56 | 2 | 2.5 | A |
| hydrogen peroxide | Cherry | 63.69 | 3 | 58.0 | A |
| hydrogen peroxide | Ditch bank | 43.74 | N/A | 1.0 | U |
| hydrogen peroxide | Garlic | 219.12 | 6 | 88.0 | A |
| hydrogen peroxide | Grape, wine | 251.25 | 21 | 351.95 | A |
| hydrogen peroxide | Kale | 0.64 | 2 | 1.51 | A |
| hydrogen peroxide | Landscape maintenance | 12.37 | N/A | N/A | N/A |
| hydrogen peroxide | N-grnhs flower | 83.26 | 5 | 14.0 | A |
| hydrogen peroxide | N-grnhs flower | 0.09 | 13 | 10,064.0 | S |
| hydrogen peroxide | N-grnhs flower | 4.98 | 1 | 14.0 | U |
| hydrogen peroxide | N-grnhs plants in containers | 95.24 | 38 | 24.6 | A |
| hydrogen peroxide | N-outdr flower | 34.99 | 6 | 10.0 | A |
| hydrogen peroxide | N-outdr transplants | 2.49 | 2 | 0.64 | A |
| hydrogen peroxide | Onion, dry | 1.12 | 1 | 0.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|-----------------------|-------------|---------------------|---------------------|
| hydrogen peroxide | Pepper, fruiting | 11.13 | 1 | 18.0 | A |
| hydrogen peroxide | Regulatory pest control | 0.01 | 1 | 1.0 | U |
| hydrogen peroxide | Research commodity | 1.64 | 5 | 0.3 | A |
| hydrogen peroxide | Structural pest control | 10.98 | N/A | N/A | N/A |
| hydrogen peroxide | Uncultivated ag | 0.01 | 1 | 5.0 | S |
| hydrogen peroxide | Water (industrial) | 211.65 | N/A | 10.0 | A |
| hydroprene | Regulatory pest control | 1.2 | N/A | N/A | N/A |
| hydroprene | Structural pest control | 48.19 | N/A | N/A | N/A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Cabbage | 52.86 | 42 | 343.0 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Chinese cabbage (napa, won bok, celery cabbage) | 0.83 | 2 | 18.0 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Grape, wine | 220.26 | 79 | 1,298.85 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Kale | 0.6 | 1 | 1.0 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Lettuce, leaf | 16.86 | 29 | 367.3 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Onion, dry | 0.32 | 1 | 0.8 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Pepper, fruiting | 1.74 | 2 | 38.0 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Rights of way | <0.01 | N/A | N/A | N/A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Sunflower | 14.31 | 5 | 86.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|---|----------------|------|--------------|--------------|
| iba | N-grnhs flower | 0.28 | 69 | 144,020.0 | U |
| iba | N-grnhs transplants | 1.03 | 78 | 234,300.0 | S |
| iba | N-outdr flower | 0.02 | 10 | 31,548.0 | S |
| imazamox, ammonium salt | Landscape maintenance | 5.62 | N/A | N/A | N/A |
| imazamox, ammonium salt | Rights of way | 78.78 | N/A | N/A | N/A |
| imazapyr, isopropylamine salt | Landscape maintenance | 3.31 | N/A | N/A | N/A |
| imazapyr, isopropylamine salt | Regulatory pest control | 0.68 | N/A | N/A | N/A |
| imazapyr, isopropylamine salt | Rights of way | 27.86 | N/A | N/A | N/A |
| imazapyr, isopropylamine salt | Water area | 4.38 | N/A | 0.46 | A |
| imazapyr, isopropylamine salt | Water area | 0.38 | N/A | 3,884.0 | S |
| imidacloprid | Apple | 4.94 | 2 | 101.3 | A |
| imidacloprid | Bean, succulent | 1.09 | 9 | 24.85 | A |
| imidacloprid | Bean, unspecified | 11.97 | 64 | 270.79 | A |
| imidacloprid | Broccoli | 12.79 | 24 | 274.35 | A |
| imidacloprid | Cabbage | 1.11 | 9 | 23.0 | A |
| imidacloprid | Cauliflower | 3.75 | 12 | 64.2 | A |
| imidacloprid | Cherry | 45.15 | 6 | 461.0 | A |
| imidacloprid | Chinese cabbage (napa, won bok, celery cabbage) | 3.65 | 10 | 62.2 | A |
| imidacloprid | Cucumber | 1.89 | 10 | 25.0 | A |
| imidacloprid | Gai choy | 0.03 | 1 | 8,000.0 | S |
| imidacloprid | Garlic | 21.63 | 2 | 44.0 | A |
| imidacloprid | Golf course turf | 19.68 | N/A | 53.0 | A |
| imidacloprid | Grape, wine | 1.78 | 8 | 35.41 | A |
| imidacloprid | Landscape maintenance | 522.25 | N/A | N/A | N/A |
| imidacloprid | Lettuce, head | 29.22 | 40 | 449.47 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| imidacloprid | Lettuce, leaf | 52.57 | 112 | 992.08 | A |
| imidacloprid | N-grnhs flower | 0.25 | 6 | 33,700.0 | S |
| imidacloprid | N-grnhs flower | 8.35 | 3 | 42.0 | U |
| imidacloprid | N-grnhs plants in containers | 7.89 | 1 | 1.29 | A |
| imidacloprid | N-grnhs plants in containers | 0.64 | 16 | 3,473.0 | U |
| imidacloprid | N-grnhs transplants | 21.13 | N/A | 64.0 | A |
| imidacloprid | N-outdr flower | 0.02 | 1 | 0.5 | A |
| imidacloprid | N-outdr flower | 0.54 | 12 | 103,200.0 | S |
| imidacloprid | N-outdr plants in containers | 4.42 | 13 | 26.0 | A |
| imidacloprid | N-outdr plants in containers | 0.37 | 3 | 3,600.0 | S |
| imidacloprid | N-outdr transplants | 0.19 | 3 | 943.0 | U |
| imidacloprid | Peas | 0.27 | 2 | 6.4 | A |
| imidacloprid | Pepper, fruiting | 61.03 | 42 | 755.8 | A |
| imidacloprid | Public health | 37.44 | N/A | N/A | N/A |
| imidacloprid | Pumpkin | 1.42 | 1 | 4.6 | A |
| imidacloprid | Regulatory pest control | 0.02 | N/A | N/A | N/A |
| imidacloprid | Research commodity | 0.15 | 4 | 0.24 | A |
| imidacloprid | Research commodity | <0.01 | N/A | N/A | N/A |
| imidacloprid | Rights of way | 6.75 | N/A | N/A | N/A |
| imidacloprid | Spinach | 21.26 | 65 | 448.42 | A |
| imidacloprid | Squash | 1.9 | 1 | 5.0 | A |
| imidacloprid | Squash, summer | 17.4 | 2 | 46.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|------|--------------|--------------|
| imidacloprid | Structural pest control | 666.68 | N/A | N/A | N/A |
| imidacloprid | Tomato | 62.64 | 13 | 475.5 | A |
| imidacloprid | Tomato, processing | 7.44 | 4 | 118.0 | A |
| imidacloprid | Vegetable | 0.36 | 1 | 1.5 | A |
| imidacloprid | Vertebrate control | <0.01 | N/A | N/A | N/A |
| imidacloprid | Yam | 0.72 | 14 | 200,000.0 | S |
| indaziflam | Apricot | 0.04 | 1 | 1.2 | A |
| indaziflam | Cherry | 1.53 | 6 | 53.0 | A |
| indaziflam | Grape, wine | 0.6 | 4 | 23.0 | A |
| indaziflam | Industrial site | 4.24 | N/A | 46.9 | A |
| indaziflam | Landscape maintenance | 10.01 | N/A | N/A | N/A |
| indaziflam | N-grnhs plants in containers | 1.12 | 4 | 4.8 | A |
| indaziflam | N-grnhs transplants | 0.09 | N/A | 2.0 | A |
| indaziflam | N-grnhs transplants | 0.09 | 5 | 41,400.0 | S |
| indaziflam | Nectarine | 0.01 | 1 | 2.0 | A |
| indaziflam | Peach | 0.02 | 1 | 3.0 | A |
| indaziflam | Plum | 0.04 | 2 | 3.5 | A |
| indaziflam | Rights of way | 138.33 | N/A | N/A | N/A |
| indaziflam | Uncultivated ag | 0.47 | 1 | 9.0 | A |
| indoxacarb | Broccoli | 14.78 | 25 | 225.13 | A |
| indoxacarb | Cabbage | 13.98 | 33 | 222.04 | A |
| indoxacarb | Cauliflower | 3.08 | 2 | 47.0 | A |
| indoxacarb | Landscape maintenance | 8.81 | N/A | N/A | N/A |
| indoxacarb | Lettuce, head | 8.49 | 7 | 112.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| indoxacarb | Pepper, fruiting | 5.71 | 4 | 87.0 | A |
| indoxacarb | Regulatory pest control | 0.1 | N/A | N/A | N/A |
| indoxacarb | Structural pest control | 63.38 | N/A | N/A | N/A |
| indoxacarb | Tomato | 20.81 | 10 | 317.0 | A |
| iprodione | Apricot | 9.98 | 4 | 76.2 | A |
| iprodione | Cherry | 1,209.49 | 51 | 1,318.0 | A |
| iprodione | Golf course turf | 9.99 | N/A | 3.5 | A |
| iprodione | Landscape maintenance | 380.98 | N/A | N/A | N/A |
| iprodione | N-grnhs plants in containers | 8.31 | 7 | 2.78 | A |
| iprodione | N-grnhs transplants | 29.27 | 39 | 1,180,504.5 | S |
| iprodione | N-outdr flower | 10.69 | 25 | 22.75 | A |
| iprodione | N-outdr flower | 0.16 | 15 | 62,612.0 | S |
| iprodione | Sod farm (turf) | 2.25 | 2 | 3.0 | A |
| iron hedta | Landscape maintenance | 92.22 | N/A | N/A | N/A |
| iron phosphate | Landscape maintenance | 21.5 | N/A | N/A | N/A |
| iron phosphate | N-outdr plants in containers | 1.82 | 3 | 13.0 | A |
| iron phosphate | Structural pest control | 1.67 | N/A | N/A | N/A |
| isofetamid | N-grnhs transplants | 1.16 | 6 | 118,000.0 | S |
| alpha-isooctadecyl-omega-hydroxypoly(oxyethylene) | Public health | 0.03 | N/A | N/A | N/A |
| isopropyl alcohol | Apple | 9.12 | 2 | 101.3 | A |
| isopropyl alcohol | Apricot | 0.17 | 1 | 0.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| isopropyl alcohol | Bean, unspecified | 0.9 | 6 | 16.0 | A |
| isopropyl alcohol | Cherry | 339.78 | 30 | 710.5 | A |
| isopropyl alcohol | Grape, wine | 84.0 | 58 | 1,101.35 | A |
| isopropyl alcohol | Landscape maintenance | 11.31 | N/A | N/A | N/A |
| isopropyl alcohol | Lettuce, head | 8.41 | 14 | 182.18 | A |
| isopropyl alcohol | Lettuce, leaf | 13.32 | 32 | 279.73 | A |
| isopropyl alcohol | N-outdr plants in containers | 0.2 | 6 | 19.5 | A |
| isopropyl alcohol | Research commodity | <0.01 | 3 | 0.25 | A |
| isopropyl alcohol | Rights of way | 25.39 | N/A | N/A | N/A |
| isopropyl alcohol | Structural pest control | 126.72 | N/A | N/A | N/A |
| isoxaben | Industrial site | 1.13 | N/A | 12.0 | A |
| isoxaben | Landscape maintenance | 82.11 | N/A | N/A | N/A |
| isoxaben | N-grnhs flower | 0.06 | 7 | 2,955.0 | U |
| isoxaben | N-outdr plants in containers | 1.3 | 2 | 1.35 | A |
| isoxaben | Rights of way | 891.49 | N/A | N/A | N/A |
| isoxaben | Structural pest control | 0.14 | N/A | N/A | N/A |
| kaolin | Grape, wine | 1,580.8 | 19 | 99.7 | A |
| kaolin | Pepper, fruiting | 95.0 | 1 | 4.0 | A |
| kasugamycin hydrochloride | Apple | 9.8 | 2 | 101.3 | A |
| (s)-kinoprene | N-grnhs flower | 0.2 | 1 | 1.0 | A |
| (s)-kinoprene | N-grnhs flower | 1.15 | 8 | 90,708.0 | S |
| (s)-kinoprene | N-grnhs transplants | 1.93 | 4 | 190,000.0 | S |
| (s)-kinoprene | N-outdr flower | 0.14 | 2 | 12,088.0 | S |
| kresoxim-methyl | Apple | 15.94 | 1 | 85.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|---|----------------|------|--------------|--------------|
| kresoxim-methyl | Grape, wine | 0.5 | 1 | 6.36 | A |
| lambda-cyhalothrin | Apple | 0.84 | 1 | 20.0 | A |
| lambda-cyhalothrin | Apricot | 0.2 | 3 | 6.0 | A |
| lambda-cyhalothrin | Bean, succulent | 1.01 | 12 | 32.55 | A |
| lambda-cyhalothrin | Bean, unspecified | 6.24 | 63 | 202.55 | A |
| lambda-cyhalothrin | Broccoli | 12.09 | 32 | 391.37 | A |
| lambda-cyhalothrin | Cabbage | 9.51 | 45 | 304.0 | A |
| lambda-cyhalothrin | Cauliflower | 0.28 | 6 | 9.0 | A |
| lambda-cyhalothrin | Cherry | 64.27 | 57 | 1,540.75 | A |
| lambda-cyhalothrin | Chinese cabbage (napa, won bok, celery cabbage) | 9.58 | 42 | 324.7 | A |
| lambda-cyhalothrin | Corn, human consumption | 6.57 | 34 | 219.25 | A |
| lambda-cyhalothrin | Garlic | 1.32 | 2 | 44.0 | A |
| lambda-cyhalothrin | Landscape maintenance | 4.06 | N/A | N/A | N/A |
| lambda-cyhalothrin | Lettuce, head | 24.74 | 70 | 811.37 | A |
| lambda-cyhalothrin | Lettuce, leaf | 50.65 | 163 | 1,624.6 | A |
| lambda-cyhalothrin | N-outdr plants in containers | 0.21 | 6 | 9.38 | A |
| lambda-cyhalothrin | N-outdr transplants | 0.03 | 1 | 60.0 | A |
| lambda-cyhalothrin | Nectarine | 0.19 | 5 | 8.0 | A |
| lambda-cyhalothrin | Onion, dry | 3.31 | 8 | 106.0 | A |
| lambda-cyhalothrin | Peach | 0.3 | 5 | 10.0 | A |
| lambda-cyhalothrin | Pepper, fruiting | 59.27 | 92 | 1,921.15 | A |
| lambda-cyhalothrin | Plum | 0.11 | 2 | 3.25 | A |
| lambda-cyhalothrin | Pumpkin | 1.35 | 4 | 45.0 | A |
| lambda-cyhalothrin | Regulatory pest control | <0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|------------------------------|----------------|------|--------------|--------------|
| lambda-cyhalothrin | Structural pest control | 114.69 | N/A | N/A | N/A |
| lambda-cyhalothrin | Sunflower | 0.99 | 4 | 31.3 | A |
| lambda-cyhalothrin | Tomato | 43.69 | 45 | 1,441.2 | A |
| lambda-cyhalothrin | Tomato, processing | 3.51 | 4 | 118.0 | A |
| lavandulyl senecioate | Grape, wine | 0.18 | 6 | 14.4 | A |
| lecithin | Bean, unspecified | 9.77 | 6 | 88.5 | A |
| lecithin | Broccoli | 103.12 | 17 | 223.0 | A |
| lecithin | Cabbage | 241.36 | 82 | 562.7 | A |
| lecithin | Carrot | 16.76 | 4 | 120.6 | A |
| lecithin | Cauliflower | 6.11 | 3 | 63.95 | A |
| lecithin | Celery | 303.19 | 70 | 672.0 | A |
| lecithin | Cherry | 520.62 | 41 | 1,899.22 | A |
| lecithin | Corn, human consumption | 218.17 | 110 | 1,557.4 | A |
| lecithin | Industrial site | 57.53 | N/A | 121.4 | A |
| lecithin | Landscape maintenance | 3.75 | N/A | N/A | N/A |
| lecithin | Lettuce, head | 220.47 | 50 | 554.3 | A |
| lecithin | Lettuce, leaf | 547.79 | 170 | 1,452.05 | A |
| lecithin | N-outdr plants in containers | 27.69 | 98 | 235.7 | A |
| lecithin | Parsley | 27.02 | 20 | 118.0 | A |
| lecithin | Pepper, fruiting | 48.4 | 8 | 126.7 | A |
| lecithin | Regulatory pest control | 0.37 | N/A | N/A | N/A |
| lecithin | Rights of way | 26.55 | N/A | N/A | N/A |
| lecithin | Sunflower | 9.57 | 2 | 17.0 | A |
| lecithin | Tomato | 77.97 | 23 | 674.4 | A |
| lecithin | Tomato, processing | 19.82 | 2 | 41.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|-------------------------|----------------|------|--------------|--------------|
| lecithin | Triticale | 1.52 | 4 | 17.25 | A |
| lecithin | Uncultivated ag | 206.42 | 51 | 654.1 | A |
| lecithin | Walnut | 56.78 | 4 | 256.0 | A |
| lecithin | Watermelon | 4.23 | 2 | 30.0 | A |
| lignin sulfonic acid, copper salt | Landscape maintenance | 0.32 | N/A | N/A | N/A |
| lime-sulfur | Apricot | 1.54 | 1 | 780.0 | S |
| lime-sulfur | Blueberry | 0.77 | 1 | 1,500.0 | S |
| lime-sulfur | Cherry | 0.05 | 1 | 100.0 | S |
| lime-sulfur | Grape | 69.28 | 1 | 8.0 | A |
| lime-sulfur | Grape, wine | 363.5 | 14 | 49.92 | A |
| lime-sulfur | Nectarine | 3.08 | 2 | 2,280.0 | S |
| lime-sulfur | Peach | 3.85 | 2 | 3,012.0 | S |
| lime-sulfur | Raspberry | 0.77 | 1 | 2,000.0 | S |
| limonene | Landscape maintenance | 132.14 | N/A | N/A | N/A |
| limonene | Rights of way | 17.85 | N/A | N/A | N/A |
| limonene | Structural pest control | 1,347.65 | N/A | N/A | N/A |
| linuron | Carrot | 68.33 | 3 | 91.1 | A |
| linuron | Celery | 1.38 | 4 | 56,000.0 | S |
| low molecular weight paraffinic oil | Cherry | 1.26 | 1 | 20.0 | A |
| low molecular weight paraffinic oil | Rights of way | <0.01 | N/A | N/A | N/A |
| low molecular weight paraffinic oil | Sunflower | 1.93 | 5 | 86.4 | A |
| magnesium phosphide | Commodity fumigation | 0.65 | N/A | N/A | N/A |
| magnesium phosphide | Melon | 0.16 | N/A | 2,390.0 | C |
| malathion | Bok choy | 9.99 | 14 | 20.5 | A |
| malathion | Bok choy | 1.53 | 4 | 48,000.0 | S |
| malathion | Celery | 1.02 | 4 | 4.5 | A |
| malathion | Cherry | 428.2 | 5 | 245.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|-----------------------|-------------|---------------------|---------------------|
| malathion | Chinese cabbage (napa, won bok, celery cabbage) | 1.34 | 4 | 42,000.0 | S |
| malathion | Chinese greens | 1.15 | 1 | 10,000.0 | S |
| malathion | Chive | 2.43 | 3 | 1.5 | A |
| malathion | Gai choy | 6.9 | 10 | 10.25 | A |
| malathion | Gai choy | 1.47 | 4 | 46,000.0 | S |
| malathion | Gai lon | 0.51 | 1 | 16,000.0 | S |
| malathion | Landscape maintenance | 7.53 | N/A | N/A | N/A |
| malathion | Mint | 44.98 | 21 | 40.0 | A |
| malathion | Mustard greens | 2.04 | 2 | 3.0 | A |
| malathion | N-grnhs flower | 0.21 | 2 | 6,900.0 | S |
| malathion | N-grnhs plants in containers | 20.67 | 27 | 10.04 | A |
| malathion | N-outdr transplants | 0.26 | 1 | 0.16 | A |
| malathion | Peas | 0.41 | 2 | 0.4 | A |
| malathion | Watercress | 18.4 | 7 | 14.0 | A |
| mancozeb | Garlic | 23.97 | 1 | 10.0 | A |
| mancozeb | Golf course turf | 184.32 | N/A | 20.0 | A |
| mancozeb | Landscape maintenance | 443.67 | N/A | N/A | N/A |
| mancozeb | Lettuce, head | 935.03 | 57 | 597.74 | A |
| mancozeb | Lettuce, leaf | 1,564.34 | 108 | 1,008.47 | A |
| mancozeb | N-grnhs plants in containers | 2.55 | 4 | 3.16 | A |
| mancozeb | N-grnhs transplants | 0.75 | 5 | 20,000.0 | S |
| mancozeb | N-outdr plants in containers | 2.6 | 6 | 11.0 | A |
| mancozeb | Tomato | 389.25 | 7 | 259.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| mandipropamid | Broccoli | 4.48 | 2 | 50.0 | A |
| mandipropamid | Cucumber | 3.25 | 1 | 25.0 | A |
| mandipropamid | Lettuce, head | 28.75 | 24 | 245.37 | A |
| mandipropamid | Lettuce, leaf | 123.42 | 119 | 1,050.53 | A |
| mandipropamid | N-grnhs flower | 0.13 | 1 | 1.0 | A |
| mandipropamid | N-grnhs plants in containers | 6.19 | 68 | 42.39 | A |
| mandipropamid | N-grnhs transplants | 3.74 | 77 | 1,113,800.0 | S |
| mandipropamid | N-outdr transplants | 0.49 | 6 | 3.21 | A |
| mandipropamid | Onion, dry | 3.52 | 2 | 27.0 | A |
| mandipropamid | Pepper, fruiting | 13.17 | 3 | 101.0 | A |
| mandipropamid | Research commodity | 0.02 | 1 | 0.1 | A |
| mandipropamid | Spinach | 49.36 | 61 | 456.45 | A |
| mandipropamid | Squash | 1.56 | 1 | 12.0 | A |
| margosa oil | Broccoli | 32.03 | 9 | 13.0 | A |
| margosa oil | Cauliflower | 13.3 | 6 | 6.0 | A |
| margosa oil | Structural pest control | 0.08 | N/A | N/A | N/A |
| mcpa, dimethylamine salt | Barley | 10.47 | 2 | 23.0 | A |
| mcpa, dimethylamine salt | Forage hay/silage | 9.71 | 2 | 16.0 | A |
| mcpa, dimethylamine salt | Landscape maintenance | 90.84 | N/A | N/A | N/A |
| mcpa, dimethylamine salt | Oat | 248.21 | 37 | 553.0 | A |
| mcpa, dimethylamine salt | Triticale | 6.26 | 4 | 13.75 | A |
| mcpa, dimethylamine salt | Wheat | 22.76 | 2 | 50.0 | A |
| mcpa, dimethylamine salt | Wheat (forage - fodder) | 5.46 | 1 | 12.0 | A |
| mcpp | Landscape maintenance | <0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| mcpp-p, dimethylamine salt | Golf course turf | 1.65 | N/A | 4.5 | A |
| mcpp-p, dimethylamine salt | Landscape maintenance | 27.45 | N/A | N/A | N/A |
| mecoprop-p | Golf course turf | 11.43 | 2 | 115.97 | A |
| mecoprop-p | Landscape maintenance | 61.95 | N/A | N/A | N/A |
| mecoprop-p | N-grnhs flower | 0.4 | N/A | 85.0 | A |
| mecoprop-p | N-grnhs transplants | 0.48 | N/A | 30.0 | A |
| mecoprop-p | Sod farm (turf) | 2.86 | 1 | 12.0 | A |
| mecoprop-p | Structural pest control | 0.02 | N/A | N/A | N/A |
| mefenoxam | Herb, spice | 0.06 | 1 | 10,000.0 | S |
| mefenoxam | Landscape maintenance | 18.77 | N/A | N/A | N/A |
| mefenoxam | N-grnhs flower | 0.08 | 4 | 2.5 | A |
| mefenoxam | N-grnhs flower | 0.1 | 7 | 43,820.0 | S |
| mefenoxam | N-grnhs flower | 0.7 | 8 | 4,762.0 | U |
| mefenoxam | N-grnhs plants in containers | 11.0 | 38 | 8.7 | A |
| mefenoxam | N-grnhs transplants | 67.04 | 127 | 779,955.0 | S |
| mefenoxam | N-outdr flower | 0.63 | 22 | 20.3 | A |
| mefenoxam | N-outdr flower | 0.26 | 42 | 192,575.0 | S |
| mefenoxam | N-outdr plants in containers | 0.46 | 4 | 1.45 | A |
| mefenoxam | N-outdr transplants | 0.73 | 5 | 1.44 | A |
| mefenoxam | Onion, dry | 4.06 | 3 | 39.0 | A |
| mefenoxam | Pepper, fruiting | 8.02 | 1 | 16.0 | A |
| mefenoxam | Research commodity | 0.01 | 2 | 1,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|---------------------------------|----------------|------|--------------|--------------|
| mefenoxam | Spinach | 285.91 | 74 | 488.92 | A |
| mefenoxam | Tomato | 138.17 | 24 | 699.6 | A |
| mefenoxam | Tomato, processing | 19.38 | 7 | 186.0 | A |
| mefenoxam, other related | Landscape maintenance | 0.61 | N/A | N/A | N/A |
| mefenoxam, other related | N-grnhs flower | <0.01 | 4 | 2.5 | A |
| mefenoxam, other related | N-grnhs flower | <0.01 | 7 | 43,820.0 | S |
| mefenoxam, other related | N-grnhs flower | 0.02 | 8 | 4,762.0 | U |
| mefenoxam, other related | N-grnhs plants in containers | 0.3 | 26 | 6.3 | A |
| mefenoxam, other related | N-grnhs transplants | 2.2 | 127 | 779,955.0 | S |
| mefenoxam, other related | N-outdr flower | 0.01 | 7 | 8.8 | A |
| mefenoxam, other related | N-outdr flower | 0.01 | 42 | 192,575.0 | S |
| mefenoxam, other related | N-outdr plants in containers | 0.02 | 4 | 1.45 | A |
| mefenoxam, other related | Research commodity | <0.01 | 2 | 1,000.0 | S |
| mefluidide, diethanolamine salt | Landscape maintenance | 8.95 | N/A | N/A | N/A |
| mesotrione | Golf course turf | 2.44 | N/A | 20.0 | A |
| mesotrione | Landscape maintenance | 1.96 | N/A | N/A | N/A |
| mesotrione | Walnut | 14.28 | 2 | 76.0 | A |
| metalaxyl | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| metalaxyl | N-grnhs plants in containers | 2.76 | 4 | 1.5 | A |
| metalaxyl | N-grnhs transplants | 0.01 | 1 | 2,000.0 | S |
| metalddehyde | Bok choy | 0.88 | 1 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|---|----------------|------|--------------|--------------|
| metaldehyde | Bok choy | 4.02 | 3 | 32,000.0 | S |
| metaldehyde | Chinese cabbage (napa, won bok, celery cabbage) | 1.13 | 1 | 10,000.0 | S |
| metaldehyde | Chive | 0.53 | 1 | 1.0 | A |
| metaldehyde | Chrysanthemum, garland | 5.55 | 2 | 40,000.0 | S |
| metaldehyde | Gai choy | 0.88 | 1 | 1.0 | A |
| metaldehyde | Gai choy | 6.15 | 3 | 44,000.0 | S |
| metaldehyde | Landscape maintenance | 1.34 | N/A | N/A | N/A |
| metaldehyde | N-grnhs flower | 0.6 | 1 | 0.2 | A |
| metaldehyde | N-grnhs flower | 0.53 | 1 | 15,000.0 | S |
| metaldehyde | N-outdr flower | 2.5 | 3 | 5.85 | A |
| metaldehyde | N-outdr flower | 1.13 | 2 | 37,500.0 | S |
| metaldehyde | N-outdr plants in containers | 20.6 | 2 | 23.25 | A |
| metaldehyde | Structural pest control | 0.32 | N/A | N/A | N/A |
| metam-sodium | Rights of way | 12.72 | N/A | N/A | N/A |
| metconazole | Cherry | 3.44 | 5 | 31.75 | A |
| metconazole | Landscape maintenance | 21.0 | N/A | N/A | N/A |
| metconazole | Plum | 0.11 | 1 | 2.5 | A |
| methiocarb | N-grnhs flower | 0.15 | 1 | 52,036.0 | S |
| methiocarb | N-grnhs transplants | 0.33 | 1 | 10,000.0 | S |
| methiocarb | N-outdr plants in containers | 7.5 | 2 | 1.25 | A |
| methiocarb | N-outdr transplants | 18.0 | 2 | 120.0 | A |
| methomyl | Bean, succulent | 11.26 | 5 | 12.51 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|-----------------------|-------------|---------------------|---------------------|
| methomyl | Bean, unspecified | 112.24 | 33 | 124.71 | A |
| methomyl | Broccoli | 29.7 | 3 | 33.0 | A |
| methomyl | Cabbage | 9.87 | 2 | 19.94 | A |
| methomyl | Cauliflower | 49.93 | 4 | 78.95 | A |
| methomyl | Lettuce, head | 233.07 | 32 | 425.1 | A |
| methomyl | Lettuce, leaf | 157.68 | 25 | 309.1 | A |
| methomyl | Tomato | 197.81 | 14 | 422.2 | A |
| methoprene | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| methoprene | Mushroom soil | 15.6 | 15 | 84,450.0 | S |
| methoprene | Rights of way | 0.01 | 1 | 465.0 | A |
| methoprene | Structural pest control | 0.17 | N/A | N/A | N/A |
| s-methoprene | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| s-methoprene | Mushroom | 1.89 | 3 | 17,250.0 | S |
| s-methoprene | Mushroom house | 3.78 | 6 | 34,500.0 | S |
| s-methoprene | Mushroom soil | 1.26 | 2 | 11,500.0 | S |
| s-methoprene | Public health | 2.64 | N/A | N/A | N/A |
| s-methoprene | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| s-methoprene | Structural pest control | 9.82 | N/A | N/A | N/A |
| methoxyfenozide | Bean, dried | 2.64 | 1 | 15.0 | A |
| methoxyfenozide | Bean, unspecified | 1.33 | 1 | 4.75 | A |
| methoxyfenozide | Cabbage | 6.98 | 17 | 39.0 | A |
| methoxyfenozide | Cauliflower | 3.21 | 9 | 17.5 | A |
| methoxyfenozide | Celery | 2.96 | 1 | 16.8 | A |
| methoxyfenozide | Cherry | 31.2 | 1 | 221.0 | A |
| methoxyfenozide | Chinese cabbage (napa, won bok, celery cabbage) | 18.11 | 16 | 98.45 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------|---|----------------|------|--------------|--------------|
| methoxyfenozide | Corn, human consumption | 20.74 | 15 | 81.75 | A |
| methoxyfenozide | Garbanzo bean | 18.66 | 6 | 66.0 | A |
| methoxyfenozide | Lettuce, head | 6.21 | 3 | 44.0 | A |
| methoxyfenozide | Lettuce, leaf | 25.71 | 14 | 156.9 | A |
| methoxyfenozide | N-grnhs flower | <0.01 | 1 | 350.0 | U |
| methoxyfenozide | N-outdr plants in containers | 1.06 | 2 | 12.0 | A |
| methoxyfenozide | N-outdr transplants | 2.56 | 2 | 61.0 | A |
| methoxyfenozide | Pepper, fruiting | 68.2 | 26 | 442.8 | A |
| methoxyfenozide | Pumpkin | 0.48 | 1 | 3.25 | A |
| methoxyfenozide | Tomato | 31.63 | 8 | 248.6 | A |
| methoxyfenozide | Tomato, processing | 5.74 | 1 | 50.0 | A |
| methyl anthranilate | Structural pest control | 213.55 | N/A | N/A | N/A |
| methyl anthranilate | Sunflower | 59.8 | 15 | 199.4 | A |
| methylated soybean oil | Apple | 12.13 | 1 | 20.0 | A |
| methylated soybean oil | Apricot | 22.91 | 22 | 33.3 | A |
| methylated soybean oil | Bean, dried | 1.7 | 1 | 18.0 | A |
| methylated soybean oil | Bean, succulent | 1.15 | 1 | 4.0 | A |
| methylated soybean oil | Bean, unspecified | 1.15 | 1 | 3.0 | A |
| methylated soybean oil | Bok choy | 0.73 | 2 | 4.0 | A |
| methylated soybean oil | Broccoli | 64.25 | 19 | 268.6 | A |
| methylated soybean oil | Cabbage | 127.47 | 96 | 524.9 | A |
| methylated soybean oil | Cauliflower | 10.01 | 19 | 36.5 | A |
| methylated soybean oil | Celery | 146.94 | 66 | 639.2 | A |
| methylated soybean oil | Cherry | 1,766.65 | 173 | 2,849.75 | A |
| methylated soybean oil | Chinese cabbage (napa, won bok, celery cabbage) | 154.88 | 46 | 303.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| methylated soybean oil | Corn, human consumption | 156.15 | 125 | 571.25 | A |
| methylated soybean oil | Cucumber | 0.67 | 1 | 6.0 | A |
| methylated soybean oil | Garbanzo bean | 3.76 | 1 | 20.0 | A |
| methylated soybean oil | Garlic | 32.15 | 7 | 146.0 | A |
| methylated soybean oil | Grape, wine | 249.0 | 31 | 642.2 | A |
| methylated soybean oil | Industrial site | 28.77 | N/A | 121.4 | A |
| methylated soybean oil | Landscape maintenance | 81.0 | N/A | N/A | N/A |
| methylated soybean oil | Lettuce, head | 101.74 | 45 | 492.5 | A |
| methylated soybean oil | Lettuce, leaf | 250.58 | 157 | 1,287.05 | A |
| methylated soybean oil | N-outdr plants in containers | 2.03 | 15 | 38.0 | A |
| methylated soybean oil | Nectarine | 32.68 | 36 | 46.7 | A |
| methylated soybean oil | Parsley | 13.51 | 20 | 118.0 | A |
| methylated soybean oil | Peach | 33.28 | 35 | 58.3 | A |
| methylated soybean oil | Pepper, fruiting | 307.87 | 64 | 1,300.8 | A |
| methylated soybean oil | Plum | 23.6 | 21 | 38.5 | A |
| methylated soybean oil | Pumpkin | 63.89 | 12 | 139.15 | A |
| methylated soybean oil | Regulatory pest control | 0.18 | N/A | N/A | N/A |
| methylated soybean oil | Rights of way | 400.63 | N/A | N/A | N/A |
| methylated soybean oil | Sunflower | 36.79 | 5 | 86.4 | A |
| methylated soybean oil | Tomato | 47.95 | 5 | 175.5 | A |
| methylated soybean oil | Tomato, processing | 56.97 | 5 | 191.0 | A |
| methylated soybean oil | Uncultivated ag | 32.06 | 7 | 113.3 | A |
| methylated soybean oil | Uncultivated non-ag | 0.22 | 1 | 1.0 | A |
| methyl bromide | Cherry | 90.0 | N/A | 46,800.0 | C |
| methyl bromide | Strawberry | 141.5 | N/A | 46,800.0 | C |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| 2-methyl-1-butanol | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| 2-methyl-1-butanol | Structural pest control | 0.05 | N/A | N/A | N/A |
| methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate | Landscape maintenance | 2.91 | N/A | N/A | N/A |
| methylene chloride | Structural pest control | 0.55 | N/A | N/A | N/A |
| methyl eugenol | Rights of way | 26.78 | N/A | N/A | N/A |
| 2-methyl-4-isothiazolin-3-one | Industrial processing water | 1.25 | N/A | 16,924.0 | C |
| 2-methyl-4-isothiazolin-3-one | Water (industrial) | 41.21 | N/A | 25.0 | A |
| 2-methyl-4-isothiazolin-3-one | Water (industrial) | 187.25 | N/A | 2,895.0 | U |
| methyl silicone resins | Apple | 22.72 | 2 | 101.3 | A |
| methyl silicone resins | Grape, wine | 8.43 | 4 | 21.3 | A |
| methyl silicone resins | N-outdr plants in containers | 0.09 | 83 | 197.7 | A |
| methyl silicone resins | Rights of way | 0.12 | N/A | N/A | N/A |
| metofluthrin | Structural pest control | 0.35 | N/A | N/A | N/A |
| s-metolachlor | Bean, dried | 142.25 | 3 | 123.0 | A |
| s-metolachlor | Bean, succulent | 120.04 | 18 | 165.36 | A |
| s-metolachlor | Bean, unspecified | 239.26 | 56 | 199.72 | A |
| s-metolachlor | Garbanzo bean | 38.12 | 1 | 20.0 | A |
| s-metolachlor | Pepper, fruiting | 257.9 | 8 | 254.0 | A |
| s-metolachlor | Sunflower | 102.45 | 10 | 94.3 | A |
| s-metolachlor | Tomato | 423.18 | 11 | 365.5 | A |
| s-metolachlor | Tomato, processing | 62.97 | 2 | 66.0 | A |
| metrafenone | Grape, wine | 122.12 | 21 | 415.98 | A |
| metrafenone | Tomato | 31.92 | 4 | 106.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|-----------------------|-------------|---------------------|---------------------|
| metrafenone | Tomato, processing | 20.49 | 3 | 68.0 | A |
| mineral oil | Apple | 2,832.97 | 2 | 101.3 | A |
| mineral oil | Apricot | 781.2 | 16 | 69.8 | A |
| mineral oil | Apricot | 3.06 | 2 | 1,530.0 | S |
| mineral oil | Bean, dried | 15.15 | 3 | 70.5 | A |
| mineral oil | Bean, unspecified | 0.56 | 3 | 7.02 | A |
| mineral oil | Bok choy | 3.16 | 1 | 2.0 | A |
| mineral oil | Broccoli | 0.5 | 1 | 7.0 | A |
| mineral oil | Cabbage | 11.84 | 3 | 7.5 | A |
| mineral oil | Cauliflower | 0.35 | 1 | 4.88 | A |
| mineral oil | Celery | 83.54 | 12 | 102.0 | A |
| mineral oil | Cherry | 647.36 | 20 | 327.72 | A |
| mineral oil | Cherry | 0.05 | 1 | 100.0 | S |
| mineral oil | Chinese cabbage (napa, won bok, celery cabbage) | 3.16 | 1 | 2.0 | A |
| mineral oil | Corn, human consumption | 267.4 | 2 | 76.0 | A |
| mineral oil | Forage hay/silage | 15.86 | 6 | 82.0 | A |
| mineral oil | Garbanzo bean | 9.47 | 1 | 20.0 | A |
| mineral oil | Garlic | 22.07 | 3 | 72.0 | A |
| mineral oil | Golf course turf | 399.49 | N/A | 76.0 | A |
| mineral oil | Grape | 147.78 | 7 | 48.5 | A |
| mineral oil | Grape, wine | 6,490.56 | 156 | 911.84 | A |
| mineral oil | Landscape maintenance | 1,569.5 | N/A | N/A | N/A |
| mineral oil | Lettuce, head | 11.85 | 14 | 182.18 | A |
| mineral oil | Lettuce, leaf | 18.76 | 32 | 279.73 | A |
| mineral oil | N-grnhs plants in containers | 26.76 | 190 | 183.39 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| mineral oil | N-outdr plants in containers | 465.65 | 11 | 25.63 | A |
| mineral oil | N-outdr plants in containers | 22.27 | 63 | 310,300.0 | S |
| mineral oil | N-outdr transplants | 56.99 | 36 | 509.44 | A |
| mineral oil | Nectarine | 36.46 | 7 | 11.0 | A |
| mineral oil | Nectarine | 3.06 | 2 | 2,280.0 | S |
| mineral oil | Oat | 10.22 | 3 | 165.0 | A |
| mineral oil | Onion, dry | 11.33 | 3 | 47.0 | A |
| mineral oil | Peach | 92.74 | 12 | 17.8 | A |
| mineral oil | Peach | 4.58 | 2 | 3,012.0 | S |
| mineral oil | Pepper, fruiting | 133.66 | 10 | 282.05 | A |
| mineral oil | Plum | 47.43 | 9 | 15.25 | A |
| mineral oil | Pome fruit | 187.18 | N/A | 3.0 | A |
| mineral oil | Public health | 522.45 | N/A | N/A | N/A |
| mineral oil | Research commodity | 0.66 | 1 | 0.21 | A |
| mineral oil | Rights of way | 31.58 | N/A | N/A | N/A |
| mineral oil | Stone fruit | 640.36 | N/A | 17.3 | A |
| mineral oil | Structural pest control | 55.57 | N/A | N/A | N/A |
| mineral oil | Tomato | 78.73 | 3 | 107.5 | A |
| mineral oil | Tomato, processing | 13.58 | 1 | 43.0 | A |
| mineral oil | Uncultivated ag | 37.99 | 3 | 119.0 | A |
| mineral oil | Walnut | 327.48 | 5 | 193.0 | A |
| msma | Landscape maintenance | 10.9 | N/A | N/A | N/A |
| muscalure | Landscape maintenance | <0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| muscalure | Structural pest control | 0.02 | N/A | N/A | N/A |
| myclobutanil | Apricot | 0.8 | 4 | 7.2 | A |
| myclobutanil | Cherry | 48.48 | 29 | 462.0 | A |
| myclobutanil | Grape, wine | 16.5 | 22 | 197.0 | A |
| myclobutanil | Landscape maintenance | 20.36 | N/A | N/A | N/A |
| myclobutanil | N-grnhs plants in containers | 0.15 | 1 | 1.0 | A |
| myclobutanil | N-grnhs plants in containers | 0.01 | 4 | 7,823.15 | S |
| myclobutanil | N-grnhs transplants | 0.14 | 7 | 44,400.0 | S |
| myclobutanil | N-outdr flower | 0.42 | 8 | 4.0 | A |
| myclobutanil | N-outdr plants in containers | 0.26 | 2 | 1.75 | A |
| myclobutanil | Nectarine | 1.1 | 8 | 10.5 | A |
| myclobutanil | Peach | 1.45 | 10 | 15.5 | A |
| myclobutanil | Pepper, fruiting | 1.15 | 1 | 11.5 | A |
| myclobutanil | Tomato | 27.96 | 10 | 279.6 | A |
| naa | N-grnhs flower | 0.14 | 55 | 131,151.0 | U |
| naa | N-grnhs transplants | 0.01 | 20 | 4,300.0 | S |
| naa, ammonium salt | Landscape maintenance | 4.7 | N/A | N/A | N/A |
| naa, ammonium salt | Structural pest control | 0.8 | N/A | N/A | N/A |
| naa, potassium salt | Apple | 0.88 | 1 | 8.0 | A |
| naled | Pepper, fruiting | 23.2 | 2 | 23.0 | A |
| naphtha, heavy aromatic | Structural pest control | <0.01 | N/A | N/A | N/A |
| napropamide | Mint | 20.0 | 3 | 6.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| napropamide | N-outdr plants in containers | 0.05 | 1 | 0.5 | A |
| nicarbazin | Structural pest control | <0.01 | N/A | N/A | N/A |
| nonanoic acid | Landscape maintenance | 38.81 | N/A | N/A | N/A |
| nonanoic acid | N-grnhs transplants | 8.52 | 1 | 10,000.0 | S |
| nonanoic acid | Rights of way | 1.33 | N/A | N/A | N/A |
| nonanoic acid, other related | Landscape maintenance | 2.04 | N/A | N/A | N/A |
| nonanoic acid, other related | N-grnhs transplants | 0.45 | 1 | 10,000.0 | S |
| nonanoic acid, other related | Rights of way | 0.07 | N/A | N/A | N/A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Apricot | 0.9 | 3 | 105.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Apple | 107.85 | 3 | 121.3 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Apricot | 7.47 | 17 | 24.65 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bean, dried | 0.32 | 1 | 18.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bean, succulent | 0.22 | 1 | 4.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bean, unspecified | 5.08 | 13 | 107.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bok choy | 0.14 | 2 | 4.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Broccoli | 2.82 | 4 | 34.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cabbage | 14.13 | 51 | 216.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|----------------|------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cauliflower | 3.51 | 22 | 100.45 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Celery | 10.98 | 16 | 134.8 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cherry | 5,748.22 | 226 | 5,709.97 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Chinese cabbage (napa, won bok, celery cabbage) | 29.04 | 46 | 303.3 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Corn, human consumption | 94.3 | 238 | 2,208.65 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cucumber | 1.82 | 3 | 35.33 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Garbanzo bean | 0.7 | 1 | 20.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Garlic | 4.2 | 6 | 114.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grape, wine | 261.9 | 68 | 1,760.85 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 648.27 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Lettuce, head | 25.58 | 19 | 243.98 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 55.12 | 61 | 584.33 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Nectarine | 5.64 | 30 | 37.7 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Onion, dry | 6.64 | 2 | 29.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Peach | 5.69 | 27 | 44.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 56.76 | 81 | 1,541.45 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Plum | 3.94 | 13 | 25.25 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pumpkin | 3.82 | 9 | 82.15 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights of way | 160.15 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Structural pest control | 33.19 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Sunflower | 160.34 | 5 | 86.4 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Tomato | 20.96 | 17 | 580.1 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Tomato, processing | 8.82 | 3 | 150.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 47.88 | 42 | 405.2 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Walnut | 55.22 | 10 | 474.18 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Rights of way | 1.13 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Carrot | 6.06 | 1 | 29.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Celery | 1.2 | 12 | 102.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Cherry | 130.69 | 27 | 924.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Corn, human consumption | 10.93 | 6 | 193.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Lettuce, head | 4.77 | 1 | 30.8 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Lettuce, leaf | 6.97 | 2 | 34.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Oat | 2.94 | 2 | 41.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Pepper, fruiting | 36.19 | 10 | 261.7 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Rangeland | 3.42 | 1 | 50.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Sunflower | 2.91 | 2 | 17.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Tomato | 45.68 | 15 | 460.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Tomato, processing | 9.91 | 2 | 41.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Uncultivated ag | 138.36 | 46 | 470.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|-----------------------|-------------|---------------------|---------------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Walnut | 0.94 | 1 | 90.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Wheat | 3.42 | 1 | 40.0 | A |
| novaluron | Cabbage | 1.51 | 6 | 20.5 | A |
| novaluron | Cauliflower | 3.08 | 7 | 41.45 | A |
| novaluron | Chinese cabbage (napa, won bok, celery cabbage) | 2.8 | 6 | 35.7 | A |
| novaluron | Pepper, fruiting | 2.59 | 2 | 33.0 | A |
| novaluron | Structural pest control | 1.23 | N/A | N/A | N/A |
| novaluron | Tomato | 5.87 | 2 | 75.0 | A |
| noviflumuron | Structural pest control | 1.79 | N/A | N/A | N/A |
| n-octyl bicycloheptene dicarboximide | Cabbage | <0.01 | 1 | 9.97 | A |
| n-octyl bicycloheptene dicarboximide | Landscape maintenance | 0.09 | N/A | N/A | N/A |
| n-octyl bicycloheptene dicarboximide | Mushroom house | 0.02 | 6 | 34,500.0 | S |
| n-octyl bicycloheptene dicarboximide | Regulatory pest control | 0.08 | N/A | N/A | N/A |
| n-octyl bicycloheptene dicarboximide | Structural pest control | 50.7 | N/A | N/A | N/A |
| octyl decyl dimethyl ammonium chloride | Structural pest control | 7.84 | N/A | N/A | N/A |
| alpha-octylphenyl-omega-hydroxypoly(oxyethylene) | Cherry | 2,322.63 | 5 | 133.0 | A |
| alpha-octylphenyl-omega-hydroxypoly(oxyethylene) | N-grnhs transplants | 0.45 | 7 | 16,000.0 | S |
| oil of black pepper | Public health | <0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|-----------------------|-------------|---------------------|---------------------|
| oleic acid, ethyl ester | Broccoli | 78.82 | 21 | 437.4 | A |
| oleic acid, ethyl ester | Landscape maintenance | 52.73 | N/A | N/A | N/A |
| oleic acid, ethyl ester | Rights of way | 682.79 | N/A | N/A | N/A |
| oleic acid, ethyl ester | Sunflower | 22.18 | 10 | 161.3 | A |
| oleic acid, ethyl ester | Uncultivated non-ag | 1.49 | 1 | 1.0 | A |
| oleic acid, methyl ester | Cabbage | 208.68 | 42 | 343.0 | A |
| oleic acid, methyl ester | Carrot | 78.2 | 4 | 120.6 | A |
| oleic acid, methyl ester | Cherry | 355.27 | 7 | 318.0 | A |
| oleic acid, methyl ester | Chinese cabbage (napa, won bok, celery cabbage) | 3.26 | 2 | 18.0 | A |
| oleic acid, methyl ester | Lettuce, leaf | 197.95 | 35 | 467.3 | A |
| oleic acid, methyl ester | Pepper, fruiting | 69.89 | 7 | 98.4 | A |
| oleic acid, methyl ester | Rights of way | 0.02 | N/A | N/A | N/A |
| oleic acid, methyl ester | Sunflower | 44.67 | 2 | 17.0 | A |
| oleic acid, methyl ester | Tomato | 536.35 | 37 | 1,093.0 | A |
| oleic acid, methyl ester | Triticale | 7.08 | 4 | 17.25 | A |
| oleic acid, methyl ester | Uncultivated ag | 143.0 | 6 | 206.6 | A |
| oleic acid, methyl ester | Watermelon | 19.76 | 2 | 30.0 | A |
| organosilicone, poly oxyalkylene ether copolymer | Landscape maintenance | 41.11 | N/A | N/A | N/A |
| organosilicone, poly oxyalkylene ether copolymer | Rights of way | 6.28 | N/A | N/A | N/A |
| organosilicone, poly oxyalkylene ether copolymer | Structural pest control | 0.02 | N/A | N/A | N/A |
| oryzalin | Cherry | 485.74 | 4 | 173.22 | A |
| oryzalin | Grape, wine | 157.08 | 3 | 88.0 | A |
| oryzalin | Landscape maintenance | 177.86 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|----------------|------|--------------|--------------|
| oryzalin | N-grnhs transplants | 58.32 | 73 | 551,300.0 | S |
| oryzalin | Rights of way | 13.0 | N/A | N/A | N/A |
| oryzalin | Structural pest control | 0.1 | N/A | N/A | N/A |
| oxadiazon | Landscape maintenance | 7.2 | N/A | N/A | N/A |
| oxamyl | Pepper, fruiting | 263.02 | 18 | 419.0 | A |
| oxamyl | Tomato | 310.63 | 9 | 312.0 | A |
| oxathiapiprolin | Broccoli | 0.54 | 2 | 50.0 | A |
| oxathiapiprolin | Lettuce, head | 1.47 | 11 | 118.4 | A |
| oxathiapiprolin | Lettuce, leaf | 4.92 | 53 | 418.5 | A |
| oxathiapiprolin | N-grnhs flower | 0.02 | 1 | 0.5 | A |
| oxathiapiprolin | N-grnhs plants in containers | 1.2 | 5 | 0.72 | A |
| oxathiapiprolin | N-grnhs transplants | 2.99 | 49 | 726,400.0 | S |
| oxathiapiprolin | N-outdr flower | 0.04 | 2 | 1.0 | A |
| oxathiapiprolin | Onion, dry | 0.42 | 2 | 27.0 | A |
| oxathiapiprolin | Pepper, fruiting | 0.98 | 1 | 63.0 | A |
| oxathiapiprolin | Spinach | 3.68 | 39 | 313.4 | A |
| oxyfluorfen | Apricot | 5.19 | 8 | 11.3 | A |
| oxyfluorfen | Broccoli | 28.3 | 5 | 74.35 | A |
| oxyfluorfen | Cabbage | 50.86 | 20 | 134.3 | A |
| oxyfluorfen | Carrot | 13.54 | 1 | 27.0 | A |
| oxyfluorfen | Cauliflower | 20.18 | 3 | 60.0 | A |
| oxyfluorfen | Cherry | 441.29 | 31 | 851.72 | A |
| oxyfluorfen | Garlic | 47.08 | 4 | 123.0 | A |
| oxyfluorfen | Grape, wine | 51.16 | 3 | 100.0 | A |
| oxyfluorfen | N-grnhs flower | 0.97 | 17 | 45,470.0 | U |
| oxyfluorfen | Nectarine | 5.53 | 5 | 7.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|------|--------------|--------------|
| oxyfluorfen | Onion, dry | 7.27 | 3 | 46.0 | A |
| oxyfluorfen | Peach | 5.18 | 7 | 10.5 | A |
| oxyfluorfen | Pepper, fruiting | 177.4 | 14 | 388.06 | A |
| oxyfluorfen | Plum | 3.69 | 6 | 9.75 | A |
| oxyfluorfen | Pumpkin | 22.5 | 1 | 45.0 | A |
| oxyfluorfen | Rights of way | 58.77 | N/A | N/A | N/A |
| oxyfluorfen | Tomato | 62.6 | 7 | 190.8 | A |
| oxyfluorfen | Tomato, processing | 20.57 | 2 | 41.0 | A |
| oxyfluorfen | Uncultivated ag | 175.94 | 28 | 641.4 | A |
| oxyfluorfen | Walnut | 61.46 | 3 | 166.0 | A |
| oxytetracycline hydrochloride | Landscape maintenance | 1.41 | N/A | N/A | N/A |
| paclobutrazol | Golf course turf | 17.88 | N/A | 135.5 | A |
| paclobutrazol | Golf course turf | 0.1 | N/A | 278,000.0 | S |
| paclobutrazol | Landscape maintenance | 113.73 | N/A | N/A | N/A |
| paclobutrazol | N-grnhs flower | <0.01 | 1 | 1.5 | A |
| paclobutrazol | N-grnhs flower | <0.01 | 4 | 23,340.0 | S |
| paclobutrazol | N-grnhs flower | <0.01 | 1 | 3.0 | U |
| paclobutrazol | N-grnhs plants in containers | 2.31 | 61 | 27.43 | A |
| paclobutrazol | N-grnhs transplants | 11.01 | 865 | 1,933,400.0 | S |
| paclobutrazol | N-outdr flower | 0.03 | 60 | 455,430.0 | S |
| paclobutrazol | Rights of way | 0.18 | N/A | N/A | N/A |
| paecilomyces fumosoroseus apopka strain 97 | Cannabis (all or unspecified) | 5.04 | 60 | 93,143.0 | S |
| paecilomyces fumosoroseus apopka strain 97 | Cauliflower | 0.4 | 1 | 1.0 | A |
| paraffin wax | Landscape maintenance | 0.02 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| paraquat dichloride | Bean, unspecified | 22.36 | 6 | 16.0 | A |
| paraquat dichloride | Lettuce, leaf | 71.1 | 4 | 66.0 | A |
| paraquat dichloride | Pumpkin | 78.6 | 3 | 57.0 | A |
| paraquat dichloride | Sunflower | 77.03 | 7 | 103.4 | A |
| paraquat dichloride | Tomato | 35.17 | 1 | 25.5 | A |
| paraquat dichloride | Uncultivated ag | 50.12 | 5 | 36.0 | A |
| pcnb | Landscape maintenance | 459.0 | N/A | N/A | N/A |
| pendimethalin | Apricot | 7.64 | 6 | 8.9 | A |
| pendimethalin | Carrot | 86.29 | 3 | 91.1 | A |
| pendimethalin | Cherry | 358.24 | 13 | 291.5 | A |
| pendimethalin | Corn, human consumption | 82.88 | 3 | 87.5 | A |
| pendimethalin | Garbanzo bean | 18.94 | 1 | 20.0 | A |
| pendimethalin | Garlic | 71.02 | 3 | 75.0 | A |
| pendimethalin | Grape, wine | 43.56 | 4 | 23.0 | A |
| pendimethalin | Landscape maintenance | 1,056.56 | N/A | N/A | N/A |
| pendimethalin | N-grnhs flower | 1.94 | 17 | 45,470.0 | U |
| pendimethalin | N-outdr plants in containers | 60.53 | 18 | 46.14 | A |
| pendimethalin | N-outdr transplants | 16.0 | 10 | 600.0 | A |
| pendimethalin | Nectarine | 10.7 | 5 | 7.0 | A |
| pendimethalin | Peach | 9.79 | 7 | 10.5 | A |
| pendimethalin | Plum | 8.39 | 6 | 9.75 | A |
| pendimethalin | Rights of way | 1,876.6 | N/A | N/A | N/A |
| pendimethalin | Tomato | 184.28 | 7 | 259.5 | A |
| pendimethalin | Tomato, processing | 30.53 | 1 | 43.0 | A |
| pendimethalin | Walnut | 287.88 | 2 | 76.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| penoxsulam | Landscape maintenance | 1.09 | N/A | N/A | N/A |
| penoxsulam | Rights of way | 1.13 | N/A | N/A | N/A |
| penthiopyrad | Apricot | 0.43 | 4 | 2.5 | A |
| penthiopyrad | Bean, dried | 18.21 | 3 | 100.0 | A |
| penthiopyrad | Bean, succulent | 51.7 | 8 | 213.3 | A |
| penthiopyrad | Broccoli | 27.06 | 5 | 114.0 | A |
| penthiopyrad | Cherry | 8.71 | 6 | 43.5 | A |
| penthiopyrad | Garlic | 30.91 | 6 | 99.0 | A |
| penthiopyrad | Golf course turf | 11.69 | N/A | 19.5 | A |
| penthiopyrad | Golf course turf | <0.01 | N/A | 130.5 | S |
| penthiopyrad | Landscape maintenance | 36.16 | N/A | N/A | N/A |
| penthiopyrad | Lettuce, head | 40.12 | 13 | 135.67 | A |
| penthiopyrad | Lettuce, leaf | 20.15 | 9 | 69.15 | A |
| penthiopyrad | N-grnhs transplants | 2.5 | N/A | 4.0 | A |
| penthiopyrad | Nectarine | 1.25 | 5 | 8.0 | A |
| penthiopyrad | Onion, dry | 8.43 | 2 | 27.0 | A |
| penthiopyrad | Peach | 1.68 | 5 | 10.0 | A |
| penthiopyrad | Peas | 0.05 | 1 | 0.2 | A |
| penthiopyrad | Plum | 1.2 | 3 | 5.75 | A |
| penthiopyrad | Research commodity | 0.16 | 2 | 0.6 | A |
| penthiopyrad | Squash, summer | 5.2 | 1 | 25.0 | A |
| permethrin | Bok choy | 4.18 | 14 | 12.3 | A |
| permethrin | Bok choy | 0.16 | 2 | 26,000.0 | S |
| permethrin | Broccoli | 11.07 | 6 | 60.0 | A |
| permethrin | Cabbage | 83.22 | 68 | 439.7 | A |
| permethrin | Cauliflower | 3.28 | 13 | 21.0 | A |
| permethrin | Celery | 72.56 | 42 | 372.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|--|-----------------------|-------------|---------------------|---------------------|
| permethrin | Celery | 0.06 | 1 | 10,000.0 | S |
| permethrin | Cherry | 65.75 | 15 | 350.65 | A |
| permethrin | Chinese amaranth (chinese spinach, tampala, yin choy) | 0.55 | 2 | 2.5 | A |
| permethrin | Chinese amaranth (chinese spinach, tampala, yin choy) | 1.49 | 15 | 248,000.0 | S |
| permethrin | Chinese cabbage (napa, won bok, celery cabbage) | 21.52 | 17 | 111.4 | A |
| permethrin | Chinese cabbage (napa, won bok, celery cabbage) | 0.14 | 2 | 22,000.0 | S |
| permethrin | Chive | 0.8 | 3 | 0.75 | A |
| permethrin | Chrysanthemum, garland | 0.4 | 1 | 1.0 | A |
| permethrin | Corn, human consumption | 38.56 | 45 | 206.5 | A |
| permethrin | Gai choy | 1.96 | 4 | 3.0 | A |
| permethrin | Gai choy | 0.13 | 2 | 20,000.0 | S |
| permethrin | Landscape maintenance | 93.19 | N/A | N/A | N/A |
| permethrin | Lettuce, head | 78.92 | 36 | 401.57 | A |
| permethrin | Lettuce, leaf | 274.92 | 179 | 1,441.4 | A |
| permethrin | Mushroom | 1.76 | 35 | 201,250.0 | S |
| permethrin | Mushroom house | 26.56 | 265 | 1,509,800.0 | S |
| permethrin | N-grnhs plants in containers | 0.95 | 6 | 4.05 | A |
| permethrin | N-outdr plants in containers | 0.19 | 1 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| permethrin | Parsley | 8.25 | 7 | 44.0 | A |
| permethrin | Peas | 0.28 | 4 | 1.9 | A |
| permethrin | Pepper, fruiting | 21.01 | 8 | 113.5 | A |
| permethrin | Pumpkin | 7.6 | 5 | 48.65 | A |
| permethrin | Regulatory pest control | 1.41 | N/A | N/A | N/A |
| permethrin | Spinach | 218.53 | 156 | 1,163.79 | A |
| permethrin | Structural pest control | 196.6 | N/A | N/A | N/A |
| permethrin | Swiss chard | 4.22 | 2 | 22.5 | A |
| permethrin, other related | Structural pest control | 0.03 | N/A | N/A | N/A |
| peroxyacetic acid | Cannabis (all or unspecified) | 0.01 | 1 | 850.0 | S |
| peroxyacetic acid | Cauliflower | 0.29 | 2 | 2.5 | A |
| peroxyacetic acid | Cherry | 4.81 | 3 | 58.0 | A |
| peroxyacetic acid | Ditch bank | 29.82 | N/A | 1.0 | U |
| peroxyacetic acid | Garlic | 16.17 | 6 | 88.0 | A |
| peroxyacetic acid | Grape, wine | 34.53 | 21 | 351.95 | A |
| peroxyacetic acid | Kale | 0.05 | 2 | 1.51 | A |
| peroxyacetic acid | N-grnhs flower | 6.14 | 5 | 14.0 | A |
| peroxyacetic acid | N-grnhs flower | 0.01 | 13 | 10,064.0 | S |
| peroxyacetic acid | N-grnhs flower | 0.37 | 1 | 14.0 | U |
| peroxyacetic acid | N-grnhs plants in containers | 7.03 | 38 | 24.6 | A |
| peroxyacetic acid | N-outdr flower | 2.3 | 5 | 9.0 | A |
| peroxyacetic acid | N-outdr transplants | 0.18 | 2 | 0.64 | A |
| peroxyacetic acid | Onion, dry | 0.08 | 1 | 0.8 | A |
| peroxyacetic acid | Pepper, fruiting | 2.06 | 1 | 18.0 | A |
| peroxyacetic acid | Regulatory pest control | <0.01 | 1 | 1.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| peroxyacetic acid | Research commodity | 0.12 | 5 | 0.3 | A |
| peroxyacetic acid | Uncultivated ag | <0.01 | 1 | 5.0 | S |
| peroxyacetic acid | Water (industrial) | 15.62 | N/A | 10.0 | A |
| petroleum distillates | Cabbage | <0.01 | 1 | 9.97 | A |
| petroleum distillates | Landscape maintenance | 0.59 | N/A | N/A | N/A |
| petroleum distillates | Structural pest control | 9.64 | N/A | N/A | N/A |
| petroleum distillates, aromatic | Cabbage | <0.01 | 1 | 9.97 | A |
| petroleum oil, paraffin based | N-outdr plants in containers | 1.11 | 1 | 0.75 | A |
| petroleum oil, unclassified | Landscape maintenance | 238.8 | N/A | N/A | N/A |
| petroleum oil, unclassified | Structural pest control | 0.51 | N/A | N/A | N/A |
| phenothrin | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| phenothrin | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| phenothrin | Structural pest control | 3.85 | N/A | N/A | N/A |
| phenothrin, other related | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| phenothrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| phenylethyl propionate | Structural pest control | 1.63 | N/A | N/A | N/A |
| phosphoric acid | Apple | 29.69 | 7 | 311.9 | A |
| phosphoric acid | Bean, succulent | 0.77 | 9 | 24.85 | A |
| phosphoric acid | Bean, unspecified | 8.5 | 80 | 280.38 | A |
| phosphoric acid | Broccoli | 6.22 | 29 | 229.62 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| phosphoric acid | Cherry | 1.67 | 1 | 20.0 | A |
| phosphoric acid | Garlic | 20.6 | 16 | 302.0 | A |
| phosphoric acid | Grape, wine | 2.05 | 24 | 78.5 | A |
| phosphoric acid | Landscape maintenance | 7.85 | N/A | N/A | N/A |
| phosphoric acid | Lettuce, head | 4.85 | 33 | 293.71 | A |
| phosphoric acid | Lettuce, leaf | 18.28 | 115 | 989.25 | A |
| phosphoric acid | N-grnhs transplants | 0.04 | 7 | 16,000.0 | S |
| phosphoric acid | N-outdr plants in containers | 0.13 | 6 | 19.5 | A |
| phosphoric acid | Research commodity | <0.01 | 3 | 0.25 | A |
| phosphoric acid | Rights of way | 85.03 | N/A | N/A | N/A |
| phosphoric acid | Structural pest control | 3.54 | N/A | N/A | N/A |
| phosphoric acid | Uncultivated ag | 1.87 | 2 | 62.0 | A |
| picaridin | Vertebrate control | 0.8 | N/A | N/A | N/A |
| pine oil | Structural pest control | 0.14 | N/A | N/A | N/A |
| piperalin | N-grnhs transplants | 1.23 | 8 | 50,000.0 | S |
| piperine | Public health | <0.01 | N/A | N/A | N/A |
| piperonyl butoxide | Landscape maintenance | 16.88 | N/A | N/A | N/A |
| piperonyl butoxide | Mushroom | 0.25 | 4 | 23,000.0 | S |
| piperonyl butoxide | N-grnhs transplants | 1.17 | 3 | 55,000.0 | S |
| piperonyl butoxide | Public health | 0.06 | N/A | N/A | N/A |
| piperonyl butoxide | Regulatory pest control | 0.07 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| piperonyl butoxide | Structural pest control | 223.22 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Landscape maintenance | 3.9 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Mushroom | 0.06 | 4 | 23,000.0 | S |
| piperonyl butoxide, other related | N-grnhs transplants | 0.29 | 3 | 55,000.0 | S |
| piperonyl butoxide, other related | Public health | 0.02 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Structural pest control | 11.94 | N/A | N/A | N/A |
| polyacrylamide, polyethylene glycol mixture | Rights of way | 1.85 | N/A | N/A | N/A |
| polyacrylamide polymer | Apricot | 0.01 | 2 | 2.4 | A |
| polyacrylamide polymer | Bean, dried | 11.02 | 3 | 100.0 | A |
| polyacrylamide polymer | Broccoli | 0.03 | 1 | 2.75 | A |
| polyacrylamide polymer | Cabbage | 3.86 | 20 | 133.8 | A |
| polyacrylamide polymer | Carrot | 1.31 | 5 | 142.2 | A |
| polyacrylamide polymer | Celery | 4.09 | 15 | 130.2 | A |
| polyacrylamide polymer | Cherry | 8.41 | 31 | 1,304.75 | A |
| polyacrylamide polymer | Cilantro | 0.45 | 4 | 19.0 | A |
| polyacrylamide polymer | Corn, human consumption | 1.16 | 4 | 106.5 | A |
| polyacrylamide polymer | Garlic | 1.11 | 5 | 115.0 | A |
| polyacrylamide polymer | Lettuce, head | 0.09 | 1 | 30.8 | A |
| polyacrylamide polymer | Lettuce, leaf | 0.43 | 2 | 32.8 | A |
| polyacrylamide polymer | N-grnhs transplants | 0.06 | 1 | 10,000.0 | S |
| polyacrylamide polymer | Nectarine | 0.01 | 2 | 2.5 | A |
| polyacrylamide polymer | Oat | 0.32 | 2 | 41.0 | A |
| polyacrylamide polymer | Peach | 0.01 | 3 | 3.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| polyacrylamide polymer | Pepper, fruiting | 4.23 | 23 | 583.75 | A |
| polyacrylamide polymer | Plum | 0.02 | 5 | 7.5 | A |
| polyacrylamide polymer | Pumpkin | 12.41 | 6 | 145.5 | A |
| polyacrylamide polymer | Rights of way | 1.33 | N/A | N/A | N/A |
| polyacrylamide polymer | Sunflower | 0.32 | 2 | 17.0 | A |
| polyacrylamide polymer | Tomato | 2.9 | 15 | 457.5 | A |
| polyacrylamide polymer | Tomato, processing | 0.36 | 2 | 41.0 | A |
| polyacrylamide polymer | Uncultivated ag | 23.17 | 47 | 622.5 | A |
| polyacrylamide polymer | Walnut | 0.73 | 1 | 90.0 | A |
| polyacrylamide polymer | Watermelon | 0.25 | 2 | 30.0 | A |
| polyacrylamide polymer | Wheat | 0.19 | 1 | 40.0 | A |
| polyacrylic polymer | Garlic | 0.18 | 1 | 32.0 | A |
| polyacrylic polymer | Grape, wine | 0.17 | 1 | 50.0 | A |
| polyacrylic polymer | Landscape maintenance | 0.45 | N/A | N/A | N/A |
| polyacrylic polymer | Uncultivated ag | 0.16 | 1 | 60.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Apple | 0.61 | 1 | 20.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Apricot | 1.06 | 16 | 24.4 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Bean, dried | 0.08 | 1 | 18.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Bean, succulent | 0.06 | 1 | 4.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Bean, unspecified | 0.06 | 1 | 3.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Bok choy | 0.04 | 2 | 4.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Broccoli | 0.03 | 1 | 2.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|-----------------------|-------------|---------------------|---------------------|
| polyalkene oxide modified heptamethyl trisiloxane | Cabbage | 0.97 | 30 | 70.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Cauliflower | 0.5 | 19 | 36.5 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Cherry | 80.42 | 145 | 2,200.25 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Chinese cabbage (napa, won bok, celery cabbage) | 7.74 | 46 | 303.3 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Corn, human consumption | 7.81 | 125 | 571.25 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Cucumber | 0.03 | 1 | 6.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Garbanzo bean | 0.19 | 1 | 20.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Garlic | 1.12 | 6 | 114.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Grape, wine | 12.65 | 33 | 652.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Landscape maintenance | 62.28 | N/A | N/A | N/A |
| polyalkene oxide modified heptamethyl trisiloxane | N-outdr plants in containers | 0.18 | 33 | 184,100.0 | S |
| polyalkene oxide modified heptamethyl trisiloxane | Nectarine | 1.5 | 30 | 37.7 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Peach | 1.52 | 27 | 44.8 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Pepper, fruiting | 10.45 | 58 | 1,110.5 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Plum | 1.05 | 13 | 25.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| polyalkene oxide modified heptamethyl trisiloxane | Pumpkin | 1.02 | 9 | 82.15 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Tomato | 1.43 | 4 | 150.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Tomato, processing | 2.35 | 3 | 150.0 | A |
| polybutenes | Apricot | 0.47 | 3 | 105.0 | A |
| polybutenes | Structural pest control | 35.01 | N/A | N/A | N/A |
| polybutenes | Vertebrate control | 11.71 | N/A | N/A | N/A |
| polyether modified polysiloxane | Apple | 26.99 | 7 | 311.9 | A |
| polyether modified polysiloxane | Bean, succulent | 0.7 | 9 | 24.85 | A |
| polyether modified polysiloxane | Bean, unspecified | 7.73 | 80 | 280.38 | A |
| polyether modified polysiloxane | Broccoli | 5.66 | 29 | 229.62 | A |
| polyether modified polysiloxane | Cherry | 1.52 | 1 | 20.0 | A |
| polyether modified polysiloxane | Corn, human consumption | 76.23 | 31 | 287.75 | A |
| polyether modified polysiloxane | Garlic | 16.96 | 15 | 270.0 | A |
| polyether modified polysiloxane | Herb, spice | 2.39 | 1 | 9.0 | A |
| polyether modified polysiloxane | Lettuce, head | 4.41 | 33 | 293.71 | A |
| polyether modified polysiloxane | Lettuce, leaf | 16.62 | 115 | 989.25 | A |
| polyether modified polysiloxane | N-grnhs transplants | 143.96 | 541 | 17,131,100.0 | S |
| polyether modified polysiloxane | Pepper, fruiting | 4.16 | 2 | 43.0 | A |
| polyether modified polysiloxane | Strawberry | 4.82 | 10 | 16.5 | A |
| polyether modified polysiloxane | Uncultivated ag | 0.38 | 2 | 4.0 | A |
| polyethylene glycol | Apple | 57.59 | 2 | 101.3 | A |
| polyethylene glycol | Cherry | 49.74 | 4 | 80.0 | A |
| polyethylene glycol diacetate | Cabbage | 1.39 | 42 | 343.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|----------------|------|--------------|--------------|
| polyethylene glycol diacetate | Chinese cabbage (napa, won bok, celery cabbage) | 0.02 | 2 | 18.0 | A |
| polyethylene glycol diacetate | Lettuce, leaf | 0.44 | 29 | 367.3 | A |
| polyethylene glycol diacetate | Pepper, fruiting | 0.05 | 2 | 38.0 | A |
| polyethylene glycol diacetate | Rights of way | <0.01 | N/A | N/A | N/A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Bean, unspecified | 1.37 | 2 | 19.2 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Cauliflower | 18.4 | 12 | 206.3 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Garlic | 8.5 | 4 | 52.4 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Grape, wine | 1.38 | 7 | 11.92 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Landscape maintenance | 4.71 | N/A | N/A | N/A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Lettuce, head | 0.3 | 3 | 8.0 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Lettuce, leaf | 0.52 | 1 | 7.5 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Pepper, fruiting | 29.84 | 23 | 406.9 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Pumpkin | 3.41 | 5 | 100.5 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Squash | 0.75 | 2 | 19.0 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Watermelon | 1.17 | 2 | 12.0 | A |
| polyethylene glycol stearate | Broccoli | 19.71 | 21 | 437.4 | A |
| polyethylene glycol stearate | Landscape maintenance | 6.82 | N/A | N/A | N/A |
| polyethylene glycol stearate | Rights of way | 92.99 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| polyethylene glycol stearate | Sunflower | 5.54 | 10 | 161.3 | A |
| polyethylene glycol stearate | Uncultivated non-ag | 0.37 | 1 | 1.0 | A |
| polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helioverpa zea (corn earworm) | Corn, human consumption | 2.03 | 47 | 426.5 | A |
| poly-i-para-menthene | N-grnhs plants in containers | 0.95 | 1 | 1.29 | A |
| polymerized pinene | Bean, dried | 26.89 | 2 | 52.5 | A |
| polymerized pinene | Garlic | 6.18 | 1 | 9.0 | A |
| polymerized pinene | Onion, dry | 32.19 | 3 | 47.0 | A |
| polymerized pinene | Pepper, fruiting | 68.97 | 4 | 101.05 | A |
| polymerized pinene | Uncultivated ag | 9.24 | 1 | 9.0 | A |
| polymerized pinene | Walnut | 19.78 | 2 | 76.0 | A |
| polyoxin d, zinc salt | Golf course turf | 1.63 | N/A | 6.0 | A |
| polyoxin d, zinc salt | Landscape maintenance | 3.53 | N/A | N/A | N/A |
| polyoxin d, zinc salt | Lettuce, leaf | 2.6 | 11 | 64.21 | A |
| polyoxin d, zinc salt | N-grnhs flower | 0.23 | 12 | 113,480.0 | S |
| polyoxin d, zinc salt | Research commodity | 0.12 | 5 | 48,680.0 | S |
| polyoxyethylene cetyl-stearyl ether | N-outdr plants in containers | 26.25 | 83 | 197.7 | A |
| poly(oxyethylene) (dimethylimino) ethylene (dimethylimino) ethylene dichloride | Landscape maintenance | 180.78 | N/A | N/A | N/A |
| polyoxyethylene dioleate | Landscape maintenance | 4.45 | N/A | N/A | N/A |
| polyoxyethylene dioleate | Rights of way | 54.39 | N/A | N/A | N/A |
| polyoxyethylene polyoxypropylene | Bean, dried | 5.24 | 5 | 185.0 | A |
| polyoxyethylene polyoxypropylene | Bean, succulent | 3.02 | 4 | 95.75 | A |
| polyoxyethylene polyoxypropylene | Broccoli | 18.86 | 3 | 26.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|-----------------------|-------------|---------------------|---------------------|
| polyoxyethylene polyoxypropylene | Cauliflower | 16.05 | 5 | 22.82 | A |
| polyoxyethylene polyoxypropylene | Celery | 24.96 | 10 | 42.32 | A |
| polyoxyethylene polyoxypropylene | Cherry | 1.7 | 2 | 43.0 | A |
| polyoxyethylene polyoxypropylene | Chinese cabbage (napa, won bok, celery cabbage) | 22.59 | 3 | 23.65 | A |
| polyoxyethylene polyoxypropylene | Grape, wine | 34.6 | 8 | 125.0 | A |
| polyoxyethylene polyoxypropylene | Landscape maintenance | 0.07 | N/A | N/A | N/A |
| polyoxyethylene polyoxypropylene | Lettuce, leaf | 25.99 | 6 | 42.45 | A |
| polyoxyethylene polyoxypropylene | N-outdr flower | 0.97 | 8 | 8.75 | A |
| polyoxyethylene polyoxypropylene | N-outdr transplants | 5.09 | 3 | 180.0 | A |
| polyoxyethylene polyoxypropylene | Onion, dry | 4.27 | 6 | 81.0 | A |
| polyoxyethylene polyoxypropylene | Pepper, fruiting | 48.29 | 75 | 1,434.72 | A |
| polyoxyethylene polyoxypropylene | Plum | 69.54 | 2 | 3.25 | A |
| polyoxyethylene polyoxypropylene | Pumpkin | 5.34 | 8 | 135.0 | A |
| polyoxyethylene polyoxypropylene | Rights of way | <0.01 | N/A | N/A | N/A |
| polyoxyethylene polyoxypropylene | Squash | 0.62 | 2 | 17.5 | A |
| polyoxyethylene polyoxypropylene | Tomato | 78.41 | 74 | 2,274.14 | A |
| polyoxyethylene polyoxypropylene | Tomato, processing | 14.43 | 17 | 390.0 | A |
| polyoxyethylene polyoxypropylene | Walnut | 161.34 | 17 | 234.5 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Apple | 4.33 | 2 | 101.3 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Broccoli | 1.03 | 3 | 26.0 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Cauliflower | 0.88 | 5 | 22.82 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Celery | 1.36 | 10 | 42.32 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|-----------------------|-------------|---------------------|---------------------|
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Lettuce, leaf | 1.42 | 6 | 42.45 | A |
| polyoxyethylene sorbitol, mixed ether ester | Bean, unspecified | 2.72 | 3 | 7.02 | A |
| polyoxyethylene sorbitol, mixed ether ester | Forage hay/silage | 77.44 | 6 | 82.0 | A |
| polyoxyethylene sorbitol, mixed ether ester | Grape, wine | 18.21 | 4 | 23.0 | A |
| polyoxyethylene sorbitol, mixed ether ester | Lettuce, head | 57.83 | 14 | 182.18 | A |
| polyoxyethylene sorbitol, mixed ether ester | Lettuce, leaf | 91.59 | 32 | 279.73 | A |
| polyoxyethylene sorbitol, mixed ether ester | Oat | 49.91 | 3 | 165.0 | A |
| polyoxyethylene sorbitol, mixed ether ester | Walnut | 0.54 | 1 | 3.0 | A |
| polyoxyethylene sorbitan monooleate | Landscape maintenance | 1.27 | N/A | N/A | N/A |
| polyoxyethylene sorbitan monooleate | Rights of way | 15.54 | N/A | N/A | N/A |
| polypropylene glycol | Rights of way | 0.14 | N/A | N/A | N/A |
| polysorbate 65 | Apricot | 0.53 | 7 | 10.1 | A |
| polysorbate 65 | Bean, dried | 0.5 | 1 | 18.0 | A |
| polysorbate 65 | Bok choy | 0.28 | 1 | 2.0 | A |
| polysorbate 65 | Cabbage | 0.7 | 2 | 5.0 | A |
| polysorbate 65 | Cherry | 4.28 | 14 | 86.5 | A |
| polysorbate 65 | Chinese cabbage (napa, won bok, celery cabbage) | 0.28 | 1 | 2.0 | A |
| polysorbate 65 | Garbanzo bean | 0.84 | 1 | 20.0 | A |
| polysorbate 65 | Garlic | 1.76 | 2 | 63.0 | A |
| polysorbate 65 | Grape, wine | 3.48 | 1 | 50.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| polysorbate 65 | Landscape maintenance | 0.51 | N/A | N/A | N/A |
| polysorbate 65 | Nectarine | 0.72 | 6 | 9.0 | A |
| polysorbate 65 | Peach | 0.69 | 8 | 13.5 | A |
| polysorbate 65 | Pepper, fruiting | 9.65 | 6 | 181.0 | A |
| polysorbate 65 | Plum | 0.44 | 8 | 13.25 | A |
| polysorbate 65 | Rights of way | 2.79 | N/A | N/A | N/A |
| polysorbate 65 | Tomato, processing | 1.2 | 1 | 43.0 | A |
| polysorbate 65 | Uncultivated ag | 3.07 | 2 | 110.0 | A |
| potash soap | Broccoli | 254.5 | 7 | 49.0 | A |
| potash soap | Cauliflower | 69.93 | 7 | 17.13 | A |
| potash soap | Kale | 2.08 | 1 | 1.5 | A |
| potash soap | Landscape maintenance | 132.27 | N/A | N/A | N/A |
| potash soap | Lettuce, leaf | 24.56 | 9 | 10.4 | A |
| potash soap | N-grnhs flower | 0.1 | 2 | 28.0 | U |
| potash soap | N-grnhs plants in containers | 269.58 | 51 | 41.72 | A |
| potash soap | N-grnhs transplants | 3.25 | 1 | 10,000.0 | S |
| potash soap | N-outdr flower | 0.64 | 5 | 31,460.0 | S |
| potash soap | N-outdr transplants | 48.92 | 8 | 7.57 | A |
| potash soap | Research commodity | 24.3 | 23 | 2.81 | A |
| potash soap | Stone fruit | 6.55 | N/A | 5.5 | A |
| potash soap | Vegetable | 6.25 | 2 | 2.7 | A |
| potassium bicarbonate | Cherry | 105.65 | 2 | 43.0 | A |
| potassium bicarbonate | Grape | 49.2 | 6 | 40.5 | A |
| potassium bicarbonate | Grape, wine | 2,060.9 | 67 | 855.69 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|---|----------------|------|--------------|--------------|
| potassium bicarbonate | N-grnhs plants in containers | 0.27 | 1 | 0.08 | A |
| potassium bicarbonate | N-grnhs plants in containers | 0.02 | 1 | 2,352.0 | S |
| potassium bicarbonate | N-grnhs transplants | 3.03 | 4 | 50,000.0 | S |
| potassium bicarbonate | Research commodity | 0.05 | 1 | 0.02 | A |
| potassium bicarbonate | Vegetables, leafy | <0.01 | 1 | 36.0 | S |
| potassium hydroxide | N-outdr plants in containers | 2.54 | 83 | 197.7 | A |
| potassium n-methyldithiocarbamate | Pepper, fruiting | 111,962.58 | 32 | 467.82 | A |
| potassium n-methyldithiocarbamate | Tomato | 30,902.09 | 6 | 108.0 | A |
| potassium nitrate | Landscape maintenance | 9.3 | N/A | N/A | N/A |
| potassium phosphite | Cabbage | 194.46 | 21 | 167.0 | A |
| potassium phosphite | Cannabis (all or unspecified) | 0.78 | 1 | 900.0 | S |
| potassium phosphite | Chinese cabbage (napa, won bok, celery cabbage) | 5.86 | 1 | 9.0 | A |
| potassium phosphite | Landscape maintenance | 7,946.38 | N/A | N/A | N/A |
| potassium phosphite | Lettuce, head | 2,369.64 | 69 | 860.5 | A |
| potassium phosphite | Lettuce, leaf | 5,318.73 | 205 | 1,866.67 | A |
| potassium phosphite | Mustard greens | 24.04 | 3 | 7.5 | A |
| potassium phosphite | N-grnhs plants in containers | 35.26 | 6 | 2.08 | A |
| potassium phosphite | N-grnhs transplants | 9.38 | 3 | 40,000.0 | S |
| potassium phosphite | N-outdr flower | 39.16 | N/A | 3.0 | A |
| potassium phosphite | Spinach | 2,820.07 | 126 | 928.24 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| potassium phosphite | Structural pest control | 6.18 | N/A | N/A | N/A |
| potassium silicate | Cannabis (all or unspecified) | 44.52 | 133 | 233,302.0 | S |
| prallethrin | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| prallethrin | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| prallethrin | Structural pest control | 3.37 | N/A | N/A | N/A |
| prodiamine | Golf course turf | 76.79 | N/A | 140.5 | A |
| prodiamine | Landscape maintenance | 5,808.73 | N/A | N/A | N/A |
| prodiamine | N-grnhs flower | 13.87 | N/A | 32.0 | A |
| prodiamine | N-grnhs transplants | 79.27 | N/A | 140.0 | A |
| prodiamine | N-outdr plants in containers | 1.67 | 2 | 1.35 | A |
| prodiamine | Rights of way | 1.39 | N/A | N/A | N/A |
| prohexadione-calcium | Cherry | 0.28 | 2 | 2.0 | A |
| prometryn | Celery | 203.75 | 12 | 102.0 | A |
| prometryn | Celery | 2.62 | 4 | 56,000.0 | S |
| prometryn | Cilantro | 116.22 | 20 | 77.5 | A |
| prometryn | Parsley | 23.49 | 3 | 14.0 | A |
| propamocarb hydrochloride | Landscape maintenance | 21.3 | N/A | N/A | N/A |
| propamocarb hydrochloride | Lettuce, head | 346.8 | 25 | 350.5 | A |
| propamocarb hydrochloride | Lettuce, leaf | 850.53 | 87 | 875.41 | A |
| propamocarb hydrochloride | N-grnhs plants in containers | 18.23 | 5 | 18.3 | A |
| propamocarb hydrochloride | Pepper, fruiting | 37.9 | 2 | 38.0 | A |
| propamocarb hydrochloride | Tomato | 129.8 | 6 | 173.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------|------------------------------|----------------|------|--------------|--------------|
| propiconazole | Celery | 18.15 | 18 | 162.3 | A |
| propiconazole | Cherry | 4.49 | 2 | 40.0 | A |
| propiconazole | Garlic | 34.26 | 12 | 250.0 | A |
| propiconazole | Golf course turf | 34.35 | 3 | 46.18 | A |
| propiconazole | Golf course turf | 0.14 | N/A | 7,000.0 | S |
| propiconazole | Landscape maintenance | 233.92 | N/A | N/A | N/A |
| propiconazole | N-grnhs plants in containers | 2.96 | 6 | 4.28 | A |
| propiconazole | N-grnhs transplants | 5.33 | N/A | 8.0 | A |
| propiconazole | N-grnhs transplants | 0.95 | 27 | 216,600.0 | S |
| propiconazole | N-outdr flower | 0.42 | 8 | 4.0 | A |
| propiconazole | N-outdr plants in containers | 2.16 | 8 | 16.7 | A |
| propiconazole | N-outdr transplants | 0.06 | 2 | 0.32 | A |
| propiconazole | Onion, dry | 3.25 | 2 | 29.0 | A |
| propiconazole | Plum | 0.79 | 3 | 5.75 | A |
| propiconazole | Structural pest control | 0.04 | N/A | N/A | N/A |
| propiconazole | Walnut | 20.4 | 1 | 90.0 | A |
| propionic acid | Bean, unspecified | 9.77 | 6 | 88.5 | A |
| propionic acid | Broccoli | 36.47 | 17 | 223.0 | A |
| propionic acid | Cabbage | 87.02 | 79 | 543.7 | A |
| propionic acid | Cauliflower | 6.11 | 3 | 63.95 | A |
| propionic acid | Celery | 9.31 | 4 | 32.8 | A |
| propionic acid | Cherry | 214.87 | 19 | 1,025.22 | A |
| propionic acid | Corn, human consumption | 218.17 | 110 | 1,557.4 | A |
| propionic acid | Lettuce, head | 16.99 | 5 | 61.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| propionic acid | Lettuce, leaf | 18.47 | 7 | 65.0 | A |
| propionic acid | N-outdr plants in containers | 17.5 | 83 | 197.7 | A |
| propionic acid | Tomato | 28.39 | 10 | 322.6 | A |
| propionic acid | Uncultivated ag | 129.98 | 39 | 394.2 | A |
| propionic acid | Walnut | 56.78 | 4 | 256.0 | A |
| propoxur | Structural pest control | <0.01 | N/A | N/A | N/A |
| propylene glycol | Bean, unspecified | 0.7 | 2 | 19.2 | A |
| propylene glycol | Broccoli | 18.6 | 14 | 191.0 | A |
| propylene glycol | Cabbage | 41.28 | 63 | 435.9 | A |
| propylene glycol | Cauliflower | 9.36 | 12 | 206.3 | A |
| propylene glycol | Cherry | 149.96 | 13 | 641.0 | A |
| propylene glycol | Garlic | 4.32 | 4 | 52.4 | A |
| propylene glycol | Grape, wine | 2.34 | 11 | 27.92 | A |
| propylene glycol | Landscape maintenance | 35.03 | N/A | N/A | N/A |
| propylene glycol | Lettuce, head | 0.15 | 3 | 8.0 | A |
| propylene glycol | Lettuce, leaf | 0.27 | 1 | 7.5 | A |
| propylene glycol | N-outdr flower | 12.57 | 172 | 155.0 | A |
| propylene glycol | N-outdr plants in containers | 0.4 | 33 | 184,100.0 | S |
| propylene glycol | Pepper, fruiting | 37.82 | 40 | 712.85 | A |
| propylene glycol | Pumpkin | 1.73 | 5 | 100.5 | A |
| propylene glycol | Rights of way | 2.17 | N/A | N/A | N/A |
| propylene glycol | Squash | 0.38 | 2 | 19.0 | A |
| propylene glycol | Structural pest control | 0.01 | N/A | N/A | N/A |
| propylene glycol | Uncultivated ag | 4.76 | 3 | 11.0 | A |
| propylene glycol | Watermelon | 0.59 | 2 | 12.0 | A |
| propyzamide | Lettuce, head | 243.6 | 26 | 289.57 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------|------------------------------|----------------|------|--------------|--------------|
| propyzamide | Lettuce, leaf | 778.73 | 77 | 675.65 | A |
| pydiflumetofen | Landscape maintenance | 1.24 | N/A | N/A | N/A |
| pymetrozine | Cabbage | 5.76 | 7 | 55.0 | A |
| pymetrozine | N-grnhs flower | 0.56 | 1 | 2.5 | A |
| pymetrozine | Pepper, fruiting | 1.55 | 1 | 18.0 | A |
| pyraclostrobin | Apricot | 4.14 | 10 | 23.4 | A |
| pyraclostrobin | Broccoli | 32.5 | 9 | 165.0 | A |
| pyraclostrobin | Cabbage | 10.2 | 7 | 59.0 | A |
| pyraclostrobin | Cherry | 99.17 | 51 | 960.15 | A |
| pyraclostrobin | Cucumber | 3.28 | 2 | 29.33 | A |
| pyraclostrobin | Golf course turf | 8.41 | N/A | 18.9 | A |
| pyraclostrobin | Grape | 0.45 | 2 | 13.5 | A |
| pyraclostrobin | Grape, wine | 64.38 | 27 | 425.94 | A |
| pyraclostrobin | Kale | <0.01 | 1 | 0.01 | A |
| pyraclostrobin | Landscape maintenance | 60.1 | N/A | N/A | N/A |
| pyraclostrobin | Lettuce, leaf | 27.69 | 19 | 180.1 | A |
| pyraclostrobin | N-grnhs flower | 1.36 | 17 | 148,240.0 | S |
| pyraclostrobin | N-grnhs plants in containers | 0.18 | 9 | 1.6 | A |
| pyraclostrobin | N-grnhs transplants | 15.48 | 120 | 1,621,400.0 | S |
| pyraclostrobin | N-outdr flower | 0.51 | 8 | 8.0 | A |
| pyraclostrobin | N-outdr flower | 0.12 | 4 | 34,400.0 | S |
| pyraclostrobin | N-outdr plants in containers | 1.19 | 5 | 6.25 | A |
| pyraclostrobin | N-outdr transplants | 0.02 | 1 | 0.16 | A |
| pyraclostrobin | Nectarine | 2.09 | 17 | 22.25 | A |
| pyraclostrobin | Peach | 2.4 | 15 | 25.3 | A |
| pyraclostrobin | Peas | 2.69 | 2 | 25.85 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| pyraclostrobin | Pepper, fruiting | 86.6 | 28 | 499.4 | A |
| pyraclostrobin | Plum | 0.61 | 3 | 5.75 | A |
| pyraclostrobin | Research commodity | 0.29 | 11 | 1.57 | A |
| pyraclostrobin | Squash | 0.62 | 1 | 5.5 | A |
| pyraclostrobin | Swiss chard | 1.69 | 1 | 11.25 | A |
| pyraclostrobin | Tomato | 67.88 | 13 | 410.5 | A |
| pyraclostrobin | Tomato, processing | 11.81 | 3 | 68.0 | A |
| pyraclostrobin | Vegetable | 0.2 | 1 | 1.5 | A |
| pyraclostrobin | Watermelon | 0.96 | 1 | 6.5 | A |
| pyraflufen-ethyl | Carrot | 0.1 | 1 | 29.5 | A |
| pyraflufen-ethyl | Cherry | 0.27 | 3 | 115.0 | A |
| pyraflufen-ethyl | Grape, wine | 0.03 | 2 | 6.2 | A |
| pyraflufen-ethyl | Landscape maintenance | 0.12 | N/A | N/A | N/A |
| pyraflufen-ethyl | Lettuce, head | 0.1 | 1 | 30.8 | A |
| pyraflufen-ethyl | Lettuce, leaf | 0.11 | 2 | 34.0 | A |
| pyraflufen-ethyl | Pumpkin | 0.31 | 3 | 57.0 | A |
| pyraflufen-ethyl | Tomato | 0.13 | 1 | 25.5 | A |
| pyraflufen-ethyl | Uncultivated ag | 0.55 | 14 | 223.7 | A |
| pyraflufen-ethyl | Walnut | 0.48 | 1 | 90.0 | A |
| pyrethrins | Basil, sweet | <0.01 | 1 | 72.0 | S |
| pyrethrins | Broccoli | 2.82 | 8 | 61.0 | A |
| pyrethrins | Cannabis (all or unspecified) | 0.48 | 22 | 21,400.0 | S |
| pyrethrins | Cauliflower | 3.72 | 11 | 80.36 | A |
| pyrethrins | Celery | 1.51 | 9 | 35.08 | A |
| pyrethrins | Cilantro | 0.26 | 1 | 10.0 | A |
| pyrethrins | Corn, human consumption | 4.45 | 14 | 121.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| pyrethrins | Grape, wine | 0.8 | 4 | 38.0 | A |
| pyrethrins | Kale | 0.38 | 1 | 12.45 | A |
| pyrethrins | Landscape maintenance | 0.01 | 1 | 2.0 | A |
| pyrethrins | Landscape maintenance | 2.45 | N/A | N/A | N/A |
| pyrethrins | Lettuce, head | 0.06 | 1 | 2.0 | A |
| pyrethrins | Lettuce, leaf | 2.68 | 14 | 72.13 | A |
| pyrethrins | Mint | 0.01 | 1 | 1.0 | A |
| pyrethrins | Mushroom | 0.04 | 6 | 34,500.0 | S |
| pyrethrins | Mushroom house | 0.06 | 34 | 194,600.0 | S |
| pyrethrins | Mushroom soil | <0.01 | 2 | 11,500.0 | S |
| pyrethrins | Mustard greens | 0.02 | 1 | 0.7 | A |
| pyrethrins | N-grnhs plants in containers | 5.16 | 158 | 112.68 | A |
| pyrethrins | N-grnhs plants in containers | 0.01 | 2 | 4,063.15 | S |
| pyrethrins | N-grnhs transplants | 0.2 | 12 | 135,000.0 | S |
| pyrethrins | N-outdr transplants | 0.61 | 17 | 14.02 | A |
| pyrethrins | Pepper, fruiting | 0.29 | 4 | 88.0 | A |
| pyrethrins | Prune | 0.01 | 1 | 1.75 | A |
| pyrethrins | Public health | 2.19 | N/A | N/A | N/A |
| pyrethrins | Regulatory pest control | 0.03 | N/A | N/A | N/A |
| pyrethrins | Rights of way | 0.14 | N/A | N/A | N/A |
| pyrethrins | Squash | 0.81 | 2 | 19.0 | A |
| pyrethrins | Stone fruit | 0.11 | N/A | 7.5 | A |
| pyrethrins | Structural pest control | 37.01 | N/A | N/A | N/A |
| pyrethrins | Swiss chard | 0.17 | 2 | 5.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| pyrethrins | Watercress | 0.08 | 4 | 6.0 | A |
| pyridaben | N-grnhs flower | 0.22 | 3 | 41,040.0 | S |
| pyridaben | N-grnhs plants in containers | 0.26 | 2 | 2.25 | A |
| pyridaben | N-grnhs transplants | 21.94 | 33 | 1,124,130.0 | S |
| pyridaben | N-outdr flower | 0.05 | 2 | 14,020.0 | S |
| pyridalyl | N-grnhs flower | 0.09 | 2 | 20,560.0 | S |
| pyridalyl | N-grnhs transplants | 15.95 | 96 | 1,809,600.0 | S |
| pyridalyl | N-outdr flower | 0.26 | 2 | 1.5 | A |
| pyridalyl | N-outdr flower | 1.18 | 5 | 175,457.0 | S |
| pyridalyl | Research commodity | 0.18 | 3 | 28,680.0 | S |
| pyrifluquinazon | N-grnhs transplants | 7.16 | 42 | 1,550,658.0 | S |
| pyrifluquinazon | Research commodity | <0.01 | 1 | 0.1 | A |
| pyrimethanil | Apricot | 0.85 | 1 | 35.0 | A |
| pyriproxyfen | Landscape maintenance | 0.77 | N/A | N/A | N/A |
| pyriproxyfen | N-grnhs transplants | 0.11 | 2 | 40,000.0 | S |
| pyriproxyfen | N-outdr flower | 0.13 | 6 | 42,052.0 | S |
| pyriproxyfen | N-outdr plants in containers | 0.65 | 1 | 3.0 | A |
| pyriproxyfen | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| pyriproxyfen | Structural pest control | 10.09 | N/A | N/A | N/A |
| pyriproxyfen | Walnut | 0.42 | 1 | 4.5 | A |
| pyroxsulam | Triticale | 0.23 | 4 | 17.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|------|--------------|--------------|
| qst 713 strain of dried bacillus subtilis | Grape, wine | 4.41 | 10 | 44.2 | A |
| qst 713 strain of dried bacillus subtilis | N-grnhs plants in containers | 0.24 | 4 | 4.07 | A |
| qst 713 strain of dried bacillus subtilis | N-grnhs plants in containers | 0.06 | 12 | 25,404.55 | S |
| qst 713 strain of dried bacillus subtilis | N-grnhs transplants | 2.65 | 36 | 432,700.0 | S |
| qst 713 strain of dried bacillus subtilis | Pepper, fruiting | 2.85 | 2 | 41.0 | A |
| qst 713 strain of dried bacillus subtilis | Pome fruit | 0.8 | N/A | 5.7 | A |
| qst 713 strain of dried bacillus subtilis | Stone fruit | 0.8 | N/A | 9.0 | A |
| qst 713 strain of dried bacillus subtilis | Strawberry | 0.94 | 10 | 16.5 | A |
| quillaja | Grape, wine | 0.12 | 1 | 7.0 | A |
| quillaja | Landscape maintenance | 0.41 | N/A | N/A | N/A |
| quinclorac | Landscape maintenance | 0.29 | N/A | N/A | N/A |
| quinclorac, dimethylamine salt | Golf course turf | 48.26 | N/A | 71.01 | A |
| quinclorac, dimethylamine salt | Golf course turf | 0.33 | N/A | 12,000.0 | S |
| quinclorac, dimethylamine salt | Landscape maintenance | 71.38 | N/A | N/A | N/A |
| quinoxifen | Cherry | 57.57 | 19 | 513.0 | A |
| quinoxifen | Grape | 1.12 | 1 | 13.0 | A |
| quinoxifen | Grape, wine | 65.53 | 50 | 690.11 | A |
| quinoxifen | Pepper, fruiting | 48.66 | 22 | 506.15 | A |
| quinoxifen | Squash, summer | 2.0 | 1 | 25.0 | A |
| resmethrin | Structural pest control | 0.05 | N/A | N/A | N/A |
| reynoutria sachalinensis | Cannabis (all or unspecified) | 2.53 | 175 | 164,337.0 | S |
| reynoutria sachalinensis | Garlic | 49.68 | 8 | 118.0 | A |
| reynoutria sachalinensis | Grape | 1.52 | 1 | 8.0 | A |
| reynoutria sachalinensis | Grape, wine | 21.52 | 14 | 80.86 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| reynoutria sachalinensis | Herb, spice | 5.53 | 3 | 30.0 | A |
| reynoutria sachalinensis | Mint | 0.04 | 2 | 6.0 | A |
| reynoutria sachalinensis | N-grnhs plants in containers | 8.21 | 49 | 48.81 | A |
| reynoutria sachalinensis | N-grnhs transplants | <0.01 | 2 | 600.0 | S |
| reynoutria sachalinensis | N-outdr transplants | 1.0 | 7 | 5.95 | A |
| reynoutria sachalinensis | Strawberry | 3.58 | 10 | 16.5 | A |
| reynoutria sachalinensis | Watercress | 0.04 | 2 | 2.0 | A |
| rimsulfuron | Grape, wine | 0.5 | 1 | 15.0 | A |
| rimsulfuron | Industrial site | 0.41 | N/A | 46.9 | A |
| rimsulfuron | Landscape maintenance | 4.11 | N/A | N/A | N/A |
| rimsulfuron | Rights of way | 33.75 | N/A | N/A | N/A |
| rimsulfuron | Tomato | 11.61 | 24 | 741.2 | A |
| rimsulfuron | Tomato, processing | 1.56 | 1 | 50.0 | A |
| rotenone | Structural pest control | 0.01 | N/A | N/A | N/A |
| rotenone, other related | Structural pest control | 0.01 | N/A | N/A | N/A |
| saponin | Grape, wine | 8.93 | 11 | 95.0 | A |
| sethoxydim | Landscape maintenance | 1.04 | N/A | N/A | N/A |
| sethoxydim | Mint | 18.4 | 21 | 40.0 | A |
| sethoxydim | Peas | 0.05 | 1 | 0.2 | A |
| sethoxydim | Rights of way | 0.01 | N/A | N/A | N/A |
| siduron | Landscape maintenance | 12.0 | N/A | N/A | N/A |
| silica aerogel | Landscape maintenance | 0.73 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| silica aerogel | Public health | 0.32 | N/A | N/A | N/A |
| silica aerogel | Structural pest control | 144.6 | N/A | N/A | N/A |
| silicone defoamer | Grape, wine | 0.02 | 23 | 28.5 | A |
| silicone defoamer | Landscape maintenance | 0.33 | N/A | N/A | N/A |
| silicone defoamer | N-outdr plants in containers | 0.02 | 6 | 19.5 | A |
| silicone defoamer | Research commodity | <0.01 | 3 | 0.25 | A |
| silicone defoamer | Rights of way | <0.01 | N/A | N/A | N/A |
| silicone defoamer | Structural pest control | 0.03 | N/A | N/A | N/A |
| silver nitrate | N-outdr flower | 0.01 | 5 | 78,584.0 | S |
| sodium bromide | Industrial processing water | 3,561.96 | N/A | 4.0 | A |
| sodium bromide | Industrial processing water | 1,921.82 | N/A | 3.0 | U |
| sodium bromide | Water (industrial) | 1,820.97 | N/A | 48.0 | A |
| sodium bromide | Water (industrial) | 6,555.87 | N/A | 1,538.0 | U |
| sodium bromosulfamate, sodium chlorosulfamate, potassium bromosulfamate, potassium chlorosulfamate | Water (industrial) | 118.77 | N/A | 8.0 | U |
| sodium carbonate peroxyhydrate | Water area | 63.75 | N/A | 0.7 | A |
| sodium chlorite | Water (industrial) | 704.37 | N/A | 2.0 | U |
| sodium decyl sulfate | Structural pest control | 46.9 | N/A | N/A | N/A |
| sodium dichloro-s-triazinetrione | Water (industrial) | 596.89 | N/A | 578.0 | U |
| sodium dichloro-s-triazinetrione dihydrate | Landscape maintenance | 16,898.06 | N/A | N/A | N/A |
| sodium dichloro-s-triazinetrione dihydrate | Water (industrial) | 148.5 | N/A | 2.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--|----------------|------|--------------|--------------|
| sodium dioctylsulfosuccinate | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| sodium dioctylsulfosuccinate | Rights of way | <0.01 | N/A | N/A | N/A |
| sodium hypochlorite | Apricot | 0.01 | 1 | 4.5 | A |
| sodium hypochlorite | Food processing plant | 329.87 | N/A | 5.0 | U |
| sodium hypochlorite | Landscape maintenance | 2,957.45 | N/A | N/A | N/A |
| sodium hypochlorite | N-grnhs transplants | 0.55 | 3 | 84,000.0 | S |
| sodium hypochlorite | Water (industrial) | 2,089.54 | N/A | 64.0 | A |
| sodium hypochlorite | Water (industrial) | 8,268.65 | N/A | 2,735.0 | U |
| sodium hypochlorite | Water systems - human potable/drinking | 29.79 | N/A | 14.0 | A |
| sodium hypochlorite | Water systems - human potable/drinking | 4.89 | N/A | 6.0 | U |
| sodium lauroampho acetate | Structural pest control | 35.39 | N/A | N/A | N/A |
| sodium lauryl sulfate | Structural pest control | 23.89 | N/A | N/A | N/A |
| sodium nitrate | Landscape maintenance | 114.18 | N/A | N/A | N/A |
| sodium nitrate | Rights of way | 10.13 | N/A | N/A | N/A |
| sodium alpha-olefin (c14-c16) sulfonate | Rights of way | 1,627.17 | N/A | N/A | N/A |
| sodium polyacrylate | Carrot | 0.21 | 1 | 29.5 | A |
| sodium polyacrylate | Cherry | 7.46 | 11 | 260.0 | A |
| sodium polyacrylate | Corn, human consumption | 13.77 | 6 | 193.0 | A |
| sodium polyacrylate | Lettuce, leaf | 0.24 | 2 | 34.0 | A |
| sodium polyacrylate | Oat | 0.1 | 2 | 41.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|---|----------------|------|--------------|--------------|
| sodium polyacrylate | Pepper, fruiting | 11.95 | 7 | 195.4 | A |
| sodium polyacrylate | Rangeland | 0.12 | 1 | 50.0 | A |
| sodium polyacrylate | Sunflower | 0.1 | 2 | 17.0 | A |
| sodium polyacrylate | Tomato | 13.03 | 12 | 353.0 | A |
| sodium polyacrylate | Uncultivated ag | 3.98 | 40 | 417.2 | A |
| sodium polyacrylate | Wheat | 0.12 | 1 | 40.0 | A |
| sodium tetraborate (pentahydrate) | Structural pest control | 56.0 | N/A | N/A | N/A |
| sodium tripolyphosphate | Landscape maintenance | 0.38 | N/A | N/A | N/A |
| sodium tripolyphosphate | Rights of way | 0.3 | N/A | N/A | N/A |
| sodium xylene sulfonate | Grape, wine | 0.24 | 23 | 28.5 | A |
| sodium xylene sulfonate | Landscape maintenance | 3.88 | N/A | N/A | N/A |
| sodium xylene sulfonate | N-outdr plants in containers | 0.2 | 6 | 19.5 | A |
| sodium xylene sulfonate | Research commodity | <0.01 | 3 | 0.25 | A |
| sodium xylene sulfonate | Rights of way | 0.03 | N/A | N/A | N/A |
| sodium xylene sulfonate | Structural pest control | 0.4 | N/A | N/A | N/A |
| sorbitan trioleate | Apricot | 0.53 | 7 | 10.1 | A |
| sorbitan trioleate | Bean, dried | 0.5 | 1 | 18.0 | A |
| sorbitan trioleate | Bok choy | 0.28 | 1 | 2.0 | A |
| sorbitan trioleate | Cabbage | 0.7 | 2 | 5.0 | A |
| sorbitan trioleate | Cherry | 4.28 | 14 | 86.5 | A |
| sorbitan trioleate | Chinese cabbage (napa, won bok, celery cabbage) | 0.28 | 1 | 2.0 | A |
| sorbitan trioleate | Garbanzo bean | 0.84 | 1 | 20.0 | A |
| sorbitan trioleate | Garlic | 1.76 | 2 | 63.0 | A |
| sorbitan trioleate | Grape, wine | 3.48 | 1 | 50.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|---|----------------|------|--------------|--------------|
| sorbitan trioleate | Landscape maintenance | 0.51 | N/A | N/A | N/A |
| sorbitan trioleate | Nectarine | 0.72 | 6 | 9.0 | A |
| sorbitan trioleate | Peach | 0.69 | 8 | 13.5 | A |
| sorbitan trioleate | Pepper, fruiting | 9.65 | 6 | 181.0 | A |
| sorbitan trioleate | Plum | 0.44 | 8 | 13.25 | A |
| sorbitan trioleate | Rights of way | 2.79 | N/A | N/A | N/A |
| sorbitan trioleate | Tomato, processing | 1.2 | 1 | 43.0 | A |
| sorbitan trioleate | Uncultivated ag | 3.07 | 2 | 110.0 | A |
| soybean oil | Pome fruit | 3.59 | N/A | 0.5 | A |
| soybean oil | Stone fruit | 244.39 | N/A | 10.0 | A |
| spinetoram | Apple | 11.08 | 2 | 101.3 | A |
| spinetoram | Apricot | 0.04 | 1 | 0.25 | A |
| spinetoram | Bean, succulent | 0.91 | 5 | 16.34 | A |
| spinetoram | Bean, unspecified | 6.56 | 32 | 110.48 | A |
| spinetoram | Broccoli | 6.41 | 8 | 102.17 | A |
| spinetoram | Cabbage | 18.07 | 45 | 320.1 | A |
| spinetoram | Cauliflower | 0.18 | 3 | 2.22 | A |
| spinetoram | Celery | 18.09 | 32 | 295.5 | A |
| spinetoram | Chinese cabbage (napa, won bok, celery cabbage) | 0.85 | 3 | 12.5 | A |
| spinetoram | Cilantro | 0.08 | 1 | 1.5 | A |
| spinetoram | Lettuce, head | 29.77 | 48 | 564.54 | A |
| spinetoram | Lettuce, leaf | 81.84 | 172 | 1,449.38 | A |
| spinetoram | Nectarine | 1.43 | 8 | 8.75 | A |
| spinetoram | Onion, dry | 1.7 | 2 | 27.0 | A |
| spinetoram | Peach | 0.94 | 3 | 5.0 | A |
| spinetoram | Peas | 0.25 | 2 | 6.4 | A |
| spinetoram | Pepper, fruiting | 51.24 | 42 | 801.35 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| spinetoram | Plum | 0.22 | 2 | 3.25 | A |
| spinetoram | Research commodity | 0.01 | 2 | 0.15 | A |
| spinetoram | Spinach | 41.34 | 96 | 724.09 | A |
| spinetoram | Squash, summer | 0.98 | 1 | 25.0 | A |
| spinetoram | Swiss chard | 0.7 | 1 | 11.25 | A |
| spinetoram | Tomato | 54.16 | 28 | 941.2 | A |
| spinosad | Cauliflower | 13.11 | 11 | 157.4 | A |
| spinosad | Celery | 1.31 | 4 | 14.0 | A |
| spinosad | Cherry | 28.44 | 15 | 229.0 | A |
| spinosad | Corn, human consumption | 13.97 | 15 | 150.0 | A |
| spinosad | Herb, spice | 0.62 | 1 | 10.0 | A |
| spinosad | Kale | 1.54 | 2 | 13.95 | A |
| spinosad | Landscape maintenance | 13.44 | N/A | N/A | N/A |
| spinosad | Lettuce, head | 5.88 | 16 | 53.0 | A |
| spinosad | Lettuce, leaf | 6.74 | 14 | 66.33 | A |
| spinosad | Mustard greens | 0.08 | 1 | 0.7 | A |
| spinosad | N-grnhs flower | 0.12 | 1 | 0.75 | A |
| spinosad | N-grnhs flower | 0.38 | 16 | 192,060.0 | S |
| spinosad | N-grnhs flower | 1.5 | 1 | 800,900.0 | U |
| spinosad | N-grnhs plants in containers | 6.73 | 161 | 93.08 | A |
| spinosad | N-grnhs plants in containers | 0.01 | 3 | 6,628.2 | S |
| spinosad | N-grnhs transplants | 16.64 | 87 | 1,966,100.0 | S |
| spinosad | N-outdr flower | 1.68 | 35 | 32.2 | A |
| spinosad | N-outdr flower | 1.56 | 28 | 532,407.0 | S |
| spinosad | N-outdr plants in containers | 0.29 | 4 | 16.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| spinosad | N-outdr plants in containers | 0.17 | 28 | 100,800.0 | S |
| spinosad | N-outdr transplants | 1.98 | 32 | 438.43 | A |
| spinosad | Olive | 0.03 | 22 | 114.25 | A |
| spinosad | Pepper, fruiting | 26.92 | 14 | 253.8 | A |
| spinosad | Public health | 17.11 | N/A | N/A | N/A |
| spinosad | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| spinosad | Research commodity | 0.09 | 6 | 1.04 | A |
| spinosad | Rights of way | 1.05 | N/A | N/A | N/A |
| spinosad | Spinach | 1.99 | 4 | 18.4 | A |
| spinosad | Squash | 2.36 | 2 | 19.0 | A |
| spinosad | Strawberry | 0.42 | 3 | 4.5 | A |
| spinosad | Structural pest control | 0.01 | N/A | N/A | N/A |
| spinosad | Swiss chard | 0.58 | 2 | 5.4 | A |
| spinosad | Walnut | 8.21 | 10 | 126.0 | A |
| spiromesifen | Corn, human consumption | 50.63 | 29 | 394.25 | A |
| spiromesifen | Landscape maintenance | 0.3 | N/A | N/A | N/A |
| spiromesifen | N-grnhs transplants | 0.84 | 4 | 215,000.0 | S |
| spiromesifen | Pepper, fruiting | 44.23 | 13 | 301.6 | A |
| spirotetramat | Bean, succulent | 1.05 | 1 | 13.3 | A |
| spirotetramat | Broccoli | 21.52 | 26 | 282.47 | A |
| spirotetramat | Cabbage | 20.98 | 46 | 279.27 | A |
| spirotetramat | Cauliflower | 4.87 | 12 | 61.57 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|---|-----------------------|-------------|---------------------|---------------------|
| spirotetramat | Chinese cabbage (napa, won bok, celery cabbage) | 2.52 | 4 | 32.05 | A |
| spirotetramat | Garlic | 9.37 | 6 | 119.0 | A |
| spirotetramat | Grape, wine | 61.81 | 13 | 511.1 | A |
| spirotetramat | Kale | 0.11 | 1 | 1.5 | A |
| spirotetramat | Lettuce, head | 49.69 | 51 | 637.97 | A |
| spirotetramat | Lettuce, leaf | 101.01 | 122 | 1,292.81 | A |
| spirotetramat | N-grnhs flower | 0.05 | 1 | 25,000.0 | S |
| spirotetramat | N-grnhs plants in containers | 2.38 | 10 | 30.06 | A |
| spirotetramat | N-grnhs transplants | 0.46 | 112 | 264,600.0 | S |
| spirotetramat | N-outdr flower | 0.51 | 15 | 316,277.0 | S |
| spirotetramat | N-outdr plants in containers | 0.42 | 10 | 20.0 | A |
| spirotetramat | N-outdr plants in containers | 0.02 | 3 | 3,600.0 | S |
| spirotetramat | N-outdr transplants | 0.13 | 1 | 1.68 | A |
| spirotetramat | Pepper, fruiting | 90.73 | 58 | 1,151.45 | A |
| spirotetramat | Research commodity | 0.02 | 2 | 0.31 | A |
| spirotetramat | Research commodity | <0.01 | N/A | N/A | N/A |
| spirotetramat | Swiss chard | 1.77 | 2 | 22.5 | A |
| starch | Grape, wine | <0.01 | 5 | 7.12 | A |
| streptomyces lydicus wyec 108 | Chinese cabbage (napa, won bok, celery cabbage) | 0.02 | 8 | 57.95 | A |
| streptomyces lydicus wyec 108 | Garlic | 0.02 | 4 | 58.0 | A |
| streptomyces lydicus wyec 108 | Grape, wine | <0.01 | 2 | 6.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|------------------------------|----------------|------|--------------|--------------|
| streptomyces lydicus wyec 108 | N-grnhs plants in containers | 0.02 | 102 | 63.89 | A |
| streptomyces lydicus wyec 108 | N-outdr transplants | <0.01 | 9 | 8.05 | A |
| streptomyces lydicus wyec 108 | Pepper, fruiting | 0.01 | 2 | 41.0 | A |
| streptomyces lydicus wyec 108 | Pumpkin | <0.01 | 1 | 4.6 | A |
| streptomycin sulfate | N-grnhs plants in containers | 2.37 | 16 | 6.75 | A |
| streptomycin sulfate | N-grnhs transplants | 0.96 | 5 | 70,000.0 | S |
| streptomycin sulfate | N-outdr flower | 0.67 | 3 | 3.0 | A |
| strychnine | Landscape maintenance | 0.44 | N/A | N/A | N/A |
| strychnine | Structural pest control | <0.01 | N/A | N/A | N/A |
| strychnine | Vertebrate control | 0.14 | N/A | N/A | N/A |
| styrene butadiene copolymer | Grape, wine | 2.61 | 9 | 23.12 | A |
| styrene butadiene copolymer | N-outdr flower | 11.0 | 172 | 155.0 | A |
| styrene butadiene copolymer | N-outdr plants in containers | 0.54 | 33 | 184,100.0 | S |
| sulfaquinoxaline | Structural pest control | <0.01 | N/A | N/A | N/A |
| sulfentrazone | Landscape maintenance | 0.8 | N/A | N/A | N/A |
| sulfentrazone | Rights of way | 35.5 | N/A | N/A | N/A |
| sulfometuron-methyl | Landscape maintenance | 2.48 | N/A | N/A | N/A |
| sulfometuron-methyl | Rights of way | 28.56 | N/A | N/A | N/A |
| sulfoxaflor | Broccoli | 2.09 | 3 | 67.0 | A |
| sulfoxaflor | Cabbage | 4.88 | 16 | 137.21 | A |
| sulfoxaflor | Celery | 4.93 | 16 | 140.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------|---|-----------------------|-------------|---------------------|---------------------|
| sulfoxaflor | Chinese cabbage (napa, won bok, celery cabbage) | 1.2 | 5 | 38.75 | A |
| sulfoxaflor | Lettuce, head | 16.52 | 41 | 463.17 | A |
| sulfoxaflor | Lettuce, leaf | 23.19 | 68 | 677.96 | A |
| sulfoxaflor | Pepper, fruiting | 4.39 | 5 | 85.6 | A |
| sulfur | Bean, succulent | 1,842.32 | 17 | 411.33 | A |
| sulfur | Bean, unspecified | 1,008.08 | 60 | 243.0 | A |
| sulfur | Grape, wine | 19,094.77 | 296 | 3,622.32 | A |
| sulfur | Landscape maintenance | 96.12 | N/A | N/A | N/A |
| sulfur | N-outdr flower | 23.6 | 11 | 10.5 | A |
| sulfur | Peas | 40.96 | 2 | 6.4 | A |
| sulfur | Pepper, fruiting | 1,359.2 | 20 | 509.0 | A |
| sulfur | Plum | 28.0 | 1 | 2.5 | A |
| sulfur | Structural pest control | 1.7 | N/A | N/A | N/A |
| sulfur | Tomato | 15,283.68 | 37 | 1,171.6 | A |
| sulfur | Tomato, processing | 2,305.5 | 5 | 161.0 | A |
| sulfuryl fluoride | Structural pest control | 149,797.98 | N/A | N/A | N/A |
| tall oil fatty acids | Cabbage | 0.34 | 1 | 2.5 | A |
| tall oil fatty acids | Celery | 4.86 | 12 | 102.0 | A |
| tall oil fatty acids | Cherry | 7.36 | 1 | 108.0 | A |
| tall oil fatty acids | Grape, wine | 0.07 | 17 | 32.3 | A |
| tall oil fatty acids | Landscape maintenance | 3.01 | N/A | N/A | N/A |
| tall oil fatty acids | Pepper, fruiting | 17.47 | 3 | 124.0 | A |
| tall oil fatty acids | Rights of way | 7.15 | N/A | N/A | N/A |
| tall oil fatty acids | Tomato | 4.58 | 3 | 107.5 | A |
| tall oil fatty acids | Uncultivated ag | 3.49 | 3 | 11.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| tall oil fatty acids | Walnut | 3.84 | 1 | 90.0 | A |
| tebuconazole | Bean, succulent | 4.25 | 2 | 25.3 | A |
| tebuconazole | Bean, unspecified | 6.06 | 2 | 36.0 | A |
| tebuconazole | Cherry | 49.73 | 1 | 221.0 | A |
| tebuconazole | Garlic | 101.12 | 27 | 571.0 | A |
| tebuconazole | Golf course turf | 5.16 | N/A | 8.0 | A |
| tebuconazole | Grape | 1.35 | 2 | 13.5 | A |
| tebuconazole | Grape, wine | 29.42 | 16 | 298.12 | A |
| tebuconazole | Landscape maintenance | 144.92 | N/A | N/A | N/A |
| tebuconazole | Onion, dry | 26.97 | 3 | 47.0 | A |
| tebuconazole | Sunflower | 20.42 | 11 | 168.0 | A |
| tebuthiuron | Rights of way | 26.15 | N/A | N/A | N/A |
| terbutylazine | Water (industrial) | 3.36 | N/A | 12.0 | U |
| terrazole | N-outdr plants in containers | 2.04 | 1 | 0.8 | A |
| tetrachloroethylene | Structural pest control | 1.61 | N/A | N/A | N/A |
| tetraconazole | Grape, wine | 0.43 | 5 | 28.3 | A |
| z,e-9,12-tetradecadien-1-yl acetate | Structural pest control | 6.91 | N/A | N/A | N/A |
| tetramethrin | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| tetramethrin | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| tetramethrin | Structural pest control | 0.19 | N/A | N/A | N/A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Grape, wine | 0.93 | 23 | 28.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 14.8 | N/A | N/A | N/A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 0.75 | 6 | 19.5 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Research commodity | 0.01 | 3 | 0.25 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Rights of way | 0.12 | N/A | N/A | N/A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Structural pest control | 1.53 | N/A | N/A | N/A |
| tetrapotassium pyrophosphate | Grape, wine | 0.12 | 23 | 28.5 | A |
| tetrapotassium pyrophosphate | Landscape maintenance | 1.94 | N/A | N/A | N/A |
| tetrapotassium pyrophosphate | N-outdr plants in containers | 0.1 | 6 | 19.5 | A |
| tetrapotassium pyrophosphate | Research commodity | <0.01 | 3 | 0.25 | A |
| tetrapotassium pyrophosphate | Rights of way | 0.02 | N/A | N/A | N/A |
| tetrapotassium pyrophosphate | Structural pest control | 0.2 | N/A | N/A | N/A |
| thiabendazole | Mushroom | 0.83 | 1 | 0.15 | A |
| thiabendazole | Mushroom | 32.36 | 51 | 320,250.0 | S |
| thiabendazole | Mushroom house | 0.75 | 2 | 11,050.0 | S |
| thiabendazole | Mushroom soil | 19.5 | 34 | 194,150.0 | S |
| thiamethoxam | Broccoli | 12.61 | 15 | 219.07 | A |
| thiamethoxam | Cabbage | 15.29 | 43 | 279.6 | A |
| thiamethoxam | Cauliflower | 0.71 | 2 | 15.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|---|----------------|------|--------------|--------------|
| thiamethoxam | Celery | 0.85 | 1 | 18.0 | A |
| thiamethoxam | Chinese cabbage (napa, won bok, celery cabbage) | 3.36 | 5 | 39.1 | A |
| thiamethoxam | Landscape maintenance | 1.62 | N/A | N/A | N/A |
| thiamethoxam | Lettuce, head | 9.16 | 15 | 212.1 | A |
| thiamethoxam | Lettuce, leaf | 14.51 | 36 | 336.7 | A |
| thiamethoxam | N-grnhs flower | <0.01 | 1 | 1.0 | A |
| thiamethoxam | N-grnhs flower | 0.16 | 3 | 31,920.0 | S |
| thiamethoxam | N-grnhs plants in containers | 0.75 | N/A | 35.0 | A |
| thiamethoxam | N-outdr flower | 0.01 | 1 | 7,827.0 | S |
| thiamethoxam | Pepper, fruiting | 18.41 | 9 | 223.0 | A |
| thiamethoxam | Regulatory pest control | 0.02 | N/A | N/A | N/A |
| thiamethoxam | Research commodity | 0.01 | 1 | 0.1 | A |
| thiamethoxam | Structural pest control | 13.65 | N/A | N/A | N/A |
| thiamethoxam | Tomato | 3.69 | 3 | 77.0 | A |
| thiamethoxam | Vegetable | 0.1 | 1 | 1.2 | A |
| thiophanate-methyl | Cherry | 55.65 | 4 | 53.0 | A |
| thiophanate-methyl | Golf course turf | 52.67 | N/A | 8.3 | A |
| thiophanate-methyl | Grape, wine | 9.35 | 2 | 26.72 | A |
| thiophanate-methyl | Landscape maintenance | 2,005.32 | N/A | N/A | N/A |
| thiophanate-methyl | N-grnhs flower | 10.59 | 17 | 44.0 | A |
| thiophanate-methyl | N-grnhs flower | 1.55 | 2 | 30,000.0 | S |
| thiophanate-methyl | N-grnhs flower | 0.06 | 1 | 14.0 | U |
| thiophanate-methyl | N-grnhs plants in containers | 240.99 | 81 | 31.13 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| thiophanate-methyl | N-grnhs transplants | 542.41 | 112 | 566,000.0 | S |
| thiophanate-methyl | N-outdr flower | 34.69 | 146 | 139.5 | A |
| thiophanate-methyl | N-outdr flower | 1.77 | 9 | 82,780.0 | S |
| thiophanate-methyl | N-outdr plants in containers | 16.04 | 4 | 2.2 | A |
| thiophanate-methyl | N-outdr transplants | 11.13 | 5 | 1.36 | A |
| thiram | Landscape maintenance | 0.44 | N/A | N/A | N/A |
| thyme | Structural pest control | 0.19 | N/A | N/A | N/A |
| thyme oil | Structural pest control | 2.51 | N/A | N/A | N/A |
| thymol | Structural pest control | 0.36 | N/A | N/A | N/A |
| topramezone | Golf course turf | 0.13 | N/A | 6.0 | A |
| topramezone | Landscape maintenance | 0.3 | N/A | N/A | N/A |
| triadimefon | Landscape maintenance | 11.32 | N/A | N/A | N/A |
| triadimefon | N-outdr flower | 0.01 | 2 | 22,176.0 | S |
| tributyl tetradecyl phosphonium chloride | Water (industrial) | 40.0 | N/A | 12.0 | U |
| trichlorfon | Structural pest control | 1.32 | N/A | N/A | N/A |
| trichlorofluoromethane | Landscape maintenance | 2.33 | N/A | N/A | N/A |
| trichlorofluoromethane | Structural pest control | 1.18 | N/A | N/A | N/A |
| trichloro-s-triazinetrione | Landscape maintenance | 3,159.83 | N/A | N/A | N/A |
| trichoderma harzianum rifai strain krl-ag2 | Basil, sweet | <0.01 | 1 | 32.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| trichoderma harzianum rifai strain krl-ag2 | N-grnhs plants in containers | 0.21 | 9 | 2.95 | A |
| trichoderma harzianum rifai strain krl-ag2 | N-grnhs transplants | 4.24 | 61 | 166,900.0 | S |
| trichoderma virens strain g-41 | N-grnhs transplants | 2.11 | 53 | 152,500.0 | S |
| triclopyr, butoxyethyl ester | Golf course turf | 30.31 | N/A | 22.6 | A |
| triclopyr, butoxyethyl ester | Landscape maintenance | 1,130.31 | N/A | N/A | N/A |
| triclopyr, butoxyethyl ester | N-grnhs transplants | 68.68 | N/A | 149.0 | A |
| triclopyr, butoxyethyl ester | Rights of way | 200.74 | N/A | N/A | N/A |
| triclopyr, butoxyethyl ester | Sod farm (turf) | 77.0 | 5 | 52.0 | A |
| triclopyr choline | Landscape maintenance | 0.35 | N/A | N/A | N/A |
| triclopyr choline | Rights of way | 3.74 | N/A | N/A | N/A |
| triclopyr, triethylamine salt | Golf course turf | 25.07 | N/A | 40.0 | A |
| triclopyr, triethylamine salt | Landscape maintenance | 45.02 | N/A | N/A | N/A |
| triclopyr, triethylamine salt | Rights of way | 314.66 | N/A | N/A | N/A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Apricot | 0.7 | 10 | 16.1 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Cherry | 8.1 | 21 | 141.25 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Garlic | 3.98 | 2 | 63.0 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Grape, wine | 0.92 | 2 | 6.2 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Nectarine | 1.06 | 9 | 13.5 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Oat | 0.07 | 1 | 10.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|-----------------------|-------------|---------------------|---------------------|
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Peach | 1.21 | 12 | 20.25 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Pepper, fruiting | 0.24 | 1 | 46.0 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Plum | 1.05 | 11 | 19.0 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Pumpkin | 16.74 | 3 | 57.0 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Tomato | 7.48 | 1 | 25.5 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Uncultivated ag | 3.87 | 2 | 110.0 | A |
| triethanolamine | Grape, wine | 0.31 | 23 | 28.5 | A |
| triethanolamine | Landscape maintenance | 4.95 | N/A | N/A | N/A |
| triethanolamine | N-outdr plants in containers | 0.25 | 6 | 19.5 | A |
| triethanolamine | Research commodity | <0.01 | 3 | 0.25 | A |
| triethanolamine | Rights of way | 0.04 | N/A | N/A | N/A |
| triethanolamine | Structural pest control | 0.51 | N/A | N/A | N/A |
| trifloxystrobin | Apple | 3.32 | 2 | 36.3 | A |
| trifloxystrobin | Cabbage | 2.48 | 3 | 28.97 | A |
| trifloxystrobin | Celery | 1.82 | 3 | 20.0 | A |
| trifloxystrobin | Cherry | 78.15 | 27 | 727.25 | A |
| trifloxystrobin | Chinese cabbage (napa, won bok, celery cabbage) | 0.5 | 2 | 4.0 | A |
| trifloxystrobin | Grape, wine | 1.58 | 6 | 14.3 | A |
| trifloxystrobin | Landscape maintenance | 10.71 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| trifloxystrobin | Lettuce, leaf | 21.55 | 16 | 173.95 | A |
| trifloxystrobin | N-grnhs flower | 0.01 | 1 | 11,088.0 | S |
| trifloxystrobin | N-grnhs transplants | 3.37 | 14 | 843,000.0 | S |
| trifloxystrobin | N-outdr flower | 0.08 | 8 | 69,908.0 | S |
| trifloxystrobin | Parsley | 2.19 | 3 | 20.0 | A |
| trifloxystrobin | Pepper, fruiting | 57.06 | 23 | 462.17 | A |
| trifloxystrobin | Pumpkin | 29.99 | 19 | 241.75 | A |
| trifloxystrobin | Research commodity | 0.02 | 1 | 0.16 | A |
| trifloxystrobin | Tomato | 13.13 | 4 | 106.0 | A |
| trifloxystrobin | Tomato, processing | 6.2 | 2 | 50.0 | A |
| triflumizole | Cherry | 13.35 | 5 | 41.25 | A |
| triflumizole | Grape, wine | 23.67 | 8 | 132.41 | A |
| trifluralin | Bean, dried | 48.99 | 3 | 123.0 | A |
| trifluralin | Bean, succulent | 46.72 | 10 | 158.2 | A |
| trifluralin | Broccoli | 13.94 | 3 | 34.0 | A |
| trifluralin | Cabbage | 15.41 | 2 | 40.5 | A |
| trifluralin | Landscape maintenance | 100.57 | N/A | N/A | N/A |
| trifluralin | N-grnhs flower | 0.25 | 7 | 2,955.0 | U |
| trifluralin | Pepper, fruiting | 180.19 | 13 | 389.6 | A |
| trifluralin | Rights of way | 54.0 | N/A | N/A | N/A |
| trifluralin | Structural pest control | 0.56 | N/A | N/A | N/A |
| trifluralin | Tomato | 39.52 | 4 | 106.0 | A |
| trifluralin | Tomato, processing | 25.37 | 3 | 68.0 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Bean, unspecified | 2.55 | 2 | 19.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Cauliflower | 34.3 | 12 | 206.3 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Garlic | 15.84 | 4 | 52.4 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Grape, wine | 2.64 | 11 | 27.92 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 8.77 | N/A | N/A | N/A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Lettuce, head | 0.56 | 3 | 8.0 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 0.97 | 1 | 7.5 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 0.25 | 33 | 184,100.0 | S |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 55.63 | 23 | 406.9 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Pumpkin | 6.35 | 5 | 100.5 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Squash | 1.39 | 2 | 19.0 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Tomato | 56.09 | 24 | 741.2 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Watermelon | 2.18 | 2 | 12.0 | A |
| trinexapac-ethyl | Golf course turf | 19.52 | N/A | 275.8 | A |
| trinexapac-ethyl | Golf course turf | 0.02 | N/A | 278,000.0 | S |
| trinexapac-ethyl | Landscape maintenance | 169.28 | N/A | N/A | N/A |
| trinexapac-ethyl | N-grnhs flower | 16.56 | N/A | 129.0 | A |
| trinexapac-ethyl | N-grnhs plants in containers | 3.02 | N/A | 3.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| trinexapac-ethyl | N-grnhs transplants | 1.13 | N/A | 48.0 | A |
| trinexapac-ethyl | N-outdr flower | 4.04 | N/A | 33.0 | A |
| triptolide | Structural pest control | <0.01 | N/A | N/A | N/A |
| triticonazole | Landscape maintenance | 9.75 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Apple | 52.63 | 7 | 311.9 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Bean, succulent | 1.4 | 9 | 24.85 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Bean, unspecified | 15.46 | 80 | 280.38 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Broccoli | 57.81 | 43 | 420.62 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cabbage | 106.41 | 66 | 454.9 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Celery | 146.94 | 66 | 639.2 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cherry | 43.46 | 3 | 462.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Garlic | 33.92 | 15 | 270.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Industrial site | 28.77 | N/A | 121.4 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 3.1 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Lettuce, head | 105.79 | 77 | 755.41 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 283.81 | 272 | 2,276.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | N-outdr flower | 12.57 | 172 | 155.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 2.03 | 15 | 38.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Onion, dry | 6.64 | 2 | 29.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Parsley | 13.51 | 20 | 118.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 17.47 | 3 | 124.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Regulatory pest control | 0.18 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Rights of way | 24.56 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 0.08 | 1 | 2.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Walnut | 33.29 | 5 | 128.18 | A |
| uniconzole-p | N-grnhs plants in containers | 0.04 | 41 | 11.92 | A |
| uniconzole-p | N-grnhs transplants | 0.31 | 127 | 484,900.0 | S |
| urea dihydrogen sulfata | Apricot | 0.05 | 4 | 7.2 | A |
| urea dihydrogen sulfata | Cherry | 0.38 | 9 | 67.75 | A |
| urea dihydrogen sulfata | Garlic | 0.13 | 1 | 31.0 | A |
| urea dihydrogen sulfata | Nectarine | 0.03 | 3 | 4.5 | A |
| urea dihydrogen sulfata | Oat | 0.04 | 1 | 10.0 | A |
| urea dihydrogen sulfata | Peach | 0.05 | 4 | 6.75 | A |
| urea dihydrogen sulfata | Pepper, fruiting | 0.15 | 1 | 46.0 | A |
| urea dihydrogen sulfata | Plum | 0.04 | 3 | 5.75 | A |
| urea dihydrogen sulfata | Uncultivated ag | 0.21 | 1 | 50.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| 4-vinylcyclohexenediepoide | Structural pest control | 0.07 | N/A | N/A | N/A |
| vinyl ester polymer | Landscape maintenance | 16.59 | N/A | N/A | N/A |
| vinyl ester polymer | Rights of way | 0.25 | N/A | N/A | N/A |
| vinyl polymer | Forage hay/silage | 0.62 | 3 | 47.0 | A |
| vinyl polymer | Lettuce, head | 1.88 | 14 | 182.18 | A |
| vinyl polymer | Lettuce, leaf | 3.01 | 32 | 279.73 | A |
| vinyl polymer | Oat | 0.59 | 1 | 45.0 | A |
| vinyl polymer | Uncultivated ag | 13.05 | 19 | 251.8 | A |
| vinyl polymer | Walnut | 0.13 | 1 | 3.0 | A |
| warfarin | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| warfarin | Structural pest control | 0.01 | N/A | N/A | N/A |
| xylene range aromatic solvent | Mushroom soil | 4.69 | 14 | 78,700.0 | S |
| xylene range aromatic solvent | Pepper, fruiting | 20.8 | 1 | 62.0 | A |
| xylene range aromatic solvent | Tomato | 174.19 | 1 | 13.0 | A |
| yucca schidigera | Landscape maintenance | 0.08 | N/A | N/A | N/A |
| zinc phosphide | Landscape maintenance | 6.5 | N/A | N/A | N/A |
| zinc phosphide | Vertebrate control | 2.01 | N/A | N/A | N/A |