

# 2022 Annual Statewide Pesticide Use Report Indexed by Chemical Kings County

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Tangerine	0.01	2	17.5	A
(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Tangerine	0.01	2	17.5	A
(e)-5-decenol	Nectarine	0.03	1	20.0	A
(e)-5-decenol	Peach	0.09	5	62.0	A
(e)-5-decenyl acetate	Nectarine	0.13	1	20.0	A
(e)-5-decenyl acetate	Peach	0.41	5	62.0	A
(z,z)-11,13-hexadecadienal	Almond	60.87	97	5,601.93	A
(z,z)-11,13-hexadecadienal	Pistachio	180.14	130	13,447.37	A
(z,z)-11,13-hexadecadienal	Walnut	0.28	2	127.0	A
1,3-dichloropropene	Soil fumigation/preplant	129,055.22	16	473.89	A
2,4-d	Ryegrass	46.65	3	172.0	A
2,4-d	Triticale	26.85	2	99.0	A
2,4-d	Wheat (forage - fodder)	52.07	2	160.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2,4-d, 2-ethylhexyl ester	Landscape maintenance	158.28	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Structural pest control	1.2	N/A	N/A	N/A
2,4-d, dimethylamine salt	Almond	1,724.54	35	1,367.28	A
2,4-d, dimethylamine salt	Apricot	47.29	3	34.04	A
2,4-d, dimethylamine salt	Barley	121.59	2	214.3	A
2,4-d, dimethylamine salt	Cherry	13.47	2	8.0	A
2,4-d, dimethylamine salt	Grape	139.88	3	122.4	A
2,4-d, dimethylamine salt	Grape, wine	195.53	6	152.54	A
2,4-d, dimethylamine salt	Landscape maintenance	46.19	N/A	N/A	N/A
2,4-d, dimethylamine salt	Nectarine	30.04	2	35.5	A
2,4-d, dimethylamine salt	Pastureland	349.65	6	154.02	A
2,4-d, dimethylamine salt	Peach	56.72	12	80.0	A
2,4-d, dimethylamine salt	Pistachio	652.25	9	462.11	A
2,4-d, dimethylamine salt	Plum	154.72	12	141.6	A
2,4-d, dimethylamine salt	Rights of way	122.54	1	54.0	A
2,4-d, dimethylamine salt	Rights of way	219.18	N/A	N/A	N/A
2,4-d, dimethylamine salt	Soil fumigation/preplant	8,971.33	35	8,607.0	A
2,4-d, dimethylamine salt	Triticale	331.13	4	451.2	A
2,4-d, dimethylamine salt	Uncultivated ag	692.13	1	305.0	A
2,4-d, dimethylamine salt	Walnut	1,287.94	55	1,115.01	A
2,4-d, dimethylamine salt	Wheat	561.74	6	1,071.0	A
2,4-d, dimethylamine salt	Wheat (forage - fodder)	706.65	16	1,163.0	A
2,4-d, isopropyl ester	Tangerine	0.78	1	10.0	A
2,4-dichlorophenoxyacetic acid, choline salt	Almond	91.48	5	126.55	A
2,4-dichlorophenoxyacetic acid, choline salt	Blueberry	5.65	1	10.68	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2,4-dichlorophenoxyacetic acid, choline salt	Pistachio	1,787.43	42	2,083.4	A
2,4-dichlorophenoxyacetic acid, choline salt	Triticale	52.91	2	139.0	A
2,4-dichlorophenoxyacetic acid, choline salt	Walnut	96.27	11	181.94	A
2,4-dichlorophenoxyacetic acid, choline salt	Wheat (forage - fodder)	59.28	5	224.0	A
2,4-dp-p, isooctyl ester	Landscape maintenance	17.11	N/A	N/A	N/A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Almond	32.78	3	132.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Corn (forage - fodder)	8.07	2	57.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cotton	46.25	6	431.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pistachio	71.38	6	205.41	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Tomato, processing	50.79	5	861.0	A
2-butoxyethanol	Almond	1.22	18	117.57	A
2-butoxyethanol	Apricot	0.52	3	24.14	A
2-butoxyethanol	Blueberry	0.26	1	24.92	A
2-butoxyethanol	Peach	1.72	25	165.89	A
2-butoxyethanol	Pistachio	2.76	7	174.8	A
2-butoxyethanol	Plum	0.36	5	34.23	A
2-butoxyethanol	Rights of way	0.01	N/A	N/A	N/A
2-butoxyethanol	Tangerine	0.22	4	17.31	A
2-propenoic acid, telomer with sodium hydrogen sulfite	Almond	1.12	3	140.0	A
2-propenoic acid, telomer with sodium hydrogen sulfite	Corn (forage - fodder)	1.33	13	502.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>2-propenoic acid, telomer with sodium hydrogen sulfite</b>	Pistachio	0.14	3	24.25	A
<b>2-propenoic acid, telomer with sodium hydrogen sulfite</b>	Walnut	0.12	3	23.6	A
<b>3,7-dimethyl-6-octen-1-ol</b>	Nectarine	1.37	5	73.6	A
<b>3,7-dimethyl-6-octen-1-ol</b>	Peach	1.27	8	68.3	A
<b>4-aminopyridine</b>	Structural pest control	0.02	N/A	N/A	N/A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Alfalfa	38.42	40	1,980.79	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Almond	311.69	58	3,285.0	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Cherry	10.24	8	125.84	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Corn (forage - fodder)	86.09	20	1,079.0	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Cotton	92.58	18	1,531.37	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Grape	8.8	5	164.0	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Grape, wine	9.62	2	62.22	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Lettuce, head	6.37	10	200.0	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Peach	16.9	25	225.4	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Pecan	1.24	1	8.0	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Pepper, fruiting	9.12	4	320.0	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Pistachio	578.33	37	2,554.57	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Pomegranate	0.88	4	12.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Pumpkin	0.91	1	10.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Rights of way	5.73	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Soil fumigation/preplant	71.98	19	2,986.52	A
4-nonylphenol, formaldehyde resin, propoxylated	Sorghum (forage - fodder)	10.61	8	777.1	A
4-nonylphenol, formaldehyde resin, propoxylated	Triticale	20.3	9	1,046.85	A
4-nonylphenol, formaldehyde resin, propoxylated	Walnut	148.68	20	737.9	A
4-nonylphenol, formaldehyde resin, propoxylated	Wheat	57.1	14	1,855.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Wheat (forage - fodder)	55.02	47	2,966.12	A
Abamectin	Almond	495.63	449	24,931.23	A
Abamectin	Apricot	1.9	9	80.84	A
Abamectin	Blueberry	2.11	4	112.0	A
Abamectin	Cherry	2.17	5	97.92	A
Abamectin	Citrus	1.12	2	52.0	A
Abamectin	Cotton	704.15	242	37,498.63	A
Abamectin	Garlic	38.77	14	2,068.9	A
Abamectin	Grape	6.6	4	346.0	A
Abamectin	Grape, wine	15.15	10	834.7	A
Abamectin	Landscape maintenance	<0.01	N/A	N/A	N/A
Abamectin	Lemon	0.43	1	19.5	A
Abamectin	Lettuce, head	5.33	7	275.2	A
Abamectin	N-outdr transplants	0.36	10	22.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin	Nectarine	4.39	11	176.64	A
Abamectin	Onion, dry	59.27	23	3,184.4	A
Abamectin	Orange	0.95	4	42.5	A
Abamectin	Peach	11.7	31	453.2	A
Abamectin	Pepper, fruiting	2.4	2	160.0	A
Abamectin	Pistachio	1.59	2	73.8	A
Abamectin	Plum	5.14	25	196.87	A
Abamectin	Pumpkin	0.35	2	20.0	A
Abamectin	Structural pest control	0.77	N/A	N/A	N/A
Abamectin	Tangerine	0.58	3	26.0	A
Abamectin	Tomato	1.07	3	97.2	A
Abamectin	Tomato, processing	48.19	28	3,554.2	A
Abamectin	Walnut	155.34	177	6,815.81	A
Abamectin, other related	Structural pest control	<0.01	N/A	N/A	N/A
Acephate	Citrus	4.85	1	10.0	A
Acephate	Cotton	674.15	5	695.0	A
Acephate	Cotton	9,816.66	N/A	1,323.56	T
Acephate	Pistachio	790.45	8	814.9	A
Acephate	Structural pest control	4.58	N/A	N/A	N/A
Acetamiprid	Almond	25.14	6	143.65	A
Acetamiprid	Apricot	1.48	4	10.0	A
Acetamiprid	Blueberry	13.24	4	132.2	A
Acetamiprid	Cotton	4,980.95	235	50,459.82	A
Acetamiprid	Grape	28.66	6	304.5	A
Acetamiprid	Grape, wine	60.53	7	608.5	A
Acetamiprid	Lettuce, head	30.2	15	515.8	A
Acetamiprid	N-outdr transplants	2.36	4	6.0	A
Acetamiprid	Nectarine	14.89	7	100.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Acetamiprid	Peach	39.42	18	267.55	A
Acetamiprid	Pistachio	2,543.39	146	15,633.19	A
Acetamiprid	Plum	24.51	21	167.45	A
Acetamiprid	Pumpkin	1.01	1	10.0	A
Acetamiprid	Structural pest control	0.15	N/A	N/A	N/A
Acetamiprid	Tangerine	9.67	5	51.02	A
Acetamiprid	Tomato, processing	355.33	57	5,312.47	A
Acetamiprid	Walnut	261.26	52	1,782.85	A
Acibenzolar-s-methyl	Landscape maintenance	0.15	N/A	N/A	N/A
Acibenzolar-s-methyl	N-outdr transplants	0.7	9	18.0	A
Acibenzolar-s-methyl	Onion, dry	8.01	3	341.7	A
Acid blue 9, diammonium salt	Water area	18.72	N/A	22.0	A
Acrylamide/sodium acrylate copolymer	Almond	6.07	4	288.1	A
Acrylamide/sodium acrylate copolymer	Grape, wine	1.32	2	73.68	A
Acrylamide/sodium acrylate copolymer	Triticale	2.29	1	324.0	A
Acrylamide/sodium acrylate copolymer	Wheat (forage - fodder)	1.85	2	132.0	A
Acrylic acid	Almond	104.77	15	1,705.62	A
Acrylic acid	Apricot	6.01	8	74.72	A
Acrylic acid	Peach	6.83	7	105.0	A
Acrylic acid	Pistachio	13.01	3	209.0	A
Acrylic acid	Plum	6.63	8	121.5	A
Acrylic acid	Walnut	0.41	1	20.0	A
Afidopyropen	Alfalfa	2.9	4	225.0	A
Afidopyropen	Cotton	1,370.47	186	30,140.33	A
Afidopyropen	Sorghum (forage - fodder)	8.72	12	444.9	A
Afidopyropen	Sorghum/milo	1.69	1	86.0	A
Afidopyropen	Tomato, processing	369.86	61	8,026.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Landscape maintenance	3.2	N/A	N/A	N/A
Alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Soil fumigation/preplant	0.42	1	31.0	A
Alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Structural pest control	<0.01	N/A	N/A	N/A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Landscape maintenance	67.23	N/A	N/A	N/A
Alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Landscape maintenance	67.23	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Alfalfa	13.1	9	591.3	A
Alkyl (c8,c10) polyglucoside	Almond	180.77	49	2,754.72	A
Alkyl (c8,c10) polyglucoside	Cherry	0.33	1	17.5	A
Alkyl (c8,c10) polyglucoside	Corn (forage - fodder)	119.8	71	2,869.34	A
Alkyl (c8,c10) polyglucoside	Cotton	4.91	12	1,019.0	A
Alkyl (c8,c10) polyglucoside	Garlic	1.61	6	686.0	A
Alkyl (c8,c10) polyglucoside	Grape	12.97	6	65.45	A
Alkyl (c8,c10) polyglucoside	Grape, wine	135.81	11	917.5	A
Alkyl (c8,c10) polyglucoside	Landscape maintenance	603.23	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Oat	0.12	2	53.0	A
Alkyl (c8,c10) polyglucoside	Onion, dry	0.16	1	70.0	A
Alkyl (c8,c10) polyglucoside	Peach	0.64	1	6.0	A
Alkyl (c8,c10) polyglucoside	Pistachio	23.8	18	754.47	A
Alkyl (c8,c10) polyglucoside	Rights of way	1,602.59	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Soil fumigation/preplant	12.58	2	112.0	A
Alkyl (c8,c10) polyglucoside	Structural pest control	50.68	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Walnut	190.91	96	1,719.02	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Alfalfa	2.04	37	1,808.79	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (c9-c11) oligomeric d-glucopyranoside	Cherry	0.56	6	105.84	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Corn (forage - fodder)	0.56	8	347.6	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Cotton	1.26	4	749.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Grape	0.07	1	37.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Lettuce, head	0.42	10	200.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Pomegranate	0.05	2	10.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Rights of way	0.38	N/A	N/A	N/A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Soil fumigation/preplant	4.8	19	2,986.52	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Sorghum (forage - fodder)	0.71	8	777.1	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Triticale	1.35	9	1,046.85	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Wheat	0.22	5	206.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Wheat (forage - fodder)	2.72	41	2,503.12	A
Allyloxypolyethylene glycol acetate	Pistachio	2.61	1	88.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	4.7	4	466.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Almond	10.86	30	763.58	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Apricot	1.22	13	85.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Blueberry	0.93	3	94.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grape	1.07	14	136.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	3.15	5	280.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Nectarine	12.0	80	840.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Peach	15.3	113	1,108.88	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pistachio	37.31	56	1,958.25	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Plum	2.38	24	169.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pluot	0.95	13	62.88	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	15.34	N/A	N/A	N/A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	1.2	2	78.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato, processing	21.9	22	2,446.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Walnut	6.33	12	182.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Corn (forage - fodder)	0.17	3	159.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Cotton	0.09	2	61.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	860.86	210	12,698.18	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Almond	16,912.03	1,174	66,930.1	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Apricot	259.76	51	453.43	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Barley	10.28	3	85.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Barley (forage - fodder)	2.29	1	40.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Blueberry	129.11	16	508.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cherry	1,149.82	73	1,675.77	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Citrus	7.45	3	54.22	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	3,393.83	565	27,359.18	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cotton	10,211.43	1,548	298,260.98	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Garlic	520.77	49	7,196.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape	1,925.7	82	3,902.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	1,548.03	98	4,846.23	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	121.68	20	310.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	114.14	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lemon	2.17	1	17.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, head	9.71	13	322.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Melon	8.78	2	308.8	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Nectarine	1,238.72	98	1,222.47	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat	10.76	5	98.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	3.85	1	50.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Olive	6.93	6	739.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, dry	5,199.54	136	17,995.7	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Orange	9.87	4	51.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Peach	1,166.25	150	1,939.82	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pecan	13.98	6	228.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Persimmon	1.5	1	5.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pistachio	41,103.64	1,591	120,418.08	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Plum	859.48	160	1,284.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pomegranate	314.83	37	1,175.57	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pumpkin	0.31	1	10.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Quince	2.06	1	9.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	245.09	36	9,907.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	1,609.57	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Ryegrass	19.93	8	374.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Safflower	864.33	325	82,829.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	1,632.05	276	47,826.63	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	409.55	64	4,060.42	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sorghum/milo	65.37	8	640.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sudangrass	4.8	4	83.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tangerine	13.73	26	252.32	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato	9.18	8	281.85	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato, processing	3,653.79	505	65,022.91	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Triticale	489.36	82	7,372.11	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Walnut	4,326.43	370	8,581.67	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Wheat	394.53	39	4,240.42	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	793.68	271	14,668.51	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Alfalfa	6.37	5	60.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Almond	47.31	19	618.89	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Corn (forage - fodder)	0.37	4	98.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cotton	1,783.63	115	16,824.22	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pastureland	23.08	6	154.02	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pecan	0.05	1	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pistachio	685.72	125	3,447.65	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Rights of way	8.1	1	54.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Safflower	416.69	8	2,223.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Soil fumigation/preplant	104.78	3	559.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Tomato, processing	3.34	17	2,835.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Uncultivated ag	45.74	1	305.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Walnut	20.98	6	310.04	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Alfalfa	47.26	10	782.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Almond	824.78	124	4,506.56	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Apricot	104.98	55	368.62	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Barley	3.42	1	37.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Blueberry	6.25	3	64.08	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cherry	40.95	7	93.35	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Corn (forage - fodder)	279.54	69	3,411.34	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cotton	1,688.04	163	36,883.01	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grape	32.31	18	489.03	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grape, wine	27.37	9	158.4	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Landscape maintenance	3.42	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Nectarine	190.42	52	502.53	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Oat (forage - fodder)	1.37	1	40.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Peach	264.88	105	937.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pistachio	1,125.78	238	9,093.76	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Plum	205.02	95	869.98	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pomegranate	30.6	8	189.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rights of way	1,979.43	99	38,870.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Safflower	62.24	41	10,033.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Soil fumigation/preplant	327.25	47	7,875.27	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Tangerine	7.07	10	46.74	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Tomato, processing	165.1	26	2,489.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Triticale	5.39	6	275.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Walnut	111.12	45	708.03	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Wheat (forage - fodder)	5.14	2	300.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Almond	43.84	2	136.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Cotton	16.58	1	257.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Safflower	48.85	6	1,514.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Soil fumigation/preplant	330.83	43	4,288.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Almond	16.95	4	137.77	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pistachio	39.65	5	221.0	A
Alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Pistachio	0.86	6	638.0	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Almond	178.11	9	557.1	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	22.72	5	563.0	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Cotton	14.55	2	274.0	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Grape	287.36	17	1,199.0	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Pistachio	1,276.9	71	7,367.61	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Safflower	28.91	9	2,694.0	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Walnut	187.1	22	800.83	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Alfalfa	59.12	20	1,849.18	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Almond	1,117.09	38	3,494.07	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	16.05	2	276.0	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Cotton	627.23	52	9,668.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Garlic	351.58	41	6,134.5	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	15.27	N/A	N/A	N/A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	3.85	1	50.0	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Pistachio	2,617.03	137	12,280.71	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Pomegranate	80.45	4	161.11	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Ryegrass	19.93	8	374.0	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Safflower	41.15	15	4,274.0	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	8.5	1	220.7	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	13.95	4	103.0	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Sudangrass	4.8	4	83.0	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Tomato, processing	317.86	30	3,533.55	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Triticale	163.49	28	2,301.78	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Walnut	3.08	1	21.5	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Wheat	3.02	2	92.2	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	137.8	55	3,082.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Almond	81.2	29	1,173.0	A
Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Nectarine	0.2	1	7.0	A
Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Onion, dry	0.99	1	17.0	A
Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Peach	0.93	3	32.0	A
Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Pistachio	101.09	54	2,645.5	A
Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Tangerine	1.75	1	10.0	A
Alpha-alkyl (c8-c18)-omega-hydroxypoly(oxyethylene) poly(oxypropylene)	Almond	2.01	1	10.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Alfalfa	37.21	15	762.6	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Almond	328.9	48	1,565.7	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Blueberry	32.79	6	183.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cherry	133.89	7	311.4	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	148.2	40	1,970.34	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cotton	503.5	92	11,017.17	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grape	209.33	17	1,355.36	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grape, wine	348.01	58	3,121.33	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Nectarine	31.77	3	78.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Onion, dry	1,731.14	142	18,444.7	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Orange	1.29	1	12.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Peach	93.97	20	271.22	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Persimmon	0.43	1	5.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pistachio	1,201.53	138	7,026.94	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Plum	10.65	9	56.1	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pomegranate	477.09	44	5,577.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	45.05	12	2,300.69	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Sorghum/milo	0.28	1	13.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Tomato, processing	149.73	57	6,156.65	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Triticale	88.31	17	1,479.9	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Walnut	279.64	56	1,161.72	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Wheat	96.18	16	2,375.6	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	36.27	17	892.9	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Alfalfa	122.02	19	769.58	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Almond	1,788.91	141	6,553.19	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Apricot	4.65	2	22.04	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cherry	10.74	3	56.68	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	615.74	98	5,273.44	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cotton	164.31	26	1,345.6	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Grape	10.53	2	35.64	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Grape, wine	260.27	14	571.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Nectarine	3.96	2	18.75	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	5.63	1	40.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Parsley	52.37	2	248.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Peach	1.48	1	7.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pistachio	2,739.01	214	12,581.86	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Plum	7.85	6	37.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pomegranate	291.48	30	1,397.29	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	2,708.9	34	12,204.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	62.57	N/A	N/A	N/A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	5,270.82	127	27,144.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Tomato, processing	716.5	29	4,303.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Walnut	59.11	21	422.32	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Alfalfa	25.4	26	1,540.87	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Almond	2,024.58	273	15,653.73	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Apricot	7.44	11	52.8	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cherry	128.22	18	563.84	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Citrus	7.91	4	72.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	121.17	106	4,657.95	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Corn, grain	0.57	1	38.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cotton	144.26	93	5,443.13	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Garlic	3.35	2	186.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Grape	2.81	3	124.76	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Grape, wine	181.04	16	1,182.2	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Nectarine	40.75	27	389.96	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Orange	2.53	2	24.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Peach	160.09	74	1,197.74	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pistachio	1,501.76	150	15,087.58	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Plum	59.38	47	474.22	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pluot	3.79	2	21.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pomegranate	9.4	2	55.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	27.57	19	657.94	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Tangerine	9.97	11	40.16	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Tomato, processing	3.69	2	32.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Walnut	313.72	80	2,670.21	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	5.44	4	314.2	A
Alpha-cypermethrin	Structural pest control	23.37	N/A	N/A	N/A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Almond	107.81	39	1,591.18	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Cherry	1.85	5	97.35	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Cotton	373.09	63	16,822.82	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	5.23	4	134.48	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Pistachio	2,727.87	51	4,961.94	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Pomegranate	195.46	14	970.32	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Safflower	66.17	16	3,943.0	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	176.93	52	11,155.0	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Tomato, processing	18.5	14	1,096.0	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Triticale	8.6	2	461.0	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Wheat	6.73	3	598.0	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Almond	132.57	59	1,138.03	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Apricot	1.46	3	11.0	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Blueberry	5.49	3	64.08	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Nectarine	0.18	1	3.0	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Peach	30.08	32	226.71	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Pistachio	359.73	119	3,083.27	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Plum	7.9	9	62.79	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Tangerine	6.39	12	54.68	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Pistachio	66.5	2	468.5	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Walnut	66.62	4	291.0	A
Alpha-isooctadecyl-omega-hydroxypoly(oxyethylene)	Public health	130.39	N/A	N/A	N/A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Almond	3.05	18	117.57	A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Apricot	1.29	3	24.14	A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Blueberry	0.65	1	24.92	A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Peach	4.31	25	165.89	A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Pistachio	6.9	7	174.8	A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Plum	0.89	5	34.23	A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Rights of way	0.02	N/A	N/A	N/A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Tangerine	0.56	4	17.31	A
Alpha-pinene beta-pinene copolymer	Alfalfa	8.02	5	233.0	A
Alpha-pinene beta-pinene copolymer	Almond	345.04	58	1,805.29	A
Alpha-pinene beta-pinene copolymer	Apricot	22.83	13	85.0	A
Alpha-pinene beta-pinene copolymer	Barley (forage - fodder)	1.03	1	27.0	A
Alpha-pinene beta-pinene copolymer	Blueberry	20.02	5	155.0	A
Alpha-pinene beta-pinene copolymer	Cherry	5.6	1	20.0	A
Alpha-pinene beta-pinene copolymer	Citrus	17.69	1	38.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-pinene beta-pinene copolymer	Corn (forage - fodder)	44.81	9	916.75	A
Alpha-pinene beta-pinene copolymer	Cotton	19.77	14	596.0	A
Alpha-pinene beta-pinene copolymer	Forage hay/silage	1.99	2	52.0	A
Alpha-pinene beta-pinene copolymer	Grape	45.69	16	284.0	A
Alpha-pinene beta-pinene copolymer	Grape, wine	59.1	5	280.0	A
Alpha-pinene beta-pinene copolymer	Nectarine	273.9	94	1,019.5	A
Alpha-pinene beta-pinene copolymer	Onion, dry	2.92	1	115.0	A
Alpha-pinene beta-pinene copolymer	Orange	2.54	1	4.0	A
Alpha-pinene beta-pinene copolymer	Peach	361.63	139	1,326.58	A
Alpha-pinene beta-pinene copolymer	Pistachio	853.28	91	4,442.09	A
Alpha-pinene beta-pinene copolymer	Plum	59.86	30	210.5	A
Alpha-pinene beta-pinene copolymer	Pluot	17.89	13	62.88	A
Alpha-pinene beta-pinene copolymer	Pomegranate	6.32	12	247.14	A
Alpha-pinene beta-pinene copolymer	Safflower	21.8	2	427.0	A
Alpha-pinene beta-pinene copolymer	Soil fumigation/preplant	56.7	11	1,266.0	A
Alpha-pinene beta-pinene copolymer	Tomato, processing	410.59	22	2,446.0	A
Alpha-pinene beta-pinene copolymer	Triticale	14.74	7	456.43	A
Alpha-pinene beta-pinene copolymer	Walnut	11.84	2	37.86	A
Alpha-pinene beta-pinene copolymer	Wheat (forage - fodder)	17.13	10	316.67	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Alfalfa	9.47	21	1,523.79	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Almond	2,227.31	320	15,009.97	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Apricot	0.69	3	11.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Blueberry	2.6	3	64.08	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Cherry	1.91	2	22.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Corn (forage - fodder)	44.37	44	2,354.52	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Cotton	195.06	54	4,682.89	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Ditch bank	0.11	2	32.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grape	266.48	28	1,221.9	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grape, wine	5.34	4	47.28	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Nectarine	0.09	1	3.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Onion, dry	24.89	2	323.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Peach	14.25	32	226.71	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pistachio	1,666.68	288	12,824.23	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Plum	3.74	9	62.79	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pomegranate	7.61	1	32.4	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights of way	66.81	25	8,293.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights of way	14.91	N/A	N/A	N/A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Safflower	3.86	4	501.6	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Soil fumigation/preplant	1,490.39	175	32,805.6	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tangerine	3.03	12	54.68	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tomato, processing	252.81	21	2,951.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Walnut	207.31	72	1,456.78	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Alfalfa	141.12	50	2,937.68	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Almond	1,855.31	213	8,431.03	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Apricot	115.52	63	496.54	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Barley	6.11	1	37.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Blueberry	6.27	2	56.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cherry	187.91	27	647.3	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Citrus	1.28	1	10.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Commercial, institutional or industrial areas	10.89	N/A	43.8	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	826.22	173	8,624.35	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cotton	4,343.95	526	104,948.79	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape	179.27	10	656.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	98.76	9	415.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	24.8	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lemon	4.96	1	19.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, head	22.42	8	349.2	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Nectarine	59.53	49	514.6	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Oat	0.98	1	16.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Olive	104.04	3	369.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Onion, dry	8.14	4	57.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Peach	79.53	53	655.4	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pistachio	21,986.33	662	51,400.91	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Plum	269.33	83	849.47	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pomegranate	375.62	16	1,176.58	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	2,715.41	35	15,790.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	1,190.89	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Safflower	126.66	20	5,127.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	1,266.73	141	25,915.03	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	104.12	34	1,640.89	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sorghum/milo	6.06	2	99.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tomato, processing	1,501.76	166	20,963.78	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Triticale	50.1	16	1,156.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Walnut	190.36	29	580.82	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Wheat	26.14	7	851.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	152.57	68	4,010.28	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr transplants	0.82	13	32.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Regulatory pest control	2.17	N/A	N/A	N/A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Structural pest control	2.48	N/A	N/A	N/A
Aluminum phosphide	Almond	42.29	23	1,220.0	A
Aluminum phosphide	Almond	1.24	N/A	25,600.0	C
Aluminum phosphide	Almond	81.18	N/A	1,941.0	U
Aluminum phosphide	Commodity fumigation	12.13	N/A	N/A	N/A
Aluminum phosphide	Corn (forage - fodder)	0.06	1	22.0	A
Aluminum phosphide	Fumigation, other	18.19	N/A	N/A	N/A
Aluminum phosphide	Landscape maintenance	0.26	N/A	N/A	N/A
Aluminum phosphide	Pistachio	26.68	15	766.6	A
Aluminum phosphide	Regulatory pest control	3,306.9	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Aluminum phosphide	Rights of way	0.99	N/A	N/A	N/A
Aluminum phosphide	Safflower	0.18	N/A	891.0	C
Aluminum phosphide	Soil fumigation/preplant	18.57	2	149.4	A
Aluminum phosphide	Structural pest control	5.87	N/A	N/A	N/A
Aluminum phosphide	Sudangrass	1.31	N/A	264,000.0	P
Aluminum phosphide	Triticale	6.84	N/A	2,482.75	T
Aluminum phosphide	Vertebrate control	0.02	2	2.0	A
Aluminum phosphide	Vertebrate control	0.21	N/A	N/A	N/A
Aluminum phosphide	Wheat	2.15	N/A	13,290.0	C
Aluminum phosphide	Wheat	21.17	N/A	4,763,065.3	P
Aluminum phosphide	Wheat	7.59	N/A	1,155.78	T
Ametoctradin	Onion, dry	241.31	7	884.9	A
Amino ethoxy vinyl glycine hydrochloride	Almond	55.27	8	791.0	A
Amino ethoxy vinyl glycine hydrochloride	Walnut	204.77	82	2,014.56	A
Aminocyclopyrachlor	Landscape maintenance	19.69	N/A	N/A	N/A
Aminocyclopyrachlor, potassium salt	Rights of way	34.34	N/A	N/A	N/A
Aminopyralid, triisopropanolamine salt	Landscape maintenance	41.96	N/A	N/A	N/A
Aminopyralid, triisopropanolamine salt	Rights of way	459.47	N/A	N/A	N/A
Ammonium nitrate	Almond	5.94	6	95.91	A
Ammonium nitrate	Corn (forage - fodder)	5.65	2	74.0	A
Ammonium nitrate	Landscape maintenance	281.33	N/A	N/A	N/A
Ammonium nitrate	Peach	0.31	1	6.0	A
Ammonium nitrate	Pistachio	35.86	42	1,364.34	A
Ammonium nitrate	Rights of way	404.1	N/A	N/A	N/A
Ammonium nitrate	Triticale	3.23	7	333.5	A
Ammonium nitrate	Walnut	5.35	22	136.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium propionate	Alfalfa	49.27	5	532.0	A
Ammonium propionate	Almond	18.21	14	138.53	A
Ammonium propionate	Apricot	7.62	8	53.87	A
Ammonium propionate	Barley	4.71	1	37.0	A
Ammonium propionate	Blueberry	4.54	2	35.6	A
Ammonium propionate	Corn (forage - fodder)	230.49	43	2,442.6	A
Ammonium propionate	Cotton	1,342.42	101	20,781.0	A
Ammonium propionate	Grape	2.21	1	15.64	A
Ammonium propionate	Grape, wine	1.71	1	141.0	A
Ammonium propionate	Landscape maintenance	4.71	N/A	N/A	N/A
Ammonium propionate	Nectarine	3.3	2	18.75	A
Ammonium propionate	Oat (forage - fodder)	1.89	1	40.0	A
Ammonium propionate	Peach	13.54	15	96.98	A
Ammonium propionate	Pistachio	662.95	69	6,011.49	A
Ammonium propionate	Plum	11.63	12	79.53	A
Ammonium propionate	Rights of way	1,321.53	49	16,140.0	A
Ammonium propionate	Soil fumigation/preplant	430.82	37	6,647.0	A
Ammonium propionate	Tangerine	4.37	6	27.03	A
Ammonium propionate	Tomato, processing	134.42	12	1,864.0	A
Ammonium propionate	Triticale	7.43	6	275.0	A
Ammonium propionate	Wheat (forage - fodder)	7.09	2	300.0	A
Ammonium sulfate	Alfalfa	435.54	42	2,714.57	A
Ammonium sulfate	Almond	8,495.43	376	16,777.67	A
Ammonium sulfate	Apricot	1.9	8	53.87	A
Ammonium sulfate	Barley	1.18	1	37.0	A
Ammonium sulfate	Blueberry	10.76	4	91.6	A
Ammonium sulfate	Cherry	44.47	29	141.29	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Citrus	0.45	1	2.22	A
Ammonium sulfate	Commercial, institutional or industrial areas	10.44	1	14.2	A
Ammonium sulfate	Corn (forage - fodder)	5,118.19	210	11,801.96	A
Ammonium sulfate	Cotton	1,115.49	146	23,029.27	A
Ammonium sulfate	Grape	375.15	34	691.99	A
Ammonium sulfate	Grape, wine	1,457.2	29	1,422.96	A
Ammonium sulfate	Landscape maintenance	563.84	N/A	N/A	N/A
Ammonium sulfate	Nectarine	4.11	14	42.51	A
Ammonium sulfate	Oat (forage - fodder)	8.32	2	100.0	A
Ammonium sulfate	Olive	197.99	33	964.56	A
Ammonium sulfate	Orange	3.1	1	12.0	A
Ammonium sulfate	Parsley	44.98	1	93.0	A
Ammonium sulfate	Peach	8.06	18	122.73	A
Ammonium sulfate	Pepper, fruiting	297.95	5	400.0	A
Ammonium sulfate	Pistachio	14,858.47	494	22,490.48	A
Ammonium sulfate	Plum	25.91	35	177.73	A
Ammonium sulfate	Pomegranate	1,368.94	17	959.88	A
Ammonium sulfate	Rights of way	382.64	53	16,330.0	A
Ammonium sulfate	Rights of way	808.2	N/A	N/A	N/A
Ammonium sulfate	Safflower	1,576.41	3	720.0	A
Ammonium sulfate	Soil fumigation/preplant	721.72	53	8,241.1	A
Ammonium sulfate	Sorghum (forage - fodder)	16.02	4	136.14	A
Ammonium sulfate	Tangerine	23.74	11	64.25	A
Ammonium sulfate	Tomato, processing	135.4	15	2,238.0	A
Ammonium sulfate	Triticale	138.68	18	1,004.78	A
Ammonium sulfate	Walnut	3,867.16	302	6,223.55	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Wheat (forage - fodder)	91.46	15	1,093.0	A
Amyl acetate	Cotton	12.2	16	3,216.0	A
Amyl acetate	Grape, wine	0.68	1	141.0	A
Amyl acetate	Pistachio	70.44	15	1,853.7	A
Aromatic 200	Almond	5,505.53	205	11,313.57	A
Aromatic 200	Corn (forage - fodder)	76.34	1	202.3	A
Aromatic 200	Cotton	485.25	18	2,658.6	A
Aromatic 200	Grape	692.84	28	1,221.9	A
Aromatic 200	Grape, wine	13.56	3	35.46	A
Aromatic 200	Onion, dry	61.08	1	161.5	A
Aromatic 200	Pistachio	3,491.31	114	7,007.56	A
Aromatic 200	Pomegranate	19.79	1	32.4	A
Aromatic 200	Rights of way	19.09	1	50.0	A
Aromatic 200	Soil fumigation/preplant	3,727.04	117	26,530.7	A
Aromatic 200	Tomato, processing	657.3	21	2,951.0	A
Aromatic 200	Walnut	370.91	39	812.94	A
Aspergillus flavus strain af36	Pistachio	1.18	160	14,709.95	A
Aspergillus flavus strain nr1 21882	Pistachio	2.96	75	3,148.52	A
Azadirachtin	Broccoli	2.63	4	171.0	A
Azadirachtin	Cannabis (all or unspecified)	76.01	72	2,343.12	A
Azadirachtin	Carrot	5.26	3	283.2	A
Azadirachtin	Lettuce, head	1.24	3	98.0	A
Azadirachtin	Nectarine	4.94	20	283.2	A
Azadirachtin	Onion, dry	57.75	15	1,584.7	A
Azadirachtin	Orange	8.05	4	242.26	A
Azadirachtin	Peach	4.61	21	217.89	A
Azadirachtin	Pluot	0.27	1	7.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	Tomato, processing	45.31	18	1,989.66	A
Azoxystrobin	Almond	2,075.47	159	10,554.8	A
Azoxystrobin	Apricot	42.37	10	171.8	A
Azoxystrobin	Blueberry	12.01	2	56.0	A
Azoxystrobin	Cherry	80.23	21	505.74	A
Azoxystrobin	Citrus	2.0	1	10.0	A
Azoxystrobin	Cotton	2,761.36	79	17,727.88	A
Azoxystrobin	Cotton	247.25	N/A	1,102.74	T
Azoxystrobin	Garlic	849.38	31	4,383.3	A
Azoxystrobin	Grape	90.68	5	379.5	A
Azoxystrobin	Grape, wine	138.16	11	587.5	A
Azoxystrobin	Landscape maintenance	4.04	N/A	N/A	N/A
Azoxystrobin	Melon	26.24	2	308.8	A
Azoxystrobin	N-outdr transplants	4.98	9	26.0	A
Azoxystrobin	Nectarine	35.31	15	148.4	A
Azoxystrobin	Onion, dry	200.06	9	1,253.9	A
Azoxystrobin	Peach	60.3	20	249.4	A
Azoxystrobin	Pistachio	842.64	52	4,958.6	A
Azoxystrobin	Plum	137.31	43	747.2	A
Azoxystrobin	Tomato	9.79	3	97.2	A
Azoxystrobin	Tomato, processing	1,437.12	96	14,096.5	A
Azoxystrobin	Walnut	136.81	14	751.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Apricot	7.5	3	15.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Cannabis (all or unspecified)	1,300.71	12	390.52	A
<b>Bacillus amyloliquefaciens strain d747</b>	Cherry	3,323.97	13	454.54	A
<b>Bacillus amyloliquefaciens strain d747</b>	N-outdr transplants	0.55	1	1.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Nectarine	379.63	22	150.4	A
<b>Bacillus amyloliquefaciens strain d747</b>	Onion, dry	9,759.94	16	1,840.9	A
<b>Bacillus amyloliquefaciens strain d747</b>	Peach	843.74	27	199.13	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain d747</b>	Plum	2,182.83	5	250.58	A
<b>Bacillus amyloliquefaciens strain d747</b>	Pluot	142.82	5	25.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Soil fumigation/preplant	176.21	1	80.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Tomato, processing	29,997.71	55	7,119.76	A
<b>Bacillus amyloliquefaciens strain f727</b>	Peach	78.42	3	39.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Almond	43.94	27	798.96	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Grape	0.25	3	9.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Nectarine	7.96	10	143.2	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Peach	10.9	20	209.57	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Pistachio	13.05	4	189.75	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Plum	8.39	3	111.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Pluot	0.84	7	30.5	A
<b>Bacillus pumilus, strain qst 2808</b>	Almond	28.11	2	232.48	A
<b>Bacillus pumilus, strain qst 2808</b>	Grape	34.69	3	289.0	A
<b>Bacillus pumilus, strain qst 2808</b>	Nectarine	9.65	6	80.4	A
<b>Bacillus pumilus, strain qst 2808</b>	Peach	13.71	8	114.2	A
<b>Bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Public health	56.3	N/A	N/A	N/A
<b>Bacillus subtilis strain iab/bs03</b>	Almond	0.14	2	80.73	A
<b>Bacillus subtilis strain iab/bs03</b>	Blueberry	0.02	1	15.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Nectarine	0.12	5	85.6	A
<b>Bacillus subtilis strain iab/bs03</b>	Peach	0.08	7	57.1	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Lettuce, head	5.32	3	73.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Pepper, fruiting	80.0	2	160.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Pistachio	1,667.5	29	1,667.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Public health	254.31	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Almond	68.0	1	40.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Apricot	21.25	3	25.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Lettuce, head	4.13	3	48.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Nectarine	194.48	17	228.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Peach	274.81	34	412.44	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Plum	59.84	6	69.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Walnut	83.73	5	119.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Almond	889.07	71	2,239.14	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Apricot	0.33	4	2.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Pistachio	2,224.8	112	7,389.75	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Plum	10.58	4	61.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Walnut	159.24	13	458.82	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cannabis (all or unspecified)	2,318.1	66	2,147.86	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Public health	1,220.87	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Almond	1,560.33	41	2,036.66	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Apricot	16.2	1	15.8	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cannabis (all or unspecified)	632.01	18	585.78	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Grape	6.48	2	9.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Nectarine	2.43	1	4.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Peach	29.43	9	62.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Plum	59.45	9	95.8	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Tangerine	11.08	2	20.51	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Tomato, processing	1,320.03	19	2,241.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Walnut	43.2	1	80.0	A
<b>Bacillus velezensis</b>	Landscape maintenance	0.02	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Beauveria bassiana hf 23</b>	Landscape maintenance	0.85	N/A	N/A	N/A
<b>Beauveria bassiana strain gha</b>	Onion, dry	180.79	9	826.0	A
<b>Beauveria bassiana strain gha</b>	Structural pest control	1.9	N/A	N/A	N/A
<b>Benefin</b>	Lettuce, head	24.0	1	20.0	A
<b>Bensulide</b>	Lettuce, head	862.43	3	182.1	A
<b>Bensulide</b>	Soil fumigation/preplant	79.32	1	36.0	A
<b>Bentonite</b>	Citrus	58.5	1	26.0	A
<b>Bentonite</b>	Orange	27.0	1	12.0	A
<b>Bentonite</b>	Peach	6.0	1	8.0	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Corn (forage - fodder)	1.01	1	68.0	A
<b>Benzoic acid</b>	Alfalfa	0.43	1	75.0	A
<b>Benzoic acid</b>	Almond	5.27	13	640.5	A
<b>Benzoic acid</b>	Barley	0.27	2	48.0	A
<b>Benzoic acid</b>	Corn (forage - fodder)	4.32	20	729.28	A
<b>Benzoic acid</b>	Cotton	4.02	8	706.0	A
<b>Benzoic acid</b>	Pistachio	60.19	110	3,057.98	A
<b>Benzoic acid</b>	Soil fumigation/preplant	1.25	1	219.6	A
<b>Benzoic acid</b>	Triticale	0.58	2	102.2	A
<b>Benzoic acid</b>	Walnut	1.88	11	122.07	A
<b>Benzoic acid</b>	Wheat (forage - fodder)	6.93	27	1,219.14	A
<b>Benzovindiflupyr</b>	Grape	9.92	2	144.0	A
<b>Benzovindiflupyr</b>	Grape, wine	4.5	3	67.0	A
<b>Beta-cyfluthrin</b>	Alfalfa	3.54	2	149.9	A
<b>Beta-cyfluthrin</b>	Almond	4.7	8	240.9	A
<b>Beta-cyfluthrin</b>	Apricot	0.22	2	9.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Beta-cyfluthrin	Citrus	1.94	2	36.0	A
Beta-cyfluthrin	Corn, human consumption	0.39	3	23.48	A
Beta-cyfluthrin	Cotton	59.15	18	2,376.5	A
Beta-cyfluthrin	Landscape maintenance	6.33	N/A	N/A	N/A
Beta-cyfluthrin	Nectarine	2.35	7	100.14	A
Beta-cyfluthrin	Orange	1.65	3	30.5	A
Beta-cyfluthrin	Peach	5.35	13	226.94	A
Beta-cyfluthrin	Pistachio	30.86	42	1,480.28	A
Beta-cyfluthrin	Plum	0.95	4	40.0	A
Beta-cyfluthrin	Structural pest control	9.99	N/A	N/A	N/A
Beta-cyfluthrin	Tangerine	1.96	5	46.51	A
Beta-cyfluthrin	Triticale	21.27	6	1,052.0	A
Beta-cyfluthrin	Wheat	2.59	1	128.0	A
Beta-cyfluthrin	Wheat (forage - fodder)	1.88	1	93.0	A
Bifenazate	Almond	3,128.07	88	4,760.73	A
Bifenazate	Apricot	40.2	8	79.84	A
Bifenazate	Cherry	97.08	5	217.62	A
Bifenazate	Grape	54.49	2	144.0	A
Bifenazate	Nectarine	55.93	9	116.79	A
Bifenazate	Peach	170.85	24	338.6	A
Bifenazate	Pistachio	22.36	2	56.9	A
Bifenazate	Plum	80.42	22	160.65	A
Bifenazate	Walnut	709.01	32	972.15	A
Bifenthrin	Almond	2,030.92	206	11,345.82	A
Bifenthrin	Blueberry	7.12	2	71.2	A
Bifenthrin	Cotton	4,955.19	306	53,054.59	A
Bifenthrin	Grape	21.38	4	213.79	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bifenthrin</b>	Landscape maintenance	0.2	N/A	N/A	N/A
<b>Bifenthrin</b>	Lettuce, head	53.04	10	541.8	A
<b>Bifenthrin</b>	Pistachio	5,538.48	361	29,431.58	A
<b>Bifenthrin</b>	Pomegranate	193.25	18	1,913.5	A
<b>Bifenthrin</b>	Structural pest control	269.46	N/A	N/A	N/A
<b>Bifenthrin</b>	Tangerine	7.18	4	41.02	A
<b>Bifenthrin</b>	Tomato, processing	362.33	35	4,312.1	A
<b>Bifenthrin</b>	Walnut	139.79	31	790.11	A
<b>Borax</b>	Cotton	7.72	21	1,150.17	A
<b>Borax</b>	Rights of way	1,614.57	N/A	N/A	N/A
<b>Borax</b>	Structural pest control	1.58	N/A	N/A	N/A
<b>Boric acid</b>	Structural pest control	1,072.81	N/A	N/A	N/A
<b>Boscalid</b>	Almond	167.57	15	848.0	A
<b>Boscalid</b>	Apricot	1.66	1	8.8	A
<b>Boscalid</b>	Cherry	51.12	11	257.8	A
<b>Boscalid</b>	Grape	123.91	13	577.64	A
<b>Boscalid</b>	Grape, wine	75.76	6	388.0	A
<b>Boscalid</b>	Lettuce, head	18.2	2	40.0	A
<b>Boscalid</b>	N-outdr transplants	4.46	4	7.0	A
<b>Boscalid</b>	Nectarine	16.0	9	78.5	A
<b>Boscalid</b>	Onion, dry	4.17	1	14.0	A
<b>Boscalid</b>	Peach	38.58	19	191.4	A
<b>Boscalid</b>	Pistachio	57.22	5	259.5	A
<b>Boscalid</b>	Plum	28.82	12	130.1	A
<b>Boscalid</b>	Walnut	156.76	20	781.0	A
<b>Brodifacoum</b>	Structural pest control	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Brodifacoum</b>	Vertebrate control	<0.01	N/A	N/A	N/A
<b>Bromacil</b>	Rights of way	1.01	N/A	N/A	N/A
<b>Bromadiolone</b>	Structural pest control	0.02	N/A	N/A	N/A
<b>Bromadiolone</b>	Vertebrate control	0.03	N/A	N/A	N/A
<b>Bromethalin</b>	Rights of way	<0.01	N/A	N/A	N/A
<b>Bromethalin</b>	Structural pest control	0.06	N/A	N/A	N/A
<b>Bromethalin</b>	Vertebrate control	0.01	N/A	N/A	N/A
<b>Bromoxynil heptanoate</b>	Barley	16.54	2	48.0	A
<b>Bromoxynil heptanoate</b>	Garlic	182.74	3	531.0	A
<b>Bromoxynil heptanoate</b>	Oat	5.51	1	16.0	A
<b>Bromoxynil heptanoate</b>	Oat (forage - fodder)	10.32	1	30.0	A
<b>Bromoxynil heptanoate</b>	Onion, dry	45.86	5	533.0	A
<b>Bromoxynil heptanoate</b>	Sorghum (forage - fodder)	36.75	3	142.3	A
<b>Bromoxynil heptanoate</b>	Sudangrass	14.98	3	58.0	A
<b>Bromoxynil heptanoate</b>	Triticale	70.25	4	373.1	A
<b>Bromoxynil heptanoate</b>	Wheat	113.09	5	357.0	A
<b>Bromoxynil heptanoate</b>	Wheat (forage - fodder)	431.38	22	1,360.7	A
<b>Bromoxynil octanoate</b>	Barley	17.16	2	48.0	A
<b>Bromoxynil octanoate</b>	Garlic	189.51	3	531.0	A
<b>Bromoxynil octanoate</b>	Oat	5.71	1	16.0	A
<b>Bromoxynil octanoate</b>	Oat (forage - fodder)	10.71	1	30.0	A
<b>Bromoxynil octanoate</b>	Onion, dry	47.56	5	533.0	A
<b>Bromoxynil octanoate</b>	Soil fumigation/preplant	22.71	1	32.0	A
<b>Bromoxynil octanoate</b>	Sorghum (forage - fodder)	38.11	3	142.3	A
<b>Bromoxynil octanoate</b>	Sudangrass	15.53	3	58.0	A
<b>Bromoxynil octanoate</b>	Triticale	301.14	8	918.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bromoxynil octanoate</b>	Wheat	425.25	8	907.0	A
<b>Bromoxynil octanoate</b>	Wheat (forage - fodder)	502.0	27	1,537.7	A
<b>Buprofezin</b>	Almond	261.49	8	173.65	A
<b>Buprofezin</b>	Apricot	492.62	16	326.34	A
<b>Buprofezin</b>	Cherry	42.27	1	28.0	A
<b>Buprofezin</b>	Citrus	45.5	1	26.0	A
<b>Buprofezin</b>	Cotton	15,177.36	233	43,131.58	A
<b>Buprofezin</b>	Grape	506.16	10	664.79	A
<b>Buprofezin</b>	Grape, wine	886.83	11	967.6	A
<b>Buprofezin</b>	Nectarine	657.87	22	435.74	A
<b>Buprofezin</b>	Orange	21.0	1	12.0	A
<b>Buprofezin</b>	Peach	1,592.46	44	1,053.83	A
<b>Buprofezin</b>	Pistachio	19,410.22	107	11,781.74	A
<b>Buprofezin</b>	Plum	1,158.14	52	767.57	A
<b>Buprofezin</b>	Pomegranate	444.72	3	261.0	A
<b>Buprofezin</b>	Tomato, processing	829.7	16	2,220.0	A
<b>Buprofezin</b>	Walnut	2,929.93	56	1,795.54	A
<b>Burkholderia rinojensis strain a396</b>	Almond	8,315.13	55	1,889.54	A
<b>Burkholderia rinojensis strain a396</b>	Apricot	153.81	8	33.04	A
<b>Burkholderia rinojensis strain a396</b>	Blueberry	129.83	2	30.0	A
<b>Burkholderia rinojensis strain a396</b>	Cotton	567.08	N/A	1,441.57	T
<b>Burkholderia rinojensis strain a396</b>	Grape	21.47	1	3.0	A
<b>Burkholderia rinojensis strain a396</b>	Lettuce, head	173.11	1	41.0	A
<b>Burkholderia rinojensis strain a396</b>	Nectarine	2,182.36	31	440.25	A
<b>Burkholderia rinojensis strain a396</b>	Onion, dry	1,384.86	4	320.0	A
<b>Burkholderia rinojensis strain a396</b>	Peach	2,621.8	39	551.14	A
<b>Burkholderia rinojensis strain a396</b>	Pistachio	11,224.98	25	2,593.7	A
<b>Burkholderia rinojensis strain a396</b>	Plum	1,933.0	18	276.89	A
<b>Burkholderia rinojensis strain a396</b>	Tangerine	266.33	4	41.02	A
<b>Butyl alcohol</b>	Alfalfa	6.39	7	347.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Butyl alcohol	Almond	1,000.54	95	11,276.17	A
Butyl alcohol	Corn (forage - fodder)	3.22	2	140.0	A
Butyl alcohol	Kiwi fruit fuzzy	15.06	20	310.0	A
Butyl alcohol	Peach	0.47	3	18.0	A
Butyl alcohol	Pistachio	435.24	53	3,922.27	A
Butyl alcohol	Plum	1.41	2	15.4	A
Butyl alcohol	Walnut	35.26	36	426.57	A
Butyl alcohol	Wheat (forage - fodder)	3.17	3	77.0	A
Butyl lactate	Pistachio	7.66	2	134.74	A
Calcium chloride	Almond	60.42	16	1,093.91	A
Calcium chloride	Corn (forage - fodder)	29.0	23	808.28	A
Calcium chloride	Cotton	1.44	1	137.0	A
Calcium chloride	Pistachio	419.55	214	10,706.28	A
Calcium chloride	Walnut	204.87	109	2,783.77	A
Calcium chloride	Wheat (forage - fodder)	3.57	9	284.14	A
Calcium hydroxide	Citrus	1,286.0	2	36.0	A
Calcium hydroxide	Grape	1,507.5	3	310.0	A
Calcium hydroxide	Orange	552.0	1	12.0	A
Calcium hydroxide	Tangerine	460.0	1	10.0	A
Canola oil	Structural pest control	0.12	N/A	N/A	N/A
Capric acid	Almond	1,415.05	12	274.66	A
Capric acid	Cherry	848.99	7	129.36	A
Capric acid	Pluot	25.7	2	2.38	A
Capric acid	Tangerine	67.19	7	14.03	A
Capric acid	Tomato, processing	217.92	4	87.0	A
Caprylic acid	Almond	1,797.69	12	274.66	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Caprylic acid	Cherry	1,037.65	7	129.36	A
Caprylic acid	Pluot	37.74	2	2.38	A
Caprylic acid	Tangerine	82.12	7	14.03	A
Caprylic acid	Tomato, processing	266.64	4	87.0	A
Captan	Blueberry	99.67	1	38.0	A
Carbaryl	Pistachio	1,046.55	15	1,997.42	A
Carbaryl	Safflower	180.0	2	602.0	A
Carbaryl	Tomato	65.59	2	87.45	A
Carbaryl	Tomato, processing	10,419.55	152	22,063.6	A
Carbo methoxy ether cellulose, sodium salt	Nectarine	0.37	9	128.4	A
Carbo methoxy ether cellulose, sodium salt	Peach	0.34	8	114.2	A
Carbon	Rights of way	8.75	N/A	N/A	N/A
Carbon	Vertebrate control	8.04	N/A	N/A	N/A
Carfentrazone-ethyl	Alfalfa	1.41	1	78.0	A
Carfentrazone-ethyl	Almond	101.59	87	4,609.66	A
Carfentrazone-ethyl	Barley	0.54	1	37.0	A
Carfentrazone-ethyl	Blueberry	0.99	2	56.0	A
Carfentrazone-ethyl	Citrus	0.37	1	26.0	A
Carfentrazone-ethyl	Corn (forage - fodder)	46.83	57	2,682.23	A
Carfentrazone-ethyl	Cotton	27.85	21	1,802.18	A
Carfentrazone-ethyl	Grape	0.91	4	49.7	A
Carfentrazone-ethyl	Grape, wine	15.76	31	980.29	A
Carfentrazone-ethyl	Landscape maintenance	9.21	N/A	N/A	N/A
Carfentrazone-ethyl	Oat	0.43	2	29.0	A
Carfentrazone-ethyl	Oat (forage - fodder)	4.29	5	333.0	A
Carfentrazone-ethyl	Olive	2.39	4	109.0	A
Carfentrazone-ethyl	Pastureland	0.24	1	16.0	A
Carfentrazone-ethyl	Pecan	0.11	1	8.0	A
Carfentrazone-ethyl	Pepper, fruiting	9.37	4	320.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Carfentrazone-ethyl	Pistachio	123.2	92	5,871.37	A
Carfentrazone-ethyl	Pomegranate	21.52	21	769.17	A
Carfentrazone-ethyl	Rights of way	213.15	30	10,290.0	A
Carfentrazone-ethyl	Rights of way	5.8	N/A	N/A	N/A
Carfentrazone-ethyl	Ryegrass	5.96	8	374.0	A
Carfentrazone-ethyl	Soil fumigation/preplant	152.15	64	7,987.94	A
Carfentrazone-ethyl	Sorghum (forage - fodder)	0.92	4	103.0	A
Carfentrazone-ethyl	Structural pest control	0.06	N/A	N/A	N/A
Carfentrazone-ethyl	Tomato, processing	7.93	8	356.2	A
Carfentrazone-ethyl	Triticale	63.43	71	4,502.98	A
Carfentrazone-ethyl	Walnut	9.61	26	466.24	A
Carfentrazone-ethyl	Wheat	45.12	39	2,982.3	A
Carfentrazone-ethyl	Wheat (forage - fodder)	132.56	149	10,066.89	A
Casein	Citrus	4.39	1	26.0	A
Casein	Orange	2.03	1	12.0	A
Casein	Peach	0.45	1	8.0	A
Castor oil ethoxylate	Alfalfa	1.33	1	65.0	A
Castor oil ethoxylate	Almond	5.99	5	89.0	A
Castor oil ethoxylate	Corn (forage - fodder)	4.6	1	75.0	A
Castor oil ethoxylate	Cotton	48.09	15	1,761.0	A
Castor oil ethoxylate	Garlic	41.77	16	2,215.0	A
Castor oil ethoxylate	Grape	6.18	3	86.34	A
Castor oil ethoxylate	Onion, dry	14.36	6	420.0	A
Castor oil ethoxylate	Orange	1.68	2	23.5	A
Castor oil ethoxylate	Peach	5.41	11	74.75	A
Castor oil ethoxylate	Pistachio	0.42	2	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Castor oil ethoxylate	Plum	1.36	1	19.0	A
Castor oil ethoxylate	Triticale	6.15	3	179.0	A
Castor oil ethoxylate	Walnut	10.48	16	210.1	A
Chlorantraniliprole	Alfalfa	141.93	77	4,358.66	A
Chlorantraniliprole	Almond	2,816.5	608	36,803.42	A
Chlorantraniliprole	Apricot	5.24	6	58.08	A
Chlorantraniliprole	Blueberry	3.5	1	35.6	A
Chlorantraniliprole	Cotton	363.83	20	4,717.0	A
Chlorantraniliprole	Grape	21.91	6	333.79	A
Chlorantraniliprole	Grape, wine	28.66	9	431.0	A
Chlorantraniliprole	Lettuce, head	11.25	3	149.1	A
Chlorantraniliprole	Nectarine	17.62	18	195.85	A
Chlorantraniliprole	Peach	53.76	52	592.9	A
Chlorantraniliprole	Pepper, fruiting	15.36	2	160.0	A
Chlorantraniliprole	Pistachio	2,852.5	410	35,438.17	A
Chlorantraniliprole	Plum	28.77	36	310.55	A
Chlorantraniliprole	Pomegranate	56.39	10	631.0	A
Chlorantraniliprole	Sorghum (forage - fodder)	0.3	2	157.34	A
Chlorantraniliprole	Structural pest control	1.35	N/A	N/A	N/A
Chlorantraniliprole	Tomato, processing	2,457.81	171	23,227.7	A
Chlorantraniliprole	Walnut	612.67	178	6,776.63	A
Chlorfenapyr	Structural pest control	9.79	N/A	N/A	N/A
Chlorophacinone	Almond	<0.01	1	58.0	A
Chlorophacinone	Landscape maintenance	<0.01	N/A	N/A	N/A
Chlorophacinone	Rights of way	0.05	N/A	N/A	N/A
Chlorophacinone	Structural pest control	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Chlorophacinone</b>	Vertebrate control	0.21	N/A	N/A	N/A
<b>Chloropicrin</b>	Soil fumigation/preplant	7,895.84	6	39.99	A
<b>Chlorothalonil</b>	Almond	142.32	2	47.5	A
<b>Chlorothalonil</b>	Landscape maintenance	73.12	N/A	N/A	N/A
<b>Chlorothalonil</b>	N-outdr transplants	8.05	8	12.0	A
<b>Chlorothalonil</b>	Nectarine	55.43	2	18.5	A
<b>Chlorothalonil</b>	Onion, dry	4,770.18	59	4,694.7	A
<b>Chlorothalonil</b>	Peach	112.06	4	37.4	A
<b>Chlorothalonil</b>	Plum	189.09	4	63.0	A
<b>Chlorothalonil</b>	Rights of way	3,078.2	N/A	N/A	N/A
<b>Chlorothalonil</b>	Tomato	182.93	3	97.2	A
<b>Chlorothalonil</b>	Tomato, processing	55,497.1	218	28,556.6	A
<b>Chlorsulfuron</b>	Landscape maintenance	2.9	N/A	N/A	N/A
<b>Chlorsulfuron</b>	Rights of way	17.13	N/A	N/A	N/A
<b>Chlorthal-dimethyl</b>	Onion, dry	90.56	1	13.0	A
<b>Cholecalciferol</b>	Structural pest control	0.37	N/A	N/A	N/A
<b>Chromobacterium subtsugae strain praa4-1</b>	Almond	36.0	1	40.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Blueberry	19.5	3	45.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Onion, dry	149.4	3	174.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Plum	33.3	1	37.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Tomato, processing	1,698.99	15	2,295.7	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Walnut	31.5	1	35.0	A
<b>Cinnamaldehyde</b>	Almond	7.33	1	20.0	A
<b>Cinnamaldehyde</b>	Corn (forage - fodder)	1.47	1	3.0	A
<b>Cinnamaldehyde</b>	Pistachio	533.46	16	1,091.5	A
<b>Citric acid</b>	Alfalfa	47.69	49	3,400.56	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Citric acid	Almond	874.42	313	14,113.2	A
Citric acid	Apricot	6.55	11	86.87	A
Citric acid	Barley	2.36	1	37.0	A
Citric acid	Blueberry	3.56	4	91.6	A
Citric acid	Broccoli	0.52	1	12.0	A
Citric acid	Cannabis (all or unspecified)	11.41	24	781.04	A
Citric acid	Cherry	5.44	30	150.76	A
Citric acid	Citrus	0.06	1	2.22	A
Citric acid	Commercial, institutional or industrial areas	0.58	1	14.2	A
Citric acid	Corn (forage - fodder)	226.01	133	6,498.4	A
Citric acid	Cotton	1,285.66	263	45,988.6	A
Citric acid	Ditch bank	0.13	2	32.0	A
Citric acid	Grape	38.73	28	708.57	A
Citric acid	Grape, wine	5.84	5	188.28	A
Citric acid	Landscape maintenance	2.36	N/A	N/A	N/A
Citric acid	Nectarine	2.09	14	42.51	A
Citric acid	Oat (forage - fodder)	1.38	2	100.0	A
Citric acid	Olive	26.4	33	964.56	A
Citric acid	Onion, dry	3.1	2	201.5	A
Citric acid	Orange	0.41	1	12.0	A
Citric acid	Peach	12.14	20	161.98	A
Citric acid	Pistachio	2,934.62	695	33,796.69	A
Citric acid	Plum	8.5	35	177.73	A
Citric acid	Pluot	6.15	2	2.38	A
Citric acid	Rights of way	1,440.19	125	47,263.0	A
Citric acid	Rights of way	18.64	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Citric acid	Safflower	47.75	45	10,534.6	A
Citric acid	Soil fumigation/preplant	302.96	103	14,306.9	A
Citric acid	Sorghum (forage - fodder)	0.9	4	136.14	A
Citric acid	Tangerine	3.69	11	64.25	A
Citric acid	Tomato, processing	90.2	21	3,304.0	A
Citric acid	Triticale	5.59	10	617.0	A
Citric acid	Walnut	822.5	319	7,486.16	A
Citric acid	Wheat (forage - fodder)	16.68	14	741.14	A
Clethodim	Alfalfa	1,519.57	113	6,643.24	A
Clethodim	Almond	1,309.41	273	10,216.86	A
Clethodim	Apricot	3.47	4	39.64	A
Clethodim	Cherry	15.22	8	130.03	A
Clethodim	Corn (forage - fodder)	6.3	1	32.5	A
Clethodim	Cotton	657.47	58	3,672.61	A
Clethodim	Garlic	89.7	7	867.5	A
Clethodim	Landscape maintenance	0.17	N/A	N/A	N/A
Clethodim	Lemon	2.24	1	17.0	A
Clethodim	Nectarine	16.19	21	220.5	A
Clethodim	Olive	30.55	14	240.45	A
Clethodim	Onion, dry	12.71	2	140.0	A
Clethodim	Orange	2.52	2	19.0	A
Clethodim	Peach	20.65	27	265.3	A
Clethodim	Pistachio	1,622.14	346	11,744.89	A
Clethodim	Plum	18.81	20	241.94	A
Clethodim	Rights of way	1,514.24	30	9,958.0	A
Clethodim	Rights of way	455.42	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clethodim	Safflower	16.2	1	124.0	A
Clethodim	Soil fumigation/preplant	362.75	23	1,768.82	A
Clethodim	Tomato, processing	97.4	6	412.0	A
Clethodim	Walnut	707.49	210	5,059.41	A
Clofentezine	Almond	727.87	51	3,326.68	A
Clofentezine	Apricot	3.5	1	13.5	A
Clofentezine	Peach	12.9	4	49.5	A
Clopyralid, monoethanolamine salt	Rights of way	43.73	N/A	N/A	N/A
Clothianidin	Almond	7.79	2	78.0	A
Clothianidin	Cotton	126.1	22	1,515.88	A
Clothianidin	Grape	2.49	1	25.0	A
Clothianidin	Grape, wine	11.58	2	116.0	A
Clothianidin	Landscape maintenance	5.0	N/A	N/A	N/A
Clothianidin	Pomegranate	91.43	13	929.0	A
Clothianidin	Structural pest control	4.54	N/A	N/A	N/A
Clothianidin	Walnut	3.19	2	32.0	A
Coconut diethanolamide	Almond	369.08	29	1,173.0	A
Coconut diethanolamide	N-outdr transplants	0.16	13	32.0	A
Coconut diethanolamide	Nectarine	0.93	1	7.0	A
Coconut diethanolamide	Onion, dry	4.49	1	17.0	A
Coconut diethanolamide	Peach	4.23	3	32.0	A
Coconut diethanolamide	Pistachio	459.49	54	2,645.5	A
Coconut diethanolamide	Regulatory pest control	0.43	N/A	N/A	N/A
Coconut diethanolamide	Structural pest control	0.49	N/A	N/A	N/A
Coconut diethanolamide	Tangerine	7.96	1	10.0	A
Coconut imidazoline sodium carboxylate	Rights of way	0.03	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Complex carbohydrate polymer derivative	Pistachio	6.51	4	80.0	A
Coniothyrium minitans strain con/m/91-08	Carrot	64.49	6	608.37	A
Copper	Soil fumigation/preplant	1.19	1	31.0	A
Copper carbonate, basic	Rights of way	30.19	N/A	N/A	N/A
Copper diammonium diacetate complex	Landscape maintenance	0.57	N/A	N/A	N/A
Copper ethylenediamine complex	Rights of way	354.15	1	15.0	A
Copper hydroxide	Almond	10,920.96	105	5,453.35	A
Copper hydroxide	Apple	2.49	2	1.93	A
Copper hydroxide	Apricot	345.5	15	113.68	A
Copper hydroxide	Blueberry	88.62	2	64.08	A
Copper hydroxide	Cherry	1.55	1	1.2	A
Copper hydroxide	Garlic	100.61	2	145.5	A
Copper hydroxide	Grape	2,568.88	59	3,497.78	A
Copper hydroxide	Grape, wine	1,645.84	38	1,791.92	A
Copper hydroxide	N-outdr transplants	18.05	25	46.0	A
Copper hydroxide	Nectarine	866.35	24	305.69	A
Copper hydroxide	Onion, dry	72.88	14	105.4	A
Copper hydroxide	Peach	744.74	31	310.52	A
Copper hydroxide	Pear	1.29	1	1.0	A
Copper hydroxide	Pear, asian (oriental pear, ya, ya li, nashi)	0.17	1	0.13	A
Copper hydroxide	Pepper, fruiting	64.54	2	160.0	A
Copper hydroxide	Pistachio	770.07	14	599.47	A
Copper hydroxide	Plum	3,482.67	78	947.04	A
Copper hydroxide	Rights of way	60.71	N/A	N/A	N/A
Copper hydroxide	Tangerine	157.7	9	51.2	A
Copper hydroxide	Tomato, processing	359.56	12	591.36	A
Copper hydroxide	Walnut	1,772.99	14	634.76	A
Copper octanoate	Almond	98.53	9	431.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper octanoate	Cherry	14.45	6	69.3	A
Copper oxychloride	Almond	47.64	1	40.0	A
Copper oxychloride	Apple	2.76	2	1.93	A
Copper oxychloride	Cherry	1.72	1	1.2	A
Copper oxychloride	Grape	2,473.24	18	732.09	A
Copper oxychloride	N-outdr transplants	1.67	7	7.0	A
Copper oxychloride	Nectarine	136.04	7	78.55	A
Copper oxychloride	Peach	136.32	13	87.47	A
Copper oxychloride	Pear	1.43	1	1.0	A
Copper oxychloride	Pear, asian (oriental pear, ya, ya li, nashi)	0.19	1	0.13	A
Copper oxychloride	Plum	22.0	4	20.4	A
Copper oxychloride	Walnut	67.65	1	71.0	A
Copper sulfate (basic)	Citrus	138.78	1	26.0	A
Copper sulfate (basic)	Grape	923.03	16	652.09	A
Copper sulfate (basic)	N-outdr transplants	3.37	2	6.0	A
Copper sulfate (basic)	Orange	64.05	1	12.0	A
Copper sulfate (basic)	Tangerine	78.63	3	30.51	A
Copper sulfate (pentahydrate)	Almond	591.57	12	581.6	A
Copper sulfate (pentahydrate)	Ditch bank	538.93	N/A	1.0	U
Copper sulfate (pentahydrate)	Grape	119.98	7	218.0	A
Copper sulfate (pentahydrate)	Grape, wine	63.35	4	117.5	A
Copper sulfate (pentahydrate)	Rights of way	148.5	N/A	N/A	N/A
Copper sulfate (pentahydrate)	Walnut	140.38	4	134.6	A
Copper sulfate (pentahydrate)	Water area	39.6	N/A	9.0	A
Copper triethanolamine complex	Rights of way	399.76	1	15.0	A
Corn product, hydrolyzed	Walnut	2,700.67	70	2,061.32	A
Corn steep liquor	Walnut	351.36	6	135.4	A
Corn syrup	Alfalfa	34.61	6	237.0	A
Corn syrup	Almond	347.14	24	827.67	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Corn syrup	Corn (forage - fodder)	263.54	24	1,139.06	A
Corn syrup	Grape	35.91	6	65.45	A
Corn syrup	Grape, wine	375.85	11	917.5	A
Corn syrup	Soil fumigation/preplant	34.81	2	112.0	A
Corn syrup	Walnut	491.93	45	979.52	A
Cryolite	Grape	354.24	6	61.5	A
Cuprous oxide	Almond	7,074.03	22	1,016.5	A
Cuprous oxide	Apricot	88.1	2	15.0	A
Cuprous oxide	Broccoli	47.24	2	65.0	A
Cuprous oxide	Cherry	255.9	2	61.0	A
Cuprous oxide	Citrus	31.46	1	10.0	A
Cuprous oxide	Grape	221.98	9	211.64	A
Cuprous oxide	N-outdr transplants	4.2	5	5.0	A
Cuprous oxide	Nectarine	234.92	6	36.5	A
Cuprous oxide	Peach	229.05	6	37.5	A
Cuprous oxide	Plum	616.14	4	143.79	A
Cuprous oxide	Quince	37.76	1	9.0	A
Cuprous oxide	Walnut	1,792.66	23	358.36	A
Cyantraniliprole	Almond	185.85	27	1,747.91	A
Cyantraniliprole	Apricot	1.34	2	11.92	A
Cyantraniliprole	Blueberry	14.37	4	127.2	A
Cyantraniliprole	Citrus	2.74	1	26.0	A
Cyantraniliprole	Lemon	2.06	1	19.5	A
Cyantraniliprole	Onion, dry	199.68	15	2,274.4	A
Cyantraniliprole	Orange	1.26	1	12.0	A
Cyantraniliprole	Pistachio	12.46	3	110.7	A
Cyantraniliprole	Plum	2.91	2	26.42	A
Cyantraniliprole	Tangerine	6.7	7	67.02	A
Cyantraniliprole	Tomato, processing	40.27	3	458.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Cyazofamid	Landscape maintenance	260.01	N/A	N/A	N/A
Cyclanilide	Cotton	13.29	3	217.0	A
Cyflufenamid	Grape	17.63	14	763.64	A
Cyflufenamid	Grape, wine	32.18	14	1,194.2	A
Cyflumetofen	Almond	3,203.03	280	17,666.0	A
Cyflumetofen	Apricot	9.18	6	50.22	A
Cyflumetofen	Grape, wine	76.79	5	422.0	A
Cyflumetofen	Peach	57.26	20	313.1	A
Cyflumetofen	Pistachio	6.75	1	36.9	A
Cyflumetofen	Plum	28.23	15	154.19	A
Cyflumetofen	Walnut	503.28	67	2,757.59	A
Cyfluthrin	Cotton	1,603.63	111	31,801.6	A
Cyfluthrin	Grape	2.03	1	40.0	A
Cyfluthrin	Grape, wine	7.1	1	140.0	A
Cyfluthrin	Lettuce, head	4.06	1	82.0	A
Cyfluthrin	Pistachio	286.49	62	7,285.8	A
Cyfluthrin	Structural pest control	13.92	N/A	N/A	N/A
Cyfluthrin	Tomato, processing	33.2	7	748.0	A
Cymoxanil	Onion, dry	867.3	53	7,089.9	A
Cypermethrin	Landscape maintenance	1.88	N/A	N/A	N/A
Cypermethrin	Structural pest control	602.51	N/A	N/A	N/A
Cypermethrin	Vertebrate control	0.03	N/A	N/A	N/A
Cyprodinil	Almond	1,785.72	89	5,565.54	A
Cyprodinil	Apricot	5.17	2	22.04	A
Cyprodinil	Blueberry	56.75	6	188.2	A
Cyprodinil	Garlic	82.89	2	421.0	A
Cyprodinil	Grape	696.12	35	2,008.43	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Cyprodinil	Grape, wine	59.32	6	274.5	A
Cyprodinil	N-outdr transplants	2.11	4	9.5	A
Cyprodinil	Nectarine	14.48	5	61.75	A
Cyprodinil	Onion, dry	487.71	14	1,899.3	A
Cyprodinil	Peach	41.9	15	178.65	A
Cyprodinil	Pistachio	1,093.56	34	3,732.75	A
Cyprodinil	Plum	7.4	7	31.6	A
D-trans allethrin	Structural pest control	0.01	N/A	N/A	N/A
Ddvp	Animal premise	759.62	N/A	140.0	A
Ddvp	Fumigation, other	3.65	N/A	N/A	N/A
Ddvp	Structural pest control	8.0	N/A	N/A	N/A
Decyl phenoxy benzene disulfonic acid, disodium salt	Alfalfa	4.35	6	330.0	A
Decyl phenoxy benzene disulfonic acid, disodium salt	Almond	57.91	24	1,130.26	A
Decyl phenoxy benzene disulfonic acid, disodium salt	Cotton	2.17	1	137.0	A
Decyl phenoxy benzene disulfonic acid, disodium salt	Pistachio	213.22	153	3,053.57	A
Decyl phenoxy benzene disulfonic acid, disodium salt	Plum	0.21	1	4.4	A
Decyl phenoxy benzene disulfonic acid, disodium salt	Walnut	43.21	30	561.27	A
Decyl phenoxy benzene disulfonic acid, disodium salt	Wheat (forage - fodder)	1.2	2	57.0	A
Deltamethrin	Landscape maintenance	0.73	N/A	N/A	N/A
Deltamethrin	Public health	0.84	N/A	N/A	N/A
Deltamethrin	Rights of way	<0.01	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Deltamethrin	Structural pest control	104.37	N/A	N/A	N/A
Diatomaceous earth	Almond	1,299.48	4	120.25	A
Diatomaceous earth	Blueberry	1,361.7	2	71.2	A
Diatomaceous earth	Carrot	588.2	4	138.4	A
Diatomaceous earth	Pistachio	35,802.0	13	1,541.7	A
Diatomaceous earth	Structural pest control	0.47	N/A	N/A	N/A
Diatomaceous earth	Tangerine	1,133.18	6	61.53	A
Diatomaceous earth	Tomato, processing	27,285.0	17	2,140.0	A
Diatomaceous earth, other related	Pistachio	4,138.2	12	1,504.8	A
Diazinon	Melon	1.98	1	4.0	A
Dicamba	Landscape maintenance	10.21	N/A	N/A	N/A
Dicamba	Structural pest control	0.08	N/A	N/A	N/A
Dicamba, dimethylamine salt	Landscape maintenance	4.2	N/A	N/A	N/A
Dicamba, dimethylamine salt	Rights of way	15.75	N/A	N/A	N/A
Dicamba, sodium salt	Corn (forage - fodder)	708.31	100	6,846.29	A
Dichlobenil	Rights of way	4.0	N/A	N/A	N/A
Didecyl dimethyl ammonium chloride	Structural pest control	<0.01	N/A	N/A	N/A
Diethylene glycol	Alfalfa	51.54	45	2,720.98	A
Diethylene glycol	Almond	397.79	70	3,338.59	A
Diethylene glycol	Apricot	126.67	17	154.19	A
Diethylene glycol	Barley	2.34	1	37.0	A
Diethylene glycol	Cherry	57.21	11	422.8	A
Diethylene glycol	Corn (forage - fodder)	272.62	156	7,641.49	A
Diethylene glycol	Cotton	1,002.0	368	63,702.97	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diethylene glycol	Grape	16.88	2	144.0	A
Diethylene glycol	Landscape maintenance	0.36	N/A	N/A	N/A
Diethylene glycol	Nectarine	127.81	3	88.3	A
Diethylene glycol	Oat	0.38	1	16.0	A
Diethylene glycol	Onion, dry	32.53	5	560.0	A
Diethylene glycol	Peach	67.19	10	123.85	A
Diethylene glycol	Pistachio	8,902.75	419	42,003.35	A
Diethylene glycol	Plum	84.31	14	141.24	A
Diethylene glycol	Pomegranate	37.16	5	198.0	A
Diethylene glycol	Rights of way	17.44	1	600.0	A
Diethylene glycol	Safflower	3.53	2	300.0	A
Diethylene glycol	Soil fumigation/preplant	424.58	130	24,298.03	A
Diethylene glycol	Sorghum (forage - fodder)	24.88	21	1,004.98	A
Diethylene glycol	Sorghum/milo	2.33	2	99.0	A
Diethylene glycol	Tomato, processing	561.15	143	19,907.3	A
Diethylene glycol	Triticale	7.4	14	550.0	A
Diethylene glycol	Walnut	64.47	15	346.87	A
Diethylene glycol	Wheat	4.19	4	253.0	A
Diethylene glycol	Wheat (forage - fodder)	58.56	68	4,010.28	A
Difenoconazole	Almond	596.45	120	6,106.17	A
Difenoconazole	Cherry	50.25	21	505.74	A
Difenoconazole	Citrus	1.25	1	10.0	A
Difenoconazole	Grape	23.28	10	513.32	A
Difenoconazole	Grape, wine	19.06	8	244.5	A
Difenoconazole	N-outdr transplants	3.12	9	26.0	A
Difenoconazole	Onion, dry	135.85	16	2,138.8	A
Difenoconazole	Pistachio	667.12	58	6,384.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Difenoconazole	Plum	53.14	25	531.9	A
Difenoconazole	Tomato, processing	395.5	44	6,059.5	A
Difenoconazole	Walnut	85.69	14	751.0	A
Difethialone	Structural pest control	0.02	N/A	N/A	N/A
Diflubenzuron	Almond	67.42	11	278.85	A
Diflubenzuron	Apricot	56.44	32	518.17	A
Diflubenzuron	Citrus	2.41	1	38.0	A
Diflubenzuron	Nectarine	73.51	40	695.84	A
Diflubenzuron	Peach	228.12	72	1,753.92	A
Diflubenzuron	Plum	211.16	95	1,482.14	A
Diflubenzuron	Tangerine	6.4	4	41.02	A
Diflufenzopyr, sodium salt	Corn (forage - fodder)	211.14	91	6,181.19	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Corn (forage - fodder)	323.23	15	887.43	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Oat (forage - fodder)	9.44	1	50.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Soil fumigation/preplant	458.02	8	720.6	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Sorghum (forage - fodder)	601.25	25	1,697.66	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Sorghum/milo	78.34	4	408.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Sudangrass	9.44	1	25.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Triticale	208.11	19	1,101.35	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Wheat (forage - fodder)	958.27	77	4,747.79	A
Dikegulac sodium	Landscape maintenance	0.08	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dimethenamid-p	Garlic	1,018.19	8	1,206.9	A
Dimethenamid-p	Landscape maintenance	8.43	N/A	N/A	N/A
Dimethoate	Alfalfa	405.15	27	1,301.84	A
Dimethoate	Corn (forage - fodder)	622.76	15	1,334.97	A
Dimethoate	Cotton	11,092.91	107	24,985.9	A
Dimethoate	Safflower	14,030.45	235	61,445.4	A
Dimethoate	Tomato, processing	2,878.73	55	6,927.98	A
Dimethoate	Wheat (forage - fodder)	255.1	8	688.2	A
Dimethomorph	Onion, dry	181.2	7	884.9	A
Dimethyl alkyl tertiary amines	Alfalfa	0.47	1	75.0	A
Dimethyl alkyl tertiary amines	Almond	5.75	13	640.5	A
Dimethyl alkyl tertiary amines	Barley	0.3	2	48.0	A
Dimethyl alkyl tertiary amines	Corn (forage - fodder)	4.72	20	729.28	A
Dimethyl alkyl tertiary amines	Cotton	4.39	8	706.0	A
Dimethyl alkyl tertiary amines	Pistachio	65.55	110	3,057.98	A
Dimethyl alkyl tertiary amines	Soil fumigation/preplant	1.36	1	219.6	A
Dimethyl alkyl tertiary amines	Triticale	0.63	2	102.2	A
Dimethyl alkyl tertiary amines	Walnut	2.05	11	122.07	A
Dimethyl alkyl tertiary amines	Wheat (forage - fodder)	7.58	27	1,219.14	A
Dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Corn (forage - fodder)	18.0	7	407.0	A
Dimethyl silicone fluid emulsion	Almond	0.15	12	77.62	A
Dimethyl silicone fluid emulsion	Apricot	0.85	10	69.22	A
Dimethyl silicone fluid emulsion	Peach	0.86	23	197.72	A
Dimethyl silicone fluid emulsion	Pistachio	0.31	3	65.97	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethyl silicone fluid emulsion	Plum	0.65	11	83.56	A
Dimethyl silicone fluid emulsion	Walnut	1.69	2	128.0	A
Dimethylpolysiloxane	Alfalfa	2.09	69	3,838.48	A
Dimethylpolysiloxane	Almond	794.17	555	29,075.46	A
Dimethylpolysiloxane	Apricot	7.61	71	523.96	A
Dimethylpolysiloxane	Barley	0.05	1	37.0	A
Dimethylpolysiloxane	Blueberry	9.51	18	553.44	A
Dimethylpolysiloxane	Cherry	3.22	48	1,098.96	A
Dimethylpolysiloxane	Citrus	0.72	2	11.22	A
Dimethylpolysiloxane	Corn (forage - fodder)	149.0	287	13,476.81	A
Dimethylpolysiloxane	Cotton	41.61	444	74,328.82	A
Dimethylpolysiloxane	Garlic	0.69	2	376.0	A
Dimethylpolysiloxane	Grape	53.32	29	916.47	A
Dimethylpolysiloxane	Grape, wine	277.28	36	2,009.3	A
Dimethylpolysiloxane	Kiwi fruit fuzzy	0.15	20	310.0	A
Dimethylpolysiloxane	Landscape maintenance	0.95	N/A	N/A	N/A
Dimethylpolysiloxane	Nectarine	17.4	60	726.72	A
Dimethylpolysiloxane	Oat	0.01	1	16.0	A
Dimethylpolysiloxane	Onion, dry	4.65	5	560.0	A
Dimethylpolysiloxane	Peach	60.73	152	1,672.56	A
Dimethylpolysiloxane	Pecan	0.07	7	236.0	A
Dimethylpolysiloxane	Pepper, fruiting	0.16	5	400.0	A
Dimethylpolysiloxane	Pistachio	2,394.93	984	71,546.64	A
Dimethylpolysiloxane	Plum	22.66	133	1,125.4	A
Dimethylpolysiloxane	Pomegranate	87.38	29	1,518.41	A
Dimethylpolysiloxane	Rights of way	1.13	4	650.0	A
Dimethylpolysiloxane	Rights of way	2.71	N/A	N/A	N/A
Dimethylpolysiloxane	Safflower	0.08	2	300.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	Soil fumigation/preplant	257.55	146	25,101.98	A
Dimethylpolysiloxane	Sorghum (forage - fodder)	1.8	43	2,757.98	A
Dimethylpolysiloxane	Sorghum/milo	0.28	6	541.0	A
Dimethylpolysiloxane	Tangerine	3.09	21	147.07	A
Dimethylpolysiloxane	Tomato, processing	61.56	176	23,727.6	A
Dimethylpolysiloxane	Triticale	0.16	14	550.0	A
Dimethylpolysiloxane	Walnut	317.62	225	5,303.85	A
Dimethylpolysiloxane	Wheat	0.09	4	253.0	A
Dimethylpolysiloxane	Wheat (forage - fodder)	1.43	85	4,527.78	A
Dinotefuran	Cotton	2,954.06	95	22,991.0	A
Dinotefuran	Structural pest control	37.83	N/A	N/A	N/A
Dinotefuran	Tomato, processing	13.3	2	304.0	A
Diphacinone	Almond	0.01	7	124.0	A
Diphacinone	Landscape maintenance	<0.01	N/A	N/A	N/A
Diphacinone	Oat	<0.01	4	64.0	A
Diphacinone	Pistachio	0.12	50	1,836.0	A
Diphacinone	Rights of way	<0.01	1	10.0	A
Diphacinone	Rights of way	0.24	N/A	N/A	N/A
Diphacinone	Structural pest control	0.03	N/A	N/A	N/A
Diphacinone	Vertebrate control	<0.01	4	4.0	A
Diphacinone	Vertebrate control	0.47	N/A	N/A	N/A
Diphacinone	Walnut	<0.01	1	45.0	A
Diphacinone, sodium salt	Structural pest control	<0.01	N/A	N/A	N/A
Diquat dibromide	Landscape maintenance	210.04	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Diquat dibromide</b>	Public health	126.4	N/A	N/A	N/A
<b>Diquat dibromide</b>	Rights of way	1,139.35	13	4,244.0	A
<b>Diquat dibromide</b>	Rights of way	53.0	N/A	N/A	N/A
<b>Diquat dibromide</b>	Structural pest control	1.04	N/A	N/A	N/A
<b>Disodium octaborate anhydrous</b>	Rights of way	249.01	N/A	N/A	N/A
<b>Disodium octaborate tetrahydrate</b>	Structural pest control	56.92	N/A	N/A	N/A
<b>Dithiopyr</b>	Landscape maintenance	216.29	N/A	N/A	N/A
<b>Dithiopyr</b>	Rights of way	110.96	N/A	N/A	N/A
<b>Diuron</b>	Alfalfa	156.15	1	78.0	A
<b>Diuron</b>	Cotton	1,301.06	324	50,086.22	A
<b>Diuron</b>	Landscape maintenance	31.48	N/A	N/A	N/A
<b>Diuron</b>	Rights of way	600.59	1	600.0	A
<b>Diuron</b>	Rights of way	4,164.89	N/A	N/A	N/A
<b>Dodecylbenzene sulfonic acid</b>	N-outdr transplants	0.71	13	32.0	A
<b>Dodecylbenzene sulfonic acid</b>	Regulatory pest control	1.85	N/A	N/A	N/A
<b>Dodecylbenzene sulfonic acid</b>	Structural pest control	2.11	N/A	N/A	N/A
<b>E-8-dodecenyl acetate</b>	Apricot	2.14	27	354.9	A
<b>E-8-dodecenyl acetate</b>	Nectarine	5.58	59	998.89	A
<b>E-8-dodecenyl acetate</b>	Peach	6.05	92	1,257.2	A
<b>E-8-dodecenyl acetate</b>	Plum	7.73	114	1,209.53	A
<b>E-8-dodecenyl acetate</b>	Pluot	0.1	2	16.5	A
<b>Edta</b>	Alfalfa	0.05	1	4.0	A
<b>Edta</b>	Almond	0.95	4	37.72	A
<b>Edta</b>	Corn (forage - fodder)	1.12	2	114.9	A
<b>Edta</b>	Cotton	94.17	71	18,521.01	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Edta	Grape	1.48	4	121.28	A
Edta	Pistachio	13.64	6	939.6	A
Edta	Rights of way	139.63	48	22,690.0	A
Edta	Safflower	8.58	41	10,033.0	A
Edta	Soil fumigation/preplant	0.16	2	700.0	A
Edta	Walnut	0.19	1	16.0	A
Edta, tetrasodium salt	N-outdr transplants	0.04	13	32.0	A
Edta, tetrasodium salt	Regulatory pest control	0.11	N/A	N/A	N/A
Edta, tetrasodium salt	Structural pest control	0.13	N/A	N/A	N/A
Emamectin benzoate	Almond	0.93	12	63.0	A
Emamectin benzoate	Cotton	61.69	15	4,600.0	A
Emamectin benzoate	Pepper, fruiting	1.55	2	160.0	A
Emamectin benzoate	Tomato	1.31	2	87.45	A
Emamectin benzoate	Tomato, processing	27.61	22	1,875.3	A
Emamectin benzoate	Walnut	0.77	1	70.0	A
Emulsifiable methylated vegetable oil	Walnut	17.68	1	23.5	A
Esfenvalerate	Almond	303.26	59	4,160.4	A
Esfenvalerate	Apricot	2.69	3	41.88	A
Esfenvalerate	Cherry	4.12	2	60.0	A
Esfenvalerate	Corn, human consumption	1.24	3	30.04	A
Esfenvalerate	Cotton	34.57	2	693.0	A
Esfenvalerate	Landscape maintenance	0.02	N/A	N/A	N/A
Esfenvalerate	Nectarine	16.04	14	290.64	A
Esfenvalerate	Peach	16.7	23	274.8	A
Esfenvalerate	Plum	8.83	14	139.99	A
Esfenvalerate	Rights of way	0.02	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Esfenvalerate	Soil fumigation/preplant	2.0	1	60.0	A
Esfenvalerate	Structural pest control	8.53	N/A	N/A	N/A
Esfenvalerate	Tomato, processing	128.31	18	2,548.0	A
Esfenvalerate	Walnut	1.76	3	46.5	A
Ethanolamine	Almond	107.78	62	1,278.03	A
Ethanolamine	Apricot	1.07	3	11.0	A
Ethanolamine	Blueberry	4.05	3	64.08	A
Ethanolamine	Corn (forage - fodder)	12.15	14	570.0	A
Ethanolamine	Nectarine	0.13	1	3.0	A
Ethanolamine	Peach	22.17	32	226.71	A
Ethanolamine	Pistachio	266.29	122	3,107.52	A
Ethanolamine	Plum	5.82	9	62.79	A
Ethanolamine	Tangerine	4.71	12	54.68	A
Ethanolamine	Walnut	1.04	3	23.6	A
Ethephon	Cotton	42,654.42	297	48,367.7	A
Ethephon	Grape	82.55	13	461.83	A
Ethephon	Landscape maintenance	1.03	N/A	N/A	N/A
Ethephon	Tomato, processing	1,016.69	14	1,568.9	A
Ethephon	Walnut	3,903.16	103	3,855.51	A
Ethyl alcohol	Landscape maintenance	5.92	N/A	N/A	N/A
Ethylene glycol	Almond	108.28	15	752.0	A
Ethylene glycol	Grape	77.6	4	213.79	A
Ethylene glycol	Tomato	6.14	5	184.65	A
Ethylene glycol	Tomato, processing	52.83	15	1,983.0	A
Ethylene glycol	Walnut	9.63	1	85.0	A
Etofenprox	Structural pest control	0.94	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Etoxazole	Almond	844.38	113	6,531.62	A
Etoxazole	Apricot	4.89	4	36.22	A
Etoxazole	Cherry	14.1	6	104.42	A
Etoxazole	Corn (forage - fodder)	748.56	179	6,771.46	A
Etoxazole	Cotton	86.92	16	1,951.9	A
Etoxazole	Grape	86.39	9	639.79	A
Etoxazole	Grape, wine	52.39	9	388.0	A
Etoxazole	Nectarine	2.53	2	18.75	A
Etoxazole	Peach	47.47	22	357.3	A
Etoxazole	Pistachio	4.98	1	36.9	A
Etoxazole	Plum	18.24	13	135.02	A
Etoxazole	Walnut	268.04	52	1,985.95	A
Famoxadone	Onion, dry	867.3	53	7,089.9	A
Farnesol	Nectarine	0.55	5	73.6	A
Farnesol	Peach	0.51	8	68.3	A
Fatty acids derived from tallow	Alfalfa	23.65	20	1,849.18	A
Fatty acids derived from tallow	Almond	446.84	38	3,494.07	A
Fatty acids derived from tallow	Corn (forage - fodder)	6.42	2	276.0	A
Fatty acids derived from tallow	Cotton	250.89	52	9,668.35	A
Fatty acids derived from tallow	Garlic	140.63	41	6,134.5	A
Fatty acids derived from tallow	Landscape maintenance	6.11	N/A	N/A	N/A
Fatty acids derived from tallow	Oat (forage - fodder)	1.54	1	50.0	A
Fatty acids derived from tallow	Pistachio	1,046.81	137	12,280.71	A
Fatty acids derived from tallow	Pomegranate	32.18	4	161.11	A
Fatty acids derived from tallow	Ryegrass	7.97	8	374.0	A
Fatty acids derived from tallow	Safflower	16.46	15	4,274.0	A
Fatty acids derived from tallow	Soil fumigation/preplant	3.4	1	220.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fatty acids derived from tallow	Sorghum (forage - fodder)	5.58	4	103.0	A
Fatty acids derived from tallow	Sudangrass	1.92	4	83.0	A
Fatty acids derived from tallow	Tomato, processing	127.14	30	3,533.55	A
Fatty acids derived from tallow	Triticale	65.39	28	2,301.78	A
Fatty acids derived from tallow	Walnut	1.23	1	21.5	A
Fatty acids derived from tallow	Wheat	1.21	2	92.2	A
Fatty acids derived from tallow	Wheat (forage - fodder)	55.12	55	3,082.45	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Alfalfa	31.36	3	172.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Almond	1,065.84	58	3,285.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cherry	7.29	2	20.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Corn (forage - fodder)	222.08	10	657.4	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cotton	217.32	14	782.37	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Grape	22.9	4	127.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Grape, wine	28.37	2	62.22	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Peach	56.29	25	225.4	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Pecan	3.64	1	8.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Pepper, fruiting	36.47	4	320.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Pistachio	1,791.7	41	3,132.57	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pomegranate	0.33	2	2.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pumpkin	3.65	1	10.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Walnut	469.61	20	737.9	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Wheat	215.28	9	1,649.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Wheat (forage - fodder)	54.99	6	463.0	A
<b>Fatty acids, methyl esters</b>	Alfalfa	425.24	10	489.0	A
<b>Fatty acids, methyl esters</b>	Almond	1,666.46	50	1,535.61	A
<b>Fatty acids, methyl esters</b>	Corn (forage - fodder)	2,220.48	48	2,586.9	A
<b>Fatty acids, methyl esters</b>	Grape, wine	183.24	2	105.4	A
<b>Fatty acids, methyl esters</b>	Onion, dry	48.79	5	560.0	A
<b>Fatty acids, methyl esters</b>	Pistachio	403.26	12	454.17	A
<b>Fatty acids, methyl esters</b>	Soil fumigation/preplant	260.77	3	188.0	A
<b>Fatty acids, methyl esters</b>	Walnut	597.84	14	379.36	A
<b>Fatty acids, mixed</b>	Alfalfa	93.53	51	3,625.68	A
<b>Fatty acids, mixed</b>	Almond	304.45	135	4,645.52	A
<b>Fatty acids, mixed</b>	Apricot	18.49	35	277.46	A
<b>Fatty acids, mixed</b>	Barley	4.17	1	37.0	A
<b>Fatty acids, mixed</b>	Blueberry	1.26	6	213.6	A
<b>Fatty acids, mixed</b>	Cherry	101.88	11	422.8	A
<b>Fatty acids, mixed</b>	Corn (forage - fodder)	547.06	235	10,554.74	A
<b>Fatty acids, mixed</b>	Cotton	2,062.57	1,082	234,697.54	A
<b>Fatty acids, mixed</b>	Grape	30.7	3	184.0	A
<b>Fatty acids, mixed</b>	Grape, wine	11.85	9	509.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fatty acids, mixed	Landscape maintenance	1.16	N/A	N/A	N/A
Fatty acids, mixed	Lettuce, head	0.45	3	122.6	A
Fatty acids, mixed	Nectarine	2.04	33	410.77	A
Fatty acids, mixed	Oat	2.55	3	45.0	A
Fatty acids, mixed	Peach	17.59	74	1,113.25	A
Fatty acids, mixed	Pistachio	12,174.41	478	48,522.03	A
Fatty acids, mixed	Plum	20.66	90	555.58	A
Fatty acids, mixed	Pomegranate	73.02	7	409.0	A
Fatty acids, mixed	Pumpkin	0.05	1	10.0	A
Fatty acids, mixed	Rights of way	62.47	34	9,894.0	A
Fatty acids, mixed	Safflower	133.21	295	77,058.0	A
Fatty acids, mixed	Soil fumigation/preplant	667.16	213	39,775.81	A
Fatty acids, mixed	Sorghum (forage - fodder)	44.44	22	1,044.98	A
Fatty acids, mixed	Sorghum/milo	4.14	2	99.0	A
Fatty acids, mixed	Tangerine	0.88	20	205.1	A
Fatty acids, mixed	Tomato, processing	1,078.38	353	49,364.5	A
Fatty acids, mixed	Triticale	16.0	17	1,422.0	A
Fatty acids, mixed	Walnut	121.97	26	740.67	A
Fatty acids, mixed	Wheat	12.77	12	1,364.7	A
Fatty acids, mixed	Wheat (forage - fodder)	104.29	68	4,010.28	A
Fenamidone	Onion, dry	283.1	14	1,680.1	A
Fenazaquin	Almond	1,124.05	43	1,679.96	A
Fenazaquin	Citrus	16.28	1	26.0	A
Fenazaquin	Orange	7.51	1	12.0	A
Fenazaquin	Peach	29.95	3	42.5	A
Fenazaquin	Plum	39.79	4	56.5	A
Fenazaquin	Walnut	742.87	26	1,231.29	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenbuconazole	Almond	103.66	27	1,081.23	A
Fenbuconazole	Blueberry	3.69	1	38.0	A
Fenbuconazole	Nectarine	6.02	3	62.0	A
Fenbuconazole	Peach	12.77	12	131.35	A
Fenbuconazole	Plum	7.47	5	76.69	A
Fenhexamid	Cherry	195.33	7	267.1	A
Fenhexamid	Grape	183.09	15	366.18	A
Fenhexamid	Grape, wine	21.5	2	37.0	A
Fenhexamid	Pistachio	27.68	1	36.9	A
Fenpropathrin	Cherry	34.88	3	41.5	A
Fenpropathrin	Cotton	2,161.28	28	6,981.82	A
Fenpropathrin	Grape	40.51	5	129.73	A
Fenpropathrin	Nectarine	31.91	5	89.0	A
Fenpropathrin	Pistachio	2,106.01	37	5,059.14	A
Fenpropathrin	Plum	1.88	1	6.0	A
Fenpropathrin	Tangerine	8.01	2	20.51	A
Fenpropathrin	Tomato	20.27	3	97.2	A
Fenpropathrin	Tomato, processing	118.56	6	659.0	A
Fenpropathrin	Walnut	62.24	8	169.34	A
Fenpyroximate	Almond	976.33	121	6,961.35	A
Fenpyroximate	Apricot	6.16	5	57.3	A
Fenpyroximate	Cherry	3.76	1	35.0	A
Fenpyroximate	Citrus	3.87	2	36.0	A
Fenpyroximate	Corn (forage - fodder)	768.6	144	8,363.98	A
Fenpyroximate	Cotton	16.12	1	151.0	A
Fenpyroximate	N-outdr transplants	0.34	4	6.5	A
Fenpyroximate	Nectarine	17.54	10	163.12	A
Fenpyroximate	Orange	1.29	1	12.0	A
Fenpyroximate	Peach	39.68	24	369.05	A
Fenpyroximate	Pistachio	658.56	46	5,936.16	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fenpyroximate	Plum	21.39	19	205.72	A
Fenpyroximate	Pomegranate	266.65	21	2,481.0	A
Fenpyroximate	Walnut	131.07	25	1,105.11	A
Ferric sodium edta	Landscape maintenance	13.95	N/A	N/A	N/A
Ferric sodium edta	Public health	1.4	N/A	N/A	N/A
Ferric sodium edta	Structural pest control	1.23	N/A	N/A	N/A
Ferrous sulfate	Rights of way	0.17	N/A	N/A	N/A
Fipronil	Structural pest control	208.45	N/A	N/A	N/A
Flazasulfuron	Almond	12.18	12	456.04	A
Flazasulfuron	Pistachio	48.73	28	1,572.14	A
Flazasulfuron	Walnut	2.87	6	79.93	A
Flonicamid	Almond	37.71	17	430.85	A
Flonicamid	Apricot	0.75	2	11.92	A
Flonicamid	Cotton	7,848.66	499	90,373.99	A
Flonicamid	Nectarine	2.18	2	29.04	A
Flonicamid	Peach	1.89	2	25.1	A
Flonicamid	Pistachio	31.22	6	356.7	A
Flonicamid	Plum	4.46	9	61.27	A
Flonicamid	Safflower	2,630.79	120	30,065.3	A
Fluazifop-butyl	Walnut	1.31	2	11.0	A
Fluazifop-p-butyl	Almond	50.34	2	133.64	A
Fluazifop-p-butyl	Grape	81.15	8	307.48	A
Fluazifop-p-butyl	Grape, wine	151.19	14	530.25	A
Fluazifop-p-butyl	Landscape maintenance	0.28	N/A	N/A	N/A
Fluazifop-p-butyl	Onion, dry	76.45	2	203.0	A
Fluazifop-p-butyl	Pistachio	20.61	4	82.04	A
Fluazifop-p-butyl	Rights of way	13.97	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fludioxonil	Blueberry	37.84	6	188.2	A
Fludioxonil	Cotton	282.36	N/A	5,918.14	T
Fludioxonil	Garlic	55.26	2	421.0	A
Fludioxonil	Grape	9.41	1	43.0	A
Fludioxonil	Grape, wine	37.88	3	197.0	A
Fludioxonil	Landscape maintenance	3.57	N/A	N/A	N/A
Fludioxonil	N-outdr transplants	1.41	4	9.5	A
Fludioxonil	Onion, dry	401.5	16	2,172.0	A
Fludioxonil	Pistachio	7.89	1	53.2	A
Fludioxonil	Pomegranate	39.3	N/A	29,116.0	T
Flumioxazin	Alfalfa	555.7	70	4,480.26	A
Flumioxazin	Almond	1,031.48	85	3,431.64	A
Flumioxazin	Apricot	1.63	1	8.8	A
Flumioxazin	Blueberry	12.5	2	56.0	A
Flumioxazin	Cherry	54.77	8	150.96	A
Flumioxazin	Corn (forage - fodder)	6.72	1	72.0	A
Flumioxazin	Cotton	508.06	44	8,087.0	A
Flumioxazin	Garlic	257.55	15	1,928.0	A
Flumioxazin	Grape	28.32	8	104.23	A
Flumioxazin	Grape, wine	153.93	16	445.63	A
Flumioxazin	Landscape maintenance	5.65	N/A	N/A	N/A
Flumioxazin	Nectarine	8.58	3	46.2	A
Flumioxazin	Peach	13.17	7	69.25	A
Flumioxazin	Pistachio	1,511.06	138	5,112.96	A
Flumioxazin	Plum	7.35	4	33.6	A
Flumioxazin	Pomegranate	161.98	11	427.98	A
Flumioxazin	Rights of way	91.28	2	654.0	A
Flumioxazin	Rights of way	213.18	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flumioxazin	Soil fumigation/preplant	97.02	16	872.55	A
Flumioxazin	Uncultivated ag	116.66	1	305.0	A
Flumioxazin	Walnut	129.12	27	466.27	A
Fluopyram	Almond	233.27	63	2,442.63	A
Fluopyram	Apricot	14.47	14	142.45	A
Fluopyram	Cherry	14.08	12	124.9	A
Fluopyram	Citrus	3.72	1	38.0	A
Fluopyram	Grape	124.74	24	1,239.66	A
Fluopyram	Grape, wine	126.35	22	1,262.6	A
Fluopyram	Nectarine	31.3	18	311.68	A
Fluopyram	Onion, dry	532.18	22	3,064.9	A
Fluopyram	Peach	42.47	26	411.95	A
Fluopyram	Pistachio	394.92	67	3,574.53	A
Fluopyram	Plum	20.34	27	196.44	A
Fluopyram	Tomato, processing	105.11	10	1,156.0	A
Fluopyram	Walnut	80.75	23	810.27	A
Flupyradifurone	Alfalfa	48.31	8	406.0	A
Flupyradifurone	Corn (forage - fodder)	73.72	6	404.0	A
Flupyradifurone	Cotton	4,941.46	134	27,447.07	A
Flupyradifurone	Grape	15.68	2	86.0	A
Flupyradifurone	Grape, wine	73.64	4	403.6	A
Flupyradifurone	Pistachio	26.46	3	145.0	A
Flupyradifurone	Pomegranate	64.33	9	356.0	A
Flupyradifurone	Sorghum (forage - fodder)	758.13	86	5,300.98	A
Flupyradifurone	Sorghum/milo	73.07	6	541.0	A
Flupyradifurone	Tomato, processing	1,867.01	92	10,194.13	A
Flupyradifurone	Watermelon	0.02	1	0.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Flupyradifurone</b>	Wheat (forage - fodder)	93.24	12	649.54	A
<b>Flutriafol</b>	Almond	26.48	3	232.76	A
<b>Flutriafol</b>	Cherry	10.67	3	91.56	A
<b>Flutriafol</b>	Grape	177.76	33	2,186.0	A
<b>Flutriafol</b>	Grape, wine	152.97	32	1,881.67	A
<b>Flutriafol</b>	Walnut	65.35	15	574.41	A
<b>Fluxapyroxad</b>	Almond	805.89	131	9,158.7	A
<b>Fluxapyroxad</b>	Cherry	5.68	4	62.92	A
<b>Fluxapyroxad</b>	Cotton	153.7	11	2,342.0	A
<b>Fluxapyroxad</b>	Grape	3.62	1	40.0	A
<b>Fluxapyroxad</b>	Landscape maintenance	0.92	N/A	N/A	N/A
<b>Fluxapyroxad</b>	Onion, dry	2.8	1	17.0	A
<b>Fluxapyroxad</b>	Peach	0.9	1	11.0	A
<b>Fluxapyroxad</b>	Pistachio	624.39	88	6,253.2	A
<b>Fluxapyroxad</b>	Tomato, processing	957.83	79	11,024.1	A
<b>Fluxapyroxad</b>	Walnut	12.92	3	139.27	A
<b>Foramsulfuron</b>	Landscape maintenance	0.49	N/A	N/A	N/A
<b>Forchlorfenuron</b>	Almond	3.01	13	638.9	A
<b>Forchlorfenuron</b>	Grape	1.6	12	589.34	A
<b>Formetanate hydrochloride</b>	Citrus	34.96	1	38.0	A
<b>Formetanate hydrochloride</b>	Nectarine	227.65	14	212.39	A
<b>Fosetyl-al</b>	Landscape maintenance	94.6	N/A	N/A	N/A
<b>Gamma-cyhalothrin</b>	Structural pest control	154.99	N/A	N/A	N/A
<b>Geraniol</b>	Nectarine	1.37	5	73.6	A
<b>Geraniol</b>	Peach	1.27	8	68.3	A
<b>Gibberellins</b>	Apricot	1.07	1	15.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Gibberellins	Cherry	27.52	22	681.18	A
Gibberellins	Grape	15.86	39	1,580.15	A
Gibberellins	Grape, wine	1.23	4	282.0	A
Gibberellins	Pomegranate	83.06	15	1,852.0	A
Glufosinate-ammonium	Almond	18,079.12	412	16,416.65	A
Glufosinate-ammonium	Apricot	210.18	30	234.09	A
Glufosinate-ammonium	Blueberry	95.94	4	109.4	A
Glufosinate-ammonium	Cherry	352.69	13	289.79	A
Glufosinate-ammonium	Citrus	71.68	3	54.22	A
Glufosinate-ammonium	Corn (forage - fodder)	4,421.13	158	8,842.96	A
Glufosinate-ammonium	Cotton	696.65	24	1,257.32	A
Glufosinate-ammonium	Grape	3,178.63	84	2,836.25	A
Glufosinate-ammonium	Grape, wine	3,589.02	89	3,006.09	A
Glufosinate-ammonium	Landscape maintenance	712.84	N/A	N/A	N/A
Glufosinate-ammonium	Lemon	17.46	1	17.0	A
Glufosinate-ammonium	Nectarine	313.74	46	440.39	A
Glufosinate-ammonium	Olive	1,229.66	29	1,136.56	A
Glufosinate-ammonium	Orange	35.65	2	27.0	A
Glufosinate-ammonium	Peach	589.96	73	685.15	A
Glufosinate-ammonium	Pecan	63.81	10	270.0	A
Glufosinate-ammonium	Pistachio	39,618.5	789	36,529.87	A
Glufosinate-ammonium	Plum	422.87	55	533.69	A
Glufosinate-ammonium	Rights of way	21,054.56	78	30,250.0	A
Glufosinate-ammonium	Rights of way	6,967.72	N/A	N/A	N/A
Glufosinate-ammonium	Soil fumigation/preplant	477.81	11	943.1	A
Glufosinate-ammonium	Structural pest control	15.95	N/A	N/A	N/A
Glufosinate-ammonium	Tangerine	73.81	14	75.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glufosinate-ammonium	Walnut	5,193.1	284	5,897.63	A
Glycerol	Alfalfa	1.0	1	10.0	A
Glycerol	Almond	857.76	132	4,442.42	A
Glycerol	Apricot	1.53	3	11.0	A
Glycerol	Blueberry	12.81	5	120.08	A
Glycerol	Cherry	19.27	28	127.96	A
Glycerol	Citrus	0.33	1	2.22	A
Glycerol	Corn (forage - fodder)	53.83	21	859.6	A
Glycerol	Cotton	46.9	9	647.0	A
Glycerol	Grape	166.27	26	590.9	A
Glycerol	Nectarine	2.59	13	26.76	A
Glycerol	Olive	144.53	33	964.56	A
Glycerol	Orange	2.26	1	12.0	A
Glycerol	Peach	31.67	32	226.71	A
Glycerol	Pepper, fruiting	14.08	4	320.0	A
Glycerol	Pistachio	540.48	150	4,105.67	A
Glycerol	Plum	22.44	31	156.59	A
Glycerol	Rights of way	38.15	4	190.0	A
Glycerol	Soil fumigation/preplant	179.16	10	830.85	A
Glycerol	Tangerine	8.93	15	71.9	A
Glycerol	Tomato, processing	31.43	3	426.0	A
Glycerol	Walnut	676.26	183	3,796.58	A
Glyphosate, isopropylamine salt	Alfalfa	2,113.82	22	1,653.52	A
Glyphosate, isopropylamine salt	Almond	32,014.21	374	16,052.32	A
Glyphosate, isopropylamine salt	Apricot	484.46	33	236.93	A
Glyphosate, isopropylamine salt	Cherry	68.37	5	37.0	A
Glyphosate, isopropylamine salt	Citrus	5.32	1	2.22	A
Glyphosate, isopropylamine salt	Corn (forage - fodder)	19,621.44	276	15,502.88	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glyphosate, isopropylamine salt	Cotton	24,214.32	180	17,114.55	A
Glyphosate, isopropylamine salt	Ditch bank	32.01	2	32.0	A
Glyphosate, isopropylamine salt	Garlic	259.14	1	155.0	A
Glyphosate, isopropylamine salt	Grape	1,892.48	40	903.98	A
Glyphosate, isopropylamine salt	Grape, wine	2,343.91	28	1,371.32	A
Glyphosate, isopropylamine salt	Kiwi fruit fuzzy	876.5	20	310.0	A
Glyphosate, isopropylamine salt	Landscape maintenance	2,109.58	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Nectarine	635.01	31	289.03	A
Glyphosate, isopropylamine salt	Olive	381.96	8	218.0	A
Glyphosate, isopropylamine salt	Pastureland	0.52	3	30.0	A
Glyphosate, isopropylamine salt	Peach	1,198.7	72	574.5	A
Glyphosate, isopropylamine salt	Pecan	11.89	1	6.0	A
Glyphosate, isopropylamine salt	Pepper, fruiting	329.82	2	160.0	A
Glyphosate, isopropylamine salt	Pistachio	35,758.76	485	18,554.3	A
Glyphosate, isopropylamine salt	Plum	938.07	57	445.28	A
Glyphosate, isopropylamine salt	Pomegranate	2,050.76	20	911.82	A
Glyphosate, isopropylamine salt	Public health	457.58	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Quince	4.53	1	9.0	A
Glyphosate, isopropylamine salt	Rights of way	46,501.14	96	35,723.0	A
Glyphosate, isopropylamine salt	Rights of way	23,243.28	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Safflower	220.39	6	901.2	A
Glyphosate, isopropylamine salt	Soil fumigation/preplant	23,824.54	137	18,516.72	A
Glyphosate, isopropylamine salt	Tangerine	75.15	7	36.93	A
Glyphosate, isopropylamine salt	Tomato, processing	6,161.05	33	4,791.0	A
Glyphosate, isopropylamine salt	Triticale	54.23	1	54.28	A
Glyphosate, isopropylamine salt	Uncultivated non-ag	29.01	N/A	43.8	A
Glyphosate, isopropylamine salt	Walnut	8,730.23	264	5,447.03	A
Glyphosate, monoammonium salt	Landscape maintenance	479.38	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glyphosate, monoammonium salt	Rights of way	20.82	N/A	N/A	N/A
Glyphosate, monoammonium salt	Structural pest control	26.39	N/A	N/A	N/A
Glyphosate, potassium salt	Alfalfa	5,423.61	62	3,688.07	A
Glyphosate, potassium salt	Almond	41,950.08	451	19,825.27	A
Glyphosate, potassium salt	Apricot	35.91	4	19.42	A
Glyphosate, potassium salt	Blueberry	156.36	3	64.08	A
Glyphosate, potassium salt	Cherry	193.86	4	74.65	A
Glyphosate, potassium salt	Citrus	44.85	1	26.0	A
Glyphosate, potassium salt	Corn (forage - fodder)	21,691.63	292	14,203.42	A
Glyphosate, potassium salt	Cotton	81,908.34	325	61,249.49	A
Glyphosate, potassium salt	Garlic	922.14	4	526.5	A
Glyphosate, potassium salt	Grape	436.96	5	153.58	A
Glyphosate, potassium salt	Grape, wine	1,217.28	24	838.17	A
Glyphosate, potassium salt	Landscape maintenance	737.97	N/A	N/A	N/A
Glyphosate, potassium salt	Nectarine	406.55	8	204.0	A
Glyphosate, potassium salt	Onion, dry	323.76	1	161.5	A
Glyphosate, potassium salt	Orange	104.6	5	59.5	A
Glyphosate, potassium salt	Pastureland	425.01	6	154.02	A
Glyphosate, potassium salt	Peach	1,128.01	61	561.77	A
Glyphosate, potassium salt	Pecan	108.13	3	114.0	A
Glyphosate, potassium salt	Pepper, fruiting	538.88	3	240.0	A
Glyphosate, potassium salt	Persimmon	9.49	1	5.0	A
Glyphosate, potassium salt	Pistachio	50,983.21	565	26,388.85	A
Glyphosate, potassium salt	Plum	256.53	13	122.84	A
Glyphosate, potassium salt	Pomegranate	4,920.28	46	2,592.16	A
Glyphosate, potassium salt	Rights of way	18,468.38	30	11,264.0	A
Glyphosate, potassium salt	Rights of way	7,494.96	N/A	N/A	N/A
Glyphosate, potassium salt	Safflower	3,841.02	39	9,633.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Glyphosate, potassium salt	Soil fumigation/preplant	7,793.35	39	4,734.62	A
Glyphosate, potassium salt	Sorghum (forage - fodder)	117.95	2	76.0	A
Glyphosate, potassium salt	Tangerine	109.7	10	45.41	A
Glyphosate, potassium salt	Tomato	163.85	1	59.4	A
Glyphosate, potassium salt	Tomato, processing	1,789.49	17	784.0	A
Glyphosate, potassium salt	Uncultivated ag	841.3	1	305.0	A
Glyphosate, potassium salt	Walnut	13,155.95	160	3,028.85	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Almond	48.06	41	1,117.41	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Apricot	0.09	4	2.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Pistachio	292.18	100	6,820.5	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Plum	2.62	4	61.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Walnut	24.83	18	577.82	A
Halosulfuron-methyl	Corn (forage - fodder)	42.1	11	773.1	A
Halosulfuron-methyl	Landscape maintenance	0.98	N/A	N/A	N/A
Halosulfuron-methyl	Pistachio	16.25	5	275.43	A
Halosulfuron-methyl	Tomato, processing	0.94	1	20.0	A
Heptamethyltrisiloxane ethoxylated	Almond	184.33	25	1,189.78	A
Heptamethyltrisiloxane ethoxylated	Corn (forage - fodder)	13.52	4	339.7	A
Heptamethyltrisiloxane ethoxylated	Cotton	30.7	3	430.0	A
Heptamethyltrisiloxane ethoxylated	Onion, dry	343.98	7	720.0	A
Heptamethyltrisiloxane ethoxylated	Pistachio	255.07	57	4,639.17	A
Heptamethyltrisiloxane ethoxylated	Pomegranate	794.35	41	5,570.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Heptamethyltrisiloxane ethoxylated	Sorghum (forage - fodder)	7.85	9	289.68	A
Heptamethyltrisiloxane ethoxylated	Walnut	41.7	6	349.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Alfalfa	10.69	2	95.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Almond	223.7	36	1,276.91	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cherry	6.75	1	30.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Corn (forage - fodder)	11.26	4	339.7	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cotton	61.01	16	3,216.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grape	9.08	8	134.74	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grape, wine	3.42	1	141.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Lemon	0.89	1	5.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Olive	166.24	6	739.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Peach	8.32	1	37.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Pistachio	733.49	34	3,817.16	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Rights of way	79.49	N/A	N/A	N/A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Walnut	76.65	17	321.2	A
Hexythiazox	Almond	1,123.71	99	6,224.8	A
Hexythiazox	Apricot	9.4	5	50.04	A
Hexythiazox	Cherry	15.53	4	98.06	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Hexythiazox	Citrus	4.15	1	26.0	A
Hexythiazox	Corn (forage - fodder)	1,457.39	136	9,072.66	A
Hexythiazox	Cotton	513.2	15	3,233.0	A
Hexythiazox	Grape, wine	29.74	3	165.0	A
Hexythiazox	Nectarine	31.39	13	166.59	A
Hexythiazox	Orange	1.92	1	12.0	A
Hexythiazox	Peach	53.28	20	283.35	A
Hexythiazox	Pistachio	7.38	1	39.2	A
Hexythiazox	Plum	51.68	28	273.72	A
Hexythiazox	Sorghum (forage - fodder)	66.54	9	813.66	A
Hexythiazox	Walnut	135.16	23	949.85	A
Humic acid	Alfalfa	0.1	1	4.0	A
Humic acid	Almond	1.88	4	37.72	A
Humic acid	Corn (forage - fodder)	2.21	2	114.9	A
Humic acid	Cotton	186.46	71	18,521.01	A
Humic acid	Grape	2.92	4	121.28	A
Humic acid	Pistachio	27.0	6	939.6	A
Humic acid	Rights of way	276.46	48	22,690.0	A
Humic acid	Safflower	17.0	41	10,033.0	A
Humic acid	Soil fumigation/preplant	0.31	2	700.0	A
Humic acid	Walnut	0.38	1	16.0	A
Hydramethylnon	Structural pest control	0.48	N/A	N/A	N/A
Hydrogen cyanamide	Cherry	19,831.68	52	1,125.81	A
Hydrogen peroxide	Almond	348.66	7	260.0	A
Hydrogen peroxide	Blueberry	151.05	4	83.0	A
Hydrogen peroxide	Carrot	253.12	2	101.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Hydrogen peroxide	Cherry	200.08	4	92.8	A
Hydrogen peroxide	Ditch bank	6,717.46	N/A	3.0	U
Hydrogen peroxide	Grape	395.11	5	386.0	A
Hydrogen peroxide	Grape, wine	313.67	5	173.5	A
Hydrogen peroxide	Landscape maintenance	235.18	N/A	N/A	N/A
Hydrogen peroxide	Lettuce, head	12.44	1	41.0	A
Hydrogen peroxide	N-outdr transplants	9.96	4	7.0	A
Hydrogen peroxide	Nectarine	6.03	1	4.0	A
Hydrogen peroxide	Pistachio	155.83	5	197.19	A
Hydrogen peroxide	Plum	11.03	5	31.25	A
Hydrogen peroxide	Tomato, processing	306.78	8	1,197.4	A
Hydrogen peroxide	Water (industrial)	1,481.38	N/A	5.0	U
Hydrogen peroxide	Water area	591.97	N/A	366.96	U
Hydroprene	Structural pest control	18.81	N/A	N/A	N/A
Hydrotreated paraffinic solvent	Almond	0.8	3	84.1	A
Hydrotreated paraffinic solvent	Onion, dry	2.19	1	115.0	A
Hydrotreated paraffinic solvent	Pistachio	6.31	7	299.68	A
Imazamox, ammonium salt	Alfalfa	89.39	45	2,188.15	A
Imazapyr, isopropylamine salt	Rights of way	301.06	N/A	N/A	N/A
Imazethapyr, ammonium salt	Alfalfa	178.25	52	2,423.44	A
Imazosulfuron	Landscape maintenance	44.93	N/A	N/A	N/A
Imazosulfuron	Structural pest control	4.5	N/A	N/A	N/A
Imidacloprid	Apricot	2.1	4	20.92	A
Imidacloprid	Blueberry	40.77	7	218.8	A
Imidacloprid	Cotton	1,648.1	136	26,402.37	A
Imidacloprid	Cotton	968.8	N/A	6,084.78	T
Imidacloprid	Grape	344.03	26	1,107.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Grape, wine	582.52	24	1,346.22	A
Imidacloprid	Landscape maintenance	92.47	N/A	N/A	N/A
Imidacloprid	Lettuce, head	65.96	3	193.1	A
Imidacloprid	N-outdr transplants	2.76	8	10.0	A
Imidacloprid	Peach	22.84	14	225.5	A
Imidacloprid	Pepper, fruiting	60.52	2	160.0	A
Imidacloprid	Plum	8.63	9	121.0	A
Imidacloprid	Pomegranate	305.34	7	621.0	A
Imidacloprid	Pumpkin	1.9	1	10.0	A
Imidacloprid	Soil fumigation/preplant	136.85	2	602.0	A
Imidacloprid	Structural pest control	14.16	N/A	N/A	N/A
Imidacloprid	Tangerine	7.17	4	41.02	A
Imidacloprid	Tomato	36.42	3	97.2	A
Imidacloprid	Tomato, processing	7,713.37	179	24,635.6	A
Imidacloprid	Walnut	66.58	25	1,422.37	A
Indaziflam	Almond	220.68	126	4,746.19	A
Indaziflam	Apricot	4.32	13	133.35	A
Indaziflam	Blueberry	0.47	1	18.0	A
Indaziflam	Cherry	14.1	35	309.21	A
Indaziflam	Grape	2.52	2	120.0	A
Indaziflam	Grape, wine	12.85	10	395.02	A
Indaziflam	Landscape maintenance	36.16	N/A	N/A	N/A
Indaziflam	Nectarine	10.74	12	251.57	A
Indaziflam	Orange	2.17	3	35.5	A
Indaziflam	Peach	10.78	30	237.75	A
Indaziflam	Pistachio	364.38	176	8,197.41	A
Indaziflam	Plum	8.99	36	213.02	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Indaziflam	Rights of way	8.66	4	190.0	A
Indaziflam	Rights of way	39.81	N/A	N/A	N/A
Indaziflam	Tangerine	0.58	2	9.11	A
Indaziflam	Uncultivated non-ag	2.93	N/A	43.8	A
Indaziflam	Walnut	80.09	96	1,627.78	A
Indoxacarb	Alfalfa	260.9	21	1,889.24	A
Indoxacarb	Cotton	2,656.61	87	19,947.62	A
Indoxacarb	Grape	8.87	2	78.82	A
Indoxacarb	Lettuce, head	3.94	1	47.1	A
Indoxacarb	Nectarine	3.27	2	29.04	A
Indoxacarb	Peach	13.33	10	118.5	A
Indoxacarb	Plum	5.62	8	49.85	A
Indoxacarb	Structural pest control	3.63	N/A	N/A	N/A
Indoxacarb	Tomato, processing	1,516.5	131	18,437.7	A
Iprodione	Cherry	378.89	10	480.9	A
Iprodione	Landscape maintenance	0.32	N/A	N/A	N/A
Iprodione	Nectarine	33.85	10	66.7	A
Iprodione	Peach	15.54	5	30.7	A
Iprodione	Plum	18.67	6	36.8	A
Iron phosphate	Landscape maintenance	0.36	N/A	N/A	N/A
Iron phosphate	Structural pest control	0.05	N/A	N/A	N/A
Isofetamid	Almond	235.79	20	1,011.1	A
Isoparaffinic hydrocarbons	Almond	30.46	18	117.57	A
Isoparaffinic hydrocarbons	Apricot	12.88	3	24.14	A
Isoparaffinic hydrocarbons	Blueberry	6.46	1	24.92	A
Isoparaffinic hydrocarbons	Peach	43.07	25	165.89	A
Isoparaffinic hydrocarbons	Pistachio	69.05	7	174.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Isoparaffinic hydrocarbons	Plum	8.88	5	34.23	A
Isoparaffinic hydrocarbons	Rights of way	0.16	N/A	N/A	N/A
Isoparaffinic hydrocarbons	Tangerine	5.6	4	17.31	A
Isopropyl alcohol	Alfalfa	3.74	8	288.0	A
Isopropyl alcohol	Almond	323.19	147	5,912.35	A
Isopropyl alcohol	Barley	0.2	2	48.0	A
Isopropyl alcohol	Blueberry	0.37	2	56.0	A
Isopropyl alcohol	Cherry	17.49	35	632.81	A
Isopropyl alcohol	Citrus	0.07	1	2.22	A
Isopropyl alcohol	Corn (forage - fodder)	110.15	64	3,056.68	A
Isopropyl alcohol	Cotton	16.66	13	1,578.18	A
Isopropyl alcohol	Garlic	14.21	2	376.0	A
Isopropyl alcohol	Grape	15.04	8	251.13	A
Isopropyl alcohol	Grape, wine	10.6	8	440.0	A
Isopropyl alcohol	Landscape maintenance	8.52	N/A	N/A	N/A
Isopropyl alcohol	N-outdr transplants	0.22	13	32.0	A
Isopropyl alcohol	Nectarine	4.06	17	168.1	A
Isopropyl alcohol	Peach	1.61	14	91.7	A
Isopropyl alcohol	Pecan	1.21	6	228.0	A
Isopropyl alcohol	Pistachio	93.21	121	3,215.8	A
Isopropyl alcohol	Plum	3.82	17	163.6	A
Isopropyl alcohol	Pomegranate	1.78	1	45.0	A
Isopropyl alcohol	Regulatory pest control	0.56	N/A	N/A	N/A
Isopropyl alcohol	Rights of way	34.7	N/A	N/A	N/A
Isopropyl alcohol	Soil fumigation/preplant	3.59	3	165.0	A
Isopropyl alcohol	Sorghum (forage - fodder)	28.92	23	1,789.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isopropyl alcohol	Sorghum/milo	4.64	4	442.0	A
Isopropyl alcohol	Structural pest control	1.7	N/A	N/A	N/A
Isopropyl alcohol	Tangerine	0.46	3	17.22	A
Isopropyl alcohol	Tomato	2.33	8	281.85	A
Isopropyl alcohol	Tomato, processing	23.08	26	3,365.0	A
Isopropyl alcohol	Triticale	21.16	3	526.0	A
Isopropyl alcohol	Walnut	105.52	80	1,968.33	A
Isopropyl alcohol	Wheat (forage - fodder)	88.91	47	2,341.8	A
Isopropylamine dodecylbenzene sulfonate	Alfalfa	6.62	26	1,653.0	A
Isopropylamine dodecylbenzene sulfonate	Almond	3.75	45	842.23	A
Isopropylamine dodecylbenzene sulfonate	Apricot	0.52	3	24.14	A
Isopropylamine dodecylbenzene sulfonate	Blueberry	0.26	1	24.92	A
Isopropylamine dodecylbenzene sulfonate	Corn (forage - fodder)	0.29	4	189.0	A
Isopropylamine dodecylbenzene sulfonate	Cotton	14.83	61	8,202.7	A
Isopropylamine dodecylbenzene sulfonate	Landscape maintenance	0.22	N/A	N/A	N/A
Isopropylamine dodecylbenzene sulfonate	Oat (forage - fodder)	0.14	1	60.0	A
Isopropylamine dodecylbenzene sulfonate	Peach	1.72	25	165.89	A
Isopropylamine dodecylbenzene sulfonate	Pistachio	4.04	24	447.8	A
Isopropylamine dodecylbenzene sulfonate	Plum	0.36	5	34.23	A
Isopropylamine dodecylbenzene sulfonate	Pomegranate	0.03	1	6.93	A
Isopropylamine dodecylbenzene sulfonate	Rights of way	0.05	N/A	N/A	N/A
Isopropylamine dodecylbenzene sulfonate	Tangerine	0.22	4	17.31	A
Isopropylamine dodecylbenzene sulfonate	Walnut	2.09	10	203.4	A
Isoxaben	Almond	52.08	3	52.12	A
Isoxaben	Grape	14.9	3	19.25	A
Isoxaben	Pistachio	214.8	5	294.16	A
Isoxaben	Rights of way	19.12	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isoxaben	Walnut	13.74	1	13.75	A
Kaolin	Cherry	19,217.08	15	626.4	A
Kaolin	Cotton	7,202.9	2	379.1	A
Kaolin	Onion, dry	27,052.2	6	711.9	A
Kaolin	Pomegranate	3,420.0	2	90.0	A
Kaolin	Tangerine	1,852.5	9	58.0	A
Kaolin	Tomato, processing	47,306.2	11	1,269.9	A
Kaolin	Walnut	9,586.07	9	322.52	A
Kasugamycin hydrochloride	Cherry	44.53	15	445.54	A
Kasugamycin hydrochloride	Walnut	57.2	17	571.84	A
Kresoxim-methyl	Grape	132.83	17	925.02	A
Kresoxim-methyl	Grape, wine	68.55	9	483.0	A
Lactose	Citrus	4.39	1	26.0	A
Lactose	Orange	2.03	1	12.0	A
Lactose	Peach	0.45	1	8.0	A
Lambda-cyhalothrin	Alfalfa	155.55	86	5,329.02	A
Lambda-cyhalothrin	Almond	778.54	350	19,434.17	A
Lambda-cyhalothrin	Apricot	24.56	44	623.4	A
Lambda-cyhalothrin	Cherry	47.24	53	1,155.73	A
Lambda-cyhalothrin	Corn (forage - fodder)	8.32	4	339.7	A
Lambda-cyhalothrin	Cotton	968.23	139	24,881.8	A
Lambda-cyhalothrin	Garlic	4.72	1	150.0	A
Lambda-cyhalothrin	Landscape maintenance	0.31	N/A	N/A	N/A
Lambda-cyhalothrin	Lettuce, head	7.4	11	238.1	A
Lambda-cyhalothrin	Melon	8.61	2	308.8	A
Lambda-cyhalothrin	N-outdr transplants	0.31	3	8.0	A
Lambda-cyhalothrin	Nectarine	43.35	63	1,096.13	A
Lambda-cyhalothrin	Oat	1.67	2	53.0	A
Lambda-cyhalothrin	Oat (forage - fodder)	1.67	1	60.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lambda-cyhalothrin	Onion, dry	5.65	6	213.2	A
Lambda-cyhalothrin	Peach	127.13	151	3,182.05	A
Lambda-cyhalothrin	Pepper, fruiting	4.19	2	160.0	A
Lambda-cyhalothrin	Pistachio	1,934.96	563	47,933.3	A
Lambda-cyhalothrin	Plum	71.26	138	1,791.89	A
Lambda-cyhalothrin	Pumpkin	0.55	2	20.0	A
Lambda-cyhalothrin	Rights of way	4.66	1	130.0	A
Lambda-cyhalothrin	Soil fumigation/preplant	90.52	9	2,170.0	A
Lambda-cyhalothrin	Structural pest control	188.64	N/A	N/A	N/A
Lambda-cyhalothrin	Tomato, processing	336.01	92	11,456.8	A
Lambda-cyhalothrin	Walnut	47.72	37	1,196.63	A
Lambda-cyhalothrin	Wheat	18.27	2	590.0	A
Lambda-cyhalothrin	Wheat (forage - fodder)	3.56	4	123.0	A
Lauric acid	Almond	73.82	29	1,173.0	A
Lauric acid	Nectarine	0.19	1	7.0	A
Lauric acid	Onion, dry	0.9	1	17.0	A
Lauric acid	Peach	0.85	3	32.0	A
Lauric acid	Pistachio	91.9	54	2,645.5	A
Lauric acid	Tangerine	1.59	1	10.0	A
Lavandulyl senecioate	Grape	5.13	16	525.39	A
Lavandulyl senecioate	Grape, wine	8.6	3	167.0	A
Lecithin	Alfalfa	183.05	33	2,012.58	A
Lecithin	Almond	4,595.99	389	14,484.38	A
Lecithin	Apricot	214.55	87	613.09	A
Lecithin	Blueberry	42.31	9	298.08	A
Lecithin	Cherry	98.67	16	274.53	A
Lecithin	Citrus	2.56	1	10.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lecithin	Commercial, institutional or industrial areas	21.77	N/A	43.8	A
Lecithin	Corn (forage - fodder)	1,112.08	190	8,501.43	A
Lecithin	Cotton	11,853.2	910	215,875.29	A
Lecithin	Grape	326.93	17	687.53	A
Lecithin	Grape, wine	787.63	38	1,623.4	A
Lecithin	Landscape maintenance	59.97	N/A	N/A	N/A
Lecithin	Lemon	9.93	1	19.5	A
Lecithin	Lettuce, head	55.42	11	471.8	A
Lecithin	Nectarine	109.62	51	543.4	A
Lecithin	Oat (forage - fodder)	5.63	1	40.0	A
Lecithin	Onion, dry	113.87	9	617.0	A
Lecithin	Parsley	52.37	2	248.0	A
Lecithin	Peach	329.69	129	1,531.67	A
Lecithin	Pistachio	12,149.84	519	35,672.92	A
Lecithin	Plum	305.56	144	996.45	A
Lecithin	Pomegranate	995.1	46	2,430.89	A
Lecithin	Pumpkin	1.15	1	10.0	A
Lecithin	Rights of way	3,459.88	69	21,538.0	A
Lecithin	Rights of way	2,296.76	N/A	N/A	N/A
Lecithin	Safflower	3,240.16	320	84,279.0	A
Lecithin	Soil fumigation/preplant	5,968.23	213	43,154.78	A
Lecithin	Sorghum (forage - fodder)	75.17	10	574.91	A
Lecithin	Tangerine	28.46	24	224.81	A
Lecithin	Tomato, processing	2,760.15	272	35,109.68	A
Lecithin	Triticale	127.59	5	1,478.0	A
Lecithin	Walnut	461.69	86	1,653.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lecithin	Wheat	75.82	7	1,641.0	A
Lime-sulfur	Almond	9,541.48	22	1,130.56	A
Lime-sulfur	Blueberry	64.38	1	15.0	A
Lime-sulfur	Cherry	171.68	2	20.0	A
Lime-sulfur	Grape	1,236.08	2	144.0	A
Lime-sulfur	Grape, wine	1,593.96	2	136.5	A
Lime-sulfur	Nectarine	1,432.66	7	100.14	A
Lime-sulfur	Peach	3,246.72	13	226.94	A
Lime-sulfur	Pistachio	1,567.91	6	264.6	A
Limonene	Almond	24.37	18	117.57	A
Limonene	Apricot	10.31	3	24.14	A
Limonene	Blueberry	5.17	1	24.92	A
Limonene	Peach	34.46	25	165.89	A
Limonene	Pistachio	55.24	7	174.8	A
Limonene	Plum	7.1	5	34.23	A
Limonene	Rights of way	0.13	N/A	N/A	N/A
Limonene	Structural pest control	8.31	N/A	N/A	N/A
Limonene	Tangerine	4.48	4	17.31	A
Low molecular weight paraffinic oil	Almond	5.64	11	480.1	A
Low molecular weight paraffinic oil	Corn (forage - fodder)	1.13	1	72.0	A
Low molecular weight paraffinic oil	Grape, wine	0.08	2	73.68	A
Low molecular weight paraffinic oil	Pistachio	114.75	102	2,893.97	A
Low molecular weight paraffinic oil	Triticale	0.14	1	324.0	A
Low molecular weight paraffinic oil	Walnut	3.33	7	92.87	A
Low molecular weight paraffinic oil	Wheat (forage - fodder)	0.11	2	132.0	A
Malathion	Alfalfa	287.4	10	311.5	A
Malathion	Cherry	65.43	3	52.92	A
Malathion	Cotton	61,319.62	97	24,724.64	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Malathion</b>	Grape	266.61	3	139.11	A
<b>Malathion</b>	Landscape maintenance	1.29	N/A	N/A	N/A
<b>Malathion</b>	Onion, dry	40.89	2	29.0	A
<b>Malathion</b>	Regulatory pest control	6,610.53	N/A	N/A	N/A
<b>Malathion</b>	Soil fumigation/preplant	670.91	2	504.0	A
<b>Malathion</b>	Structural pest control	3,482.84	N/A	N/A	N/A
<b>Malathion</b>	Tomato, processing	3,107.2	16	2,003.9	A
<b>Malathion</b>	Triticale	150.16	1	155.0	A
<b>Malathion</b>	Wheat (forage - fodder)	624.07	4	610.5	A
<b>Mancozeb</b>	Lettuce, head	30.0	1	20.0	A
<b>Mancozeb</b>	N-outdr transplants	6.33	6	11.0	A
<b>Mancozeb</b>	Onion, dry	982.41	32	450.1	A
<b>Mancozeb</b>	Tomato, processing	577.13	8	472.36	A
<b>Mancozeb</b>	Walnut	955.55	12	530.92	A
<b>Mandipropamid</b>	Onion, dry	186.87	38	1,994.7	A
<b>Manganese sulfate</b>	Cotton	145.01	25	6,142.0	A
<b>Manganese sulfate</b>	Rights of way	0.24	N/A	N/A	N/A
<b>Mcpa, dimethylamine salt</b>	Soil fumigation/preplant	1,013.57	7	1,456.0	A
<b>Mcpa, dimethylamine salt</b>	Triticale	1,360.49	7	1,638.0	A
<b>Mcpa, dimethylamine salt</b>	Wheat	1,497.63	11	2,166.0	A
<b>Mcpa, dimethylamine salt</b>	Wheat (forage - fodder)	1,306.03	30	1,957.3	A
<b>Mcpa, isooctyl ester</b>	Landscape maintenance	1.2	N/A	N/A	N/A
<b>Mcpp, dimethylamine salt</b>	Landscape maintenance	0.21	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mcpp, dimethylamine salt</b>	Rights of way	0.89	N/A	N/A	N/A
<b>Mcpp-p, dimethylamine salt</b>	Landscape maintenance	12.2	N/A	N/A	N/A
<b>Mcpp-p, dimethylamine salt</b>	Rights of way	46.02	N/A	N/A	N/A
<b>Mecoprop-p</b>	Landscape maintenance	32.35	N/A	N/A	N/A
<b>Mecoprop-p</b>	Structural pest control	0.3	N/A	N/A	N/A
<b>Mefenoxam</b>	Almond	1,664.82	35	3,659.25	A
<b>Mefenoxam</b>	Cherry	52.79	2	71.0	A
<b>Mefenoxam</b>	Cotton	247.25	N/A	1,102.74	T
<b>Mefenoxam</b>	Melon	2.0	1	4.0	A
<b>Mefenoxam</b>	Onion, dry	437.57	56	4,393.2	A
<b>Mefenoxam</b>	Pepper, fruiting	16.03	2	160.0	A
<b>Mefenoxam</b>	Pistachio	105.34	5	210.27	A
<b>Mefenoxam</b>	Walnut	31.7	3	81.5	A
<b>Mefentrifluconazole</b>	Grape	63.16	6	490.0	A
<b>Mefentrifluconazole</b>	Grape, wine	29.32	5	229.5	A
<b>Mefentrifluconazole</b>	Landscape maintenance	2.72	N/A	N/A	N/A
<b>Mefentrifluconazole</b>	Pistachio	20.98	3	167.0	A
<b>Mefentrifluconazole</b>	Tomato, processing	264.54	14	2,104.5	A
<b>Mefluidide, diethanolamine salt</b>	Rights of way	7.77	N/A	N/A	N/A
<b>Mepiquat chloride</b>	Cotton	414.16	132	8,551.98	A
<b>Mesosulfuron-methyl</b>	Triticale	4.33	1	324.0	A
<b>Mesotrione</b>	Almond	164.44	14	882.83	A
<b>Mesotrione</b>	Pistachio	43.63	3	260.0	A
<b>Mesotrione</b>	Walnut	89.62	22	481.82	A
<b>Metaflumizone</b>	Almond	17.05	262	18,035.07	A
<b>Metaflumizone</b>	Grape, wine	0.31	4	327.0	A
<b>Metaflumizone</b>	Walnut	0.04	1	42.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Metaxyl	Alfalfa	483.49	N/A	1,327.16	T
Metaxyl	Cotton	984.9	N/A	4,815.4	T
Metam-sodium	Rights of way	2,037.45	N/A	N/A	N/A
Metam-sodium	Soil fumigation/preplant	37,764.48	11	229.6	A
Metam-sodium	Tomato, processing	3,627.1	1	35.7	A
Metconazole	Almond	1,230.24	185	11,474.06	A
Metconazole	Blueberry	12.31	5	157.6	A
Metconazole	Cherry	12.59	7	117.6	A
Metconazole	Nectarine	1.42	1	13.0	A
Metconazole	Peach	2.74	1	25.0	A
Metconazole	Pistachio	560.14	64	4,489.96	A
Metconazole	Walnut	422.21	96	3,855.06	A
Methomyl	Cotton	11.03	3	24.5	A
Methomyl	Garlic	308.7	6	686.0	A
Methomyl	Lettuce, head	118.8	5	142.1	A
Methomyl	N-outdr transplants	1.35	1	3.0	A
Methomyl	Nectarine	130.95	14	145.5	A
Methomyl	Onion, dry	2,839.32	45	6,309.6	A
Methomyl	Tomato, processing	89.78	1	133.0	A
Methoprene	Public health	1.54	N/A	N/A	N/A
Methoprene	Structural pest control	0.16	N/A	N/A	N/A
Methoxyfenozide	Alfalfa	65.97	13	537.63	A
Methoxyfenozide	Almond	11,375.46	536	30,927.3	A
Methoxyfenozide	Apricot	8.74	4	31.04	A
Methoxyfenozide	Cherry	7.91	1	28.0	A
Methoxyfenozide	Corn, human consumption	2.43	2	12.23	A
Methoxyfenozide	Cotton	749.19	18	4,565.5	A
Methoxyfenozide	Grape	454.2	32	1,960.52	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Methoxyfenozide	Grape, wine	432.1	29	2,114.27	A
Methoxyfenozide	Lettuce, head	5.56	2	40.0	A
Methoxyfenozide	Nectarine	29.75	9	109.65	A
Methoxyfenozide	Peach	116.69	36	421.75	A
Methoxyfenozide	Pepper, fruiting	45.18	2	160.0	A
Methoxyfenozide	Pistachio	7,956.91	231	20,858.73	A
Methoxyfenozide	Plum	203.17	60	875.34	A
Methoxyfenozide	Pomegranate	143.14	7	518.0	A
Methoxyfenozide	Pumpkin	3.52	2	20.0	A
Methoxyfenozide	Tangerine	5.81	2	20.51	A
Methoxyfenozide	Tomato	11.97	3	97.2	A
Methoxyfenozide	Tomato, processing	842.69	45	4,033.1	A
Methoxyfenozide	Walnut	1,552.35	129	4,978.21	A
Methyl silicone resins	Almond	6,177.0	129	12,847.79	A
Methyl silicone resins	Cherry	38.94	11	212.76	A
Methyl silicone resins	Citrus	8.5	1	26.0	A
Methyl silicone resins	Corn (forage - fodder)	40.37	13	686.0	A
Methyl silicone resins	Cotton	15.1	3	153.9	A
Methyl silicone resins	Grape	2,600.71	75	5,513.2	A
Methyl silicone resins	Grape, wine	74.14	8	654.0	A
Methyl silicone resins	Lemon	3.72	1	17.0	A
Methyl silicone resins	Orange	9.41	2	37.0	A
Methyl silicone resins	Pistachio	9,269.66	183	23,841.22	A
Methyl silicone resins	Pomegranate	271.5	18	1,710.0	A
Methyl silicone resins	Rights of way	5.48	N/A	N/A	N/A
Methyl silicone resins	Sorghum (forage - fodder)	9.42	9	289.68	A
Methyl silicone resins	Tomato, processing	9.34	1	143.0	A
Methyl silicone resins	Walnut	509.23	58	1,786.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methyl silicone resins</b>	Wheat (forage - fodder)	16.85	7	255.0	A
<b>Methylated fatty acids from canola oil</b>	Alfalfa	1,917.25	34	1,593.84	A
<b>Methylated fatty acids from canola oil</b>	Almond	3,878.01	82	2,321.61	A
<b>Methylated fatty acids from canola oil</b>	Citrus	46.9	2	52.0	A
<b>Methylated fatty acids from canola oil</b>	Corn (forage - fodder)	2,177.14	32	1,648.7	A
<b>Methylated fatty acids from canola oil</b>	Cotton	1,777.49	23	1,518.87	A
<b>Methylated fatty acids from canola oil</b>	Grape	48.34	1	33.5	A
<b>Methylated fatty acids from canola oil</b>	Grape, wine	523.09	9	239.0	A
<b>Methylated fatty acids from canola oil</b>	Lemon	15.37	1	17.0	A
<b>Methylated fatty acids from canola oil</b>	Orange	37.95	3	39.0	A
<b>Methylated fatty acids from canola oil</b>	Peach	14.21	1	7.0	A
<b>Methylated fatty acids from canola oil</b>	Pistachio	9,722.97	75	4,341.43	A
<b>Methylated fatty acids from canola oil</b>	Pomegranate	267.53	12	247.14	A
<b>Methylated fatty acids from canola oil</b>	Triticale	48.27	6	267.0	A
<b>Methylated fatty acids from canola oil</b>	Walnut	949.43	31	628.23	A
<b>Methylated fatty acids from canola oil</b>	Wheat (forage - fodder)	751.52	6	130.2	A
<b>Methylated soybean oil</b>	Alfalfa	609.47	34	1,581.69	A
<b>Methylated soybean oil</b>	Almond	35,639.21	1,026	55,165.9	A
<b>Methylated soybean oil</b>	Apricot	97.62	60	387.23	A
<b>Methylated soybean oil</b>	Barley	10.44	2	48.0	A
<b>Methylated soybean oil</b>	Blueberry	15.01	3	84.48	A
<b>Methylated soybean oil</b>	Cherry	126.92	16	270.35	A
<b>Methylated soybean oil</b>	Citrus	1.28	1	10.0	A
<b>Methylated soybean oil</b>	Commercial, institutional or industrial areas	10.89	N/A	43.8	A
<b>Methylated soybean oil</b>	Corn (forage - fodder)	3,876.19	109	6,213.98	A
<b>Methylated soybean oil</b>	Cotton	21,652.89	372	69,374.73	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Grape	1,198.33	57	2,097.71	A
Methylated soybean oil	Grape, wine	257.34	25	915.36	A
Methylated soybean oil	Landscape maintenance	23.87	N/A	N/A	N/A
Methylated soybean oil	Lemon	4.96	1	19.5	A
Methylated soybean oil	Lettuce, head	22.42	8	349.2	A
Methylated soybean oil	Melon	46.82	2	308.8	A
Methylated soybean oil	Nectarine	28.97	16	113.88	A
Methylated soybean oil	Olive	1,663.01	9	1,108.5	A
Methylated soybean oil	Onion, dry	265.5	10	979.5	A
Methylated soybean oil	Pastureland	207.71	6	154.02	A
Methylated soybean oil	Peach	176.77	60	513.42	A
Methylated soybean oil	Pistachio	49,574.47	1,066	56,208.07	A
Methylated soybean oil	Plum	168.07	60	513.51	A
Methylated soybean oil	Pomegranate	731.82	27	1,161.08	A
Methylated soybean oil	Rights of way	13,509.39	43	15,959.0	A
Methylated soybean oil	Rights of way	1,906.61	N/A	N/A	N/A
Methylated soybean oil	Safflower	3,946.42	36	8,048.6	A
Methylated soybean oil	Soil fumigation/preplant	6,555.19	143	30,106.7	A
Methylated soybean oil	Sorghum (forage - fodder)	195.01	25	1,170.93	A
Methylated soybean oil	Sorghum/milo	24.44	1	86.0	A
Methylated soybean oil	Tangerine	19.06	7	49.71	A
Methylated soybean oil	Tomato, processing	757.47	54	4,300.48	A
Methylated soybean oil	Triticale	113.21	9	1,081.88	A
Methylated soybean oil	Uncultivated ag	411.63	1	305.0	A
Methylated soybean oil	Walnut	4,117.41	197	4,469.49	A
Methylated soybean oil	Wheat	15.22	3	598.0	A
Methylated soybean oil	Wheat (forage - fodder)	341.62	37	1,609.24	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Metofluthrin	Structural pest control	0.02	N/A	N/A	N/A
Metolachlor	Sorghum (forage - fodder)	130.35	1	80.0	A
Metolachlor	Tomato	173.91	2	87.45	A
Metrafenone	Grape	137.87	18	466.1	A
Metrafenone	Grape, wine	212.03	11	711.97	A
Mineral oil	Alfalfa	3,711.91	104	6,619.77	A
Mineral oil	Almond	525,775.65	963	47,294.3	A
Mineral oil	Apple	54.25	2	1.93	A
Mineral oil	Apricot	16,780.77	65	772.86	A
Mineral oil	Barley (forage - fodder)	0.77	1	27.0	A
Mineral oil	Blueberry	6.78	5	155.0	A
Mineral oil	Cherry	7,970.52	24	586.69	A
Mineral oil	Citrus	369.48	2	64.0	A
Mineral oil	Corn (forage - fodder)	983.99	39	2,468.51	A
Mineral oil	Cotton	10,213.68	172	22,146.5	A
Mineral oil	Forage hay/silage	1.49	2	52.0	A
Mineral oil	Grape	719.31	31	832.13	A
Mineral oil	Grape, wine	3,044.8	46	1,797.24	A
Mineral oil	Landscape maintenance	35.83	N/A	N/A	N/A
Mineral oil	Lettuce, head	2.12	10	200.0	A
Mineral oil	Nectarine	53,987.24	220	2,800.24	A
Mineral oil	Oat (forage - fodder)	22.85	1	60.0	A
Mineral oil	Orange	6,838.02	6	155.63	A
Mineral oil	Peach	112,140.31	430	5,591.98	A
Mineral oil	Pear	28.11	1	1.0	A
Mineral oil	Pear, asian (oriental pear, ya, ya li, nashi)	3.65	1	0.13	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Mineral oil	Pistachio	71,247.4	546	25,420.93	A
Mineral oil	Plum	64,148.69	209	2,431.02	A
Mineral oil	Pluot	707.92	19	98.38	A
Mineral oil	Pomegranate	2,049.3	44	2,026.8	A
Mineral oil	Public health	3,814.8	N/A	N/A	N/A
Mineral oil	Rights of way	0.92	1	3.0	A
Mineral oil	Rights of way	161.43	N/A	N/A	N/A
Mineral oil	Safflower	1,408.35	10	1,824.3	A
Mineral oil	Soil fumigation/preplant	1,629.4	47	5,897.79	A
Mineral oil	Sorghum (forage - fodder)	3.54	8	777.1	A
Mineral oil	Structural pest control	942.39	N/A	N/A	N/A
Mineral oil	Tangerine	176.66	7	50.26	A
Mineral oil	Tomato, processing	1,202.11	30	3,288.86	A
Mineral oil	Triticale	19.42	17	1,827.28	A
Mineral oil	Walnut	20,796.31	170	3,584.74	A
Mineral oil	Wheat	1.09	5	206.0	A
Mineral oil	Wheat (forage - fodder)	42.85	54	2,997.79	A
Modified phthalic glycerol alkyd resin	Almond	1,495.01	155	8,776.59	A
Modified phthalic glycerol alkyd resin	Apricot	139.02	33	536.19	A
Modified phthalic glycerol alkyd resin	Blueberry	13.69	4	135.28	A
Modified phthalic glycerol alkyd resin	Cherry	454.0	67	1,270.18	A
Modified phthalic glycerol alkyd resin	Grape	389.57	120	5,093.33	A
Modified phthalic glycerol alkyd resin	Grape, wine	68.89	13	843.14	A
Modified phthalic glycerol alkyd resin	Nectarine	172.82	43	809.59	A
Modified phthalic glycerol alkyd resin	Onion, dry	6.62	6	102.0	A
Modified phthalic glycerol alkyd resin	Peach	501.27	101	2,040.22	A
Modified phthalic glycerol alkyd resin	Pistachio	490.04	69	2,457.11	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Modified phthalic glycerol alkyd resin	Plum	480.52	167	2,102.3	A
Modified phthalic glycerol alkyd resin	Tangerine	2.99	2	20.51	A
Modified phthalic glycerol alkyd resin	Walnut	200.42	15	383.06	A
Msma	Landscape maintenance	11.99	N/A	N/A	N/A
Muscalure	Structural pest control	0.01	N/A	N/A	N/A
Myclobutanil	Apricot	18.0	14	122.86	A
Myclobutanil	Cherry	56.4	17	528.24	A
Myclobutanil	Cotton	1,846.8	N/A	4,815.4	T
Myclobutanil	Grape	22.01	11	194.38	A
Myclobutanil	Grape, wine	66.12	8	602.0	A
Myclobutanil	Nectarine	10.02	7	100.14	A
Myclobutanil	Peach	49.53	31	435.65	A
Myclobutanil	Pepper, fruiting	8.0	1	80.0	A
Myclobutanil	Plum	13.15	15	121.35	A
Myclobutanil	Pumpkin	2.0	2	20.0	A
Myclobutanil	Tomato, processing	579.78	43	6,289.6	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Alfalfa	25.61	29	1,986.79	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Almond	1,572.95	409	19,401.85	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Apricot	26.63	7	46.2	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Blueberry	8.09	3	64.08	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cherry	31.7	9	92.8	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Citrus	0.82	1	38.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Corn (forage - fodder)	125.75	79	3,920.82	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cotton	429.92	149	25,473.57	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Ditch bank	0.11	2	32.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Grape	140.29	45	1,870.4	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Grape, wine	10.82	9	140.5	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Nectarine	160.81	47	494.9	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Onion, dry	12.48	2	323.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Orange	0.11	1	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Peach	208.32	116	1,025.81	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pecan	0.98	1	8.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pepper, fruiting	11.4	4	320.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pistachio	2,235.33	507	24,394.35	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Plum	112.11	49	486.97	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pomegranate	3.65	3	34.4	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pumpkin	1.14	1	10.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Rights of way	451.82	73	30,983.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Rights of way	16.15	N/A	N/A	N/A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Safflower	27.79	45	10,534.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Soil fumigation/preplant	740.72	187	34,055.87	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tangerine	9.42	12	54.68	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tomato, processing	125.11	25	3,283.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Walnut	269.2	132	2,829.42	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Wheat	67.27	9	1,649.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Wheat (forage - fodder)	16.93	6	463.0	A
<b>N-methyl-n-oleoyltaurine, sodium salt</b>	Pistachio	15.46	4	80.0	A
<b>N-octyl bicycloheptene dicarboximide</b>	Structural pest control	16.06	N/A	N/A	N/A
<b>Naa, ethyl ester</b>	Pomegranate	193.9	2	150.17	A
<b>Naled</b>	Cotton	32,358.65	151	32,494.49	A
<b>Naled</b>	Safflower	38,657.16	118	31,131.4	A
<b>Naled</b>	Walnut	317.44	11	157.6	A
<b>Naphtha, heavy aromatic</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Corn (forage - fodder)	0.07	1	68.0	A
<b>Nerolidol</b>	Nectarine	1.37	5	73.6	A
<b>Nerolidol</b>	Peach	1.27	8	68.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Nicarbazin	Structural pest control	0.01	N/A	N/A	N/A
Nicosulfuron	Corn (forage - fodder)	33.77	33	1,429.2	A
Novaluron	Cotton	4,998.4	284	63,701.21	A
Novaluron	Plum	2.07	2	26.42	A
Novaluron	Safflower	581.21	30	7,408.3	A
Novaluron	Structural pest control	1.95	N/A	N/A	N/A
Novaluron	Tomato, processing	84.15	23	1,056.48	A
Noviflumuron	Structural pest control	0.15	N/A	N/A	N/A
Oil of orange	Almond	0.61	18	117.57	A
Oil of orange	Apricot	0.26	3	24.14	A
Oil of orange	Blueberry	0.13	1	24.92	A
Oil of orange	Peach	0.86	25	165.89	A
Oil of orange	Pistachio	1.38	7	174.8	A
Oil of orange	Plum	0.18	5	34.23	A
Oil of orange	Rights of way	<0.01	N/A	N/A	N/A
Oil of orange	Tangerine	0.11	4	17.31	A
Oleic acid	Alfalfa	9.8	3	172.0	A
Oleic acid	Almond	175.71	35	2,263.55	A
Oleic acid	Cherry	2.28	2	20.0	A
Oleic acid	Cotton	0.18	1	69.0	A
Oleic acid	Nectarine	0.09	1	10.0	A
Oleic acid	Orange	0.04	1	4.0	A
Oleic acid	Peach	8.01	23	167.4	A
Oleic acid	Pepper, fruiting	11.4	4	320.0	A
Oleic acid	Pistachio	112.61	32	1,901.93	A
Oleic acid	Plum	0.05	1	6.0	A
Oleic acid	Pomegranate	0.1	2	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oleic acid	Pumpkin	1.14	1	10.0	A
Oleic acid	Walnut	37.29	4	139.5	A
Oleic acid	Wheat	67.27	9	1,649.0	A
Oleic acid	Wheat (forage - fodder)	15.42	4	433.0	A
Oleic acid, ethyl ester	Almond	947.53	14	877.0	A
Oleic acid, ethyl ester	Corn (forage - fodder)	0.98	1	16.0	A
Oleic acid, ethyl ester	Landscape maintenance	39.8	N/A	N/A	N/A
Oleic acid, ethyl ester	Pistachio	937.17	39	1,930.82	A
Oleic acid, ethyl ester	Rights of way	0.13	N/A	N/A	N/A
Oleic acid, ethyl ester	Walnut	308.73	19	650.54	A
Oleic acid, methyl ester	Alfalfa	569.43	19	769.58	A
Oleic acid, methyl ester	Almond	8,440.4	145	6,690.96	A
Oleic acid, methyl ester	Apricot	21.71	2	22.04	A
Oleic acid, methyl ester	Cherry	50.14	3	56.68	A
Oleic acid, methyl ester	Corn (forage - fodder)	2,873.43	98	5,273.44	A
Oleic acid, methyl ester	Cotton	766.8	26	1,345.6	A
Oleic acid, methyl ester	Grape	49.14	2	35.64	A
Oleic acid, methyl ester	Grape, wine	1,214.59	14	571.0	A
Oleic acid, methyl ester	Landscape maintenance	0.12	N/A	N/A	N/A
Oleic acid, methyl ester	Nectarine	18.5	2	18.75	A
Oleic acid, methyl ester	Oat (forage - fodder)	26.28	1	40.0	A
Oleic acid, methyl ester	Parsley	244.39	2	248.0	A
Oleic acid, methyl ester	Peach	6.88	1	7.0	A
Oleic acid, methyl ester	Pistachio	13,288.09	222	13,281.86	A
Oleic acid, methyl ester	Plum	36.63	6	37.1	A
Oleic acid, methyl ester	Pomegranate	1,497.59	32	1,608.29	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oleic acid, methyl ester	Rights of way	12,641.53	34	12,204.0	A
Oleic acid, methyl ester	Rights of way	291.99	N/A	N/A	N/A
Oleic acid, methyl ester	Soil fumigation/preplant	24,597.15	127	27,144.0	A
Oleic acid, methyl ester	Tomato, processing	3,343.68	29	4,303.0	A
Oleic acid, methyl ester	Walnut	275.86	21	422.32	A
Organosilicone, poly oxyalkylene ether copolymer	Alfalfa	1.97	1	39.3	A
Organosilicone, poly oxyalkylene ether copolymer	Almond	3.0	3	40.0	A
Organosilicone, poly oxyalkylene ether copolymer	Pistachio	2.85	2	57.15	A
Ortho-phenylphenol	Landscape maintenance	0.01	N/A	N/A	N/A
Orthosulfamuron	Almond	43.47	6	164.62	A
Orthosulfamuron	Cherry	4.71	1	17.5	A
Orthosulfamuron	Pistachio	555.91	45	2,609.43	A
Orthosulfamuron	Walnut	23.16	3	90.01	A
Oryzalin	Landscape maintenance	6.24	N/A	N/A	N/A
Oxamyl	Cotton	15,407.98	77	15,387.42	A
Oxathiapiprolin	Almond	60.65	14	798.1	A
Oxathiapiprolin	Citrus	0.63	1	10.0	A
Oxathiapiprolin	Onion, dry	22.41	38	1,994.7	A
Oxathiapiprolin	Pistachio	49.92	2	599.0	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Corn (forage - fodder)	2.35	1	68.0	A
Oxyfluorfen	Almond	8,743.2	438	17,734.07	A
Oxyfluorfen	Apricot	102.01	13	94.28	A
Oxyfluorfen	Cherry	220.56	41	427.82	A
Oxyfluorfen	Cotton	49.11	4	525.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxyfluorfen	Garlic	333.54	12	1,786.0	A
Oxyfluorfen	Grape	674.97	61	1,993.07	A
Oxyfluorfen	Grape, wine	448.55	49	1,860.75	A
Oxyfluorfen	Kiwi fruit fuzzy	83.8	7	55.0	A
Oxyfluorfen	Landscape maintenance	57.14	N/A	N/A	N/A
Oxyfluorfen	Lemon	1.99	1	17.0	A
Oxyfluorfen	Nectarine	12.6	6	50.27	A
Oxyfluorfen	Olive	56.28	7	478.5	A
Oxyfluorfen	Onion, dry	148.27	18	1,094.5	A
Oxyfluorfen	Orange	5.53	2	19.0	A
Oxyfluorfen	Pastureland	0.3	3	30.0	A
Oxyfluorfen	Peach	180.76	42	341.05	A
Oxyfluorfen	Pecan	24.08	8	224.0	A
Oxyfluorfen	Persimmon	4.69	1	5.0	A
Oxyfluorfen	Pistachio	12,482.06	493	19,966.64	A
Oxyfluorfen	Plum	198.15	43	278.56	A
Oxyfluorfen	Pomegranate	649.98	15	693.51	A
Oxyfluorfen	Quince	3.05	1	9.0	A
Oxyfluorfen	Rights of way	265.76	9	774.0	A
Oxyfluorfen	Rights of way	1,369.83	N/A	N/A	N/A
Oxyfluorfen	Soil fumigation/preplant	2,203.17	81	14,006.97	A
Oxyfluorfen	Tangerine	10.16	1	10.0	A
Oxyfluorfen	Tomato, processing	238.37	17	2,153.0	A
Oxyfluorfen	Uncultivated ag	214.38	1	305.0	A
Oxyfluorfen	Walnut	2,484.25	325	6,591.65	A
Paecilomyces fumosoroseus apopka strain 97	Broccoli	11.0	1	50.0	A
Paraquat dichloride	Alfalfa	677.44	20	1,081.8	A
Paraquat dichloride	Almond	5,338.08	83	3,949.67	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Paraquat dichloride	Corn (forage - fodder)	337.39	3	277.3	A
Paraquat dichloride	Cotton	28,497.12	190	42,174.38	A
Paraquat dichloride	Grape	532.43	17	407.82	A
Paraquat dichloride	Grape, wine	594.27	11	449.69	A
Paraquat dichloride	Olive	1,030.45	6	739.0	A
Paraquat dichloride	Pistachio	5,932.44	72	4,690.21	A
Paraquat dichloride	Pomegranate	337.79	6	262.68	A
Paraquat dichloride	Rights of way	286.68	3	285.0	A
Paraquat dichloride	Rights of way	6.03	N/A	N/A	N/A
Paraquat dichloride	Soil fumigation/preplant	70,093.79	375	74,571.04	A
Paraquat dichloride	Tomato, processing	1,957.55	14	2,069.0	A
Paraquat dichloride	Walnut	1,033.39	29	760.28	A
Pendimethalin	Alfalfa	7,825.97	62	3,884.59	A
Pendimethalin	Almond	15,310.34	163	5,834.97	A
Pendimethalin	Apricot	173.79	8	50.28	A
Pendimethalin	Blueberry	129.86	2	48.68	A
Pendimethalin	Cherry	622.91	29	252.8	A
Pendimethalin	Corn (forage - fodder)	4,897.86	81	4,616.58	A
Pendimethalin	Cotton	4,259.64	36	3,786.5	A
Pendimethalin	Garlic	2,083.44	14	1,740.0	A
Pendimethalin	Grape	3,088.89	28	816.97	A
Pendimethalin	Grape, wine	1,111.77	16	302.74	A
Pendimethalin	Landscape maintenance	173.08	N/A	N/A	N/A
Pendimethalin	Nectarine	327.08	9	114.45	A
Pendimethalin	Onion, dry	220.23	9	281.5	A
Pendimethalin	Orange	7.58	1	4.0	A
Pendimethalin	Peach	726.29	27	255.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pendimethalin	Pepper, fruiting	454.54	6	480.0	A
Pendimethalin	Pistachio	42,103.97	319	15,254.28	A
Pendimethalin	Plum	785.44	34	225.27	A
Pendimethalin	Pomegranate	4,099.83	24	1,084.09	A
Pendimethalin	Rights of way	14,064.51	20	6,995.0	A
Pendimethalin	Rights of way	382.57	N/A	N/A	N/A
Pendimethalin	Safflower	2,796.86	11	2,472.0	A
Pendimethalin	Soil fumigation/preplant	83,868.83	226	59,070.0	A
Pendimethalin	Sorghum (forage - fodder)	81.44	1	86.0	A
Pendimethalin	Sorghum/milo	27.69	1	39.0	A
Pendimethalin	Tangerine	7.05	1	1.86	A
Pendimethalin	Tomato, processing	970.29	19	1,586.3	A
Pendimethalin	Walnut	3,473.9	82	1,116.29	A
Pendimethalin	Wheat	134.47	1	142.0	A
Penoxsulam	Almond	51.14	38	2,362.16	A
Penoxsulam	Apricot	1.54	8	74.84	A
Penoxsulam	Peach	2.63	16	127.74	A
Penoxsulam	Pistachio	69.05	52	3,242.7	A
Penoxsulam	Plum	1.73	9	83.95	A
Penoxsulam	Pomegranate	13.52	13	656.11	A
Penoxsulam	Rights of way	9.51	N/A	N/A	N/A
Penoxsulam	Walnut	0.89	1	28.9	A
Penthiopyrad	Almond	1,201.0	117	5,401.28	A
Penthiopyrad	Apricot	26.9	13	108.56	A
Penthiopyrad	Blueberry	9.25	1	35.6	A
Penthiopyrad	Cherry	271.18	56	1,182.8	A
Penthiopyrad	N-outdr transplants	0.94	3	6.0	A
Penthiopyrad	Nectarine	42.06	14	182.94	A
Penthiopyrad	Onion, dry	811.62	24	3,007.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Penthiopyrad	Peach	116.61	36	503.6	A
Penthiopyrad	Pistachio	945.11	51	4,058.0	A
Penthiopyrad	Plum	276.51	83	1,188.57	A
Penthiopyrad	Tomato, processing	62.42	5	214.8	A
Penthiopyrad	Walnut	8.89	3	39.8	A
Permethrin	Alfalfa	7.41	1	37.0	A
Permethrin	Almond	57.45	6	230.48	A
Permethrin	Onion, dry	48.04	1	161.5	A
Permethrin	Parsley	28.89	1	153.0	A
Permethrin	Pepper, fruiting	16.05	1	80.0	A
Permethrin	Pistachio	1,727.7	117	5,920.81	A
Permethrin	Structural pest control	707.56	N/A	N/A	N/A
Peroxyacetic acid	Almond	64.57	7	260.0	A
Peroxyacetic acid	Blueberry	27.97	4	83.0	A
Peroxyacetic acid	Carrot	46.87	2	101.7	A
Peroxyacetic acid	Cherry	37.05	4	92.8	A
Peroxyacetic acid	Ditch bank	4,580.09	N/A	3.0	U
Peroxyacetic acid	Grape	73.17	5	386.0	A
Peroxyacetic acid	Grape, wine	58.09	5	173.5	A
Peroxyacetic acid	Landscape maintenance	43.49	N/A	N/A	N/A
Peroxyacetic acid	Lettuce, head	2.3	1	41.0	A
Peroxyacetic acid	N-outdr transplants	0.74	4	7.0	A
Peroxyacetic acid	Nectarine	1.11	1	4.0	A
Peroxyacetic acid	Pistachio	28.86	5	197.19	A
Peroxyacetic acid	Plum	2.04	5	31.25	A
Peroxyacetic acid	Tomato, processing	56.81	8	1,197.4	A
Peroxyacetic acid	Water (industrial)	313.05	N/A	5.0	U
Peroxyacetic acid	Water area	403.62	N/A	366.96	U
Petroleum distillates	Pistachio	44.83	7	652.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Petroleum distillates	Structural pest control	0.71	N/A	N/A	N/A
Petroleum distillates	Walnut	13.33	1	13.0	A
Petroleum oil, paraffin based	Corn (forage - fodder)	34.82	3	159.0	A
Petroleum oil, paraffin based	Cotton	18.11	2	61.5	A
Petroleum oil, unclassified	Almond	3,247.4	1	156.0	A
Phenothrin	Public health	2.8	N/A	N/A	N/A
Phenothrin	Structural pest control	0.04	N/A	N/A	N/A
Phenothrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
Phorate	Cotton	6,093.06	53	6,071.0	A
Phosphine	Commodity fumigation	274.1	N/A	N/A	N/A
Phosphine	Fumigation, other	37.04	N/A	N/A	N/A
Phosphoric acid	Alfalfa	87.95	42	2,358.91	A
Phosphoric acid	Almond	2,239.82	270	13,545.03	A
Phosphoric acid	Apricot	31.99	13	134.94	A
Phosphoric acid	Blueberry	2.18	2	56.0	A
Phosphoric acid	Cherry	9.51	33	225.31	A
Phosphoric acid	Citrus	0.1	1	2.22	A
Phosphoric acid	Commercial, institutional or industrial areas	3.23	1	14.2	A
Phosphoric acid	Corn (forage - fodder)	509.39	124	5,987.96	A
Phosphoric acid	Cotton	2,051.92	222	38,350.52	A
Phosphoric acid	Garlic	40.25	6	686.0	A
Phosphoric acid	Grape	51.41	23	571.65	A
Phosphoric acid	Grape, wine	13.01	7	169.94	A
Phosphoric acid	N-outdr transplants	0.14	13	32.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosphoric acid	Nectarine	0.74	12	23.76	A
Phosphoric acid	Oat	3.12	2	53.0	A
Phosphoric acid	Oat (forage - fodder)	2.43	1	60.0	A
Phosphoric acid	Olive	44.88	33	964.56	A
Phosphoric acid	Onion, dry	4.1	1	70.0	A
Phosphoric acid	Orange	0.7	1	12.0	A
Phosphoric acid	Peach	0.77	7	105.0	A
Phosphoric acid	Pecan	0.59	1	8.0	A
Phosphoric acid	Pistachio	6,229.2	181	12,533.98	A
Phosphoric acid	Plum	23.68	33	253.14	A
Phosphoric acid	Pomegranate	371.88	14	970.32	A
Phosphoric acid	Regulatory pest control	0.36	N/A	N/A	N/A
Phosphoric acid	Rights of way	11.85	4	190.0	A
Phosphoric acid	Rights of way	1.09	N/A	N/A	N/A
Phosphoric acid	Safflower	125.9	16	3,943.0	A
Phosphoric acid	Soil fumigation/preplant	361.3	58	11,840.0	A
Phosphoric acid	Sorghum (forage - fodder)	5.96	5	172.14	A
Phosphoric acid	Structural pest control	0.42	N/A	N/A	N/A
Phosphoric acid	Tangerine	6.76	5	37.22	A
Phosphoric acid	Tomato	4.56	3	97.2	A
Phosphoric acid	Tomato, processing	122.79	41	4,831.3	A
Phosphoric acid	Triticale	33.33	9	1,329.0	A
Phosphoric acid	Walnut	293.45	184	4,503.16	A
Phosphoric acid	Wheat	12.8	3	598.0	A
Phosphoric acid	Wheat (forage - fodder)	39.69	38	2,315.5	A
Pinoxaden	Forage hay/silage	1.4	1	26.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Pinoxaden</b>	Wheat	30.29	5	564.1	A
<b>Pinoxaden</b>	Wheat (forage - fodder)	304.13	83	5,749.8	A
<b>Piperonyl butoxide</b>	Landscape maintenance	0.02	N/A	N/A	N/A
<b>Piperonyl butoxide</b>	Pomegranate	186.64	3	467.0	A
<b>Piperonyl butoxide</b>	Public health	9.92	N/A	N/A	N/A
<b>Piperonyl butoxide</b>	Rights of way	39.09	N/A	N/A	N/A
<b>Piperonyl butoxide</b>	Structural pest control	63.46	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Pomegranate	46.66	3	467.0	A
<b>Piperonyl butoxide, other related</b>	Public health	0.56	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Rights of way	9.77	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Structural pest control	7.26	N/A	N/A	N/A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Almond	1,178.4	130	12,875.89	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cherry	7.41	10	195.26	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Citrus	1.62	1	26.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Corn (forage - fodder)	7.69	13	686.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cotton	2.88	3	153.9	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Grape	495.37	75	5,513.2	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Grape, wine	14.12	8	654.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Lemon	0.88	2	22.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Orange	1.79	2	37.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Pistachio	1,745.49	115	19,002.42	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Pomegranate	51.71	18	1,710.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Rights of way	1.04	N/A	N/A	N/A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Tomato, processing	1.78	1	143.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Walnut	113.91	62	2,128.25	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Wheat (forage - fodder)	3.21	7	255.0	A
Polyacrylamide polymer	Alfalfa	21.46	75	4,882.42	A
Polyacrylamide polymer	Almond	98.64	178	7,601.4	A
Polyacrylamide polymer	Blueberry	0.71	2	56.0	A
Polyacrylamide polymer	Cherry	2.09	29	141.29	A
Polyacrylamide polymer	Citrus	0.03	1	2.22	A
Polyacrylamide polymer	Corn (forage - fodder)	54.07	140	6,869.9	A
Polyacrylamide polymer	Cotton	1,203.86	683	130,566.86	A
Polyacrylamide polymer	Ditch bank	0.09	2	32.0	A
Polyacrylamide polymer	Garlic	2.97	3	592.0	A
Polyacrylamide polymer	Grape	17.29	31	813.57	A
Polyacrylamide polymer	Grape, wine	5.65	20	746.0	A
Polyacrylamide polymer	Lettuce, head	0.56	1	82.0	A
Polyacrylamide polymer	Nectarine	0.24	12	23.76	A
Polyacrylamide polymer	Oat	0.23	3	69.0	A
Polyacrylamide polymer	Oat (forage - fodder)	0.8	4	200.0	A
Polyacrylamide polymer	Olive	14.52	33	964.56	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyacrylamide polymer	Onion, dry	3.62	5	807.5	A
Polyacrylamide polymer	Orange	0.23	1	12.0	A
Polyacrylamide polymer	Pistachio	450.4	395	16,195.97	A
Polyacrylamide polymer	Plum	1.42	22	93.8	A
Polyacrylamide polymer	Pomegranate	3.63	17	471.51	A
Polyacrylamide polymer	Rights of way	303.52	123	43,714.0	A
Polyacrylamide polymer	Safflower	7.96	19	2,255.2	A
Polyacrylamide polymer	Soil fumigation/preplant	539.63	511	97,979.27	A
Polyacrylamide polymer	Sorghum (forage - fodder)	4.39	21	997.13	A
Polyacrylamide polymer	Tangerine	0.22	3	17.22	A
Polyacrylamide polymer	Tomato, processing	489.72	76	10,196.0	A
Polyacrylamide polymer	Triticale	30.33	61	5,484.94	A
Polyacrylamide polymer	Walnut	56.73	143	3,393.88	A
Polyacrylamide polymer	Wheat	12.07	31	2,329.2	A
Polyacrylamide polymer	Wheat (forage - fodder)	41.31	185	9,632.48	A
Polyacrylamide, polyethylene glycol mixture	Alfalfa	6.4	14	1,000.41	A
Polyacrylamide, polyethylene glycol mixture	Almond	1.53	7	164.82	A
Polyacrylamide, polyethylene glycol mixture	Barley	0.5	2	214.3	A
Polyacrylamide, polyethylene glycol mixture	Citrus	0.97	2	52.0	A
Polyacrylamide, polyethylene glycol mixture	Corn (forage - fodder)	13.97	47	1,891.5	A
Polyacrylamide, polyethylene glycol mixture	Cotton	69.17	128	17,653.23	A
Polyacrylamide, polyethylene glycol mixture	Grape	0.5	4	213.79	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyacrylamide, polyethylene glycol mixture	Grape, wine	1.91	7	307.89	A
Polyacrylamide, polyethylene glycol mixture	Orange	0.5	2	27.0	A
Polyacrylamide, polyethylene glycol mixture	Pastureland	1.41	6	154.02	A
Polyacrylamide, polyethylene glycol mixture	Pistachio	4.46	12	628.44	A
Polyacrylamide, polyethylene glycol mixture	Rights of way	0.5	1	54.0	A
Polyacrylamide, polyethylene glycol mixture	Rights of way	3.75	N/A	N/A	N/A
Polyacrylamide, polyethylene glycol mixture	Safflower	4.38	2	595.0	A
Polyacrylamide, polyethylene glycol mixture	Soil fumigation/preplant	48.83	36	5,769.89	A
Polyacrylamide, polyethylene glycol mixture	Sorghum (forage - fodder)	2.32	9	387.56	A
Polyacrylamide, polyethylene glycol mixture	Sorghum/milo	5.73	9	1,037.0	A
Polyacrylamide, polyethylene glycol mixture	Tomato, processing	1.06	1	114.0	A
Polyacrylamide, polyethylene glycol mixture	Triticale	8.13	11	1,008.6	A
Polyacrylamide, polyethylene glycol mixture	Uncultivated ag	2.88	1	305.0	A
Polyacrylamide, polyethylene glycol mixture	Wheat	29.28	24	3,847.6	A
Polyacrylamide, polyethylene glycol mixture	Wheat (forage - fodder)	3.64	12	650.6	A
Polyacrylic polymer	Alfalfa	2.98	13	973.77	A
Polyacrylic polymer	Almond	43.96	80	3,335.54	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyacrylic polymer	Commercial, institutional or industrial areas	0.29	1	14.2	A
Polyacrylic polymer	Corn (forage - fodder)	0.44	2	160.0	A
Polyacrylic polymer	Cotton	9.71	40	3,361.3	A
Polyacrylic polymer	Grape, wine	0.28	3	35.46	A
Polyacrylic polymer	Oat (forage - fodder)	0.22	1	60.0	A
Polyacrylic polymer	Pistachio	71.17	69	4,162.08	A
Polyacrylic polymer	Sorghum (forage - fodder)	0.45	4	136.14	A
Polyacrylic polymer	Tangerine	0.55	2	20.0	A
Polyacrylic polymer	Tomato, processing	0.43	1	105.0	A
Polyacrylic polymer	Triticale	0.94	4	342.0	A
Polyacrylic polymer	Walnut	1.01	13	275.67	A
Polyalkene oxide modified heptamethyl trisiloxane	Alfalfa	4.24	4	334.59	A
Polyalkene oxide modified heptamethyl trisiloxane	Almond	868.95	336	25,265.81	A
Polyalkene oxide modified heptamethyl trisiloxane	Corn (forage - fodder)	2.42	5	168.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Cotton	81.45	46	4,076.6	A
Polyalkene oxide modified heptamethyl trisiloxane	Grape, wine	2.24	3	113.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Melon	2.34	2	308.8	A
Polyalkene oxide modified heptamethyl trisiloxane	Onion, dry	7.97	4	646.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Pistachio	521.16	201	14,346.63	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkene oxide modified heptamethyl trisiloxane	Pomegranate	1.36	2	31.5	A
Polyalkene oxide modified heptamethyl trisiloxane	Safflower	3.94	10	998.6	A
Polyalkene oxide modified heptamethyl trisiloxane	Sorghum (forage - fodder)	4.39	5	270.34	A
Polyalkene oxide modified heptamethyl trisiloxane	Sorghum/milo	1.22	1	86.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Tangerine	0.76	3	30.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Walnut	52.48	33	1,316.75	A
Polyalkene oxide modified heptamethyl trisiloxane	Wheat (forage - fodder)	2.13	3	180.0	A
Polyalkyleneoxide modified polydimethylsiloxane	Almond	478.9	20	1,560.4	A
Polyalkyleneoxide modified polydimethylsiloxane	Corn (forage - fodder)	9.01	2	84.0	A
Polyalkyleneoxide modified polydimethylsiloxane	Grape	0.02	1	0.5	A
Polyalkyleneoxide modified polydimethylsiloxane	Grape, wine	0.71	1	27.0	A
Polyalkyleneoxide modified polydimethylsiloxane	Nectarine	0.14	1	5.0	A
Polyalkyleneoxide modified polydimethylsiloxane	Peach	0.16	1	6.0	A
Polyalkyleneoxide modified polydimethylsiloxane	Pistachio	354.5	33	1,842.0	A
Polyalkyleneoxide modified polydimethylsiloxane	Plum	0.14	1	5.0	A
Polyalkyleneoxide modified polydimethylsiloxane	Pluot	0.28	1	10.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkyleneoxide modified polydimethylsiloxane	Tomato, processing	1.22	6	153.96	A
Polyalkyleneoxide modified polydimethylsiloxane	Walnut	386.76	15	694.0	A
Polybutenes	Alfalfa	6.53	3	172.0	A
Polybutenes	Almond	206.97	58	3,285.0	A
Polybutenes	Cherry	1.52	2	20.0	A
Polybutenes	Citrus	4.36	1	38.0	A
Polybutenes	Corn (forage - fodder)	39.66	10	657.4	A
Polybutenes	Cotton	38.82	14	782.37	A
Polybutenes	Grape	4.09	4	127.0	A
Polybutenes	Grape, wine	5.07	2	62.22	A
Polybutenes	Nectarine	2.77	2	38.0	A
Polybutenes	Peach	10.78	25	225.4	A
Polybutenes	Pecan	0.65	1	8.0	A
Polybutenes	Pepper, fruiting	7.6	4	320.0	A
Polybutenes	Pistachio	326.04	35	2,494.57	A
Polybutenes	Pomegranate	0.07	2	2.0	A
Polybutenes	Pumpkin	0.76	1	10.0	A
Polybutenes	Walnut	87.41	20	737.9	A
Polybutenes	Wheat	44.85	9	1,649.0	A
Polybutenes	Wheat (forage - fodder)	11.29	6	463.0	A
Polyether modified polysiloxane	Alfalfa	12.47	6	278.8	A
Polyether modified polysiloxane	Almond	1,503.83	238	10,461.72	A
Polyether modified polysiloxane	Blueberry	18.3	5	147.6	A
Polyether modified polysiloxane	Broccoli	2.12	1	12.0	A
Polyether modified polysiloxane	Cannabis (all or unspecified)	184.67	66	2,147.86	A
Polyether modified polysiloxane	Cherry	8.04	4	50.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyether modified polysiloxane	Corn (forage - fodder)	12.86	16	577.5	A
Polyether modified polysiloxane	Cotton	117.9	55	8,098.5	A
Polyether modified polysiloxane	Grape	6.87	9	211.64	A
Polyether modified polysiloxane	Grape, wine	19.7	5	304.0	A
Polyether modified polysiloxane	Lettuce, head	19.12	5	167.8	A
Polyether modified polysiloxane	Nectarine	27.48	14	215.72	A
Polyether modified polysiloxane	Onion, dry	1,120.82	31	3,329.5	A
Polyether modified polysiloxane	Peach	42.05	20	301.6	A
Polyether modified polysiloxane	Pistachio	626.79	56	3,956.29	A
Polyether modified polysiloxane	Plum	5.13	1	15.0	A
Polyether modified polysiloxane	Soil fumigation/preplant	47.82	9	954.4	A
Polyether modified polysiloxane	Sorghum (forage - fodder)	1.9	2	76.0	A
Polyether modified polysiloxane	Tomato, processing	1,600.73	42	5,659.16	A
Polyether modified polysiloxane	Triticale	9.38	5	373.68	A
Polyether modified polysiloxane	Walnut	1,970.11	204	7,622.35	A
Polyether modified polysiloxane	Wheat (forage - fodder)	5.28	7	210.1	A
Polyethoxylated castor oil	Alfalfa	4.16	6	278.8	A
Polyethoxylated castor oil	Almond	329.35	144	5,821.76	A
Polyethoxylated castor oil	Cherry	1.82	3	40.0	A
Polyethoxylated castor oil	Corn (forage - fodder)	4.29	16	577.5	A
Polyethoxylated castor oil	Cotton	36.9	54	7,960.5	A
Polyethoxylated castor oil	Grape, wine	3.81	4	224.0	A
Polyethoxylated castor oil	Onion, dry	1.92	1	115.0	A
Polyethoxylated castor oil	Pistachio	177.13	46	3,518.2	A
Polyethoxylated castor oil	Plum	1.71	1	15.0	A
Polyethoxylated castor oil	Soil fumigation/preplant	15.94	9	954.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyethoxylated castor oil	Sorghum (forage - fodder)	0.63	2	76.0	A
Polyethoxylated castor oil	Triticale	3.13	5	373.68	A
Polyethoxylated castor oil	Walnut	47.11	27	546.38	A
Polyethoxylated castor oil	Wheat (forage - fodder)	1.76	7	210.1	A
Polyethylene glycol	Alfalfa	24.12	10	319.0	A
Polyethylene glycol	Almond	1,105.68	126	5,656.64	A
Polyethylene glycol	Blueberry	2.31	2	56.0	A
Polyethylene glycol	Cherry	110.46	35	632.81	A
Polyethylene glycol	Citrus	0.45	1	2.22	A
Polyethylene glycol	Corn (forage - fodder)	317.12	69	3,546.2	A
Polyethylene glycol	Cotton	255.21	42	6,136.95	A
Polyethylene glycol	Garlic	89.75	2	376.0	A
Polyethylene glycol	Grape	7.4	7	56.59	A
Polyethylene glycol	Grape, wine	66.95	8	440.0	A
Polyethylene glycol	Landscape maintenance	49.16	N/A	N/A	N/A
Polyethylene glycol	Nectarine	25.64	17	168.1	A
Polyethylene glycol	Peach	10.18	14	91.7	A
Polyethylene glycol	Pecan	7.62	6	228.0	A
Polyethylene glycol	Pistachio	551.26	89	4,224.96	A
Polyethylene glycol	Plum	24.14	17	163.6	A
Polyethylene glycol	Pomegranate	11.27	1	45.0	A
Polyethylene glycol	Rights of way	40.23	N/A	N/A	N/A
Polyethylene glycol	Soil fumigation/preplant	37.6	7	512.24	A
Polyethylene glycol	Sorghum (forage - fodder)	162.35	22	1,753.0	A
Polyethylene glycol	Sorghum/milo	29.32	4	442.0	A
Polyethylene glycol	Tangerine	2.92	3	17.22	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol	Tomato, processing	11.17	9	118.35	A
Polyethylene glycol	Triticale	1.61	2	102.2	A
Polyethylene glycol	Walnut	399.8	56	1,796.77	A
Polyethylene glycol	Wheat	0.61	3	45.92	A
Polyethylene glycol	Wheat (forage - fodder)	31.88	38	1,681.16	A
Polyethylene glycol diacetate	Pistachio	0.24	1	88.0	A
Polyethylene glycol ditallate	Pistachio	0.43	6	638.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Pistachio	4.67	2	40.0	A
Polyethylene glycol oleate	Corn (forage - fodder)	41.67	7	407.0	A
Polyethylene glycol stearate	Almond	236.88	14	877.0	A
Polyethylene glycol stearate	Corn (forage - fodder)	0.25	1	16.0	A
Polyethylene glycol stearate	Landscape maintenance	9.95	N/A	N/A	N/A
Polyethylene glycol stearate	Pistachio	234.29	39	1,930.82	A
Polyethylene glycol stearate	Rights of way	0.03	N/A	N/A	N/A
Polyethylene glycol stearate	Walnut	77.18	19	650.54	A
Polymerized pinene	Alfalfa	83.35	4	466.0	A
Polymerized pinene	Almond	19.95	3	37.6	A
Polymerized pinene	Pistachio	495.33	35	948.75	A
Polymerized pinene	Rights of way	272.29	N/A	N/A	N/A
Polymerized pinene	Soil fumigation/preplant	21.32	2	78.0	A
Polymerized pinene	Walnut	101.22	11	147.0	A
Polyoxin d, zinc salt	Almond	160.02	60	3,654.94	A
Polyoxin d, zinc salt	Blueberry	5.79	4	132.2	A
Polyoxin d, zinc salt	Cherry	34.65	35	793.09	A
Polyoxin d, zinc salt	Garlic	0.99	2	186.0	A
Polyoxin d, zinc salt	Grape	7.95	5	178.92	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxin d, zinc salt	Landscape maintenance	1.08	N/A	N/A	N/A
Polyoxin d, zinc salt	N-outdr transplants	0.3	4	5.0	A
Polyoxin d, zinc salt	Pistachio	43.02	11	1,240.8	A
Polyoxin d, zinc salt	Plum	22.54	24	514.9	A
Polyoxin d, zinc salt	Pomegranate	0.04	1	1.0	A
Polyoxin d, zinc salt	Walnut	3.64	3	83.0	A
Polyoxyethylene dioleate	Alfalfa	0.04	1	39.3	A
Polyoxyethylene dioleate	Almond	0.06	3	40.0	A
Polyoxyethylene dioleate	Pistachio	0.06	2	57.15	A
Polyoxyethylene polyol fatty acid esters	Almond	28.95	4	172.0	A
Polyoxyethylene polyol fatty acid esters	Pistachio	481.33	40	2,215.51	A
Polyoxyethylene polyol fatty acid esters	Walnut	187.1	22	800.83	A
Polyoxyethylene polyoxypropylene	Almond	248.32	22	923.56	A
Polyoxyethylene polyoxypropylene	Citrus	2.85	1	9.0	A
Polyoxyethylene polyoxypropylene	Corn (forage - fodder)	394.67	29	1,747.0	A
Polyoxyethylene polyoxypropylene	Cotton	12.28	3	430.0	A
Polyoxyethylene polyoxypropylene	Grape, wine	53.73	2	96.0	A
Polyoxyethylene polyoxypropylene	Lemon	3.18	1	5.0	A
Polyoxyethylene polyoxypropylene	Onion, dry	137.59	7	720.0	A
Polyoxyethylene polyoxypropylene	Pistachio	812.88	54	4,123.06	A
Polyoxyethylene polyoxypropylene	Pomegranate	317.74	41	5,570.0	A
Polyoxyethylene polyoxypropylene	Rights of way	<0.01	N/A	N/A	N/A
Polyoxyethylene polyoxypropylene	Walnut	234.31	25	787.25	A
Polyoxyethylene sorbitan mixed fatty acid esters	Corn (forage - fodder)	5.37	3	159.0	A
Polyoxyethylene sorbitan mixed fatty acid esters	Cotton	2.79	2	61.5	A
Polyoxyethylene sorbitan monolaurate	Pistachio	67.37	2	134.74	A
Polyoxyethylene sorbitan monooleate	Alfalfa	40.53	31	1,886.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyoxyethylene sorbitan monooleate	Almond	17.65	38	1,388.39	A
Polyoxyethylene sorbitan monooleate	Barley (forage - fodder)	1.8	1	27.0	A
Polyoxyethylene sorbitan monooleate	Blueberry	4.37	2	61.0	A
Polyoxyethylene sorbitan monooleate	Corn (forage - fodder)	79.6	13	1,105.75	A
Polyoxyethylene sorbitan monooleate	Cotton	93.91	75	8,798.7	A
Polyoxyethylene sorbitan monooleate	Forage hay/silage	3.49	2	52.0	A
Polyoxyethylene sorbitan monooleate	Landscape maintenance	0.88	N/A	N/A	N/A
Polyoxyethylene sorbitan monooleate	Oat (forage - fodder)	0.56	1	60.0	A
Polyoxyethylene sorbitan monooleate	Onion, dry	5.12	1	115.0	A
Polyoxyethylene sorbitan monooleate	Pistachio	61.03	47	1,577.76	A
Polyoxyethylene sorbitan monooleate	Pomegranate	11.19	13	254.07	A
Polyoxyethylene sorbitan monooleate	Rights of way	0.19	N/A	N/A	N/A
Polyoxyethylene sorbitan monooleate	Safflower	38.15	2	427.0	A
Polyoxyethylene sorbitan monooleate	Soil fumigation/preplant	99.23	11	1,266.0	A
Polyoxyethylene sorbitan monooleate	Triticale	25.79	7	456.43	A
Polyoxyethylene sorbitan monooleate	Walnut	8.49	11	206.26	A
Polyoxyethylene sorbitan monooleate	Wheat (forage - fodder)	29.98	10	316.67	A
Polyoxyethylene sorbitan trioleate	Alfalfa	174.27	26	1,653.0	A
Polyoxyethylene sorbitan trioleate	Almond	66.69	27	724.66	A
Polyoxyethylene sorbitan trioleate	Corn (forage - fodder)	7.73	4	189.0	A
Polyoxyethylene sorbitan trioleate	Cotton	390.49	61	8,202.7	A
Polyoxyethylene sorbitan trioleate	Landscape maintenance	5.8	N/A	N/A	N/A
Polyoxyethylene sorbitan trioleate	Oat (forage - fodder)	3.69	1	60.0	A
Polyoxyethylene sorbitan trioleate	Pistachio	33.61	17	273.0	A
Polyoxyethylene sorbitan trioleate	Pomegranate	0.86	1	6.93	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitan trioleate</b>	Rights of way	1.23	N/A	N/A	N/A
<b>Polyoxyethylene sorbitan trioleate</b>	Walnut	54.98	10	203.4	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Alfalfa	18.02	6	298.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Almond	49.26	16	752.73	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Barley (forage - fodder)	1.03	1	27.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Blueberry	2.5	2	61.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Corn (forage - fodder)	79.35	10	991.75	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Cotton	380.46	29	2,357.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Forage hay/silage	1.99	2	52.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Garlic	313.28	16	2,215.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Grape	46.37	3	86.34	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Onion, dry	110.65	7	535.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Orange	12.64	2	23.5	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Peach	40.61	11	74.75	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Pistachio	35.08	32	1,324.76	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Plum	10.18	1	19.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Pomegranate	6.32	12	247.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene soybean oil fatty acid ester	Safflower	21.8	2	427.0	A
Polyoxyethylene soybean oil fatty acid ester	Soil fumigation/preplant	56.7	11	1,266.0	A
Polyoxyethylene soybean oil fatty acid ester	Triticale	60.85	10	635.43	A
Polyoxyethylene soybean oil fatty acid ester	Walnut	78.67	17	212.96	A
Polyoxyethylene soybean oil fatty acid ester	Wheat (forage - fodder)	17.13	10	316.67	A
Polypropylene glycol	Pistachio	5.43	11	751.1	A
Polysaccharide polymer	Soil fumigation/preplant	8.7	89	20,430.0	A
Polysaccharide polymer	Tomato, processing	0.17	2	306.0	A
Polysaccharide polymer	Triticale	0.43	2	575.0	A
Polysaccharide polymer	Wheat	0.37	2	489.0	A
Polysorbate 65	Alfalfa	28.46	7	560.52	A
Polysorbate 65	Almond	226.08	74	2,272.83	A
Polysorbate 65	Cherry	5.82	2	71.85	A
Polysorbate 65	Corn (forage - fodder)	11.5	4	165.0	A
Polysorbate 65	Cotton	29.84	11	551.0	A
Polysorbate 65	Grape, wine	0.82	1	11.82	A
Polysorbate 65	Pistachio	314.08	64	2,958.81	A
Polysorbate 65	Rights of way	4.95	N/A	N/A	N/A
Polysorbate 65	Walnut	15.21	16	213.51	A
Potassium bicarbonate	Apricot	132.68	3	64.8	A
Potassium bicarbonate	Grape	10,001.84	56	3,194.18	A
Potassium bicarbonate	Grape, wine	323.6	3	139.0	A
Potassium bicarbonate	Nectarine	151.84	6	61.8	A
Potassium bicarbonate	Peach	207.45	14	125.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium bicarbonate	Plum	185.75	12	112.8	A
Potassium hydroxide	Alfalfa	0.06	1	11.0	A
Potassium hydroxide	Almond	12.65	36	1,408.71	A
Potassium hydroxide	Cherry	0.38	1	17.5	A
Potassium hydroxide	Cotton	0.16	1	137.0	A
Potassium hydroxide	Pistachio	29.14	12	500.79	A
Potassium hydroxide	Tomato, processing	0.4	4	686.0	A
Potassium hydroxide	Walnut	14.36	27	385.83	A
Potassium n-methyldithiocarbamate	Soil fumigation/preplant	331,158.29	40	2,883.69	A
Potassium nitrate	Alfalfa	0.68	1	11.0	A
Potassium nitrate	Almond	80.91	32	1,290.26	A
Potassium nitrate	Cotton	1.67	1	137.0	A
Potassium nitrate	Tomato, processing	4.23	4	686.0	A
Potassium peroxymonosulfate	Landscape maintenance	62.09	N/A	N/A	N/A
Potassium phosphite	Almond	12,181.79	83	4,503.09	A
Potassium phosphite	Apricot	126.42	7	92.72	A
Potassium phosphite	Cherry	209.49	5	117.5	A
Potassium phosphite	Grape, wine	267.78	4	77.0	A
Potassium phosphite	Landscape maintenance	5.33	N/A	N/A	N/A
Potassium phosphite	Onion, dry	20,864.68	52	6,836.7	A
Potassium phosphite	Peach	49.59	2	28.5	A
Potassium phosphite	Pistachio	4,369.76	19	1,498.65	A
Potassium phosphite	Plum	25.93	1	22.0	A
Potassium phosphite	Walnut	7,332.86	94	2,442.53	A
Potassium silicate	Almond	354.97	6	348.43	A
Potassium silicate	Cherry	248.65	6	269.1	A
Potassium silicate	Onion, dry	1,103.07	10	906.0	A
Potassium silicate	Tangerine	157.03	26	161.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Prallethrin	Landscape maintenance	<0.01	N/A	N/A	N/A
Prallethrin	Rights of way	<0.01	N/A	N/A	N/A
Prallethrin	Structural pest control	1.86	N/A	N/A	N/A
Prodiamine	Landscape maintenance	109.59	N/A	N/A	N/A
Prometryn	Parsley	239.71	1	154.0	A
Propamocarb hydrochloride	Landscape maintenance	16.31	N/A	N/A	N/A
Propargite	Almond	182.61	4	87.5	A
Propargite	Corn (forage - fodder)	21,682.69	163	9,284.08	A
Propargite	Corn, grain	81.31	1	38.0	A
Propargite	Cotton	57.06	1	40.0	A
Propiconazole	Almond	951.76	115	4,772.39	A
Propiconazole	Apricot	49.73	38	412.7	A
Propiconazole	Blueberry	6.05	1	35.6	A
Propiconazole	Cherry	13.88	9	116.6	A
Propiconazole	Garlic	140.62	6	862.0	A
Propiconazole	Landscape maintenance	4.8	N/A	N/A	N/A
Propiconazole	Nectarine	74.03	42	584.03	A
Propiconazole	Peach	193.39	102	1,485.7	A
Propiconazole	Pistachio	21.68	5	155.0	A
Propiconazole	Plum	112.82	91	895.91	A
Propionic acid	Alfalfa	31.72	6	928.0	A
Propionic acid	Almond	378.05	79	2,348.89	A
Propionic acid	Apricot	14.66	25	203.82	A
Propionic acid	Blueberry	29.48	6	213.6	A
Propionic acid	Cherry	2.64	1	17.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Propionic acid	Corn (forage - fodder)	244.98	61	2,099.25	A
Propionic acid	Cotton	7,934.49	732	174,502.57	A
Propionic acid	Grape	15.12	1	40.0	A
Propionic acid	Grape, wine	282.21	10	650.5	A
Propionic acid	Landscape maintenance	12.24	N/A	N/A	N/A
Propionic acid	Lettuce, head	10.58	3	122.6	A
Propionic acid	Nectarine	47.71	33	410.77	A
Propionic acid	Peach	94.06	69	1,048.25	A
Propionic acid	Pistachio	4,656.48	132	16,788.19	A
Propionic acid	Plum	41.39	80	465.24	A
Propionic acid	Pomegranate	159.48	2	211.0	A
Propionic acid	Pumpkin	1.15	1	10.0	A
Propionic acid	Rights of way	732.9	33	9,294.0	A
Propionic acid	Safflower	3,005.21	302	79,452.0	A
Propionic acid	Soil fumigation/preplant	666.5	84	15,629.78	A
Propionic acid	Sorghum (forage - fodder)	3.02	1	40.0	A
Propionic acid	Tangerine	20.65	20	205.1	A
Propionic acid	Tomato, processing	1,843.29	210	29,457.2	A
Propionic acid	Triticale	65.94	3	872.0	A
Propionic acid	Walnut	180.04	20	495.75	A
Propionic acid	Wheat	45.38	4	1,043.0	A
Propylene glycol	Alfalfa	2.64	2	100.0	A
Propylene glycol	Almond	269.56	119	3,584.73	A
Propylene glycol	Apricot	45.06	31	251.5	A
Propylene glycol	Blueberry	2.89	3	64.08	A
Propylene glycol	Cherry	5.56	5	50.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propylene glycol	Corn (forage - fodder)	13.33	11	360.0	A
Propylene glycol	Cotton	73.21	16	3,216.0	A
Propylene glycol	Grape, wine	4.1	1	141.0	A
Propylene glycol	Nectarine	59.94	51	524.6	A
Propylene glycol	Onion, dry	1.53	1	17.0	A
Propylene glycol	Peach	44.02	73	715.61	A
Propylene glycol	Pistachio	1,396.94	307	13,817.29	A
Propylene glycol	Plum	189.68	65	614.08	A
Propylene glycol	Rights of way	1.09	1	10.0	A
Propylene glycol	Rights of way	104.66	N/A	N/A	N/A
Propylene glycol	Soil fumigation/preplant	5.07	3	96.0	A
Propylene glycol	Sorghum (forage - fodder)	3.22	4	101.0	A
Propylene glycol	Tangerine	6.07	13	64.68	A
Propylene glycol	Walnut	23.68	8	354.0	A
Propyzamide	Lettuce, head	367.35	7	248.6	A
Propyzamide	Soil fumigation/preplant	58.55	1	36.0	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Almond	75.0	2	60.0	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Blueberry	75.0	2	30.0	A
Pydiflumetofen	Almond	50.89	21	763.41	A
Pydiflumetofen	Onion, dry	240.15	16	2,172.0	A
Pydiflumetofen	Pistachio	4.72	1	53.2	A
Pymetrozine	Cotton	50.96	2	593.0	A
Pyraclostrobin	Almond	891.0	146	10,006.7	A
Pyraclostrobin	Apricot	0.84	1	8.8	A
Pyraclostrobin	Cherry	31.65	15	320.72	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraclostrobin	Cotton	306.54	11	2,342.0	A
Pyraclostrobin	Grape	66.56	14	617.64	A
Pyraclostrobin	Grape, wine	38.48	6	388.0	A
Pyraclostrobin	Landscape maintenance	2.83	N/A	N/A	N/A
Pyraclostrobin	Nectarine	8.13	9	78.5	A
Pyraclostrobin	Onion, dry	2.8	1	17.0	A
Pyraclostrobin	Peach	20.5	20	202.4	A
Pyraclostrobin	Pistachio	653.46	93	6,512.7	A
Pyraclostrobin	Plum	14.64	12	130.1	A
Pyraclostrobin	Tomato, processing	2,459.37	100	14,122.2	A
Pyraclostrobin	Walnut	92.55	23	920.27	A
Pyraflufen-ethyl	Almond	39.03	174	8,320.04	A
Pyraflufen-ethyl	Apricot	0.61	20	168.98	A
Pyraflufen-ethyl	Cherry	0.12	4	43.33	A
Pyraflufen-ethyl	Corn (forage - fodder)	1.17	7	522.76	A
Pyraflufen-ethyl	Cotton	163.17	269	46,413.13	A
Pyraflufen-ethyl	Forage hay/silage	0.06	2	52.0	A
Pyraflufen-ethyl	Grape	8.77	37	1,667.61	A
Pyraflufen-ethyl	Grape, wine	7.06	49	1,737.76	A
Pyraflufen-ethyl	Nectarine	1.29	30	410.35	A
Pyraflufen-ethyl	Olive	6.06	20	1,333.61	A
Pyraflufen-ethyl	Orange	0.06	1	15.0	A
Pyraflufen-ethyl	Pastureland	0.41	6	154.02	A
Pyraflufen-ethyl	Peach	2.99	76	726.64	A
Pyraflufen-ethyl	Pistachio	50.56	207	11,789.83	A
Pyraflufen-ethyl	Plum	1.64	48	457.71	A
Pyraflufen-ethyl	Pomegranate	5.78	39	1,303.06	A
Pyraflufen-ethyl	Rights of way	44.68	45	14,774.0	A
Pyraflufen-ethyl	Rights of way	2.25	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraflufen-ethyl	Safflower	1.41	2	427.0	A
Pyraflufen-ethyl	Soil fumigation/preplant	133.29	318	64,268.96	A
Pyraflufen-ethyl	Sorghum (forage - fodder)	0.13	2	76.0	A
Pyraflufen-ethyl	Tomato, processing	7.74	42	5,340.8	A
Pyraflufen-ethyl	Triticale	5.21	41	3,189.48	A
Pyraflufen-ethyl	Uncultivated ag	1.01	1	305.0	A
Pyraflufen-ethyl	Walnut	3.64	38	691.8	A
Pyraflufen-ethyl	Wheat	3.19	19	1,998.02	A
Pyraflufen-ethyl	Wheat (forage - fodder)	19.03	184	11,495.24	A
Pyrethrins	Almond	18.76	11	459.68	A
Pyrethrins	Blueberry	3.25	2	71.2	A
Pyrethrins	Broccoli	0.65	1	12.0	A
Pyrethrins	Cannabis (all or unspecified)	7.58	6	195.26	A
Pyrethrins	Carrot	12.34	6	410.8	A
Pyrethrins	Grape	29.57	10	627.0	A
Pyrethrins	Lettuce, head	3.44	6	149.8	A
Pyrethrins	Nectarine	4.35	9	111.6	A
Pyrethrins	Onion, dry	1.56	1	40.0	A
Pyrethrins	Peach	3.37	11	86.47	A
Pyrethrins	Pistachio	32.72	21	740.9	A
Pyrethrins	Pluot	0.71	2	15.0	A
Pyrethrins	Pomegranate	23.6	4	472.0	A
Pyrethrins	Public health	1.54	N/A	N/A	N/A
Pyrethrins	Rights of way	4.88	N/A	N/A	N/A
Pyrethrins	Structural pest control	8.81	N/A	N/A	N/A
Pyrethrins	Tomato, processing	36.57	15	2,013.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrimethanil	Almond	346.03	37	1,517.85	A
Pyrimethanil	Grape	82.07	4	213.79	A
Pyrimethanil	Onion, dry	1,591.82	22	3,064.9	A
Pyrimethanil	Pistachio	385.52	11	1,037.5	A
Pyriofenone	Tomato, processing	40.77	3	417.2	A
Pyriproxyfen	Almond	57.55	45	3,910.43	A
Pyriproxyfen	Apricot	8.45	9	81.06	A
Pyriproxyfen	Citrus	1.07	1	10.0	A
Pyriproxyfen	Cotton	1,994.24	149	29,842.1	A
Pyriproxyfen	Kiwi fruit fuzzy	12.02	3	109.86	A
Pyriproxyfen	Landscape maintenance	0.01	N/A	N/A	N/A
Pyriproxyfen	Nectarine	17.84	14	199.64	A
Pyriproxyfen	Peach	36.17	29	372.05	A
Pyriproxyfen	Pistachio	24.9	10	523.0	A
Pyriproxyfen	Plum	28.25	43	307.36	A
Pyriproxyfen	Public health	2.02	N/A	N/A	N/A
Pyriproxyfen	Structural pest control	26.71	N/A	N/A	N/A
Pyriproxyfen	Tomato, processing	14.6	3	217.0	A
Pyriproxyfen	Walnut	110.95	41	1,064.31	A
Pyriproxyfen-sodium	Cotton	16.74	11	1,070.01	A
Pyroxsulam	Triticale	59.83	72	4,492.53	A
Pyroxsulam	Wheat	34.66	29	2,629.2	A
Pyroxsulam	Wheat (forage - fodder)	178.1	205	13,465.87	A
Qst 713 strain of dried bacillus subtilis	Almond	56.95	10	744.49	A
Qst 713 strain of dried bacillus subtilis	Apricot	12.45	6	40.0	A
Qst 713 strain of dried bacillus subtilis	Carrot	12.7	2	223.0	A
Qst 713 strain of dried bacillus subtilis	Cherry	6.46	3	131.7	A
Qst 713 strain of dried bacillus subtilis	Grape	38.89	7	355.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Qst 713 strain of dried bacillus subtilis	Nectarine	32.41	18	172.9	A
Qst 713 strain of dried bacillus subtilis	Peach	22.34	26	180.9	A
Qst 713 strain of dried bacillus subtilis	Plum	18.36	9	121.0	A
Qst 713 strain of dried bacillus subtilis	Pluot	2.49	2	9.5	A
Quillaja	Nectarine	0.76	9	128.4	A
Quillaja	Peach	0.71	8	114.2	A
Quinclorac	Landscape maintenance	0.12	N/A	N/A	N/A
Quinoxifen	Grape	164.95	31	1,577.84	A
Quinoxifen	Grape, wine	140.16	25	1,361.17	A
Quinoxifen	Pepper, fruiting	18.7	3	240.0	A
Reynoutria sachalinensis	Almond	73.65	3	359.8	A
Reynoutria sachalinensis	Grape	134.06	4	309.5	A
Reynoutria sachalinensis	Grape, wine	5.85	1	27.0	A
Reynoutria sachalinensis	Lemon	4.23	1	19.5	A
Reynoutria sachalinensis	Nectarine	30.04	13	173.6	A
Reynoutria sachalinensis	Onion, dry	113.57	11	1,204.9	A
Reynoutria sachalinensis	Peach	44.59	20	225.2	A
Reynoutria sachalinensis	Plum	1.08	1	5.0	A
Reynoutria sachalinensis	Pluot	4.55	2	21.0	A
Reynoutria sachalinensis	Tomato, processing	190.55	15	2,292.6	A
Rimsulfuron	Almond	445.05	200	7,514.36	A
Rimsulfuron	Apricot	4.34	11	115.09	A
Rimsulfuron	Blueberry	0.67	1	10.68	A
Rimsulfuron	Cherry	18.22	55	337.51	A
Rimsulfuron	Corn (forage - fodder)	27.57	42	1,980.92	A
Rimsulfuron	Grape	58.85	37	1,001.56	A
Rimsulfuron	Grape, wine	24.95	17	495.57	A
Rimsulfuron	Landscape maintenance	4.2	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Rimsulfuron	Nectarine	10.77	16	232.32	A
Rimsulfuron	Orange	2.22	3	35.5	A
Rimsulfuron	Peach	19.55	41	348.41	A
Rimsulfuron	Pistachio	807.99	279	13,951.96	A
Rimsulfuron	Plum	21.38	63	404.2	A
Rimsulfuron	Rights of way	2.29	N/A	N/A	N/A
Rimsulfuron	Tangerine	2.0	5	31.91	A
Rimsulfuron	Tomato, processing	3.7	9	118.35	A
Rimsulfuron	Uncultivated non-ag	2.01	N/A	43.8	A
Rimsulfuron	Walnut	91.83	103	1,543.74	A
S,s,s-tributyl phosphorotrithioate	Cotton	587.92	2	314.0	A
S-abscisic acid	Grape	76.68	9	377.73	A
S-bioallethrin	Structural pest control	<0.01	N/A	N/A	N/A
S-methoprene	Almond	3.62	12	563.65	A
S-methoprene	Landscape maintenance	0.01	N/A	N/A	N/A
S-methoprene	Public health	22.63	N/A	N/A	N/A
S-methoprene	Structural pest control	0.02	N/A	N/A	N/A
S-metolachlor	Corn (forage - fodder)	38.12	1	36.0	A
S-metolachlor	Corn, human consumption	23.71	5	17.69	A
S-metolachlor	Cotton	479.58	8	346.0	A
S-metolachlor	Soil fumigation/preplant	702.98	7	447.25	A
S-metolachlor	Sorghum (forage - fodder)	143.01	3	90.0	A
S-metolachlor	Sorghum/milo	808.89	6	642.0	A
S-metolachlor	Tomato, processing	20,936.57	124	16,232.97	A
Saflufenacil	Alfalfa	80.22	52	2,533.16	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Saflufenacil	Almond	654.13	379	15,546.24	A
Saflufenacil	Citrus	1.14	1	26.0	A
Saflufenacil	Corn (forage - fodder)	10.5	5	264.0	A
Saflufenacil	Cotton	69.73	24	1,688.97	A
Saflufenacil	Lemon	0.74	1	17.0	A
Saflufenacil	Orange	2.6	5	59.5	A
Saflufenacil	Pistachio	1,024.36	569	23,433.35	A
Saflufenacil	Pomegranate	95.41	35	2,180.27	A
Saflufenacil	Rights of way	6.77	N/A	N/A	N/A
Saflufenacil	Safflower	77.83	41	10,033.0	A
Saflufenacil	Soil fumigation/preplant	8.1	5	996.0	A
Saflufenacil	Tangerine	0.2	2	4.61	A
Saflufenacil	Walnut	57.62	86	1,391.49	A
Sedaxane	Cotton	115.33	N/A	1,102.74	T
Sethoxydim	Alfalfa	85.22	3	194.52	A
Sethoxydim	Almond	240.33	17	696.96	A
Sethoxydim	Cherry	7.89	1	30.0	A
Sethoxydim	Cotton	92.01	4	209.97	A
Sethoxydim	Grape, wine	67.57	5	167.54	A
Sethoxydim	Landscape maintenance	0.28	N/A	N/A	N/A
Sethoxydim	Parsley	65.19	2	248.0	A
Sethoxydim	Peach	9.73	1	37.0	A
Sethoxydim	Pistachio	156.97	11	444.23	A
Sethoxydim	Tomato, processing	134.28	4	510.86	A
Sethoxydim	Walnut	68.81	9	190.63	A
Silica aerogel	Structural pest control	3.31	N/A	N/A	N/A
Silica filled polydimethylsiloxane	Onion, dry	36.11	30	3,214.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Silica filled polydimethylsiloxane	Pistachio	0.04	2	134.74	A
Silica filled polydimethylsiloxane	Tomato, processing	66.61	36	5,505.2	A
Silicone defoamer	Cotton	0.57	3	306.0	A
Silicone defoamer	N-outdr transplants	0.02	13	32.0	A
Silicone defoamer	Regulatory pest control	0.05	N/A	N/A	N/A
Silicone defoamer	Structural pest control	0.06	N/A	N/A	N/A
Simazine	Almond	35.64	1	18.0	A
Sodium bromide	Water (industrial)	7,318.34	N/A	3.0	U
Sodium chlorate	Cotton	2,371.34	11	487.87	A
Sodium chloride	Landscape maintenance	4.35	N/A	N/A	N/A
Sodium chlorite	Tomato, processing	156.52	2	293.0	A
Sodium decyl sulfate	Structural pest control	0.25	N/A	N/A	N/A
Sodium diisooctylsulfosuccinate	Pistachio	0.24	3	145.0	A
Sodium diisooctylsulfosuccinate	Tomato, processing	0.13	1	157.0	A
Sodium dioctylsulfosuccinate	Rights of way	<0.01	N/A	N/A	N/A
Sodium hydroxide	Alfalfa	0.55	1	10.0	A
Sodium hydroxide	Almond	382.33	70	3,205.94	A
Sodium hydroxide	Blueberry	3.85	2	56.0	A
Sodium hydroxide	Cherry	10.56	28	127.96	A
Sodium hydroxide	Citrus	0.18	1	2.22	A
Sodium hydroxide	Corn (forage - fodder)	18.89	19	752.4	A
Sodium hydroxide	Cotton	17.0	9	647.0	A
Sodium hydroxide	Grape	90.72	23	571.65	A
Sodium hydroxide	Nectarine	1.31	12	23.76	A
Sodium hydroxide	Olive	79.2	33	964.56	A
Sodium hydroxide	Orange	0.62	1	12.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium hydroxide	Pistachio	31.13	17	414.61	A
Sodium hydroxide	Plum	7.74	22	93.8	A
Sodium hydroxide	Rights of way	20.9	4	190.0	A
Sodium hydroxide	Soil fumigation/preplant	23.31	5	666.0	A
Sodium hydroxide	Tangerine	1.2	3	17.22	A
Sodium hydroxide	Tomato, processing	10.4	1	189.0	A
Sodium hydroxide	Walnut	303.95	132	3,180.61	A
Sodium hypochlorite	Ditch bank	56,555.07	N/A	183.0	U
Sodium hypochlorite	Food processing plant	4,848.06	N/A	4.0	U
Sodium hypochlorite	Pomegranate	319.87	N/A	29,116.0	T
Sodium hypochlorite	Water (industrial)	7,079.19	N/A	5.0	U
Sodium lauroampho acetate	Structural pest control	0.19	N/A	N/A	N/A
Sodium lauryl ether sulfate	Alfalfa	22.3	27	1,590.87	A
Sodium lauryl ether sulfate	Almond	176.67	34	2,364.5	A
Sodium lauryl ether sulfate	Apricot	0.53	1	8.5	A
Sodium lauryl ether sulfate	Cherry	22.42	6	144.48	A
Sodium lauryl ether sulfate	Corn (forage - fodder)	101.25	106	4,657.95	A
Sodium lauryl ether sulfate	Corn, grain	0.47	1	38.0	A
Sodium lauryl ether sulfate	Cotton	120.54	93	5,443.13	A
Sodium lauryl ether sulfate	Grape, wine	15.35	3	49.0	A
Sodium lauryl ether sulfate	Peach	10.34	11	166.3	A
Sodium lauryl ether sulfate	Pistachio	505.36	56	6,923.5	A
Sodium lauryl ether sulfate	Plum	8.46	5	87.5	A
Sodium lauryl ether sulfate	Pomegranate	0.62	1	5.0	A
Sodium lauryl ether sulfate	Sorghum (forage - fodder)	23.04	19	657.94	A
Sodium lauryl ether sulfate	Walnut	34.99	17	485.94	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium lauryl ether sulfate	Wheat (forage - fodder)	4.55	4	314.2	A
Sodium lauryl sulfate	Structural pest control	0.13	N/A	N/A	N/A
Sodium nitrate	Rights of way	16.56	N/A	N/A	N/A
Sodium nitrate	Vertebrate control	15.26	N/A	N/A	N/A
Sodium polyacrylate	Alfalfa	1.23	5	532.0	A
Sodium polyacrylate	Almond	0.46	14	138.53	A
Sodium polyacrylate	Apricot	0.19	8	53.87	A
Sodium polyacrylate	Barley	0.12	1	37.0	A
Sodium polyacrylate	Blueberry	0.11	2	35.6	A
Sodium polyacrylate	Corn (forage - fodder)	5.76	43	2,442.6	A
Sodium polyacrylate	Cotton	32.8	85	17,565.0	A
Sodium polyacrylate	Grape	0.06	1	15.64	A
Sodium polyacrylate	Landscape maintenance	0.12	N/A	N/A	N/A
Sodium polyacrylate	Nectarine	0.08	2	18.75	A
Sodium polyacrylate	Oat (forage - fodder)	0.05	1	40.0	A
Sodium polyacrylate	Peach	0.34	15	96.98	A
Sodium polyacrylate	Pistachio	12.17	54	4,157.79	A
Sodium polyacrylate	Plum	0.29	12	79.53	A
Sodium polyacrylate	Rights of way	33.04	49	16,140.0	A
Sodium polyacrylate	Soil fumigation/preplant	10.77	37	6,647.0	A
Sodium polyacrylate	Tangerine	0.11	6	27.03	A
Sodium polyacrylate	Tomato, processing	3.36	12	1,864.0	A
Sodium polyacrylate	Triticale	0.19	6	275.0	A
Sodium polyacrylate	Wheat (forage - fodder)	0.18	2	300.0	A
Sodium tripolyphosphate	Pistachio	33.13	9	836.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium xylene sulfonate	Corn (forage - fodder)	1.25	3	175.2	A
Sodium xylene sulfonate	N-outdr transplants	0.22	13	32.0	A
Sodium xylene sulfonate	Pistachio	2.71	3	145.0	A
Sodium xylene sulfonate	Regulatory pest control	0.57	N/A	N/A	N/A
Sodium xylene sulfonate	Structural pest control	0.65	N/A	N/A	N/A
Sodium xylene sulfonate	Tomato, processing	1.46	1	157.0	A
Sodium xylene sulfonate	Walnut	4.5	2	21.95	A
Sorbitan fatty acid esters	Corn (forage - fodder)	1.17	3	159.0	A
Sorbitan fatty acid esters	Cotton	0.61	2	61.5	A
Sorbitan trioleate	Alfalfa	28.46	7	560.52	A
Sorbitan trioleate	Almond	226.08	74	2,272.83	A
Sorbitan trioleate	Cherry	5.82	2	71.85	A
Sorbitan trioleate	Corn (forage - fodder)	11.5	4	165.0	A
Sorbitan trioleate	Cotton	29.84	11	551.0	A
Sorbitan trioleate	Grape, wine	0.82	1	11.82	A
Sorbitan trioleate	Pistachio	314.08	64	2,958.81	A
Sorbitan trioleate	Rights of way	4.95	N/A	N/A	N/A
Sorbitan trioleate	Walnut	15.21	16	213.51	A
Sorbitol	Alfalfa	0.17	1	4.0	A
Sorbitol	Almond	3.33	4	37.72	A
Sorbitol	Corn (forage - fodder)	3.91	2	114.9	A
Sorbitol	Cotton	329.61	71	18,521.01	A
Sorbitol	Grape	5.87	7	140.53	A
Sorbitol	Pepper, fruiting	14.08	4	320.0	A
Sorbitol	Pistachio	47.72	6	939.6	A
Sorbitol	Rights of way	488.69	48	22,690.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sorbitol	Safflower	30.05	41	10,033.0	A
Sorbitol	Soil fumigation/preplant	0.54	2	700.0	A
Sorbitol	Tomato, processing	3.52	1	80.0	A
Sorbitol	Walnut	0.68	1	16.0	A
Spinetoram	Almond	492.52	156	6,720.64	A
Spinetoram	Apricot	15.83	26	158.28	A
Spinetoram	Citrus	3.25	2	36.0	A
Spinetoram	Cotton	39.85	6	1,223.95	A
Spinetoram	Grape	68.11	22	871.8	A
Spinetoram	Lettuce, head	19.58	12	393.2	A
Spinetoram	Nectarine	59.57	38	581.48	A
Spinetoram	Onion, dry	3.71	9	61.2	A
Spinetoram	Orange	1.13	1	12.0	A
Spinetoram	Peach	50.94	34	534.45	A
Spinetoram	Pepper, fruiting	7.03	2	160.0	A
Spinetoram	Pistachio	660.47	94	7,929.25	A
Spinetoram	Plum	56.08	76	593.0	A
Spinetoram	Tangerine	3.85	4	41.02	A
Spinetoram	Tomato, processing	35.98	6	764.66	A
Spinetoram	Walnut	223.34	93	3,307.52	A
Spinosad	Almond	26.67	25	965.64	A
Spinosad	Cherry	2.55	3	23.5	A
Spinosad	Citrus	0.97	1	9.0	A
Spinosad	Grape	0.93	1	6.0	A
Spinosad	Lettuce, head	10.43	5	108.8	A
Spinosad	N-outdr transplants	1.8	4	9.0	A
Spinosad	Nectarine	32.1	31	287.11	A
Spinosad	Onion, dry	229.86	19	2,214.7	A
Spinosad	Peach	13.48	16	127.52	A
Spinosad	Plum	13.15	7	106.42	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	Pluot	1.81	3	24.0	A
Spinosad	Public health	224.39	N/A	N/A	N/A
Spinosad	Structural pest control	<0.01	N/A	N/A	N/A
Spinosad	Tangerine	6.87	6	44.26	A
Spinosad	Tomato, processing	321.0	33	3,520.44	A
Spirodiclofen	Almond	518.09	18	999.4	A
Spirodiclofen	Apricot	6.57	4	23.04	A
Spirodiclofen	Nectarine	17.92	4	65.75	A
Spirodiclofen	Peach	10.96	2	42.45	A
Spirodiclofen	Plum	17.71	9	62.1	A
Spirodiclofen	Walnut	270.17	13	527.0	A
Spiromesifen	Corn (forage - fodder)	2,737.18	254	12,502.95	A
Spiromesifen	Corn, human consumption	2.28	2	12.23	A
Spiromesifen	Cotton	881.62	27	3,533.22	A
Spirotetramat	Almond	5.64	2	42.0	A
Spirotetramat	Apricot	4.92	6	40.04	A
Spirotetramat	Citrus	8.18	2	52.0	A
Spirotetramat	Grape	174.22	33	1,592.33	A
Spirotetramat	Grape, wine	183.75	32	1,562.5	A
Spirotetramat	N-outdr transplants	1.73	5	7.0	A
Spirotetramat	Nectarine	31.82	20	266.73	A
Spirotetramat	Onion, dry	222.42	22	2,950.8	A
Spirotetramat	Orange	6.71	4	42.5	A
Spirotetramat	Peach	66.36	37	557.6	A
Spirotetramat	Pistachio	877.69	100	6,420.18	A
Spirotetramat	Plum	46.07	43	386.07	A
Spirotetramat	Pomegranate	19.93	4	158.0	A
Spirotetramat	Tangerine	9.01	6	57.02	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Spirotetramat</b>	Tomato, processing	219.31	19	2,786.1	A
<b>Spirotetramat</b>	Walnut	53.18	9	375.0	A
<b>Streptomyces lydicus wyec 108</b>	Cherry	0.05	5	169.67	A
<b>Streptomyces lydicus wyec 108</b>	Lettuce, head	<0.01	1	16.0	A
<b>Streptomyces lydicus wyec 108</b>	Plum	0.03	2	123.79	A
<b>Streptomycin sulfate</b>	N-outdr transplants	2.71	7	11.0	A
<b>Strychnine</b>	Landscape maintenance	0.05	N/A	N/A	N/A
<b>Strychnine</b>	Pistachio	0.25	1	150.0	A
<b>Strychnine</b>	Structural pest control	0.01	N/A	N/A	N/A
<b>Styrene butadiene copolymer</b>	Almond	48.04	22	782.5	A
<b>Styrene butadiene copolymer</b>	Apricot	38.76	28	240.5	A
<b>Styrene butadiene copolymer</b>	Cherry	4.87	5	50.0	A
<b>Styrene butadiene copolymer</b>	Nectarine	52.09	49	514.6	A
<b>Styrene butadiene copolymer</b>	Peach	23.41	38	456.9	A
<b>Styrene butadiene copolymer</b>	Pistachio	22.17	23	688.35	A
<b>Styrene butadiene copolymer</b>	Plum	162.33	56	551.29	A
<b>Styrene butadiene copolymer</b>	Sorghum (forage - fodder)	2.82	4	101.0	A
<b>Styrene butadiene copolymer</b>	Walnut	1.51	3	69.0	A
<b>Sulfentrazone</b>	Landscape maintenance	26.6	N/A	N/A	N/A
<b>Sulfentrazone</b>	Rights of way	110.16	N/A	N/A	N/A
<b>Sulfentrazone</b>	Uncultivated non-ag	10.59	N/A	43.8	A
<b>Sulfometuron-methyl</b>	Rights of way	168.99	N/A	N/A	N/A
<b>Sulfoxaflor</b>	Almond	1.8	1	20.0	A
<b>Sulfoxaflor</b>	Grape	16.68	4	213.79	A
<b>Sulfoxaflor</b>	Grape, wine	32.38	6	380.0	A
<b>Sulfur</b>	Almond	3,182.73	8	411.48	A
<b>Sulfur</b>	Apricot	42.24	1	8.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfur	Carrot	17,252.0	20	2,156.5	A
Sulfur	Cherry	160.0	1	20.0	A
Sulfur	Grape	169,846.01	378	20,401.6	A
Sulfur	Grape, wine	42,012.26	155	8,087.29	A
Sulfur	Nectarine	3,453.7	67	872.54	A
Sulfur	Onion, dry	1,097.04	8	914.2	A
Sulfur	Peach	6,381.68	107	1,508.85	A
Sulfur	Pistachio	100,423.76	161	14,741.8	A
Sulfur	Plum	5,005.1	79	1,094.32	A
Sulfur	Pomegranate	4,434.88	23	990.0	A
Sulfur	Tomato	1,739.88	6	194.4	A
Sulfur	Tomato, processing	1,398,582.34	397	55,189.03	A
Sulfur	Vertebrate control	0.04	N/A	N/A	N/A
Sulfuric acid	Alfalfa	1.06	2	100.0	A
Sulfuric acid	Almond	3.95	5	116.1	A
Sulfuric acid	Corn (forage - fodder)	5.31	10	292.0	A
Sulfuric acid	Pistachio	240.4	94	5,506.47	A
Sulfuric acid	Soil fumigation/preplant	2.03	3	96.0	A
Sulfuric acid	Walnut	8.78	5	285.0	A
Sulfuryl fluoride	Almond	15,266.41	N/A	176.0	A
Sulfuryl fluoride	Almond	3,803.88	N/A	1,563,563.0	C
Sulfuryl fluoride	Commodity fumigation	120.78	N/A	N/A	N/A
Sulfuryl fluoride	Fumigation, other	2,566.94	N/A	N/A	N/A
Sulfuryl fluoride	Landscape maintenance	53.46	N/A	N/A	N/A
Sulfuryl fluoride	Structural pest control	7,234.64	N/A	N/A	N/A
Swinglea glutinosa extract	Almond	1,350.66	26	828.06	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Swinglea glutinosa extract	Grape	72.34	1	20.0	A
Swinglea glutinosa extract	Onion, dry	1,150.29	5	636.0	A
Swinglea glutinosa extract	Tomato, processing	2,629.34	15	2,295.7	A
Tall oil	Alfalfa	1.33	1	65.0	A
Tall oil	Almond	16.17	8	149.0	A
Tall oil	Corn (forage - fodder)	7.94	4	187.0	A
Tall oil	Cotton	83.58	17	1,988.0	A
Tall oil	Garlic	41.77	16	2,215.0	A
Tall oil	Grape	6.18	3	86.34	A
Tall oil	Landscape maintenance	0.19	N/A	N/A	N/A
Tall oil	Onion, dry	14.36	6	420.0	A
Tall oil	Orange	1.68	2	23.5	A
Tall oil	Peach	5.41	11	74.75	A
Tall oil	Pistachio	91.56	65	595.82	A
Tall oil	Plum	1.36	1	19.0	A
Tall oil	Rights of way	7.46	N/A	N/A	N/A
Tall oil	Tomato, processing	0.25	1	157.0	A
Tall oil	Triticale	6.15	3	179.0	A
Tall oil	Walnut	13.03	17	225.14	A
Tall oil fatty acids	Alfalfa	29.64	12	676.0	A
Tall oil fatty acids	Almond	803.66	136	5,376.05	A
Tall oil fatty acids	Apricot	99.38	4	35.2	A
Tall oil fatty acids	Barley (forage - fodder)	0.51	1	27.0	A
Tall oil fatty acids	Blueberry	1.25	2	61.0	A
Tall oil fatty acids	Cherry	114.65	7	100.0	A
Tall oil fatty acids	Citrus	0.27	1	38.0	A
Tall oil fatty acids	Corn (forage - fodder)	322.2	50	3,676.33	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tall oil fatty acids	Cotton	633.88	99	13,579.77	A
Tall oil fatty acids	Forage hay/silage	1.0	2	52.0	A
Tall oil fatty acids	Grape	22.68	20	554.21	A
Tall oil fatty acids	Grape, wine	2.64	3	31.0	A
Tall oil fatty acids	Nectarine	650.26	47	538.9	A
Tall oil fatty acids	Olive	138.67	9	1,108.5	A
Tall oil fatty acids	Onion, dry	1.46	1	115.0	A
Tall oil fatty acids	Peach	595.83	57	630.95	A
Tall oil fatty acids	Pistachio	4,606.27	463	21,732.34	A
Tall oil fatty acids	Plum	405.36	39	418.18	A
Tall oil fatty acids	Pomegranate	307.96	31	1,478.64	A
Tall oil fatty acids	Rights of way	2,670.88	36	15,203.0	A
Tall oil fatty acids	Rights of way	93.29	N/A	N/A	N/A
Tall oil fatty acids	Safflower	19.31	7	926.3	A
Tall oil fatty acids	Soil fumigation/preplant	441.11	36	3,841.51	A
Tall oil fatty acids	Tomato, processing	104.62	17	961.21	A
Tall oil fatty acids	Triticale	8.98	9	558.63	A
Tall oil fatty acids	Walnut	147.24	33	766.13	A
Tall oil fatty acids	Wheat	0.61	3	45.92	A
Tall oil fatty acids	Wheat (forage - fodder)	28.14	34	1,557.33	A
Tartrazine	Water area	1.51	N/A	22.0	A
Tebuconazole	Almond	347.05	57	2,476.7	A
Tebuconazole	Apricot	0.17	2	1.0	A
Tebuconazole	Cherry	16.89	6	100.92	A
Tebuconazole	Garlic	429.96	17	2,571.8	A
Tebuconazole	Grape	152.84	31	1,455.77	A
Tebuconazole	Grape, wine	168.89	28	1,620.77	A
Tebuconazole	Nectarine	9.62	2	57.0	A
Tebuconazole	Pistachio	858.75	45	4,900.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tebuconazole	Plum	11.69	7	74.92	A
Tebuconazole	Walnut	493.91	93	2,742.53	A
Tebuthiuron	Rights of way	0.06	N/A	N/A	N/A
Tembotrione	Corn (forage - fodder)	715.59	148	8,803.3	A
Temephos	Public health	8.11	N/A	N/A	N/A
Tetraconazole	Grape	66.9	26	1,637.98	A
Tetraconazole	Grape, wine	27.28	13	674.5	A
Tetramethrin	Structural pest control	<0.01	N/A	N/A	N/A
Tetrapotassium pyrophosphate	N-outdr transplants	0.11	13	32.0	A
Tetrapotassium pyrophosphate	Regulatory pest control	0.28	N/A	N/A	N/A
Tetrapotassium pyrophosphate	Structural pest control	0.32	N/A	N/A	N/A
Thiamethoxam	Apricot	2.05	4	23.84	A
Thiamethoxam	Citrus	2.24	1	26.0	A
Thiamethoxam	Cotton	759.73	72	12,430.7	A
Thiamethoxam	Grape	58.84	9	517.79	A
Thiamethoxam	Grape, wine	49.13	7	207.0	A
Thiamethoxam	Lettuce, head	7.08	5	187.6	A
Thiamethoxam	Orange	1.03	1	12.0	A
Thiamethoxam	Pepper, fruiting	5.0	2	160.0	A
Thiamethoxam	Plum	4.72	8	54.84	A
Thiamethoxam	Pumpkin	1.5	1	10.0	A
Thiamethoxam	Structural pest control	6.7	N/A	N/A	N/A
Thiamethoxam	Tomato, processing	320.75	35	5,079.7	A
Thidiazuron	Cotton	2,602.12	324	50,086.22	A
Thiencarbazone-methyl	Landscape maintenance	0.11	N/A	N/A	N/A
Thiophanate-methyl	Almond	404.49	24	705.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiophanate-methyl	Apricot	45.4	12	90.64	A
Thiophanate-methyl	Grape	505.09	14	721.56	A
Thiophanate-methyl	Nectarine	125.58	11	173.74	A
Thiophanate-methyl	Peach	239.24	28	448.55	A
Thiophanate-methyl	Plum	94.2	35	173.95	A
Thiram	Alfalfa	493.97	N/A	396.28	T
Thiram	Sudangrass	54.97	N/A	11.02	T
Thymol	Beehive	145.0	N/A	5,300.0	U
Thymol	Rights of way	50.0	N/A	N/A	N/A
Tolfenpyrad	Lemon	4.8	1	17.0	A
Tolfenpyrad	Orange	7.04	1	25.0	A
Triadimefon	Landscape maintenance	9.57	N/A	N/A	N/A
Tribenuron-methyl	Barley (forage - fodder)	1.05	2	67.0	A
Tribenuron-methyl	Forage hay/silage	0.41	1	26.0	A
Tribenuron-methyl	Oat (forage - fodder)	1.02	2	163.0	A
Tribenuron-methyl	Soil fumigation/preplant	0.47	1	35.0	A
Tribenuron-methyl	Triticale	28.26	27	1,882.66	A
Tribenuron-methyl	Wheat	38.45	29	2,421.62	A
Tribenuron-methyl	Wheat (forage - fodder)	113.61	137	7,483.71	A
Triclopyr choline	Landscape maintenance	1.67	N/A	N/A	N/A
Triclopyr choline	Rights of way	0.8	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Landscape maintenance	12.05	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Rights of way	5.21	N/A	N/A	N/A
Triclopyr, triethylamine salt	Landscape maintenance	10.59	N/A	N/A	N/A
Triclopyr, triethylamine salt	Rights of way	278.85	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Triethanolamine	Alfalfa	0.31	1	4.0	A
Triethanolamine	Almond	6.06	4	37.72	A
Triethanolamine	Corn (forage - fodder)	7.19	3	152.9	A
Triethanolamine	Cotton	601.1	73	18,748.01	A
Triethanolamine	Grape	9.42	4	121.28	A
Triethanolamine	N-outdr transplants	0.28	13	32.0	A
Triethanolamine	Pistachio	86.93	6	939.6	A
Triethanolamine	Regulatory pest control	0.72	N/A	N/A	N/A
Triethanolamine	Rights of way	890.11	48	22,690.0	A
Triethanolamine	Safflower	54.73	41	10,033.0	A
Triethanolamine	Soil fumigation/preplant	0.99	2	700.0	A
Triethanolamine	Structural pest control	0.83	N/A	N/A	N/A
Triethanolamine	Walnut	1.24	1	16.0	A
Triethanolamine oleate	Alfalfa	15.9	37	1,808.79	A
Triethanolamine oleate	Cherry	4.38	6	105.84	A
Triethanolamine oleate	Corn (forage - fodder)	4.35	8	347.6	A
Triethanolamine oleate	Cotton	9.83	4	749.0	A
Triethanolamine oleate	Grape	0.54	1	37.0	A
Triethanolamine oleate	Lettuce, head	3.31	10	200.0	A
Triethanolamine oleate	Pomegranate	0.42	2	10.0	A
Triethanolamine oleate	Rights of way	2.98	N/A	N/A	N/A
Triethanolamine oleate	Soil fumigation/preplant	37.43	19	2,986.52	A
Triethanolamine oleate	Sorghum (forage - fodder)	5.52	8	777.1	A
Triethanolamine oleate	Triticale	10.56	9	1,046.85	A
Triethanolamine oleate	Wheat	1.7	5	206.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triethanolamine oleate	Wheat (forage - fodder)	21.2	41	2,503.12	A
Trifloxystrobin	Almond	248.31	68	2,357.63	A
Trifloxystrobin	Apricot	14.47	14	142.45	A
Trifloxystrobin	Cherry	12.42	10	104.9	A
Trifloxystrobin	Citrus	3.72	1	38.0	A
Trifloxystrobin	Grape	573.37	23	1,033.46	A
Trifloxystrobin	Grape, wine	56.38	8	521.0	A
Trifloxystrobin	Landscape maintenance	1.91	N/A	N/A	N/A
Trifloxystrobin	Nectarine	31.3	18	311.68	A
Trifloxystrobin	Peach	42.47	26	411.95	A
Trifloxystrobin	Pistachio	121.89	35	1,370.53	A
Trifloxystrobin	Plum	20.34	27	196.44	A
Trifloxystrobin	Tomato, processing	97.73	6	876.0	A
Trifloxystrobin	Walnut	21.0	5	203.2	A
Trifloxysulfuron-sodium	Landscape maintenance	0.03	N/A	N/A	N/A
Triflumizole	Cherry	37.24	7	73.3	A
Triflumizole	Grape	67.79	2	285.0	A
Trifluralin	Alfalfa	1,557.65	19	779.64	A
Trifluralin	Almond	170.81	13	176.44	A
Trifluralin	Cotton	1,263.86	9	1,568.7	A
Trifluralin	Soil fumigation/preplant	972.62	9	1,115.25	A
Trifluralin	Tomato	65.2	2	87.45	A
Trifluralin	Tomato, processing	18,375.77	166	23,598.48	A
Ulocladium oudemansii (u3 strain)	Apricot	11.25	2	10.0	A
Ulocladium oudemansii (u3 strain)	Nectarine	38.81	7	34.5	A
Ulocladium oudemansii (u3 strain)	Peach	29.72	5	24.5	A
Ulocladium oudemansii (u3 strain)	Plum	18.23	3	13.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ulocladium oudemansii (u3 strain)	Pluot	24.5	2	16.5	A
Urea	Almond	21.15	1	54.8	A
Urea	Apricot	27.93	5	60.22	A
Urea	Pistachio	84.05	5	287.4	A
Urea	Plum	16.54	3	37.84	A
Urea dihydrogen sulfate	Alfalfa	5.68	21	1,523.79	A
Urea dihydrogen sulfate	Almond	456.93	115	3,696.4	A
Urea dihydrogen sulfate	Apricot	4.6	3	11.0	A
Urea dihydrogen sulfate	Blueberry	17.34	3	64.08	A
Urea dihydrogen sulfate	Cherry	1.88	2	22.8	A
Urea dihydrogen sulfate	Corn (forage - fodder)	9.0	43	2,152.22	A
Urea dihydrogen sulfate	Cotton	81,547.26	245	41,291.1	A
Urea dihydrogen sulfate	Ditch bank	0.06	2	32.0	A
Urea dihydrogen sulfate	Grape, wine	0.07	1	11.82	A
Urea dihydrogen sulfate	Nectarine	0.57	1	3.0	A
Urea dihydrogen sulfate	Onion, dry	0.84	1	161.5	A
Urea dihydrogen sulfate	Peach	95.0	32	226.71	A
Urea dihydrogen sulfate	Pistachio	1,290.0	174	5,816.67	A
Urea dihydrogen sulfate	Plum	24.94	9	62.79	A
Urea dihydrogen sulfate	Rights of way	35.68	24	8,243.0	A
Urea dihydrogen sulfate	Rights of way	8.95	N/A	N/A	N/A
Urea dihydrogen sulfate	Safflower	2.31	4	501.6	A
Urea dihydrogen sulfate	Soil fumigation/preplant	34.15	58	6,274.9	A
Urea dihydrogen sulfate	Tangerine	20.19	12	54.68	A
Urea dihydrogen sulfate	Walnut	189.3	64	953.98	A
Vegetable oil	Alfalfa	644.6	3	650.0	A
Vegetable oil	Almond	232.43	9	162.42	A
Vegetable oil	Apricot	177.38	15	81.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Vegetable oil	Corn (forage - fodder)	528.07	11	498.52	A
Vegetable oil	Cotton	206,880.07	486	117,076.16	A
Vegetable oil	Peach	187.7	16	120.01	A
Vegetable oil	Pistachio	330.3	7	150.64	A
Vegetable oil	Plum	299.36	17	118.38	A
Vegetable oil	Pomegranate	147.01	3	165.34	A
Vegetable oil	Rights of way	6,588.6	11	4,330.0	A
Vegetable oil	Safflower	149,731.78	341	88,794.0	A
Vegetable oil	Soil fumigation/preplant	2,899.74	19	3,901.0	A
Vegetable oil	Tomato, processing	1,096.52	13	836.6	A
Vegetable oil	Triticale	137.84	1	155.0	A
Vinyl ester polymer	Rights of way	0.03	N/A	N/A	N/A
Vinyl polymer	Alfalfa	2.04	4	278.0	A
Vinyl polymer	Corn (forage - fodder)	1.11	8	286.0	A
Vinyl polymer	Pistachio	15.2	22	2,057.27	A
Xanthan gum	Almond	0.06	3	200.76	A
Xanthan gum	Corn (forage - fodder)	0.01	4	98.0	A
Xanthan gum	Cotton	0.14	48	6,779.4	A
Xanthan gum	Grape	0.7	3	19.25	A
Xanthan gum	Pecan	<0.01	1	8.0	A
Xanthan gum	Pepper, fruiting	14.06	4	320.0	A
Xanthan gum	Tomato, processing	3.57	18	2,915.3	A
Xanthan gum	Walnut	<0.01	1	4.0	A
Yucca schidigera	Almond	354.16	4	243.0	A
Z-8-dodecenol	Apricot	0.37	27	354.9	A
Z-8-dodecenol	Nectarine	0.97	59	998.89	A
Z-8-dodecenol	Peach	1.06	92	1,257.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Z-8-dodecenol	Plum	1.35	114	1,209.53	A
Z-8-dodecenol	Pluot	0.02	2	16.5	A
Z-8-dodecenyl acetate	Apricot	33.25	27	354.9	A
Z-8-dodecenyl acetate	Nectarine	86.5	59	998.89	A
Z-8-dodecenyl acetate	Peach	93.79	92	1,257.2	A
Z-8-dodecenyl acetate	Plum	120.33	114	1,209.53	A
Z-8-dodecenyl acetate	Pluot	1.51	2	16.5	A
Zeta-cypermethrin	Alfalfa	6.33	4	263.0	A
Zeta-cypermethrin	Almond	7.38	7	296.0	A
Zeta-cypermethrin	Citrus	1.3	1	26.0	A
Zeta-cypermethrin	Cotton	34.36	12	1,414.6	A
Zeta-cypermethrin	Lettuce, head	2.37	3	102.0	A
Zeta-cypermethrin	N-outdr transplants	0.09	2	4.0	A
Zeta-cypermethrin	Onion, dry	19.11	3	384.4	A
Zeta-cypermethrin	Orange	0.59	1	12.0	A
Zeta-cypermethrin	Pepper, fruiting	1.99	1	80.0	A
Zeta-cypermethrin	Pistachio	75.99	35	3,093.91	A
Zeta-cypermethrin	Safflower	1,568.16	241	62,901.2	A
Zeta-cypermethrin	Structural pest control	0.01	N/A	N/A	N/A
Zeta-cypermethrin	Tomato, processing	16.68	5	691.2	A
Zinc phosphide	Almond	243.19	9	1,215.96	A
Zinc phosphide	Landscape maintenance	<0.01	N/A	N/A	N/A
Zinc phosphide	Pistachio	1.0	1	7.0	A
Zinc phosphide	Structural pest control	<0.01	N/A	N/A	N/A
Zinc sulfate	Alfalfa	11.32	23	924.84	A
Zinc sulfate	Corn (forage - fodder)	31.35	20	1,271.08	A
Zinc sulfate	Cotton	261.88	40	8,104.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Zinc sulfate	Rights of way	0.37	N/A	N/A	N/A
Zinc sulfate	Tomato, processing	3.86	3	210.0	A
Ziram	Almond	4,262.67	46	1,193.05	A
Ziram	Apricot	2,477.33	30	470.08	A
Ziram	Cherry	152.0	2	58.0	A
Ziram	Grape	379.39	7	166.4	A
Ziram	Nectarine	4,568.04	41	763.84	A
Ziram	Peach	12,952.19	131	2,407.83	A
Ziram	Plum	364.8	4	60.0	A