

# 2022 Annual Statewide Pesticide Use Report Indexed by Chemical Santa Clara County

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(s)-kinoprene	N-grnhs flower	5.55	21	715,688.0	S
(s)-kinoprene	Research commodity	0.06	6	0.6	A
1,3-dichloro-5,5-dimethylhydantoin	Water (industrial)	1,154.82	N/A	37.0	U
1,3-dichloro-5-ethyl-5-methylhydantoin	Water (industrial)	635.35	N/A	37.0	U
1,3-dichloropropene	Pepper, fruiting	17,414.4	14	188.63	A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Water (industrial)	2,741.79	N/A	40.0	U
2,2-dibromo-3-nitrilopropionamide	Industrial processing water	148.35	N/A	5.0	U
2,2-dibromo-3-nitrilopropionamide	Water (industrial)	14,391.24	N/A	30.0	U
2,4-d	Forage hay/silage	5.85	4	53.9	A
2,4-d	Landscape maintenance	13.18	N/A	N/A	N/A
2,4-d	Oat (forage - fodder)	1.78	1	16.4	A
2,4-d	Wheat	1.52	3	14.0	A
2,4-d, 2-ethylhexyl ester	Golf course turf	62.12	N/A	159.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2,4-d, 2-ethylhexyl ester	Golf course turf	0.07	N/A	6,000.0	S
2,4-d, 2-ethylhexyl ester	Landscape maintenance	238.08	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	N-outdr plants in containers	2.69	5	15.0	A
2,4-d, 2-ethylhexyl ester	Sod farm (turf)	0.3	N/A	12.0	A
2,4-d, 2-ethylhexyl ester	Turf/sod	1.91	N/A	38.0	A
2,4-d, butoxyethanol ester	Landscape maintenance	12.22	N/A	N/A	N/A
2,4-d, dimethylamine salt	Forage hay/silage	509.31	9	322.0	A
2,4-d, dimethylamine salt	Landscape maintenance	4.39	N/A	N/A	N/A
2,4-d, dimethylamine salt	N-outdr plants in containers	0.42	1	3.0	A
2,4-d, dimethylamine salt	Oat	87.21	6	130.0	A
2,4-d, dimethylamine salt	Oat (forage - fodder)	1.09	2	27.0	A
2,4-d, dimethylamine salt	Pasture (forage - fodder)	22.61	1	40.0	A
2,4-d, dimethylamine salt	Uncultivated ag	0.55	1	17.0	A
2,4-d, dimethylamine salt	Wheat (forage - fodder)	2.18	4	106.0	A
2,4-d, isooctyl ester	Landscape maintenance	198.32	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	Golf course turf	19.0	N/A	91.0	A
2,4-dp-p, isooctyl ester	Landscape maintenance	41.69	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	Sod farm (turf)	0.17	N/A	12.0	A
2,4-dp-p, isooctyl ester	Turf/sod	1.1	N/A	38.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Grape, wine	183.7	76	1,405.48	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate</b>	Sunflower	11.68	7	79.56	A
<b>2-butoxyethanol</b>	Rights of way	290.36	N/A	N/A	N/A
<b>2-methyl-1-butanol</b>	Structural pest control	0.06	N/A	N/A	N/A
<b>2-methyl-4-isothiazolin-3-one</b>	Industrial processing water	3.01	N/A	320,832.0	C
<b>2-methyl-4-isothiazolin-3-one</b>	Water (industrial)	334.88	N/A	2,915.0	U
<b>4-aminopyridine</b>	Structural pest control	0.76	N/A	N/A	N/A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Apricot	0.9	2	70.0	A
<b>4-vinylcyclohexenediepoide</b>	Structural pest control	0.08	N/A	N/A	N/A
<b>5,5-dimethylhydantoin</b>	Water (industrial)	6,457.43	N/A	5.0	U
<b>5-chloro-2-methyl-4-isothiazolin-3-one</b>	Industrial processing water	8.41	N/A	320,832.0	C
<b>5-chloro-2-methyl-4-isothiazolin-3-one</b>	Water (industrial)	954.09	N/A	2,915.0	U
<b>Abamectin</b>	Apple	1.68	1	80.0	A
<b>Abamectin</b>	Bean, succulent	2.09	8	105.1	A
<b>Abamectin</b>	Bean, unspecified	3.58	8	211.0	A
<b>Abamectin</b>	Celery	5.89	40	317.4	A
<b>Abamectin</b>	Cherry	0.32	1	25.0	A
<b>Abamectin</b>	Chinese amaranth (chinese spinach, tampala, yin choy)	0.06	3	1.0	A
<b>Abamectin</b>	Corn, human consumption	6.42	38	371.8	A
<b>Abamectin</b>	Cucumber	0.35	1	27.0	A
<b>Abamectin</b>	Landscape maintenance	0.38	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin	Lettuce, head	0.86	5	46.5	A
Abamectin	Lettuce, leaf	10.66	101	661.7	A
Abamectin	N-grnhs flower	0.03	7	3.5	A
Abamectin	N-grnhs flower	0.15	37	690,444.0	S
Abamectin	N-grnhs plants in containers	0.27	19	16.75	A
Abamectin	N-grnhs transplants	0.97	37	1,500.0	A
Abamectin	N-outdr flower	0.04	4	3.75	A
Abamectin	N-outdr plants in containers	0.1	6	4.75	A
Abamectin	Pepper, fruiting	37.6	75	1,993.89	A
Abamectin	Pumpkin	4.29	31	385.9	A
Abamectin	Regulatory pest control	<0.01	N/A	N/A	N/A
Abamectin	Research commodity	<0.01	1	0.25	A
Abamectin	Safflower	0.01	2	6,000.0	S
Abamectin	Spinach	3.04	35	228.0	A
Abamectin	Squash	0.14	2	12.0	A
Abamectin	Structural pest control	4.05	N/A	N/A	N/A
Abamectin	Tomato	27.99	44	1,370.0	A
Abamectin	Tomato, processing	4.16	7	224.5	A
Abamectin	Walnut	2.42	1	90.0	A
Abamectin	Yam	0.06	3	1.0	A
Abamectin, other related	Landscape maintenance	<0.01	N/A	N/A	N/A
Abamectin, other related	Structural pest control	0.01	N/A	N/A	N/A
Acephate	Bean, succulent	32.98	2	34.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Acephate</b>	Celery	12.6	4	14.0	A
<b>Acephate</b>	Landscape maintenance	27.94	N/A	N/A	N/A
<b>Acephate</b>	Lettuce, head	22.5	2	25.0	A
<b>Acephate</b>	N-grnhs flower	1.5	1	2.0	A
<b>Acephate</b>	N-grnhs plants in containers	21.83	34	14.78	A
<b>Acephate</b>	N-grnhs transplants	1.22	4	240.0	A
<b>Acephate</b>	N-outdr flower	61.24	75	125.5	A
<b>Acephate</b>	N-outdr plants in containers	53.35	7	37.25	A
<b>Acephate</b>	Pepper, fruiting	138.11	6	218.0	A
<b>Acephate</b>	Safflower	1.31	2	6,800.0	S
<b>Acephate</b>	Structural pest control	217.5	N/A	N/A	N/A
<b>Acephate</b>	Sunflower	0.75	1	2,400.0	S
<b>Acequinocyl</b>	N-grnhs flower	1.36	20	306,624.0	S
<b>Acetamiprid</b>	Apple	0.23	1	3.0	A
<b>Acetamiprid</b>	Bean, unspecified	11.34	6	163.0	A
<b>Acetamiprid</b>	Broccoli	6.89	6	91.9	A
<b>Acetamiprid</b>	Celery	0.8	2	14.5	A
<b>Acetamiprid</b>	Corn, human consumption	2.88	8	47.4	A
<b>Acetamiprid</b>	Landscape maintenance	0.08	N/A	N/A	N/A
<b>Acetamiprid</b>	Lettuce, head	1.52	2	20.4	A
<b>Acetamiprid</b>	Lettuce, leaf	0.92	1	14.0	A
<b>Acetamiprid</b>	Mustard greens	1.67	12	25.3	A
<b>Acetamiprid</b>	N-grnhs flower	<0.01	1	300.0	S
<b>Acetamiprid</b>	N-outdr flower	0.39	6	9.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Acetamiprid	N-outdr plants in containers	0.2	20	141,500.0	S
Acetamiprid	Onion, dry	3.32	2	22.3	A
Acetamiprid	Pear	0.08	1	1.0	A
Acetamiprid	Pepper, fruiting	32.61	25	516.54	A
Acetamiprid	Pumpkin	16.71	15	190.8	A
Acetamiprid	Rights of way	30.03	N/A	N/A	N/A
Acetamiprid	Squash	0.53	1	6.0	A
Acetamiprid	Structural pest control	5.2	N/A	N/A	N/A
Acetamiprid	Tomato	65.14	38	1,069.5	A
Acetamiprid	Tomato, processing	4.84	3	65.0	A
Acetic acid	Structural pest control	0.14	N/A	N/A	N/A
Acibenzolar-s-methyl	Golf course turf	0.12	N/A	10.0	A
Acibenzolar-s-methyl	Landscape maintenance	2.27	N/A	N/A	N/A
Acibenzolar-s-methyl	Lettuce, leaf	0.33	2	14.2	A
Acibenzolar-s-methyl	N-grnhs plants in containers	0.25	35	9.94	A
Acibenzolar-s-methyl	Spinach	7.15	47	302.5	A
Acid blue 9, diammonium salt	Regulatory pest control	24.39	N/A	N/A	N/A
Acrylic acid	Corn, human consumption	20.85	45	512.0	A
Afidopyropen	Broccoli	1.11	1	34.05	A
Afidopyropen	Celery	1.35	13	119.2	A
Afidopyropen	Chinese cabbage (napa, wong bok, celery cabbage)	3.43	40	307.89	A
Afidopyropen	Lettuce, head	0.4	5	41.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Afidopyropen</b>	Lettuce, leaf	0.82	13	84.75	A
<b>Afidopyropen</b>	N-grnhs flower	0.1	1	68,000.0	S
<b>Afidopyropen</b>	Pepper, fruiting	10.67	17	485.19	A
<b>Afidopyropen</b>	Pumpkin	0.72	1	37.0	A
<b>Alcohols, c12-c14, aliphatic</b>	Rights of way	112.92	N/A	N/A	N/A
<b>Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride</b>	Structural pest control	0.77	N/A	N/A	N/A
<b>Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride</b>	N-grnhs flower	7.06	3	4.0	A
<b>Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride</b>	N-grnhs plants in containers	0.12	1	0.12	A
<b>Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride</b>	Structural pest control	0.13	N/A	N/A	N/A
<b>Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride</b>	Water (industrial)	2,027.84	N/A	2.0	U
<b>Alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride</b>	N-grnhs flower	7.06	3	4.0	A
<b>Alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride</b>	N-grnhs plants in containers	0.12	1	0.12	A
<b>Alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride</b>	Structural pest control	0.13	N/A	N/A	N/A
<b>Alkyl (c8,c10) polyglucoside</b>	Cherry	1.98	1	8.82	A
<b>Alkyl (c8,c10) polyglucoside</b>	Landscape maintenance	41.14	N/A	N/A	N/A
<b>Alkyl (c8,c10) polyglucoside</b>	N-outdr plants in containers	3.04	30	110.0	A
<b>Alkyl (c8,c10) polyglucoside</b>	Rights of way	206.12	N/A	N/A	N/A
<b>Alkyl (c8,c10) polyglucoside</b>	Structural pest control	1.11	N/A	N/A	N/A
<b>Alkyl (c9-c11) oligomeric d-glucoopyranoside</b>	Rights of way	322.63	N/A	N/A	N/A
<b>Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)</b>	Bean, dried	0.33	3	17.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	0.18	1	5.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	0.09	1	6.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	0.34	4	35.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	6.36	256	228.83	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, dry	0.85	2	22.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	0.2	1	27.85	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	1.39	N/A	N/A	N/A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato	0.2	4	65.4	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Apple	80.73	3	119.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Apricot	11.6	22	39.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, dried	0.74	3	14.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, succulent	9.77	10	150.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, unspecified	0.86	3	12.16	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	2.83	1	27.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	4.88	23	74.4	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	1.92	2	28.8	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	2.81	22	48.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cherry	8,982.0	184	2,777.75	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	112.94	182	1,925.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cucumber	0.14	1	5.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Garlic	0.8	1	60.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	153.16	62	1,155.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	563.86	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, head	42.19	38	430.19	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	38.02	39	317.09	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.35	1	0.25	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Nectarine	6.74	27	39.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat	2.2	2	24.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Peach	13.39	29	52.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Peas	1.03	5	21.4	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	163.25	84	2,266.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Plum	3.94	10	19.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	218.36	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash	0.25	2	7.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Structural pest control	11.02	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sunflower	8.85	4	72.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato	178.57	90	2,338.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato, processing	0.81	1	20.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	16.39	37	258.11	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	7.71	2	8.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Water area	0.08	N/A	20.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Watermelon	0.64	1	18.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Landscape maintenance	0.02	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Nectarine	0.9	4	6.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Rights of way	0.38	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Structural pest control	0.13	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cherry	55.67	13	494.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Corn, human consumption	172.0	50	636.9	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Oat (forage - fodder)	20.68	17	242.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Pepper, fruiting	17.37	8	302.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Sunflower	10.94	1	32.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Tomato	54.96	9	316.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Tomato, processing	4.1	1	20.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Uncultivated ag	31.21	27	112.31	A
<b>Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate</b>	Bean, succulent	2.73	1	17.0	A
<b>Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate</b>	Chinese cabbage (napa, wong bok, celery cabbage)	378.63	164	1,271.37	A
<b>Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate</b>	Pumpkin	6.29	4	22.5	A
<b>Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate</b>	Sunflower	4.02	4	16.0	A
<b>Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)</b>	Bean, unspecified	12.79	4	118.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	3.52	2	24.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Broccoli	39.82	27	289.8	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cabbage	17.71	19	119.7	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Celery	123.63	112	871.4	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cherry	266.45	27	1,002.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Corn, human consumption	391.47	137	2,545.75	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cucumber	22.99	6	133.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grape, wine	0.11	2	8.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Lettuce, head	42.14	25	202.4	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	222.42	199	1,452.62	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr flower	0.42	1	3.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.15	24	117,300.0	S
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Onion, dry	12.89	7	81.3	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	527.08	179	4,150.81	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pumpkin	11.5	5	118.5	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Squash	1.44	1	9.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Sunflower	2.6	3	32.4	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Tomato	432.5	119	3,436.15	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Tomato, processing	125.98	40	939.6	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Walnut	11.6	1	90.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Watermelon	0.93	1	8.55	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	3.33	N/A	N/A	N/A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Rights of way	24.89	N/A	N/A	N/A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Apple	35.25	2	170.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bean, succulent	1.51	14	55.25	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bean, unspecified	0.58	6	20.9	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Broccoli	14.38	32	299.2	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Carrot	2.32	4	57.6	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Garlic	9.54	11	169.2	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grape, wine	3.5	1	21.3	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	16.57	N/A	N/A	N/A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, head	34.52	95	990.08	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	90.82	284	2,589.24	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Onion, dry	0.93	2	23.8	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pumpkin	9.02	13	153.3	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Rights of way	0.02	N/A	N/A	N/A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Sunflower	3.74	4	39.86	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Tomato, processing	10.58	8	179.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Watermelon	0.33	1	8.55	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Celery	0.56	1	4.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cherry	101.36	11	450.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cucumber	3.81	1	27.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	18.08	5	45.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	7.04	N/A	N/A	N/A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Sunflower	6.76	1	32.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Walnut	18.3	2	130.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Apple	13.85	2	100.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Bean, succulent	0.74	4	6.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Bean, unspecified	8.33	18	73.95	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Broccoli	3.27	9	28.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cabbage	0.07	1	0.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cauliflower	1.2	2	11.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Celery	1.19	5	10.3	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cherry	1.73	1	25.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cilantro	0.71	3	2.2	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Grape	2.42	7	62.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Kale	0.18	2	2.12	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	11.18	N/A	N/A	N/A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Onion, dry	0.44	2	2.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	0.32	1	1.5	A
Alpha-cypermethrin	Structural pest control	124.82	N/A	N/A	N/A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Cherry	60.09	16	627.0	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Tomato	10.18	3	140.0	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Uncultivated ag	5.17	13	44.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Landscape maintenance	0.05	N/A	N/A	N/A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Nectarine	3.15	4	6.5	A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Cherry	2,322.63	5	134.0	A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	1.78	3	120.0	A
Alpha-pinene beta-pinene copolymer	Broccoli	3.38	1	5.0	A
Alpha-pinene beta-pinene copolymer	Landscape maintenance	0.02	N/A	N/A	N/A
Alpha-pinene beta-pinene copolymer	Lettuce, leaf	6.34	4	35.0	A
Alpha-pinene beta-pinene copolymer	N-grnhs plants in containers	119.33	256	228.83	A
Alpha-pinene beta-pinene copolymer	Tomato	3.81	4	65.4	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Apricot	1.28	15	21.6	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Cherry	32.75	32	721.5	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grape, wine	0.23	1	13.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Nectarine	0.42	6	9.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Peach	0.5	8	13.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Plum	0.83	6	11.5	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tomato	4.82	3	140.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Uncultivated ag	2.95	15	91.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Apple	34.37	2	170.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bean, dried	4.11	5	23.1	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bean, succulent	1.55	14	55.25	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bean, unspecified	0.59	6	20.9	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Broccoli	68.18	61	564.4	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cabbage	55.48	34	270.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Carrot	2.38	4	57.6	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Celery	1.24	2	6.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cherry	37.64	12	410.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Corn, human consumption	62.21	35	796.8	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Garbanzo bean	21.95	14	101.2	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Garlic	12.35	13	187.2	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	3.59	1	21.3	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	21.95	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, head	55.27	107	1,111.93	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	122.85	300	2,777.99	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr flower	23.27	177	269.29	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	3.73	21	29.25	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Oat	2.2	2	24.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Parsley	4.27	11	45.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pumpkin	29.81	15	156.1	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	15.93	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Squash	2.48	2	12.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tomato	49.52	18	472.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	23.58	N/A	103.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Walnut	11.45	1	90.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Grape, wine	0.38	14	19.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.37	N/A	N/A	N/A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	0.59	1	14.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Rights of way	0.81	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)</b>	Structural pest control	9.34	N/A	N/A	N/A
<b>Aluminum phosphide</b>	Apricot	0.12	4	4.8	A
<b>Aluminum phosphide</b>	Cherry	0.93	4	48.0	A
<b>Aluminum phosphide</b>	Grape, wine	0.2	N/A	1.0	A
<b>Aluminum phosphide</b>	Landscape maintenance	154.6	N/A	N/A	N/A
<b>Aluminum phosphide</b>	Pastureland	0.79	1	4.0	A
<b>Aluminum phosphide</b>	Vertebrate control	0.42	N/A	N/A	N/A
<b>Ametoctradin</b>	Lettuce, head	32.66	11	119.84	A
<b>Ametoctradin</b>	Lettuce, leaf	123.21	53	454.52	A
<b>Ametoctradin</b>	Mustard greens	4.81	7	17.6	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Cucumber	20.6	18	171.4	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Plum	0.33	2	3.0	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Uncultivated ag	4.12	2	30.0	A
<b>Aminocyclopyrachlor, potassium salt</b>	Rights of way	96.95	N/A	N/A	N/A
<b>Aminocyclopyrachlor, potassium salt</b>	Uncultivated non-ag	10.23	N/A	64.9	A
<b>Aminopyralid, triisopropanolamine salt</b>	Landscape maintenance	10.38	N/A	N/A	N/A
<b>Aminopyralid, triisopropanolamine salt</b>	Pastureland	0.87	2	7.5	A
<b>Aminopyralid, triisopropanolamine salt</b>	Rights of way	504.16	N/A	N/A	N/A
<b>Ammonium nitrate</b>	Landscape maintenance	7.56	N/A	N/A	N/A
<b>Ammonium nitrate</b>	Rights of way	9.86	N/A	N/A	N/A
<b>Ammonium nitrate</b>	Structural pest control	2.02	N/A	N/A	N/A
<b>Ammonium nitrate</b>	Sunflower	0.48	4	39.86	A
<b>Ammonium nonanoate</b>	Celery	17.23	3	3.5	A
<b>Ammonium nonanoate</b>	Cilantro	2.5	1	0.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Ammonium nonanoate	Kale	11.52	2	2.12	A
Ammonium propionate	Broccoli	7.46	25	224.5	A
Ammonium propionate	Cabbage	9.14	33	267.5	A
Ammonium propionate	Cherry	49.96	10	254.0	A
Ammonium propionate	Corn, human consumption	376.68	5	124.9	A
Ammonium propionate	Oat (forage - fodder)	28.52	17	242.0	A
Ammonium propionate	Pepper, fruiting	69.49	8	302.0	A
Ammonium propionate	Sunflower	15.08	1	32.0	A
Ammonium propionate	Tomato	219.83	9	316.0	A
Ammonium propionate	Tomato, processing	5.66	1	20.0	A
Ammonium propionate	Uncultivated ag	40.2	23	104.31	A
Ammonium sulfate	Bean, unspecified	4.71	2	48.0	A
Ammonium sulfate	Cherry	28.15	11	262.82	A
Ammonium sulfate	Corn, human consumption	101.28	8	153.9	A
Ammonium sulfate	Grape	33.38	8	75.0	A
Ammonium sulfate	Landscape maintenance	21.96	N/A	N/A	N/A
Ammonium sulfate	Oat (forage - fodder)	7.13	17	242.0	A
Ammonium sulfate	Pepper, fruiting	17.37	8	302.0	A
Ammonium sulfate	Rights of way	291.08	N/A	N/A	N/A
Ammonium sulfate	Structural pest control	2.02	N/A	N/A	N/A
Ammonium sulfate	Sunflower	15.7	5	71.86	A
Ammonium sulfate	Tomato	54.96	9	316.0	A
Ammonium sulfate	Tomato, processing	1.41	1	20.0	A
Ammonium sulfate	Uncultivated ag	10.05	23	104.31	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Walnut	125.69	2	130.0	A
Amyl acetate	Broccoli	2.98	25	224.5	A
Amyl acetate	Cabbage	3.66	33	267.5	A
Ancymidol	N-grnhs plants in containers	<0.01	1	0.12	A
Ancymidol	N-grnhs transplants	<0.01	3	180.0	A
Aromatic 200	Apricot	2.83	7	10.2	A
Aromatic 200	Cherry	9.18	7	41.25	A
Aromatic 200	Nectarine	0.88	3	4.5	A
Aromatic 200	Peach	1.07	4	6.5	A
Aromatic 200	Plum	1.75	3	5.75	A
Azadirachtin	Basil, sweet	0.01	7	7,704.0	S
Azadirachtin	Broccoli	0.42	1	10.0	A
Azadirachtin	Cannabis (all or unspecified)	0.9	73	59,243.0	S
Azadirachtin	Chinese cabbage (napa, wong bok, celery cabbage)	0.54	3	19.2	A
Azadirachtin	Kale	0.13	5	3.75	A
Azadirachtin	Landscape maintenance	2.22	N/A	N/A	N/A
Azadirachtin	Lettuce, leaf	2.18	6	52.9	A
Azadirachtin	Mushroom	8.01	88	41.03	A
Azadirachtin	N-grnhs flower	0.2	14	124,690.0	S
Azadirachtin	N-grnhs plants in containers	3.05	173	80.83	A
Azadirachtin	N-grnhs plants in containers	0.02	8	19,242.1	S
Azadirachtin	N-grnhs transplants	0.06	3	180.0	A
Azadirachtin	N-outdr flower	0.04	5	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	Peas	0.07	4	8.0	A
Azadirachtin	Pepper, fruiting	0.49	1	10.0	A
Azadirachtin	Strawberry	1.12	14	26.5	A
Azadirachtin	Uncultivated non-ag	0.01	N/A	850.0	S
Azoxystrobin	Bean, succulent	9.86	13	50.75	A
Azoxystrobin	Bean, unspecified	5.8	9	33.06	A
Azoxystrobin	Broccoli	4.22	2	26.0	A
Azoxystrobin	Cucumber	10.95	2	60.0	A
Azoxystrobin	Garlic	16.64	6	87.6	A
Azoxystrobin	Golf course turf	14.73	N/A	30.0	A
Azoxystrobin	Golf course turf	0.19	N/A	23,000.0	S
Azoxystrobin	Grape, wine	5.91	3	25.3	A
Azoxystrobin	Kale	0.05	1	6,000.0	S
Azoxystrobin	Landscape maintenance	199.17	N/A	N/A	N/A
Azoxystrobin	N-grnhs flower	4.07	19	26.61	A
Azoxystrobin	N-grnhs flower	3.48	44	707,504.0	S
Azoxystrobin	N-grnhs plants in containers	9.22	25	8.43	A
Azoxystrobin	N-grnhs transplants	11.36	32	1,800.0	A
Azoxystrobin	N-outdr flower	2.04	10	16.75	A
Azoxystrobin	Pepper, fruiting	180.41	38	1,218.27	A
Azoxystrobin	Research commodity	0.03	4	0.4	A
Azoxystrobin	Research commodity	<0.01	1	10.0	S
Azoxystrobin	Tomato	164.92	50	1,425.5	A
Azoxystrobin	Tomato, processing	3.72	2	35.7	A
Bacillus amyloliquefaciens strain d747	Apple	13.22	N/A	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>Bacillus amyloliquefaciens strain d747</b>	Grape, wine	377.3	17	110.97	A
<b>Bacillus amyloliquefaciens strain d747</b>	Landscape maintenance	85.73	N/A	N/A	N/A
<b>Bacillus amyloliquefaciens strain d747</b>	N-grnhs transplants	148.19	10	540.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Pepper, fruiting	140.78	5	53.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Pepper, fruiting	7.21	10	141.5	A
<b>Bacillus pumilus, strain qst 2808</b>	Grape, wine	20.83	15	174.98	A
<b>Bacillus pumilus, strain qst 2808</b>	Lettuce, head	1.22	2	20.4	A
<b>Bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Public health	28.28	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner)</b>	Apple	0.32	N/A	4.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Broccoli	18.75	5	32.5	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Lettuce, leaf	18.45	3	27.7	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Mustard greens	2.28	3	3.7	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Pepper, fruiting	2.09	2	55.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Spinach	9.76	2	13.0	A
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Landscape maintenance	0.01	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Public health	15.98	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Structural pest control	0.12	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Broccoli	83.77	14	65.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cauliflower	26.78	3	21.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Corn, human consumption	132.99	15	104.3	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Garbanzo bean	5.1	1	6.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Landscape maintenance	0.04	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Lettuce, leaf	7.82	1	9.2	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Pepper, fruiting	134.3	9	115.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Chinese cabbage (napa, wong bok, celery cabbage)	103.35	60	454.81	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Sunflower	2.78	4	16.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Broccoli	184.73	36	292.4	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cabbage	4.64	4	4.3	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cauliflower	31.32	7	38.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Celery	29.48	5	27.3	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Kale	6.89	10	7.5	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Lettuce, leaf	31.36	6	45.87	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Mustard greens	19.28	14	23.8	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-grnhs plants in containers	24.44	89	58.23	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Research commodity	0.27	1	0.2	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Spinach	2.81	1	5.2	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs plants in containers	4.0	35	2,532.0	S
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Public health	60.46	N/A	N/A	N/A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Apricot	3.41	7	13.05	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Bok choy (choy sum, pak choi)	3.24	12	11.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Bok choy (choy sum, pak choi)	0.27	1	32,000.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Broccoli	28.62	7	29.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cabbage	2.7	3	5.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cauliflower	18.09	6	18.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chinese amaranth (chinese spinach, tampala, yin choy)	0.07	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chinese cabbage (napa, wong bok, celery cabbage)	61.6	9	68.9	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chrysanthemum, garland	0.07	1	1.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Gai choy	1.62	3	1.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Herb, spice	0.14	1	4,000.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Landscape maintenance	7.96	N/A	N/A	N/A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs plants in containers	35.24	134	84.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs transplants	1.67	2	120.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr flower	6.62	4	8.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Nectarine	1.28	3	4.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Peach	1.62	3	6.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Plum	0.68	1	2.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Research commodity	0.27	1	0.2	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Strawberry	8.37	9	15.5	A
<b>Bacillus velezensis</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>Bacteriophages active against xylella fastidiosa</b>	Grape, wine	<0.01	2	12.95	A
<b>Beauveria bassiana strain ant-03</b>	Basil, sweet	0.14	3	4,536.0	S
<b>Beauveria bassiana strain gha</b>	Basil, sweet	0.01	4	6,696.0	S
<b>Beauveria bassiana strain gha</b>	Cannabis (all or unspecified)	1.1	11	36,931.0	S
<b>Beauveria bassiana strain gha</b>	Structural pest control	2.52	N/A	N/A	N/A
<b>Beauveria bassiana strain gha</b>	Sunflower	6.96	2	15.9	A
<b>Bensulide</b>	Bok choy (choy sum, pak choy)	63.45	11	26.0	A
<b>Bensulide</b>	Broccoli	297.7	21	204.14	A
<b>Bensulide</b>	Cabbage	43.31	6	34.0	A
<b>Bensulide</b>	Cauliflower	67.42	10	28.0	A
<b>Bensulide</b>	Gai choy	69.53	3	25.0	A
<b>Bensulide</b>	Landscape maintenance	210.48	N/A	N/A	N/A
<b>Bensulide</b>	Lettuce, head	907.95	38	301.37	A
<b>Bensulide</b>	Lettuce, leaf	2,896.13	136	871.37	A
<b>Bensulide</b>	Mustard greens	259.65	33	59.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bensulide</b>	Regulatory pest control	162.6	9	65.0	A
<b>Bensulide</b>	Structural pest control	11.9	1	3.0	A
<b>Bentazon, sodium salt</b>	Mint	1.59	2	3.0	A
<b>Bentazon, sodium salt</b>	Peas	24.57	2	20.0	A
<b>Bentazon, sodium salt</b>	Structural pest control	8.15	1	6.0	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Rights of way	0.77	N/A	N/A	N/A
<b>Benzoic acid</b>	Broccoli	0.13	7	131.0	A
<b>Benzoic acid</b>	Rights of way	5.22	N/A	N/A	N/A
<b>Benzoic acid</b>	Sunflower	0.75	4	39.86	A
<b>Benzovindiflupyr</b>	Landscape maintenance	11.14	N/A	N/A	N/A
<b>Benzovindiflupyr</b>	N-grnhs flower	0.49	14	192,760.0	S
<b>Benzovindiflupyr</b>	N-grnhs transplants	0.02	1	60.0	A
<b>Benzovindiflupyr</b>	N-outdr flower	0.04	1	1.0	A
<b>Benzovindiflupyr</b>	Pepper, fruiting	0.71	1	10.0	A
<b>Beta-conglutin</b>	Grape, wine	59.51	24	93.97	A
<b>Beta-cyfluthrin</b>	Bok choy (choy sum, pak choi)	1.43	3	60.0	A
<b>Beta-cyfluthrin</b>	Citrus	0.04	8	8.0	A
<b>Beta-cyfluthrin</b>	Gai choy	0.59	2	37.0	A
<b>Beta-cyfluthrin</b>	Landscape maintenance	8.38	N/A	N/A	N/A
<b>Beta-cyfluthrin</b>	Public health	0.06	N/A	N/A	N/A
<b>Beta-cyfluthrin</b>	Regulatory pest control	0.16	N/A	N/A	N/A
<b>Beta-cyfluthrin</b>	Structural pest control	170.03	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Beta-cyfluthrin	Tomato	6.0	8	185.0	A
Beta-cyfluthrin	Tomato, processing	3.25	3	100.0	A
Bifenazate	Apple	9.99	1	20.0	A
Bifenazate	Landscape maintenance	0.98	N/A	N/A	N/A
Bifenazate	N-grnhs flower	4.46	56	931,732.0	S
Bifenazate	N-grnhs transplants	1.5	14	540.0	A
Bifenazate	N-outdr flower	3.25	28	32.0	A
Bifenazate	Walnut	68.14	1	90.0	A
Bifenthrin	Bean, dried	1.25	2	13.4	A
Bifenthrin	Bean, succulent	25.07	20	266.95	A
Bifenthrin	Bean, unspecified	18.66	11	198.2	A
Bifenthrin	Bok choy (choy sum, pak choi)	0.17	1	12.0	A
Bifenthrin	Broccoli	22.51	19	226.5	A
Bifenthrin	Cauliflower	0.09	3	1.24	A
Bifenthrin	Celery	18.08	24	182.2	A
Bifenthrin	Corn, human consumption	228.25	107	2,400.8	A
Bifenthrin	Cucumber	7.43	3	75.0	A
Bifenthrin	Landscape maintenance	58.99	N/A	N/A	N/A
Bifenthrin	Lettuce, head	0.93	1	10.0	A
Bifenthrin	Lettuce, leaf	2.18	2	21.9	A
Bifenthrin	N-grnhs flower	0.04	1	0.4	A
Bifenthrin	N-grnhs plants in containers	1.69	43	17.32	A
Bifenthrin	N-grnhs transplants	9.74	49	2,400.0	A
Bifenthrin	N-outdr flower	2.31	16	27.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bifenthrin</b>	N-outdr plants in containers	0.52	2	2.0	A
<b>Bifenthrin</b>	Peas	2.01	1	21.0	A
<b>Bifenthrin</b>	Pepper, fruiting	55.91	45	1,344.62	A
<b>Bifenthrin</b>	Pumpkin	27.19	29	291.4	A
<b>Bifenthrin</b>	Regulatory pest control	0.22	N/A	N/A	N/A
<b>Bifenthrin</b>	Research commodity	0.02	1	0.25	A
<b>Bifenthrin</b>	Squash	1.11	2	12.0	A
<b>Bifenthrin</b>	Structural pest control	361.81	N/A	N/A	N/A
<b>Bifenthrin</b>	Swiss chard	1.39	1	15.0	A
<b>Bifenthrin</b>	Tomato	29.61	24	388.0	A
<b>Bifenthrin</b>	Tomato, processing	11.77	4	125.0	A
<b>Bifenthrin</b>	Walnut	35.68	2	180.0	A
<b>Bifenthrin</b>	Watermelon	0.85	1	8.55	A
<b>Borax</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>Borax</b>	Rights of way	1,860.29	N/A	N/A	N/A
<b>Borax</b>	Structural pest control	13.13	N/A	N/A	N/A
<b>Boric acid</b>	Landscape maintenance	193.93	N/A	N/A	N/A
<b>Boric acid</b>	Structural pest control	35,603.27	N/A	N/A	N/A
<b>Boscalid</b>	Apricot	3.8	11	19.9	A
<b>Boscalid</b>	Bok choy (choy sum, pak choy)	4.2	1	12.0	A
<b>Boscalid</b>	Broccoli	30.75	6	78.1	A
<b>Boscalid</b>	Carrot	9.84	2	28.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Boscalid	Cherry	168.95	38	775.25	A
Boscalid	Cucumber	3.78	1	16.0	A
Boscalid	Gai choy	3.85	2	11.0	A
Boscalid	Grape	2.27	1	12.5	A
Boscalid	Grape, wine	70.44	17	329.61	A
Boscalid	Landscape maintenance	119.15	N/A	N/A	N/A
Boscalid	Lettuce, head	196.43	42	430.28	A
Boscalid	Lettuce, leaf	518.78	144	1,268.27	A
Boscalid	N-grnhs flower	0.18	5	24,480.0	S
Boscalid	N-grnhs plants in containers	0.17	6	0.96	A
Boscalid	N-grnhs transplants	2.72	30	1,470.0	A
Boscalid	N-outdr flower	3.02	10	15.5	A
Boscalid	Nectarine	3.17	12	16.5	A
Boscalid	Peach	4.58	12	24.0	A
Boscalid	Plum	1.28	4	6.5	A
Boscalid	Pumpkin	21.04	2	74.0	A
Boscalid	Tomato	18.05	2	33.0	A
Boscalid	Vegetable	0.33	1	1.0	A
Boscalid	Watermelon	1.88	1	8.55	A
Brodifacoum	Structural pest control	<0.01	N/A	N/A	N/A
Bromadiolone	Landscape maintenance	<0.01	N/A	N/A	N/A
Bromadiolone	Structural pest control	0.03	N/A	N/A	N/A
Bromethalin	Landscape maintenance	0.06	N/A	N/A	N/A
Bromethalin	Public health	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bromethalin</b>	Regulatory pest control	<0.01	N/A	N/A	N/A
<b>Bromethalin</b>	Structural pest control	1.23	N/A	N/A	N/A
<b>Bromethalin</b>	Vertebrate control	0.16	N/A	N/A	N/A
<b>Bromoxynil heptanoate</b>	Forage hay/silage	15.77	9	96.9	A
<b>Bromoxynil heptanoate</b>	Garlic	28.24	2	82.0	A
<b>Bromoxynil heptanoate</b>	Oat	16.0	3	130.0	A
<b>Bromoxynil heptanoate</b>	Oat (forage - fodder)	72.16	19	278.4	A
<b>Bromoxynil heptanoate</b>	Onion, dry	4.54	3	42.0	A
<b>Bromoxynil heptanoate</b>	Wheat	2.41	3	14.0	A
<b>Bromoxynil octanoate</b>	Forage hay/silage	16.35	9	96.9	A
<b>Bromoxynil octanoate</b>	Garlic	29.29	2	82.0	A
<b>Bromoxynil octanoate</b>	Oat	16.59	3	130.0	A
<b>Bromoxynil octanoate</b>	Oat (forage - fodder)	74.83	19	278.4	A
<b>Bromoxynil octanoate</b>	Onion, dry	4.71	3	42.0	A
<b>Bromoxynil octanoate</b>	Wheat	2.5	3	14.0	A
<b>Bronopol</b>	Industrial processing water	24.35	N/A	320,832.0	C
<b>Bronopol</b>	Water (industrial)	106.95	N/A	4.0	U
<b>Buprofezin</b>	Grape, wine	1.05	1	1.3	A
<b>Burkholderia rinojensis strain a396</b>	Cabbage	10.91	3	2.5	A
<b>Burkholderia rinojensis strain a396</b>	Cannabis (all or unspecified)	151.57	125	125,000.0	S
<b>Burkholderia rinojensis strain a396</b>	Celery	196.91	5	27.3	A
<b>Burkholderia rinojensis strain a396</b>	Chinese cabbage (napa, wong bok, celery cabbage)	1,964.08	42	316.51	A
<b>Burkholderia rinojensis strain a396</b>	Grape, wine	557.75	20	77.87	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Burkholderia rinojensis strain a396</b>	Lettuce, leaf	117.71	3	21.2	A
<b>Burkholderia rinojensis strain a396</b>	Pepper, fruiting	142.81	3	31.0	A
<b>Butyl alcohol</b>	Rights of way	0.07	N/A	N/A	N/A
<b>Butyl lactate</b>	Golf course turf	1.27	N/A	7.0	A
<b>Butyl lactate</b>	Landscape maintenance	20.47	N/A	N/A	N/A
<b>Cadmium chloride</b>	Landscape maintenance	0.01	N/A	N/A	N/A
<b>Calcium chloride</b>	Apple	62.68	5	355.0	A
<b>Calcium hypochlorite</b>	Landscape maintenance	445.4	N/A	N/A	N/A
<b>Calcium hypochlorite</b>	Mushroom	1,453.53	1,861	13,643,349.0	S
<b>Calcium hypochlorite</b>	Mushroom house	36.72	41	328,749.0	S
<b>Calcium hypochlorite</b>	Mushroom house	199.58	N/A	231.0	U
<b>Calcium hypochlorite</b>	Mushroom soil	1.53	6	34,500.0	S
<b>Canola oil</b>	Cherry	0.04	1	8.82	A
<b>Capric acid</b>	Cabbage	1.78	1	0.5	A
<b>Capric acid</b>	Celery	16.77	2	6.8	A
<b>Capric acid</b>	Cilantro	13.15	3	2.2	A
<b>Capric acid</b>	Grape, wine	29.99	3	7.7	A
<b>Capric acid</b>	Landscape maintenance	202.13	N/A	N/A	N/A
<b>Capric acid</b>	Onion, dry	10.8	2	2.0	A
<b>Capric acid</b>	Rights of way	5.29	N/A	N/A	N/A
<b>Capric acid</b>	Uncultivated ag	10.8	1	1.5	A
<b>Caprylic acid</b>	Cabbage	2.17	1	0.5	A
<b>Caprylic acid</b>	Celery	24.63	2	6.8	A
<b>Caprylic acid</b>	Cilantro	19.31	3	2.2	A
<b>Caprylic acid</b>	Grape, wine	44.05	3	7.7	A
<b>Caprylic acid</b>	Landscape maintenance	247.26	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Caprylic acid	Onion, dry	15.86	2	2.0	A
Caprylic acid	Rights of way	6.47	N/A	N/A	N/A
Caprylic acid	Uncultivated ag	15.86	1	1.5	A
Capsicum oleoresin	Landscape maintenance	<0.01	N/A	N/A	N/A
Capsicum oleoresin	Pepper, fruiting	8.17	1	28.0	A
Capsicum oleoresin	Public health	<0.01	N/A	N/A	N/A
Capsicum oleoresin	Tomato	0.99	4	65.4	A
Captan	Grape, wine	5.51	2	2.6	A
Carbaryl	Landscape maintenance	4.04	N/A	N/A	N/A
Carbo methoxy ether cellulose, sodium salt	Apple	0.03	N/A	4.3	A
Carbo methoxy ether cellulose, sodium salt	Grape, wine	0.15	3	17.0	A
Carbon	Landscape maintenance	157.54	N/A	N/A	N/A
Carbon	Structural pest control	0.43	N/A	N/A	N/A
Carbon dioxide	Landscape maintenance	92.79	N/A	N/A	N/A
Carfentrazone-ethyl	Broccoli	0.13	7	5.71	A
Carfentrazone-ethyl	Cabbage	0.25	1	17.0	A
Carfentrazone-ethyl	Cherry	18.01	19	653.0	A
Carfentrazone-ethyl	Corn, human consumption	13.18	30	739.8	A
Carfentrazone-ethyl	Fumigation, other	0.27	1	9.37	A
Carfentrazone-ethyl	Garbanzo bean	0.19	1	13.0	A
Carfentrazone-ethyl	Golf course turf	5.42	N/A	179.3	A
Carfentrazone-ethyl	Golf course turf	0.16	N/A	41,000.0	S
Carfentrazone-ethyl	Landscape maintenance	0.37	1	25.0	A
Carfentrazone-ethyl	Landscape maintenance	13.9	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Carfentrazone-ethyl	Lettuce, head	0.12	25	304.93	A
Carfentrazone-ethyl	Lettuce, leaf	0.11	31	278.94	A
Carfentrazone-ethyl	Oat	0.81	4	124.0	A
Carfentrazone-ethyl	Oat (forage - fodder)	0.29	1	20.0	A
Carfentrazone-ethyl	Pepper, fruiting	3.33	4	182.0	A
Carfentrazone-ethyl	Regulatory pest control	0.44	1	15.0	A
Carfentrazone-ethyl	Sod farm (turf)	0.02	N/A	12.0	A
Carfentrazone-ethyl	Structural pest control	0.44	2	15.0	A
Carfentrazone-ethyl	Tomato	4.12	8	264.0	A
Carfentrazone-ethyl	Turf/sod	0.1	N/A	38.0	A
Carfentrazone-ethyl	Uncultivated ag	4.47	35	282.11	A
Carfentrazone-ethyl	Watermelon	0.26	1	18.0	A
Chlorantraniliprole	Apple	14.76	2	150.0	A
Chlorantraniliprole	Broccoli	6.86	9	117.15	A
Chlorantraniliprole	Celery	11.42	16	114.5	A
Chlorantraniliprole	Corn, human consumption	12.2	12	165.6	A
Chlorantraniliprole	Cucumber	5.27	4	90.0	A
Chlorantraniliprole	Golf course turf	16.24	N/A	118.0	A
Chlorantraniliprole	Landscape maintenance	79.71	N/A	N/A	N/A
Chlorantraniliprole	Lettuce, head	7.87	8	79.0	A
Chlorantraniliprole	Lettuce, leaf	10.78	26	174.75	A
Chlorantraniliprole	Pepper, fruiting	75.92	39	913.32	A
Chlorantraniliprole	Spinach	1.13	1	8.0	A
Chlorantraniliprole	Squash	0.57	1	9.8	A
Chlorantraniliprole	Structural pest control	95.78	N/A	N/A	N/A
Chlorantraniliprole	Sunflower	7.34	9	107.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Chlorantraniliprole</b>	Swiss chard	1.5	1	15.0	A
<b>Chlorantraniliprole</b>	Tomato	29.18	18	458.1	A
<b>Chlorantraniliprole</b>	Tomato, processing	17.57	10	239.8	A
<b>Chlorfenapyr</b>	N-grnhs flower	1.79	42	827,296.0	S
<b>Chlorfenapyr</b>	N-grnhs plants in containers	0.12	6	0.96	A
<b>Chlorfenapyr</b>	N-grnhs transplants	4.22	29	1,740.0	A
<b>Chlorfenapyr</b>	Structural pest control	116.44	N/A	N/A	N/A
<b>Chlorflurenol, methyl ester</b>	Landscape maintenance	10.54	N/A	N/A	N/A
<b>Chlorine dioxide</b>	Structural pest control	0.21	N/A	N/A	N/A
<b>Chlorine dioxide</b>	Water (industrial)	1,898.66	N/A	4.0	U
<b>Chlormequat chloride</b>	N-grnhs flower	0.09	13	64,688.0	S
<b>Chlormequat chloride</b>	N-grnhs plants in containers	25.64	18	18.07	A
<b>Chlormequat chloride</b>	N-grnhs transplants	14.0	66	3,270.0	A
<b>Chlorophacinone</b>	Landscape maintenance	0.08	N/A	N/A	N/A
<b>Chlorophacinone</b>	N-outdr plants in containers	0.05	6	180.0	A
<b>Chlorophacinone</b>	Rangeland	0.01	N/A	6.0	A
<b>Chlorophacinone</b>	Regulatory pest control	<0.01	N/A	N/A	N/A
<b>Chlorophacinone</b>	Structural pest control	0.03	N/A	N/A	N/A
<b>Chlorophacinone</b>	Vertebrate control	<0.01	N/A	N/A	N/A
<b>Chloropicrin</b>	Pepper, fruiting	26,567.52	14	188.63	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chloropicrin	Structural pest control	24.95	N/A	N/A	N/A
Chlorothalonil	Bok choy (choy sum, pak choi)	26.41	2	26.0	A
Chlorothalonil	Broccoli	125.06	10	82.7	A
Chlorothalonil	Cabbage	26.09	5	20.5	A
Chlorothalonil	Cauliflower	10.19	3	9.0	A
Chlorothalonil	Celery	90.15	10	60.5	A
Chlorothalonil	Cucumber	4.18	1	5.0	A
Chlorothalonil	Golf course turf	370.67	N/A	55.55	A
Chlorothalonil	Golf course turf	4.67	N/A	40,000.0	S
Chlorothalonil	Landscape maintenance	2,353.55	N/A	N/A	N/A
Chlorothalonil	N-grnhs plants in containers	73.52	62	28.92	A
Chlorothalonil	N-grnhs transplants	28.61	31	1,530.0	A
Chlorothalonil	Nectarine	28.46	6	9.0	A
Chlorothalonil	Onion, dry	72.95	6	67.3	A
Chlorothalonil	Peach	41.35	8	13.5	A
Chlorothalonil	Pepper, fruiting	23.81	2	47.0	A
Chlorothalonil	Plum	9.74	2	3.25	A
Chlorothalonil	Tomato	2,315.32	67	1,589.7	A
Chlorothalonil	Tomato, processing	875.04	25	595.6	A
Chlorpyrifos	Structural pest control	<0.01	N/A	N/A	N/A
Chlorsulfuron	Landscape maintenance	0.83	N/A	N/A	N/A
Chlorsulfuron	Rights of way	2.17	N/A	N/A	N/A
Chlorsulfuron	Uncultivated non-ag	3.68	N/A	64.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Chlorthal-dimethyl	Bok choy (choy sum, pak choi)	267.35	31	72.0	A
Chlorthal-dimethyl	Broccoli	443.48	22	222.34	A
Chlorthal-dimethyl	Cabbage	148.7	8	50.0	A
Chlorthal-dimethyl	Cauliflower	129.81	13	38.0	A
Chlorthal-dimethyl	Chinese cabbage (napa, wong bok, celery cabbage)	15.09	1	2.5	A
Chlorthal-dimethyl	Gai choy	36.22	3	7.0	A
Chlorthal-dimethyl	Landscape maintenance	30.19	1	10.0	A
Chlorthal-dimethyl	Onion, dry	140.67	3	23.3	A
Chlorthal-dimethyl	Regulatory pest control	356.21	14	130.0	A
Chlorthal-dimethyl	Spinach	2.41	1	1.0	A
Chlorthal-dimethyl	Structural pest control	30.19	1	10.0	A
Cholecalciferol	Landscape maintenance	0.01	N/A	N/A	N/A
Cholecalciferol	Structural pest control	11.54	N/A	N/A	N/A
Cholecalciferol	Vertebrate control	0.02	N/A	N/A	N/A
Chromobacterium subtsugae strain praa4-1	Basil, sweet	0.12	4	4,896.0	S
Chromobacterium subtsugae strain praa4-1	Bean, unspecified	1.8	2	6.0	A
Chromobacterium subtsugae strain praa4-1	Cannabis (all or unspecified)	11.0	62	62,000.0	S
Chromobacterium subtsugae strain praa4-1	Grape, wine	42.45	14	56.6	A
Chromobacterium subtsugae strain praa4-1	Kale	2.25	5	3.75	A
Chromobacterium subtsugae strain praa4-1	N-grnhs plants in containers	39.55	59	44.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chromobacterium subtsugae strain praa4-1	N-grnhs transplants	0.11	1	60.0	A
Chromobacterium subtsugae strain praa4-1	Pepper, fruiting	154.2	19	265.0	A
Chromobacterium subtsugae strain praa4-1	Squash	1.8	2	6.0	A
Chromobacterium subtsugae strain praa4-1	Strawberry	1.8	1	2.0	A
Citric acid	Apple	166.35	5	355.0	A
Citric acid	Apricot	0.24	8	11.4	A
Citric acid	Bean, unspecified	0.26	2	48.0	A
Citric acid	Broccoli	22.38	25	224.5	A
Citric acid	Cabbage	27.43	33	267.5	A
Citric acid	Cherry	25.93	19	307.25	A
Citric acid	Corn, human consumption	188.74	8	153.9	A
Citric acid	Grape	1.87	8	75.0	A
Citric acid	Grape, wine	0.29	1	13.0	A
Citric acid	Landscape maintenance	0.38	N/A	N/A	N/A
Citric acid	Nectarine	0.1	3	4.5	A
Citric acid	Oat (forage - fodder)	14.26	17	242.0	A
Citric acid	Peach	0.11	4	6.5	A
Citric acid	Pepper, fruiting	34.74	8	302.0	A
Citric acid	Plum	0.2	3	5.75	A
Citric acid	Rights of way	99.53	N/A	N/A	N/A
Citric acid	Sunflower	7.54	1	32.0	A
Citric acid	Tomato	109.91	9	316.0	A
Citric acid	Tomato, processing	2.83	1	20.0	A
Citric acid	Uncultivated ag	20.72	25	151.31	A
Clarified hydrophobic extract of neem oil	Landscape maintenance	68.1	N/A	N/A	N/A
Clarified hydrophobic extract of neem oil	N-grnhs flower	7.99	2	66,632.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Clarified hydrophobic extract of neem oil	N-outdr flower	26.65	1	5.0	A
Clarified hydrophobic extract of neem oil	N-outdr plants in containers	7.05	6	4.5	A
Clarified hydrophobic extract of neem oil	Watercress	3.82	1	1.0	A
Clethodim	Garlic	10.45	2	82.0	A
Clethodim	Landscape maintenance	0.85	N/A	N/A	N/A
Clethodim	Tomato	0.17	1	1.25	A
Clopyralid, monoethanolamine salt	Golf course turf	10.28	N/A	60.6	A
Clopyralid, monoethanolamine salt	Landscape maintenance	15.43	N/A	N/A	N/A
Clopyralid, monoethanolamine salt	Rights of way	20.47	N/A	N/A	N/A
Clopyralid, triethylamine salt	Golf course turf	0.59	N/A	6.0	A
Clopyralid, triethylamine salt	Landscape maintenance	2.3	N/A	N/A	N/A
Clothianidin	Bok choy (choy sum, pak choy)	3.36	8	113.0	A
Clothianidin	Chinese cabbage (napa, wong bok, celery cabbage)	17.59	32	255.75	A
Clothianidin	Gai choy	1.8	3	61.0	A
Clothianidin	Golf course turf	6.0	N/A	19.5	A
Clothianidin	Landscape maintenance	80.09	N/A	N/A	N/A
Clothianidin	N-grnhs plants in containers	3.64	73	35.19	A
Clothianidin	Regulatory pest control	0.6	1	20.0	A
Clothianidin	Rights of way	0.16	N/A	N/A	N/A
Clothianidin	Structural pest control	11.26	N/A	N/A	N/A
Coconut diethanolamide	Grape, wine	0.07	14	19.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Coconut diethanolamide	Landscape maintenance	0.07	N/A	N/A	N/A
Coconut diethanolamide	Lettuce, leaf	0.12	1	14.0	A
Coconut diethanolamide	Rights of way	0.16	N/A	N/A	N/A
Coconut diethanolamide	Structural pest control	1.84	N/A	N/A	N/A
Coniothyrium minitans strain con/m/91-08	Broccoli	14.2	9	119.0	A
Coniothyrium minitans strain con/m/91-08	Lettuce, leaf	4.67	6	44.05	A
Coniothyrium minitans strain con/m/91-08	N-grnhs plants in containers	0.14	8	1.08	A
Copper ammonium complex	Landscape maintenance	19.67	N/A	N/A	N/A
Copper carbonate, basic	Rights of way	43.85	N/A	N/A	N/A
Copper diammonium diacetate complex	Landscape maintenance	75.07	N/A	N/A	N/A
Copper diammonium diacetate complex	N-outdr plants in containers	2.63	2	4.0	A
Copper ethanolamine complexes, mixed	Golf course turf	13.81	N/A	4.0	A
Copper ethanolamine complexes, mixed	Landscape maintenance	17.55	N/A	N/A	N/A
Copper ethanolamine complexes, mixed	Water area	205.72	N/A	199.71	A
Copper hydroxide	Apple	18.44	2	40.0	A
Copper hydroxide	Apricot	6.98	1	35.0	A
Copper hydroxide	Broccoli	40.77	10	130.95	A
Copper hydroxide	Celery	35.99	10	69.4	A
Copper hydroxide	Cilantro	32.07	19	99.5	A
Copper hydroxide	Grape, wine	26.91	16	56.11	A
Copper hydroxide	Landscape maintenance	629.52	N/A	N/A	N/A
Copper hydroxide	N-grnhs plants in containers	28.9	138	77.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper hydroxide	N-outdr plants in containers	67.42	2	33.5	A
Copper hydroxide	Onion, dry	40.18	5	58.1	A
Copper hydroxide	Parsley	28.58	7	31.0	A
Copper hydroxide	Peach	2.31	1	1.0	A
Copper hydroxide	Peas	3.31	2	7.7	A
Copper hydroxide	Rights of way	53.64	N/A	N/A	N/A
Copper hydroxide	Stone fruit	2.31	1	0.75	A
Copper hydroxide	Tomato	131.21	21	226.5	A
Copper hydroxide	Tomato, processing	18.44	2	40.0	A
Copper hydroxide	Walnut	138.3	4	60.0	A
Copper octanoate	Apple	0.98	N/A	13.63	A
Copper octanoate	Cauliflower	0.13	1	1.0	A
Copper octanoate	Celery	5.67	2	13.6	A
Copper octanoate	Landscape maintenance	1.37	N/A	N/A	N/A
Copper octanoate	Lettuce, head	0.16	1	1.5	A
Copper octanoate	N-grnhs plants in containers	41.22	94	66.14	A
Copper octanoate	N-grnhs transplants	5.25	9	480.0	A
Copper octanoate	Nectarine	<0.01	1	3.0	U
Copper octanoate	Parsley	11.67	4	14.0	A
Copper octanoate	Peach	<0.01	1	13.0	U
Copper octanoate	Plum	3.46	N/A	1.96	A
Copper octanoate	Research commodity	0.52	4	2.25	A
Copper octanoate	Research commodity	0.03	2	300.0	S
Copper octanoate	Stone fruit	1.5	N/A	26.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper octanoate	Tomato, processing	6.55	1	15.7	A
Copper octanoate	Vegetable	0.28	3	1.4	A
Copper octanoate	Vegetable	0.02	1	200.0	S
Copper oxychloride	Apricot	7.64	1	35.0	A
Copper oxychloride	Celery	9.59	4	23.2	A
Copper oxychloride	Cilantro	35.55	19	99.5	A
Copper oxychloride	Landscape maintenance	672.57	N/A	N/A	N/A
Copper oxychloride	N-outdr plants in containers	73.78	2	33.5	A
Copper oxychloride	Peas	3.67	2	7.7	A
Copper oxychloride	Tomato	2.36	3	5.5	A
Copper sulfate (pentahydrate)	Grape, wine	5.45	2	0.76	A
Copper sulfate (pentahydrate)	Landscape maintenance	167.3	N/A	N/A	N/A
Copper sulfate (pentahydrate)	N-grnhs flower	0.45	3	1.75	A
Copper sulfate (pentahydrate)	N-grnhs flower	<0.01	1	2,400.0	S
Copper sulfate (pentahydrate)	N-grnhs transplants	0.04	1	30.0	A
Copper sulfate (pentahydrate)	N-outdr flower	0.32	2	1.25	A
Copper sulfate (pentahydrate)	Regulatory pest control	22.8	N/A	N/A	N/A
Copper sulfate (pentahydrate)	Water area	98.22	N/A	194.96	A
Corn product, hydrolyzed	Walnut	101.45	1	90.0	A
Corn syrup	Cherry	5.48	1	8.82	A
Cuprous oxide	Apricot	54.54	1	6.5	A
Cuprous oxide	Cherry	16.78	1	0.5	A
Cuprous oxide	Grape, wine	168.63	6	152.65	A
Cuprous oxide	Landscape maintenance	58.73	1	7.0	A
Cuprous oxide	Prune	16.78	1	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cuprous oxide	Stone fruit	1.66	N/A	16.7	A
Cyanazine	Structural pest control	0.02	N/A	N/A	N/A
Cyantraniliprole	Cauliflower	0.21	3	0.82	A
Cyantraniliprole	Celery	27.89	40	317.4	A
Cyantraniliprole	Chinese cabbage (napa, wong bok, celery cabbage)	29.57	25	202.59	A
Cyantraniliprole	Lettuce, head	9.77	11	111.05	A
Cyantraniliprole	Lettuce, leaf	44.34	70	484.3	A
Cyantraniliprole	N-grnhs flower	1.22	11	6.62	A
Cyantraniliprole	N-grnhs flower	7.02	69	1,449,199.0	S
Cyantraniliprole	N-grnhs plants in containers	1,111.58	169	21.68	A
Cyantraniliprole	N-grnhs transplants	37.24	40	1,920.0	A
Cyantraniliprole	N-outdr flower	2.4	12	20.25	A
Cyantraniliprole	Pepper, fruiting	69.92	30	783.24	A
Cyantraniliprole	Pumpkin	2.69	3	18.5	A
Cyantraniliprole	Research commodity	0.06	1	0.3	A
Cyantraniliprole	Tomato	15.42	8	174.5	A
Cyantraniliprole	Tomato, processing	19.71	7	224.5	A
Cyantraniliprole	Vegetable	0.02	1	0.08	A
Cyazofamid	N-grnhs flower	0.11	9	46,600.0	S
Cyazofamid	N-grnhs plants in containers	0.8	1	1.26	A
Cyclaniliprole	Cabbage	1.67	13	33.0	A
Cyclaniliprole	Cauliflower	1.4	12	27.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Cyclaniliprole	Chinese cabbage (napa, wong bok, celery cabbage)	18.58	45	358.48	A
Cyclaniliprole	Pepper, fruiting	0.05	1	1.0	A
Cycloate	Regulatory pest control	2.24	1	2.0	A
Cycloate	Spinach	328.42	48	282.8	A
Cyflufenamid	Cucumber	0.69	2	30.0	A
Cyflufenamid	Grape	0.26	1	12.5	A
Cyflufenamid	Grape, wine	3.99	19	115.62	A
Cyflufenamid	N-grnhs transplants	6.75	22	1,110.0	A
Cyflufenamid	Pepper, fruiting	1.01	4	44.12	A
Cyflufenamid	Pumpkin	4.37	15	190.8	A
Cyflufenamid	Squash	0.36	2	15.8	A
Cyflufenamid	Tomato, processing	1.6	3	69.5	A
Cyflufenamid	Watermelon	0.2	1	8.55	A
Cyflumetofen	Cherry	39.15	3	214.0	A
Cyflumetofen	N-grnhs flower	1.49	18	362,247.0	S
Cyflumetofen	N-grnhs transplants	0.76	4	210.0	A
Cyflumetofen	N-outdr flower	3.01	10	25.5	A
Cyfluthrin	Bok choy (choy sum, pak choi)	10.9	10	210.0	A
Cyfluthrin	Broccoli	0.69	2	13.5	A
Cyfluthrin	Cabbage	24.21	17	186.49	A
Cyfluthrin	Celery	13.66	35	266.0	A
Cyfluthrin	Corn, human consumption	24.4	53	537.2	A
Cyfluthrin	Gai choy	2.65	4	51.0	A
Cyfluthrin	Garbanzo bean	2.06	6	42.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Cyfluthrin	Landscape maintenance	1.45	N/A	N/A	N/A
Cyfluthrin	Lettuce, leaf	42.07	48	423.4	A
Cyfluthrin	Mustard greens	7.18	76	145.0	A
Cyfluthrin	N-grnhs flower	0.2	22	242,544.0	S
Cyfluthrin	N-outdr flower	<0.01	1	0.1	A
Cyfluthrin	N-outdr plants in containers	0.3	3	5.0	A
Cyfluthrin	Regulatory pest control	0.39	N/A	N/A	N/A
Cyfluthrin	Spinach	12.35	40	252.0	A
Cyfluthrin	Structural pest control	15.35	N/A	N/A	N/A
Cyfluthrin	Sunflower	0.08	1	2.0	A
Cymoxanil	Lettuce, leaf	3.28	2	17.5	A
Cymoxanil	Tomato	52.91	11	423.3	A
Cymoxanil	Tomato, processing	10.31	2	82.5	A
Cypermethrin	Landscape maintenance	0.76	N/A	N/A	N/A
Cypermethrin	Structural pest control	1.44	N/A	N/A	N/A
Cyprodinil	Grape	0.98	1	12.5	A
Cyprodinil	Grape, wine	46.55	20	136.0	A
Cyprodinil	N-grnhs flower	1.13	22	313,528.0	S
Cyprodinil	N-grnhs plants in containers	0.12	5	0.8	A
Cyprodinil	N-grnhs transplants	0.43	8	300.0	A
Cyprodinil	Pepper, fruiting	<0.01	1	36.0	S
Cyromazine	N-grnhs plants in containers	4.11	6	1.49	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Cyromazine</b>	N-grnhs transplants	0.33	2	60.0	A
<b>Cyromazine</b>	Pepper, fruiting	203.84	58	1,634.87	A
<b>D-allethrin</b>	Structural pest control	0.02	N/A	N/A	N/A
<b>D-trans allethrin</b>	Public health	<0.01	N/A	N/A	N/A
<b>D-trans allethrin</b>	Structural pest control	0.99	N/A	N/A	N/A
<b>Daminozide</b>	N-grnhs flower	4.2	3	1.1	A
<b>Daminozide</b>	N-grnhs flower	0.92	31	157,339.0	S
<b>Daminozide</b>	N-grnhs plants in containers	17.81	20	8.51	A
<b>Daminozide</b>	N-grnhs transplants	94.72	153	8,280.0	A
<b>Daminozide</b>	N-outdr flower	3.49	9	1.45	A
<b>Ddvp</b>	Commodity fumigation	116.0	N/A	N/A	N/A
<b>Ddvp</b>	Structural pest control	0.88	N/A	N/A	N/A
<b>Ddvp, other related</b>	Structural pest control	0.07	N/A	N/A	N/A
<b>Deet</b>	Landscape maintenance	0.14	N/A	N/A	N/A
<b>Deet</b>	Mushroom	0.12	1	5,750.0	S
<b>Deet</b>	N-grnhs plants in containers	5.37	2	0.36	A
<b>Deet, other related</b>	Landscape maintenance	0.01	N/A	N/A	N/A
<b>Deet, other related</b>	Mushroom	0.01	1	5,750.0	S
<b>Deet, other related</b>	N-grnhs plants in containers	0.28	2	0.36	A
<b>Deltamethrin</b>	Landscape maintenance	0.15	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Deltamethrin	Regulatory pest control	<0.01	N/A	N/A	N/A
Deltamethrin	Structural pest control	898.89	N/A	N/A	N/A
Dextrin	Landscape maintenance	0.36	N/A	N/A	N/A
Diatomaceous earth	Bean, unspecified	78.2	4	18.4	A
Diatomaceous earth	Broccoli	1,150.48	18	72.5	A
Diatomaceous earth	Cabbage	73.1	4	4.3	A
Diatomaceous earth	Cauliflower	633.25	7	39.0	A
Diatomaceous earth	Kale	95.63	5	3.75	A
Diatomaceous earth	Lettuce, leaf	2,676.17	30	227.32	A
Diatomaceous earth	Onion, dry	43.35	3	5.1	A
Diatomaceous earth	Structural pest control	47.47	N/A	N/A	N/A
Dicamba	Golf course turf	4.02	N/A	159.3	A
Dicamba	Golf course turf	<0.01	N/A	6,000.0	S
Dicamba	Landscape maintenance	28.88	N/A	N/A	N/A
Dicamba	Sod farm (turf)	0.02	N/A	12.0	A
Dicamba	Turf/sod	0.12	N/A	38.0	A
Dicamba, dimethylamine salt	Landscape maintenance	0.54	N/A	N/A	N/A
Dicamba, dimethylamine salt	N-outdr plants in containers	3.64	1	3.0	A
Dicamba, dimethylamine salt, other related	N-outdr plants in containers	0.59	1	3.0	A
Dicloran	N-grnhs plants in containers	0.62	1	0.16	A
Didcyl dimethyl ammonium chloride	Grape, wine	0.05	2	7.0	A
Didcyl dimethyl ammonium chloride	N-grnhs flower	8.86	6	6.55	A
Didcyl dimethyl ammonium chloride	N-outdr flower	21.56	6	14.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Didecyl dimethyl ammonium chloride	Structural pest control	0.12	N/A	N/A	N/A
Diethylene glycol	Broccoli	7.35	1	27.0	A
Diethylene glycol	Cherry	45.45	13	445.0	A
Diethylene glycol	Corn, human consumption	103.18	18	499.0	A
Diethylene glycol	Landscape maintenance	1.7	N/A	N/A	N/A
Diethylene glycol	Lettuce, head	2.78	8	80.6	A
Diethylene glycol	Oat	0.84	2	24.0	A
Diethylene glycol	Pepper, fruiting	374.78	61	1,779.0	A
Diethylene glycol	Rights of way	3.6	N/A	N/A	N/A
Diethylene glycol	Sunflower	14.53	3	40.0	A
Diethylene glycol	Tomato	413.34	63	1,973.5	A
Difenoconazole	Cucumber	6.86	2	60.0	A
Difenoconazole	Golf course turf	0.78	N/A	3.5	A
Difenoconazole	Grape	0.34	1	12.5	A
Difenoconazole	Grape, wine	7.68	11	76.5	A
Difenoconazole	Kale	0.03	1	6,000.0	S
Difenoconazole	Landscape maintenance	45.52	N/A	N/A	N/A
Difenoconazole	Pepper, fruiting	114.07	39	1,228.27	A
Difenoconazole	Tomato	98.18	42	1,344.5	A
Difenoconazole	Tomato, processing	2.33	2	35.7	A
Difethialone	Structural pest control	0.01	N/A	N/A	N/A
Diflubenzuron	Structural pest control	<0.01	N/A	N/A	N/A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Forage hay/silage	7.56	1	40.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Oat	42.73	9	224.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Oat (forage - fodder)	46.32	20	284.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Triticale	5.1	4	27.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Wheat (forage - fodder)	0.76	4	106.0	A
Dikegulac sodium	Landscape maintenance	239.39	N/A	N/A	N/A
Dimethenamid-p	Landscape maintenance	8.05	N/A	N/A	N/A
Dimethenamid-p	N-outdr plants in containers	7.5	2	10.0	A
Dimethoate	Bean, succulent	15.0	1	31.5	A
Dimethoate	Lettuce, leaf	14.68	6	59.9	A
Dimethoate	Peas	16.66	3	39.7	A
Dimethoate	Tomato	377.59	46	1,500.0	A
Dimethoate	Tomato, processing	53.89	5	109.5	A
Dimethomorph	Lettuce, head	50.17	23	249.92	A
Dimethomorph	Lettuce, leaf	170.36	97	849.17	A
Dimethomorph	Mustard greens	4.79	9	23.6	A
Dimethomorph	N-grnhs plants in containers	0.08	1	0.16	A
Dimethomorph	N-grnhs transplants	2.26	9	450.0	A
Dimethomorph	Tomato	31.99	4	162.5	A
Dimethyl alkyl tertiary amines	Broccoli	0.14	7	131.0	A
Dimethyl alkyl tertiary amines	Rights of way	5.7	N/A	N/A	N/A
Dimethyl alkyl tertiary amines	Sunflower	0.82	4	39.86	A
Dimethyl silicone fluid emulsion	Bean, succulent	0.46	28	104.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethyl silicone fluid emulsion	Bean, unspecified	0.16	12	41.8	A
Dimethyl silicone fluid emulsion	Broccoli	3.1	87	632.17	A
Dimethyl silicone fluid emulsion	Carrot	0.44	8	115.2	A
Dimethyl silicone fluid emulsion	Forage hay/silage	0.38	4	279.0	A
Dimethyl silicone fluid emulsion	Landscape maintenance	3.87	N/A	N/A	N/A
Dimethyl silicone fluid emulsion	Lettuce, head	2.23	61	586.37	A
Dimethyl silicone fluid emulsion	Lettuce, leaf	3.74	115	888.44	A
Dimethyl silicone fluid emulsion	Pepper, fruiting	0.52	8	141.2	A
Dimethyl silicone fluid emulsion	Spinach	1.05	46	244.19	A
Dimethyl silicone fluid emulsion	Tomato, processing	0.37	4	90.5	A
Dimethyl silicone fluid emulsion	Uncultivated ag	0.12	2	34.7	A
Dimethyl silicone fluid emulsion	Uncultivated non-ag	0.13	3	19.5	A
Dimethylpolysiloxane	Apple	0.39	2	170.0	A
Dimethylpolysiloxane	Bean, unspecified	1.83	8	172.0	A
Dimethylpolysiloxane	Bok choy (choy sum, pak choi)	0.03	2	24.0	A
Dimethylpolysiloxane	Broccoli	28.8	53	557.6	A
Dimethylpolysiloxane	Cabbage	1.23	23	132.7	A
Dimethylpolysiloxane	Cauliflower	1.0	5	10.04	A
Dimethylpolysiloxane	Celery	2.4	115	880.4	A
Dimethylpolysiloxane	Cherry	6.38	44	1,699.0	A
Dimethylpolysiloxane	Corn, human consumption	8.13	211	3,625.75	A
Dimethylpolysiloxane	Cucumber	0.21	6	133.0	A
Dimethylpolysiloxane	Grape, wine	8.33	31	141.75	A
Dimethylpolysiloxane	Landscape maintenance	8.59	N/A	N/A	N/A
Dimethylpolysiloxane	Lettuce, head	5.87	47	404.1	A
Dimethylpolysiloxane	Lettuce, leaf	15.52	213	1,564.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	N-outdr flower	<0.01	1	3.0	A
Dimethylpolysiloxane	N-outdr transplants	0.32	1	60.0	A
Dimethylpolysiloxane	Oat	0.02	2	24.0	A
Dimethylpolysiloxane	Onion, dry	0.12	7	81.3	A
Dimethylpolysiloxane	Pepper, fruiting	25.38	250	6,099.86	A
Dimethylpolysiloxane	Pumpkin	0.1	5	118.5	A
Dimethylpolysiloxane	Research commodity	0.93	9	3.44	A
Dimethylpolysiloxane	Rights of way	1.34	N/A	N/A	N/A
Dimethylpolysiloxane	Squash	0.18	3	15.8	A
Dimethylpolysiloxane	Structural pest control	0.04	N/A	N/A	N/A
Dimethylpolysiloxane	Sunflower	0.06	6	72.4	A
Dimethylpolysiloxane	Swiss chard	3.98	1	15.0	A
Dimethylpolysiloxane	Tomato	9.73	190	5,490.65	A
Dimethylpolysiloxane	Tomato, processing	1.29	40	939.6	A
Dimethylpolysiloxane	Uncultivated ag	0.17	4	8.0	A
Dimethylpolysiloxane	Uncultivated non-ag	0.02	2	8.0	A
Dimethylpolysiloxane	Vegetable	0.53	5	2.0	A
Dimethylpolysiloxane	Walnut	15.24	6	174.0	A
Dimethylpolysiloxane	Watermelon	0.01	1	8.55	A
Dinotefuran	Landscape maintenance	44.19	N/A	N/A	N/A
Dinotefuran	Lettuce, leaf	6.11	2	23.0	A
Dinotefuran	N-grnhs flower	2.39	40	750,116.0	S
Dinotefuran	N-grnhs flower	0.11	3	33,834.0	U
Dinotefuran	N-grnhs plants in containers	17.93	63	21.84	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dinotefuran	N-grnhs plants in containers	1.05	17	1,588.0	S
Dinotefuran	N-outdr flower	1.75	16	23.5	A
Dinotefuran	N-outdr plants in containers	2.51	15	24.8	A
Dinotefuran	N-outdr plants in containers	0.2	15	66,600.0	S
Dinotefuran	Pepper, fruiting	89.12	19	503.0	A
Dinotefuran	Regulatory pest control	0.04	N/A	N/A	N/A
Dinotefuran	Rights of way	2.55	N/A	N/A	N/A
Dinotefuran	Structural pest control	1,658.13	N/A	N/A	N/A
Dinotefuran	Tomato	93.96	17	540.0	A
Diocetyl dimethyl ammonium chloride	Grape, wine	0.04	2	7.0	A
Diocetyl dimethyl ammonium chloride	Structural pest control	0.03	N/A	N/A	N/A
Diphacinone	Grape, wine	<0.01	N/A	1.0	A
Diphacinone	Landscape maintenance	0.48	N/A	N/A	N/A
Diphacinone	Pastureland	0.01	12	30.0	A
Diphacinone	Regulatory pest control	0.02	N/A	N/A	N/A
Diphacinone	Rights of way	0.01	N/A	N/A	N/A
Diphacinone	Structural pest control	3.28	N/A	N/A	N/A
Diphacinone	Vertebrate control	0.05	N/A	N/A	N/A
Diphacinone, sodium salt	Structural pest control	<0.01	N/A	N/A	N/A
Diquat dibromide	Landscape maintenance	340.58	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Diquat dibromide</b>	N-grnhs flower	17.63	30	6.05	A
<b>Diquat dibromide</b>	N-grnhs transplants	21.62	29	1,500.0	A
<b>Diquat dibromide</b>	N-outdr flower	25.4	28	10.54	A
<b>Diquat dibromide</b>	Rights of way	1,326.29	N/A	N/A	N/A
<b>Disodium octaborate anhydrous</b>	Rights of way	336.58	N/A	N/A	N/A
<b>Disodium octaborate tetrahydrate</b>	Structural pest control	9,283.21	N/A	N/A	N/A
<b>Disulfoton</b>	Landscape maintenance	0.64	N/A	N/A	N/A
<b>Dithiopyr</b>	Landscape maintenance	367.47	N/A	N/A	N/A
<b>Dithiopyr</b>	N-outdr flower	10.08	4	10.0	A
<b>Dithiopyr</b>	Rights of way	891.41	N/A	N/A	N/A
<b>Diuron</b>	Landscape maintenance	263.56	N/A	N/A	N/A
<b>Diuron</b>	Rights of way	6.15	N/A	N/A	N/A
<b>Dodecylbenzene sulfonic acid</b>	Grape, wine	0.32	14	19.0	A
<b>Dodecylbenzene sulfonic acid</b>	Landscape maintenance	0.32	N/A	N/A	N/A
<b>Dodecylbenzene sulfonic acid</b>	Lettuce, leaf	0.5	1	14.0	A
<b>Dodecylbenzene sulfonic acid</b>	Rights of way	0.69	N/A	N/A	N/A
<b>Dodecylbenzene sulfonic acid</b>	Structural pest control	7.97	N/A	N/A	N/A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Cherry	0.02	1	8.82	A
<b>E,e-8,10-dodecadien-1-ol</b>	Landscape maintenance	0.06	N/A	N/A	N/A
<b>Edta, tetrasodium salt</b>	Grape, wine	0.02	14	19.0	A
<b>Edta, tetrasodium salt</b>	Landscape maintenance	0.02	N/A	N/A	N/A
<b>Edta, tetrasodium salt</b>	Lettuce, leaf	0.03	1	14.0	A
<b>Edta, tetrasodium salt</b>	Rights of way	0.04	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Edta, tetrasodium salt</b>	Structural pest control	0.49	N/A	N/A	N/A
<b>Emamectin benzoate</b>	Bok choy (choy sum, pak choi)	0.44	11	28.0	A
<b>Emamectin benzoate</b>	Broccoli	5.64	39	379.65	A
<b>Emamectin benzoate</b>	Cabbage	3.24	32	216.0	A
<b>Emamectin benzoate</b>	Cauliflower	0.25	11	16.5	A
<b>Emamectin benzoate</b>	Celery	0.03	2	1.0	A
<b>Emamectin benzoate</b>	Chinese cabbage (napa, wong bok, celery cabbage)	1.67	14	111.27	A
<b>Emamectin benzoate</b>	Gai choy	0.02	1	0.5	A
<b>Emamectin benzoate</b>	Landscape maintenance	0.64	N/A	N/A	N/A
<b>Emamectin benzoate</b>	Lettuce, leaf	0.01	1	0.5	A
<b>Emamectin benzoate</b>	N-grnhs flower	0.06	1	2.0	A
<b>Emamectin benzoate</b>	Pepper, fruiting	0.71	1	47.0	A
<b>Emamectin benzoate</b>	Spinach	0.06	3	7.0	A
<b>Emamectin benzoate</b>	Structural pest control	0.03	N/A	N/A	N/A
<b>Emulsifiable methylated vegetable oil</b>	Apple	325.2	2	170.0	A
<b>Emulsifiable methylated vegetable oil</b>	Bean, succulent	14.33	14	55.25	A
<b>Emulsifiable methylated vegetable oil</b>	Bean, unspecified	5.48	6	20.9	A
<b>Emulsifiable methylated vegetable oil</b>	Broccoli	136.07	32	299.2	A
<b>Emulsifiable methylated vegetable oil</b>	Carrot	21.91	4	57.6	A
<b>Emulsifiable methylated vegetable oil</b>	Garlic	90.3	11	169.2	A
<b>Emulsifiable methylated vegetable oil</b>	Grape, wine	33.14	1	21.3	A
<b>Emulsifiable methylated vegetable oil</b>	Lettuce, head	326.64	95	990.08	A
<b>Emulsifiable methylated vegetable oil</b>	Lettuce, leaf	859.28	284	2,589.24	A
<b>Endothall, dipotassium salt</b>	Water area	10.58	N/A	1.8	A
<b>Endothall, mono [n,n-dimethyl alkylamine] salt</b>	Water area	0.71	N/A	0.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Eptc	Bean, succulent	235.24	7	138.5	A
Eptc	Bean, unspecified	351.11	8	201.0	A
Eptc	Sunflower	135.95	5	89.55	A
Eptc	Uncultivated ag	99.32	3	62.8	A
Eptc	Watercress	1.74	2	4.0	A
Esfenvalerate	Apricot	1.88	7	21.4	A
Esfenvalerate	Broccoli	4.39	12	108.9	A
Esfenvalerate	Cherry	3.12	10	77.0	A
Esfenvalerate	Corn, human consumption	195.4	253	3,961.6	A
Esfenvalerate	Kale	0.06	3	14,750.0	S
Esfenvalerate	Landscape maintenance	<0.01	N/A	N/A	N/A
Esfenvalerate	Lettuce, head	1.79	4	41.85	A
Esfenvalerate	Peach	0.04	1	1.0	A
Esfenvalerate	Peas	0.25	1	8.8	A
Esfenvalerate	Pepper, fruiting	10.74	11	215.27	A
Esfenvalerate	Plum	0.17	1	2.5	A
Esfenvalerate	Structural pest control	471.75	N/A	N/A	N/A
Esfenvalerate	Sunflower	6.82	11	136.7	A
Ethanolamine	Cherry	44.27	16	627.0	A
Ethanolamine	Rights of way	0.14	N/A	N/A	N/A
Ethanolamine	Tomato	7.5	3	140.0	A
Ethanolamine	Uncultivated ag	3.81	13	44.0	A
Ethephon	Cucumber	4.6	3	32.3	A
Ethephon	Golf course turf	180.47	N/A	43.0	A
Ethephon	Landscape maintenance	1,081.45	N/A	N/A	N/A
Ethephon	N-grnhs flower	0.13	6	43,232.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ethephon	N-grnhs plants in containers	0.32	3	0.8	A
Ethephon	N-grnhs transplants	1.22	15	660.0	A
Ethephon	N-outdr plants in containers	0.09	2	1,500.0	S
Ethephon	Squash	6.7	8	52.5	A
Ethephon	Tomato	223.34	10	388.0	A
Ethephon	Tomato, processing	61.64	8	169.3	A
Ethofumesate	Landscape maintenance	434.34	N/A	N/A	N/A
Ethofumesate	Sod farm (turf)	2.85	2	2.0	A
Ethylene glycol	Apricot	0.6	1	8.0	A
Ethylene glycol	Cherry	136.14	6	90.0	A
Ethylene glycol	Grape, wine	266.55	26	718.4	A
Ethylene glycol	Lettuce, head	90.47	30	349.59	A
Ethylene glycol	Lettuce, leaf	83.65	39	317.09	A
Etofenprox	Public health	60.63	N/A	N/A	N/A
Etofenprox	Structural pest control	7.12	N/A	N/A	N/A
Etoazole	Apple	10.12	1	75.0	A
Etoazole	Cherry	2.7	1	25.0	A
Etoazole	Cucumber	2.88	1	32.0	A
Etoazole	N-grnhs flower	0.53	36	557,048.0	S
Etoazole	Pumpkin	5.0	1	37.0	A
Etoazole	Watermelon	1.15	1	8.55	A
Famoxadone	Tomato	52.91	11	423.3	A
Famoxadone	Tomato, processing	10.31	2	82.5	A
Fatty acids derived from tallow	Landscape maintenance	1.33	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids derived from tallow</b>	Rights of way	9.96	N/A	N/A	N/A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Apricot	2.66	2	70.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cherry	1.96	1	8.82	A
<b>Fatty acids, methyl esters</b>	Carrot	30.04	2	28.8	A
<b>Fatty acids, mixed</b>	Bean, dried	0.12	3	14.5	A
<b>Fatty acids, mixed</b>	Cherry	17.89	15	572.0	A
<b>Fatty acids, mixed</b>	Corn, human consumption	3.13	59	520.5	A
<b>Fatty acids, mixed</b>	Landscape maintenance	1.72	N/A	N/A	N/A
<b>Fatty acids, mixed</b>	Oat	1.5	2	24.0	A
<b>Fatty acids, mixed</b>	Pepper, fruiting	0.29	1	47.0	A
<b>Fatty acids, mixed</b>	Rights of way	6.42	N/A	N/A	N/A
<b>Fatty acids, mixed</b>	Sunflower	0.52	1	32.0	A
<b>Fatty acids, mixed</b>	Tomato	0.95	7	195.8	A
<b>Fatty acids, mixed</b>	Tomato, processing	0.13	1	20.0	A
<b>Fatty acids, mixed</b>	Uncultivated ag	2.62	37	258.11	A
<b>Fatty acids, mixed</b>	Watermelon	0.1	1	18.0	A
<b>Fenamidone</b>	Bok choy (choy sum, pak choy)	18.32	5	71.0	A
<b>Fenamidone</b>	Cabbage	3.51	7	19.4	A
<b>Fenamidone</b>	Cauliflower	2.56	7	14.4	A
<b>Fenamidone</b>	Celery	14.24	8	57.6	A
<b>Fenamidone</b>	Chinese cabbage (napa, wong bok, celery cabbage)	7.51	4	28.59	A
<b>Fenamidone</b>	Gai choy	8.51	3	33.0	A
<b>Fenamidone</b>	Lettuce, head	9.58	4	37.0	A
<b>Fenamidone</b>	Lettuce, leaf	43.79	20	169.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fenamidone</b>	N-grnhs plants in containers	8.85	58	28.14	A
<b>Fenamidone</b>	Pumpkin	0.91	1	5.0	A
<b>Fenamidone</b>	Spinach	12.72	5	49.4	A
<b>Fenbuconazole</b>	Cherry	3.9	1	40.0	A
<b>Fenhexamid</b>	Cherry	9.0	1	18.0	A
<b>Fenhexamid</b>	Grape	3.0	1	12.5	A
<b>Fenhexamid</b>	Grape, wine	20.15	5	48.3	A
<b>Fenhexamid</b>	N-grnhs flower	2.53	12	232,856.0	S
<b>Fenhexamid</b>	N-grnhs plants in containers	3.63	19	4.64	A
<b>Fenhexamid</b>	N-grnhs transplants	5.64	7	390.0	A
<b>Fenpropathrin</b>	Cherry	177.11	34	534.0	A
<b>Fenpropathrin</b>	Citrus	0.08	2	550.0	U
<b>Fenpropathrin</b>	N-grnhs plants in containers	0.38	42	8,746.0	U
<b>Fenpropathrin</b>	N-outdr flower	1.25	6	9.0	A
<b>Fenpyroximate</b>	N-grnhs flower	1.13	27	670,488.0	S
<b>Fenpyroximate</b>	N-grnhs transplants	0.8	6	300.0	A
<b>Fenpyroximate</b>	Pepper, fruiting	0.11	1	1.0	A
<b>Ferric sodium edta</b>	Landscape maintenance	6.72	N/A	N/A	N/A
<b>Ferric sodium edta</b>	N-outdr plants in containers	0.5	1	2.0	A
<b>Fipronil</b>	Landscape maintenance	0.02	N/A	N/A	N/A
<b>Fipronil</b>	Regulatory pest control	0.16	N/A	N/A	N/A
<b>Fipronil</b>	Structural pest control	839.8	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Flonicamid	Bean, dried	0.53	2	6.8	A
Flonicamid	Bean, unspecified	0.54	2	6.16	A
Flonicamid	Bok choy (choy sum, pak choi)	1.05	1	12.0	A
Flonicamid	Broccoli	0.44	1	5.0	A
Flonicamid	Cabbage	1.73	6	21.0	A
Flonicamid	Cauliflower	1.33	6	15.5	A
Flonicamid	Celery	21.1	32	240.8	A
Flonicamid	Chinese cabbage (napa, wong bok, celery cabbage)	2.08	3	23.73	A
Flonicamid	Cucumber	10.41	4	119.0	A
Flonicamid	Lettuce, leaf	2.27	4	33.0	A
Flonicamid	Mustard greens	0.27	2	3.4	A
Flonicamid	N-grnhs flower	0.84	19	341,384.0	S
Flonicamid	N-grnhs transplants	3.01	8	450.0	A
Flonicamid	Peas	0.68	2	7.7	A
Flonicamid	Pepper, fruiting	94.42	24	744.12	A
Flonicamid	Research commodity	0.01	3	0.3	A
Flonicamid	Spinach	0.69	1	7.85	A
Flonicamid	Sunflower	15.14	13	173.1	A
Flonicamid	Tomato	34.85	11	272.5	A
Flonicamid	Watermelon	2.41	1	18.0	A
Fluazifop-butyl	Landscape maintenance	0.36	N/A	N/A	N/A
Fluazifop-p-butyl	Grape, wine	2.89	1	23.0	A
Fluazifop-p-butyl	Landscape maintenance	14.34	N/A	N/A	N/A
Fluazinam	Golf course turf	11.85	N/A	24.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluazinam	Landscape maintenance	70.21	N/A	N/A	N/A
Fludioxonil	Celery	4.34	3	26.5	A
Fludioxonil	Golf course turf	13.19	N/A	43.75	A
Fludioxonil	Golf course turf	0.19	N/A	40,000.0	S
Fludioxonil	Landscape maintenance	34.1	N/A	N/A	N/A
Fludioxonil	N-grnhs flower	2.29	3	1.21	A
Fludioxonil	N-grnhs flower	1.71	28	367,348.0	S
Fludioxonil	N-grnhs plants in containers	10.87	23	5.15	A
Fludioxonil	N-grnhs transplants	20.9	51	2,670.0	A
Fludioxonil	N-outdr flower	0.03	1	0.25	A
Fludioxonil	Pepper, fruiting	0.19	1	1.0	A
Fludioxonil	Pepper, fruiting	<0.01	1	36.0	S
Flumioxazin	Apple	11.89	1	95.0	A
Flumioxazin	Bean, dried	0.79	3	17.45	A
Flumioxazin	Celery	7.87	15	122.2	A
Flumioxazin	Cherry	63.92	12	435.82	A
Flumioxazin	Garbanzo bean	2.74	7	44.7	A
Flumioxazin	Garlic	34.77	13	257.0	A
Flumioxazin	Landscape maintenance	48.04	N/A	N/A	N/A
Flumioxazin	N-outdr plants in containers	66.16	19	152.0	A
Flumioxazin	Pepper, fruiting	10.85	6	87.2	A
Flumioxazin	Rights of way	239.04	N/A	N/A	N/A
Flumioxazin	Uncultivated ag	10.83	14	79.0	A
Fluopicolide	N-grnhs transplants	0.64	3	180.0	A
Fluopyram	Broccoli	0.63	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fluopyram	Celery	13.91	20	184.6	A
Fluopyram	Cherry	109.93	42	972.0	A
Fluopyram	Cucumber	7.23	2	59.0	A
Fluopyram	Cucumber	<0.01	1	36.0	S
Fluopyram	Grape, wine	51.24	16	487.82	A
Fluopyram	Landscape maintenance	2.82	N/A	N/A	N/A
Fluopyram	Lettuce, head	5.43	4	43.9	A
Fluopyram	Nectarine	0.41	3	4.5	A
Fluopyram	Peach	0.49	3	6.0	A
Fluopyram	Pepper, fruiting	236.25	79	2,087.42	A
Fluopyram	Plum	0.2	1	2.5	A
Fluopyram	Pumpkin	7.39	5	59.5	A
Fluopyram	Sunflower	1.91	3	11.5	A
Fluopyram	Tomato	116.41	29	939.0	A
Fluopyram	Tomato, processing	3.4	1	27.5	A
Flupyradifurone	Bean, unspecified	0.93	1	6.0	A
Flupyradifurone	Broccoli	10.96	7	70.15	A
Flupyradifurone	Cabbage	7.17	18	46.4	A
Flupyradifurone	Cauliflower	5.39	16	34.9	A
Flupyradifurone	Celery	24.69	20	164.6	A
Flupyradifurone	Chinese cabbage (napa, wong bok, celery cabbage)	55.1	40	310.66	A
Flupyradifurone	Corn, human consumption	17.17	11	111.4	A
Flupyradifurone	Landscape maintenance	12.41	N/A	N/A	N/A
Flupyradifurone	Lettuce, head	8.99	8	60.58	A
Flupyradifurone	Lettuce, leaf	51.55	52	386.62	A
Flupyradifurone	N-grnhs flower	0.66	8	268,460.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Flupyradifurone	N-grnhs plants in containers	1.09	1	0.07	A
Flupyradifurone	N-outdr flower	1.08	9	11.0	A
Flupyradifurone	N-outdr transplants	1.09	1	60.0	A
Flupyradifurone	Peas	1.2	2	7.7	A
Flupyradifurone	Pepper, fruiting	88.74	19	551.1	A
Flupyradifurone	Tomato	0.92	3	5.5	A
Flupyradifurone	Watermelon	1.33	1	8.55	A
Flurecol-methyl	Landscape maintenance	2.52	N/A	N/A	N/A
Fluridone	Landscape maintenance	1.79	N/A	N/A	N/A
Fluridone	Water area	6.0	N/A	104.0	A
Fluroxypyr, 1-methylheptyl ester	Landscape maintenance	8.95	N/A	N/A	N/A
Fluroxypyr, 1-methylheptyl ester	Rights of way	0.06	N/A	N/A	N/A
Flurprimidol	Golf course turf	15.93	N/A	111.0	A
Flurprimidol	Landscape maintenance	154.76	N/A	N/A	N/A
Flurprimidol	N-grnhs transplants	0.01	2	120.0	A
Flutolanil	Golf course turf	37.71	N/A	3.2	A
Flutriafol	Apple	1.62	1	20.0	A
Flutriafol	Grape, wine	4.06	1	50.0	A
Flutriafol	Pepper, fruiting	54.41	19	528.62	A
Flutriafol	Pumpkin	6.84	5	60.5	A
Flutriafol	Tomato	0.33	2	3.0	A
Fluxapyroxad	Broccoli	10.96	9	135.95	A
Fluxapyroxad	Celery	16.43	18	147.1	A
Fluxapyroxad	Cherry	1.98	2	18.0	A
Fluxapyroxad	Golf course turf	4.21	N/A	3.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fluxapyroxad	Landscape maintenance	11.86	N/A	N/A	N/A
Fluxapyroxad	Lettuce, head	0.72	1	4.0	A
Fluxapyroxad	Lettuce, leaf	22.56	19	128.1	A
Fluxapyroxad	N-grnhs transplants	11.34	30	1,380.0	A
Fluxapyroxad	N-outdr plants in containers	0.29	2	2.5	A
Fluxapyroxad	Pepper, fruiting	94.14	46	1,082.82	A
Fluxapyroxad	Research commodity	0.01	1	0.1	A
Fluxapyroxad	Rights of way	0.46	N/A	N/A	N/A
Fluxapyroxad	Sunflower	6.27	8	95.7	A
Fluxapyroxad	Tomato	123.75	41	1,424.0	A
Fluxapyroxad	Tomato, processing	6.53	6	100.5	A
Foramsulfuron	Golf course turf	1.76	N/A	48.3	A
Foramsulfuron	Landscape maintenance	0.35	N/A	N/A	N/A
Fosetyl-al	Bok choy (choy sum, pak choi)	4.0	1	0.5	A
Fosetyl-al	Celery	16.0	4	1.75	A
Fosetyl-al	Gai choy	8.0	2	1.0	A
Fosetyl-al	Landscape maintenance	76.8	N/A	N/A	N/A
Fosetyl-al	Lettuce, head	546.2	15	196.0	A
Fosetyl-al	Lettuce, leaf	655.32	22	220.31	A
Fosetyl-al	N-grnhs flower	14.4	2	1.08	A
Fosetyl-al	N-grnhs flower	1.6	1	14,816.0	U
Fosetyl-al	N-grnhs plants in containers	298.0	94	34.3	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fosetyl-al</b>	N-outdr plants in containers	4.8	1	0.4	A
<b>Fosetyl-al</b>	Peas	0.9	3	1.5	A
<b>Fosetyl-al</b>	Spinach	2.0	1	0.5	A
<b>Freon 12</b>	Structural pest control	0.1	N/A	N/A	N/A
<b>Gamma-cyhalothrin</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>Gamma-cyhalothrin</b>	Structural pest control	0.67	N/A	N/A	N/A
<b>Garlic</b>	Grape, wine	2.64	6	24.0	A
<b>Gibberellins</b>	Cherry	21.22	34	523.5	A
<b>Gibberellins</b>	N-grnhs flower	<0.01	6	20,480.0	S
<b>Gibberellins</b>	N-grnhs plants in containers	0.02	4	1.18	A
<b>Gibberellins</b>	N-grnhs transplants	0.23	29	1,440.0	A
<b>Gibberellins</b>	Pepper, fruiting	0.87	14	365.15	A
<b>Glufosinate-ammonium</b>	Cherry	40.42	3	64.82	A
<b>Glufosinate-ammonium</b>	Corn, human consumption	44.42	4	100.9	A
<b>Glufosinate-ammonium</b>	Grape, wine	19.73	1	23.0	A
<b>Glufosinate-ammonium</b>	Landscape maintenance	506.83	N/A	N/A	N/A
<b>Glufosinate-ammonium</b>	Pepper, fruiting	84.56	6	197.0	A
<b>Glufosinate-ammonium</b>	Rights of way	548.65	N/A	N/A	N/A
<b>Glufosinate-ammonium</b>	Structural pest control	0.16	N/A	N/A	N/A
<b>Glufosinate-ammonium</b>	Tomato	16.29	1	37.0	A
<b>Glufosinate-ammonium</b>	Uncultivated ag	68.24	18	87.0	A
<b>Glufosinate-ammonium</b>	Uncultivated non-ag	5.85	2	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Glutaraldehyde	Water (industrial)	8,820.14	N/A	953.0	U
Glycerol	Broccoli	0.83	2	10.0	A
Glycerol	Cabbage	0.01	1	0.5	A
Glycerol	Cauliflower	0.94	2	12.0	A
Glycerol	Celery	0.11	4	5.0	A
Glycerol	Cherry	63.25	16	627.0	A
Glycerol	Cilantro	0.09	2	1.5	A
Glycerol	Kale	0.05	2	2.12	A
Glycerol	Landscape maintenance	3.08	N/A	N/A	N/A
Glycerol	Tomato	10.71	3	140.0	A
Glycerol	Uncultivated ag	5.45	13	44.0	A
Glyphosate, dimethylamine salt	Mint	1.28	1	2.0	A
Glyphosate, dimethylamine salt	Rights of way	1,653.5	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Apple	237.56	1	95.0	A
Glyphosate, isopropylamine salt	Apricot	2.0	1	1.2	A
Glyphosate, isopropylamine salt	Cabbage	33.97	1	17.0	A
Glyphosate, isopropylamine salt	Cherry	1,326.05	27	881.0	A
Glyphosate, isopropylamine salt	Corn, human consumption	199.23	5	124.9	A
Glyphosate, isopropylamine salt	Golf course turf	21.85	N/A	8.75	A
Glyphosate, isopropylamine salt	Golf course turf	2.05	N/A	3,000.0	S
Glyphosate, isopropylamine salt	Grape, wine	144.32	12	92.18	A
Glyphosate, isopropylamine salt	Landscape maintenance	4,220.55	N/A	N/A	N/A
Glyphosate, isopropylamine salt	N-grnhs flower	0.01	1	0.3	A
Glyphosate, isopropylamine salt	N-grnhs plants in containers	7.21	9	4.56	A
Glyphosate, isopropylamine salt	N-outdr flower	30.48	13	9.6	A
Glyphosate, isopropylamine salt	N-outdr plants in containers	344.99	41	240.16	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glyphosate, isopropylamine salt	Oat	5.94	1	2.0	A
Glyphosate, isopropylamine salt	Pepper, fruiting	410.7	7	257.0	A
Glyphosate, isopropylamine salt	Peppermint	1.0	1	1.0	A
Glyphosate, isopropylamine salt	Rangeland	5.57	2	2.5	A
Glyphosate, isopropylamine salt	Regulatory pest control	9.99	1	10.0	A
Glyphosate, isopropylamine salt	Rights of way	7,792.87	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Structural pest control	0.08	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Tomato	562.89	12	421.0	A
Glyphosate, isopropylamine salt	Tomato, processing	86.95	2	58.0	A
Glyphosate, isopropylamine salt	Uncultivated ag	1,070.15	50	407.3	A
Glyphosate, isopropylamine salt	Uncultivated non-ag	118.52	3	112.5	A
Glyphosate, isopropylamine salt	Walnut	259.78	2	130.0	A
Glyphosate, isopropylamine salt	Watercress	2.0	2	3.0	A
Glyphosate, isopropylamine salt	Watermelon	35.97	1	18.0	A
Glyphosate, monoammonium salt	Landscape maintenance	221.89	N/A	N/A	N/A
Glyphosate, monoammonium salt	Rights of way	107.04	N/A	N/A	N/A
Glyphosate, potassium salt	Apricot	16.82	6	9.0	A
Glyphosate, potassium salt	Cherry	657.27	13	365.07	A
Glyphosate, potassium salt	Golf course turf	7.76	N/A	1.0	A
Glyphosate, potassium salt	Golf course turf	3.88	N/A	6,000.0	S
Glyphosate, potassium salt	Grape, wine	0.47	N/A	1.0	A
Glyphosate, potassium salt	Landscape maintenance	416.51	81	51.97	A
Glyphosate, potassium salt	Landscape maintenance	3,524.98	N/A	N/A	N/A
Glyphosate, potassium salt	N-grnhs flower	41.03	8	4.25	A
Glyphosate, potassium salt	N-grnhs flower	60.9	8	249,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	N-outdr flower	5.39	1	1.25	A
<b>Glyphosate, potassium salt</b>	N-outdr plants in containers	5.69	4	40.0	A
<b>Glyphosate, potassium salt</b>	Nectarine	6.34	3	4.5	A
<b>Glyphosate, potassium salt</b>	Peach	8.32	4	6.5	A
<b>Glyphosate, potassium salt</b>	Plum	12.61	3	5.75	A
<b>Glyphosate, potassium salt</b>	Rights of way	514.22	N/A	N/A	N/A
<b>Glyphosate, potassium salt</b>	Structural pest control	41.38	2	15.0	A
<b>Glyphosate, potassium salt</b>	Tomato	523.92	8	245.8	A
<b>Glyphosate, potassium salt</b>	Tomato, processing	41.38	1	20.0	A
<b>Glyphosate, potassium salt</b>	Uncultivated ag	865.25	22	216.41	A
<b>Glyphosate, potassium salt</b>	Uncultivated non-ag	155.22	2	18.5	A
<b>Gs-omega/kappa-hctx-hv1a (versitide peptide)</b>	Cabbage	0.22	3	5.0	A
<b>Gs-omega/kappa-hctx-hv1a (versitide peptide)</b>	Cauliflower	0.15	3	3.5	A
<b>Gs-omega/kappa-hctx-hv1a (versitide peptide)</b>	Chinese cabbage (napa, wong bok, celery cabbage)	14.53	44	337.93	A
<b>Gs-omega/kappa-hctx-hv1a (versitide peptide)</b>	Pepper, fruiting	1.18	2	55.0	A
<b>Gs-omega/kappa-hctx-hv1a (versitide peptide)</b>	Sunflower	0.69	4	16.0	A
<b>Halosulfuron-methyl</b>	Landscape maintenance	4.74	N/A	N/A	N/A
<b>Halosulfuron-methyl</b>	N-outdr plants in containers	0.7	5	15.0	A
<b>Heptamethyltrisiloxane ethoxylated</b>	Landscape maintenance	0.02	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Heptamethyltrisiloxane ethoxylated	Nectarine	1.35	4	6.5	A
Heptamethyltrisiloxane ethoxylated	Onion, dry	1.55	2	23.8	A
Heptamethyltrisiloxane ethoxylated	Pumpkin	15.03	13	153.3	A
Heptamethyltrisiloxane ethoxylated	Tomato	43.09	29	680.05	A
Heptamethyltrisiloxane ethoxylated	Tomato, processing	30.29	16	379.0	A
Heptamethyltrisiloxane ethoxylated	Walnut	9.49	1	90.0	A
Heptamethyltrisiloxane ethoxylated	Watermelon	0.55	1	8.55	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Broccoli	31.32	44	307.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cabbage	18.85	37	271.8	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cauliflower	9.64	9	48.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Celery	10.86	10	59.1	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grape, wine	4.12	2	36.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Kale	0.77	10	7.5	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Lettuce, leaf	33.26	30	230.52	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Onion, dry	0.43	3	5.1	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Spinach	0.44	1	5.2	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Strawberry	1.95	12	18.0	A
Heptyl butyrate	Structural pest control	1.39	N/A	N/A	N/A
Hexylene glycol	Rights of way	290.36	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Hexythiazox	Corn, human consumption	103.18	42	819.8	A
Hexythiazox	N-grnhs flower	1.78	31	510,056.0	S
Hexythiazox	N-outdr flower	0.48	3	7.5	A
Hexythiazox	N-outdr plants in containers	0.14	2	1.5	A
Hexythiazox	Research commodity	<0.01	3	0.3	A
Hydramethylnon	Landscape maintenance	11.13	N/A	N/A	N/A
Hydramethylnon	Regulatory pest control	<0.01	N/A	N/A	N/A
Hydramethylnon	Structural pest control	3.41	N/A	N/A	N/A
Hydrogen chloride	Landscape maintenance	100.74	N/A	N/A	N/A
Hydrogen chloride	Regulatory pest control	635.75	N/A	N/A	N/A
Hydrogen peroxide	Bean, unspecified	3.86	2	6.16	A
Hydrogen peroxide	Buildings/non-ag outdoor	1.56	N/A	31.0	U
Hydrogen peroxide	Cannabis (all or unspecified)	16.94	29	60,540.0	S
Hydrogen peroxide	Cauliflower	0.58	1	0.2	A
Hydrogen peroxide	Commercial storages or warehouses (all or unspec)	0.18	N/A	25,000.0	S
Hydrogen peroxide	Commercial, institutional or industrial areas	2.33	N/A	318,050.0	S
Hydrogen peroxide	Commodity fumigation	2,044.95	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Hydrogen peroxide	Ditch bank	110.73	N/A	1.0	U
Hydrogen peroxide	Grape, wine	162.37	18	104.9	A
Hydrogen peroxide	N-grnhs plants in containers	249.77	83	46.28	A
Hydrogen peroxide	N-grnhs transplants	8.04	3	180.0	A
Hydrogen peroxide	N-outdr flower	12.45	1	5.0	A
Hydrogen peroxide	Pepper, fruiting	106.1	11	191.0	A
Hydrogen peroxide	Research commodity	0.58	1	1.0	A
Hydrogen peroxide	Structural pest control	0.01	N/A	N/A	N/A
Hydrogen peroxide	Uncultivated non-ag	0.4	N/A	3,622.0	S
Hydrogen peroxide	Vegetable	0.58	1	0.2	A
Hydroprene	Regulatory pest control	0.04	N/A	N/A	N/A
Hydroprene	Structural pest control	38.2	N/A	N/A	N/A
Hydrotreated paraffinic solvent	Structural pest control	1.24	N/A	N/A	N/A
Iba	N-grnhs flower	0.03	14	38,832.0	S
Iba	N-grnhs flower	0.3	95	160,713.0	U
Iba	N-grnhs transplants	0.11	30	1,500.0	A
Imazamox, ammonium salt	Golf course turf	1.06	N/A	5.0	A
Imazamox, ammonium salt	Landscape maintenance	3.18	N/A	N/A	N/A
Imazamox, ammonium salt	Rights of way	1.73	N/A	N/A	N/A
Imazapyr, isopropylamine salt	Landscape maintenance	1.6	N/A	N/A	N/A
Imazapyr, isopropylamine salt	Rights of way	62.15	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imazapyr, isopropylamine salt	Water area	4.26	N/A	0.45	A
Imazapyr, isopropylamine salt	Water area	0.59	N/A	2,690.0	S
Imazosulfuron	Landscape maintenance	2.88	N/A	N/A	N/A
Imidacloprid	Bean, succulent	1.85	11	43.05	A
Imidacloprid	Bean, unspecified	2.82	8	65.9	A
Imidacloprid	Bok choy (choy sum, pak choi)	2.85	3	60.0	A
Imidacloprid	Broccoli	15.34	36	335.25	A
Imidacloprid	Cabbage	0.69	4	14.0	A
Imidacloprid	Cauliflower	0.22	1	0.75	A
Imidacloprid	Cherry	43.12	12	463.0	A
Imidacloprid	Chinese amaranth (chinese spinach, tampala, yin choy)	0.38	1	0.25	A
Imidacloprid	Chinese cabbage (napa, wong bok, celery cabbage)	11.43	31	247.85	A
Imidacloprid	Citrus	0.1	4	4.0	A
Imidacloprid	Citrus	0.07	2	550.0	U
Imidacloprid	Cucumber	15.8	7	70.0	A
Imidacloprid	Gai choy	1.19	3	38.0	A
Imidacloprid	Garlic	29.5	1	60.0	A
Imidacloprid	Golf course turf	32.59	N/A	92.75	A
Imidacloprid	Grape, wine	129.44	6	278.85	A
Imidacloprid	Landscape maintenance	523.64	N/A	N/A	N/A
Imidacloprid	Lettuce, head	28.17	58	593.77	A
Imidacloprid	Lettuce, leaf	98.68	261	2,147.6	A
Imidacloprid	N-grnhs flower	0.95	22	478,360.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Imidacloprid	N-grnhs plants in containers	24.53	8	5.03	A
Imidacloprid	N-grnhs plants in containers	1.44	42	8,746.0	U
Imidacloprid	N-outdr flower	3.0	3	8.1	A
Imidacloprid	N-outdr plants in containers	11.44	13	38.23	A
Imidacloprid	N-outdr plants in containers	1.26	6	5,800.0	S
Imidacloprid	Pepper, fruiting	93.59	13	400.6	A
Imidacloprid	Public health	8.14	N/A	N/A	N/A
Imidacloprid	Pumpkin	20.8	4	55.5	A
Imidacloprid	Regulatory pest control	0.5	N/A	N/A	N/A
Imidacloprid	Research commodity	0.56	5	1.33	A
Imidacloprid	Rights of way	0.09	N/A	N/A	N/A
Imidacloprid	Spinach	14.35	48	302.75	A
Imidacloprid	Structural pest control	569.9	N/A	N/A	N/A
Imidacloprid	Tomato	12.17	10	188.5	A
Imidacloprid	Tomato, processing	12.91	8	184.8	A
Imidacloprid	Vertebrate control	0.12	N/A	N/A	N/A
Imidacloprid	Yam	0.88	3	4.0	A
Indaziflam	Grape, wine	0.6	1	13.0	A
Indaziflam	Landscape maintenance	1.52	N/A	N/A	N/A
Indaziflam	N-grnhs plants in containers	1.42	3	3.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Indaziflam	N-outdr plants in containers	0.97	2	19.0	A
Indaziflam	Rights of way	125.95	N/A	N/A	N/A
Indaziflam	Uncultivated non-ag	6.22	N/A	103.5	A
Indole	Structural pest control	<0.01	N/A	N/A	N/A
Indoxacarb	Broccoli	28.2	43	429.65	A
Indoxacarb	Cabbage	7.54	15	114.7	A
Indoxacarb	Corn, human consumption	0.51	1	9.0	A
Indoxacarb	Landscape maintenance	0.07	N/A	N/A	N/A
Indoxacarb	Pepper, fruiting	0.98	14	316.0	A
Indoxacarb	Regulatory pest control	<0.01	N/A	N/A	N/A
Indoxacarb	Structural pest control	59.4	N/A	N/A	N/A
Indoxacarb	Tomato	6.08	23	528.0	A
Iprodione	Apricot	9.23	4	54.2	A
Iprodione	Broccoli	183.38	12	183.8	A
Iprodione	Cherry	477.22	30	589.0	A
Iprodione	Grape, wine	4.0	2	8.0	A
Iprodione	Landscape maintenance	215.3	N/A	N/A	N/A
Iprodione	N-grnhs flower	10.19	2	0.72	A
Iprodione	N-grnhs flower	0.07	14	38,832.0	S
Iprodione	N-grnhs plants in containers	63.23	14	6.09	A
Iprodione	N-grnhs transplants	23.44	20	1,080.0	A
Iprodione	N-outdr flower	40.81	49	83.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Iprodione	Research commodity	0.97	2	1.3	A
Iprodione	Sod farm (turf)	11.87	4	4.75	A
Iprodione	Sod farm (turf)	0.37	1	6,000.0	S
Iron hedta	Landscape maintenance	164.1	N/A	N/A	N/A
Iron phosphate	Landscape maintenance	8.54	N/A	N/A	N/A
Iron phosphate	Structural pest control	0.38	N/A	N/A	N/A
Isopropyl alcohol	Apple	6.57	1	75.0	A
Isopropyl alcohol	Apricot	0.44	2	10.0	A
Isopropyl alcohol	Cherry	528.15	43	747.75	A
Isopropyl alcohol	Grape, wine	48.71	40	737.4	A
Isopropyl alcohol	Landscape maintenance	14.47	N/A	N/A	N/A
Isopropyl alcohol	Lettuce, head	16.45	30	349.59	A
Isopropyl alcohol	Lettuce, leaf	15.36	40	331.09	A
Isopropyl alcohol	Peach	0.33	1	1.5	A
Isopropyl alcohol	Rights of way	47.24	N/A	N/A	N/A
Isopropyl alcohol	Structural pest control	52.33	N/A	N/A	N/A
Isopropylamine dodecylbenzene sulfonate	Landscape maintenance	<0.01	N/A	N/A	N/A
Isoxaben	Landscape maintenance	131.64	N/A	N/A	N/A
Isoxaben	N-grnhs flower	0.06	7	4,293.0	U
Isoxaben	N-outdr plants in containers	1.75	2	2.0	A
Isoxaben	Rights of way	707.47	N/A	N/A	N/A
Kaolin	Grape, wine	508.59	14	46.47	A
Kaolin	Olive	241.3	N/A	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Kaolin	Pepper, fruiting	9,120.0	7	164.5	A
Lambda-cyhalothrin	Apple	6.21	2	150.0	A
Lambda-cyhalothrin	Apricot	0.16	1	4.0	A
Lambda-cyhalothrin	Bean, dried	0.55	3	17.45	A
Lambda-cyhalothrin	Bean, succulent	4.31	19	142.05	A
Lambda-cyhalothrin	Bean, unspecified	0.81	7	26.9	A
Lambda-cyhalothrin	Broccoli	17.57	47	578.45	A
Lambda-cyhalothrin	Cabbage	3.87	35	124.1	A
Lambda-cyhalothrin	Cauliflower	1.48	21	48.0	A
Lambda-cyhalothrin	Cherry	25.02	26	598.25	A
Lambda-cyhalothrin	Chinese cabbage (napa, wong bok, celery cabbage)	27.18	118	907.05	A
Lambda-cyhalothrin	Corn, human consumption	13.64	48	449.4	A
Lambda-cyhalothrin	Cucumber	2.64	4	90.0	A
Lambda-cyhalothrin	Garlic	0.27	1	9.0	A
Lambda-cyhalothrin	Landscape maintenance	6.45	N/A	N/A	N/A
Lambda-cyhalothrin	Lettuce, head	35.29	117	1,166.23	A
Lambda-cyhalothrin	Lettuce, leaf	82.11	300	2,693.57	A
Lambda-cyhalothrin	Nectarine	0.39	6	9.0	A
Lambda-cyhalothrin	Onion, dry	2.47	7	79.3	A
Lambda-cyhalothrin	Peach	0.08	1	2.0	A
Lambda-cyhalothrin	Peas	0.24	2	7.7	A
Lambda-cyhalothrin	Pepper, fruiting	40.36	54	1,337.36	A
Lambda-cyhalothrin	Pumpkin	0.15	1	5.0	A
Lambda-cyhalothrin	Squash	0.51	3	16.8	A
Lambda-cyhalothrin	Structural pest control	605.18	N/A	N/A	N/A
Lambda-cyhalothrin	Sunflower	4.44	8	140.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lambda-cyhalothrin	Tomato	31.5	43	1,036.8	A
Lambda-cyhalothrin	Tomato, processing	23.52	34	762.7	A
Lecithin	Apple	43.37	1	95.0	A
Lecithin	Bean, dried	10.97	8	37.6	A
Lecithin	Broccoli	108.32	30	276.2	A
Lecithin	Cabbage	117.37	35	287.0	A
Lecithin	Celery	3.05	3	10.0	A
Lecithin	Cherry	240.35	24	996.0	A
Lecithin	Corn, human consumption	98.71	68	630.5	A
Lecithin	Cucumber	3.81	1	27.0	A
Lecithin	Garbanzo bean	43.91	14	101.2	A
Lecithin	Garlic	5.13	2	18.0	A
Lecithin	Landscape maintenance	4.1	N/A	N/A	N/A
Lecithin	Lettuce, head	39.72	12	121.85	A
Lecithin	Lettuce, leaf	77.49	21	233.75	A
Lecithin	N-outdr plants in containers	40.33	51	139.25	A
Lecithin	Parsley	8.55	11	45.0	A
Lecithin	Pepper, fruiting	17.91	2	77.0	A
Lecithin	Pumpkin	59.61	15	156.1	A
Lecithin	Rights of way	20.12	N/A	N/A	N/A
Lecithin	Squash	4.96	2	12.0	A
Lecithin	Sunflower	18.85	2	64.0	A
Lecithin	Tomato	25.42	10	204.3	A
Lecithin	Tomato, processing	3.02	1	20.0	A
Lecithin	Uncultivated ag	65.23	41	266.11	A
Lecithin	Uncultivated non-ag	47.16	N/A	103.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lecithin	Walnut	41.21	3	220.0	A
Lecithin	Water area	0.28	N/A	20.0	A
Lecithin	Watermelon	2.39	1	18.0	A
Lime-sulfur	Apple	0.2	1	1,008.0	S
Lime-sulfur	Blueberry	1.15	1	3,000.0	S
Lime-sulfur	Cherry	0.2	1	1,008.0	S
Lime-sulfur	Grape	30.79	2	12.5	A
Lime-sulfur	Grape, wine	368.93	12	34.68	A
Lime-sulfur	Nectarine	1.76	2	3,012.0	S
Lime-sulfur	Peach	1.76	2	3,012.0	S
Lime-sulfur	Plum	0.2	1	833.0	S
Lime-sulfur	Raspberry	1.22	1	2,000.0	S
Limonene	Landscape maintenance	15.46	N/A	N/A	N/A
Limonene	Structural pest control	1,092.69	N/A	N/A	N/A
Linuron	Carrot	21.6	2	28.8	A
Low molecular weight paraffinic oil	Broccoli	0.26	7	131.0	A
Low molecular weight paraffinic oil	Sunflower	1.46	4	39.86	A
Magnesium phosphide	Commodity fumigation	1.83	N/A	N/A	N/A
Malathion	Bok choy (choy sum, pak choi)	32.11	37	42.5	A
Malathion	Bok choy (choy sum, pak choi)	0.96	1	32,000.0	S
Malathion	Celery	0.26	1	0.5	A
Malathion	Cherry	454.34	8	367.0	A
Malathion	Corn, human consumption	867.15	29	847.8	A
Malathion	Gai choy	6.99	12	11.0	A
Malathion	Gai choy	0.96	1	32,000.0	S
Malathion	Gai lon	6.13	4	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Malathion</b>	Landscape maintenance	6.45	N/A	N/A	N/A
<b>Malathion</b>	Lettuce, head	4.58	1	4.5	A
<b>Malathion</b>	Lettuce, leaf	51.36	3	47.0	A
<b>Malathion</b>	Mint	47.09	30	47.0	A
<b>Malathion</b>	Mint	1.02	2	20,000.0	S
<b>Malathion</b>	Mustard greens	0.06	1	1.0	A
<b>Malathion</b>	N-grnhs plants in containers	31.55	29	15.46	A
<b>Malathion</b>	Peas	0.96	1	32,000.0	S
<b>Malathion</b>	Spinach	2.04	2	4.0	A
<b>Malathion</b>	Swiss chard	0.26	1	1,000.0	S
<b>Malathion</b>	Watercress	16.55	13	21.0	A
<b>Malathion</b>	Yam	0.06	1	1.0	A
<b>Mancozeb</b>	Golf course turf	206.95	N/A	26.0	A
<b>Mancozeb</b>	Landscape maintenance	464.64	N/A	N/A	N/A
<b>Mancozeb</b>	Lettuce, head	1,119.55	71	753.07	A
<b>Mancozeb</b>	Lettuce, leaf	2,655.88	203	1,773.55	A
<b>Mancozeb</b>	N-grnhs plants in containers	1.6	3	0.94	A
<b>Mancozeb</b>	N-outdr flower	1.5	2	2.0	A
<b>Mancozeb</b>	Tomato	247.83	12	215.0	A
<b>Mandipropamid</b>	Lettuce, head	63.61	51	488.38	A
<b>Mandipropamid</b>	Lettuce, leaf	262.81	281	2,128.32	A
<b>Mandipropamid</b>	Mustard greens	5.06	23	38.6	A
<b>Mandipropamid</b>	N-grnhs flower	0.33	1	2.5	A
<b>Mandipropamid</b>	N-grnhs flower	0.69	18	303,316.0	S
<b>Mandipropamid</b>	N-grnhs plants in containers	4.75	58	33.09	A
<b>Mandipropamid</b>	N-grnhs transplants	1.64	16	870.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mandipropamid</b>	N-outdr flower	2.0	6	15.0	A
<b>Mandipropamid</b>	Onion, dry	3.11	2	23.8	A
<b>Mandipropamid</b>	Spinach	43.78	64	402.8	A
<b>Margosa oil</b>	N-outdr flower	3.54	5	6.0	A
<b>Margosa oil</b>	Peas	0.05	2	4.0	A
<b>Margosa oil</b>	Strawberry	1.14	10	18.5	A
<b>Margosa oil</b>	Structural pest control	0.14	N/A	N/A	N/A
<b>Mcpa, dimethylamine salt</b>	Forage hay/silage	47.62	10	136.9	A
<b>Mcpa, dimethylamine salt</b>	Oat	55.59	4	124.0	A
<b>Mcpa, dimethylamine salt</b>	Oat (forage - fodder)	116.51	21	300.4	A
<b>Mcpa, dimethylamine salt</b>	Triticale	12.29	4	27.0	A
<b>Mcpa, dimethylamine salt</b>	Wheat	30.52	6	57.0	A
<b>Mcpa, dimethylamine salt</b>	Wheat (forage - fodder)	1.82	4	106.0	A
<b>Mcpp</b>	Landscape maintenance	2.08	N/A	N/A	N/A
<b>Mcpp, potassium salt</b>	Landscape maintenance	0.19	N/A	N/A	N/A
<b>Mcpp, potassium salt</b>	N-grnhs plants in containers	9.22	3	1.64	A
<b>Mcpp-p, dimethylamine salt</b>	Landscape maintenance	1.19	N/A	N/A	N/A
<b>Mecoprop-p</b>	Golf course turf	7.38	N/A	68.3	A
<b>Mecoprop-p</b>	Golf course turf	0.02	N/A	6,000.0	S
<b>Mecoprop-p</b>	Landscape maintenance	70.95	N/A	N/A	N/A
<b>Mefenoxam</b>	Cauliflower	0.5	1	2.0	A
<b>Mefenoxam</b>	Cucumber	0.42	1	5.0	A
<b>Mefenoxam</b>	Landscape maintenance	10.58	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mefenoxam	N-grnhs flower	0.38	6	4.32	A
Mefenoxam	N-grnhs flower	0.4	11	105,168.0	S
Mefenoxam	N-grnhs flower	1.52	20	37,027.0	U
Mefenoxam	N-grnhs plants in containers	8.55	24	13.32	A
Mefenoxam	N-grnhs transplants	33.88	56	3,060.0	A
Mefenoxam	N-outdr flower	0.58	19	18.5	A
Mefenoxam	N-outdr plants in containers	67.5	9	22.6	A
Mefenoxam	Onion, dry	3.57	3	34.3	A
Mefenoxam	Pepper, fruiting	2.37	2	47.0	A
Mefenoxam	Spinach	164.02	56	326.75	A
Mefenoxam	Tomato	95.57	22	546.1	A
Mefenoxam	Tomato, processing	59.27	13	366.5	A
Mefenoxam, other related	Landscape maintenance	0.32	N/A	N/A	N/A
Mefenoxam, other related	N-grnhs flower	0.01	6	4.32	A
Mefenoxam, other related	N-grnhs flower	0.01	11	105,168.0	S
Mefenoxam, other related	N-grnhs flower	0.05	19	35,477.0	U
Mefenoxam, other related	N-grnhs plants in containers	0.2	15	8.63	A
Mefenoxam, other related	N-grnhs transplants	1.11	56	3,060.0	A
Mefenoxam, other related	N-outdr flower	<0.01	3	4.0	A
Mefenoxam, other related	N-outdr plants in containers	2.21	6	3.6	A
Mefentrifluconazole	Landscape maintenance	4.52	N/A	N/A	N/A
Mefentrifluconazole	Pepper, fruiting	90.07	28	689.39	A
Mefentrifluconazole	Pumpkin	0.34	1	2.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mefentrifluconazole</b>	Tomato	0.54	1	4.0	A
<b>Mefentrifluconazole</b>	Tomato, processing	4.83	2	37.0	A
<b>Mesotrione</b>	Golf course turf	0.87	N/A	9.0	A
<b>Mesotrione</b>	Landscape maintenance	2.31	N/A	N/A	N/A
<b>Mesotrione</b>	N-outdr plants in containers	1.09	3	14.0	A
<b>Mesotrione</b>	Sod farm (turf)	3.5	1	7.0	A
<b>Metalaxyl</b>	N-grnhs flower	1.32	2	0.78	A
<b>Metalaxyl</b>	N-grnhs plants in containers	0.34	1	0.66	A
<b>Metaldehyde</b>	Landscape maintenance	2.42	N/A	N/A	N/A
<b>Metaldehyde</b>	N-grnhs flower	0.38	1	0.3	A
<b>Metaldehyde</b>	N-outdr flower	1.5	4	1.05	A
<b>Metaldehyde</b>	N-outdr plants in containers	64.94	11	81.5	A
<b>Metaldehyde</b>	Spinach	0.35	2	1.0	A
<b>Metaldehyde</b>	Yam	3.83	6	10.5	A
<b>Metam-sodium</b>	Rights of way	2,185.57	N/A	N/A	N/A
<b>Metconazole</b>	Landscape maintenance	41.25	N/A	N/A	N/A
<b>Metconazole</b>	Nectarine	0.14	1	1.5	A
<b>Metconazole</b>	Peach	0.19	1	2.0	A
<b>Methiocarb</b>	N-outdr plants in containers	48.0	2	8.0	A
<b>Methomyl</b>	Bean, succulent	7.26	3	9.6	A
<b>Methomyl</b>	Bok choy (choy sum, pak choi)	5.4	1	12.0	A
<b>Methomyl</b>	Broccoli	90.35	14	118.5	A
<b>Methomyl</b>	Celery	78.53	16	95.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methomyl</b>	Chinese cabbage (napa, wong bok, celery cabbage)	16.77	5	37.25	A
<b>Methomyl</b>	Corn, human consumption	78.39	6	174.2	A
<b>Methomyl</b>	Lettuce, head	722.4	84	941.2	A
<b>Methomyl</b>	Lettuce, leaf	983.43	161	1,481.07	A
<b>Methomyl</b>	Spinach	14.45	3	16.05	A
<b>Methomyl</b>	Structural pest control	0.01	N/A	N/A	N/A
<b>Methomyl</b>	Tomato	156.92	13	348.7	A
<b>Methomyl</b>	Tomato, processing	24.75	1	55.0	A
<b>Methoprene</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>Methoprene</b>	Mushroom house	1.16	4	23,000.0	S
<b>Methoprene</b>	Mushroom soil	1.89	2	11,500.0	S
<b>Methoprene</b>	Structural pest control	0.13	N/A	N/A	N/A
<b>Methoxyfenozide</b>	Bean, succulent	0.14	1	1.0	A
<b>Methoxyfenozide</b>	Bean, unspecified	1.59	1	6.0	A
<b>Methoxyfenozide</b>	Bok choy (choy sum, pak choi)	1.69	1	12.0	A
<b>Methoxyfenozide</b>	Broccoli	0.97	1	5.5	A
<b>Methoxyfenozide</b>	Cabbage	3.09	5	18.9	A
<b>Methoxyfenozide</b>	Cauliflower	2.97	5	16.9	A
<b>Methoxyfenozide</b>	Celery	10.03	11	71.0	A
<b>Methoxyfenozide</b>	Chinese cabbage (napa, wong bok, celery cabbage)	18.82	13	97.09	A
<b>Methoxyfenozide</b>	Corn, human consumption	3.19	1	18.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methoxyfenozide</b>	Garbanzo bean	28.62	14	101.2	A
<b>Methoxyfenozide</b>	Lettuce, leaf	54.83	60	387.55	A
<b>Methoxyfenozide</b>	Peas	2.65	3	13.7	A
<b>Methoxyfenozide</b>	Pepper, fruiting	221.93	44	1,267.15	A
<b>Methoxyfenozide</b>	Spinach	2.26	5	16.05	A
<b>Methoxyfenozide</b>	Squash	1.06	2	7.0	A
<b>Methoxyfenozide</b>	Tomato	151.46	31	869.5	A
<b>Methyl anthranilate</b>	Broccoli	11.94	1	27.0	A
<b>Methyl anthranilate</b>	Corn, human consumption	231.01	20	535.6	A
<b>Methyl anthranilate</b>	Structural pest control	74.71	N/A	N/A	N/A
<b>Methyl anthranilate</b>	Sunflower	99.48	26	327.46	A
<b>Methyl bromide</b>	Cherry	120.0	N/A	55,000.0	C
<b>Methyl eugenol</b>	Rights of way	282.22	N/A	N/A	N/A
<b>Methyl silicone resins</b>	Broccoli	0.09	6	52.2	A
<b>Methyl silicone resins</b>	Lettuce, head	0.21	8	81.6	A
<b>Methyl silicone resins</b>	N-outdr plants in containers	0.12	30	110.0	A
<b>Methyl silicone resins</b>	Rights of way	0.11	N/A	N/A	N/A
<b>Methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate</b>	Landscape maintenance	1.92	N/A	N/A	N/A
<b>Methylated soybean oil</b>	Apple	49.48	3	135.0	A
<b>Methylated soybean oil</b>	Apricot	26.14	27	39.4	A
<b>Methylated soybean oil</b>	Bean, dried	4.11	5	23.1	A
<b>Methylated soybean oil</b>	Bean, succulent	52.09	10	150.0	A
<b>Methylated soybean oil</b>	Bean, unspecified	4.61	3	12.16	A
<b>Methylated soybean oil</b>	Broccoli	59.94	37	407.2	A
<b>Methylated soybean oil</b>	Cabbage	72.65	56	327.4	A
<b>Methylated soybean oil</b>	Cauliflower	14.98	22	48.9	A
<b>Methylated soybean oil</b>	Celery	1.24	2	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Cherry	1,183.03	137	1,793.25	A
Methylated soybean oil	Corn, human consumption	497.96	132	1,647.3	A
Methylated soybean oil	Cucumber	0.73	1	5.0	A
Methylated soybean oil	Garbanzo bean	21.95	14	101.2	A
Methylated soybean oil	Garlic	6.81	3	78.0	A
Methylated soybean oil	Grape, wine	170.64	33	420.2	A
Methylated soybean oil	Landscape maintenance	26.95	N/A	N/A	N/A
Methylated soybean oil	Lettuce, head	19.86	12	121.85	A
Methylated soybean oil	Lettuce, leaf	29.71	16	188.75	A
Methylated soybean oil	N-outdr plants in containers	3.73	21	29.25	A
Methylated soybean oil	Nectarine	42.36	34	50.0	A
Methylated soybean oil	Parsley	4.27	11	45.0	A
Methylated soybean oil	Peach	35.37	32	57.5	A
Methylated soybean oil	Peas	5.52	5	21.4	A
Methylated soybean oil	Pepper, fruiting	65.25	18	370.0	A
Methylated soybean oil	Plum	22.78	13	25.0	A
Methylated soybean oil	Pumpkin	29.81	15	156.1	A
Methylated soybean oil	Rights of way	523.27	N/A	N/A	N/A
Methylated soybean oil	Squash	3.82	4	19.0	A
Methylated soybean oil	Sunflower	27.89	4	39.86	A
Methylated soybean oil	Tomato	295.97	38	641.0	A
Methylated soybean oil	Uncultivated ag	2.06	4	8.0	A
Methylated soybean oil	Uncultivated non-ag	23.58	N/A	103.5	A
Methylated soybean oil	Walnut	11.45	1	90.0	A
Methylene chloride	Structural pest control	0.05	N/A	N/A	N/A
Metofluthrin	Structural pest control	0.27	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Metolachlor	Garbanzo bean	14.83	2	13.5	A
Metrafenone	Grape, wine	15.95	3	57.3	A
Metrafenone	Pumpkin	12.63	2	42.0	A
Metrafenone	Tomato	1.35	2	4.5	A
Metrafenone	Tomato, processing	20.94	3	69.5	A
Mineral oil	Apple	1,881.88	1	98.63	A
Mineral oil	Apple	0.2	1	1,008.0	S
Mineral oil	Apricot	660.46	14	70.7	A
Mineral oil	Apricot	0.2	1	780.0	S
Mineral oil	Bean, dried	2.08	3	17.45	A
Mineral oil	Bean, unspecified	22.73	2	48.0	A
Mineral oil	Broccoli	3.81	8	10.71	A
Mineral oil	Cabbage	8.43	2	11.0	A
Mineral oil	Cherry	1,580.95	14	88.75	A
Mineral oil	Cherry	0.2	1	1,008.0	S
Mineral oil	Chive	0.01	1	0.1	A
Mineral oil	Corn, human consumption	22.92	3	29.0	A
Mineral oil	Forage hay/silage	17.29	4	279.0	A
Mineral oil	Gai lon	0.37	2	0.4	A
Mineral oil	Garlic	32.21	1	60.0	A
Mineral oil	Golf course turf	73.51	N/A	10.0	A
Mineral oil	Grape	108.78	10	100.5	A
Mineral oil	Grape, wine	7,021.33	131	1,406.94	A
Mineral oil	Landscape maintenance	49.13	1	7.0	A
Mineral oil	Landscape maintenance	1,315.01	N/A	N/A	N/A
Mineral oil	Lettuce, head	85.3	30	349.59	A
Mineral oil	Lettuce, leaf	87.64	43	352.09	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Mineral oil	Mushroom house	112.59	2	2.0	U
Mineral oil	N-grnhs plants in containers	33.41	256	228.83	A
Mineral oil	N-grnhs plants in containers	9.48	18	44,382.2	S
Mineral oil	N-outdr plants in containers	715.83	5	28.25	A
Mineral oil	N-outdr plants in containers	26.34	40	229,300.0	S
Mineral oil	Nectarine	3.63	3	4.5	A
Mineral oil	Nectarine	0.65	1	1,512.0	S
Mineral oil	Onion, dry	5.29	2	22.0	A
Mineral oil	Peach	35.43	5	7.5	A
Mineral oil	Peach	0.65	1	1,512.0	S
Mineral oil	Pepper, fruiting	154.45	8	221.85	A
Mineral oil	Plum	142.25	4	9.88	A
Mineral oil	Plum	0.2	1	833.0	S
Mineral oil	Prune	28.07	1	2.0	A
Mineral oil	Public health	108.64	N/A	N/A	N/A
Mineral oil	Raspberry	1.21	1	2,000.0	S
Mineral oil	Rights of way	112.28	N/A	N/A	N/A
Mineral oil	Stone fruit	73.76	1	27.25	A
Mineral oil	Tomato	90.43	13	177.4	A
Mineral oil	Uncultivated ag	147.76	5	164.4	A
Mineral oil	Uncultivated non-ag	3.02	1	1.0	A
Mineral oil	Walnut	509.0	1	24.0	A
Msama	Landscape maintenance	19.18	N/A	N/A	N/A
Muscalure	Landscape maintenance	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Muscalure	Structural pest control	0.04	N/A	N/A	N/A
Myclobutanil	Apricot	0.9	4	7.2	A
Myclobutanil	Bean, unspecified	1.5	1	15.0	A
Myclobutanil	Cherry	61.8	40	593.75	A
Myclobutanil	Grape	0.4	1	12.5	A
Myclobutanil	Grape, wine	30.72	14	264.45	A
Myclobutanil	Landscape maintenance	8.93	N/A	N/A	N/A
Myclobutanil	Lettuce, leaf	12.5	15	100.0	A
Myclobutanil	N-grnhs flower	0.14	3	1.25	A
Myclobutanil	N-grnhs flower	0.03	2	21,440.0	S
Myclobutanil	N-grnhs plants in containers	0.04	1	0.25	A
Myclobutanil	N-grnhs plants in containers	<0.01	1	2,048.0	S
Myclobutanil	N-grnhs transplants	0.07	3	180.0	A
Myclobutanil	N-outdr flower	0.98	15	9.5	A
Myclobutanil	N-outdr plants in containers	3.21	12	26.25	A
Myclobutanil	Nectarine	0.7	4	6.5	A
Myclobutanil	Peach	0.95	5	10.0	A
Myclobutanil	Plum	0.45	2	4.5	A
Myclobutanil	Pumpkin	3.7	1	37.0	A
Myclobutanil	Tomato	19.06	7	190.6	A
Myclobutanil	Tomato, processing	5.5	1	55.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Apple	3.61	1	95.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Apricot	1.43	17	91.6	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Broccoli	0.12	1	11.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cherry	91.02	32	721.5	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grape, wine	0.25	1	13.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Landscape maintenance	<0.01	N/A	N/A	N/A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Nectarine	0.24	6	9.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Peach	0.29	8	13.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Plum	0.49	6	11.5	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Tomato	15.0	3	140.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Uncultivated ag	8.16	15	91.0	A
N-dialkyl (60% $c_{14}$ , 30% $c_{16}$ , 5% $c_{12}$ , 5% $c_{18}$ ) methyl benzyl ammonium chloride	Water (industrial)	8.27	N/A	2.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N-octyl bicycloheptene dicarboximide</b>	Landscape maintenance	0.1	N/A	N/A	N/A
<b>N-octyl bicycloheptene dicarboximide</b>	Structural pest control	43.3	N/A	N/A	N/A
<b>N6-benzyl adenine</b>	N-grnhs flower	0.33	56	414,140.0	S
<b>N6-benzyl adenine</b>	N-grnhs plants in containers	0.02	4	1.18	A
<b>N6-benzyl adenine</b>	N-grnhs transplants	0.19	24	1,140.0	A
<b>Naa</b>	N-grnhs flower	0.15	60	124,668.0	U
<b>Naa, ammonium salt</b>	Landscape maintenance	2.75	N/A	N/A	N/A
<b>Naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Rights of way	0.05	N/A	N/A	N/A
<b>Nonanoic acid</b>	Landscape maintenance	15.3	N/A	N/A	N/A
<b>Nonanoic acid</b>	Rights of way	0.07	N/A	N/A	N/A
<b>Nonanoic acid, other related</b>	Landscape maintenance	0.81	N/A	N/A	N/A
<b>Nonanoic acid, other related</b>	Rights of way	<0.01	N/A	N/A	N/A
<b>Novaluron</b>	Bean, unspecified	9.23	4	118.0	A
<b>Novaluron</b>	Broccoli	5.36	7	68.5	A
<b>Novaluron</b>	Cabbage	5.72	14	75.3	A
<b>Novaluron</b>	Cauliflower	0.82	5	10.5	A
<b>Novaluron</b>	Chinese cabbage (napa, wong bok, celery cabbage)	0.52	1	6.56	A
<b>Novaluron</b>	Pepper, fruiting	20.45	10	290.0	A
<b>Novaluron</b>	Structural pest control	6.54	N/A	N/A	N/A
<b>Novaluron</b>	Tomato	50.42	21	644.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Noviflumuron	Structural pest control	2.4	N/A	N/A	N/A
Octyl decyl dimethyl ammonium chloride	Grape, wine	0.09	2	7.0	A
Octyl decyl dimethyl ammonium chloride	Structural pest control	0.05	N/A	N/A	N/A
Oil of black pepper	Landscape maintenance	<0.01	N/A	N/A	N/A
Oil of black pepper	Public health	0.01	N/A	N/A	N/A
Oleic acid, ethyl ester	Broccoli	70.47	24	367.6	A
Oleic acid, ethyl ester	Landscape maintenance	34.7	N/A	N/A	N/A
Oleic acid, ethyl ester	Rights of way	547.16	N/A	N/A	N/A
Oleic acid, ethyl ester	Sunflower	65.05	7	79.56	A
Oleic acid, methyl ester	Celery	2.63	1	4.0	A
Oleic acid, methyl ester	Cherry	472.99	11	450.0	A
Oleic acid, methyl ester	Cucumber	17.76	1	27.0	A
Oleic acid, methyl ester	Lettuce, leaf	84.35	5	45.0	A
Oleic acid, methyl ester	Rights of way	32.85	N/A	N/A	N/A
Oleic acid, methyl ester	Sunflower	31.53	1	32.0	A
Oleic acid, methyl ester	Tomato	286.28	29	680.05	A
Oleic acid, methyl ester	Tomato, processing	84.07	8	200.0	A
Oleic acid, methyl ester	Walnut	148.45	3	220.0	A
Organosilicone, poly oxyalkylene ether copolymer	Landscape maintenance	71.91	N/A	N/A	N/A
Organosilicone, poly oxyalkylene ether copolymer	N-outdr plants in containers	0.18	1	0.25	A
Organosilicone, poly oxyalkylene ether copolymer	Rights of way	8.19	N/A	N/A	N/A
Orthosulfamuron	Cherry	1.32	1	21.0	A
Oryzalin	Landscape maintenance	20.13	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxadiazon	Landscape maintenance	4.29	N/A	N/A	N/A
Oxadiazon	N-outdr plants in containers	3.0	3	30.0	A
Oxamyl	Celery	4.5	2	6.0	A
Oxamyl	Pepper, fruiting	446.79	24	578.39	A
Oxamyl	Tomato	312.02	12	313.4	A
Oxamyl	Tomato, processing	99.56	3	100.0	A
Oxathiapiprolin	Lettuce, head	<0.01	1	0.25	A
Oxathiapiprolin	Lettuce, leaf	5.51	75	464.65	A
Oxathiapiprolin	N-grnhs flower	0.11	4	105,500.0	S
Oxathiapiprolin	N-grnhs transplants	0.58	22	1,140.0	A
Oxathiapiprolin	Onion, dry	0.37	2	23.8	A
Oxathiapiprolin	Spinach	3.34	42	280.75	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Rights of way	1.8	N/A	N/A	N/A
Oxydemeton-methyl	Mushroom house	0.01	1	5,750.0	S
Oxyfluorfen	Apricot	7.34	7	10.2	A
Oxyfluorfen	Broccoli	83.9	46	357.45	A
Oxyfluorfen	Cabbage	16.13	5	40.5	A
Oxyfluorfen	Cherry	494.87	27	777.07	A
Oxyfluorfen	Garbanzo bean	0.32	2	20.5	A
Oxyfluorfen	Garlic	73.26	12	333.0	A
Oxyfluorfen	Grape, wine	36.61	6	62.0	A
Oxyfluorfen	Lettuce, leaf	18.06	1	36.0	A
Oxyfluorfen	Mint	0.5	1	2.0	A
Oxyfluorfen	Mint	0.13	1	10,000.0	S
Oxyfluorfen	N-grnhs flower	0.9	23	83,298.0	U
Oxyfluorfen	Nectarine	2.31	3	4.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxyfluorfen	Onion, dry	12.88	7	80.5	A
Oxyfluorfen	Peach	3.03	4	6.5	A
Oxyfluorfen	Pepper, fruiting	126.89	15	337.0	A
Oxyfluorfen	Plum	4.59	3	5.75	A
Oxyfluorfen	Rights of way	9.5	N/A	N/A	N/A
Oxyfluorfen	Tomato	247.17	18	682.3	A
Oxyfluorfen	Tomato, processing	64.92	5	126.5	A
Oxyfluorfen	Uncultivated ag	150.82	25	495.3	A
Oxyfluorfen	Uncultivated non-ag	4.78	1	9.5	A
Oxyfluorfen	Walnut	43.44	1	90.0	A
Oxytetracycline hydrochloride	Landscape maintenance	2.29	N/A	N/A	N/A
Paclobutrazol	Golf course turf	2.76	N/A	35.0	A
Paclobutrazol	Landscape maintenance	130.15	N/A	N/A	N/A
Paclobutrazol	N-grnhs flower	0.1	2	2.52	A
Paclobutrazol	N-grnhs flower	0.01	39	224,299.0	S
Paclobutrazol	N-grnhs plants in containers	2.12	44	29.58	A
Paclobutrazol	N-grnhs transplants	1.92	234	12,720.0	A
Paecilomyces fumosoroseus apopka strain 97	Cannabis (all or unspecified)	5.76	60	174,110.0	S
Paraquat dichloride	Cucumber	34.95	1	27.0	A
Paraquat dichloride	Lettuce, leaf	11.03	1	16.0	A
Paraquat dichloride	Pepper, fruiting	7.75	1	45.0	A
Paraquat dichloride	Sunflower	67.67	5	99.7	A
Pcnb	Landscape maintenance	325.0	N/A	N/A	N/A
Pendimethalin	Apricot	11.55	6	9.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pendimethalin	Carrot	27.27	2	28.8	A
Pendimethalin	Cherry	273.56	11	286.07	A
Pendimethalin	Garlic	39.05	1	55.0	A
Pendimethalin	Landscape maintenance	532.0	N/A	N/A	N/A
Pendimethalin	N-grnhs flower	1.8	23	83,298.0	U
Pendimethalin	N-outdr plants in containers	14.0	3	11.66	A
Pendimethalin	Nectarine	4.36	3	4.5	A
Pendimethalin	Peach	5.72	4	6.5	A
Pendimethalin	Pepper, fruiting	27.73	4	39.0	A
Pendimethalin	Plum	8.66	3	5.75	A
Pendimethalin	Rights of way	279.53	N/A	N/A	N/A
Pendimethalin	Tomato	79.68	9	112.0	A
Pendimethalin	Tomato, processing	10.42	1	22.0	A
Penoxsulam	Golf course turf	0.15	N/A	6.0	A
Penoxsulam	Landscape maintenance	0.68	N/A	N/A	N/A
Penthiopyrad	Apricot	2.7	10	12.3	A
Penthiopyrad	Bean, succulent	33.51	4	114.0	A
Penthiopyrad	Bean, unspecified	32.39	5	148.0	A
Penthiopyrad	Garlic	28.31	6	90.6	A
Penthiopyrad	Golf course turf	25.84	N/A	39.5	A
Penthiopyrad	Landscape maintenance	48.85	N/A	N/A	N/A
Penthiopyrad	Lettuce, head	42.68	25	311.8	A
Penthiopyrad	Lettuce, leaf	37.82	31	244.11	A
Penthiopyrad	Nectarine	0.91	6	9.0	A
Penthiopyrad	Onion, dry	10.71	3	34.3	A
Penthiopyrad	Peach	2.24	7	9.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Penthiopyrad	Pepper, fruiting	42.04	4	151.0	A
Penthiopyrad	Plum	1.17	1	2.5	A
Penthiopyrad	Tomato	36.04	5	131.0	A
Penthiopyrad	Tomato, processing	39.55	5	132.5	A
Permethrin	Bok choy (choy sum, pak choi)	4.57	10	35.1	A
Permethrin	Broccoli	42.38	22	224.95	A
Permethrin	Cabbage	20.96	16	103.8	A
Permethrin	Cauliflower	1.2	3	3.0	A
Permethrin	Celery	62.55	41	335.2	A
Permethrin	Cherry	31.78	15	162.0	A
Permethrin	Chinese amaranth (chinese spinach, tampala, yin choy)	1.35	4	2.25	A
Permethrin	Chinese cabbage (napa, wong bok, celery cabbage)	81.08	55	434.43	A
Permethrin	Corn, human consumption	48.29	29	242.0	A
Permethrin	Gai choy	0.3	1	0.5	A
Permethrin	Gai lon	3.01	5	2.5	A
Permethrin	Landscape maintenance	105.96	N/A	N/A	N/A
Permethrin	Lettuce, head	63.63	33	358.96	A
Permethrin	Lettuce, leaf	510.48	384	2,693.01	A
Permethrin	Mushroom	0.36	6	34,500.0	S
Permethrin	Mushroom house	8.02	217	1,247,750.0	S
Permethrin	Mushroom soil	0.01	1	5,750.0	S
Permethrin	N-grnhs plants in containers	0.39	2	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Permethrin	N-outdr flower	1.57	8	10.0	A
Permethrin	Pumpkin	7.61	3	38.0	A
Permethrin	Safflower	0.02	1	4,000.0	S
Permethrin	Spinach	129.15	108	689.05	A
Permethrin	Structural pest control	570.17	N/A	N/A	N/A
Permethrin	Sunflower	0.01	1	2,000.0	S
Permethrin, other related	Structural pest control	0.01	N/A	N/A	N/A
Peroxyacetic acid	Bean, unspecified	0.71	2	6.16	A
Peroxyacetic acid	Cannabis (all or unspecified)	1.2	28	57,290.0	S
Peroxyacetic acid	Cauliflower	0.04	1	0.2	A
Peroxyacetic acid	Commodity fumigation	431.3	N/A	N/A	N/A
Peroxyacetic acid	Ditch bank	75.49	N/A	1.0	U
Peroxyacetic acid	Grape, wine	11.98	18	104.9	A
Peroxyacetic acid	N-grnhs plants in containers	18.43	83	46.28	A
Peroxyacetic acid	N-outdr flower	0.92	1	5.0	A
Peroxyacetic acid	Pepper, fruiting	19.65	11	191.0	A
Peroxyacetic acid	Research commodity	0.04	1	1.0	A
Peroxyacetic acid	Uncultivated non-ag	0.03	N/A	3,622.0	S
Peroxyacetic acid	Vegetable	0.04	1	0.2	A
Petroleum distillates	Landscape maintenance	72.98	N/A	N/A	N/A
Petroleum distillates	Structural pest control	5.85	N/A	N/A	N/A
Petroleum oil, unclassified	Landscape maintenance	20.91	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Petroleum oil, unclassified</b>	N-outdr plants in containers	680.73	1	16.75	A
<b>Phenothrin</b>	Mushroom house	0.03	2	11,500.0	S
<b>Phenothrin</b>	Public health	<0.01	N/A	N/A	N/A
<b>Phenothrin</b>	Structural pest control	5.7	N/A	N/A	N/A
<b>Phenothrin, other related</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Phenylethyl propionate</b>	Structural pest control	0.7	N/A	N/A	N/A
<b>Phosphoric acid</b>	Apple	19.39	2	170.0	A
<b>Phosphoric acid</b>	Bean, succulent	0.85	14	55.25	A
<b>Phosphoric acid</b>	Bean, unspecified	1.78	8	68.9	A
<b>Phosphoric acid</b>	Broccoli	8.11	32	299.2	A
<b>Phosphoric acid</b>	Carrot	1.31	4	57.6	A
<b>Phosphoric acid</b>	Corn, human consumption	20.71	56	596.0	A
<b>Phosphoric acid</b>	Garlic	5.38	11	169.2	A
<b>Phosphoric acid</b>	Grape	10.33	8	75.0	A
<b>Phosphoric acid</b>	Grape, wine	2.04	15	40.3	A
<b>Phosphoric acid</b>	Landscape maintenance	2.18	N/A	N/A	N/A
<b>Phosphoric acid</b>	Lettuce, head	19.47	95	990.08	A
<b>Phosphoric acid</b>	Lettuce, leaf	51.33	285	2,603.24	A
<b>Phosphoric acid</b>	N-grnhs transplants	0.13	3	120.0	A
<b>Phosphoric acid</b>	Nectarine	0.24	4	6.5	A
<b>Phosphoric acid</b>	Rights of way	107.41	N/A	N/A	N/A
<b>Phosphoric acid</b>	Structural pest control	1.57	N/A	N/A	N/A
<b>Pine oil</b>	Structural pest control	0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Pinoxaden</b>	Wheat	2.3	3	43.0	A
<b>Piperalin</b>	N-grnhs transplants	4.97	14	630.0	A
<b>Piperine</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>Piperine</b>	Public health	<0.01	N/A	N/A	N/A
<b>Piperonyl butoxide</b>	Landscape maintenance	0.69	N/A	N/A	N/A
<b>Piperonyl butoxide</b>	Public health	0.05	N/A	N/A	N/A
<b>Piperonyl butoxide</b>	Structural pest control	312.29	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Landscape maintenance	0.17	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Public health	0.01	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Structural pest control	11.85	N/A	N/A	N/A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Broccoli	3.22	19	82.5	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cabbage	0.11	4	4.3	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cauliflower	1.89	9	48.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Celery	2.13	10	59.1	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Grape, wine	0.28	1	13.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Kale	0.15	10	7.5	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Lettuce, leaf	6.52	30	230.52	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Onion, dry	0.08	3	5.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Spinach	0.09	1	5.2	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Strawberry	0.38	12	18.0	A
<b>Poly-i-para-menthene</b>	N-grnhs plants in containers	0.24	1	0.32	A
<b>Poly-i-para-menthene</b>	Tomato	14.01	2	59.0	A
<b>Polyacrylamide polymer</b>	Broccoli	0.09	1	5.0	A
<b>Polyacrylamide polymer</b>	Cabbage	0.73	5	52.5	A
<b>Polyacrylamide polymer</b>	Celery	1.69	15	118.2	A
<b>Polyacrylamide polymer</b>	Cherry	12.72	46	1,694.0	A
<b>Polyacrylamide polymer</b>	Cilantro	1.38	16	88.0	A
<b>Polyacrylamide polymer</b>	Corn, human consumption	6.93	50	1,082.7	A
<b>Polyacrylamide polymer</b>	Cucumber	0.27	1	27.0	A
<b>Polyacrylamide polymer</b>	Forage hay/silage	0.37	1	40.0	A
<b>Polyacrylamide polymer</b>	Garlic	2.62	3	137.0	A
<b>Polyacrylamide polymer</b>	Lettuce, head	0.05	2	20.0	A
<b>Polyacrylamide polymer</b>	Lettuce, leaf	2.94	40	282.6	A
<b>Polyacrylamide polymer</b>	Mustard greens	0.18	6	11.5	A
<b>Polyacrylamide polymer</b>	Oat	0.2	2	24.0	A
<b>Polyacrylamide polymer</b>	Pepper, fruiting	2.95	17	531.0	A
<b>Polyacrylamide polymer</b>	Rights of way	1.16	N/A	N/A	N/A
<b>Polyacrylamide polymer</b>	Sunflower	1.2	2	64.0	A
<b>Polyacrylamide polymer</b>	Tomato	6.41	38	1,169.2	A
<b>Polyacrylamide polymer</b>	Tomato, processing	0.5	3	78.0	A
<b>Polyacrylamide polymer</b>	Uncultivated ag	5.45	65	609.11	A
<b>Polyacrylamide polymer</b>	Watermelon	0.34	1	18.0	A
<b>Polyacrylamide polymer</b>	Wheat	0.2	3	43.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyacrylamide, polyethylene glycol mixture</b>	Rights of way	2.08	N/A	N/A	N/A
<b>Polyacrylic polymer</b>	Bean, unspecified	0.13	2	48.0	A
<b>Polyacrylic polymer</b>	Corn, human consumption	0.2	3	29.0	A
<b>Polyacrylic polymer</b>	Grape	0.93	8	75.0	A
<b>Polyacrylic polymer</b>	Landscape maintenance	0.19	N/A	N/A	N/A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Apple	1.21	2	40.0	A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Apricot	1.17	20	29.2	A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Bean, succulent	2.6	10	150.0	A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Bean, unspecified	0.23	3	12.16	A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Cabbage	0.81	22	57.4	A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Cauliflower	0.75	22	48.9	A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Cherry	53.37	123	1,413.0	A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Corn, human consumption	12.73	97	850.5	A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Cucumber	0.04	1	5.0	A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Garlic	0.21	1	60.0	A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Grape, wine	7.57	32	397.2	A
<b>Polyalkene oxide modified heptamethyl trisiloxane</b>	Landscape maintenance	119.65	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkene oxide modified heptamethyl trisiloxane	N-outdr plants in containers	0.11	24	117,300.0	S
Polyalkene oxide modified heptamethyl trisiloxane	Nectarine	1.8	27	39.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Peach	1.72	28	51.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Peas	0.28	5	21.4	A
Polyalkene oxide modified heptamethyl trisiloxane	Pepper, fruiting	3.26	18	370.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Plum	2.62	12	22.25	A
Polyalkene oxide modified heptamethyl trisiloxane	Rights of way	0.85	N/A	N/A	N/A
Polyalkene oxide modified heptamethyl trisiloxane	Squash	0.07	2	7.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Tomato	3.54	20	169.0	A
Polyalkyleneoxide modified polydimethylsiloxane	Apple	14.11	1	85.0	A
Polyalkyleneoxide modified polydimethylsiloxane	Grape, wine	0.96	14	51.5	A
Polyalkyleneoxide modified polydimethylsiloxane	Strawberry	0.43	29	53.5	A
Polybutenes	Apricot	0.47	2	70.0	A
Polybutenes	Landscape maintenance	<0.01	N/A	N/A	N/A
Polybutenes	Vertebrate control	23.16	N/A	N/A	N/A
Polyether modified polysiloxane	Apple	17.63	2	170.0	A
Polyether modified polysiloxane	Bean, succulent	0.78	14	55.25	A
Polyether modified polysiloxane	Bean, unspecified	0.3	6	20.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyether modified polysiloxane	Broccoli	7.38	32	299.2	A
Polyether modified polysiloxane	Carrot	1.19	4	57.6	A
Polyether modified polysiloxane	Corn, human consumption	0.51	1	4.5	A
Polyether modified polysiloxane	Garlic	4.89	11	169.2	A
Polyether modified polysiloxane	Grape, wine	1.8	1	21.3	A
Polyether modified polysiloxane	Lettuce, head	17.7	95	990.08	A
Polyether modified polysiloxane	Lettuce, leaf	46.57	284	2,589.24	A
Polyether modified polysiloxane	N-grnhs flower	2.28	56	650,352.0	S
Polyether modified polysiloxane	N-grnhs transplants	64.34	302	16,350.0	A
Polyether modified polysiloxane	Strawberry	13.63	19	38.5	A
Polyethylene glycol	Apple	41.52	1	75.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Bean, unspecified	6.86	4	118.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Bok choy (choy sum, pak choi)	1.89	2	24.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Broccoli	21.36	27	289.8	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cabbage	9.5	19	119.7	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Celery	66.31	112	871.4	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cherry	142.92	27	1,002.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Corn, human consumption	209.97	137	2,545.75	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cucumber	12.33	6	133.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Grape, wine	0.09	2	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Lettuce, head	22.6	25	202.4	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Lettuce, leaf	119.3	199	1,452.62	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr flower	0.22	1	3.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Onion, dry	6.91	7	81.3	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Pepper, fruiting	282.7	179	4,150.81	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Pumpkin	6.17	5	118.5	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Squash	0.77	1	9.8	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Sunflower	1.39	3	32.4	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Tomato	203.73	90	2,756.1	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Tomato, processing	59.27	32	739.6	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Watermelon	0.5	1	8.55	A
Polyethylene glycol stearate	Broccoli	17.62	24	367.6	A
Polyethylene glycol stearate	Landscape maintenance	0.36	N/A	N/A	N/A
Polyethylene glycol stearate	Rights of way	81.51	N/A	N/A	N/A
Polyethylene glycol stearate	Sunflower	16.26	7	79.56	A
Polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of <i>helioverpa zea</i> (corn earworm)	Corn, human consumption	1.36	46	287.25	A
Polymerized pinene	Bean, dried	5.9	3	17.45	A
Polymerized pinene	Cabbage	1.53	1	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polymerized pinene	Onion, dry	15.03	2	22.0	A
Polymerized pinene	Pepper, fruiting	3.55	1	27.85	A
Polymerized pinene	Rights of way	24.59	N/A	N/A	N/A
Polyoxin d, zinc salt	Landscape maintenance	6.12	N/A	N/A	N/A
Polyoxin d, zinc salt	N-grnhs flower	0.77	52	1,023,344.0	S
Polyoxyethylene cetyl-stearyl ether	N-outdr plants in containers	36.52	30	110.0	A
Polyoxyethylene dioleate	Landscape maintenance	5.82	N/A	N/A	N/A
Polyoxyethylene dioleate	Rights of way	38.7	N/A	N/A	N/A
Polyoxyethylene polyoxypropylene	Bean, unspecified	6.78	4	54.0	A
Polyoxyethylene polyoxypropylene	Broccoli	58.84	19	82.5	A
Polyoxyethylene polyoxypropylene	Cabbage	6.25	8	17.3	A
Polyoxyethylene polyoxypropylene	Cauliflower	37.43	12	57.0	A
Polyoxyethylene polyoxypropylene	Celery	38.98	10	59.1	A
Polyoxyethylene polyoxypropylene	Grape, wine	37.91	30	146.75	A
Polyoxyethylene polyoxypropylene	Kale	2.78	10	7.5	A
Polyoxyethylene polyoxypropylene	Lettuce, leaf	119.34	30	230.52	A
Polyoxyethylene polyoxypropylene	N-outdr transplants	1.27	1	60.0	A
Polyoxyethylene polyoxypropylene	Onion, dry	2.15	5	28.9	A
Polyoxyethylene polyoxypropylene	Pumpkin	6.01	13	153.3	A
Polyoxyethylene polyoxypropylene	Rights of way	<0.01	N/A	N/A	N/A
Polyoxyethylene polyoxypropylene	Spinach	1.59	1	5.2	A
Polyoxyethylene polyoxypropylene	Squash	0.68	2	6.0	A
Polyoxyethylene polyoxypropylene	Strawberry	6.98	12	18.0	A
Polyoxyethylene polyoxypropylene	Tomato	17.23	8	81.0	A
Polyoxyethylene polyoxypropylene	Tomato, processing	7.05	8	179.0	A
Polyoxyethylene polyoxypropylene	Walnut	59.37	5	84.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene polyoxypropylene</b>	Watermelon	0.22	1	8.55	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Golf course turf	11.13	N/A	7.0	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Landscape maintenance	180.04	N/A	N/A	N/A
<b>Polyoxyethylene sorbitan monooleate</b>	Landscape maintenance	1.67	N/A	N/A	N/A
<b>Polyoxyethylene sorbitan monooleate</b>	Rights of way	11.06	N/A	N/A	N/A
<b>Polyoxyethylene sorbitan trioleate</b>	Cherry	0.04	1	8.82	A
<b>Polyoxyethylene sorbitan trioleate</b>	Landscape maintenance	0.02	N/A	N/A	N/A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Broccoli	7.2	6	4.78	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Forage hay/silage	84.39	4	279.0	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Lettuce, head	34.85	6	107.06	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Lettuce, leaf	23.41	7	70.1	A
<b>Polypropylene glycol</b>	Broccoli	0.11	6	52.2	A
<b>Polypropylene glycol</b>	Lettuce, head	0.25	8	81.6	A
<b>Polypropylene glycol</b>	Rights of way	0.13	N/A	N/A	N/A
<b>Polysorbate 65</b>	Apricot	0.47	6	9.0	A
<b>Polysorbate 65</b>	Bean, unspecified	2.01	2	48.0	A
<b>Polysorbate 65</b>	Cabbage	0.7	1	5.0	A
<b>Polysorbate 65</b>	Cherry	1.62	5	29.25	A
<b>Polysorbate 65</b>	Corn, human consumption	2.02	3	29.0	A
<b>Polysorbate 65</b>	Garlic	2.84	1	60.0	A
<b>Polysorbate 65</b>	Grape, wine	0.91	1	13.0	A
<b>Polysorbate 65</b>	Landscape maintenance	1.78	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polysorbate 65	N-outdr plants in containers	0.63	2	9.0	A
Polysorbate 65	Nectarine	0.32	3	4.5	A
Polysorbate 65	Peach	0.36	4	6.5	A
Polysorbate 65	Pepper, fruiting	13.52	7	194.0	A
Polysorbate 65	Plum	0.64	3	5.75	A
Polysorbate 65	Rights of way	9.14	N/A	N/A	N/A
Polysorbate 65	Tomato	7.89	9	112.0	A
Polysorbate 65	Uncultivated ag	4.06	3	97.0	A
Potash soap	Avocado	0.17	N/A	1.0	U
Potash soap	Basil, sweet	0.53	3	4,536.0	S
Potash soap	Broccoli	172.78	9	28.5	A
Potash soap	Cauliflower	57.51	3	11.2	A
Potash soap	Grape, wine	39.17	10	23.37	A
Potash soap	Landscape maintenance	88.86	N/A	N/A	N/A
Potash soap	N-grnhs flower	5.46	2	135,000.0	S
Potash soap	N-grnhs plants in containers	338.27	69	52.35	A
Potash soap	N-outdr flower	20.82	1	5.0	A
Potash soap	Research commodity	9.37	9	5.65	A
Potash soap	Strawberry	13.74	1	3.0	A
Potash soap	Vegetable	3.25	3	0.8	A
Potash soap	Walnut	149.88	1	24.0	A
Potassium bicarbonate	Cannabis (all or unspecified)	36.2	82	229,237.0	S
Potassium bicarbonate	Grape, wine	3,187.72	121	1,289.2	A
Potassium bicarbonate	N-grnhs plants in containers	0.53	2	0.32	A
Potassium bicarbonate	N-grnhs transplants	0.96	2	120.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Potassium hydroxide	N-outdr plants in containers	3.53	30	110.0	A
Potassium n-methyldithiocarbamate	Pepper, fruiting	92,182.61	39	388.84	A
Potassium n-methyldithiocarbamate	Uncultivated ag	2,758.3	2	24.1	A
Potassium nitrate	Landscape maintenance	8.04	N/A	N/A	N/A
Potassium phosphite	Bean, unspecified	96.17	1	20.0	A
Potassium phosphite	Bok choy (choy sum, pak choi)	19.23	1	12.0	A
Potassium phosphite	Celery	114.12	5	35.6	A
Potassium phosphite	Cherry	283.7	2	59.0	A
Potassium phosphite	Landscape maintenance	11,519.78	N/A	N/A	N/A
Potassium phosphite	Lettuce, head	714.55	32	270.55	A
Potassium phosphite	Lettuce, leaf	6,279.75	294	2,043.01	A
Potassium phosphite	Mustard greens	140.41	20	43.8	A
Potassium phosphite	N-grnhs plants in containers	3.08	1	1.5	A
Potassium phosphite	N-outdr plants in containers	1.17	2	0.45	A
Potassium phosphite	Pepper, fruiting	1,211.74	24	670.0	A
Potassium phosphite	Spinach	2,208.19	114	738.7	A
Potassium phosphite	Structural pest control	2.76	N/A	N/A	N/A
Potassium phosphite	Watermelon	27.44	1	8.55	A
Prallethrin	Landscape maintenance	<0.01	N/A	N/A	N/A
Prallethrin	Public health	<0.01	N/A	N/A	N/A
Prallethrin	Structural pest control	6.23	N/A	N/A	N/A
Prodiamine	Golf course turf	101.71	N/A	218.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Prodiamine	Landscape maintenance	261.57	N/A	N/A	N/A
Prodiamine	N-outdr flower	4.09	6	3.5	A
Prohexadione-calcium	Cherry	0.4	2	1.25	A
Prometryn	Carrot	43.15	2	28.8	A
Prometryn	Celery	7.99	1	4.0	A
Prometryn	Cilantro	144.86	18	96.0	A
Prometryn	Parsley	20.26	3	13.5	A
Propamocarb hydrochloride	Lettuce, head	167.74	15	172.7	A
Propamocarb hydrochloride	Lettuce, leaf	1,226.37	172	1,313.49	A
Propamocarb hydrochloride	N-grnhs plants in containers	18.28	10	18.34	A
Propiconazole	Bean, unspecified	1.48	3	12.16	A
Propiconazole	Celery	38.38	48	343.9	A
Propiconazole	Cherry	2.04	1	18.0	A
Propiconazole	Garlic	14.43	6	87.6	A
Propiconazole	Golf course turf	41.13	N/A	53.95	A
Propiconazole	Golf course turf	1.18	N/A	63,000.0	S
Propiconazole	Landscape maintenance	279.44	N/A	N/A	N/A
Propiconazole	N-grnhs plants in containers	0.29	7	1.6	A
Propiconazole	N-grnhs transplants	0.38	7	360.0	A
Propiconazole	N-outdr flower	0.58	10	5.5	A
Propiconazole	N-outdr plants in containers	0.06	1	3.0	A
Propionic acid	Bean, dried	2.75	3	14.5	A
Propionic acid	Broccoli	25.37	25	224.5	A
Propionic acid	Cabbage	37.48	34	284.5	A
Propionic acid	Cherry	56.4	10	306.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propionic acid	Corn, human consumption	73.07	59	520.5	A
Propionic acid	N-outdr plants in containers	24.35	30	110.0	A
Propionic acid	Pepper, fruiting	17.91	2	77.0	A
Propionic acid	Sunflower	12.09	1	32.0	A
Propionic acid	Tomato	22.16	7	195.8	A
Propionic acid	Tomato, processing	3.02	1	20.0	A
Propionic acid	Uncultivated ag	61.1	37	258.11	A
Propionic acid	Water area	0.28	N/A	20.0	A
Propionic acid	Watermelon	2.39	1	18.0	A
Propylene glycol	Bean, unspecified	3.49	4	118.0	A
Propylene glycol	Bok choy (choy sum, pak choi)	0.96	2	24.0	A
Propylene glycol	Broccoli	28.76	52	514.3	A
Propylene glycol	Cabbage	26.77	52	387.2	A
Propylene glycol	Celery	33.72	112	871.4	A
Propylene glycol	Cherry	104.29	43	1,629.0	A
Propylene glycol	Corn, human consumption	106.77	137	2,545.75	A
Propylene glycol	Cucumber	6.27	6	133.0	A
Propylene glycol	Grape, wine	0.2	2	8.0	A
Propylene glycol	Landscape maintenance	67.27	N/A	N/A	N/A
Propylene glycol	Lettuce, head	11.49	25	202.4	A
Propylene glycol	Lettuce, leaf	60.66	199	1,452.62	A
Propylene glycol	N-outdr flower	23.38	178	272.29	A
Propylene glycol	N-outdr plants in containers	0.06	1	0.25	A
Propylene glycol	N-outdr plants in containers	0.24	24	117,300.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propylene glycol	Onion, dry	3.51	7	81.3	A
Propylene glycol	Pepper, fruiting	147.66	182	4,191.41	A
Propylene glycol	Pumpkin	3.14	5	118.5	A
Propylene glycol	Rights of way	3.72	N/A	N/A	N/A
Propylene glycol	Squash	0.39	1	9.8	A
Propylene glycol	Sunflower	0.71	3	32.4	A
Propylene glycol	Tomato	108.95	93	2,896.1	A
Propylene glycol	Tomato, processing	30.14	32	739.6	A
Propylene glycol	Uncultivated ag	2.72	13	44.0	A
Propylene glycol	Uncultivated non-ag	2.82	2	8.0	A
Propylene glycol	Watermelon	0.25	1	8.55	A
Propyzamide	Lettuce, head	397.95	48	488.95	A
Propyzamide	Lettuce, leaf	1,285.08	145	1,262.4	A
Putrescent whole egg solids	Structural pest control	0.26	N/A	N/A	N/A
Pydiflumetofen	Celery	2.6	3	26.5	A
Pydiflumetofen	Landscape maintenance	0.31	N/A	N/A	N/A
Pydiflumetofen	Pepper, fruiting	0.11	1	1.0	A
Pymetrozine	Lettuce, head	1.67	2	19.4	A
Pymetrozine	N-grnhs flower	0.5	1	2.0	A
Pymetrozine	N-grnhs flower	2.44	22	540,492.0	S
Pymetrozine	N-outdr flower	1.18	4	12.5	A
Pymetrozine	Tomato	6.88	2	80.0	A
Pyraclostrobin	Apricot	1.93	11	19.9	A
Pyraclostrobin	Bean, dried	2.75	4	18.8	A
Pyraclostrobin	Broccoli	62.99	26	359.4	A
Pyraclostrobin	Cauliflower	0.01	1	0.04	A
Pyraclostrobin	Celery	16.43	18	147.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraclostrobin	Cherry	87.79	40	793.25	A
Pyraclostrobin	Cucumber	1.92	1	16.0	A
Pyraclostrobin	Garbanzo bean	8.57	8	58.7	A
Pyraclostrobin	Golf course turf	8.4	N/A	3.0	A
Pyraclostrobin	Grape	1.15	1	12.5	A
Pyraclostrobin	Grape, wine	35.78	17	329.61	A
Pyraclostrobin	Landscape maintenance	196.91	N/A	N/A	N/A
Pyraclostrobin	Lettuce, head	0.72	1	4.0	A
Pyraclostrobin	Lettuce, leaf	22.56	19	128.1	A
Pyraclostrobin	N-grnhs flower	0.16	5	24,480.0	S
Pyraclostrobin	N-grnhs plants in containers	0.11	6	0.96	A
Pyraclostrobin	N-grnhs transplants	25.73	63	3,000.0	A
Pyraclostrobin	N-outdr flower	1.53	10	15.5	A
Pyraclostrobin	N-outdr plants in containers	0.29	2	2.5	A
Pyraclostrobin	Nectarine	1.61	12	16.5	A
Pyraclostrobin	Peach	2.33	12	24.0	A
Pyraclostrobin	Peas	4.27	3	28.7	A
Pyraclostrobin	Pepper, fruiting	187.76	46	1,082.82	A
Pyraclostrobin	Plum	0.65	4	6.5	A
Pyraclostrobin	Research commodity	0.16	2	1.1	A
Pyraclostrobin	Rights of way	0.92	N/A	N/A	N/A
Pyraclostrobin	Sunflower	22.09	15	167.6	A
Pyraclostrobin	Swiss chard	0.94	1	15.0	A
Pyraclostrobin	Tomato	329.41	52	1,837.0	A
Pyraclostrobin	Tomato, processing	13.03	6	100.5	A
Pyraclostrobin	Vegetable	0.11	3	0.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraclostrobin	Watermelon	0.96	1	8.55	A
Pyraflufen-ethyl	Apple	0.13	1	95.0	A
Pyraflufen-ethyl	Cherry	1.4	14	499.0	A
Pyraflufen-ethyl	Grape, wine	0.06	1	23.0	A
Pyraflufen-ethyl	Landscape maintenance	<0.01	N/A	N/A	N/A
Pyraflufen-ethyl	Lettuce, leaf	0.15	5	45.0	A
Pyraflufen-ethyl	Uncultivated ag	0.34	13	122.1	A
Pyraflufen-ethyl	Walnut	0.21	1	40.0	A
Pyrethrins	Apricot	0.11	2	2.5	A
Pyrethrins	Basil, sweet	0.01	5	10,196.0	S
Pyrethrins	Bean, unspecified	0.11	2	6.0	A
Pyrethrins	Broccoli	3.51	21	76.2	A
Pyrethrins	Cabbage	0.08	1	1.8	A
Pyrethrins	Cannabis (all or unspecified)	1.52	123	122,600.0	S
Pyrethrins	Cauliflower	1.99	8	43.0	A
Pyrethrins	Celery	2.81	10	59.1	A
Pyrethrins	Chinese cabbage (napa, wong bok, celery cabbage)	2.18	6	47.68	A
Pyrethrins	Commodity fumigation	87.54	N/A	N/A	N/A
Pyrethrins	Grape, wine	0.17	3	3.61	A
Pyrethrins	Kale	0.18	5	3.75	A
Pyrethrins	Landscape maintenance	0.54	N/A	N/A	N/A
Pyrethrins	Lettuce, head	0.11	2	3.0	A
Pyrethrins	Lettuce, leaf	7.59	25	179.62	A
Pyrethrins	Mushroom house	0.03	16	92,000.0	S
Pyrethrins	Mushroom soil	<0.01	2	11,500.0	S
Pyrethrins	Mustard greens	0.19	1	5.15	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Pyrethrins	N-grnhs plants in containers	5.27	217	119.17	A
Pyrethrins	N-grnhs plants in containers	0.02	3	5,695.15	S
Pyrethrins	N-grnhs transplants	0.04	7	420.0	A
Pyrethrins	Nectarine	0.57	9	13.5	A
Pyrethrins	Peach	0.79	9	19.0	A
Pyrethrins	Peas	0.05	2	4.0	A
Pyrethrins	Pepper, fruiting	2.59	6	63.0	A
Pyrethrins	Plum	0.16	2	4.5	A
Pyrethrins	Public health	56.09	N/A	N/A	N/A
Pyrethrins	Research commodity	0.04	2	0.67	A
Pyrethrins	Spinach	0.48	2	13.0	A
Pyrethrins	Squash	0.15	2	6.0	A
Pyrethrins	Strawberry	0.78	8	17.0	A
Pyrethrins	Structural pest control	47.98	N/A	N/A	N/A
Pyrethrins	Sunflower	0.75	2	15.9	A
Pyridaben	N-grnhs flower	4.9	35	545,096.0	S
Pyridaben	N-grnhs transplants	21.19	17	960.0	A
Pyridalyl	N-grnhs flower	0.83	11	167,660.0	S
Pyridalyl	N-grnhs transplants	6.88	33	1,920.0	A
Pyrifluquinazon	N-grnhs flower	0.02	2	24,400.0	S
Pyrifluquinazon	N-grnhs transplants	10.32	54	2,970.0	A
Pyrifluquinazon	Research commodity	0.01	2	0.2	A
Pyrimethanil	Apricot	1.92	1	35.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyriofenone	Pepper, fruiting	4.0	2	41.0	A
Pyriproxyfen	Apple	7.44	1	85.0	A
Pyriproxyfen	Landscape maintenance	2.65	N/A	N/A	N/A
Pyriproxyfen	N-grnhs flower	0.22	5	37,362.0	S
Pyriproxyfen	Structural pest control	67.08	N/A	N/A	N/A
Qst 713 strain of dried bacillus subtilis	Apple	0.17	N/A	2.3	A
Qst 713 strain of dried bacillus subtilis	Cannabis (all or unspecified)	0.7	35	94,534.0	S
Qst 713 strain of dried bacillus subtilis	Grape, wine	9.64	38	107.98	A
Qst 713 strain of dried bacillus subtilis	Landscape maintenance	<0.01	N/A	N/A	N/A
Qst 713 strain of dried bacillus subtilis	N-grnhs flower	0.28	1	0.15	A
Qst 713 strain of dried bacillus subtilis	N-grnhs plants in containers	4.97	134	48.21	A
Qst 713 strain of dried bacillus subtilis	N-grnhs plants in containers	0.04	7	13,316.15	S
Qst 713 strain of dried bacillus subtilis	N-grnhs transplants	1.57	18	1,020.0	A
Qst 713 strain of dried bacillus subtilis	Pepper, fruiting	7.46	3	131.0	A
Qst 713 strain of dried bacillus subtilis	Stone fruit	0.11	N/A	1.0	A
Qst 713 strain of dried bacillus subtilis	Strawberry	1.65	20	33.5	A
Qst 713 strain of dried bacillus subtilis	Sunflower	2.26	3	39.7	A
Quillaja	Apple	0.06	N/A	4.3	A
Quillaja	Grape, wine	0.31	3	17.0	A
Quinclorac, dimethylamine salt	Golf course turf	30.45	N/A	46.0	A
Quinclorac, dimethylamine salt	Landscape maintenance	31.0	N/A	N/A	N/A
Quinoxifen	Cherry	25.07	6	225.0	A
Quinoxifen	Grape	1.68	4	25.0	A
Quinoxifen	Grape, wine	30.51	31	321.16	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Quinoxifen	Pepper, fruiting	18.72	11	195.27	A
Quinoxifen	Pumpkin	14.84	14	155.6	A
Quinoxifen	Squash	0.57	1	6.0	A
Resmethrin	Structural pest control	0.01	N/A	N/A	N/A
Resmethrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
Reynoutria sachalinensis	Cannabis (all or unspecified)	12.73	258	558,655.0	S
Reynoutria sachalinensis	Grape, wine	24.08	23	82.09	A
Reynoutria sachalinensis	N-grnhs plants in containers	7.02	57	41.51	A
Reynoutria sachalinensis	N-grnhs transplants	0.14	3	180.0	A
Reynoutria sachalinensis	Stone fruit	0.89	N/A	2.01	A
Reynoutria sachalinensis	Strawberry	7.37	21	38.5	A
Rimsulfuron	Cherry	1.11	2	45.0	A
Rimsulfuron	Grape, wine	1.12	5	49.0	A
Rimsulfuron	Rights of way	60.01	N/A	N/A	N/A
Rimsulfuron	Tomato	24.3	47	1,277.3	A
Rimsulfuron	Tomato, processing	1.72	8	200.0	A
Rimsulfuron	Uncultivated non-ag	1.93	N/A	103.5	A
Rotenone	Structural pest control	<0.01	N/A	N/A	N/A
Rotenone, other related	Structural pest control	<0.01	N/A	N/A	N/A
S-methoprene	Commodity fumigation	9.0	N/A	N/A	N/A
S-methoprene	Landscape maintenance	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
S-methoprene	Public health	3.0	N/A	N/A	N/A
S-methoprene	Structural pest control	0.55	N/A	N/A	N/A
S-metolachlor	Bean, succulent	155.9	21	174.3	A
S-metolachlor	Bean, unspecified	311.41	18	284.9	A
S-metolachlor	Corn, human consumption	84.77	8	51.4	A
S-metolachlor	Garbanzo bean	42.46	6	44.5	A
S-metolachlor	Pepper, fruiting	169.96	6	226.0	A
S-metolachlor	Spinach	2.18	5	2.3	A
S-metolachlor	Structural pest control	11.4	1	6.0	A
S-metolachlor	Sunflower	158.05	9	159.25	A
S-metolachlor	Tomato	662.04	27	611.0	A
S-metolachlor	Tomato, processing	256.22	6	169.5	A
S-metolachlor	Uncultivated ag	4.45	1	3.5	A
Sethoxydim	Landscape maintenance	1.64	N/A	N/A	N/A
Sethoxydim	Mint	8.73	34	59.0	A
Sethoxydim	Uncultivated ag	0.35	1	2.0	A
Silica aerogel	Public health	0.27	N/A	N/A	N/A
Silica aerogel	Structural pest control	158.74	N/A	N/A	N/A
Silica filled polydimethylsiloxane	Golf course turf	0.01	N/A	7.0	A
Silica filled polydimethylsiloxane	Landscape maintenance	0.1	N/A	N/A	N/A
Silicone defoamer	Grape, wine	0.01	14	19.0	A
Silicone defoamer	Landscape maintenance	0.01	N/A	N/A	N/A
Silicone defoamer	Lettuce, leaf	0.01	1	14.0	A
Silicone defoamer	Rights of way	0.02	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Silicone defoamer	Structural pest control	0.21	N/A	N/A	N/A
Silver nitrate	N-grnhs flower	<0.01	1	15,980.0	S
Sodium alpha-olefin (c14-c16) sulfonate	Rights of way	2,209.99	N/A	N/A	N/A
Sodium bromide	Industrial processing water	7,405.6	N/A	8.0	U
Sodium bromide	Water (industrial)	9,268.14	N/A	1,150.0	U
Sodium carbonate	Regulatory pest control	30.0	N/A	N/A	N/A
Sodium chlorate	Sunflower	24.8	1	4.16	A
Sodium decyl sulfate	Structural pest control	29.48	N/A	N/A	N/A
Sodium dichloro-s-triazinetrione	Water (industrial)	677.53	N/A	296.0	U
Sodium dichloro-s-triazinetrione dihydrate	Landscape maintenance	3,935.2	N/A	N/A	N/A
Sodium dichloro-s-triazinetrione dihydrate	Water (industrial)	130.95	N/A	3.0	U
Sodium dioctylsulfosuccinate	Rights of way	<0.01	N/A	N/A	N/A
Sodium hypochlorite	Landscape maintenance	528.73	N/A	N/A	N/A
Sodium hypochlorite	Regulatory pest control	140.38	N/A	N/A	N/A
Sodium hypochlorite	Water (industrial)	13,260.95	N/A	2,284.0	U
Sodium hypochlorite	Water systems - human potable/drinking	6.5	N/A	13.0	A
Sodium hypochlorite	Water systems - human potable/drinking	135.86	N/A	16.0	U
Sodium lauroampho acetate	Structural pest control	22.25	N/A	N/A	N/A
Sodium lauryl sulfate	Structural pest control	15.02	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium nitrate	Landscape maintenance	389.35	N/A	N/A	N/A
Sodium nitrate	Structural pest control	2.41	N/A	N/A	N/A
Sodium polyacrylate	Cherry	14.59	10	254.0	A
Sodium polyacrylate	Corn, human consumption	118.65	5	124.9	A
Sodium polyacrylate	Oat (forage - fodder)	0.71	17	242.0	A
Sodium polyacrylate	Pepper, fruiting	21.89	8	302.0	A
Sodium polyacrylate	Sunflower	0.38	1	32.0	A
Sodium polyacrylate	Tomato	69.25	9	316.0	A
Sodium polyacrylate	Tomato, processing	0.14	1	20.0	A
Sodium polyacrylate	Uncultivated ag	1.01	23	104.31	A
Sodium tetraborate (pentahydrate)	Structural pest control	152.19	N/A	N/A	N/A
Sodium tripolyphosphate	Rights of way	0.21	N/A	N/A	N/A
Sodium xylene sulfonate	Grape, wine	0.1	14	19.0	A
Sodium xylene sulfonate	Landscape maintenance	0.1	N/A	N/A	N/A
Sodium xylene sulfonate	Lettuce, leaf	0.15	1	14.0	A
Sodium xylene sulfonate	Rights of way	0.25	N/A	N/A	N/A
Sodium xylene sulfonate	Structural pest control	2.45	N/A	N/A	N/A
Sorbitan trioleate	Apricot	0.47	6	9.0	A
Sorbitan trioleate	Bean, unspecified	2.01	2	48.0	A
Sorbitan trioleate	Cabbage	0.7	1	5.0	A
Sorbitan trioleate	Cherry	1.62	5	29.25	A
Sorbitan trioleate	Corn, human consumption	2.02	3	29.0	A
Sorbitan trioleate	Garlic	2.84	1	60.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sorbitan trioleate	Grape, wine	0.91	1	13.0	A
Sorbitan trioleate	Landscape maintenance	1.78	N/A	N/A	N/A
Sorbitan trioleate	N-outdr plants in containers	0.63	2	9.0	A
Sorbitan trioleate	Nectarine	0.32	3	4.5	A
Sorbitan trioleate	Peach	0.36	4	6.5	A
Sorbitan trioleate	Pepper, fruiting	13.52	7	194.0	A
Sorbitan trioleate	Plum	0.64	3	5.75	A
Sorbitan trioleate	Rights of way	9.14	N/A	N/A	N/A
Sorbitan trioleate	Tomato	7.89	9	112.0	A
Sorbitan trioleate	Uncultivated ag	4.06	3	97.0	A
Sorbitol	Broccoli	0.83	2	10.0	A
Sorbitol	Cabbage	0.01	1	0.5	A
Sorbitol	Cauliflower	0.94	2	12.0	A
Sorbitol	Celery	0.11	4	5.0	A
Sorbitol	Cilantro	0.09	2	1.5	A
Sorbitol	Kale	0.05	2	2.12	A
Spinetoram	Apple	8.75	1	80.0	A
Spinetoram	Apricot	0.56	1	6.0	A
Spinetoram	Bean, succulent	2.51	11	45.65	A
Spinetoram	Bean, unspecified	1.45	8	27.06	A
Spinetoram	Bok choy (choy sum, pak choi)	0.99	2	21.0	A
Spinetoram	Celery	19.29	37	312.8	A
Spinetoram	Chinese cabbage (napa, wong bok, celery cabbage)	6.44	12	98.92	A
Spinetoram	Cucumber	0.75	1	16.0	A
Spinetoram	Gai choy	1.0	1	20.0	A
Spinetoram	Lettuce, head	25.24	55	536.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinetoram	Lettuce, leaf	117.29	288	2,317.23	A
Spinetoram	Nectarine	1.3	12	16.5	A
Spinetoram	Onion, dry	2.25	3	35.8	A
Spinetoram	Peach	1.23	9	13.0	A
Spinetoram	Peas	0.36	2	7.7	A
Spinetoram	Pepper, fruiting	153.52	102	2,713.91	A
Spinetoram	Plum	0.58	3	5.75	A
Spinetoram	Pumpkin	2.32	1	37.0	A
Spinetoram	Research commodity	0.09	3	1.35	A
Spinetoram	Spinach	21.82	56	379.05	A
Spinetoram	Tomato	105.05	69	2,045.7	A
Spinetoram	Tomato, processing	15.96	9	272.5	A
Spinetoram	Vegetable	<0.01	1	200.0	S
Spinosad	Apple	0.25	N/A	2.0	A
Spinosad	Bean, succulent	0.64	4	6.82	A
Spinosad	Bean, unspecified	6.89	18	73.95	A
Spinosad	Broccoli	4.59	6	54.7	A
Spinosad	Celery	1.41	2	13.6	A
Spinosad	Cherry	37.34	22	338.0	A
Spinosad	Corn, human consumption	17.01	31	182.95	A
Spinosad	Landscape maintenance	4.53	N/A	N/A	N/A
Spinosad	Lettuce, head	7.27	8	80.6	A
Spinosad	Lettuce, leaf	6.7	9	71.9	A
Spinosad	N-grnhs flower	0.03	1	0.25	A
Spinosad	N-grnhs flower	1.64	38	871,184.0	S
Spinosad	N-grnhs plants in containers	6.13	145	84.78	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Spinosad	N-grnhs plants in containers	<0.01	2	3,594.1	S
Spinosad	N-grnhs transplants	5.78	38	1,950.0	A
Spinosad	N-outdr flower	3.33	21	37.0	A
Spinosad	N-outdr plants in containers	0.31	8	8.5	A
Spinosad	N-outdr plants in containers	0.03	5	11,800.0	S
Spinosad	Olive	0.02	5	10.25	A
Spinosad	Onion, dry	1.01	6	10.2	A
Spinosad	Pepper, fruiting	37.69	21	317.12	A
Spinosad	Plum	0.29	2	3.25	A
Spinosad	Public health	9.54	N/A	N/A	N/A
Spinosad	Regulatory pest control	<0.01	N/A	N/A	N/A
Spinosad	Rights of way	11.07	N/A	N/A	N/A
Spinosad	Spinach	5.86	8	54.76	A
Spinosad	Tomato, processing	3.59	1	27.5	A
Spinosad	Walnut	2.05	2	33.0	A
Spiromesifen	Corn, human consumption	4.99	5	40.0	A
Spiromesifen	Landscape maintenance	0.09	N/A	N/A	N/A
Spiromesifen	N-grnhs flower	0.67	13	312,052.0	S
Spiromesifen	Pepper, fruiting	17.19	9	130.52	A
Spirotetramat	Bean, dried	2.48	7	33.3	A
Spirotetramat	Broccoli	52.8	63	679.2	A
Spirotetramat	Cabbage	12.59	22	160.0	A
Spirotetramat	Celery	6.45	12	88.5	A
Spirotetramat	Grape, wine	38.78	10	312.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Spirotetramat</b>	Lettuce, head	43.88	53	559.51	A
<b>Spirotetramat</b>	Lettuce, leaf	105.88	156	1,391.65	A
<b>Spirotetramat</b>	N-grnhs flower	0.34	13	180,184.0	S
<b>Spirotetramat</b>	N-grnhs plants in containers	1.45	5	13.68	A
<b>Spirotetramat</b>	N-grnhs transplants	23.12	53	2,970.0	A
<b>Spirotetramat</b>	N-outdr plants in containers	0.36	6	3.62	A
<b>Spirotetramat</b>	N-outdr plants in containers	0.04	6	5,700.0	S
<b>Spirotetramat</b>	Peas	0.72	1	8.8	A
<b>Spirotetramat</b>	Pepper, fruiting	142.81	70	1,863.37	A
<b>Spirotetramat</b>	Research commodity	0.06	1	1.0	A
<b>Spirotetramat</b>	Tomato	12.25	10	155.5	A
<b>Spirotetramat</b>	Vegetable	0.01	1	0.2	A
<b>Starch</b>	Grape, wine	<0.01	2	8.0	A
<b>Streptomyces lydicus wyec 108</b>	Apple	<0.01	N/A	2.0	A
<b>Streptomyces lydicus wyec 108</b>	Chinese cabbage (napa, wong bok, celery cabbage)	0.06	28	225.28	A
<b>Streptomyces lydicus wyec 108</b>	Grape, wine	<0.01	1	2.0	A
<b>Streptomyces lydicus wyec 108</b>	N-grnhs plants in containers	0.02	89	61.19	A
<b>Streptomyces lydicus wyec 108</b>	Pepper, fruiting	0.02	2	83.0	A
<b>Streptomycin sulfate</b>	N-grnhs plants in containers	2.32	14	6.74	A
<b>Streptomycin sulfate</b>	N-grnhs transplants	43.88	16	870.0	A
<b>Strychnine</b>	Landscape maintenance	1.04	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Strychnine	Structural pest control	0.21	N/A	N/A	N/A
Styrene butadiene copolymer	Grape, wine	0.27	2	8.0	A
Styrene butadiene copolymer	N-outdr flower	20.36	177	269.29	A
Styrene butadiene copolymer	N-outdr plants in containers	0.33	24	117,300.0	S
Sulfentrazone	Landscape maintenance	5.92	N/A	N/A	N/A
Sulfentrazone	Rights of way	21.39	N/A	N/A	N/A
Sulfentrazone	Uncultivated non-ag	9.4	N/A	38.6	A
Sulfometuron-methyl	Landscape maintenance	3.76	N/A	N/A	N/A
Sulfometuron-methyl	Rights of way	100.25	N/A	N/A	N/A
Sulfoxaflor	Broccoli	4.79	15	153.4	A
Sulfoxaflor	Cabbage	2.68	12	86.0	A
Sulfoxaflor	Celery	8.97	20	157.7	A
Sulfoxaflor	Chinese cabbage (napa, wong bok, celery cabbage)	1.26	5	39.44	A
Sulfoxaflor	Lettuce, head	38.63	84	959.2	A
Sulfoxaflor	Lettuce, leaf	97.55	290	2,530.76	A
Sulfoxaflor	Mustard greens	0.66	14	20.6	A
Sulfoxaflor	Pepper, fruiting	89.81	56	1,353.34	A
Sulfoxaflor	Tomato	76.8	40	1,304.5	A
Sulfur	Bean, succulent	18.77	5	7.82	A
Sulfur	Bean, unspecified	363.72	17	120.85	A
Sulfur	Carrot	230.4	2	28.8	A
Sulfur	Cucumber	12.0	1	5.0	A
Sulfur	Grape, wine	14,439.07	235	2,870.34	A
Sulfur	Landscape maintenance	117.24	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sulfur	N-outdr flower	92.0	23	39.0	A
Sulfur	Peas	190.02	6	53.4	A
Sulfur	Pepper, fruiting	1,335.2	22	513.0	A
Sulfur	Squash	52.8	4	13.0	A
Sulfur	Strawberry	12.0	5	9.0	A
Sulfur	Structural pest control	1.83	N/A	N/A	N/A
Sulfur	Tomato	6,478.99	25	432.5	A
Sulfur	Tomato, processing	5,679.08	26	567.3	A
Sulfuryl fluoride	Structural pest control	158,739.87	N/A	N/A	N/A
Tall oil fatty acids	Cherry	13.94	4	99.0	A
Tall oil fatty acids	Corn, human consumption	49.39	26	686.8	A
Tall oil fatty acids	Grape, wine	0.57	1	23.0	A
Tall oil fatty acids	Landscape maintenance	9.76	N/A	N/A	N/A
Tall oil fatty acids	Rights of way	13.15	N/A	N/A	N/A
Tall oil fatty acids	Structural pest control	0.11	N/A	N/A	N/A
Tall oil fatty acids	Tomato	47.9	15	463.5	A
Tall oil fatty acids	Uncultivated non-ag	2.07	2	8.0	A
Tartrazine	Regulatory pest control	2.01	N/A	N/A	N/A
Tau-fluvalinate	Landscape maintenance	0.89	N/A	N/A	N/A
Tau-fluvalinate	N-grnhs flower	0.65	4	4.0	A
Tau-fluvalinate	N-grnhs transplants	4.99	17	630.0	A
Tau-fluvalinate	N-outdr flower	1.78	11	13.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Tebuconazole</b>	Garlic	56.01	14	299.2	A
<b>Tebuconazole</b>	Golf course turf	3.6	N/A	3.0	A
<b>Tebuconazole</b>	Grape, wine	51.24	16	487.82	A
<b>Tebuconazole</b>	Landscape maintenance	115.3	N/A	N/A	N/A
<b>Tebuconazole</b>	Onion, dry	12.63	2	22.0	A
<b>Tebuconazole</b>	Peas	1.57	1	8.8	A
<b>Tebuconazole</b>	Sunflower	1.91	3	11.5	A
<b>Tebuthiuron</b>	Rights of way	2.05	N/A	N/A	N/A
<b>Terrazole</b>	N-outdr plants in containers	0.76	1	0.2	A
<b>Tetrachloroethylene</b>	Structural pest control	0.15	N/A	N/A	N/A
<b>Tetraconazole</b>	Grape, wine	4.06	9	100.2	A
<b>Tetramethrin</b>	Structural pest control	0.7	N/A	N/A	N/A
<b>Tetrapotassium pyrophosphate</b>	Grape, wine	0.05	14	19.0	A
<b>Tetrapotassium pyrophosphate</b>	Landscape maintenance	0.05	N/A	N/A	N/A
<b>Tetrapotassium pyrophosphate</b>	Lettuce, leaf	0.08	1	14.0	A
<b>Tetrapotassium pyrophosphate</b>	Rights of way	0.11	N/A	N/A	N/A
<b>Tetrapotassium pyrophosphate</b>	Structural pest control	1.23	N/A	N/A	N/A
<b>Thiabendazole</b>	Mushroom	1.05	5	21,162.0	S
<b>Thiabendazole</b>	Mushroom house	3.14	5	28,750.0	S
<b>Thiabendazole</b>	Mushroom soil	62.78	78	448,500.0	S
<b>Thiamethoxam</b>	Broccoli	40.15	36	416.25	A
<b>Thiamethoxam</b>	Cabbage	15.19	15	129.7	A
<b>Thiamethoxam</b>	Celery	5.42	6	37.2	A
<b>Thiamethoxam</b>	Cucumber	0.24	1	5.0	A
<b>Thiamethoxam</b>	Landscape maintenance	0.3	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiamethoxam	Lettuce, head	2.49	3	31.8	A
Thiamethoxam	Lettuce, leaf	2.39	8	58.2	A
Thiamethoxam	Mustard greens	1.48	8	20.2	A
Thiamethoxam	N-grnhs flower	0.03	1	0.3	A
Thiamethoxam	N-grnhs flower	0.16	3	55,316.0	S
Thiamethoxam	Pepper, fruiting	60.2	37	1,077.15	A
Thiamethoxam	Pumpkin	28.98	17	200.1	A
Thiamethoxam	Research commodity	0.02	1	1.0	A
Thiamethoxam	Squash	0.98	1	6.0	A
Thiamethoxam	Structural pest control	42.8	N/A	N/A	N/A
Thiamethoxam	Tomato	128.9	70	2,176.0	A
Thiamethoxam	Tomato, processing	6.25	3	100.0	A
Thiophanate-methyl	Cherry	175.48	10	142.75	A
Thiophanate-methyl	Golf course turf	65.04	N/A	9.3	A
Thiophanate-methyl	Grape	3.5	2	12.5	A
Thiophanate-methyl	Landscape maintenance	706.2	N/A	N/A	N/A
Thiophanate-methyl	N-grnhs flower	19.79	8	20.86	A
Thiophanate-methyl	N-grnhs flower	7.12	6	72,268.0	S
Thiophanate-methyl	N-grnhs plants in containers	235.49	60	27.2	A
Thiophanate-methyl	N-grnhs transplants	119.81	34	1,830.0	A
Thiophanate-methyl	N-outdr flower	31.33	75	124.25	A
Thiophanate-methyl	Research commodity	0.03	2	0.2	A
Thiophanate-methyl	Research commodity	0.01	1	10.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Thiram</b>	Landscape maintenance	0.06	N/A	N/A	N/A
<b>Thyme</b>	Structural pest control	0.05	N/A	N/A	N/A
<b>Thyme oil</b>	Structural pest control	1.09	N/A	N/A	N/A
<b>Thymol</b>	Structural pest control	0.03	N/A	N/A	N/A
<b>Topramezone</b>	Landscape maintenance	1.35	N/A	N/A	N/A
<b>Triadimefon</b>	Landscape maintenance	5.32	N/A	N/A	N/A
<b>Tribenuron-methyl</b>	Forage hay/silage	0.25	1	40.0	A
<b>Tribenuron-methyl</b>	Oat	1.09	7	200.0	A
<b>Trichlorfon</b>	Mushroom house	0.03	1	5,750.0	S
<b>Trichloro-s-triazinetrione</b>	Landscape maintenance	2,246.31	N/A	N/A	N/A
<b>Trichloro-s-triazinetrione</b>	Regulatory pest control	1,578.0	N/A	N/A	N/A
<b>Trichloro-s-triazinetrione</b>	Water (industrial)	46.45	N/A	1.0	U
<b>Trichlorofluoromethane</b>	Structural pest control	0.11	N/A	N/A	N/A
<b>Trichoderma harzianum rifai strain krl-ag2</b>	N-grnhs plants in containers	0.25	31	3.52	A
<b>Trichoderma harzianum rifai strain krl-ag2</b>	N-grnhs transplants	1.79	4	240.0	A
<b>Trichoderma virens strain g-41</b>	N-grnhs transplants	0.95	4	240.0	A
<b>Triclopyr choline</b>	Landscape maintenance	6.57	N/A	N/A	N/A
<b>Triclopyr choline</b>	Rights of way	9.96	N/A	N/A	N/A
<b>Triclopyr, butoxyethyl ester</b>	Golf course turf	7.4	N/A	7.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Triclopyr, butoxyethyl ester	Landscape maintenance	838.6	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	N-outdr plants in containers	11.85	1	8.0	A
Triclopyr, butoxyethyl ester	Rights of way	177.61	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Sod farm (turf)	23.69	2	16.0	A
Triclopyr, triethylamine salt	Golf course turf	1.62	N/A	6.0	A
Triclopyr, triethylamine salt	Landscape maintenance	27.13	N/A	N/A	N/A
Triclopyr, triethylamine salt	N-outdr plants in containers	1.05	1	8.0	A
Triclopyr, triethylamine salt	Rights of way	945.13	N/A	N/A	N/A
Triethanolamine	Grape, wine	0.13	14	19.0	A
Triethanolamine	Landscape maintenance	0.13	N/A	N/A	N/A
Triethanolamine	Lettuce, leaf	0.2	1	14.0	A
Triethanolamine	Rights of way	0.27	N/A	N/A	N/A
Triethanolamine	Structural pest control	3.13	N/A	N/A	N/A
Trifloxystrobin	Apple	1.82	1	20.0	A
Trifloxystrobin	Broccoli	0.63	1	5.0	A
Trifloxystrobin	Celery	13.91	20	184.6	A
Trifloxystrobin	Cherry	109.93	42	972.0	A
Trifloxystrobin	Cucumber	7.23	2	59.0	A
Trifloxystrobin	Cucumber	<0.01	1	36.0	S
Trifloxystrobin	Grape	0.66	1	12.5	A
Trifloxystrobin	Grape, wine	0.75	2	8.0	A
Trifloxystrobin	Landscape maintenance	6.71	N/A	N/A	N/A
Trifloxystrobin	Lettuce, head	5.43	4	43.9	A
Trifloxystrobin	N-grnhs flower	0.55	15	379,024.0	S
Trifloxystrobin	N-outdr flower	0.57	3	7.5	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trifloxystrobin	Nectarine	0.41	3	4.5	A
Trifloxystrobin	Peach	0.49	3	6.0	A
Trifloxystrobin	Pepper, fruiting	230.6	72	1,873.42	A
Trifloxystrobin	Plum	0.2	1	2.5	A
Trifloxystrobin	Pumpkin	7.39	5	59.5	A
Trifloxystrobin	Tomato	116.41	29	939.0	A
Trifloxystrobin	Tomato, processing	3.4	1	27.5	A
Trifluralin	Bean, succulent	44.73	6	111.0	A
Trifluralin	Bean, unspecified	73.24	8	201.0	A
Trifluralin	Landscape maintenance	62.41	N/A	N/A	N/A
Trifluralin	N-grnhs flower	0.22	7	4,293.0	U
Trifluralin	N-outdr plants in containers	7.0	2	2.0	A
Trifluralin	Pepper, fruiting	221.18	12	473.0	A
Trifluralin	Sunflower	77.38	9	159.25	A
Trifluralin	Tomato	298.15	18	499.0	A
Trifluralin	Tomato, processing	134.33	6	169.5	A
Trifluralin	Uncultivated ag	27.68	3	62.8	A
Trimethylamine	Structural pest control	0.01	N/A	N/A	N/A
Trinexapac-ethyl	Golf course turf	28.15	N/A	222.0	A
Trinexapac-ethyl	Landscape maintenance	156.59	N/A	N/A	N/A
Trinexapac-ethyl	Rights of way	2.63	N/A	N/A	N/A
Triptolide	Structural pest control	<0.01	N/A	N/A	N/A
Triticonazole	Landscape maintenance	7.09	N/A	N/A	N/A
Uniconazole-p	N-grnhs flower	<0.01	1	0.04	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Uniconazole-p	N-grnhs plants in containers	0.04	32	10.72	A
Uniconazole-p	N-grnhs transplants	0.01	22	1,140.0	A
Urea	Corn, human consumption	14.4	8	55.0	A
Urea dihydrogen sulfate	Apricot	0.11	8	11.4	A
Urea dihydrogen sulfate	Cherry	190.2	25	680.25	A
Urea dihydrogen sulfate	Grape, wine	0.14	1	13.0	A
Urea dihydrogen sulfate	Nectarine	0.05	3	4.5	A
Urea dihydrogen sulfate	Peach	0.05	4	6.5	A
Urea dihydrogen sulfate	Plum	0.1	3	5.75	A
Urea dihydrogen sulfate	Tomato	32.14	3	140.0	A
Urea dihydrogen sulfate	Uncultivated ag	16.64	15	91.0	A
Vinyl ester polymer	Rights of way	0.3	N/A	N/A	N/A
Vinyl polymer	Broccoli	10.17	19	119.23	A
Vinyl polymer	Lettuce, head	3.27	30	349.59	A
Vinyl polymer	Lettuce, leaf	3.02	39	317.09	A
Vinyl polymer	Pepper, fruiting	6.15	7	114.2	A
Vinyl polymer	Tomato, processing	5.34	4	90.5	A
Vinyl polymer	Uncultivated non-ag	2.08	3	19.5	A
Warfarin	Landscape maintenance	0.05	N/A	N/A	N/A
Warfarin	Regulatory pest control	0.11	N/A	N/A	N/A
Warfarin	Structural pest control	0.01	N/A	N/A	N/A
Xanthan gum	Broccoli	0.83	2	10.0	A
Xanthan gum	Cabbage	0.01	1	0.5	A
Xanthan gum	Cauliflower	0.94	2	12.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Xanthan gum	Celery	0.11	4	5.0	A
Xanthan gum	Cilantro	0.09	2	1.5	A
Xanthan gum	Kale	0.05	2	2.12	A
Xylene	Mint	0.04	1	2.0	A
Xylene	Mushroom house	0.06	1	5,750.0	S
Xylene range aromatic solvent	Mushroom house	0.36	4	23,000.0	S
Xylene range aromatic solvent	Mushroom soil	0.59	2	11,500.0	S
Yucca schidigera	Grape, wine	20.03	8	48.0	A
Z,e-9,12-tetradecadien-1-yl acetate	Structural pest control	<0.01	N/A	N/A	N/A
Zeta-cypermethrin	Bean, succulent	1.37	5	57.2	A
Zeta-cypermethrin	Bean, unspecified	5.06	8	203.46	A
Zeta-cypermethrin	Bok choy (choy sum, pak choi)	6.69	18	300.0	A
Zeta-cypermethrin	Broccoli	5.4	23	217.64	A
Zeta-cypermethrin	Cabbage	0.25	3	9.9	A
Zeta-cypermethrin	Cauliflower	0.47	7	17.9	A
Zeta-cypermethrin	Chinese cabbage (napa, wong bok, celery cabbage)	0.22	1	8.5	A
Zeta-cypermethrin	Corn, human consumption	5.65	23	226.4	A
Zeta-cypermethrin	Gai choy	1.88	7	83.0	A
Zeta-cypermethrin	Landscape maintenance	<0.01	N/A	N/A	N/A
Zeta-cypermethrin	Lettuce, head	0.72	4	27.4	A
Zeta-cypermethrin	Lettuce, leaf	3.07	13	123.6	A
Zeta-cypermethrin	Mustard	0.09	1	1.0	A
Zeta-cypermethrin	N-grnhs plants in containers	0.91	27	15.29	A
Zeta-cypermethrin	Onion, dry	0.59	2	23.8	A
Zeta-cypermethrin	Peas	0.34	3	13.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Zeta-cypermethrin	Pepper, fruiting	35.84	60	1,425.89	A
Zeta-cypermethrin	Research commodity	0.05	2	1.1	A
Zeta-cypermethrin	Spinach	2.79	22	106.05	A
Zeta-cypermethrin	Structural pest control	1.72	N/A	N/A	N/A
Zeta-cypermethrin	Sunflower	0.41	4	16.0	A
Zeta-cypermethrin	Tomato	51.64	70	2,070.0	A
Zeta-cypermethrin	Tomato, processing	1.68	4	67.3	A
Zeta-cypermethrin	Vegetable	0.04	3	0.9	A
Zeta-cypermethrin	Yam	0.36	4	1.25	A
Zinc phosphide	Landscape maintenance	16.1	N/A	N/A	N/A
Zinc phosphide	Structural pest control	<0.01	N/A	N/A	N/A