

2019 Annual Statewide Pesticide Use Report Indexed by Commodity SAN BENITO County

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many non-agricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Apple | abamectin | 3.47 | 8 | 166.5 | A |
| Apple | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 60.07 | 17 | 342.72 | A |
| Apple | benzoic acid | 4.05 | 6 | 127.22 | A |
| Apple | calcium chloride | 83.67 | 22 | 397.5 | A |
| Apple | capric acid | 14.4 | 2 | 2.0 | A |
| Apple | caprylic acid | 21.14 | 2 | 2.0 | A |
| Apple | chlorantraniliprole | 14.57 | 8 | 166.5 | A |
| Apple | citric acid | 222.07 | 22 | 397.5 | A |
| Apple | clofentezine | 39.7 | 8 | 166.5 | A |
| Apple | dimethyl alkyl tertiary amines | 4.41 | 6 | 127.22 | A |
| Apple | dimethylpolysiloxane | 2.34 | 28 | 436.0 | A |
| Apple | e,e-8,10-dodecadien-1-ol | 1.18 | 4 | 16.5 | A |
| Apple | emulsifiable methylated vegetable oil | 548.78 | 15 | 340.72 | A |
| Apple | fenpropathrin | 44.54 | 4 | 114.0 | A |
| Apple | flumioxazin | 10.43 | 3 | 72.72 | A |
| Apple | fosetyl-al | 905.2 | 21 | 329.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Apple | glufosinate-ammonium | 160.73 | 3 | 112.5 | A |
| Apple | glyphosate, potassium salt | 108.07 | 4 | 52.22 | A |
| Apple | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 25.35 | 5 | 102.5 | A |
| Apple | imidacloprid | 11.47 | 7 | 125.0 | A |
| Apple | isopropyl alcohol | 48.42 | 28 | 436.0 | A |
| Apple | kresoxim-methyl | 63.33 | 21 | 329.0 | A |
| Apple | lambda-cyhalothrin | 8.91 | 12 | 219.0 | A |
| Apple | lauryl alcohol | 0.66 | 4 | 16.5 | A |
| Apple | lime-sulfur | 154.89 | 5 | 8.4 | A |
| Apple | methylated soybean oil | 309.28 | 7 | 177.22 | A |
| Apple | mineral oil | 4,176.9 | 20 | 270.87 | A |
| Apple | myclobutanil | 1.1 | 3 | 11.0 | A |
| Apple | myristyl alcohol | 0.13 | 4 | 16.5 | A |
| Apple | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 561.55 | 29 | 486.0 | A |
| Apple | oryzalin | 131.28 | 1 | 25.0 | A |
| Apple | oxyfluorfen | 156.84 | 5 | 77.22 | A |
| Apple | phosphoric acid | 32.72 | 15 | 340.72 | A |
| Apple | polyether modified polysiloxane | 29.74 | 15 | 340.72 | A |
| Apple | polyethylene glycol | 305.79 | 28 | 436.0 | A |
| Apple | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 11.41 | 4 | 52.5 | A |
| Apple | potassium phosphite | 618.04 | 15 | 298.5 | A |
| Apple | pyriproxyfen | 13.83 | 7 | 126.5 | A |
| Apple | saflufenacil | 3.83 | 2 | 87.5 | A |
| Apple | simazine | 140.99 | 4 | 52.22 | A |
| Apple | spinetoram | 6.78 | 7 | 63.5 | A |
| Apple | sulfur | 248.0 | 8 | 31.5 | A |
| Apple | tall oil fatty acids | 4.69 | 1 | 50.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Apple | trifloxystrobin | 0.7 | 3 | 11.0 | A |
| Apple | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 58.0 | 15 | 340.72 | A |
| Apricot | bacillus amyloliquefaciens strain d747 | 5.0 | 1 | 20.0 | A |
| Apricot | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 115.02 | 10 | 213.0 | A |
| Apricot | benzoic acid | 0.44 | 3 | 77.0 | A |
| Apricot | boscalid | 27.28 | 11 | 141.5 | A |
| Apricot | butyl alcohol | 2.57 | 2 | 50.0 | A |
| Apricot | copper hydroxide | 4.84 | 1 | 3.0 | A |
| Apricot | diazinon | 13.4 | 1 | 27.0 | A |
| Apricot | diethylene glycol | 35.9 | 10 | 191.0 | A |
| Apricot | dimethyl alkyl tertiary amines | 0.48 | 3 | 77.0 | A |
| Apricot | dimethylpolysiloxane | 0.11 | 12 | 241.0 | A |
| Apricot | esfenvalerate | 12.2 | 19 | 213.0 | A |
| Apricot | ethylene glycol | 40.52 | 5 | 85.0 | A |
| Apricot | fatty acids, mixed | 0.6 | 8 | 56.0 | A |
| Apricot | fenpropathrin | 0.39 | 1 | 2.0 | A |
| Apricot | fluopyram | 1.23 | 1 | 10.0 | A |
| Apricot | glufosinate-ammonium | 27.31 | 5 | 39.0 | A |
| Apricot | glyphosate, isopropylamine salt | 12.44 | 4 | 13.0 | A |
| Apricot | glyphosate, potassium salt | 55.17 | 1 | 23.0 | A |
| Apricot | imidacloprid | 4.23 | 2 | 45.0 | A |
| Apricot | indaziflam | 1.04 | 1 | 23.0 | A |
| Apricot | iprodione | 200.31 | 17 | 264.0 | A |
| Apricot | isopropyl alcohol | 7.52 | 6 | 87.0 | A |
| Apricot | lecithin | 13.91 | 8 | 56.0 | A |
| Apricot | methylated soybean oil | 16.74 | 3 | 77.0 | A |
| Apricot | mineral oil | 1,158.43 | 9 | 118.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Apricot | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 60.02 | 26 | 384.0 | A |
| Apricot | oleic acid, methyl ester | 5.44 | 1 | 27.0 | A |
| Apricot | oxyfluorfen | 52.86 | 2 | 50.0 | A |
| Apricot | polyether modified polysiloxane | 13.17 | 1 | 20.0 | A |
| Apricot | propiconazole | 0.2 | 1 | 2.0 | A |
| Apricot | propionic acid | 13.91 | 8 | 56.0 | A |
| Apricot | pyraclostrobin | 13.86 | 11 | 141.5 | A |
| Apricot | pyraflufen-ethyl | 0.13 | 1 | 27.0 | A |
| Apricot | reynoutria sachalinensis | 4.33 | 1 | 20.0 | A |
| Apricot | rimsulfuron | 0.84 | 1 | 27.0 | A |
| Apricot | spinetoram | 0.86 | 1 | 5.5 | A |
| Apricot | spinosad | 0.02 | 1 | 3.0 | A |
| Apricot | spirotetramat | 2.76 | 1 | 25.0 | A |
| Apricot | trifloxystrobin | 1.23 | 1 | 10.0 | A |
| Artichoke, globe | azadirachtin | 1.2 | 6 | 42.0 | A |
| Artichoke, globe | bacillus pumilus, strain qst 2808 | 1.47 | 4 | 28.0 | A |
| Artichoke, globe | bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | 42.0 | 7 | 49.0 | A |
| Artichoke, globe | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 7.56 | 2 | 14.0 | A |
| Artichoke, globe | bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 6.38 | 1 | 7.5 | A |
| Artichoke, globe | beauveria bassiana strain gha | 3.28 | 1 | 7.5 | A |
| Artichoke, globe | chromobacterium subtsugae strain praa4-1 | 12.6 | 3 | 21.0 | A |
| Artichoke, globe | dimethylpolysiloxane | 0.01 | 1 | 7.0 | A |
| Artichoke, globe | gibberellins | 1.33 | 5 | 35.0 | A |
| Artichoke, globe | polyether modified polysiloxane | 31.78 | 12 | 84.5 | A |
| Artichoke, globe | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 0.65 | 1 | 7.0 | A |
| Artichoke, globe | propylene glycol | 0.33 | 1 | 7.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Artichoke, globe | pyrethrins | 1.71 | 6 | 42.5 | A |
| Artichoke, globe | reynoutria sachalinensis | 3.79 | 3 | 21.0 | A |
| Artichoke, globe | spinosad | 3.22 | 4 | 28.0 | A |
| Artichoke, globe | sulfur | 153.2 | 5 | 35.5 | A |
| Artichoke, globe | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 1.21 | 1 | 7.0 | A |
| Arugula | abamectin | 1.0 | 25 | 93.39 | A |
| Arugula | acetamiprid | 2.19 | 10 | 39.94 | A |
| Arugula | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 11.36 | 108 | 437.44 | A |
| Arugula | alpha-pinene beta-pinene copolymer | 2.9 | 5 | 27.72 | A |
| Arugula | ametoctradin | 3.24 | 2 | 11.9 | A |
| Arugula | azadirachtin | 0.28 | 3 | 11.79 | A |
| Arugula | bacillus amyloliquefaciens strain d747 | 344.76 | 4 | 39.0 | A |
| Arugula | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 10.74 | 5 | 19.88 | A |
| Arugula | bensulide | 519.77 | 50 | 199.54 | A |
| Arugula | burkholderia sp strain a396 cells and fermentation media | 538.0 | 27 | 114.83 | A |
| Arugula | chromobacterium subtsugae strain praa4-1 | 5.0 | 3 | 9.69 | A |
| Arugula | beta-cyfluthrin | 0.73 | 9 | 30.5 | A |
| Arugula | (s)-cypermethrin | 15.65 | 77 | 324.81 | A |
| Arugula | dimethomorph | 2.43 | 2 | 11.9 | A |
| Arugula | dimethyl silicone fluid emulsion | 9.94 | 164 | 673.52 | A |
| Arugula | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 0.15 | 5 | 27.72 | A |
| Arugula | emulsifiable methylated vegetable oil | 107.5 | 108 | 437.44 | A |
| Arugula | fenamidone | 41.89 | 38 | 164.39 | A |
| Arugula | flonicamid | 11.01 | 36 | 134.79 | A |
| Arugula | fluopicolide | 11.49 | 27 | 103.62 | A |
| Arugula | flupyradifurone | 1.55 | 2 | 11.9 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Arugula | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 20.61 | 36 | 146.41 | A |
| Arugula | hydrogen peroxide | 22.8 | 76 | 308.36 | A |
| Arugula | imidacloprid | 9.57 | 51 | 211.08 | A |
| Arugula | mandipropamid | 8.0 | 15 | 62.2 | A |
| Arugula | mineral oil | 0.81 | 5 | 27.72 | A |
| Arugula | permethrin | 19.98 | 30 | 122.86 | A |
| Arugula | peroxyacetic acid | 4.21 | 76 | 308.36 | A |
| Arugula | phosphoric acid | 6.41 | 108 | 437.44 | A |
| Arugula | polyether modified polysiloxane | 6.76 | 109 | 443.44 | A |
| Arugula | polyoxyethylene polyoxypropylene | 73.96 | 36 | 146.41 | A |
| Arugula | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 4.04 | 36 | 146.41 | A |
| Arugula | potash soap | 92.63 | 17 | 62.55 | A |
| Arugula | potassium phosphite | 526.76 | 42 | 174.8 | A |
| Arugula | pyrethrins | 15.62 | 75 | 428.21 | A |
| Arugula | qst 713 strain of dried bacillus subtilis | 2.8 | 10 | 32.26 | A |
| Arugula | spinetoram | 5.47 | 26 | 105.68 | A |
| Arugula | spinosad | 38.09 | 57 | 339.64 | A |
| Arugula | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 11.65 | 108 | 437.44 | A |
| Basil, sweet | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 0.7 | 5 | 0.65 | A |
| Bean, dried | bentazon, sodium salt | 9.31 | 1 | 8.5 | A |
| Bean, dried | benzoic acid | 0.07 | 2 | 17.0 | A |
| Bean, dried | butyl alcohol | 0.22 | 1 | 8.5 | A |
| Bean, dried | dimethyl alkyl tertiary amines | 0.08 | 2 | 17.0 | A |
| Bean, dried | dimethylpolysiloxane | <0.01 | 1 | 8.5 | A |
| Bean, dried | methylated soybean oil | 2.7 | 2 | 17.0 | A |
| Bean, dried | s-metolachlor | 12.14 | 1 | 8.5 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|---|-----------------------|-------------|---------------------|---------------------|
| Bean, dried | mineral oil | 0.04 | 1 | 8.5 | A |
| Bean, dried | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 1.77 | 1 | 8.5 | A |
| Bean, succulent | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 0.52 | 2 | 4.85 | A |
| Bean, succulent | azadirachtin | 0.88 | 13 | 62.48 | A |
| Bean, succulent | diatomaceous earth | 293.89 | 5 | 23.05 | A |
| Bean, succulent | hydrogen peroxide | 0.1 | 1 | 2.38 | A |
| Bean, succulent | peroxyacetic acid | 0.02 | 1 | 2.38 | A |
| Bean, succulent | potash soap | 12.49 | 1 | 4.0 | A |
| Bean, succulent | pyrethrins | 2.21 | 16 | 71.33 | A |
| Bean, succulent | spinosad | 1.61 | 5 | 17.6 | A |
| Bean, succulent | sulfur | 19.4 | 2 | 4.85 | A |
| Bean, unspecified | abamectin | 0.16 | 1 | 8.5 | A |
| Bean, unspecified | acephate | 5.14 | 1 | 5.3 | A |
| Bean, unspecified | bentazon, sodium salt | 15.37 | 1 | 12.13 | A |
| Bean, unspecified | benzoic acid | 0.05 | 3 | 14.98 | A |
| Bean, unspecified | butyl alcohol | 0.6 | 2 | 20.63 | A |
| Bean, unspecified | dimethoate | 2.65 | 1 | 5.3 | A |
| Bean, unspecified | dimethyl alkyl tertiary amines | 0.06 | 3 | 14.98 | A |
| Bean, unspecified | dimethylpolysiloxane | 0.01 | 2 | 20.63 | A |
| Bean, unspecified | flupyradifurone | 0.69 | 1 | 5.3 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Bean, unspecified | imidacloprid | 0.23 | 1 | 5.3 | A |
| Bean, unspecified | methomyl | 4.77 | 1 | 5.3 | A |
| Bean, unspecified | methylated soybean oil | 2.02 | 3 | 14.98 | A |
| Bean, unspecified | s-metolachlor | 11.79 | 4 | 13.45 | A |
| Bean, unspecified | mineral oil | 0.07 | 1 | 12.13 | A |
| Bean, unspecified | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 4.83 | 2 | 20.63 | A |
| Bean, unspecified | oleic acid, ethyl ester | 2.03 | 2 | 10.6 | A |
| Bean, unspecified | penthiopyrad | 1.38 | 1 | 5.3 | A |
| Bean, unspecified | polyethylene glycol stearate | 0.51 | 2 | 10.6 | A |
| Bean, unspecified | sulfur | 2.72 | 5 | 0.68 | A |
| Beehive | amitraz | 0.37 | 2 | 423.0 | U |
| Beehive | formic acid | 0.44 | 2 | 631.0 | U |
| Beehive | thymol | 13.2 | N/A | 50.0 | U |
| Beet | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 7.09 | 51 | 120.05 | A |
| Beet | alpha-pinene beta-pinene copolymer | 9.74 | 18 | 61.47 | A |
| Beet | azadirachtin | 0.51 | 3 | 15.0 | A |
| Beet | bacillus amyloliquefaciens strain d747 | 744.15 | 22 | 94.95 | A |
| Beet | bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | 3.5 | 1 | 3.5 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Beet | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 91.52 | 36 | 102.07 | A |
| Beet | beauveria bassiana strain gha | 6.2 | 7 | 28.25 | A |
| Beet | burkholderia sp strain a396 cells and fermentation media | 161.21 | 10 | 37.27 | A |
| Beet | capric acid | 59.62 | 7 | 9.15 | A |
| Beet | caprylic acid | 87.57 | 7 | 9.15 | A |
| Beet | chromobacterium subtsugae strain praa4-1 | 26.4 | 11 | 38.4 | A |
| Beet | copper hydroxide | 6.51 | 7 | 28.65 | A |
| Beet | copper octanoate | 37.31 | 49 | 137.32 | A |
| Beet | copper oxychloride | 7.21 | 7 | 28.65 | A |
| Beet | cycloate | 60.85 | 23 | 52.0 | A |
| Beet | (s)-cypermethrin | 5.23 | 43 | 108.9 | A |
| Beet | dimethylpolysiloxane | 0.05 | 1 | 18.0 | A |
| Beet | dimethyl silicone fluid emulsion | 2.85 | 80 | 196.45 | A |
| Beet | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 0.52 | 18 | 61.47 | A |
| Beet | emulsifiable methylated vegetable oil | 50.07 | 44 | 110.9 | A |
| Beet | flonicamid | 0.58 | 3 | 6.7 | A |
| Beet | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 15.19 | 32 | 94.06 | A |
| Beet | imidacloprid | 4.09 | 40 | 101.2 | A |
| Beet | mefenoxam | 26.53 | 22 | 51.0 | A |
| Beet | methoxyfenozide | 4.45 | 14 | 35.25 | A |
| Beet | s-metolachlor | 4.94 | 17 | 39.8 | A |
| Beet | mineral oil | 2.73 | 18 | 61.47 | A |
| Beet | purpureocillium lilacium strain 251 | 10.46 | 19 | 43.6 | A |
| Beet | phenmedipham | 16.94 | 14 | 34.55 | A |
| Beet | phosphoric acid | 2.99 | 44 | 110.9 | A |
| Beet | polyether modified polysiloxane | 3.39 | 45 | 114.4 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Beet | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 2.81 | 1 | 18.0 | A |
| Beet | polyoxyethylene polyoxypropylene | 54.53 | 32 | 94.06 | A |
| Beet | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 2.98 | 32 | 94.06 | A |
| Beet | potassium phosphite | 14.17 | 4 | 8.8 | A |
| Beet | propiconazole | 1.24 | 4 | 11.25 | A |
| Beet | propylene glycol | 1.43 | 1 | 18.0 | A |
| Beet | pyraclostrobin | 2.36 | 5 | 11.8 | A |
| Beet | pyrethrins | 4.9 | 41 | 115.99 | A |
| Beet | reynoutria sachalinensis | 0.13 | 1 | 0.4 | A |
| Beet | spinetoram | 3.28 | 25 | 57.25 | A |
| Beet | spinosad | 12.89 | 32 | 122.64 | A |
| Beet | sulfur | 0.6 | 1 | 0.15 | A |
| Beet | thiamethoxam | 0.73 | 6 | 15.6 | A |
| Beet | trifloxystrobin | 5.87 | 28 | 69.45 | A |
| Beet | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 5.24 | 1 | 18.0 | A |
| Beet | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 5.43 | 44 | 110.9 | A |
| Blackberry | alpha-pinene beta-pinene copolymer | 38.25 | 14 | 64.6 | A |
| Blackberry | azadirachtin | 3.66 | 30 | 132.83 | A |
| Blackberry | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 29.02 | 6 | 26.87 | A |
| Blackberry | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 19.89 | 4 | 18.42 | A |
| Blackberry | bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 31.31 | 4 | 18.42 | A |
| Blackberry | canola oil | 35.17 | 12 | 52.22 | A |
| Blackberry | capsicum oleoresin | 4.86 | 12 | 52.22 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Blackberry | chromobacterium subtsugae strain praa4-1 | 27.17 | 10 | 45.29 | A |
| Blackberry | copper octanoate | 22.41 | 6 | 26.87 | A |
| Blackberry | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 2.04 | 14 | 64.6 | A |
| Blackberry | garlic | 14.96 | 12 | 52.22 | A |
| Blackberry | lime-sulfur | 1,160.4 | 12 | 44.0 | A |
| Blackberry | margosa oil | 157.14 | 18 | 79.09 | A |
| Blackberry | mineral oil | 751.8 | 28 | 126.79 | A |
| Blackberry | polyether modified polysiloxane | 0.27 | 1 | 1.0 | A |
| Blackberry | potash soap | 223.74 | 6 | 26.87 | A |
| Blackberry | pyrethrins | 4.15 | 22 | 99.03 | A |
| Blackberry | qst 713 strain of dried bacillus subtilis | 3.06 | 6 | 26.87 | A |
| Blackberry | reynoutria sachalinensis | 7.98 | 4 | 18.42 | A |
| Blackberry | soybean oil | 969.75 | 16 | 72.16 | A |
| Blackberry | spinosad | 0.09 | 1 | 1.0 | A |
| Blackberry | sulfur | 261.14 | 12 | 44.0 | A |
| Bok choy | azadirachtin | 0.01 | 1 | 0.3 | A |
| Bok choy | potash soap | 1.25 | 2 | 0.6 | A |
| Bok choy | pyrethrins | 0.09 | 3 | 0.9 | A |
| Broccoli | acetamiprid | 2.86 | 4 | 38.6 | A |
| Broccoli | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 118.13 | 199 | 1,598.26 | A |
| Broccoli | alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | 2.4 | 1 | 8.5 | A |
| Broccoli | alpha-pinene beta-pinene copolymer | 0.54 | 1 | 6.6 | A |
| Broccoli | azadirachtin | 11.45 | 60 | 500.04 | A |
| Broccoli | bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | 12.6 | 5 | 25.2 | A |
| Broccoli | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 312.16 | 51 | 345.2 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Broccoli | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 1,230.47 | 168 | 1,201.06 | A |
| Broccoli | bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 133.82 | 19 | 104.94 | A |
| Broccoli | beauveria bassiana strain gha | 15.92 | 12 | 72.72 | A |
| Broccoli | bensulide | 741.11 | 22 | 223.05 | A |
| Broccoli | benzoic acid | 0.2 | 8 | 55.3 | A |
| Broccoli | bifenthrin | 17.38 | 22 | 174.66 | A |
| Broccoli | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 1.21 | 9 | 63.0 | A |
| Broccoli | burkholderia sp strain a396 cells and fermentation media | 2,187.52 | 55 | 306.66 | A |
| Broccoli | butyl alcohol | 0.52 | 1 | 5.0 | A |
| Broccoli | calcium chloride | 4.61 | 14 | 110.56 | A |
| Broccoli | chlorantraniliprole | 3.64 | 12 | 71.65 | A |
| Broccoli | chlorthal-dimethyl | 3,997.67 | 101 | 911.25 | A |
| Broccoli | chromobacterium subtsugae strain praa4-1 | 52.09 | 12 | 86.82 | A |
| Broccoli | citric acid | 12.82 | 14 | 110.56 | A |
| Broccoli | clarified hydrophobic extract of neem oil | 1,990.12 | 65 | 530.83 | A |
| Broccoli | clethodim | 0.69 | 1 | 5.0 | A |
| Broccoli | clothianidin | 14.84 | 8 | 74.2 | A |
| Broccoli | coniothyrium minitans strain con/m/91-08 | 7.72 | 7 | 48.4 | A |
| Broccoli | copper hydroxide | 41.84 | 16 | 121.04 | A |
| Broccoli | cyantraniliprole | 3.4 | 5 | 30.86 | A |
| Broccoli | beta-cyfluthrin | 0.97 | 3 | 38.6 | A |
| Broccoli | (s)-cypermethrin | 37.4 | 78 | 764.65 | A |
| Broccoli | diatomaceous earth | 12,675.26 | 108 | 847.23 | A |
| Broccoli | diethylene glycol | 0.46 | 2 | 20.0 | A |
| Broccoli | dimethoate | 181.63 | 39 | 364.04 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Broccoli | dimethyl alkyl tertiary amines | 0.22 | 8 | 55.3 | A |
| Broccoli | dimethylpolysiloxane | 57.47 | 81 | 605.36 | A |
| Broccoli | dimethyl silicone fluid emulsion | 36.48 | 186 | 1,796.16 | A |
| Broccoli | dinotefuran | 17.9 | 12 | 102.3 | A |
| Broccoli | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 0.03 | 1 | 6.6 | A |
| Broccoli | emamectin benzoate | 3.37 | 30 | 258.8 | A |
| Broccoli | emulsifiable methylated vegetable oil | 490.15 | 111 | 1,063.67 | A |
| Broccoli | esfenvalerate | 5.9 | 18 | 136.71 | A |
| Broccoli | fatty acids, mixed | 0.24 | 12 | 76.5 | A |
| Broccoli | flupyradifurone | 4.94 | 3 | 31.6 | A |
| Broccoli | fluxapyroxad | 1.14 | 2 | 17.5 | A |
| Broccoli | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 32.54 | 21 | 150.13 | A |
| Broccoli | hydrogen peroxide | 45.61 | 41 | 406.11 | A |
| Broccoli | 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | 6.47 | 13 | 35.8 | A |
| Broccoli | imidacloprid | 44.39 | 107 | 952.21 | A |
| Broccoli | indoxacarb | 49.14 | 85 | 749.02 | A |
| Broccoli | lambda-cyhalothrin | 17.43 | 64 | 574.74 | A |
| Broccoli | lecithin | 8.05 | 13 | 85.0 | A |
| Broccoli | mandipropamid | 12.2 | 12 | 128.34 | A |
| Broccoli | methomyl | 278.69 | 46 | 350.16 | A |
| Broccoli | methylated soybean oil | 7.59 | 8 | 55.3 | A |
| Broccoli | methyl silicone resins | 0.56 | 24 | 217.9 | A |
| Broccoli | mineral oil | 1,810.49 | 35 | 332.57 | A |
| Broccoli | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 14.42 | 24 | 164.5 | A |
| Broccoli | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 1.21 | 9 | 63.0 | A |
| Broccoli | oleic acid, ethyl ester | 92.47 | 41 | 335.44 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Broccoli | oleic acid, methyl ester | 11.19 | 1 | 8.5 | A |
| Broccoli | oxathiapiprolin | 1.46 | 12 | 128.34 | A |
| Broccoli | oxyfluorfen | 77.89 | 44 | 391.64 | A |
| Broccoli | paraquat dichloride | 68.26 | 10 | 71.5 | A |
| Broccoli | penthiopyrad | 38.87 | 16 | 149.88 | A |
| Broccoli | permethrin | 6.82 | 5 | 43.6 | A |
| Broccoli | peroxyacetic acid | 8.11 | 41 | 406.11 | A |
| Broccoli | petroleum distillates, aromatic | 84.24 | 9 | 63.0 | A |
| Broccoli | phosphoric acid | 29.22 | 111 | 1,063.67 | A |
| Broccoli | polyacrylamide polymer | 0.47 | 13 | 105.1 | A |
| Broccoli | polyether modified polysiloxane | 26.57 | 111 | 1,063.67 | A |
| Broccoli | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 5.3 | 13 | 52.26 | A |
| Broccoli | polyethylene glycol stearate | 23.12 | 41 | 335.44 | A |
| Broccoli | polyoxyethylene polyoxypropylene | 116.76 | 21 | 150.13 | A |
| Broccoli | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 6.38 | 21 | 150.13 | A |
| Broccoli | polypropylene glycol | 0.66 | 24 | 217.9 | A |
| Broccoli | polysaccharide polymer | 0.03 | 2 | 10.0 | A |
| Broccoli | potash soap | 3,685.17 | 117 | 670.15 | A |
| Broccoli | propionic acid | 5.65 | 12 | 76.5 | A |
| Broccoli | propylene glycol | 2.69 | 13 | 52.26 | A |
| Broccoli | pymetrozine | 3.32 | 4 | 38.6 | A |
| Broccoli | pyraclostrobin | 57.97 | 39 | 298.69 | A |
| Broccoli | pyrethrins | 68.62 | 244 | 1,662.66 | A |
| Broccoli | spinetoram | 3.28 | 11 | 75.5 | A |
| Broccoli | spinosad | 67.07 | 80 | 618.63 | A |
| Broccoli | spirotetramat | 78.76 | 121 | 1,026.38 | A |
| Broccoli | sulfoxaflor | 1.04 | 5 | 32.3 | A |
| Broccoli | tall oil fatty acids | 4.9 | 9 | 63.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Broccoli | thiamethoxam | 18.88 | 39 | 331.98 | A |
| Broccoli | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 9.87 | 13 | 52.26 | A |
| Broccoli | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 53.13 | 111 | 1,063.67 | A |
| Broccoli | vinyl polymer | 15.64 | 16 | 139.69 | A |
| Brussels sprout | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 2.16 | 7 | 17.5 | A |
| Brussels sprout | azadirachtin | 1.06 | 11 | 49.8 | A |
| Brussels sprout | bacillus amyloliquefaciens strain d747 | 11.55 | 3 | 19.8 | A |
| Brussels sprout | bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | 3.5 | 1 | 7.0 | A |
| Brussels sprout | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 17.28 | 6 | 19.5 | A |
| Brussels sprout | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 25.06 | 6 | 23.2 | A |
| Brussels sprout | bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 48.2 | 6 | 37.8 | A |
| Brussels sprout | beauveria bassiana strain gha | 13.35 | 9 | 61.0 | A |
| Brussels sprout | burkholderia sp strain a396 cells and fermentation media | 554.59 | 17 | 72.0 | A |
| Brussels sprout | chromobacterium subtsugae strain praa4-1 | 14.7 | 4 | 28.0 | A |
| Brussels sprout | diatomaceous earth | 820.68 | 14 | 44.2 | A |
| Brussels sprout | dimethylpolysiloxane | 0.04 | 5 | 20.2 | A |
| Brussels sprout | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 8.08 | 8 | 20.1 | A |
| Brussels sprout | polyether modified polysiloxane | 15.89 | 5 | 35.0 | A |
| Brussels sprout | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 2.34 | 5 | 20.2 | A |
| Brussels sprout | polyoxyethylene polyoxypropylene | 28.98 | 8 | 20.1 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Brussels sprout | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 1.58 | 8 | 20.1 | A |
| Brussels sprout | potash soap | 377.41 | 13 | 57.3 | A |
| Brussels sprout | propylene glycol | 1.19 | 5 | 20.2 | A |
| Brussels sprout | pyrethrins | 3.72 | 27 | 90.9 | A |
| Brussels sprout | qst 713 strain of dried bacillus subtilis | 1.13 | 2 | 13.2 | A |
| Brussels sprout | spinosad | 7.01 | 11 | 52.9 | A |
| Brussels sprout | sulfur | 5.6 | 2 | 1.4 | A |
| Brussels sprout | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 4.36 | 5 | 20.2 | A |
| Cabbage | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 50.83 | 229 | 891.38 | A |
| Cabbage | azadirachtin | 2.67 | 62 | 123.78 | A |
| Cabbage | azoxystrobin | 14.66 | 16 | 70.93 | A |
| Cabbage | bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | 35.6 | 15 | 35.6 | A |
| Cabbage | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 96.02 | 48 | 93.62 | A |
| Cabbage | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 249.4 | 110 | 231.27 | A |
| Cabbage | bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 3.83 | 1 | 3.0 | A |
| Cabbage | bensulide | 409.24 | 19 | 111.2 | A |
| Cabbage | burkholderia sp strain a396 cells and fermentation media | 148.18 | 12 | 32.64 | A |
| Cabbage | calcium chloride | 0.18 | 2 | 3.4 | A |
| Cabbage | carfentrazone-ethyl | 0.14 | 18 | 96.55 | A |
| Cabbage | chlorantraniliprole | 27.46 | 67 | 433.84 | A |
| Cabbage | chlorothalonil | 457.49 | 54 | 360.09 | A |
| Cabbage | chlorthal-dimethyl | 981.52 | 33 | 163.7 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Cabbage | chromobacterium subtsugae strain praa4-1 | 4.5 | 2 | 5.0 | A |
| Cabbage | citric acid | 0.5 | 2 | 3.4 | A |
| Cabbage | clarified hydrophobic extract of neem oil | 684.69 | 102 | 184.9 | A |
| Cabbage | clothianidin | 30.75 | 34 | 153.6 | A |
| Cabbage | copper octanoate | 0.05 | 1 | 0.25 | A |
| Cabbage | cyantranilprole | 25.01 | 53 | 221.75 | A |
| Cabbage | beta-cyfluthrin | 2.02 | 10 | 79.7 | A |
| Cabbage | (s)-cypermethrin | 9.15 | 47 | 221.93 | A |
| Cabbage | diatomaceous earth | 3,930.41 | 127 | 250.6 | A |
| Cabbage | dimethylpolysiloxane | 39.92 | 34 | 162.91 | A |
| Cabbage | dimethyl silicone fluid emulsion | 17.97 | 244 | 993.16 | A |
| Cabbage | emamectin benzoate | 6.47 | 87 | 459.77 | A |
| Cabbage | emulsifiable methylated vegetable oil | 415.57 | 209 | 835.28 | A |
| Cabbage | esfenvalerate | 4.98 | 32 | 104.68 | A |
| Cabbage | ethylene glycol | 31.5 | 19 | 97.59 | A |
| Cabbage | fatty acids, mixed | 7.54 | 92 | 724.34 | A |
| Cabbage | fenamidone | 27.16 | 21 | 104.34 | A |
| Cabbage | flonicamid | 1.83 | 3 | 21.0 | A |
| Cabbage | fluopyram | 12.22 | 19 | 98.37 | A |
| Cabbage | flupyradifurone | 28.34 | 31 | 158.19 | A |
| Cabbage | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 17.13 | 33 | 89.86 | A |
| Cabbage | hydrogen peroxide | 58.89 | 166 | 628.95 | A |
| Cabbage | 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | 4.67 | 3 | 4.6 | A |
| Cabbage | imidacloprid | 37.88 | 179 | 864.55 | A |
| Cabbage | indoxacarb | 18.78 | 64 | 287.37 | A |
| Cabbage | isopropyl alcohol | 5.73 | 19 | 97.59 | A |
| Cabbage | lambda-cyhalothrin | 15.94 | 83 | 527.57 | A |
| Cabbage | lecithin | 175.96 | 92 | 724.34 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Cabbage | mandipropamid | 19.3 | 26 | 148.39 | A |
| Cabbage | margosa oil | 4.43 | 4 | 7.2 | A |
| Cabbage | methomyl | 155.74 | 36 | 175.29 | A |
| Cabbage | methoxyfenozide | 13.53 | 14 | 94.8 | A |
| Cabbage | mineral oil | 116.9 | 9 | 17.1 | A |
| Cabbage | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 61.52 | 111 | 821.93 | A |
| Cabbage | oxathiapiprolin | 2.31 | 26 | 148.39 | A |
| Cabbage | oxyfluorfen | 129.52 | 50 | 305.6 | A |
| Cabbage | permethrin | 56.13 | 32 | 279.29 | A |
| Cabbage | peroxyacetic acid | 10.89 | 166 | 628.95 | A |
| Cabbage | petroleum oil, paraffin based | 6.36 | 19 | 97.59 | A |
| Cabbage | phosphoric acid | 24.78 | 209 | 835.28 | A |
| Cabbage | polyacrylamide polymer | 2.31 | 14 | 142.5 | A |
| Cabbage | polyether modified polysiloxane | 23.54 | 211 | 840.28 | A |
| Cabbage | polyoxyethylene polyoxypropylene | 61.47 | 33 | 89.86 | A |
| Cabbage | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 3.36 | 33 | 89.86 | A |
| Cabbage | polyoxyethylene sorbitol, mixed ether ester | 31.03 | 19 | 97.59 | A |
| Cabbage | potash soap | 356.03 | 30 | 68.49 | A |
| Cabbage | propionic acid | 175.96 | 92 | 724.34 | A |
| Cabbage | pyrethrins | 13.76 | 156 | 315.91 | A |
| Cabbage | spinetoram | 20.03 | 45 | 296.49 | A |
| Cabbage | spinosad | 12.13 | 66 | 116.99 | A |
| Cabbage | spirotetramat | 47.92 | 144 | 666.05 | A |
| Cabbage | sulfoxaflor | 3.32 | 21 | 107.56 | A |
| Cabbage | sulfur | 1.4 | 1 | 0.25 | A |
| Cabbage | thiamethoxam | 23.22 | 75 | 415.38 | A |
| Cabbage | trifloxystrobin | 12.22 | 19 | 98.37 | A |
| Cabbage | triflumizole | 0.76 | 1 | 3.17 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|--|----------------|------|--------------|--------------|
| Cabbage | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 45.05 | 209 | 835.28 | A |
| Cabbage | vinyl polymer | 1.58 | 20 | 99.29 | A |
| Canola (rape) | benzoic acid | 0.02 | 1 | 4.0 | A |
| Canola (rape) | butyl alcohol | 0.66 | 1 | 4.0 | A |
| Canola (rape) | dimethyl alkyl tertiary amines | 0.02 | 1 | 4.0 | A |
| Canola (rape) | dimethylpolysiloxane | 0.01 | 1 | 4.0 | A |
| Canola (rape) | dimethyl silicone fluid emulsion | 0.06 | 1 | 4.7 | A |
| Canola (rape) | lambda-cyhalothrin | 0.14 | 1 | 4.7 | A |
| Canola (rape) | methylated soybean oil | 0.87 | 1 | 4.0 | A |
| Canola (rape) | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 5.33 | 1 | 4.0 | A |
| Canola (rape) | tribenuron-methyl | 0.02 | 1 | 4.0 | A |
| Carrot | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 0.84 | 2 | 57.5 | A |
| Carrot | alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | 23.02 | 12 | 240.71 | A |
| Carrot | azoxystrobin | 0.76 | 1 | 3.0 | A |
| Carrot | benzoic acid | 0.23 | 3 | 46.75 | A |
| Carrot | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 0.71 | 1 | 34.0 | A |
| Carrot | capric acid | 665.9 | 15 | 120.74 | A |
| Carrot | caprylic acid | 978.05 | 15 | 120.74 | A |
| Carrot | chlorothalonil | 4.49 | 2 | 4.0 | A |
| Carrot | dimethyl alkyl tertiary amines | 0.25 | 3 | 46.75 | A |
| Carrot | dimethylpolysiloxane | 1.39 | 16 | 154.74 | A |
| Carrot | dimethyl silicone fluid emulsion | 4.97 | 12 | 316.74 | A |
| Carrot | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 1.46 | 3 | 38.01 | A |
| Carrot | emulsifiable methylated vegetable oil | 7.97 | 2 | 57.5 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Carrot | flonicamid | 0.35 | 2 | 4.0 | A |
| Carrot | fluazifop-p-butyl | 45.12 | 7 | 194.7 | A |
| Carrot | glyphosate, isopropylamine salt | 135.88 | 1 | 34.0 | A |
| Carrot | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 14.78 | 8 | 211.16 | A |
| Carrot | hydrogen peroxide | 3.91 | 2 | 48.08 | A |
| Carrot | lecithin | 49.37 | 13 | 274.71 | A |
| Carrot | linuron | 619.83 | 35 | 886.43 | A |
| Carrot | mefenoxam | 12.02 | 1 | 24.0 | A |
| Carrot | methomyl | 1.8 | 1 | 2.0 | A |
| Carrot | methyated soybean oil | 126.56 | 12 | 291.91 | A |
| Carrot | mineral oil | 9.31 | 4 | 60.01 | A |
| Carrot | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 5.67 | 9 | 245.16 | A |
| Carrot | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 13.89 | 2 | 68.0 | A |
| Carrot | oleic acid, ethyl ester | 1.65 | 3 | 5.75 | A |
| Carrot | oleic acid, methyl ester | 107.42 | 12 | 240.71 | A |
| Carrot | pendimethalin | 269.64 | 10 | 317.58 | A |
| Carrot | penthiopyrad | 0.42 | 1 | 2.0 | A |
| Carrot | peroxyacetic acid | 0.72 | 2 | 48.08 | A |
| Carrot | petroleum distillates, aromatic | 49.79 | 1 | 34.0 | A |
| Carrot | phosphoric acid | 0.48 | 2 | 57.5 | A |
| Carrot | polyacrylamide polymer | 1.75 | 8 | 192.01 | A |
| Carrot | polyether modified polysiloxane | 0.43 | 2 | 57.5 | A |
| Carrot | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 18.85 | 15 | 120.74 | A |
| Carrot | polyethylene glycol stearate | 0.41 | 3 | 5.75 | A |
| Carrot | polymerized pinene | 25.96 | 3 | 38.01 | A |
| Carrot | potash soap | 1.56 | 2 | 0.75 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Carrot | prometryn | 158.09 | 4 | 105.58 | A |
| Carrot | propiconazole | 0.45 | 2 | 5.0 | A |
| Carrot | propylene glycol | 9.58 | 15 | 120.74 | A |
| Carrot | pyraflufen-ethyl | 0.11 | 1 | 34.0 | A |
| Carrot | pyrethrins | 0.07 | 2 | 0.75 | A |
| Carrot | spinetoram | 0.2 | 2 | 5.0 | A |
| Carrot | spinosad | 0.5 | 5 | 8.0 | A |
| Carrot | sulfur | 769.63 | 21 | 135.85 | A |
| Carrot | tall oil fatty acids | 5.98 | 9 | 245.16 | A |
| Carrot | thiamethoxam | 0.14 | 1 | 3.0 | A |
| Carrot | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 35.14 | 15 | 120.74 | A |
| Carrot | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 0.86 | 2 | 57.5 | A |
| Cauliflower | acephate | 10.67 | 2 | 11.0 | A |
| Cauliflower | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 41.11 | 67 | 411.82 | A |
| Cauliflower | alpha-pinene beta-pinene copolymer | 0.54 | 1 | 6.5 | A |
| Cauliflower | azadirachtin | 1.57 | 13 | 71.09 | A |
| Cauliflower | bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | 10.0 | 6 | 20.0 | A |
| Cauliflower | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 197.09 | 44 | 227.42 | A |
| Cauliflower | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 953.33 | 141 | 903.26 | A |
| Cauliflower | bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 123.84 | 14 | 100.45 | A |
| Cauliflower | beauveria bassiana strain gha | 20.21 | 13 | 107.03 | A |
| Cauliflower | bensulide | 41.64 | 1 | 10.5 | A |
| Cauliflower | benzoic acid | 0.22 | 5 | 39.25 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Cauliflower | bifenthrin | 1.8 | 2 | 17.3 | A |
| Cauliflower | burkholderia sp strain a396 cells and fermentation media | 2,392.29 | 55 | 362.63 | A |
| Cauliflower | calcium chloride | 0.06 | 2 | 1.2 | A |
| Cauliflower | chlorantraniliprole | 0.23 | 2 | 3.0 | A |
| Cauliflower | chlorothalonil | 6.17 | 1 | 5.5 | A |
| Cauliflower | chlorthal-dimethyl | 106.38 | 3 | 23.5 | A |
| Cauliflower | chromobacterium subtsugae strain praa4-1 | 76.45 | 19 | 117.53 | A |
| Cauliflower | citric acid | 0.16 | 2 | 1.2 | A |
| Cauliflower | coniothyrium minitans strain con/m/91-08 | 13.3 | 8 | 81.5 | A |
| Cauliflower | copper hydroxide | 50.32 | 17 | 144.33 | A |
| Cauliflower | copper oxychloride | 11.0 | 5 | 27.5 | A |
| Cauliflower | cyantraniliprole | 3.76 | 2 | 38.0 | A |
| Cauliflower | (s)-cypermethrin | 4.56 | 13 | 95.58 | A |
| Cauliflower | diatomaceous earth | 7,205.55 | 103 | 629.61 | A |
| Cauliflower | dimethoate | 10.83 | 4 | 21.9 | A |
| Cauliflower | dimethyl alkyl tertiary amines | 0.24 | 5 | 39.25 | A |
| Cauliflower | dimethylpolysiloxane | 0.07 | 7 | 40.55 | A |
| Cauliflower | dimethyl silicone fluid emulsion | 2.87 | 28 | 168.05 | A |
| Cauliflower | dinotefuran | 9.81 | 8 | 44.56 | A |
| Cauliflower | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 0.03 | 1 | 6.5 | A |
| Cauliflower | emamectin benzoate | 0.37 | 7 | 35.71 | A |
| Cauliflower | emulsifiable methylated vegetable oil | 49.19 | 18 | 99.27 | A |
| Cauliflower | esfenvalerate | 0.23 | 1 | 5.5 | A |
| Cauliflower | fluopyram | 2.03 | 3 | 16.5 | A |
| Cauliflower | flupyradifurone | 1.04 | 1 | 8.0 | A |
| Cauliflower | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 157.84 | 112 | 698.65 | A |
| Cauliflower | hydrogen peroxide | 71.19 | 83 | 554.75 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Cauliflower | 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | 1.07 | 3 | 2.2 | A |
| Cauliflower | imidacloprid | 7.94 | 15 | 90.1 | A |
| Cauliflower | indoxacarb | 1.71 | 5 | 26.06 | A |
| Cauliflower | lambda-cyhalothrin | 5.52 | 26 | 185.55 | A |
| Cauliflower | malathion | 20.94 | 3 | 16.5 | A |
| Cauliflower | mandipropamid | 3.04 | 4 | 31.0 | A |
| Cauliflower | margosa oil | 0.38 | 1 | 1.0 | A |
| Cauliflower | methylated soybean oil | 8.24 | 5 | 39.25 | A |
| Cauliflower | mineral oil | 0.16 | 3 | 8.25 | A |
| Cauliflower | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 3.36 | 1 | 5.64 | A |
| Cauliflower | oleic acid, ethyl ester | 27.15 | 19 | 164.63 | A |
| Cauliflower | oxathiapiprolin | 0.36 | 4 | 31.0 | A |
| Cauliflower | oxyfluorfen | 25.8 | 10 | 85.25 | A |
| Cauliflower | penthiopyrad | 16.96 | 10 | 70.83 | A |
| Cauliflower | peroxyacetic acid | 12.52 | 83 | 554.75 | A |
| Cauliflower | phosphoric acid | 2.93 | 18 | 99.27 | A |
| Cauliflower | polyether modified polysiloxane | 2.67 | 18 | 99.27 | A |
| Cauliflower | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 3.48 | 6 | 34.91 | A |
| Cauliflower | polyethylene glycol stearate | 6.79 | 19 | 164.63 | A |
| Cauliflower | polyoxyethylene polyoxypropylene | 566.42 | 112 | 698.65 | A |
| Cauliflower | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 30.96 | 112 | 698.65 | A |
| Cauliflower | potash soap | 3,657.98 | 86 | 568.44 | A |
| Cauliflower | propylene glycol | 3.0 | 7 | 40.55 | A |
| Cauliflower | pyraclostrobin | 8.51 | 6 | 47.5 | A |
| Cauliflower | pyrethrins | 58.76 | 211 | 1,311.47 | A |
| Cauliflower | spinosad | 13.74 | 18 | 133.38 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Cauliflower | spirotetramat | 10.33 | 22 | 137.27 | A |
| Cauliflower | tall oil fatty acids | 0.9 | 1 | 5.64 | A |
| Cauliflower | thiamethoxam | 3.41 | 8 | 53.83 | A |
| Cauliflower | trifloxystrobin | 2.03 | 3 | 16.5 | A |
| Cauliflower | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 6.5 | 6 | 34.91 | A |
| Cauliflower | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 5.33 | 18 | 99.27 | A |
| Cauliflower | vinyl polymer | 2.4 | 4 | 34.0 | A |
| Celery | abamectin | 4.15 | 38 | 344.9 | A |
| Celery | acephate | 173.09 | 21 | 181.3 | A |
| Celery | acetamiprid | 6.83 | 16 | 120.54 | A |
| Celery | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 30.79 | 87 | 574.61 | A |
| Celery | alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | 2.34 | 2 | 17.4 | A |
| Celery | alpha-pinene beta-pinene copolymer | 0.76 | 1 | 3.0 | A |
| Celery | azadirachtin | 0.79 | 4 | 28.99 | A |
| Celery | azoxystrobin | 0.08 | 1 | 0.5 | A |
| Celery | bacillus amyloliquefaciens strain d747 | 143.05 | 15 | 64.0 | A |
| Celery | bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | 19.45 | 10 | 33.0 | A |
| Celery | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 147.48 | 25 | 167.94 | A |
| Celery | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 37.97 | 18 | 66.81 | A |
| Celery | benzoic acid | 0.03 | 4 | 5.08 | A |
| Celery | bifenthrin | 0.26 | 6 | 2.75 | A |
| Celery | burkholderia sp strain a396 cells and fermentation media | 460.68 | 11 | 93.52 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Celery | alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | 16.53 | 14 | 102.34 | A |
| Celery | chlorantraniliprole | 5.11 | 10 | 74.77 | A |
| Celery | chlorothalonil | 854.28 | 60 | 487.73 | A |
| Celery | chromobacterium subtsugae strain praa4-1 | 44.03 | 19 | 88.57 | A |
| Celery | copper hydroxide | 177.5 | 57 | 342.93 | A |
| Celery | copper octanoate | 119.61 | 36 | 231.17 | A |
| Celery | copper oxide (ous) | 92.32 | 16 | 48.43 | A |
| Celery | copper oxychloride | 109.06 | 27 | 185.52 | A |
| Celery | cyantraniliprole | 18.5 | 24 | 190.05 | A |
| Celery | beta-cyfluthrin | 0.29 | 3 | 12.22 | A |
| Celery | (s)-cypermethrin | 23.22 | 66 | 473.07 | A |
| Celery | dicloran | 99.98 | 4 | 40.0 | A |
| Celery | dimethoate | 43.58 | 17 | 87.35 | A |
| Celery | dimethyl alkyl tertiary amines | 0.03 | 4 | 5.08 | A |
| Celery | dimethylpolysiloxane | 5.03 | 14 | 77.4 | A |
| Celery | dimethyl silicone fluid emulsion | 14.77 | 126 | 821.79 | A |
| Celery | dinotefuran | 5.19 | 9 | 39.74 | A |
| Celery | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 0.04 | 1 | 3.0 | A |
| Celery | emamectin benzoate | 1.05 | 16 | 89.85 | A |
| Celery | emulsifiable methylated vegetable oil | 291.36 | 87 | 574.61 | A |
| Celery | fatty acids, mixed | 1.03 | 7 | 96.0 | A |
| Celery | fenamidone | 5.45 | 3 | 20.7 | A |
| Celery | flonicamid | 5.58 | 11 | 63.9 | A |
| Celery | flubendiamide | 10.87 | 31 | 235.88 | A |
| Celery | flumioxazin | 4.17 | 5 | 43.6 | A |
| Celery | fluopyram | 10.66 | 15 | 111.04 | A |
| Celery | flupyradifurone | 14.3 | 9 | 84.44 | A |
| Celery | fluxapyroxad | 1.75 | 5 | 10.2 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Celery | gibberellins | 0.23 | 11 | 56.44 | A |
| Celery | heptamethyltrisiloxane ethoxylated | 0.84 | 1 | 8.7 | A |
| Celery | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 59.05 | 76 | 528.7 | A |
| Celery | hydrogen peroxide | 10.83 | 19 | 115.74 | A |
| Celery | 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | 22.9 | 13 | 26.39 | A |
| Celery | imidacloprid | 0.23 | 1 | 5.2 | A |
| Celery | iron phosphate | 1.16 | 1 | 3.85 | A |
| Celery | lecithin | 53.64 | 13 | 177.7 | A |
| Celery | linuron | 44.96 | 23 | 151.72 | A |
| Celery | methomyl | 435.87 | 74 | 519.95 | A |
| Celery | methoxyfenozide | 5.35 | 6 | 35.87 | A |
| Celery | methylated soybean oil | 179.38 | 88 | 646.36 | A |
| Celery | s-metolachlor | 7.68 | 4 | 16.0 | A |
| Celery | mineral oil | 0.21 | 1 | 3.0 | A |
| Celery | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 24.92 | 86 | 664.28 | A |
| Celery | oleic acid, ethyl ester | 1.85 | 2 | 2.48 | A |
| Celery | oleic acid, methyl ester | 8.57 | 1 | 8.7 | A |
| Celery | oxamyl | 150.1 | 27 | 183.85 | A |
| Celery | permethrin | 98.62 | 79 | 602.8 | A |
| Celery | peroxyacetic acid | 2.0 | 19 | 115.74 | A |
| Celery | petroleum oil, paraffin based | 2.3 | 2 | 12.42 | A |
| Celery | phosphoric acid | 17.37 | 87 | 574.61 | A |
| Celery | polyacrylamide polymer | 4.16 | 7 | 75.8 | A |
| Celery | polyalkene oxide modified heptamethyl trisiloxane | 4.82 | 54 | 397.86 | A |
| Celery | polyether modified polysiloxane | 15.79 | 87 | 574.61 | A |
| Celery | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 1.02 | 8 | 25.2 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Celery | polyethylene glycol stearate | 0.46 | 2 | 2.48 | A |
| Celery | polyoxyethylene polyoxypropylene | 177.85 | 52 | 366.98 | A |
| Celery | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 9.7 | 51 | 358.28 | A |
| Celery | polyoxyethylene sorbitol, mixed ether ester | 11.25 | 2 | 12.42 | A |
| Celery | prometryn | 535.31 | 54 | 349.25 | A |
| Celery | propiconazole | 27.99 | 43 | 249.37 | A |
| Celery | propionic acid | 23.98 | 7 | 96.0 | A |
| Celery | propylene glycol | 0.52 | 8 | 25.2 | A |
| Celery | pymetrozine | 0.25 | 6 | 3.0 | A |
| Celery | pyraclostrobin | 3.39 | 16 | 19.45 | A |
| Celery | pyrethrins | 8.28 | 27 | 194.18 | A |
| Celery | qst 713 strain of dried bacillus subtilis | 0.01 | 1 | 0.5 | A |
| Celery | reynoutria sachalinensis | 1.65 | 6 | 15.25 | A |
| Celery | spinetoram | 6.09 | 21 | 109.65 | A |
| Celery | spinosad | 6.33 | 19 | 61.32 | A |
| Celery | spirotetramat | 9.08 | 21 | 140.81 | A |
| Celery | sulfoxaflor | 3.32 | 16 | 108.79 | A |
| Celery | sulfur | 4.0 | 2 | 1.0 | A |
| Celery | tall oil fatty acids | 2.0 | 25 | 170.42 | A |
| Celery | tebufenozide | 2.16 | 3 | 17.11 | A |
| Celery | thiamethoxam | 9.33 | 33 | 169.03 | A |
| Celery | trifloxystrobin | 15.43 | 22 | 165.24 | A |
| Celery | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 1.9 | 8 | 25.2 | A |
| Celery | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 45.5 | 92 | 647.61 | A |
| Celery | vinyl polymer | 0.01 | 1 | 0.19 | A |
| Cherry | abamectin | 3.81 | 2 | 153.93 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Cherry | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 2.49 | 1 | 42.43 | A |
| Cherry | alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | 25.16 | 9 | 121.2 | A |
| Cherry | ammonium propionate | 28.6 | 9 | 121.2 | A |
| Cherry | ammonium sulfate | 7.15 | 9 | 121.2 | A |
| Cherry | bifenazate | 33.5 | 3 | 67.0 | A |
| Cherry | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 1.27 | 6 | 124.2 | A |
| Cherry | boscalid | 14.89 | 5 | 65.2 | A |
| Cherry | alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | 4.67 | 8 | 45.0 | A |
| Cherry | carfentrazone-ethyl | 14.13 | 18 | 572.2 | A |
| Cherry | citric acid | 14.3 | 9 | 121.2 | A |
| Cherry | diethylene glycol | 141.87 | 8 | 170.4 | A |
| Cherry | dimethylpolysiloxane | 5.28 | 49 | 969.63 | A |
| Cherry | dimethyl silicone fluid emulsion | 1.71 | 12 | 63.0 | A |
| Cherry | fatty acids, mixed | 11.66 | 54 | 1,822.93 | A |
| Cherry | fenhexamid | 126.75 | 4 | 169.0 | A |
| Cherry | fenpropathrin | 186.75 | 21 | 455.43 | A |
| Cherry | flumioxazin | 29.15 | 12 | 228.6 | A |
| Cherry | fluopyram | 56.94 | 13 | 484.76 | A |
| Cherry | gibberellins | 15.51 | 16 | 295.63 | A |
| Cherry | glufosinate-ammonium | 83.16 | 9 | 115.6 | A |
| Cherry | glyphosate, isopropylamine salt | 846.9 | 28 | 675.4 | A |
| Cherry | glyphosate, potassium salt | 203.29 | 6 | 134.0 | A |
| Cherry | heptamethyltrisiloxane ethoxylated | 4.16 | 1 | 42.43 | A |
| Cherry | imidacloprid | 39.05 | 15 | 397.6 | A |
| Cherry | iprodione | 372.43 | 15 | 389.6 | A |
| Cherry | isopropyl alcohol | 145.13 | 13 | 345.6 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Cherry | kaolin | 28.5 | 1 | 1.2 | A |
| Cherry | lambda-cyhalothrin | 18.68 | 19 | 454.8 | A |
| Cherry | lecithin | 405.48 | 75 | 2,167.13 | A |
| Cherry | malathion | 393.04 | 6 | 221.0 | A |
| Cherry | methylated soybean oil | 54.1 | 12 | 223.0 | A |
| Cherry | mineral oil | 144.72 | 3 | 3.45 | A |
| Cherry | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 3,238.59 | 110 | 3,039.36 | A |
| Cherry | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 76.11 | 27 | 468.4 | A |
| Cherry | oleic acid, methyl ester | 117.41 | 9 | 121.2 | A |
| Cherry | oxyfluorfen | 196.12 | 13 | 507.6 | A |
| Cherry | pendimethalin | 112.69 | 6 | 119.0 | A |
| Cherry | permethrin | 53.61 | 20 | 265.4 | A |
| Cherry | petroleum distillates, aromatic | 88.89 | 6 | 124.2 | A |
| Cherry | polyacrylamide polymer | 7.43 | 28 | 1,021.6 | A |
| Cherry | polyoxyethylene polyoxypropylene | 1.66 | 1 | 42.43 | A |
| Cherry | potassium bicarbonate | 104.25 | 1 | 42.43 | A |
| Cherry | propiconazole | 10.75 | 7 | 97.0 | A |
| Cherry | propionic acid | 272.12 | 54 | 1,822.93 | A |
| Cherry | propylene glycol | 205.11 | 29 | 576.23 | A |
| Cherry | pyraclostrobin | 7.56 | 5 | 65.2 | A |
| Cherry | quinoxifen | 35.28 | 10 | 315.6 | A |
| Cherry | sodium polyacrylate | 0.72 | 9 | 121.2 | A |
| Cherry | spinosad | 6.78 | 27 | 79.6 | A |
| Cherry | tall oil fatty acids | 5.17 | 6 | 124.2 | A |
| Cherry | trifloxystrobin | 56.94 | 13 | 484.76 | A |
| Christmas tree | esfenvalerate | 1.91 | 1 | 15.0 | A |
| Cilantro | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 50.97 | 628 | 1,849.23 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|-------|--------------|--------------|
| Cilantro | alpha-pinene beta-pinene copolymer | 4.19 | 9 | 34.18 | A |
| Cilantro | azoxystrobin | 34.0 | 62 | 175.02 | A |
| Cilantro | burkholderia sp strain a396 cells and fermentation media | 88.46 | 4 | 20.42 | A |
| Cilantro | capric acid | 185.01 | 10 | 44.16 | A |
| Cilantro | caprylic acid | 271.73 | 10 | 44.16 | A |
| Cilantro | chromobacterium subtsugae strain praa4-1 | 23.48 | 8 | 39.13 | A |
| Cilantro | copper hydroxide | 26.01 | 29 | 80.74 | A |
| Cilantro | copper octanoate | 144.64 | 115 | 412.2 | A |
| Cilantro | copper oxychloride | 28.83 | 29 | 80.74 | A |
| Cilantro | cymoxanil | 114.02 | 290 | 838.07 | A |
| Cilantro | (s)-cypermethrin | 58.1 | 436 | 1,214.71 | A |
| Cilantro | dimethyl silicone fluid emulsion | 58.91 | 1,361 | 3,931.63 | A |
| Cilantro | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 0.22 | 9 | 34.18 | A |
| Cilantro | emulsifiable methylated vegetable oil | 396.99 | 618 | 1,805.07 | A |
| Cilantro | famoxadone | 114.02 | 290 | 838.07 | A |
| Cilantro | flupyradifurone | 30.18 | 55 | 189.3 | A |
| Cilantro | glyphosate, potassium salt | 36.96 | 2 | 13.4 | A |
| Cilantro | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 41.77 | 339 | 993.02 | A |
| Cilantro | hydrogen peroxide | 90.52 | 534 | 1,413.54 | A |
| Cilantro | imidacloprid | 61.02 | 498 | 1,455.21 | A |
| Cilantro | linuron | 444.92 | 333 | 946.46 | A |
| Cilantro | methylated soybean oil | 235.74 | 322 | 922.94 | A |
| Cilantro | mineral oil | 1.17 | 9 | 34.18 | A |
| Cilantro | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 1.39 | 322 | 922.94 | A |
| Cilantro | peroxyacetic acid | 16.74 | 534 | 1,413.54 | A |
| Cilantro | petroleum oil, paraffin based | 8.3 | 2 | 13.4 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|--|----------------|------|--------------|--------------|
| Cilantro | phosphoric acid | 23.67 | 618 | 1,805.07 | A |
| Cilantro | polyether modified polysiloxane | 21.52 | 618 | 1,805.07 | A |
| Cilantro | polyoxyethylene polyoxypropylene | 30.45 | 17 | 70.08 | A |
| Cilantro | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 1.66 | 17 | 70.08 | A |
| Cilantro | polyoxyethylene sorbitol, mixed ether ester | 40.53 | 2 | 13.4 | A |
| Cilantro | prometryn | 1,577.72 | 368 | 1,057.5 | A |
| Cilantro | propiconazole | 96.46 | 300 | 873.69 | A |
| Cilantro | pyrethrins | 3.15 | 23 | 89.52 | A |
| Cilantro | tall oil fatty acids | 6.93 | 322 | 922.94 | A |
| Cilantro | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 43.03 | 618 | 1,805.07 | A |
| Citrus | beta-cyfluthrin | 0.03 | 2 | 1.0 | A |
| Citrus | imidacloprid | 20.95 | 10 | 26.0 | A |
| Citrus | mineral oil | 97.35 | 3 | 6.0 | A |
| Citrus | spirotetramat | 1.09 | 8 | 12.0 | A |
| Collard | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 0.63 | 3 | 0.91 | A |
| Collard | copper octanoate | 0.05 | 1 | 0.25 | A |
| Collard | potash soap | 0.52 | 1 | 0.25 | A |
| Collard | pyrethrins | 0.03 | 2 | 0.66 | A |
| Collard | sulfur | 1.4 | 1 | 0.25 | A |
| Corn, human consumption | dimethyl silicone fluid emulsion | 0.07 | 1 | 10.0 | A |
| Corn, human consumption | glyphosate, potassium salt | 13.79 | 1 | 10.0 | A |
| Cucumber | abamectin | 0.03 | 1 | 1.5 | A |
| Cucumber | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 0.16 | 3 | 5.35 | A |
| Cucumber | amino ethoxy vinyl glycine hydrochloride | 1.76 | 12 | 41.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Cucumber | azadirachtin | <0.01 | 1 | 0.5 | A |
| Cucumber | azoxystrobin | 0.27 | 1 | 1.5 | A |
| Cucumber | bacillus subtilis strain iab/bs03 | 0.01 | 6 | 5.3 | A |
| Cucumber | bensulide | 1.98 | 1 | 0.4 | A |
| Cucumber | bifenthrin | 0.16 | 1 | 1.5 | A |
| Cucumber | (s)-cypermethrin | 0.84 | 3 | 16.85 | A |
| Cucumber | difenoconazole | 0.17 | 1 | 1.5 | A |
| Cucumber | dimethylpolysiloxane | 0.26 | 2 | 2.0 | A |
| Cucumber | dimethyl silicone fluid emulsion | 0.1 | 3 | 5.35 | A |
| Cucumber | emulsifiable methylated vegetable oil | 1.49 | 3 | 5.35 | A |
| Cucumber | ethephon | 0.62 | 2 | 7.5 | A |
| Cucumber | fluopyram | 1.65 | 3 | 16.85 | A |
| Cucumber | kaolin | 122.31 | 6 | 5.15 | A |
| Cucumber | lambda-cyhalothrin | 0.15 | 3 | 5.35 | A |
| Cucumber | malathion | 6.61 | 3 | 5.35 | A |
| Cucumber | mandipropamid | 0.83 | 1 | 7.3 | A |
| Cucumber | margosa oil | 0.19 | 1 | 0.5 | A |
| Cucumber | mineral oil | 0.17 | 1 | 500.0 | S |
| Cucumber | myclobutanil | 0.62 | 3 | 5.35 | A |
| Cucumber | oleic acid, ethyl ester | 3.23 | 3 | 16.85 | A |
| Cucumber | oxathiapiprolin | 0.1 | 1 | 7.3 | A |
| Cucumber | phosphoric acid | 0.09 | 3 | 5.35 | A |
| Cucumber | polyether modified polysiloxane | 0.08 | 3 | 5.35 | A |
| Cucumber | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 0.06 | 1 | 0.5 | A |
| Cucumber | polyethylene glycol stearate | 0.81 | 3 | 16.85 | A |
| Cucumber | potash soap | 2.08 | 2 | 1.0 | A |
| Cucumber | propylene glycol | 0.03 | 1 | 0.5 | A |
| Cucumber | pyrethrins | 0.19 | 4 | 2.0 | A |
| Cucumber | qst 713 strain of dried bacillus subtilis | 0.01 | 1 | 500.0 | S |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Cucumber | reynoutria sachalinensis | 1.43 | 5 | 4.4 | A |
| Cucumber | spinosad | 0.05 | 1 | 0.5 | A |
| Cucumber | sulfur | 17.12 | 3 | 5.35 | A |
| Cucumber | thiamethoxam | 1.18 | 4 | 18.35 | A |
| Cucumber | trifloxystrobin | 1.65 | 3 | 16.85 | A |
| Cucumber | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 0.11 | 1 | 0.5 | A |
| Cucumber | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 0.16 | 3 | 5.35 | A |
| Ditch bank | calcium hypochlorite | 340.0 | N/A | 3.5 | U |
| Ditch bank | sodium hypochlorite | 35,750.2 | N/A | 152.0 | U |
| Eggplant | chromobacterium subtsugae strain praa4-1 | 0.04 | 1 | 500.0 | S |
| Eggplant | mineral oil | 0.17 | 1 | 500.0 | S |
| Eggplant | qst 713 strain of dried bacillus subtilis | 0.01 | 1 | 500.0 | S |
| Endive (escarole) | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 0.05 | 1 | 1.2 | A |
| Endive (escarole) | benzoic acid | 0.01 | 1 | 1.75 | A |
| Endive (escarole) | (s)-cypermethrin | 0.12 | 2 | 2.42 | A |
| Endive (escarole) | dimethoate | 0.28 | 1 | 1.2 | A |
| Endive (escarole) | dimethyl alkyl tertiary amines | 0.01 | 1 | 1.75 | A |
| Endive (escarole) | dimethyl silicone fluid emulsion | 0.02 | 1 | 1.2 | A |
| Endive (escarole) | emulsifiable methylated vegetable oil | 0.44 | 1 | 1.2 | A |
| Endive (escarole) | imidacloprid | 0.04 | 1 | 1.2 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Endive (escarole) | mandipropamid | 0.16 | 1 | 1.22 | A |
| Endive (escarole) | methylated soybean oil | 0.38 | 1 | 1.75 | A |
| Endive (escarole) | oleic acid, ethyl ester | 0.18 | 1 | 1.22 | A |
| Endive (escarole) | phosphoric acid | 0.03 | 1 | 1.2 | A |
| Endive (escarole) | polyether modified polysiloxane | 0.02 | 1 | 1.2 | A |
| Endive (escarole) | polyethylene glycol stearate | 0.04 | 1 | 1.22 | A |
| Endive (escarole) | propyzamide | 2.2 | 1 | 1.75 | A |
| Endive (escarole) | spinetoram | 0.06 | 1 | 1.22 | A |
| Endive (escarole) | spirotetramat | 0.1 | 1 | 1.22 | A |
| Endive (escarole) | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 0.05 | 1 | 1.2 | A |
| Fennel | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 0.05 | 1 | 0.95 | A |
| Fennel | azoxystrobin | 0.19 | 1 | 0.95 | A |
| Fennel | dimethyl silicone fluid emulsion | 0.43 | 13 | 23.78 | A |
| Fennel | emulsifiable methylated vegetable oil | 0.5 | 1 | 0.95 | A |
| Fennel | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 1.3 | 12 | 22.83 | A |
| Fennel | hydrogen peroxide | 0.57 | 4 | 5.49 | A |
| Fennel | methylated soybean oil | 9.18 | 12 | 22.83 | A |
| Fennel | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 0.05 | 12 | 22.83 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|--|----------------|------|--------------|--------------|
| Fennel | peroxyacetic acid | 0.11 | 4 | 5.49 | A |
| Fennel | phosphoric acid | 0.03 | 1 | 0.95 | A |
| Fennel | polyether modified polysiloxane | 0.03 | 1 | 0.95 | A |
| Fennel | prometryn | 23.77 | 12 | 22.83 | A |
| Fennel | spinosad | 0.08 | 2 | 1.25 | A |
| Fennel | tall oil fatty acids | 0.27 | 12 | 22.83 | A |
| Fennel | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 0.05 | 1 | 0.95 | A |
| Fennel | vinyl polymer | 1.24 | 9 | 16.26 | A |
| Food processing plant | sodium hypochlorite | 64.97 | N/A | 1.0 | U |
| Forage hay/silage | bromoxynil heptanoate | 55.23 | 6 | 214.0 | A |
| Forage hay/silage | bromoxynil octanoate | 57.28 | 6 | 214.0 | A |
| Forage hay/silage | carfentrazone-ethyl | 11.95 | 5 | 204.0 | A |
| Forage hay/silage | diglycolamine salt of 3,6-dichloro-o-anisic acid | 5.91 | 2 | 25.0 | A |
| Forage hay/silage | glyphosate, isopropylamine salt | 0.12 | 2 | 2.0 | A |
| Forage hay/silage | mcpa, dimethylamine salt | 39.45 | 4 | 89.0 | A |
| Forage hay/silage | pendimethalin | 0.16 | 2 | 2.0 | A |
| Forage hay/silage | polyacrylamide polymer | 3.75 | 3 | 185.0 | A |
| Fumigation, other | sulfur dioxide | 17,458.59 | N/A | N/A | N/A |
| Gai lon | ametoctradin | 2.73 | 1 | 10.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Gai lon | bensulide | 59.49 | 1 | 10.0 | A |
| Gai lon | bifenthrin | 1.98 | 2 | 20.0 | A |
| Gai lon | boscalid | 2.63 | 1 | 10.0 | A |
| Gai lon | chlorantraniliprole | 1.5 | 1 | 10.0 | A |
| Gai lon | chlorthal-dimethyl | 120.75 | 1 | 10.0 | A |
| Gai lon | (s)-cypermethrin | 1.05 | 3 | 30.0 | A |
| Gai lon | dimethomorph | 2.05 | 1 | 10.0 | A |
| Gai lon | dimethylpolysiloxane | 7.96 | 4 | 40.0 | A |
| Gai lon | flupyradifurone | 1.82 | 1 | 10.0 | A |
| Gai lon | fluxapyroxad | 0.89 | 1 | 10.0 | A |
| Gai lon | mandipropamid | 1.3 | 1 | 10.0 | A |
| Gai lon | oxathiapiprolin | 0.16 | 1 | 10.0 | A |
| Gai lon | pyraclostrobin | 1.78 | 1 | 10.0 | A |
| Gai lon | spinetoram | 1.02 | 2 | 20.0 | A |
| Gai lon | spirotetramat | 1.57 | 2 | 20.0 | A |
| Garbanzo bean | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 136.08 | 5 | 126.0 | A |
| Garbanzo bean | chlorantraniliprole | 9.93 | 5 | 126.0 | A |
| Garbanzo bean | chlorothalonil | 7.54 | 1 | 5.0 | A |
| Garbanzo bean | (s)-cypermethrin | 3.29 | 4 | 66.0 | A |
| Garbanzo bean | lambda-cyhalothrin | 3.92 | 5 | 126.0 | A |
| Garbanzo bean | lecithin | 58.88 | 9 | 192.0 | A |
| Garbanzo bean | methoxyfenozide | 13.98 | 4 | 66.0 | A |
| Garbanzo bean | methylated soybean oil | 29.44 | 9 | 192.0 | A |
| Garbanzo bean | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 29.44 | 9 | 192.0 | A |
| Garlic | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 78.05 | 31 | 801.34 | A |
| Garlic | azoxystrobin | 70.4 | 15 | 658.0 | A |
| Garlic | bacillus amyloliquefaciens strain d747 | 788.55 | 5 | 86.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Garlic | bacillus pumilus, strain qst 2808 | 7.74 | 2 | 86.0 | A |
| Garlic | capric acid | 35.99 | 1 | 5.0 | A |
| Garlic | caprylic acid | 52.86 | 1 | 5.0 | A |
| Garlic | copper hydroxide | 38.45 | 8 | 102.24 | A |
| Garlic | copper octanoate | 37.68 | 5 | 64.6 | A |
| Garlic | copper oxychloride | 42.62 | 8 | 102.24 | A |
| Garlic | cyantranilprole | 17.69 | 6 | 210.5 | A |
| Garlic | difenoconazole | 11.27 | 1 | 115.0 | A |
| Garlic | dimethylpolysiloxane | 0.2 | 2 | 120.0 | A |
| Garlic | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 3.79 | 7 | 158.5 | A |
| Garlic | emulsifiable methylated vegetable oil | 589.85 | 18 | 634.5 | A |
| Garlic | flumioxazin | 33.63 | 4 | 105.5 | A |
| Garlic | hydrogen peroxide | 335.52 | 19 | 134.75 | A |
| Garlic | mineral oil | 23.68 | 7 | 158.5 | A |
| Garlic | penthiopyrad | 66.05 | 6 | 211.5 | A |
| Garlic | peroxyacetic acid | 24.76 | 19 | 134.75 | A |
| Garlic | phosphoric acid | 35.17 | 18 | 634.5 | A |
| Garlic | polyether modified polysiloxane | 31.97 | 18 | 634.5 | A |
| Garlic | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 11.59 | 2 | 120.0 | A |
| Garlic | polymerized pinene | 67.24 | 7 | 158.5 | A |
| Garlic | propiconazole | 68.91 | 14 | 543.0 | A |
| Garlic | propylene glycol | 5.89 | 2 | 120.0 | A |
| Garlic | qst 713 strain of dried bacillus subtilis | 5.56 | 5 | 65.12 | A |
| Garlic | reynoutria sachalinensis | 92.36 | 11 | 284.1 | A |
| Garlic | sulfur | 23.2 | 2 | 5.8 | A |
| Garlic | tebuconazole | 58.74 | 18 | 634.5 | A |
| Garlic | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 21.6 | 2 | 120.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Garlic | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 63.94 | 18 | 634.5 | A |
| Grape, wine | acequinocyl | 14.89 | 2 | 38.63 | A |
| Grape, wine | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 125.36 | 28 | 899.82 | A |
| Grape, wine | alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | 427.06 | 46 | 3,024.79 | A |
| Grape, wine | ammonium sulfate | 305.18 | 8 | 393.39 | A |
| Grape, wine | bacillus amyloliquefaciens strain d747 | 50.39 | 3 | 12.85 | A |
| Grape, wine | bacillus pumilus, strain qst 2808 | 35.95 | 157 | 299.49 | A |
| Grape, wine | bacillus subtilis strain iab/bs03 | 0.15 | 8 | 143.0 | A |
| Grape, wine | beta-conglutin | 66.24 | 1 | 193.08 | A |
| Grape, wine | bifenazate | 47.27 | 2 | 99.92 | A |
| Grape, wine | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 13.65 | 29 | 623.28 | A |
| Grape, wine | boscalid | 809.82 | 117 | 2,929.09 | A |
| Grape, wine | buprofezin | 68.62 | 8 | 65.36 | A |
| Grape, wine | calcium chloride | 9.14 | 53 | 29.02 | A |
| Grape, wine | carbo methoxy ether cellulose, sodium salt | 0.01 | 4 | 18.05 | A |
| Grape, wine | carfentrazone-ethyl | 11.47 | 17 | 401.74 | A |
| Grape, wine | chromobacterium subtsugae strain praa4-1 | 10.51 | 11 | 11.68 | A |
| Grape, wine | citric acid | 25.59 | 64 | 38.41 | A |
| Grape, wine | copper hydroxide | 639.86 | 45 | 1,407.16 | A |
| Grape, wine | copper octanoate | 16.21 | 7 | 9.72 | A |
| Grape, wine | copper oxide (ous) | 96.21 | 43 | 91.74 | A |
| Grape, wine | copper oxychloride | 8.25 | 12 | 17.32 | A |
| Grape, wine | cyflufenamid | 34.51 | 35 | 1,500.5 | A |
| Grape, wine | cyprodinil | 510.86 | 89 | 1,379.66 | A |
| Grape, wine | diethylene glycol | 144.34 | 4 | 570.11 | A |
| Grape, wine | difenoconazole | 3.6 | 3 | 274.45 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Grape, wine | 3,7-dimethyl-6-octen-1-ol | 0.19 | 11 | 11.68 | A |
| Grape, wine | dimethylpolysiloxane | 32.41 | 126 | 7,645.38 | A |
| Grape, wine | dimethyl silicone fluid emulsion | 3.36 | 16 | 114.68 | A |
| Grape, wine | emulsifiable methylated vegetable oil | 346.41 | 10 | 148.11 | A |
| Grape, wine | ethylene glycol | 1,633.75 | 158 | 4,158.58 | A |
| Grape, wine | etoxazole | 84.56 | 13 | 626.53 | A |
| Grape, wine | farnesol | 0.08 | 11 | 11.68 | A |
| Grape, wine | fatty acids, mixed | 55.31 | 5 | 309.02 | A |
| Grape, wine | fenhexamid | 19.44 | 4 | 38.87 | A |
| Grape, wine | fenpyroximate | 11.65 | 6 | 108.33 | A |
| Grape, wine | fludioxonil | 12.98 | 3 | 60.34 | A |
| Grape, wine | flumioxazin | 242.67 | 84 | 1,769.12 | A |
| Grape, wine | fluopyram | 128.28 | 19 | 1,166.18 | A |
| Grape, wine | flupyradifurone | 155.95 | 88 | 865.37 | A |
| Grape, wine | flutriafol | 2.83 | 2 | 35.0 | A |
| Grape, wine | geraniol | 0.19 | 11 | 11.68 | A |
| Grape, wine | glufosinate-ammonium | 3,183.39 | 164 | 4,231.7 | A |
| Grape, wine | glyphosate, isopropylamine salt | 4,087.74 | 67 | 2,294.18 | A |
| Grape, wine | glyphosate, potassium salt | 245.77 | 3 | 89.1 | A |
| Grape, wine | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 68.52 | 23 | 517.33 | A |
| Grape, wine | hexythiazox | 52.2 | 9 | 333.15 | A |
| Grape, wine | hydrogen peroxide | 1,341.65 | 56 | 1,330.27 | A |
| Grape, wine | 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | 8.17 | 76 | 55.73 | A |
| Grape, wine | imidacloprid | 865.53 | 36 | 2,105.26 | A |
| Grape, wine | indaziflam | 3.22 | 7 | 82.77 | A |
| Grape, wine | isopropyl alcohol | 297.05 | 158 | 4,158.58 | A |
| Grape, wine | isoxaben | 1.11 | 3 | 6.0 | A |
| Grape, wine | kresoxim-methyl | 46.67 | 10 | 311.14 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Grape, wine | lavandulyl senecioate | 2.81 | 5 | 226.43 | A |
| Grape, wine | lecithin | 571.12 | 53 | 3,475.12 | A |
| Grape, wine | lime-sulfur | 1.54 | 1 | 12.5 | A |
| Grape, wine | malathion | 160.45 | 4 | 83.53 | A |
| Grape, wine | methoxyfenozide | 8.74 | 1 | 41.33 | A |
| Grape, wine | methylated soybean oil | 2,372.0 | 464 | 5,298.07 | A |
| Grape, wine | methyl silicone resins | 16.95 | 5 | 26.67 | A |
| Grape, wine | metrafenone | 740.58 | 110 | 2,641.42 | A |
| Grape, wine | mineral oil | 17,149.54 | 327 | 3,506.51 | A |
| Grape, wine | myclobutanil | 259.84 | 103 | 2,272.68 | A |
| Grape, wine | nerolidol | 0.19 | 11 | 11.68 | A |
| Grape, wine | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 1,306.07 | 661 | 10,457.58 | A |
| Grape, wine | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 13.65 | 29 | 623.28 | A |
| Grape, wine | oleic acid, methyl ester | 1,992.94 | 46 | 3,024.79 | A |
| Grape, wine | oryzalin | 16.35 | 3 | 6.0 | A |
| Grape, wine | oxyfluorfen | 719.7 | 47 | 1,734.43 | A |
| Grape, wine | paraquat dichloride | 40.46 | 4 | 117.5 | A |
| Grape, wine | pendimethalin | 1,595.64 | 79 | 840.8 | A |
| Grape, wine | peroxyacetic acid | 202.95 | 56 | 1,330.27 | A |
| Grape, wine | petroleum distillates, aromatic | 951.95 | 29 | 623.28 | A |
| Grape, wine | petroleum distillates, refined | 31,965.5 | 147 | 4,991.44 | A |
| Grape, wine | petroleum oil, paraffin based | 143.96 | 103 | 1,257.74 | A |
| Grape, wine | phosphoric acid | 20.65 | 10 | 148.11 | A |
| Grape, wine | piperonyl butoxide | 10.56 | 1 | 26.67 | A |
| Grape, wine | piperonyl butoxide, other related | 2.64 | 1 | 26.67 | A |
| Grape, wine | polyalkene oxide modified heptamethyl trisiloxane | 100.25 | 442 | 5,122.82 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Grape, wine | polyalkyleneoxide modified polydimethyl-siloxane | 353.88 | 219 | 416.89 | A |
| Grape, wine | polyether modified polysiloxane | 42.32 | 12 | 212.11 | A |
| Grape, wine | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 1,013.39 | 113 | 6,922.24 | A |
| Grape, wine | polyoxyethylene polyoxypropylene | 56.38 | 6 | 133.53 | A |
| Grape, wine | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 0.02 | 1 | 5.5 | A |
| Grape, wine | polyoxyethylene sorbitol, mixed ether ester | 702.88 | 103 | 1,257.74 | A |
| Grape, wine | polysorbate 65 | 13.97 | 8 | 200.5 | A |
| Grape, wine | potassium bicarbonate | 1,172.98 | 18 | 509.78 | A |
| Grape, wine | propionic acid | 20.2 | 4 | 145.91 | A |
| Grape, wine | propylene glycol | 541.84 | 119 | 7,643.24 | A |
| Grape, wine | pyraclostrobin | 411.34 | 117 | 2,929.09 | A |
| Grape, wine | pyraflufen-ethyl | 3.21 | 13 | 637.19 | A |
| Grape, wine | pyrethrins | 1.32 | 1 | 26.67 | A |
| Grape, wine | pyridaben | 4.67 | 1 | 10.0 | A |
| Grape, wine | qst 713 strain of dried bacillus subtilis | 118.45 | 282 | 561.79 | A |
| Grape, wine | quillaja | 0.02 | 4 | 18.05 | A |
| Grape, wine | quinoxifen | 235.75 | 110 | 2,413.43 | A |
| Grape, wine | reynoutria sachalinensis | 33.06 | 163 | 327.69 | A |
| Grape, wine | rimsulfuron | 6.54 | 5 | 120.6 | A |
| Grape, wine | sethoxydim | 2.61 | 1 | 5.95 | A |
| Grape, wine | sorbitan trioleate | 13.97 | 8 | 200.5 | A |
| Grape, wine | spirotetramat | 212.7 | 91 | 1,944.2 | A |
| Grape, wine | styrene butadiene copolymer | 33.14 | 4 | 707.0 | A |
| Grape, wine | sulfur | 64,737.27 | 494 | 11,247.4 | A |
| Grape, wine | tall oil fatty acids | 78.94 | 52 | 1,201.11 | A |
| Grape, wine | tebuconazole | 150.78 | 20 | 1,366.18 | A |
| Grape, wine | tetraconazole | 53.31 | 112 | 1,404.36 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Grape, wine | thiamethoxam | 28.84 | 2 | 325.48 | A |
| Grape, wine | thiophanate-methyl | 1,117.94 | 88 | 1,339.4 | A |
| Grape, wine | trifloxystrobin | 14.12 | 7 | 183.76 | A |
| Grape, wine | triflumizole | 87.05 | 5 | 395.57 | A |
| Grape, wine | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 1,904.61 | 117 | 7,629.24 | A |
| Grape, wine | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 188.43 | 15 | 681.64 | A |
| Industrial hemp | azadirachtin | 7.8 | 19 | 405.99 | A |
| Industrial hemp | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 159.84 | 5 | 148.0 | A |
| Industrial hemp | bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 216.49 | 10 | 207.0 | A |
| Industrial hemp | dimethylpolysiloxane | 47.36 | 5 | 154.0 | A |
| Industrial hemp | margosa oil | 15.67 | 4 | 50.99 | A |
| Industrial hemp | polyether modified polysiloxane | 38.41 | 9 | 175.0 | A |
| Industrial hemp | pyrethrins | 9.81 | 10 | 207.0 | A |
| Kale | acetamiprid | 39.57 | 119 | 397.47 | A |
| Kale | alpha-alkylaryl-omega-hydroxypoly(oxyethylene) | 0.64 | 1 | 2.5 | A |
| Kale | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 76.58 | 373 | 1,219.02 | A |
| Kale | ametoctradin | 3.64 | 4 | 13.55 | A |
| Kale | azadirachtin | 0.64 | 5 | 23.55 | A |
| Kale | azoxystrobin | 41.75 | 62 | 167.75 | A |
| Kale | bacillus amyloliquefaciens strain d747 | 231.28 | 5 | 21.0 | A |
| Kale | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 159.14 | 33 | 149.17 | A |
| Kale | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 77.77 | 39 | 80.69 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Kale | bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 2.55 | 1 | 2.0 | A |
| Kale | bifenthrin | 8.42 | 5 | 85.65 | A |
| Kale | boscalid | 3.23 | 2 | 8.2 | A |
| Kale | burkholderia sp strain a396 cells and fermentation media | 197.2 | 19 | 47.95 | A |
| Kale | chlorantraniliprole | 2.62 | 17 | 40.7 | A |
| Kale | chlorthal-dimethyl | 248.39 | 16 | 93.0 | A |
| Kale | chromobacterium subtsugae strain praa4-1 | 4.81 | 3 | 6.01 | A |
| Kale | clarified hydrophobic extract of neem oil | 109.28 | 46 | 114.45 | A |
| Kale | clothianidin | 4.66 | 19 | 70.15 | A |
| Kale | coniothyrium minitans strain con/m/91-08 | 1.74 | 2 | 8.2 | A |
| Kale | copper hydroxide | 10.94 | 5 | 30.7 | A |
| Kale | copper octanoate | 0.2 | 3 | 4.25 | A |
| Kale | copper oxychloride | 3.52 | 2 | 8.2 | A |
| Kale | cyantraniliprole | 11.45 | 23 | 110.43 | A |
| Kale | beta-cyfluthrin | 3.98 | 56 | 166.52 | A |
| Kale | (s)-cypermethrin | 43.02 | 226 | 901.76 | A |
| Kale | dimethoate | 73.05 | 93 | 296.51 | A |
| Kale | dimethomorph | 2.73 | 4 | 13.55 | A |
| Kale | dimethylpolysiloxane | 31.63 | 7 | 159.0 | A |
| Kale | dimethyl silicone fluid emulsion | 28.51 | 401 | 1,272.17 | A |
| Kale | dinotefuran | 11.61 | 30 | 89.31 | A |
| Kale | emamectin benzoate | 0.78 | 18 | 52.22 | A |
| Kale | emulsifiable methylated vegetable oil | 724.58 | 373 | 1,219.02 | A |
| Kale | fenamidone | 14.49 | 16 | 56.83 | A |
| Kale | flonicamid | 15.27 | 28 | 177.1 | A |
| Kale | fluopicolide | 8.25 | 25 | 69.28 | A |
| Kale | fluopyram | 11.84 | 35 | 102.27 | A |
| Kale | flupyradifurone | 33.89 | 20 | 208.18 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Kale | glyphosate, isopropylamine salt | 59.95 | 1 | 30.0 | A |
| Kale | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 12.87 | 38 | 92.43 | A |
| Kale | hydrogen peroxide | 53.82 | 152 | 535.71 | A |
| Kale | imidacloprid | 36.23 | 181 | 588.16 | A |
| Kale | indoxacarb | 23.68 | 84 | 364.12 | A |
| Kale | malathion | 48.74 | 13 | 47.7 | A |
| Kale | mandipropamid | 17.12 | 22 | 132.25 | A |
| Kale | methomyl | 419.0 | 119 | 393.58 | A |
| Kale | methoxyfenozide | 5.22 | 5 | 28.25 | A |
| Kale | mineral oil | 14.25 | 2 | 8.1 | A |
| Kale | naled | 153.08 | 42 | 132.34 | A |
| Kale | oleic acid, ethyl ester | 5.75 | 4 | 32.5 | A |
| Kale | pendimethalin | 7.77 | 2 | 8.2 | A |
| Kale | penthiopyrad | 20.69 | 18 | 69.29 | A |
| Kale | permethrin | 0.51 | 1 | 2.5 | A |
| Kale | peroxyacetic acid | 9.95 | 152 | 535.71 | A |
| Kale | phosphoric acid | 43.2 | 373 | 1,219.02 | A |
| Kale | polyether modified polysiloxane | 44.03 | 381 | 1,247.02 | A |
| Kale | polyethylene glycol stearate | 1.44 | 4 | 32.5 | A |
| Kale | polyoxyethylene polyoxypropylene | 46.18 | 38 | 92.43 | A |
| Kale | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 2.52 | 38 | 92.43 | A |
| Kale | potash soap | 49.34 | 19 | 21.45 | A |
| Kale | potassium bicarbonate | 85.8 | 8 | 44.88 | A |
| Kale | potassium phosphite | 712.16 | 65 | 213.17 | A |
| Kale | pymetrozine | 14.34 | 56 | 168.08 | A |
| Kale | pyraclostrobin | 42.67 | 44 | 221.91 | A |
| Kale | pyrethrins | 7.32 | 81 | 198.63 | A |
| Kale | qst 713 strain of dried bacillus subtilis | 0.84 | 6 | 12.74 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Kale | spinetoram | 12.5 | 37 | 211.59 | A |
| Kale | spinosad | 21.88 | 82 | 218.72 | A |
| Kale | spirotetramat | 37.77 | 105 | 490.34 | A |
| Kale | sulfoxaflor | 3.06 | 32 | 104.36 | A |
| Kale | sulfur | 3,615.5 | 225 | 729.68 | A |
| Kale | thiamethoxam | 8.73 | 32 | 151.73 | A |
| Kale | trifloxystrobin | 11.84 | 35 | 102.27 | A |
| Kale | triflumizole | 11.53 | 18 | 48.74 | A |
| Kale | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 78.54 | 373 | 1,219.02 | A |
| Landscape maintenance | alkyl (c8,c10) polyglucoside | 1.54 | N/A | N/A | N/A |
| Landscape maintenance | aluminum phosphide | 13.33 | N/A | N/A | N/A |
| Landscape maintenance | aminopyralid, triisopropanolamine salt | 9.94 | N/A | N/A | N/A |
| Landscape maintenance | ammonium nitrate | 0.73 | N/A | N/A | N/A |
| Landscape maintenance | ammonium sulfate | 1.47 | N/A | N/A | N/A |
| Landscape maintenance | bifenthrin | 23.9 | N/A | N/A | N/A |
| Landscape maintenance | boric acid | 23.18 | N/A | N/A | N/A |
| Landscape maintenance | brodifacoum | 0.01 | N/A | N/A | N/A |
| Landscape maintenance | bromadiolone | 0.02 | N/A | N/A | N/A |
| Landscape maintenance | bromethalin | <0.01 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|-----------------------------|-----------------------|-------------|---------------------|---------------------|
| Landscape maintenance | carfentrazone-ethyl | 0.06 | N/A | N/A | N/A |
| Landscape maintenance | chlorophacinone | 0.08 | N/A | N/A | N/A |
| Landscape maintenance | clothianidin | 0.03 | N/A | N/A | N/A |
| Landscape maintenance | cypermethrin | 0.48 | N/A | N/A | N/A |
| Landscape maintenance | 2,4-d, dimethylamine salt | 6.05 | N/A | N/A | N/A |
| Landscape maintenance | 2,4-d, 2-ethylhexyl ester | 1.14 | N/A | N/A | N/A |
| Landscape maintenance | dicamba | 0.07 | N/A | N/A | N/A |
| Landscape maintenance | dicamba, dimethylamine salt | 0.02 | N/A | N/A | N/A |
| Landscape maintenance | dimethylpolysiloxane | <0.01 | N/A | N/A | N/A |
| Landscape maintenance | dinotefuran | 0.18 | N/A | N/A | N/A |
| Landscape maintenance | diphacinone | 0.03 | N/A | N/A | N/A |
| Landscape maintenance | diquat dibromide | 17.77 | N/A | N/A | N/A |
| Landscape maintenance | dithiopyr | 2.09 | N/A | N/A | N/A |
| Landscape maintenance | ethephon | 0.95 | N/A | N/A | N/A |
| Landscape maintenance | tau-fluvalinate | 0.01 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|---------------------------------|-----------------------|-------------|---------------------|---------------------|
| Landscape maintenance | fluxapyroxad | 0.7 | N/A | N/A | N/A |
| Landscape maintenance | glufosinate-ammonium | 2.91 | N/A | N/A | N/A |
| Landscape maintenance | glyphosate, isopropylamine salt | 1,085.57 | N/A | N/A | N/A |
| Landscape maintenance | glyphosate, potassium salt | 143.24 | 4 | 34.62 | A |
| Landscape maintenance | glyphosate, potassium salt | 779.97 | N/A | N/A | N/A |
| Landscape maintenance | imazapyr, isopropylamine salt | 0.44 | N/A | N/A | N/A |
| Landscape maintenance | imidacloprid | 0.97 | N/A | N/A | N/A |
| Landscape maintenance | indaziflam | 0.03 | N/A | N/A | N/A |
| Landscape maintenance | iprodione | 10.34 | N/A | N/A | N/A |
| Landscape maintenance | iron phosphate | 1.98 | N/A | N/A | N/A |
| Landscape maintenance | isoxaben | 3.3 | N/A | N/A | N/A |
| Landscape maintenance | mecoprop-p | 0.29 | N/A | N/A | N/A |
| Landscape maintenance | metaldehyde | 0.62 | N/A | N/A | N/A |
| Landscape maintenance | metconazole | 1.0 | N/A | N/A | N/A |
| Landscape maintenance | mineral oil | 145.87 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| Landscape maintenance | oryzalin | 23.68 | N/A | N/A | N/A |
| Landscape maintenance | oxyfluorfen | 58.19 | N/A | N/A | N/A |
| Landscape maintenance | permethrin | 2.6 | N/A | N/A | N/A |
| Landscape maintenance | petroleum oil, unclassified | 0.24 | N/A | N/A | N/A |
| Landscape maintenance | potassium peroxymonosulfate | 32.12 | N/A | N/A | N/A |
| Landscape maintenance | propiconazole | 0.02 | N/A | N/A | N/A |
| Landscape maintenance | pyraclostrobin | 1.4 | N/A | N/A | N/A |
| Landscape maintenance | quinclorac | 0.06 | N/A | N/A | N/A |
| Landscape maintenance | sodium chloride | 2.25 | N/A | N/A | N/A |
| Landscape maintenance | sodium hypochlorite | 176.58 | N/A | N/A | N/A |
| Landscape maintenance | strychnine | 0.01 | N/A | N/A | N/A |
| Landscape maintenance | sulfometuron-methyl | 9.01 | N/A | N/A | N/A |
| Landscape maintenance | tebuconazole | 0.01 | N/A | N/A | N/A |
| Landscape maintenance | triclopyr, butoxyethyl ester | 1.36 | N/A | N/A | N/A |
| Landscape maintenance | triclopyr, triethylamine salt | 61.91 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Landscape maintenance | trifloxystrobin | 0.33 | N/A | N/A | N/A |
| Landscape maintenance | trifluralin | 0.04 | N/A | N/A | N/A |
| Landscape maintenance | trinexapac-ethyl | 0.13 | N/A | N/A | N/A |
| Landscape maintenance | zinc phosphide | 3.27 | N/A | N/A | N/A |
| Leek | hydrogen peroxide | 0.62 | 1 | 0.25 | A |
| Leek | peroxyacetic acid | 0.05 | 1 | 0.25 | A |
| Leek | spinosad | 0.32 | 5 | 5.1 | A |
| Lettuce, head | abamectin | 0.74 | 2 | 40.0 | A |
| Lettuce, head | acephate | 168.16 | 18 | 173.36 | A |
| Lettuce, head | acetamiprid | 3.82 | 3 | 55.0 | A |
| Lettuce, head | acibenzolar-s-methyl | 0.11 | 1 | 3.5 | A |
| Lettuce, head | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 25.84 | 53 | 513.98 | A |
| Lettuce, head | alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | 10.56 | 4 | 65.0 | A |
| Lettuce, head | ametoctradin | 11.74 | 5 | 46.0 | A |
| Lettuce, head | bensulide | 341.62 | 21 | 166.95 | A |
| Lettuce, head | benzoic acid | 0.05 | 8 | 8.45 | A |
| Lettuce, head | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 1.87 | 9 | 85.0 | A |
| Lettuce, head | boscalid | 166.47 | 41 | 388.6 | A |
| Lettuce, head | carfentrazone-ethyl | 0.07 | 17 | 176.84 | A |
| Lettuce, head | chlorantraniliprole | 39.26 | 65 | 670.93 | A |
| Lettuce, head | clothianidin | 8.49 | 3 | 42.55 | A |
| Lettuce, head | coconut diethanolamide | 0.07 | 1 | 12.0 | A |
| Lettuce, head | cyantraniliprole | 3.51 | 2 | 40.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---------------------------------------|----------------|------|--------------|--------------|
| Lettuce, head | cymoxanil | 2.14 | 2 | 11.4 | A |
| Lettuce, head | cypermethrin | 0.71 | 1 | 14.4 | A |
| Lettuce, head | (s)-cypermethrin | 20.48 | 41 | 415.7 | A |
| Lettuce, head | dimethomorph | 27.41 | 15 | 140.7 | A |
| Lettuce, head | dimethyl alkyl tertiary amines | 0.05 | 8 | 8.45 | A |
| Lettuce, head | dimethylpolysiloxane | 206.86 | 135 | 1,531.8 | A |
| Lettuce, head | dimethyl silicone fluid emulsion | 11.92 | 72 | 717.64 | A |
| Lettuce, head | dodecylbenzene sulfonic acid | 0.32 | 1 | 12.0 | A |
| Lettuce, head | edta, tetrasodium salt | 0.02 | 1 | 12.0 | A |
| Lettuce, head | emamectin benzoate | 1.91 | 12 | 155.7 | A |
| Lettuce, head | emulsifiable methylated vegetable oil | 244.49 | 53 | 513.98 | A |
| Lettuce, head | esfenvalerate | 5.78 | 14 | 131.76 | A |
| Lettuce, head | ethylene glycol | 128.64 | 37 | 377.55 | A |
| Lettuce, head | fatty acids, mixed | 0.18 | 7 | 42.5 | A |
| Lettuce, head | fenamidone | 52.13 | 16 | 202.41 | A |
| Lettuce, head | flonicamid | 13.49 | 17 | 154.11 | A |
| Lettuce, head | fludioxonil | 0.99 | 1 | 4.5 | A |
| Lettuce, head | fluopicolide | 0.12 | 2 | 1.0 | A |
| Lettuce, head | fluopyram | 26.71 | 14 | 215.7 | A |
| Lettuce, head | flupyradifurone | 13.34 | 7 | 85.2 | A |
| Lettuce, head | fluxapyroxad | 28.79 | 15 | 159.0 | A |
| Lettuce, head | fosetyl-al | 581.3 | 17 | 166.98 | A |
| Lettuce, head | glyphosate, potassium salt | 122.86 | 4 | 44.55 | A |
| Lettuce, head | hydrogen peroxide | 1.61 | 2 | 15.81 | A |
| Lettuce, head | imidacloprid | 23.89 | 42 | 476.71 | A |
| Lettuce, head | indoxacarb | 24.08 | 25 | 284.28 | A |
| Lettuce, head | iprodione | 98.13 | 9 | 96.75 | A |
| Lettuce, head | isopropyl alcohol | 23.49 | 38 | 389.55 | A |
| Lettuce, head | lambda-cyhalothrin | 36.62 | 123 | 1,218.29 | A |
| Lettuce, head | lecithin | 66.64 | 19 | 253.5 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Lettuce, head | malathion | 18.4 | 1 | 12.0 | A |
| Lettuce, head | mancozeb | 1,182.31 | 78 | 762.05 | A |
| Lettuce, head | mandipropamid | 43.69 | 37 | 338.71 | A |
| Lettuce, head | methomyl | 189.77 | 33 | 394.17 | A |
| Lettuce, head | methoxyfenozide | 18.16 | 11 | 126.4 | A |
| Lettuce, head | methylated soybean oil | 27.76 | 16 | 154.45 | A |
| Lettuce, head | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 72.85 | 53 | 505.05 | A |
| Lettuce, head | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 1.87 | 9 | 85.0 | A |
| Lettuce, head | oleic acid, ethyl ester | 1.93 | 12 | 12.93 | A |
| Lettuce, head | oleic acid, methyl ester | 49.3 | 4 | 65.0 | A |
| Lettuce, head | oxathiapiprolin | 3.74 | 18 | 242.1 | A |
| Lettuce, head | paraquat dichloride | 121.71 | 13 | 150.0 | A |
| Lettuce, head | penthiopyrad | 12.51 | 2 | 40.0 | A |
| Lettuce, head | permethrin | 92.82 | 42 | 486.57 | A |
| Lettuce, head | peroxyacetic acid | 0.3 | 2 | 15.81 | A |
| Lettuce, head | petroleum distillates, aromatic | 130.34 | 9 | 85.0 | A |
| Lettuce, head | petroleum oil, paraffin based | 26.85 | 37 | 377.55 | A |
| Lettuce, head | phosphoric acid | 14.64 | 54 | 525.98 | A |
| Lettuce, head | polyacrylamide polymer | 1.32 | 9 | 78.5 | A |
| Lettuce, head | polyether modified polysiloxane | 13.25 | 53 | 513.98 | A |
| Lettuce, head | polyethylene glycol stearate | 0.48 | 12 | 12.93 | A |
| Lettuce, head | polyoxyethylene sorbitol, mixed ether ester | 131.1 | 37 | 377.55 | A |
| Lettuce, head | polysaccharide polymer | 0.06 | 2 | 22.0 | A |
| Lettuce, head | potassium phosphite | 2,443.21 | 84 | 946.31 | A |
| Lettuce, head | propamocarb hydrochloride | 675.69 | 61 | 677.55 | A |
| Lettuce, head | propionic acid | 4.23 | 7 | 42.5 | A |
| Lettuce, head | propyzamide | 750.56 | 65 | 583.4 | A |
| Lettuce, head | pymetrozine | 0.43 | 1 | 5.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Lettuce, head | pyraclostrobin | 38.79 | 17 | 209.0 | A |
| Lettuce, head | silicone defoamer | 0.01 | 1 | 12.0 | A |
| Lettuce, head | sodium xylene sulfonate | 0.1 | 1 | 12.0 | A |
| Lettuce, head | spinetoram | 14.55 | 30 | 252.54 | A |
| Lettuce, head | spirotetramat | 76.84 | 101 | 1,015.15 | A |
| Lettuce, head | sulfoxaflor | 11.32 | 35 | 361.18 | A |
| Lettuce, head | tall oil fatty acids | 7.59 | 9 | 85.0 | A |
| Lettuce, head | alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | 0.37 | 1 | 12.0 | A |
| Lettuce, head | tetrapotassium pyrophosphate | 0.05 | 1 | 12.0 | A |
| Lettuce, head | thiamethoxam | 14.83 | 38 | 347.4 | A |
| Lettuce, head | triethanolamine | 0.12 | 1 | 12.0 | A |
| Lettuce, head | trifloxystrobin | 26.71 | 14 | 215.7 | A |
| Lettuce, head | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 52.42 | 61 | 659.98 | A |
| Lettuce, head | vinyl polymer | 4.5 | 36 | 369.47 | A |
| Lettuce, leaf | abamectin | 5.0 | 64 | 452.4 | A |
| Lettuce, leaf | acetamiprid | 15.39 | 23 | 227.71 | A |
| Lettuce, leaf | acibenzolar-s-methyl | 15.89 | 81 | 560.41 | A |
| Lettuce, leaf | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 205.82 | 606 | 4,749.51 | A |
| Lettuce, leaf | alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | 1.97 | 2 | 9.0 | A |
| Lettuce, leaf | alpha-pinene beta-pinene copolymer | 40.52 | 48 | 278.8 | A |
| Lettuce, leaf | ametocradin | 166.16 | 74 | 623.8 | A |
| Lettuce, leaf | azadirachtin | 12.24 | 191 | 768.58 | A |
| Lettuce, leaf | bacillus amyloliquefaciens strain d747 | 2,465.37 | 60 | 388.87 | A |
| Lettuce, leaf | bacillus mycoides isolate j | 65.26 | 79 | 603.77 | A |
| Lettuce, leaf | bacillus pumilus, strain qst 2808 | 2.94 | 9 | 59.1 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Lettuce, leaf | bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | 116.5 | 22 | 120.2 | A |
| Lettuce, leaf | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 419.81 | 73 | 463.83 | A |
| Lettuce, leaf | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 434.8 | 136 | 500.0 | A |
| Lettuce, leaf | bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 208.15 | 26 | 171.28 | A |
| Lettuce, leaf | beauveria bassiana strain gha | 36.04 | 39 | 259.06 | A |
| Lettuce, leaf | bensulide | 6,777.71 | 245 | 1,902.74 | A |
| Lettuce, leaf | benzoic acid | 0.16 | 5 | 28.4 | A |
| Lettuce, leaf | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 2.36 | 13 | 112.5 | A |
| Lettuce, leaf | boscalid | 332.54 | 99 | 806.92 | A |
| Lettuce, leaf | burkholderia sp strain a396 cells and fermentation media | 8,968.56 | 205 | 1,401.3 | A |
| Lettuce, leaf | alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | 54.13 | 63 | 339.6 | A |
| Lettuce, leaf | calcium chloride | 4.28 | 11 | 81.52 | A |
| Lettuce, leaf | capric acid | 297.68 | 21 | 109.17 | A |
| Lettuce, leaf | caprylic acid | 437.22 | 21 | 109.17 | A |
| Lettuce, leaf | carfentrazone-ethyl | 0.2 | 59 | 490.53 | A |
| Lettuce, leaf | chlorantraniliprole | 56.27 | 106 | 920.84 | A |
| Lettuce, leaf | chromobacterium subtsugae strain praa4-1 | 432.28 | 136 | 771.52 | A |
| Lettuce, leaf | citric acid | 11.88 | 11 | 81.52 | A |
| Lettuce, leaf | clarified hydrophobic extract of neem oil | 605.26 | 106 | 357.5 | A |
| Lettuce, leaf | clothianidin | 10.81 | 5 | 54.15 | A |
| Lettuce, leaf | coconut diethanolamide | 0.25 | 4 | 30.0 | A |
| Lettuce, leaf | coniothyrium minitans strain con/m/91-08 | 2.82 | 3 | 26.6 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Lettuce, leaf | copper hydroxide | 2.84 | 1 | 8.8 | A |
| Lettuce, leaf | copper octanoate | 166.37 | 51 | 323.88 | A |
| Lettuce, leaf | copper oxychloride | 3.14 | 1 | 8.8 | A |
| Lettuce, leaf | cyantraniliprole | 13.22 | 12 | 129.05 | A |
| Lettuce, leaf | beta-cyfluthrin | 0.25 | 1 | 10.0 | A |
| Lettuce, leaf | cymoxanil | 37.79 | 32 | 203.84 | A |
| Lettuce, leaf | cypermethrin | 0.18 | 1 | 3.6 | A |
| Lettuce, leaf | (s)-cypermethrin | 108.13 | 292 | 2,200.24 | A |
| Lettuce, leaf | diatomaceous earth | 4,467.78 | 78 | 385.62 | A |
| Lettuce, leaf | dicloran | 104.62 | 25 | 167.82 | A |
| Lettuce, leaf | dimethoate | 129.94 | 60 | 521.04 | A |
| Lettuce, leaf | dimethomorph | 210.35 | 135 | 1,093.99 | A |
| Lettuce, leaf | dimethyl alkyl tertiary amines | 0.18 | 5 | 28.4 | A |
| Lettuce, leaf | dimethylpolysiloxane | 272.39 | 256 | 2,442.02 | A |
| Lettuce, leaf | dimethyl silicone fluid emulsion | 114.1 | 910 | 7,066.19 | A |
| Lettuce, leaf | dinotefuran | 49.05 | 32 | 288.3 | A |
| Lettuce, leaf | dodecylbenzene sulfonic acid | 1.07 | 4 | 30.0 | A |
| Lettuce, leaf | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 2.23 | 49 | 290.18 | A |
| Lettuce, leaf | edta, tetrasodium salt | 0.07 | 4 | 30.0 | A |
| Lettuce, leaf | emamectin benzoate | 0.9 | 7 | 72.0 | A |
| Lettuce, leaf | emulsifiable methylated vegetable oil | 1,752.07 | 553 | 4,502.72 | A |
| Lettuce, leaf | ethylene glycol | 289.65 | 99 | 786.79 | A |
| Lettuce, leaf | fatty acids, mixed | 1.3 | 65 | 331.09 | A |
| Lettuce, leaf | fenamidone | 429.08 | 239 | 1,662.66 | A |
| Lettuce, leaf | flonicamid | 98.0 | 153 | 1,172.1 | A |
| Lettuce, leaf | flubendiamide | 9.14 | 41 | 200.69 | A |
| Lettuce, leaf | fludioxonil | 10.97 | 6 | 50.19 | A |
| Lettuce, leaf | fluopicolide | 14.61 | 13 | 119.11 | A |
| Lettuce, leaf | fluopyram | 81.98 | 97 | 668.07 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Lettuce, leaf | flupyradifurone | 87.11 | 94 | 552.84 | A |
| Lettuce, leaf | fluxapyroxad | 24.71 | 17 | 138.08 | A |
| Lettuce, leaf | fosetyl-al | 5,914.9 | 243 | 1,910.4 | A |
| Lettuce, leaf | glyphosate, potassium salt | 27.58 | 1 | 10.0 | A |
| Lettuce, leaf | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 123.56 | 129 | 819.62 | A |
| Lettuce, leaf | hydrogen peroxide | 157.0 | 286 | 2,096.35 | A |
| Lettuce, leaf | 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | 167.07 | 56 | 294.04 | A |
| Lettuce, leaf | imidacloprid | 203.46 | 441 | 3,472.63 | A |
| Lettuce, leaf | indoxacarb | 1.97 | 3 | 28.5 | A |
| Lettuce, leaf | iprodione | 257.9 | 29 | 254.42 | A |
| Lettuce, leaf | iron phosphate | 0.25 | 1 | 1.0 | A |
| Lettuce, leaf | isopropyl alcohol | 52.99 | 103 | 816.79 | A |
| Lettuce, leaf | lambda-cyhalothrin | 153.83 | 649 | 5,209.53 | A |
| Lettuce, leaf | lecithin | 103.3 | 81 | 533.09 | A |
| Lettuce, leaf | malathion | 307.25 | 29 | 255.1 | A |
| Lettuce, leaf | mancozeb | 4,783.85 | 365 | 3,044.68 | A |
| Lettuce, leaf | mandipropamid | 359.59 | 365 | 2,834.59 | A |
| Lettuce, leaf | margosa oil | 234.74 | 114 | 382.43 | A |
| Lettuce, leaf | methomyl | 776.35 | 191 | 1,465.19 | A |
| Lettuce, leaf | methoxyfenozide | 51.33 | 38 | 365.22 | A |
| Lettuce, leaf | methylated soybean oil | 319.05 | 243 | 1,380.11 | A |
| Lettuce, leaf | mineral oil | 63.26 | 57 | 318.38 | A |
| Lettuce, leaf | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 208.58 | 401 | 2,389.09 | A |
| Lettuce, leaf | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 3.57 | 14 | 117.5 | A |
| Lettuce, leaf | oleic acid, ethyl ester | 12.94 | 15 | 77.8 | A |
| Lettuce, leaf | oleic acid, methyl ester | 9.2 | 2 | 9.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Lettuce, leaf | oxathiapiprolin | 18.43 | 148 | 1,250.97 | A |
| Lettuce, leaf | paraquat dichloride | 142.54 | 17 | 149.5 | A |
| Lettuce, leaf | penthiopyrad | 245.5 | 145 | 1,030.06 | A |
| Lettuce, leaf | permethrin | 687.83 | 508 | 3,859.08 | A |
| Lettuce, leaf | peroxyacetic acid | 29.01 | 286 | 2,096.35 | A |
| Lettuce, leaf | petroleum distillates, aromatic | 164.79 | 13 | 112.5 | A |
| Lettuce, leaf | petroleum oil, paraffin based | 60.18 | 99 | 786.79 | A |
| Lettuce, leaf | phosphoric acid | 104.67 | 557 | 4,532.72 | A |
| Lettuce, leaf | polyacrylamide polymer | 1.62 | 13 | 114.5 | A |
| Lettuce, leaf | polyalkene oxide modified heptamethyl trisiloxane | 13.87 | 224 | 1,158.71 | A |
| Lettuce, leaf | polyether modified polysiloxane | 109.24 | 566 | 4,595.12 | A |
| Lettuce, leaf | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 30.01 | 68 | 597.99 | A |
| Lettuce, leaf | polyethylene glycol stearate | 3.24 | 15 | 77.8 | A |
| Lettuce, leaf | polymerized pinene | 0.62 | 1 | 11.38 | A |
| Lettuce, leaf | polyoxin d, zinc salt | 11.03 | 26 | 261.85 | A |
| Lettuce, leaf | polyoxyethylene polyoxypropylene | 443.41 | 129 | 819.62 | A |
| Lettuce, leaf | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 24.24 | 129 | 819.62 | A |
| Lettuce, leaf | polyoxyethylene sorbitol, mixed ether ester | 293.83 | 99 | 786.79 | A |
| Lettuce, leaf | polysaccharide polymer | 0.06 | 2 | 20.0 | A |
| Lettuce, leaf | potash soap | 1.45 | 3 | 8.68 | A |
| Lettuce, leaf | potassium phosphite | 11,515.09 | 434 | 3,683.82 | A |
| Lettuce, leaf | propamocarb hydrochloride | 1,980.97 | 282 | 2,016.98 | A |
| Lettuce, leaf | propionic acid | 30.45 | 65 | 331.09 | A |
| Lettuce, leaf | propylene glycol | 15.26 | 68 | 597.99 | A |
| Lettuce, leaf | propyzamide | 2,004.04 | 248 | 2,033.03 | A |
| Lettuce, leaf | pymetrozine | 5.16 | 7 | 60.0 | A |
| Lettuce, leaf | pyraclostrobin | 65.26 | 53 | 408.19 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Lettuce, leaf | pyrethrins | 77.35 | 382 | 1,960.13 | A |
| Lettuce, leaf | qst 713 strain of dried bacillus subtilis | 49.83 | 106 | 705.04 | A |
| Lettuce, leaf | reynoutria sachalinensis | 26.8 | 33 | 159.01 | A |
| Lettuce, leaf | silicone defoamer | 0.03 | 4 | 30.0 | A |
| Lettuce, leaf | sodium xylene sulfonate | 0.33 | 4 | 30.0 | A |
| Lettuce, leaf | soybean oil | 85.67 | 20 | 106.17 | A |
| Lettuce, leaf | spinetoram | 191.42 | 475 | 3,590.8 | A |
| Lettuce, leaf | spinosad | 169.76 | 349 | 1,720.77 | A |
| Lettuce, leaf | spirotetramat | 247.92 | 419 | 3,452.55 | A |
| Lettuce, leaf | sulfoxaflor | 22.58 | 69 | 723.71 | A |
| Lettuce, leaf | sulfur | 3.73 | 2 | 4.0 | A |
| Lettuce, leaf | tall oil fatty acids | 9.59 | 13 | 112.5 | A |
| Lettuce, leaf | alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | 1.25 | 4 | 30.0 | A |
| Lettuce, leaf | tetrapotassium pyrophosphate | 0.16 | 4 | 30.0 | A |
| Lettuce, leaf | thiamethoxam | 26.84 | 60 | 539.4 | A |
| Lettuce, leaf | triethanolamine | 0.42 | 4 | 30.0 | A |
| Lettuce, leaf | trifloxystrobin | 81.98 | 97 | 668.07 | A |
| Lettuce, leaf | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 55.95 | 68 | 597.99 | A |
| Lettuce, leaf | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 225.37 | 567 | 4,695.72 | A |
| Lettuce, leaf | vinyl polymer | 10.76 | 97 | 762.93 | A |
| Melon | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 0.13 | 2 | 2.45 | A |
| Melon | azoxystrobin | 0.27 | 1 | 1.2 | A |
| Melon | bensulide | 5.95 | 1 | 1.2 | A |
| Melon | dimethyl silicone fluid emulsion | 0.06 | 3 | 3.22 | A |
| Melon | emulsifiable methylated vegetable oil | 1.27 | 2 | 2.45 | A |
| Melon | esfenvalerate | 0.16 | 3 | 3.22 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Melon | malathion | 1.23 | 1 | 1.25 | A |
| Melon | myclobutanil | 0.16 | 1 | 1.25 | A |
| Melon | phosphoric acid | 0.08 | 2 | 2.45 | A |
| Melon | polyether modified polysiloxane | 0.07 | 2 | 2.45 | A |
| Melon | sulfur | 8.2 | 4 | 2.05 | A |
| Melon | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 0.14 | 2 | 2.45 | A |
| Mizuna | acetamiprid | 0.09 | 1 | 1.55 | A |
| Mizuna | azadirachtin | 0.06 | 1 | 1.75 | A |
| Mizuna | bacillus amyloliquefaciens strain d747 | 96.48 | 4 | 8.75 | A |
| Mizuna | burkholderia sp strain a396 cells and fermentation media | 7.62 | 2 | 3.53 | A |
| Mizuna | (s)-cypermethrin | 0.07 | 1 | 1.55 | A |
| Mizuna | dimethyl silicone fluid emulsion | 0.02 | 1 | 1.55 | A |
| Mizuna | fenamidone | 0.37 | 1 | 1.55 | A |
| Mizuna | hydrogen peroxide | 0.05 | 1 | 1.55 | A |
| Mizuna | peroxyacetic acid | 0.01 | 1 | 1.55 | A |
| Mizuna | polyether modified polysiloxane | 1.95 | 5 | 12.25 | A |
| Mizuna | potassium phosphite | 3.64 | 1 | 1.55 | A |
| Mizuna | pyrethrins | 1.15 | 14 | 28.03 | A |
| Mizuna | spinetoram | 0.07 | 1 | 1.55 | A |
| Mizuna | spinosad | 2.34 | 10 | 19.25 | A |
| Mustard greens | acetamiprid | 9.86 | 57 | 208.09 | A |
| Mustard greens | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 11.03 | 130 | 462.72 | A |
| Mustard greens | ametoctradin | 42.96 | 43 | 157.68 | A |
| Mustard greens | azadirachtin | 0.57 | 10 | 29.41 | A |
| Mustard greens | bacillus amyloliquefaciens strain d747 | 66.86 | 20 | 108.0 | A |
| Mustard greens | bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | 1.5 | 1 | 3.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Mustard greens | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 12.44 | 11 | 23.04 | A |
| Mustard greens | bensulide | 2,517.2 | 160 | 631.84 | A |
| Mustard greens | bifenthrin | 0.87 | 3 | 8.85 | A |
| Mustard greens | burkholderia sp strain a396 cells and fermentation media | 1,028.08 | 59 | 193.09 | A |
| Mustard greens | chlorantraniliprole | 4.7 | 15 | 70.42 | A |
| Mustard greens | chlorthal-dimethyl | 27.17 | 1 | 4.0 | A |
| Mustard greens | chromobacterium subtsugae strain praa4-1 | 14.6 | 6 | 19.81 | A |
| Mustard greens | beta-cyfluthrin | 1.72 | 17 | 69.57 | A |
| Mustard greens | (s)-cypermethrin | 21.23 | 133 | 437.37 | A |
| Mustard greens | dimethomorph | 32.26 | 43 | 157.68 | A |
| Mustard greens | dimethylpolysiloxane | 2.26 | 12 | 54.42 | A |
| Mustard greens | dimethyl silicone fluid emulsion | 9.95 | 198 | 688.0 | A |
| Mustard greens | emulsifiable methylated vegetable oil | 104.35 | 130 | 462.72 | A |
| Mustard greens | fatty acids, mixed | 0.01 | 2 | 8.2 | A |
| Mustard greens | fenamidone | 104.8 | 117 | 408.27 | A |
| Mustard greens | flonicamid | 30.72 | 100 | 366.95 | A |
| Mustard greens | fluopicolide | 17.46 | 39 | 149.08 | A |
| Mustard greens | flupyradifurone | 7.32 | 15 | 52.83 | A |
| Mustard greens | fosetyl-al | 1,058.44 | 90 | 334.43 | A |
| Mustard greens | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 15.94 | 49 | 117.96 | A |
| Mustard greens | hydrogen peroxide | 20.03 | 94 | 276.26 | A |
| Mustard greens | imidacloprid | 2.1 | 15 | 46.74 | A |
| Mustard greens | lecithin | 0.21 | 2 | 8.2 | A |
| Mustard greens | mandipropamid | 70.97 | 144 | 544.81 | A |
| Mustard greens | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 0.06 | 2 | 8.2 | A |
| Mustard greens | peroxyacetic acid | 3.7 | 94 | 276.26 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Mustard greens | phosphoric acid | 6.22 | 130 | 462.72 | A |
| Mustard greens | polyether modified polysiloxane | 14.66 | 141 | 530.02 | A |
| Mustard greens | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 2.96 | 8 | 37.7 | A |
| Mustard greens | polyoxyethylene polyoxypropylene | 57.2 | 49 | 117.96 | A |
| Mustard greens | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 3.13 | 49 | 117.96 | A |
| Mustard greens | potassium bicarbonate | 7.65 | 1 | 3.0 | A |
| Mustard greens | potassium phosphite | 871.84 | 77 | 281.47 | A |
| Mustard greens | propionic acid | 0.21 | 2 | 8.2 | A |
| Mustard greens | propylene glycol | 1.5 | 8 | 37.7 | A |
| Mustard greens | pyraclostrobin | 7.48 | 12 | 49.84 | A |
| Mustard greens | pyrethrins | 12.88 | 107 | 325.87 | A |
| Mustard greens | qst 713 strain of dried bacillus subtilis | 1.64 | 7 | 19.18 | A |
| Mustard greens | reynoutria sachalinensis | 5.2 | 5 | 12.62 | A |
| Mustard greens | spinetoram | 32.25 | 154 | 562.43 | A |
| Mustard greens | spinosad | 77.82 | 161 | 598.66 | A |
| Mustard greens | spirotetramat | 30.75 | 100 | 386.79 | A |
| Mustard greens | sulfoxaflor | 0.64 | 4 | 22.64 | A |
| Mustard greens | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 5.52 | 8 | 37.7 | A |
| Mustard greens | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 11.31 | 130 | 462.72 | A |
| N-grnhs flower | abamectin | 0.07 | 8 | 4.0 | A |
| N-grnhs flower | acequinocyl | 1.99 | 2 | 10.0 | A |
| N-grnhs flower | acetamiprid | 1.38 | 2 | 10.0 | A |
| N-grnhs flower | alpha-alkylaryl-omega-hydroxypoly(oxyethylene) | 0.22 | 1 | 0.5 | A |
| N-grnhs flower | azadirachtin | 0.67 | 1 | 5.0 | A |
| N-grnhs flower | beauveria bassiana strain gha | 6.57 | 1 | 5.0 | A |
| N-grnhs flower | carfentrazone-ethyl | 0.47 | N/A | 16.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| N-grnhs flower | cyflumetofen | 1.6 | 2 | 10.0 | A |
| N-grnhs flower | 2,4-d, 2-ethylhexyl ester | 9.04 | N/A | 16.0 | A |
| N-grnhs flower | dicamba | 0.58 | N/A | 16.0 | A |
| N-grnhs flower | dimethylpolysiloxane | 1.63 | 7 | 3.5 | A |
| N-grnhs flower | ethephon | 20.09 | N/A | 6.4 | A |
| N-grnhs flower | fatty acids, mixed | 0.13 | 8 | 4.0 | A |
| N-grnhs flower | fluazinam | 4.44 | N/A | 6.4 | A |
| N-grnhs flower | flupyradifurone | 0.91 | 1 | 5.0 | A |
| N-grnhs flower | flurprimidol | 0.92 | N/A | 12.8 | A |
| N-grnhs flower | glyphosate, isopropylamine salt | 0.19 | 1 | 5.0 | A |
| N-grnhs flower | imidacloprid | 0.87 | 3 | 15.0 | A |
| N-grnhs flower | iprodione | 20.24 | N/A | 9.6 | A |
| N-grnhs flower | lecithin | 3.02 | 8 | 4.0 | A |
| N-grnhs flower | mecoprop-p | 2.29 | N/A | 16.0 | A |
| N-grnhs flower | metconazole | 3.2 | N/A | 6.4 | A |
| N-grnhs flower | mineral oil | 858.96 | 10 | 50.0 | A |
| N-grnhs flower | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 0.81 | 8 | 4.0 | A |
| N-grnhs flower | penoxsulam | 0.2 | N/A | 10.0 | A |
| N-grnhs flower | polyoxin d, zinc salt | 1.63 | N/A | 6.4 | A |
| N-grnhs flower | propiconazole | 8.22 | N/A | 6.4 | A |
| N-grnhs flower | propionic acid | 3.02 | 8 | 4.0 | A |
| N-grnhs flower | pymetrozine | 1.22 | 8 | 4.0 | A |
| N-grnhs flower | quinclorac, dimethylamine salt | 3.56 | N/A | 4.0 | A |
| N-grnhs flower | spinosad | 0.31 | 1 | 5.0 | A |
| N-grnhs flower | spirotetramat | 0.38 | 3 | 15.0 | A |
| N-grnhs flower | tebuconazole | 4.6 | N/A | 6.4 | A |
| N-grnhs flower | thiophanate-methyl | 20.98 | N/A | 6.4 | A |
| N-grnhs flower | triclopyr, butoxyethyl ester | 11.85 | N/A | 8.0 | A |
| N-grnhs flower | trinexapac-ethyl | 0.43 | N/A | 9.6 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|---|-----------------------|-------------|---------------------|---------------------|
| N-grnhs plants in containers | abamectin | 0.02 | 1 | 30,000.0 | S |
| N-grnhs plants in containers | bifenthrin | <0.01 | 1 | 40,000.0 | S |
| N-grnhs plants in containers | copper octanoate | 0.88 | 1 | 21,000.0 | S |
| N-grnhs plants in containers | dinotefuran | 0.15 | 1 | 40,000.0 | S |
| N-grnhs plants in containers | (s)-kinoprene | 0.34 | 2 | 70,000.0 | S |
| N-grnhs plants in containers | prallethrin | <0.01 | 1 | 40,000.0 | S |
| N-grnhs plants in containers | thiamethoxam | 0.09 | 1 | 30,000.0 | S |
| N-grnhs transplants | abamectin | 0.01 | 1 | 1.8 | A |
| N-grnhs transplants | acephate | 3.82 | 6 | 4.8 | A |
| N-grnhs transplants | alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt | 0.52 | 2 | 4.8 | A |
| N-grnhs transplants | azadirachtin | 0.18 | 8 | 10.6 | A |
| N-grnhs transplants | azoxystrobin | 13.96 | 14 | 23.8 | A |
| N-grnhs transplants | chlormequat chloride | 4.17 | 9 | 9.8 | A |
| N-grnhs transplants | chlorothalonil | 61.37 | 14 | 20.4 | A |
| N-grnhs transplants | coconut diethanolamide | 2.38 | 2 | 4.8 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|-------------------|-----------------------|-------------|---------------------|---------------------|
| N-grnhs transplants | copper hydroxide | 48.38 | 25 | 28.0 | A |
| N-grnhs transplants | cyantraniliprole | 71.86 | 16 | 4.4 | A |
| N-grnhs transplants | cyflufenamid | 2.48 | 7 | 8.0 | A |
| N-grnhs transplants | cyfluthrin | 0.22 | 4 | 5.6 | A |
| N-grnhs transplants | cyromazine | 1.37 | 1 | 1.0 | A |
| N-grnhs transplants | difenoconazole | 0.49 | 1 | 1.4 | A |
| N-grnhs transplants | dinotefuran | 0.1 | 1 | 0.2 | A |
| N-grnhs transplants | diphacinone | <0.01 | 1 | 1.0 | A |
| N-grnhs transplants | fenhexamid | 31.47 | 27 | 30.2 | A |
| N-grnhs transplants | fludioxonil | 1.81 | 3 | 2.8 | A |
| N-grnhs transplants | tau-fluvalinate | 0.59 | 6 | 8.8 | A |
| N-grnhs transplants | fosetyl-al | 30.55 | 11 | 7.6 | A |
| N-grnhs transplants | hydrogen peroxide | 19.79 | 2 | 0.8 | A |
| N-grnhs transplants | imidacloprid | 4.03 | 9 | 13.6 | A |
| N-grnhs transplants | iprodione | 2.13 | 3 | 2.8 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|---------------------------|-----------------------|-------------|---------------------|---------------------|
| N-grnhs transplants | lauric acid | 0.48 | 2 | 4.8 | A |
| N-grnhs transplants | mancozeb | 37.45 | 27 | 30.4 | A |
| N-grnhs transplants | mefenoxam | 2.94 | 12 | 9.8 | A |
| N-grnhs transplants | mefenoxam, other related | 0.1 | 12 | 9.8 | A |
| N-grnhs transplants | metaldehyde | 0.28 | 2 | 3.4 | A |
| N-grnhs transplants | paclobutrazol | 0.01 | 5 | 1.2 | A |
| N-grnhs transplants | potash soap | 4.16 | 1 | 0.4 | A |
| N-grnhs transplants | propamocarb hydrochloride | 44.49 | 25 | 25.53 | A |
| N-grnhs transplants | propylene glycol | 0.81 | 2 | 4.8 | A |
| N-grnhs transplants | pyrifluquinazon | 0.07 | 2 | 3.4 | A |
| N-grnhs transplants | spirotetramat | 1.11 | 5 | 8.4 | A |
| N-grnhs transplants | thiophanate-methyl | 29.59 | 13 | 10.0 | A |
| N-grnhs transplants | triadimefon | 0.03 | 2 | 1.0 | A |
| N-grnhs transplants | uniconazole-p | 0.03 | 23 | 13.6 | A |
| N-outdr flower | flurprimidol | 0.75 | N/A | 9.6 | A |
| N-outdr flower | trinexapac-ethyl | 0.14 | N/A | 3.2 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|--|-----------------------|-------------|---------------------|---------------------|
| N-outdr plants in containers | abamectin | <0.01 | 3 | 7.0 | A |
| N-outdr plants in containers | acephate | 0.04 | 7 | 16.0 | A |
| N-outdr plants in containers | bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 1.13 | 5 | 5.0 | A |
| N-outdr plants in containers | dinotefuran | 0.04 | 6 | 16.0 | A |
| N-outdr plants in containers | glyphosate, isopropylamine salt | 2.9 | 11 | 19.0 | A |
| N-outdr plants in containers | imidacloprid | 0.83 | 1 | 1.0 | A |
| N-outdr plants in containers | iron phosphate | 2.5 | 3 | 3.0 | A |
| N-outdr plants in containers | mancozeb | 45.0 | N/A | 3.2 | A |
| N-outdr plants in containers | mefenoxam | 0.04 | 5 | 12.0 | A |
| N-outdr plants in containers | mefenoxam, other related | <0.01 | 5 | 12.0 | A |
| N-outdr plants in containers | methoxyfenozide | 0.56 | 2 | 6.0 | A |
| N-outdr plants in containers | mineral oil | 137.43 | 8 | 12.0 | A |
| N-outdr plants in containers | permethrin | 0.02 | 2 | 4.0 | A |
| N-outdr plants in containers | spirotetramat | 1.34 | 3 | 3.0 | A |
| N-outdr transplants | diphacinone | <0.01 | 1 | 3.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|---|----------------|------|--------------|--------------|
| N-outdr transplants | diquat dibromide | 7.28 | 2 | 1.25 | A |
| N-outdr transplants | glyphosate, isopropylamine salt | 10.59 | 4 | 3.7 | A |
| Oat | benzoic acid | 1.34 | 3 | 235.0 | A |
| Oat | bromoxynil heptanoate | 228.28 | 32 | 677.46 | A |
| Oat | bromoxynil octanoate | 236.73 | 32 | 677.46 | A |
| Oat | butyl alcohol | 4.48 | 3 | 235.0 | A |
| Oat | carfentrazone-ethyl | 3.4 | 8 | 166.5 | A |
| Oat | chlorsulfuron | 56.77 | 2 | 130.0 | A |
| Oat | 2,4-d, dimethylamine salt | 175.96 | 6 | 211.5 | A |
| Oat | diglycolamine salt of 3,6-dichloro-o-anisic acid | 103.17 | 21 | 518.63 | A |
| Oat | dimethyl alkyl tertiary amines | 1.46 | 3 | 235.0 | A |
| Oat | dimethylpolysiloxane | 0.05 | 3 | 235.0 | A |
| Oat | dimethyl silicone fluid emulsion | 0.06 | 4 | 11.5 | A |
| Oat | mcpa, dimethylamine salt | 270.13 | 22 | 553.63 | A |
| Oat | methylated soybean oil | 51.06 | 3 | 235.0 | A |
| Oat | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 36.24 | 3 | 235.0 | A |
| Oat | petroleum oil, paraffin based | 0.48 | 4 | 11.5 | A |
| Oat | polyacrylamide polymer | 2.95 | 28 | 622.56 | A |
| Oat | polyoxyethylene sorbitol, mixed ether ester | 2.36 | 4 | 11.5 | A |
| Oat | tribenuron-methyl | 2.21 | 12 | 351.93 | A |
| Oat | vinyl polymer | 0.2 | 4 | 11.5 | A |
| Oat (forage - fodder) | ammonium propionate | 13.56 | 2 | 115.0 | A |
| Oat (forage - fodder) | ammonium sulfate | 3.39 | 2 | 115.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|--|----------------|------|--------------|--------------|
| Oat (forage - fodder) | bromoxynil heptanoate | 29.68 | 2 | 115.0 | A |
| Oat (forage - fodder) | bromoxynil octanoate | 30.78 | 2 | 115.0 | A |
| Oat (forage - fodder) | citric acid | 6.78 | 2 | 115.0 | A |
| Oat (forage - fodder) | diglycolamine salt of 3,6-dichloro-o-anisic acid | 21.72 | 2 | 115.0 | A |
| Oat (forage - fodder) | mcpa, dimethylamine salt | 52.34 | 2 | 115.0 | A |
| Oat (forage - fodder) | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 9.83 | 2 | 115.0 | A |
| Oat (forage - fodder) | polyacrylamide polymer | 0.3 | 1 | 65.0 | A |
| Oat (forage - fodder) | sodium polyacrylate | 0.34 | 2 | 115.0 | A |
| Onion, dry | acetamiprid | 68.87 | 8 | 310.0 | A |
| Onion, dry | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 69.58 | 43 | 840.05 | A |
| Onion, dry | alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | 4.28 | 3 | 70.0 | A |
| Onion, dry | ammonium propionate | 2.13 | 1 | 15.0 | A |
| Onion, dry | ammonium sulfate | 0.53 | 1 | 15.0 | A |
| Onion, dry | azoxystrobin | 2.31 | 1 | 10.5 | A |
| Onion, dry | bacillus amyloliquefaciens strain d747 | 54.0 | 4 | 94.0 | A |
| Onion, dry | bacillus subtilis strain iab/bs03 | 0.06 | 9 | 28.7 | A |
| Onion, dry | benzoic acid | 0.09 | 12 | 15.42 | A |
| Onion, dry | boscalid | 34.18 | 4 | 155.0 | A |
| Onion, dry | bromoxynil heptanoate | 23.26 | 8 | 136.3 | A |
| Onion, dry | bromoxynil octanoate | 24.12 | 8 | 136.3 | A |
| Onion, dry | chlorothalonil | 672.08 | 39 | 695.9 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Onion, dry | chlorthal-dimethyl | 2,033.51 | 21 | 370.13 | A |
| Onion, dry | citric acid | 1.07 | 1 | 15.0 | A |
| Onion, dry | copper hydroxide | 645.17 | 28 | 948.0 | A |
| Onion, dry | copper octanoate | 16.72 | 7 | 44.8 | A |
| Onion, dry | cyantraniliprole | 3.47 | 5 | 40.8 | A |
| Onion, dry | (s)-cypermethrin | 15.97 | 23 | 329.25 | A |
| Onion, dry | diethylene glycol | 2.94 | 2 | 55.0 | A |
| Onion, dry | dimethomorph | 0.3 | 2 | 1.5 | A |
| Onion, dry | dimethyl alkyl tertiary amines | 0.1 | 12 | 15.42 | A |
| Onion, dry | dimethylpolysiloxane | 22.21 | 16 | 328.75 | A |
| Onion, dry | emulsifiable methylated vegetable oil | 548.8 | 31 | 687.3 | A |
| Onion, dry | fluopyram | 24.69 | 4 | 155.0 | A |
| Onion, dry | fluxapyroxad | 7.49 | 3 | 45.0 | A |
| Onion, dry | glyphosate, isopropylamine salt | 50.96 | 2 | 29.0 | A |
| Onion, dry | heptamethyltrisiloxane ethoxylated | 22.59 | 13 | 206.5 | A |
| Onion, dry | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 0.14 | 1 | 1.25 | A |
| Onion, dry | hydrogen peroxide | 110.43 | 21 | 44.35 | A |
| Onion, dry | 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | 2.75 | 2 | 100.0 | A |
| Onion, dry | kaolin | 13,820.13 | 22 | 209.05 | A |
| Onion, dry | lambda-cyhalothrin | 13.01 | 19 | 415.8 | A |
| Onion, dry | lecithin | 6.45 | 2 | 29.0 | A |
| Onion, dry | maleic hydrazide, potassium salt | 332.09 | 6 | 126.3 | A |
| Onion, dry | mancozeb | 1,386.7 | 28 | 657.1 | A |
| Onion, dry | mandipropamid | 22.78 | 7 | 200.0 | A |
| Onion, dry | mefenoxam | 125.14 | 45 | 818.9 | A |
| Onion, dry | mefenoxam, other related | 0.13 | 2 | 50.0 | A |
| Onion, dry | methomyl | 955.4 | 52 | 1,236.7 | A |
| Onion, dry | methylated soybean oil | 5.52 | 13 | 29.42 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Onion, dry | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 2.92 | 2 | 55.0 | A |
| Onion, dry | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 3.71 | 2 | 29.0 | A |
| Onion, dry | oleic acid, ethyl ester | 63.93 | 26 | 509.25 | A |
| Onion, dry | oleic acid, methyl ester | 9.88 | 1 | 15.0 | A |
| Onion, dry | oxamyl | 2.61 | 4 | 3.0 | A |
| Onion, dry | oxathiapiprolin | 2.73 | 7 | 200.0 | A |
| Onion, dry | oxyfluorfen | 54.43 | 21 | 244.22 | A |
| Onion, dry | pendimethalin | 0.95 | 1 | 1.0 | A |
| Onion, dry | penthiopyrad | 12.95 | 7 | 57.25 | A |
| Onion, dry | peroxyacetic acid | 8.15 | 21 | 44.35 | A |
| Onion, dry | phosphoric acid | 32.72 | 31 | 687.3 | A |
| Onion, dry | polyether modified polysiloxane | 34.16 | 33 | 720.3 | A |
| Onion, dry | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 6.66 | 7 | 94.75 | A |
| Onion, dry | polyethylene glycol stearate | 15.98 | 26 | 509.25 | A |
| Onion, dry | polyoxyethylene polyoxypropylene | 9.55 | 14 | 207.75 | A |
| Onion, dry | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 0.03 | 1 | 1.25 | A |
| Onion, dry | potassium phosphite | 264.47 | 2 | 55.0 | A |
| Onion, dry | propylene glycol | 3.39 | 7 | 94.75 | A |
| Onion, dry | pyraclostrobin | 44.15 | 13 | 328.6 | A |
| Onion, dry | pyraflufen-ethyl | 0.05 | 1 | 15.0 | A |
| Onion, dry | pyrethrins | 3.26 | 4 | 94.0 | A |
| Onion, dry | pyrimethanil | 73.85 | 4 | 155.0 | A |
| Onion, dry | reynoutria sachalinensis | 16.48 | 10 | 61.7 | A |
| Onion, dry | sodium polyacrylate | 0.05 | 1 | 15.0 | A |
| Onion, dry | spinetoram | 3.05 | 8 | 48.25 | A |
| Onion, dry | spinosad | 11.54 | 15 | 146.2 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Onion, dry | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 12.42 | 7 | 94.75 | A |
| Onion, dry | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 59.49 | 31 | 687.3 | A |
| Onion, green | benzoic acid | <0.01 | 1 | 0.25 | A |
| Onion, green | chlorthal-dimethyl | 1.13 | 1 | 0.25 | A |
| Onion, green | (s)-cypermethrin | 0.01 | 1 | 0.25 | A |
| Onion, green | dimethyl alkyl tertiary amines | <0.01 | 1 | 0.25 | A |
| Onion, green | kaolin | 345.56 | 2 | 4.85 | A |
| Onion, green | methylated soybean oil | 0.05 | 1 | 0.25 | A |
| Parsley | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 50.33 | 469 | 1,168.64 | A |
| Parsley | alpha-pinene beta-pinene copolymer | 7.47 | 40 | 45.7 | A |
| Parsley | azoxystrobin | 84.23 | 140 | 370.97 | A |
| Parsley | capric acid | 31.79 | 12 | 6.18 | A |
| Parsley | caprylic acid | 46.69 | 12 | 6.18 | A |
| Parsley | chromobacterium subtsugae strain praa4-1 | 0.54 | 2 | 1.8 | A |
| Parsley | copper hydroxide | 117.84 | 148 | 339.32 | A |
| Parsley | copper octanoate | 258.54 | 264 | 647.88 | A |
| Parsley | copper oxychloride | 130.62 | 148 | 339.32 | A |
| Parsley | cymoxanil | 45.99 | 118 | 294.62 | A |
| Parsley | (s)-cypermethrin | 5.98 | 48 | 127.42 | A |
| Parsley | cyprodinil | 14.61 | 24 | 56.71 | A |
| Parsley | dimethyl silicone fluid emulsion | 29.31 | 701 | 1,769.73 | A |
| Parsley | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 0.4 | 40 | 45.7 | A |
| Parsley | emulsifiable methylated vegetable oil | 468.62 | 457 | 1,162.46 | A |
| Parsley | famoxadone | 45.99 | 118 | 294.62 | A |
| Parsley | fludioxonil | 9.74 | 24 | 56.71 | A |
| Parsley | fluopyram | 0.61 | 2 | 5.3 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Parsley | glyphosate, potassium salt | 5.52 | 1 | 2.0 | A |
| Parsley | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 17.72 | 167 | 413.67 | A |
| Parsley | hydrogen peroxide | 15.08 | 29 | 68.55 | A |
| Parsley | linuron | 168.25 | 168 | 413.92 | A |
| Parsley | methylated soybean oil | 125.55 | 167 | 413.67 | A |
| Parsley | s-metolachlor | 9.27 | 31 | 83.49 | A |
| Parsley | mineral oil | 2.09 | 40 | 45.7 | A |
| Parsley | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 0.74 | 167 | 413.67 | A |
| Parsley | penthiopyrad | 0.43 | 1 | 2.1 | A |
| Parsley | peroxyacetic acid | 2.79 | 29 | 68.55 | A |
| Parsley | phosphoric acid | 27.94 | 457 | 1,162.46 | A |
| Parsley | polyether modified polysiloxane | 25.4 | 457 | 1,162.46 | A |
| Parsley | prometryn | 280.26 | 71 | 187.8 | A |
| Parsley | propiconazole | 21.9 | 77 | 201.26 | A |
| Parsley | tall oil fatty acids | 3.69 | 167 | 413.67 | A |
| Parsley | trifloxystrobin | 0.61 | 2 | 5.3 | A |
| Parsley | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 50.77 | 457 | 1,162.46 | A |
| Parsnip | spinosad | 0.04 | 1 | 0.7 | A |
| Pastureland | 2,4-d, dimethylamine salt | 6.73 | 2 | 3.97 | A |
| Pastureland | glyphosate, isopropylamine salt | 9.02 | 4 | 9.0 | A |
| Pastureland | oxyfluorfen | 2.51 | 3 | 5.0 | A |
| Pear | aureobasidium pullulans strain dsm 14940 | 3.1 | 4 | 6.0 | A |
| Pear | aureobasidium pullulans strain dsm 14941 | 3.1 | 4 | 6.0 | A |
| Pear | citric acid | 20.5 | 4 | 6.0 | A |
| Pear | disodium phosphate | 10.9 | 4 | 6.0 | A |
| Pear | lime-sulfur | 8.05 | 1 | 1.5 | A |
| Pear | mineral oil | 62.92 | 1 | 1.5 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Pear | sulfur | 18.0 | 1 | 1.5 | A |
| Peas | bentazon, sodium salt | 111.18 | 16 | 101.3 | A |
| Peas | benzoic acid | 0.4 | 22 | 123.8 | A |
| Peas | dimethyl alkyl tertiary amines | 0.44 | 22 | 123.8 | A |
| Peas | dimethyl silicone fluid emulsion | 0.51 | 2 | 33.0 | A |
| Peas | linuron | 33.38 | 8 | 55.5 | A |
| Peas | methylated soybean oil | 15.02 | 22 | 123.8 | A |
| Peas | s-metolachlor | 29.22 | 8 | 55.5 | A |
| Peas | mineral oil | 0.53 | 16 | 101.3 | A |
| Peas | spinosad | 0.04 | 2 | 0.6 | A |
| Peas | sulfur | 1.2 | 1 | 0.3 | A |
| Pecan | chromobacterium subtsugae strain praa4-1 | 1.8 | 2 | 6.0 | A |
| Pepper, fruiting | abamectin | 43.05 | 104 | 2,471.3 | A |
| Pepper, fruiting | acephate | 2.91 | 1 | 4.0 | A |
| Pepper, fruiting | acetamiprid | 101.78 | 51 | 1,369.5 | A |
| Pepper, fruiting | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 151.42 | 107 | 2,679.05 | A |
| Pepper, fruiting | alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | 31.25 | 9 | 193.0 | A |
| Pepper, fruiting | alpha-pinene beta-pinene copolymer | 0.76 | 1 | 6.0 | A |
| Pepper, fruiting | ammonium propionate | 92.19 | 11 | 310.2 | A |
| Pepper, fruiting | ammonium sulfate | 23.05 | 11 | 310.2 | A |
| Pepper, fruiting | azadirachtin | 0.4 | 3 | 14.0 | A |
| Pepper, fruiting | azoxystrobin | 358.36 | 76 | 1,964.3 | A |
| Pepper, fruiting | bacillus amyloliquefaciens strain d747 | 123.35 | 1 | 14.0 | A |
| Pepper, fruiting | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 19.44 | 1 | 18.0 | A |
| Pepper, fruiting | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 46.98 | 11 | 52.5 | A |
| Pepper, fruiting | bensulide | 23.8 | 2 | 12.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Pepper, fruiting | benzoic acid | 0.14 | 4 | 24.8 | A |
| Pepper, fruiting | bifenthrin | 1.5 | 2 | 20.9 | A |
| Pepper, fruiting | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 2.16 | 5 | 187.2 | A |
| Pepper, fruiting | boric acid | 409.22 | 7 | 181.0 | A |
| Pepper, fruiting | buffalo gourd root powder | 2.61 | 1 | 6.0 | A |
| Pepper, fruiting | burkholderia sp strain a396 cells and fermentation media | 47.6 | 1 | 11.0 | A |
| Pepper, fruiting | carfentrazone-ethyl | 9.46 | 14 | 377.0 | A |
| Pepper, fruiting | chlorantraniliprole | 85.67 | 52 | 1,320.8 | A |
| Pepper, fruiting | chloropicrin | 3,715.6 | 2 | 27.8 | A |
| Pepper, fruiting | chromobacterium subtsugae strain praa4-1 | 0.04 | 1 | 500.0 | S |
| Pepper, fruiting | citric acid | 46.09 | 11 | 310.2 | A |
| Pepper, fruiting | copper octanoate | 1.25 | 9 | 13.0 | A |
| Pepper, fruiting | cyantraniliprole | 124.75 | 56 | 1,426.95 | A |
| Pepper, fruiting | cyflufenamid | 12.5 | 18 | 543.7 | A |
| Pepper, fruiting | (s)-cypermethrin | 96.14 | 79 | 1,935.75 | A |
| Pepper, fruiting | cyromazine | 98.45 | 30 | 789.7 | A |
| Pepper, fruiting | 1,3-dichloropropene | 2,435.49 | 2 | 27.8 | A |
| Pepper, fruiting | diethylene glycol | 12.62 | 2 | 70.0 | A |
| Pepper, fruiting | difenoconazole | 224.47 | 76 | 1,964.3 | A |
| Pepper, fruiting | dimethoate | 5.63 | 1 | 16.9 | A |
| Pepper, fruiting | dimethyl alkyl tertiary amines | 0.15 | 4 | 24.8 | A |
| Pepper, fruiting | dimethylpolysiloxane | 392.02 | 120 | 3,224.55 | A |
| Pepper, fruiting | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 3.25 | 6 | 120.0 | A |
| Pepper, fruiting | emamectin benzoate | 0.58 | 1 | 46.0 | A |
| Pepper, fruiting | esfenvalerate | 9.45 | 8 | 190.6 | A |
| Pepper, fruiting | fenpyroximate | 19.73 | 12 | 184.9 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Pepper, fruiting | flonicamid | 97.66 | 34 | 844.9 | A |
| Pepper, fruiting | flubendiamide | 2.79 | 5 | 58.7 | A |
| Pepper, fruiting | flumioxazin | 4.59 | 1 | 36.0 | A |
| Pepper, fruiting | fluopyram | 65.24 | 28 | 531.4 | A |
| Pepper, fruiting | flupyradifurone | 265.03 | 53 | 1,452.6 | A |
| Pepper, fruiting | flutriafol | 6.32 | 5 | 55.9 | A |
| Pepper, fruiting | fluxapyroxad | 80.74 | 39 | 929.8 | A |
| Pepper, fruiting | gibberellins | 2.55 | 22 | 679.85 | A |
| Pepper, fruiting | glyphosate, isopropylamine salt | 1,340.45 | 19 | 543.2 | A |
| Pepper, fruiting | heptamethyltrisiloxane ethoxylated | 252.37 | 107 | 2,679.05 | A |
| Pepper, fruiting | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 6.46 | 3 | 47.0 | A |
| Pepper, fruiting | hydrogen peroxide | 12.45 | 2 | 5.0 | A |
| Pepper, fruiting | imidacloprid | 106.51 | 51 | 1,285.75 | A |
| Pepper, fruiting | indoxacarb | 19.24 | 15 | 293.3 | A |
| Pepper, fruiting | lambda-cyhalothrin | 105.21 | 133 | 3,420.15 | A |
| Pepper, fruiting | lecithin | 102.41 | 12 | 285.0 | A |
| Pepper, fruiting | mefenoxam | 29.86 | 5 | 119.2 | A |
| Pepper, fruiting | methoxyfenozide | 113.22 | 32 | 782.7 | A |
| Pepper, fruiting | methylated soybean oil | 75.44 | 22 | 291.3 | A |
| Pepper, fruiting | s-metolachlor | 57.79 | 8 | 44.8 | A |
| Pepper, fruiting | mineral oil | 122.31 | 15 | 214.9 | A |
| Pepper, fruiting | mineral oil | 0.17 | 1 | 500.0 | S |
| Pepper, fruiting | myclobutanil | 12.26 | 6 | 122.6 | A |
| Pepper, fruiting | naled | 129.96 | 7 | 100.2 | A |
| Pepper, fruiting | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 38.87 | 43 | 964.3 | A |
| Pepper, fruiting | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 104.57 | 19 | 589.4 | A |
| Pepper, fruiting | oleic acid, ethyl ester | 0.62 | 2 | 3.25 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Pepper, fruiting | oleic acid, methyl ester | 145.84 | 9 | 193.0 | A |
| Pepper, fruiting | oxamyl | 93.69 | 10 | 113.8 | A |
| Pepper, fruiting | oxyfluorfen | 138.95 | 14 | 396.7 | A |
| Pepper, fruiting | permethrin | 34.88 | 4 | 186.0 | A |
| Pepper, fruiting | peroxyacetic acid | 0.92 | 2 | 5.0 | A |
| Pepper, fruiting | petroleum distillates, aromatic | 150.55 | 5 | 187.2 | A |
| Pepper, fruiting | polyacrylamide polymer | 8.7 | 34 | 897.7 | A |
| Pepper, fruiting | polyalkene oxide modified heptamethyl trisiloxane | 1.73 | 15 | 174.5 | A |
| Pepper, fruiting | polyether modified polysiloxane | 14.32 | 2 | 78.5 | A |
| Pepper, fruiting | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 4.58 | 2 | 59.0 | A |
| Pepper, fruiting | polyethylene glycol stearate | 0.16 | 2 | 3.25 | A |
| Pepper, fruiting | polymerized pinene | 57.06 | 5 | 114.0 | A |
| Pepper, fruiting | polyoxyethylene polyoxypropylene | 124.13 | 110 | 2,726.05 | A |
| Pepper, fruiting | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 1.27 | 3 | 47.0 | A |
| Pepper, fruiting | polysaccharide polymer | 0.14 | 1 | 50.0 | A |
| Pepper, fruiting | polysorbate 65 | 9.0 | 8 | 92.9 | A |
| Pepper, fruiting | potash soap | 2.08 | 1 | 1.0 | A |
| Pepper, fruiting | potassium bicarbonate | 146.78 | 8 | 55.2 | A |
| Pepper, fruiting | potassium n-methyldithiocarbamate | 99,558.08 | 50 | 437.2 | A |
| Pepper, fruiting | propylene glycol | 33.53 | 23 | 591.6 | A |
| Pepper, fruiting | pymetrozine | 28.36 | 14 | 330.2 | A |
| Pepper, fruiting | pyraclostrobin | 161.03 | 39 | 929.8 | A |
| Pepper, fruiting | pyrethrins | 10.15 | 11 | 305.0 | A |
| Pepper, fruiting | pyrethrins | 0.01 | 1 | 500.0 | S |
| Pepper, fruiting | qst 713 strain of dried bacillus subtilis | 1.42 | 1 | 25.0 | A |
| Pepper, fruiting | quinoxifen | 92.63 | 39 | 965.45 | A |
| Pepper, fruiting | reynoutria sachalinensis | 18.52 | 1 | 44.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Pepper, fruiting | sodium polyacrylate | 2.3 | 11 | 310.2 | A |
| Pepper, fruiting | sorbitan trioleate | 9.0 | 8 | 92.9 | A |
| Pepper, fruiting | spinetoram | 125.7 | 70 | 1,870.6 | A |
| Pepper, fruiting | spinosad | 26.14 | 16 | 264.7 | A |
| Pepper, fruiting | spiromesifen | 126.21 | 35 | 962.15 | A |
| Pepper, fruiting | spirotetramat | 154.46 | 80 | 1,964.95 | A |
| Pepper, fruiting | sulfur | 6,223.38 | 48 | 476.75 | A |
| Pepper, fruiting | tall oil fatty acids | 8.76 | 5 | 187.2 | A |
| Pepper, fruiting | thiamethoxam | 81.6 | 38 | 1,067.6 | A |
| Pepper, fruiting | trifloxystrobin | 65.24 | 28 | 531.4 | A |
| Pepper, fruiting | trifluralin | 47.48 | 5 | 57.8 | A |
| Pepper, fruiting | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 8.55 | 2 | 59.0 | A |
| Public health | deltamethrin | 0.01 | N/A | N/A | N/A |
| Public health | petroleum distillates, refined | 266.73 | N/A | N/A | N/A |
| Public health | spinosad | 14.31 | N/A | N/A | N/A |
| Pumpkin | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 0.42 | 3 | 5.9 | A |
| Pumpkin | ammonium propionate | 0.75 | 3 | 6.5 | A |
| Pumpkin | ammonium sulfate | 0.19 | 3 | 6.5 | A |
| Pumpkin | bensulide | 52.67 | 3 | 5.9 | A |
| Pumpkin | citric acid | 0.38 | 3 | 6.5 | A |
| Pumpkin | (s)-cypermethrin | 0.28 | 3 | 5.9 | A |
| Pumpkin | dimethyl silicone fluid emulsion | 0.38 | 11 | 22.6 | A |
| Pumpkin | emulsifiable methylated vegetable oil | 3.93 | 3 | 5.9 | A |
| Pumpkin | fluopyram | 0.71 | 3 | 5.9 | A |
| Pumpkin | methoxyfenozide | 0.63 | 3 | 5.9 | A |
| Pumpkin | s-metolachlor | 16.22 | 8 | 17.3 | A |
| Pumpkin | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 0.55 | 3 | 6.5 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Pumpkin | permethrin | 0.96 | 2 | 4.9 | A |
| Pumpkin | phosphoric acid | 0.23 | 3 | 5.9 | A |
| Pumpkin | polyacrylamide polymer | 0.06 | 3 | 6.5 | A |
| Pumpkin | polyether modified polysiloxane | 0.21 | 3 | 5.9 | A |
| Pumpkin | sodium polyacrylate | 0.02 | 3 | 6.5 | A |
| Pumpkin | sulfur | 23.6 | 3 | 5.9 | A |
| Pumpkin | trifloxystrobin | 0.71 | 3 | 5.9 | A |
| Pumpkin | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 0.43 | 3 | 5.9 | A |
| Radish | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 18.53 | 296 | 482.5 | A |
| Radish | azoxystrobin | 0.67 | 2 | 2.88 | A |
| Radish | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 0.14 | 1 | 0.25 | A |
| Radish | bifenthrin | 0.02 | 1 | 0.25 | A |
| Radish | carbaryl | 409.09 | 148 | 213.49 | A |
| Radish | chlorantraniliprole | 3.51 | 25 | 52.62 | A |
| Radish | chlorthal-dimethyl | 1,203.2 | 165 | 257.57 | A |
| Radish | beta-cyfluthrin | 0.25 | 7 | 10.79 | A |
| Radish | (s)-cypermethrin | 8.66 | 107 | 175.61 | A |
| Radish | deltamethrin | 0.47 | 12 | 17.87 | A |
| Radish | dimethyl silicone fluid emulsion | 9.78 | 341 | 525.53 | A |
| Radish | emulsifiable methylated vegetable oil | 175.31 | 296 | 482.5 | A |
| Radish | esfenvalerate | 10.15 | 148 | 213.49 | A |
| Radish | hydrogen peroxide | 0.57 | 2 | 4.14 | A |
| Radish | iron phosphate | 0.04 | 1 | 0.14 | A |
| Radish | malathion | 18.07 | 12 | 17.87 | A |
| Radish | peroxyacetic acid | 0.11 | 2 | 4.14 | A |
| Radish | phosphoric acid | 10.45 | 296 | 482.5 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Radish | polyether modified polysiloxane | 9.5 | 296 | 482.5 | A |
| Radish | propiconazole | 0.03 | 1 | 0.25 | A |
| Radish | pyraclostrobin | 4.03 | 21 | 40.28 | A |
| Radish | spinetoram | 14.81 | 130 | 239.53 | A |
| Radish | thiamethoxam | 0.48 | 2 | 10.32 | A |
| Radish | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 19.0 | 296 | 482.5 | A |
| Rangeland | aminopyralid, triisopropanolamine salt | 4.43 | 2 | 21.0 | A |
| Rangeland | chlorophacinone | <0.01 | 6 | 180.0 | A |
| Rangeland | diethylene glycol | 1.62 | 1 | 9.0 | A |
| Rangeland | dimethylpolysiloxane | <0.01 | 1 | 9.0 | A |
| Rangeland | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 0.62 | 1 | 9.0 | A |
| Rangeland | polyacrylamide polymer | 0.05 | 1 | 9.0 | A |
| Raspberry | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 0.87 | 1 | 10.0 | A |
| Raspberry | alpha-pinene beta-pinene copolymer | 5.91 | 2 | 17.55 | A |
| Raspberry | bacillus amyloliquefaciens strain d747 | 4.5 | 2 | 18.0 | A |
| Raspberry | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 114.65 | 16 | 138.93 | A |
| Raspberry | bacillus thuringiensis, subsp. kurstaki, strain hd-1 | 0.21 | 2 | 2.0 | A |
| Raspberry | chloropicrin | 878.13 | 1 | 2.96 | A |
| Raspberry | chromobacterium subtsugae strain praa4-1 | 34.8 | 5 | 48.0 | A |
| Raspberry | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 0.32 | 2 | 17.55 | A |
| Raspberry | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 7.51 | 8 | 68.38 | A |
| Raspberry | lime-sulfur | 2,568.89 | 10 | 82.32 | A |
| Raspberry | malathion | 2.04 | 2 | 2.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|---|-----------------------|-------------|---------------------|---------------------|
| Raspberry | mineral oil | 1.65 | 2 | 17.55 | A |
| Raspberry | polyoxyethylene polyoxypropylene | 26.94 | 8 | 68.38 | A |
| Raspberry | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 1.47 | 8 | 68.38 | A |
| Raspberry | pyrethrins | 1.37 | 4 | 33.5 | A |
| Raspberry | spinosad | 8.24 | 10 | 88.6 | A |
| Raspberry | sulfur | 279.74 | 10 | 82.32 | A |
| Regulatory pest control | bifenthrin | 41.69 | N/A | N/A | N/A |
| Regulatory pest control | disodium octaborate tetrahydrate | 27.65 | N/A | N/A | N/A |
| Regulatory pest control | fipronil | 0.15 | N/A | N/A | N/A |
| Regulatory pest control | sulfuryl fluoride | 99.8 | N/A | N/A | N/A |
| Research commodity | abamectin | 0.13 | N/A | N/A | N/A |
| Research commodity | s-abscisic acid | 0.01 | N/A | N/A | N/A |
| Research commodity | acetamiprid | 0.06 | N/A | N/A | N/A |
| Research commodity | alpha-alkylaryl-omega-hydroxypoly(oxyethylene) | 1.28 | N/A | N/A | N/A |
| Research commodity | alkyl (50% ^{c14} , 40% ^{c12} , 10% ^{c16}) dimethylbenzyl ammonium chloride | 1.11 | N/A | N/A | N/A |
| Research commodity | alkyl (61% ^{c12} , 23% ^{c14} , 11% ^{c16} , 2.5% ^{c8} & ^{c10} , 2.5% ^{c18}) dimethyl benzyl ammonium chloride | 0.09 | N/A | N/A | N/A |
| Research commodity | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 0.96 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Research commodity | ametoctradin | 0.1 | N/A | N/A | N/A |
| Research commodity | ammonium nitrate | 0.12 | N/A | N/A | N/A |
| Research commodity | ammonium sulfate | 3.08 | N/A | N/A | N/A |
| Research commodity | azadirachtin | 0.09 | N/A | N/A | N/A |
| Research commodity | azoxystrobin | 0.09 | N/A | N/A | N/A |
| Research commodity | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | <0.01 | N/A | N/A | N/A |
| Research commodity | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 0.27 | 1 | 0.5 | A |
| Research commodity | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 0.39 | N/A | N/A | N/A |
| Research commodity | bifenazate | 0.04 | N/A | N/A | N/A |
| Research commodity | bifenthrin | 0.02 | 1 | 0.25 | A |
| Research commodity | boscalid | 0.07 | N/A | N/A | N/A |
| Research commodity | butyl alcohol | 0.06 | 1 | 0.35 | A |
| Research commodity | butyl alcohol | 0.78 | N/A | N/A | N/A |
| Research commodity | carbaryl | 0.01 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Research commodity | carbo methoxy ether cellulose, sodium salt | 0.01 | N/A | N/A | N/A |
| Research commodity | chlorantraniliprole | 0.11 | N/A | N/A | N/A |
| Research commodity | chlorfenapyr | 1.3 | N/A | N/A | N/A |
| Research commodity | chlorothalonil | 4.77 | N/A | N/A | N/A |
| Research commodity | chlorthal-dimethyl | 0.05 | N/A | N/A | N/A |
| Research commodity | chromobacterium subtsugae strain praa4-1 | 0.33 | N/A | N/A | N/A |
| Research commodity | coniothyrium minitans strain con/m/91-08 | 0.09 | N/A | N/A | N/A |
| Research commodity | copper hydroxide | 0.96 | N/A | N/A | N/A |
| Research commodity | copper octanoate | 0.31 | N/A | N/A | N/A |
| Research commodity | copper sulfate (pentahydrate) | 0.14 | N/A | N/A | N/A |
| Research commodity | cyantraniliprole | 2.24 | N/A | N/A | N/A |
| Research commodity | cycloate | 0.41 | N/A | N/A | N/A |
| Research commodity | (s)-cypermethrin | 0.01 | 1 | 0.25 | A |
| Research commodity | (s)-cypermethrin | 0.26 | N/A | N/A | N/A |
| Research commodity | cyprodinil | 0.35 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|------------------------------------|-----------------------|-------------|---------------------|---------------------|
| Research commodity | dicloran | 0.13 | N/A | N/A | N/A |
| Research commodity | didecyl dimethyl ammonium chloride | 0.09 | N/A | N/A | N/A |
| Research commodity | diethylene glycol | 0.18 | N/A | N/A | N/A |
| Research commodity | dimethoate | 0.86 | N/A | N/A | N/A |
| Research commodity | dimethomorph | 0.07 | N/A | N/A | N/A |
| Research commodity | dimethylpolysiloxane | <0.01 | 1 | 0.35 | A |
| Research commodity | dimethylpolysiloxane | 0.01 | N/A | N/A | N/A |
| Research commodity | dinotefuran | 0.18 | N/A | N/A | N/A |
| Research commodity | diquat dibromide | 0.58 | N/A | N/A | N/A |
| Research commodity | ethylene glycol | 1.02 | N/A | N/A | N/A |
| Research commodity | fatty acids, mixed | 2.91 | N/A | N/A | N/A |
| Research commodity | flonicamid | 0.25 | N/A | N/A | N/A |
| Research commodity | fludioxonil | 0.23 | N/A | N/A | N/A |
| Research commodity | fosetyl-al | 5.33 | N/A | N/A | N/A |
| Research commodity | gibberellins | <0.01 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|---------------------------------|-----------------------|-------------|---------------------|---------------------|
| Research commodity | glyphosate, isopropylamine salt | 7.01 | N/A | N/A | N/A |
| Research commodity | glyphosate, potassium salt | 97.48 | N/A | N/A | N/A |
| Research commodity | hexazinone | 0.28 | N/A | N/A | N/A |
| Research commodity | imazapic, ammonium salt | <0.01 | N/A | N/A | N/A |
| Research commodity | imidacloprid | 0.96 | N/A | N/A | N/A |
| Research commodity | iprodione | 0.46 | N/A | N/A | N/A |
| Research commodity | isopropyl alcohol | 1.37 | N/A | N/A | N/A |
| Research commodity | (s)-kinoprene | 0.36 | N/A | N/A | N/A |
| Research commodity | mancozeb | 0.56 | 1 | 0.35 | A |
| Research commodity | mandipropamid | 0.3 | N/A | N/A | N/A |
| Research commodity | maneb | 0.52 | N/A | N/A | N/A |
| Research commodity | mefenoxam | 0.04 | 1 | 0.35 | A |
| Research commodity | mefenoxam | 1.63 | N/A | N/A | N/A |
| Research commodity | mefenoxam, other related | 0.03 | N/A | N/A | N/A |
| Research commodity | metalaxyl | 0.04 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|---|-----------------------|-------------|---------------------|---------------------|
| Research commodity | mineral oil | 2.75 | N/A | N/A | N/A |
| Research commodity | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 0.51 | 1 | 0.35 | A |
| Research commodity | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 22.25 | N/A | N/A | N/A |
| Research commodity | oleic acid, ethyl ester | 1.28 | N/A | N/A | N/A |
| Research commodity | oxathiapiprolin | 0.07 | N/A | N/A | N/A |
| Research commodity | oxyfluorfen | 3.49 | N/A | N/A | N/A |
| Research commodity | permethrin | 0.1 | 1 | 0.5 | A |
| Research commodity | permethrin | 0.07 | N/A | N/A | N/A |
| Research commodity | petroleum oil, paraffin based | 0.22 | N/A | N/A | N/A |
| Research commodity | petroleum oil, unclassified | 0.2 | N/A | N/A | N/A |
| Research commodity | picoxystrobin | 0.45 | N/A | N/A | N/A |
| Research commodity | polyethylene glycol stearate | 0.32 | N/A | N/A | N/A |
| Research commodity | potash soap | 6.34 | N/A | N/A | N/A |
| Research commodity | potassium bicarbonate | 7.2 | N/A | N/A | N/A |
| Research commodity | propiconazole | 0.08 | 2 | 0.75 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|---|-----------------------|-------------|---------------------|---------------------|
| Research commodity | propyzamide | 6.21 | N/A | N/A | N/A |
| Research commodity | pymetrozine | 0.05 | 1 | 0.25 | A |
| Research commodity | pymetrozine | 0.11 | N/A | N/A | N/A |
| Research commodity | pyraclostrobin | 0.04 | 1 | 0.25 | A |
| Research commodity | pyraclostrobin | 0.28 | N/A | N/A | N/A |
| Research commodity | qst 713 strain of dried bacillus subtilis | 0.01 | 1 | 0.5 | A |
| Research commodity | qst 713 strain of dried bacillus subtilis | 0.63 | N/A | N/A | N/A |
| Research commodity | quillaja | 0.02 | N/A | N/A | N/A |
| Research commodity | quinoxifen | 0.21 | N/A | N/A | N/A |
| Research commodity | reynoutria sachalinensis | 0.02 | N/A | N/A | N/A |
| Research commodity | sodium hypochlorite | 0.09 | N/A | N/A | N/A |
| Research commodity | spinetoram | 0.01 | 1 | 0.25 | A |
| Research commodity | spinetoram | 0.18 | N/A | N/A | N/A |
| Research commodity | spinosad | 3.5 | N/A | N/A | N/A |
| Research commodity | spiromesifen | 0.18 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Research commodity | spirotetramat | 1.47 | N/A | N/A | N/A |
| Research commodity | streptomyces lydicus wyec 108 | <0.01 | N/A | N/A | N/A |
| Research commodity | sulfur | 2.09 | N/A | N/A | N/A |
| Research commodity | thiamethoxam | 0.01 | 1 | 0.25 | A |
| Research commodity | tributyltin oxide | 0.01 | N/A | N/A | N/A |
| Research commodity | trichoderma harzianum rifai strain krl-ag2 | 0.15 | N/A | N/A | N/A |
| Research commodity | trichoderma virens strain g-41 | 0.04 | N/A | N/A | N/A |
| Research commodity | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 0.46 | N/A | N/A | N/A |
| Research commodity | uniconzole-p | <0.01 | N/A | N/A | N/A |
| Rights of way | allyloxypolyethylene glycol acetate | 0.08 | N/A | N/A | N/A |
| Rights of way | aminocyclopyrachlor, potassium salt | 0.28 | N/A | N/A | N/A |
| Rights of way | aminopyralid, triisopropanolamine salt | 5.18 | N/A | N/A | N/A |
| Rights of way | benzoic acid | 0.06 | N/A | N/A | N/A |
| Rights of way | borax | 9.79 | N/A | N/A | N/A |
| Rights of way | butyl alcohol | 0.04 | N/A | N/A | N/A |
| Rights of way | chlorophacinone | 0.01 | N/A | N/A | N/A |
| Rights of way | chlorsulfuron | 0.13 | N/A | N/A | N/A |
| Rights of way | copper hydroxide | 0.7 | N/A | N/A | N/A |
| Rights of way | dimethyl alkyl tertiary amines | 0.07 | N/A | N/A | N/A |
| Rights of way | dimethylpolysiloxane | 0.13 | N/A | N/A | N/A |
| Rights of way | dimethyl silicone fluid emulsion | 0.48 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Rights of way | diuron | 14.4 | N/A | N/A | N/A |
| Rights of way | glufosinate-ammonium | 42.0 | N/A | N/A | N/A |
| Rights of way | glyphosate, isopropylamine salt | 164.35 | 3 | 21.5 | A |
| Rights of way | glyphosate, isopropylamine salt | 670.3 | N/A | N/A | N/A |
| Rights of way | glyphosate, potassium salt | 291.08 | N/A | N/A | N/A |
| Rights of way | 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | 0.26 | N/A | N/A | N/A |
| Rights of way | indaziflam | 3.59 | N/A | N/A | N/A |
| Rights of way | isopropyl alcohol | 7.43 | 2 | 19.5 | A |
| Rights of way | lecithin | 3.24 | N/A | N/A | N/A |
| Rights of way | metam-sodium | 5.94 | N/A | N/A | N/A |
| Rights of way | methylated soybean oil | 3.96 | N/A | N/A | N/A |
| Rights of way | mineral oil | 0.12 | N/A | N/A | N/A |
| Rights of way | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 25.82 | 2 | 19.5 | A |
| Rights of way | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 66.64 | N/A | N/A | N/A |
| Rights of way | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 1.55 | N/A | N/A | N/A |
| Rights of way | oleic acid, methyl ester | 1.02 | N/A | N/A | N/A |
| Rights of way | oxyfluorfen | 413.29 | N/A | N/A | N/A |
| Rights of way | penoxsulam | 1.6 | N/A | N/A | N/A |
| Rights of way | petroleum oil, paraffin based | 11.52 | N/A | N/A | N/A |
| Rights of way | polyacrylamide polymer | 1.92 | N/A | N/A | N/A |
| Rights of way | polyethylene glycol diacetate | 0.01 | N/A | N/A | N/A |
| Rights of way | polyoxyethylene sorbitol, mixed ether ester | 56.24 | N/A | N/A | N/A |
| Rights of way | simazine | 8.95 | N/A | N/A | N/A |
| Rights of way | sulfentrazone | 0.98 | N/A | N/A | N/A |
| Rights of way | sulfometuron-methyl | 0.06 | N/A | N/A | N/A |
| Rights of way | tall oil | 1.96 | 2 | 19.5 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Rights of way | triclopyr, butoxyethyl ester | 22.61 | N/A | N/A | N/A |
| Rights of way | triclopyr choline | 0.92 | N/A | N/A | N/A |
| Rights of way | triclopyr, triethylamine salt | 45.45 | N/A | N/A | N/A |
| Rights of way | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 0.07 | N/A | N/A | N/A |
| Rights of way | vinyl polymer | 2.06 | N/A | N/A | N/A |
| Rye | benzoic acid | 0.09 | 1 | 15.0 | A |
| Rye | butyl alcohol | 0.39 | 1 | 15.0 | A |
| Rye | dimethyl alkyl tertiary amines | 0.09 | 1 | 15.0 | A |
| Rye | dimethylpolysiloxane | <0.01 | 1 | 15.0 | A |
| Rye | mcpa, dimethylamine salt | 13.29 | 1 | 15.0 | A |
| Rye | methylated soybean oil | 3.26 | 1 | 15.0 | A |
| Rye | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 3.12 | 1 | 15.0 | A |
| Shallot | bacillus amyloliquefaciens strain d747 | 12.4 | 2 | 24.8 | A |
| Shallot | copper octanoate | 8.84 | 4 | 29.2 | A |
| Shallot | dimethylpolysiloxane | 0.09 | 5 | 56.4 | A |
| Shallot | hydrogen peroxide | 5.48 | 1 | 2.2 | A |
| Shallot | peroxyacetic acid | 0.4 | 1 | 2.2 | A |
| Shallot | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 5.1 | 5 | 56.4 | A |
| Shallot | propylene glycol | 2.59 | 5 | 56.4 | A |
| Shallot | pyrethrins | 0.91 | 2 | 24.8 | A |
| Shallot | spinosad | 5.29 | 7 | 70.6 | A |
| Shallot | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 9.5 | 5 | 56.4 | A |
| Spinach | abamectin | 16.83 | 198 | 1,396.58 | A |
| Spinach | acetamiprid | 5.61 | 22 | 116.76 | A |
| Spinach | acibenzolar-s-methyl | 107.02 | 682 | 4,605.44 | A |
| Spinach | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 8.4 | 37 | 334.04 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|-------|--------------|--------------|
| Spinach | ametoctradin | 307.52 | 142 | 1,130.77 | A |
| Spinach | azadirachtin | 3.41 | 14 | 101.86 | A |
| Spinach | azoxystrobin | 3.94 | 3 | 17.78 | A |
| Spinach | bacillus amyloliquefaciens strain d747 | 3,738.65 | 82 | 545.0 | A |
| Spinach | bacillus mycoides isolate j | 53.47 | 155 | 564.65 | A |
| Spinach | bacillus pumilus, strain qst 2808 | 3.87 | 15 | 66.35 | A |
| Spinach | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 28.3 | 13 | 66.7 | A |
| Spinach | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 1.08 | 4 | 2.0 | A |
| Spinach | beauveria bassiana strain gha | 18.16 | 11 | 87.0 | A |
| Spinach | benzoic acid | 0.04 | 2 | 5.0 | A |
| Spinach | bifenthrin | 0.78 | 1 | 7.8 | A |
| Spinach | burkholderia sp strain a396 cells and fermentation media | 1,552.82 | 65 | 303.02 | A |
| Spinach | chlorantraniliprole | 36.26 | 56 | 527.86 | A |
| Spinach | chromobacterium subtsugae strain praa4-1 | 181.1 | 33 | 254.3 | A |
| Spinach | clothianidin | 1.79 | 2 | 12.0 | A |
| Spinach | copper hydroxide | 24.0 | 1 | 20.0 | A |
| Spinach | copper octanoate | 420.32 | 100 | 579.35 | A |
| Spinach | cycloate | 3,642.76 | 477 | 3,040.84 | A |
| Spinach | beta-cyfluthrin | 0.29 | 2 | 11.48 | A |
| Spinach | cymoxanil | 0.93 | 1 | 8.26 | A |
| Spinach | (s)-cypermethrin | 127.28 | 436 | 2,600.1 | A |
| Spinach | diatomaceous earth | 102.0 | 1 | 1.2 | A |
| Spinach | dimethomorph | 230.93 | 142 | 1,130.77 | A |
| Spinach | dimethyl alkyl tertiary amines | 0.05 | 2 | 5.0 | A |
| Spinach | dimethyl silicone fluid emulsion | 178.42 | 1,732 | 10,238.39 | A |
| Spinach | dinotefuran | 1.77 | 2 | 13.53 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Spinach | emamectin benzoate | 0.75 | 4 | 63.5 | A |
| Spinach | emulsifiable methylated vegetable oil | 79.45 | 37 | 334.04 | A |
| Spinach | fenamidone | 530.8 | 293 | 2,066.53 | A |
| Spinach | flonicamid | 68.44 | 146 | 826.77 | A |
| Spinach | fluopicolide | 68.79 | 117 | 570.72 | A |
| Spinach | fosetyl-al | 348.93 | 37 | 164.28 | A |
| Spinach | glyphosate, potassium salt | 10.15 | 3 | 2.46 | A |
| Spinach | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 0.32 | 1 | 1.9 | A |
| Spinach | hydrogen peroxide | 256.75 | 567 | 3,383.73 | A |
| Spinach | imidacloprid | 198.67 | 654 | 4,295.69 | A |
| Spinach | indoxacarb | 1.41 | 1 | 21.5 | A |
| Spinach | mandipropamid | 259.27 | 288 | 2,126.34 | A |
| Spinach | mefenoxam | 2,654.76 | 489 | 3,181.19 | A |
| Spinach | methomyl | 118.45 | 24 | 137.38 | A |
| Spinach | methoxyfenozide | 55.89 | 54 | 314.81 | A |
| Spinach | methylated soybean oil | 1.65 | 2 | 5.0 | A |
| Spinach | s-metolachlor | 670.15 | 260 | 1,729.88 | A |
| Spinach | mineral oil | 0.05 | 1 | 2.0 | A |
| Spinach | oxathiapiprolin | 8.86 | 76 | 690.6 | A |
| Spinach | permethrin | 1,221.96 | 962 | 6,771.79 | A |
| Spinach | peroxyacetic acid | 47.48 | 567 | 3,383.73 | A |
| Spinach | petroleum oil, paraffin based | 2.53 | 17 | 10.94 | A |
| Spinach | phenmedipham | 14.72 | 3 | 30.0 | A |
| Spinach | phosphoric acid | 4.74 | 37 | 334.04 | A |
| Spinach | polyether modified polysiloxane | 4.31 | 37 | 334.04 | A |
| Spinach | polyoxyethylene polyoxypropylene | 1.15 | 1 | 1.9 | A |
| Spinach | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 0.06 | 1 | 1.9 | A |
| Spinach | polyoxyethylene sorbitol, mixed ether ester | 12.34 | 17 | 10.94 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Spinach | potassium phosphite | 13,497.92 | 619 | 4,274.56 | A |
| Spinach | pyraclostrobin | 4.65 | 6 | 25.23 | A |
| Spinach | pyraflufen-ethyl | 0.04 | 19 | 13.02 | A |
| Spinach | pyrethrins | 26.85 | 142 | 748.01 | A |
| Spinach | qst 713 strain of dried bacillus subtilis | 28.52 | 77 | 448.49 | A |
| Spinach | reynoutria sachalinensis | 23.19 | 21 | 94.89 | A |
| Spinach | spinetoram | 279.96 | 786 | 5,078.15 | A |
| Spinach | spinosad | 205.7 | 380 | 2,017.75 | A |
| Spinach | spirotetramat | 1.24 | 2 | 15.8 | A |
| Spinach | sulfoxaflor | 4.41 | 14 | 143.5 | A |
| Spinach | thiamethoxam | 2.56 | 6 | 29.94 | A |
| Spinach | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 8.61 | 37 | 334.04 | A |
| Spinach | vinyl polymer | 0.05 | 1 | 0.52 | A |
| Squash | abamectin | 0.31 | 1 | 20.0 | A |
| Squash | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 2.91 | 5 | 49.68 | A |
| Squash | alpha-pinene beta-pinene copolymer | 4.53 | 2 | 18.0 | A |
| Squash | azoxystrobin | 0.73 | 1 | 4.0 | A |
| Squash | bacillus pumilus, strain qst 2808 | 2.26 | 2 | 37.7 | A |
| Squash | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 16.2 | 1 | 12.0 | A |
| Squash | bensulide | 97.64 | 9 | 37.25 | A |
| Squash | benzoic acid | 0.17 | 8 | 29.25 | A |
| Squash | bifenthrin | 4.36 | 3 | 44.0 | A |
| Squash | carbaryl | 8.02 | 1 | 8.0 | A |
| Squash | chlorantraniliprole | 1.23 | 2 | 20.68 | A |
| Squash | chromobacterium subtsugae strain praa4-1 | 22.62 | 2 | 37.7 | A |
| Squash | cyflufenamid | 0.92 | 2 | 40.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Squash | (s)-cypermethrin | 2.21 | 9 | 44.51 | A |
| Squash | difenoconazole | 0.46 | 1 | 4.0 | A |
| Squash | dimethomorph | 4.19 | 4 | 21.28 | A |
| Squash | dimethyl alkyl tertiary amines | 0.18 | 8 | 29.25 | A |
| Squash | dimethylpolysiloxane | 0.66 | 3 | 41.7 | A |
| Squash | dimethyl silicone fluid emulsion | 0.3 | 5 | 18.36 | A |
| Squash | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 0.24 | 2 | 18.0 | A |
| Squash | emulsifiable methylated vegetable oil | 5.09 | 3 | 9.68 | A |
| Squash | esfenvalerate | 0.03 | 1 | 0.68 | A |
| Squash | ethalfluralin | 25.06 | 8 | 29.25 | A |
| Squash | ethephon | 10.97 | 35 | 131.15 | A |
| Squash | fatty acids, mixed | 0.05 | 1 | 20.0 | A |
| Squash | fluopyram | 2.0 | 5 | 19.91 | A |
| Squash | heptamethyltrisiloxane ethoxylated | 3.95 | 2 | 40.0 | A |
| Squash | kaolin | 736.25 | 3 | 37.0 | A |
| Squash | lambda-cyhalothrin | 0.64 | 3 | 21.68 | A |
| Squash | lecithin | 1.15 | 1 | 20.0 | A |
| Squash | malathion | 1.23 | 1 | 1.0 | A |
| Squash | methylated soybean oil | 6.36 | 8 | 29.25 | A |
| Squash | mineral oil | 1.27 | 2 | 18.0 | A |
| Squash | myclobutanil | 3.25 | 6 | 30.28 | A |
| Squash | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 0.31 | 1 | 20.0 | A |
| Squash | oleic acid, ethyl ester | 7.77 | 8 | 40.51 | A |
| Squash | phosphoric acid | 0.3 | 3 | 9.68 | A |
| Squash | polyether modified polysiloxane | 0.28 | 3 | 9.68 | A |
| Squash | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 3.95 | 2 | 37.7 | A |
| Squash | polyethylene glycol stearate | 1.94 | 8 | 40.51 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Squash | polyoxyethylene polyoxypropylene | 1.58 | 2 | 40.0 | A |
| Squash | potassium bicarbonate | 91.07 | 1 | 27.8 | A |
| Squash | propionic acid | 1.15 | 1 | 20.0 | A |
| Squash | propylene glycol | 2.01 | 2 | 37.7 | A |
| Squash | pyrethrins | 2.03 | 4 | 58.7 | A |
| Squash | quinoxifen | 1.93 | 1 | 20.0 | A |
| Squash | spinetoram | 0.5 | 1 | 8.0 | A |
| Squash | sulfur | 145.04 | 5 | 47.38 | A |
| Squash | tebuconazole | 0.12 | 1 | 0.68 | A |
| Squash | thiamethoxam | 2.53 | 8 | 40.51 | A |
| Squash | trifloxystrobin | 1.88 | 4 | 19.23 | A |
| Squash | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 7.37 | 2 | 37.7 | A |
| Squash | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 0.55 | 3 | 9.68 | A |
| Squash, summer | kaolin | 33.25 | 1 | 1.4 | A |
| Squash, summer | sulfur | 24.96 | 11 | 6.24 | A |
| Squash, winter | kaolin | 76.0 | 2 | 3.2 | A |
| Squash, winter | sulfur | 103.6 | 20 | 26.7 | A |
| Squash, zucchini | bacillus amyloliquefaciens strain d747 | 26.43 | 1 | 2.0 | A |
| Squash, zucchini | copper octanoate | 0.81 | 1 | 2.0 | A |
| Squash, zucchini | sulfur | 196.0 | 8 | 8.0 | A |
| Strawberry | bacillus pumilus, strain qst 2808 | 0.24 | 2 | 4.0 | A |
| Strawberry | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 9.29 | 4 | 9.6 | A |
| Strawberry | chloropicrin | 1,029.48 | 1 | 4.0 | A |
| Strawberry | 1,3-dichloropropene | 673.65 | 1 | 4.0 | A |
| Strawberry | polyether modified polysiloxane | 7.41 | 7 | 16.0 | A |
| Strawberry | pyrethrins | 0.01 | 1 | 2,000.0 | S |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|---|----------------|------|--------------|--------------|
| Strawberry | qst 713 strain of dried bacillus subtilis | 0.68 | 5 | 12.0 | A |
| Strawberry | reynoutria sachalinensis | 2.6 | 5 | 12.0 | A |
| Strawberry | spinosad | <0.01 | 4 | 3.6 | A |
| Structural pest control | abamectin | <0.01 | N/A | N/A | N/A |
| Structural pest control | abamectin, other related | <0.01 | N/A | N/A | N/A |
| Structural pest control | acephate | 9.89 | N/A | N/A | N/A |
| Structural pest control | acetamiprid | 0.01 | N/A | N/A | N/A |
| Structural pest control | acetic acid | 0.03 | N/A | N/A | N/A |
| Structural pest control | alkyl (60% ^c 14, 30% ^c 16, 5% ^c 12, 5% ^c 18) dimethylbenzyl ammonium chloride | <0.01 | N/A | N/A | N/A |
| Structural pest control | alkyl (68% ^c 12, 32% ^c 14) dimethylethylbenzyl ammonium chloride | <0.01 | N/A | N/A | N/A |
| Structural pest control | d-trans allethrin | <0.01 | N/A | N/A | N/A |
| Structural pest control | bifenthrin | 438.98 | N/A | N/A | N/A |
| Structural pest control | borax | 0.01 | N/A | N/A | N/A |
| Structural pest control | boric acid | 19.21 | N/A | N/A | N/A |
| Structural pest control | brodifacoum | 0.01 | N/A | N/A | N/A |
| Structural pest control | bromadiolone | 0.03 | N/A | N/A | N/A |
| Structural pest control | bromethalin | <0.01 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|---------------------|-----------------------|-------------|---------------------|---------------------|
| Structural pest control | chlorantraniliprole | 3.44 | N/A | N/A | N/A |
| Structural pest control | chlorfenapyr | 8.98 | N/A | N/A | N/A |
| Structural pest control | chlorine dioxide | <0.01 | N/A | N/A | N/A |
| Structural pest control | chlorophacinone | <0.01 | N/A | N/A | N/A |
| Structural pest control | chloropicrin | 0.21 | N/A | N/A | N/A |
| Structural pest control | cholecalciferol | 0.06 | N/A | N/A | N/A |
| Structural pest control | clothianidin | <0.01 | N/A | N/A | N/A |
| Structural pest control | cyfluthrin | 0.52 | N/A | N/A | N/A |
| Structural pest control | beta-cyfluthrin | 5.65 | N/A | N/A | N/A |
| Structural pest control | cypermethrin | 28.58 | N/A | N/A | N/A |
| Structural pest control | deltamethrin | 15.81 | N/A | N/A | N/A |
| Structural pest control | diatomaceous earth | 7.05 | N/A | N/A | N/A |
| Structural pest control | diazinon | 0.43 | N/A | N/A | N/A |
| Structural pest control | difethialone | 0.01 | N/A | N/A | N/A |
| Structural pest control | dinotefuran | 1.68 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|----------------------------------|-----------------------|-------------|---------------------|---------------------|
| Structural pest control | diphacinone | 0.02 | N/A | N/A | N/A |
| Structural pest control | diphacinone, sodium salt | <0.01 | N/A | N/A | N/A |
| Structural pest control | disodium octaborate tetrahydrate | 425.68 | N/A | N/A | N/A |
| Structural pest control | esfenvalerate | 1.04 | N/A | N/A | N/A |
| Structural pest control | etofenprox | 2.95 | N/A | N/A | N/A |
| Structural pest control | fipronil | 6.88 | N/A | N/A | N/A |
| Structural pest control | gamma-cyhalothrin | 2.36 | N/A | N/A | N/A |
| Structural pest control | heptyl butyrate | 0.02 | N/A | N/A | N/A |
| Structural pest control | hydramethylnon | 0.01 | N/A | N/A | N/A |
| Structural pest control | hydroprene | 2.68 | N/A | N/A | N/A |
| Structural pest control | imidacloprid | 12.6 | N/A | N/A | N/A |
| Structural pest control | indoxacarb | 5.82 | N/A | N/A | N/A |
| Structural pest control | iron phosphate | 0.03 | N/A | N/A | N/A |
| Structural pest control | lambda-cyhalothrin | 43.15 | N/A | N/A | N/A |
| Structural pest control | limonene | 38.23 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|--------------------------------------|-----------------------|-------------|---------------------|---------------------|
| Structural pest control | methoprene | <0.01 | N/A | N/A | N/A |
| Structural pest control | s-methoprene | 0.05 | N/A | N/A | N/A |
| Structural pest control | 2-methyl-1-butanol | 0.01 | N/A | N/A | N/A |
| Structural pest control | mineral oil | 34.73 | N/A | N/A | N/A |
| Structural pest control | muscalure | 0.02 | N/A | N/A | N/A |
| Structural pest control | novaluron | 0.03 | N/A | N/A | N/A |
| Structural pest control | noviflumuron | <0.01 | N/A | N/A | N/A |
| Structural pest control | n-octyl bicycloheptene dicarboximide | 0.74 | N/A | N/A | N/A |
| Structural pest control | permethrin | 3.41 | N/A | N/A | N/A |
| Structural pest control | phenothrin | 0.18 | N/A | N/A | N/A |
| Structural pest control | phenylethyl propionate | 0.03 | N/A | N/A | N/A |
| Structural pest control | piperonyl butoxide | 21.15 | N/A | N/A | N/A |
| Structural pest control | piperonyl butoxide, other related | 0.04 | N/A | N/A | N/A |
| Structural pest control | prallethrin | 0.03 | N/A | N/A | N/A |
| Structural pest control | pyrethrins | 1.08 | N/A | N/A | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Structural pest control | pyriproxyfen | 0.25 | N/A | N/A | N/A |
| Structural pest control | silica aerogel | 1.35 | N/A | N/A | N/A |
| Structural pest control | sodium decyl sulfate | 1.32 | N/A | N/A | N/A |
| Structural pest control | sodium lauroampho acetate | 1.0 | N/A | N/A | N/A |
| Structural pest control | sodium lauryl sulfate | 0.67 | N/A | N/A | N/A |
| Structural pest control | sulfuryl fluoride | 3,448.78 | N/A | N/A | N/A |
| Structural pest control | tetramethrin | 0.02 | N/A | N/A | N/A |
| Structural pest control | thiamethoxam | <0.01 | N/A | N/A | N/A |
| Structural pest control | thyme oil | 0.04 | N/A | N/A | N/A |
| Sunflower | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 2.12 | 3 | 43.5 | A |
| Sunflower | alkyl (c8,c10) polyglucoside | 57.77 | 7 | 86.2 | A |
| Sunflower | ammonium nitrate | 207.19 | 7 | 86.2 | A |
| Sunflower | ammonium propionate | 2.83 | 1 | 12.0 | A |
| Sunflower | ammonium sulfate | 0.71 | 1 | 12.0 | A |
| Sunflower | azoxystrobin | 3.44 | 2 | 26.5 | A |
| Sunflower | benzoic acid | 1.04 | 11 | 129.2 | A |
| Sunflower | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 0.5 | 1 | 12.0 | A |
| Sunflower | butyl alcohol | 0.95 | 1 | 11.5 | A |
| Sunflower | chlorantraniliprole | 0.94 | 1 | 14.5 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Sunflower | citric acid | 1.41 | 1 | 12.0 | A |
| Sunflower | cyantraniliprole | 25.45 | 12 | 184.6 | A |
| Sunflower | (s)-cypermethrin | 3.78 | 3 | 79.5 | A |
| Sunflower | dimethyl alkyl tertiary amines | 1.13 | 11 | 129.2 | A |
| Sunflower | dimethylpolysiloxane | 0.01 | 1 | 11.5 | A |
| Sunflower | dimethyl silicone fluid emulsion | 0.47 | 2 | 29.0 | A |
| Sunflower | emulsifiable methylated vegetable oil | 20.08 | 3 | 43.5 | A |
| Sunflower | fluopyram | 4.81 | 2 | 29.0 | A |
| Sunflower | fluxapyroxad | 1.26 | 1 | 14.5 | A |
| Sunflower | lambda-cyhalothrin | 0.85 | 2 | 29.0 | A |
| Sunflower | methylated soybean oil | 211.32 | 18 | 215.4 | A |
| Sunflower | s-metolachlor | 195.87 | 13 | 192.32 | A |
| Sunflower | mineral oil | 1.67 | 8 | 97.7 | A |
| Sunflower | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 11.23 | 2 | 23.5 | A |
| Sunflower | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 2.55 | 2 | 24.0 | A |
| Sunflower | oleic acid, ethyl ester | 29.06 | 12 | 184.6 | A |
| Sunflower | paraquat dichloride | 79.54 | 9 | 109.7 | A |
| Sunflower | pendimethalin | 19.58 | 2 | 29.5 | A |
| Sunflower | petroleum distillates, aromatic | 35.15 | 1 | 12.0 | A |
| Sunflower | phosphoric acid | 1.2 | 3 | 43.5 | A |
| Sunflower | polyacrylamide polymer | 0.22 | 1 | 12.0 | A |
| Sunflower | polyether modified polysiloxane | 1.09 | 3 | 43.5 | A |
| Sunflower | polyethoxylated castor oil | 64.75 | 7 | 86.2 | A |
| Sunflower | polyethylene glycol stearate | 7.26 | 12 | 184.6 | A |
| Sunflower | poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates | 6.64 | 7 | 86.2 | A |
| Sunflower | pyraclostrobin | 2.52 | 1 | 14.5 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Sunflower | sodium polyacrylate | 0.07 | 1 | 12.0 | A |
| Sunflower | sulfur | 58.0 | 1 | 14.5 | A |
| Sunflower | tall oil fatty acids | 46.87 | 8 | 98.2 | A |
| Sunflower | tebuconazole | 4.81 | 2 | 29.0 | A |
| Sunflower | trifluralin | 8.32 | 2 | 20.3 | A |
| Sunflower | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 2.18 | 3 | 43.5 | A |
| Swiss chard | acetamiprid | 7.99 | 64 | 180.14 | A |
| Swiss chard | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 9.13 | 115 | 350.34 | A |
| Swiss chard | ametoctradin | 12.94 | 11 | 47.64 | A |
| Swiss chard | azadirachtin | 0.13 | 3 | 3.79 | A |
| Swiss chard | bacillus amyloliquefaciens strain d747 | 14.93 | 8 | 19.9 | A |
| Swiss chard | bacillus mycoides isolate j | 0.09 | 1 | 1.34 | A |
| Swiss chard | bacillus thuringiensis, subsp. aizawai, strain abts-1857 | 7.73 | 10 | 14.31 | A |
| Swiss chard | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 6.74 | 15 | 14.91 | A |
| Swiss chard | bifenthrin | 6.17 | 4 | 63.15 | A |
| Swiss chard | burkholderia sp strain a396 cells and fermentation media | 475.86 | 46 | 96.71 | A |
| Swiss chard | chromobacterium subtsugae strain praa4-1 | 6.3 | 7 | 13.08 | A |
| Swiss chard | clothianidin | 1.49 | 1 | 7.5 | A |
| Swiss chard | copper octanoate | 104.03 | 59 | 181.67 | A |
| Swiss chard | beta-cyfluthrin | 1.58 | 17 | 63.31 | A |
| Swiss chard | (s)-cypermethrin | 15.83 | 118 | 328.3 | A |
| Swiss chard | dimethomorph | 9.72 | 11 | 47.64 | A |
| Swiss chard | dimethylpolysiloxane | 9.35 | 2 | 47.0 | A |
| Swiss chard | dimethyl silicone fluid emulsion | 6.28 | 148 | 447.0 | A |
| Swiss chard | emulsifiable methylated vegetable oil | 69.71 | 114 | 320.34 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Swiss chard | fenamidone | 43.83 | 59 | 171.93 | A |
| Swiss chard | flonicamid | 17.0 | 56 | 208.17 | A |
| Swiss chard | fluopicolide | 13.43 | 37 | 114.26 | A |
| Swiss chard | fluopyram | 5.68 | 2 | 60.0 | A |
| Swiss chard | flupyradifurone | 6.93 | 5 | 41.3 | A |
| Swiss chard | heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 12.51 | 46 | 87.95 | A |
| Swiss chard | hydrogen peroxide | 14.49 | 93 | 214.21 | A |
| Swiss chard | imidacloprid | 0.34 | 2 | 7.9 | A |
| Swiss chard | mandipropamid | 15.68 | 37 | 121.39 | A |
| Swiss chard | peroxyacetic acid | 2.68 | 93 | 214.21 | A |
| Swiss chard | phosphoric acid | 4.16 | 114 | 320.34 | A |
| Swiss chard | polyether modified polysiloxane | 5.97 | 117 | 358.34 | A |
| Swiss chard | polyoxyethylene polyoxypropylene | 47.85 | 47 | 117.95 | A |
| Swiss chard | poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | 2.45 | 46 | 87.95 | A |
| Swiss chard | potash soap | 18.61 | 13 | 14.25 | A |
| Swiss chard | potassium bicarbonate | 122.85 | 2 | 60.0 | A |
| Swiss chard | potassium phosphite | 258.42 | 29 | 95.59 | A |
| Swiss chard | pyraclostrobin | 5.42 | 7 | 32.1 | A |
| Swiss chard | pyrethrins | 6.83 | 92 | 165.81 | A |
| Swiss chard | qst 713 strain of dried bacillus subtilis | 1.07 | 11 | 18.81 | A |
| Swiss chard | spinetoram | 18.39 | 105 | 333.85 | A |
| Swiss chard | spinosad | 28.53 | 117 | 296.22 | A |
| Swiss chard | spirotetramat | 5.06 | 4 | 64.3 | A |
| Swiss chard | sulfur | 13.13 | 5 | 6.25 | A |
| Swiss chard | thiamethoxam | 0.63 | 5 | 13.55 | A |
| Swiss chard | trifloxystrobin | 5.68 | 2 | 60.0 | A |
| Swiss chard | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 7.56 | 114 | 320.34 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|--|----------------|------|--------------|--------------|
| Tat soi (spinach mustard) | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 1.08 | 4 | 2.0 | A |
| Tat soi (spinach mustard) | reynoutria sachalinensis | 0.65 | 4 | 2.0 | A |
| Tomatillo | buffalo gourd root powder | 12.94 | 2 | 29.75 | A |
| Tomatillo | pyrethrins | 1.24 | 3 | 44.5 | A |
| Tomatillo | spinosad | 6.0 | 6 | 89.25 | A |
| Tomatillo | sulfur | 108.2 | 5 | 44.9 | A |
| Tomato | abamectin | 0.07 | 1 | 3.5 | A |
| Tomato | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 57.65 | 13 | 507.0 | A |
| Tomato | bacillus amyloliquefaciens strain d747 | 26.43 | 1 | 2.0 | A |
| Tomato | bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | 1.76 | 4 | 5.5 | A |
| Tomato | benzoic acid | 0.9 | 14 | 158.0 | A |
| Tomato | bifenthrin | 31.53 | 25 | 579.5 | A |
| Tomato | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 2.01 | 5 | 255.0 | A |
| Tomato | carfentrazone-ethyl | 1.86 | 5 | 255.0 | A |
| Tomato | chlorantraniliprole | 35.28 | 27 | 580.0 | A |
| Tomato | chlorothalonil | 1,685.99 | 53 | 1,199.2 | A |
| Tomato | chromobacterium subtsugae strain praa4-1 | 5.4 | 1 | 9.0 | A |
| Tomato | copper hydroxide | 120.04 | 24 | 341.0 | A |
| Tomato | copper octanoate | 3.67 | 4 | 5.5 | A |
| Tomato | cymoxanil | 51.59 | 26 | 411.9 | A |
| Tomato | (s)-cypermethrin | 19.28 | 26 | 602.5 | A |
| Tomato | dimethoate | 165.88 | 21 | 331.5 | A |
| Tomato | dimethomorph | 96.8 | 39 | 489.9 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Tomato | dimethyl alkyl tertiary amines | 0.99 | 14 | 158.0 | A |
| Tomato | dimethylpolysiloxane | 0.75 | 11 | 510.0 | A |
| Tomato | esfenvalerate | 12.37 | 4 | 248.0 | A |
| Tomato | famoxadone | 51.59 | 26 | 411.9 | A |
| Tomato | fatty acids, mixed | 1.81 | 6 | 408.0 | A |
| Tomato | fluopyram | 39.45 | 20 | 317.5 | A |
| Tomato | glyphosate, isopropylamine salt | 542.06 | 6 | 335.0 | A |
| Tomato | glyphosate, potassium salt | 276.28 | 12 | 151.0 | A |
| Tomato | heptamethyltrisiloxane ethoxylated | 129.16 | 21 | 1,003.0 | A |
| Tomato | hydroprene | <0.01 | 1 | 500.0 | S |
| Tomato | imidacloprid | 118.25 | 19 | 324.5 | A |
| Tomato | lambda-cyhalothrin | 33.34 | 55 | 1,084.9 | A |
| Tomato | lecithin | 42.33 | 6 | 408.0 | A |
| Tomato | mancozeb | 554.6 | 23 | 366.2 | A |
| Tomato | mefenoxam | 49.41 | 23 | 438.0 | A |
| Tomato | methomyl | 192.38 | 5 | 380.0 | A |
| Tomato | methoxyfenozide | 48.66 | 9 | 499.5 | A |
| Tomato | methylated soybean oil | 34.5 | 14 | 158.0 | A |
| Tomato | s-metolachlor | 311.92 | 21 | 260.1 | A |
| Tomato | mineral oil | 0.17 | 1 | 500.0 | S |
| Tomato | myclobutanil | 25.0 | 5 | 250.0 | A |
| Tomato | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 25.58 | 11 | 663.0 | A |
| Tomato | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 2.01 | 5 | 255.0 | A |
| Tomato | oleic acid, ethyl ester | 279.28 | 82 | 1,173.6 | A |
| Tomato | oleic acid, methyl ester | 219.81 | 8 | 496.0 | A |
| Tomato | oxyfluorfen | 37.02 | 6 | 335.0 | A |
| Tomato | pendimethalin | 200.07 | 17 | 230.6 | A |
| Tomato | permethrin | 77.8 | 34 | 390.2 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|---|----------------|------|--------------|--------------|
| Tomato | permethrin | <0.01 | 1 | 500.0 | S |
| Tomato | petroleum distillates, aromatic | 140.07 | 5 | 255.0 | A |
| Tomato | polyacrylamide polymer | 2.33 | 11 | 474.5 | A |
| Tomato | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 1.09 | 3 | 14.0 | A |
| Tomato | polyethylene glycol stearate | 69.82 | 82 | 1,173.6 | A |
| Tomato | polyoxyethylene polyoxypropylene | 38.43 | 13 | 507.0 | A |
| Tomato | propamocarb hydrochloride | 250.82 | 11 | 335.4 | A |
| Tomato | propionic acid | 42.33 | 6 | 408.0 | A |
| Tomato | propylene glycol | 0.55 | 3 | 14.0 | A |
| Tomato | pyrethrins | 0.02 | 1 | 1.5 | A |
| Tomato | qst 713 strain of dried bacillus subtilis | 0.11 | 2 | 5.0 | A |
| Tomato | reynoutria sachalinensis | 0.04 | 2 | 5.0 | A |
| Tomato | rimsulfuron | 6.93 | 20 | 679.2 | A |
| Tomato | spinetoram | 25.48 | 8 | 496.0 | A |
| Tomato | spinosad | 0.19 | 1 | 3.0 | A |
| Tomato | spirotetramat | 0.28 | 1 | 3.5 | A |
| Tomato | sulfur | 3,832.5 | 21 | 282.4 | A |
| Tomato | tall oil fatty acids | 8.15 | 5 | 255.0 | A |
| Tomato | thiamethoxam | 34.33 | 42 | 656.5 | A |
| Tomato | trifloxystrobin | 39.45 | 20 | 317.5 | A |
| Tomato | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 42.46 | 11 | 510.0 | A |
| Tomato, processing | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 104.56 | 58 | 1,750.8 | A |
| Tomato, processing | alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | 17.94 | 6 | 127.4 | A |
| Tomato, processing | ammonium propionate | 33.37 | 6 | 127.4 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Tomato, processing | ammonium sulfate | 8.34 | 6 | 127.4 | A |
| Tomato, processing | azoxystrobin | 28.6 | 8 | 274.45 | A |
| Tomato, processing | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 2.02 | 2 | 96.0 | A |
| Tomato, processing | carfentrazone-ethyl | 6.54 | 8 | 223.4 | A |
| Tomato, processing | chlorantraniliprole | 18.91 | 9 | 323.05 | A |
| Tomato, processing | chlorothalonil | 572.67 | 18 | 548.3 | A |
| Tomato, processing | citric acid | 16.69 | 6 | 127.4 | A |
| Tomato, processing | copper hydroxide | 273.58 | 22 | 593.45 | A |
| Tomato, processing | difenoconazole | 17.91 | 8 | 274.45 | A |
| Tomato, processing | dimethylpolysiloxane | 9.48 | 6 | 176.45 | A |
| Tomato, processing | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 2.37 | 4 | 115.92 | A |
| Tomato, processing | esfenvalerate | 26.42 | 18 | 537.7 | A |
| Tomato, processing | ethephon | 23.27 | 2 | 103.05 | A |
| Tomato, processing | glyphosate, isopropylamine salt | 765.59 | 9 | 249.4 | A |
| Tomato, processing | heptamethyltrisiloxane ethoxylated | 174.27 | 58 | 1,750.8 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Tomato, processing | imidacloprid | 41.39 | 20 | 548.55 | A |
| Tomato, processing | lambda-cyhalothrin | 20.41 | 23 | 677.35 | A |
| Tomato, processing | lecithin | 119.16 | 9 | 249.4 | A |
| Tomato, processing | mancozeb | 312.93 | 7 | 208.9 | A |
| Tomato, processing | mefenoxam | 57.09 | 18 | 548.3 | A |
| Tomato, processing | methylated soybean oil | 50.61 | 3 | 122.0 | A |
| Tomato, processing | s-metolachlor | 47.65 | 1 | 50.0 | A |
| Tomato, processing | metrafenone | 68.02 | 7 | 226.1 | A |
| Tomato, processing | mineral oil | 14.8 | 4 | 115.92 | A |
| Tomato, processing | myclobutanil | 5.44 | 3 | 54.45 | A |
| Tomato, processing | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 14.28 | 2 | 96.0 | A |
| Tomato, processing | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 76.82 | 11 | 345.4 | A |
| Tomato, processing | oleic acid, methyl ester | 83.72 | 6 | 127.4 | A |
| Tomato, processing | oxyfluorfen | 71.61 | 5 | 141.92 | A |
| Tomato, processing | petroleum distillates, aromatic | 140.6 | 2 | 96.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|---|-----------------------|-------------|---------------------|---------------------|
| Tomato, processing | polyacrylamide polymer | 4.57 | 18 | 477.82 | A |
| Tomato, processing | polymerized pinene | 42.03 | 4 | 115.92 | A |
| Tomato, processing | polyoxyethylene polyoxypropylene | 69.71 | 58 | 1,750.8 | A |
| Tomato, processing | pyraclostrobin | 10.89 | 3 | 54.45 | A |
| Tomato, processing | sodium polyacrylate | 0.83 | 6 | 127.4 | A |
| Tomato, processing | sulfur | 3,376.28 | 28 | 903.55 | A |
| Tomato, processing | tall oil fatty acids | 8.18 | 2 | 96.0 | A |
| Tomato, processing | thiamethoxam | 14.56 | 14 | 354.3 | A |
| Tomato, processing | trifluralin | 27.4 | 1 | 50.0 | A |
| Triticale | benzoic acid | 0.29 | 4 | 50.5 | A |
| Triticale | butyl alcohol | 1.03 | 4 | 50.5 | A |
| Triticale | carfentrazone-ethyl | 0.74 | 4 | 50.5 | A |
| Triticale | dimethyl alkyl tertiary amines | 0.31 | 4 | 50.5 | A |
| Triticale | dimethylpolysiloxane | 0.01 | 4 | 50.5 | A |
| Triticale | mcpa, dimethylamine salt | 42.26 | 4 | 50.5 | A |
| Triticale | methylated soybean oil | 11.0 | 4 | 50.5 | A |
| Triticale | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 8.3 | 4 | 50.5 | A |
| Uncultivated ag | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 46.16 | 49 | 265.03 | A |
| Uncultivated ag | alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | 119.71 | 72 | 672.8 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--|----------------|------|--------------|--------------|
| Uncultivated ag | ammonium nitrate | 5.2 | 30 | 213.8 | A |
| Uncultivated ag | ammonium propionate | 326.02 | 126 | 1,235.2 | A |
| Uncultivated ag | ammonium sulfate | 213.19 | 157 | 1,450.06 | A |
| Uncultivated ag | benzoic acid | 5.5 | 39 | 315.5 | A |
| Uncultivated ag | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 7.39 | 57 | 417.3 | A |
| Uncultivated ag | butyl alcohol | 5.22 | 8 | 58.5 | A |
| Uncultivated ag | capric acid | 236.45 | 10 | 37.48 | A |
| Uncultivated ag | caprylic acid | 347.29 | 10 | 37.48 | A |
| Uncultivated ag | carfentrazone-ethyl | 21.47 | 88 | 1,008.98 | A |
| Uncultivated ag | citric acid | 163.01 | 126 | 1,235.2 | A |
| Uncultivated ag | clethodim | 2.29 | 2 | 11.0 | A |
| Uncultivated ag | 2,4-d, dimethylamine salt | 114.78 | 2 | 52.0 | A |
| Uncultivated ag | diethylene glycol | 0.63 | 1 | 5.0 | A |
| Uncultivated ag | dimethyl alkyl tertiary amines | 6.0 | 39 | 315.5 | A |
| Uncultivated ag | dimethylpolysiloxane | 7.76 | 26 | 271.36 | A |
| Uncultivated ag | dimethyl silicone fluid emulsion | 49.57 | 241 | 3,336.06 | A |
| Uncultivated ag | dimethyl silicone fluid emulsion | <0.01 | 1 | 12.5 | S |
| Uncultivated ag | diquat dibromide | 40.09 | 4 | 23.5 | A |
| Uncultivated ag | diuron | 56.0 | 2 | 7.0 | A |
| Uncultivated ag | alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | 6.13 | 6 | 159.3 | A |
| Uncultivated ag | emulsifiable methylated vegetable oil | 19.2 | 14 | 27.75 | A |
| Uncultivated ag | fatty acids, mixed | 3.17 | 16 | 212.25 | A |
| Uncultivated ag | flumioxazin | 28.65 | 33 | 111.1 | A |
| Uncultivated ag | glufosinate-ammonium | 375.28 | 67 | 512.25 | A |
| Uncultivated ag | glyphosate, isopropylamine salt | 7,478.51 | 218 | 2,236.33 | A |
| Uncultivated ag | glyphosate, potassium salt | 10,918.59 | 198 | 2,534.65 | A |
| Uncultivated ag | indaziflam | 0.2 | 1 | 3.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Uncultivated ag | isopropyl alcohol | 10.71 | 7 | 38.0 | A |
| Uncultivated ag | lecithin | 379.75 | 96 | 1,065.35 | A |
| Uncultivated ag | linuron | 5.2 | 3 | 5.2 | A |
| Uncultivated ag | mcpa, dimethylamine salt | 32.28 | 5 | 39.0 | A |
| Uncultivated ag | methylated soybean oil | 300.07 | 47 | 495.8 | A |
| Uncultivated ag | s-metolachlor | 15.25 | 1 | 16.0 | A |
| Uncultivated ag | mineral oil | 44.2 | 22 | 289.3 | A |
| Uncultivated ag | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 168.05 | 92 | 743.55 | A |
| Uncultivated ag | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 336.84 | 191 | 1,832.8 | A |
| Uncultivated ag | oleic acid, ethyl ester | 413.12 | 36 | 332.57 | A |
| Uncultivated ag | oleic acid, methyl ester | 558.66 | 72 | 672.8 | A |
| Uncultivated ag | oxyfluorfen | 502.9 | 98 | 1,420.4 | A |
| Uncultivated ag | oxyfluorfen | <0.01 | 1 | 12.5 | S |
| Uncultivated ag | paraquat dichloride | 253.93 | 16 | 198.9 | A |
| Uncultivated ag | petroleum distillates, aromatic | 515.58 | 57 | 417.3 | A |
| Uncultivated ag | petroleum oil, paraffin based | 300.06 | 104 | 1,513.41 | A |
| Uncultivated ag | phosphoric acid | 4.17 | 15 | 39.75 | A |
| Uncultivated ag | polyacrylamide polymer | 10.5 | 126 | 1,071.5 | A |
| Uncultivated ag | polyether modified polysiloxane | 1.04 | 14 | 27.75 | A |
| Uncultivated ag | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 4.1 | 5 | 14.0 | A |
| Uncultivated ag | polyethylene glycol stearate | 103.28 | 36 | 332.57 | A |
| Uncultivated ag | polymerized pinene | 108.82 | 6 | 159.3 | A |
| Uncultivated ag | polyoxyethylene sorbitol, mixed ether ester | 1,464.99 | 104 | 1,513.41 | A |
| Uncultivated ag | polysaccharide polymer | 0.14 | 5 | 103.3 | A |
| Uncultivated ag | propionic acid | 73.86 | 16 | 212.25 | A |
| Uncultivated ag | propylene glycol | 7.5 | 8 | 26.5 | A |
| Uncultivated ag | pyraflufen-ethyl | 7.78 | 185 | 2,729.88 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|--|----------------|------|--------------|--------------|
| Uncultivated ag | rimsulfuron | 0.19 | 1 | 3.0 | A |
| Uncultivated ag | sodium polyacrylate | 8.15 | 126 | 1,235.2 | A |
| Uncultivated ag | tall oil | 2.61 | 6 | 26.0 | A |
| Uncultivated ag | tall oil fatty acids | 33.97 | 60 | 429.8 | A |
| Uncultivated ag | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 7.65 | 5 | 14.0 | A |
| Uncultivated ag | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 2.08 | 14 | 27.75 | A |
| Uncultivated ag | vinyl polymer | 101.55 | 141 | 2,101.77 | A |
| Uncultivated ag | vinyl polymer | <0.01 | 1 | 12.5 | S |
| Uncultivated non-ag | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 8.02 | 6 | 40.0 | A |
| Uncultivated non-ag | ammonium nitrate | 0.85 | 5 | 35.0 | A |
| Uncultivated non-ag | ammonium sulfate | 21.0 | 5 | 35.0 | A |
| Uncultivated non-ag | aromatic 200 | 37.01 | 3 | 97.0 | A |
| Uncultivated non-ag | benzoic acid | 0.2 | 5 | 35.0 | A |
| Uncultivated non-ag | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 6.64 | 3 | 97.0 | A |
| Uncultivated non-ag | capric acid | 47.99 | 1 | 5.0 | A |
| Uncultivated non-ag | caprylic acid | 70.48 | 1 | 5.0 | A |
| Uncultivated non-ag | dimethyl alkyl tertiary amines | 0.22 | 5 | 35.0 | A |
| Uncultivated non-ag | dimethyl silicone fluid emulsion | 0.19 | 3 | 7.5 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Uncultivated non-ag | glufosinate-ammonium | 3.13 | 2 | 5.5 | A |
| Uncultivated non-ag | glyphosate, potassium salt | 157.23 | 8 | 42.5 | A |
| Uncultivated non-ag | methylated soybean oil | 44.62 | 8 | 132.0 | A |
| Uncultivated non-ag | oleic acid, ethyl ester | 52.13 | 5 | 35.0 | A |
| Uncultivated non-ag | oxyfluorfen | 9.9 | 3 | 13.0 | A |
| Uncultivated non-ag | paraquat dichloride | 133.77 | 3 | 97.0 | A |
| Uncultivated non-ag | polyethylene glycol stearate | 13.03 | 5 | 35.0 | A |
| Uncultivated non-ag | pyraflufen-ethyl | 0.59 | 5 | 119.0 | A |
| Uncultivated non-ag | alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 14.24 | 3 | 97.0 | A |
| Uncultivated non-ag | vinyl polymer | 0.33 | 3 | 7.5 | A |
| Vertebrate control | aluminum phosphide | 7.68 | 10 | 91.1 | A |
| Vertebrate control | aluminum phosphide | 0.92 | N/A | N/A | N/A |
| Vertebrate control | bromadiolone | <0.01 | 1 | 1.0 | A |
| Vertebrate control | bromadiolone | <0.01 | N/A | N/A | N/A |
| Vertebrate control | chlorophacinone | <0.01 | 2 | 15.0 | ? |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|--|----------------|------|--------------|--------------|
| Vertebrate control | chlorophacinone | 0.12 | 50 | 2,659.5 | A |
| Vertebrate control | chlorophacinone | 0.16 | N/A | N/A | N/A |
| Vertebrate control | diphacinone | <0.01 | 3 | 230.0 | A |
| Vertebrate control | diphacinone | 0.01 | N/A | N/A | N/A |
| Vertebrate control | glyphosate, isopropylamine salt | 81.0 | 2 | 10.0 | A |
| Vertebrate control | zinc phosphide | 20.1 | 5 | 410.0 | A |
| Vertebrate control | zinc phosphide | 5.4 | N/A | N/A | N/A |
| Walnut | abamectin | 0.23 | 1 | 15.0 | A |
| Walnut | acetamiprid | 7.0 | 2 | 40.0 | A |
| Walnut | n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 2.67 | 7 | 183.5 | A |
| Walnut | boscalid | 21.69 | 5 | 95.0 | A |
| Walnut | capric acid | 195.3 | 2 | 36.0 | A |
| Walnut | caprylic acid | 286.85 | 2 | 36.0 | A |
| Walnut | carfentrazone-ethyl | 5.21 | 9 | 265.0 | A |
| Walnut | chlorantraniliprole | 2.51 | 2 | 40.0 | A |
| Walnut | chlorophacinone | 0.01 | 1 | 15.0 | A |
| Walnut | clethodim | 4.77 | 1 | 36.5 | A |
| Walnut | copper hydroxide | 123.55 | 3 | 67.0 | A |
| Walnut | corn product, hydrolyzed | 17.47 | 2 | 31.0 | A |
| Walnut | dimethylpolysiloxane | 0.48 | 4 | 108.0 | A |
| Walnut | e,e-8,10-dodecadien-1-ol | 5.97 | 21 | 199.5 | A |
| Walnut | esfenvalerate | 0.54 | 3 | 32.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Walnut | fatty acids, mixed | 3.18 | 19 | 443.5 | A |
| Walnut | flumioxazin | 12.67 | 4 | 98.5 | A |
| Walnut | glufosinate-ammonium | 66.85 | 2 | 51.5 | A |
| Walnut | glyphosate, isopropylamine salt | 100.65 | 4 | 64.0 | A |
| Walnut | glyphosate, potassium salt | 520.89 | 11 | 293.5 | A |
| Walnut | imidacloprid | 1.41 | 1 | 15.0 | A |
| Walnut | lambda-cyhalothrin | 1.25 | 2 | 40.0 | A |
| Walnut | lauryl alcohol | 0.77 | 12 | 102.5 | A |
| Walnut | lecithin | 74.16 | 19 | 443.5 | A |
| Walnut | mancozeb | 72.0 | 2 | 40.0 | A |
| Walnut | myristyl alcohol | 0.15 | 12 | 102.5 | A |
| Walnut | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 38.79 | 26 | 627.0 | A |
| Walnut | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 2.67 | 7 | 183.5 | A |
| Walnut | oxyfluorfen | 46.15 | 4 | 77.0 | A |
| Walnut | pendimethalin | 69.13 | 1 | 36.5 | A |
| Walnut | permethrin | 3.02 | 1 | 15.0 | A |
| Walnut | petroleum distillates, aromatic | 186.0 | 7 | 183.5 | A |
| Walnut | polyacrylamide polymer | 2.93 | 16 | 430.0 | A |
| Walnut | polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | 28.59 | 4 | 108.0 | A |
| Walnut | propionic acid | 74.16 | 19 | 443.5 | A |
| Walnut | propylene glycol | 21.39 | 6 | 148.0 | A |
| Walnut | pyraclostrobin | 11.02 | 5 | 95.0 | A |
| Walnut | pyraflufen-ethyl | 0.08 | 1 | 15.0 | A |
| Walnut | rimsulfuron | 2.28 | 1 | 36.5 | A |
| Walnut | spinosad | 0.46 | 46 | 486.5 | A |
| Walnut | spirotetramat | 6.67 | 2 | 47.0 | A |
| Walnut | streptomyces lydicus wyec 108 | 0.01 | 2 | 54.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| Walnut | styrene butadiene copolymer | 5.99 | 2 | 40.0 | A |
| Walnut | sulfuryl fluoride | 4,677.63 | N/A | 1,764.0 | K |
| Walnut | tall oil fatty acids | 10.82 | 7 | 183.5 | A |
| Walnut | alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 53.31 | 4 | 108.0 | A |
| Walnut | alpha-undecyl-omega-hydroxypoly(oxyethylene) | 6.85 | 2 | 40.0 | A |
| Water area | alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 1.69 | 2 | 9.0 | A |
| Water area | ammonium nitrate | 0.22 | 2 | 9.0 | A |
| Water area | ammonium sulfate | 5.4 | 2 | 9.0 | A |
| Water area | benzoic acid | 0.05 | 2 | 9.0 | A |
| Water area | dimethyl alkyl tertiary amines | 0.06 | 2 | 9.0 | A |
| Water area | diquat dibromide | 8.39 | 2 | 9.0 | A |
| Water area | glyphosate, isopropylamine salt | 24.3 | 2 | 9.0 | A |
| Water area | methylated soybean oil | 1.96 | 2 | 9.0 | A |
| Water area | oleic acid, ethyl ester | 13.41 | 2 | 9.0 | A |
| Water area | polyethylene glycol stearate | 3.35 | 2 | 9.0 | A |
| Watermelon | sulfur | 11.6 | 3 | 2.9 | A |
| Wheat | ammonium propionate | 6.43 | 4 | 105.0 | A |
| Wheat | ammonium sulfate | 1.61 | 4 | 105.0 | A |
| Wheat | benzoic acid | 0.11 | 1 | 20.0 | A |
| Wheat | bromoxynil heptanoate | 98.33 | 8 | 362.0 | A |
| Wheat | bromoxynil octanoate | 101.98 | 8 | 362.0 | A |
| Wheat | carfentrazone-ethyl | 0.54 | 2 | 31.0 | A |
| Wheat | chlorsulfuron | 2.69 | 4 | 273.0 | A |
| Wheat | citric acid | 3.21 | 4 | 105.0 | A |
| Wheat | diglycolamine salt of 3,6-dichloro-o-anisic acid | 5.08 | 1 | 27.0 | A |
| Wheat | dimethyl alkyl tertiary amines | 0.12 | 1 | 20.0 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|--|-----------------------|-------------|---------------------|---------------------|
| Wheat | dimethyl silicone fluid emulsion | 0.22 | 1 | 11.0 | A |
| Wheat | mcpa, dimethylamine salt | 159.69 | 6 | 320.0 | A |
| Wheat | methylated soybean oil | 4.35 | 1 | 20.0 | A |
| Wheat | alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 4.66 | 4 | 105.0 | A |
| Wheat | petroleum oil, paraffin based | 1.28 | 1 | 11.0 | A |
| Wheat | polyacrylamide polymer | 0.51 | 4 | 105.0 | A |
| Wheat | polyoxyethylene sorbitol, mixed ether ester | 6.23 | 1 | 11.0 | A |
| Wheat | sodium polyacrylate | 0.16 | 4 | 105.0 | A |
| Wheat | tribenuron-methyl | 0.61 | 3 | 78.0 | A |
| Wheat | vinyl polymer | 1.08 | 1 | 11.0 | A |