The Top 100 Chemicals by Pounds in Total Statewide Pesticide Use in 2020

Text files of data are available at <https://files.cdpr.ca.gov/pub/outgoing/pur/data/>. The ranking of chemicals is determined by total pounds of chemical used. Acres treated totals are cumulative, meaning that if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres. Cumulative acres treated totals include pesticide use reports (PURs) with unit treated equal to acres (A) or square feet (S), the latter of which was converted to acres. PURs with volume (cubic feet, etc.), weight (tons, lbs, etc.), or miscellaneous units (bins, holes, etc.) are not included in the acres treated totals. Most nonagricultural PURs are not required to report acres treated, so the acres treated totals are predominantly agricultural pesticide uses. Chemical names that end with an " * " are adjuvants. Application counts (Apps) include only agricultural pesticide uses. A zero value in Acre Treated or Apps totals indicates all applications were nonagricultural uses. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

| Chemical | Rank | Pounds | Apps | Acre |
|--------------------------------------|------|------------|---------|-----------|
| | | Applied | | Treated |
| sulfur | 1 | 47,313,370 | 145,209 | 5,481,278 |
| mineral oil | 2 | 43,640,090 | 156,859 | 5,435,013 |
| 1,3-dichloropropene | 3 | 11,678,006 | 2,769 | 63,497 |
| potassium n-methyldithiocarbamate | 4 | 9,000,088 | 3,483 | 45,567 |
| chloropicrin | 5 | 8,370,636 | 2,154 | 47,302 |
| glyphosate, potassium salt | 6 | 6,464,485 | 92,015 | 3,260,162 |
| glyphosate, isopropylamine salt | 7 | 5,705,955 | 80,449 | 2,248,551 |
| calcium hydroxide | 8 | 4,926,694 | 10,369 | 243,859 |
| metam-sodium | 9 | 4,326,370 | 601 | 21,752 |
| copper hydroxide | 10 | 3,115,937 | 42,333 | 1,375,603 |
| kaolin | 11 | 2,957,863 | 3,313 | 79,887 |
| sulfuryl fluoride | 12 | 2,817,782 | 13 | 36 |
| methylated soybean oil* | 13 | 2,745,701 | 134,025 | 4,800,115 |
| glufosinate-ammonium | 14 | 2,457,481 | 80,724 | 2,335,289 |
| pendimethalin | 15 | 2,440,989 | 31,111 | 1,144,074 |
| copper sulfate (pentahydrate) | 16 | 2,180,990 | 4,456 | 222,193 |
| alpha-(para-nonylphenyl)-omega- | 17 | 2,117,714 | 238,167 | 9,664,737 |
| hydroxypoly(oxyethylene)* | | | | |
| propanil | 18 | 2,065,019 | 5,595 | 408,790 |
| methyl bromide | 19 | 1,685,379 | 391 | 5,932 |
| mancozeb | 20 | 1,557,453 | 34,559 | 810,416 |
| copper ethanolamine complexes, mixed | 21 | 1,525,813 | 80 | 3,543 |
| potassium phosphite | 22 | 1,408,631 | 23,426 | 467,634 |

| Chemical | Rank | Pounds Applied | Apps | Acre Treated |
|---|------|-------------------|--------|-----------------|
| lime-sulfur | 23 | 1,399,158 | 2,978 | 86,341 |
| sodium hypochlorite | 24 | 1,178,846 | 137 | 30,926 |
| copper sulfate (basic) | 25 | 1,157,047 | 10,305 | 286,122 |
| chlorothalonil | 26 | 1,149,169 | 16,222 | 524,266 |
| oleic acid, methyl ester* | 27 | 1,114,418 | 17,845 | 792,043 |
| ammonium sulfate | 28 | 967,267 | 75,940 | 2,594,883 |
| oxyfluorfen | 29 | 952,744 | 67,906 | 2,231,517 |
| lecithin* | 30 | 895,723 | 83,671 | 3,080,241 |
| paraquat dichloride | 31 | 854,429 | 15,384 | 808,407 |
| boric acid | 32 | 737,092 | 36 | 63 |
| hydrogen cyanamide | 33 | 639,731 | 1,387 | 46,053 |
| methoxyfenozide | 34 | 599,667 | 39,352 | 2,086,056 |
| thiobencarb | 35 | 595,147 | 2,053 | 177,064 |
| vegetable oil* | 36 | 581,767 | 3,728 | 396,440 |
| hydrogen peroxide | 37 | 564,035 | 13,277 | 201,048 |
| burkholderia sp strain a396 cells and fermentation media | 38 | 552,149 | 8,375 | 98,695 |
| ziram | 39 | 542,925 | 4,812 | 101,730 |
| alpha-undecyl-omega- hydroxypoly(oxyethylene)* | 40 | 542,432 | 80,293 | 2,693,599 |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters* | 41 | 459,224 | 36,205 | 1,121,530 |
| sodium chlorate | 42 | 434,516 | 456 | 30,721 |
| copper oxychloride | 43 | 409,480 | 11,626 | 349,932 |
| diatomaceous earth | 44 | 395,703 | 2,772 | 28,084 |
| imidacloprid | 45 | 378,619 | 53,324 | 1,362,750 |
| captan | 46 | 376,057 | 6,442 | 235,283 |
| sulfur dioxide | 47 | 361,466 | 11 | 117 |
| 2,4-d, dimethylamine salt | 48 | 356,570 | 8,358 | 299,506 |
| malathion | 49 | 355,406 | 10,006 | 217,773 |
| cryolite | 50 | 354,772 | 1,646 | 45,587 |
| ethephon | 51 | 348,493 | 8,783 | 417,833 |
| copper oxide (ous) | 52 | 346,520 | 6,986 | 128,134 |
| bensulide | 53 | 336,449 | 9,254 | 90,307 |
| oleic acid, ethyl ester* | 54 | 329,975 | 30,904 | 708,546 |
| potassium bicarbonate | 55 | 313,835 | 6,378 | 106,562 |
| bifenthrin | 56 | 307,581 | 33,391 | 1,540,282 |
| s-metolachlor | 57 | 302,316 | 4,739 | 196,018 |
| bifenazate | 58 | 301,708 | 12,513 | 489,912 |
| trifluralin | 59 | 300,630 | 6,925 | 276,590 |
| sodium bromide | 60 | 298,269 | <0.01 | 384 |
| azoxystrobin | 61 | 290,372 | 34,973 | 1,486,588 |
| buprofezin | 62 | 287,223 | 5,638 | 241,394 |

| Chemical | Rank | Pounds | Apps | Acre |
|---|------|---------|---------|-----------|
| | | Applied | | Treated |
| urea dihydrogen sulfate | 63 | 281,545 | 12,233 | 549,115 |
| disodium octaborate tetrahydrate | 64 | 280,137 | 57 | 5,073 |
| petroleum oil, unclassified | 65 | 279,393 | 433 | 17,610 |
| sodium carbonate peroxyhydrate | 66 | 277,896 | 208 | 13,308 |
| propylene oxide | 67 | 271,228 | <0.01 | N/A |
| sodium chlorite | 68 | 267,636 | 64 | 5,912 |
| fatty acids, methyl esters | 69 | 258,118 | 6,008 | 217,400 |
| methomyl | 70 | 258,100 | 23,604 | 410,702 |
| triclopyr, triethylamine salt | 71 | 252,794 | 5,005 | 363,148 |
| alpha-(para-nonylphenyl)-omega- | 72 | 249,135 | 33,601 | 1,344,639 |
| hydroxypoly(oxyethylene), phosphate ester* | | | | |
| alpha-pinene beta-pinene copolymer* | 73 | 246,961 | 28,178 | 806,766 |
| chlorine | 74 | 246,961 | <0.01 | 767 |
| peroxyacetic acid | 75 | 244,978 | 12,170 | 195,053 |
| methylated fatty acids from canola oil* | 76 | 240,647 | 3,217 | 133,618 |
| diethylene glycol* | 77 | 236,482 | 30,838 | 1,577,072 |
| bacillus amyloliquefaciens strain d747 | 78 | 230,216 | 6,199 | 62,673 |
| glyphosate, dimethylamine salt | 79 | 229,370 | 2,200 | 64,526 |
| dimethylpolysiloxane* | 80 | 228,384 | 146,786 | 5,414,579 |
| propargite | 81 | 225,197 | 2,010 | 93,650 |
| borax | 82 | 211,119 | 360 | 16,141 |
| chlorthal-dimethyl | 83 | 210,653 | 6,455 | 50,390 |
| alpha-alkyl (c9-c16)-omega- | 84 | 208,325 | 14,017 | 625,498 |
| hydroxypoly(oxyethylene)* | | | | |
| naled | 85 | 203,316 | 4,974 | 143,396 |
| clarified hydrophobic extract of neem oil | 86 | 199,294 | 6,846 | 52,375 |
| petroleum oil, paraffin based | 87 | 193,027 | 501 | 21,687 |
| potash soap | 88 | 189,936 | 8,366 | 35,622 |
| emulsifiable methylated vegetable oil* | 89 | 189,603 | 22,007 | 400,633 |
| chlorantraniliprole | 90 | 187,443 | 49,885 | 2,323,460 |
| tall oil fatty acids* | 91 | 183,353 | 50,530 | 2,064,965 |
| fatty acids, mixed* | 92 | 181,937 | 44,077 | 2,126,282 |
| phosphoric acid | 93 | 181,667 | 64,696 | 2,178,447 |
| n,n-bis-(2-omega- | 94 | 180,175 | 69,595 | 2,446,978 |
| hydroxypoly(oxyethylene)ethyl)alkylamine, | | | | |
| alkyl derived from tallow fatty acids* | | | | |
| alkyl(42\%c12, 26\%c18, 15\%c14, 8\%c16, | 95 | 179,859 | <0.01 | 13 |
| 5\%c10, 4\%c8)1,3-propylenediamine | | | | |
| citric acid | 96 | 178,100 | 63,436 | 2,324,513 |
| caprylic acid | 97 | 175,363 | 1,856 | 30,170 |
| eptc | 98 | 173,257 | 1,272 | 69,548 |
| propionic acid | 99 | 173,242 | 38,078 | 1,313,246 |

| Chemical | Rank | Pounds Applied | Apps | Acre Treated |
|---|------|-------------------|--------|-----------------|
| 4-nonylphenol, formaldehyde resin, propoxylated* | 100 | 167,398 | 42,946 | 1,386,670 |