

2022 Annual Statewide Pesticide Use Report Indexed by Chemical San Bernardino County

[Text files](https://files.cdpr.ca.gov/pub/outgoing/pur/data/) of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K = Thousand Cubic Feet, P = Pounds, T = Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-----------------------------|----------------|------|--------------|--------------|
| 1,3-dichloro-5,5-dimethylhydantoin | Water (industrial) | 657.19 | N/A | 441.0 | U |
| 1,3-dichloro-5-ethyl-5-methylhydantoin | Water (industrial) | 361.57 | N/A | 441.0 | U |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Water (industrial) | 1,232.51 | N/A | 441.0 | U |
| 1-methylcyclopropene | Fumigation, other | 0.4 | N/A | N/A | N/A |
| 2,2-dibromo-3-nitrilopropionamide | Industrial processing water | 531.35 | N/A | 4.0 | U |
| 2,2-dibromo-3-nitrilopropionamide | Water (industrial) | 734.15 | N/A | 115.0 | U |
| 2,4-d, 2-ethylhexyl ester | Forage hay/silage | 63.33 | 1 | 110.0 | A |
| 2,4-d, 2-ethylhexyl ester | Golf course turf | 1.17 | N/A | 3.0 | A |
| 2,4-d, 2-ethylhexyl ester | Golf course turf | 1.77 | N/A | 144,000.0 | S |
| 2,4-d, 2-ethylhexyl ester | Landscape maintenance | 0.69 | 1 | 20.0 | A |
| 2,4-d, 2-ethylhexyl ester | Landscape maintenance | 694.64 | N/A | N/A | N/A |
| 2,4-d, 2-ethylhexyl ester | N-grnhs flower | 1.18 | N/A | 2.3 | A |
| 2,4-d, 2-ethylhexyl ester | N-grnhs flower | 1.46 | N/A | 50,000.0 | S |
| 2,4-d, 2-ethylhexyl ester | N-grnhs transplants | 4.66 | N/A | 12.0 | A |
| 2,4-d, 2-ethylhexyl ester | Oat (forage - fodder) | 193.49 | 3 | 135.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---------------------------------------|----------------|------|--------------|--------------|
| 2,4-d, 2-ethylhexyl ester | Rights of way | 10.68 | N/A | N/A | N/A |
| 2,4-d, 2-ethylhexyl ester | Sod farm (turf) | 67.84 | 29 | 345.0 | A |
| 2,4-d, 2-ethylhexyl ester | Turf/sod | 11.57 | 3 | 75.0 | A |
| 2,4-d, 2-ethylhexyl ester | Uncultivated ag | 38.0 | 1 | 66.0 | A |
| 2,4-d, 2-ethylhexyl ester | Wheat (forage - fodder) | 366.45 | 4 | 255.68 | A |
| 2,4-d, dimethylamine salt | Forage hay/silage | 135.67 | 1 | 120.0 | A |
| 2,4-d, dimethylamine salt | Landscape maintenance | 285.39 | N/A | N/A | N/A |
| 2,4-d, dimethylamine salt | Oat (forage - fodder) | 171.16 | 4 | 157.0 | A |
| 2,4-d, dimethylamine salt | Rights of way | 34.99 | N/A | N/A | N/A |
| 2,4-d, dimethylamine salt | Structural pest control | 1.2 | N/A | N/A | N/A |
| 2,4-d, dimethylamine salt | Wheat (forage - fodder) | 62.14 | 3 | 57.0 | A |
| 2,4-d, isopropyl ester | Grapefruit | 1.72 | 6 | 22.5 | A |
| 2,4-d, isopropyl ester | Orange | 39.58 | 85 | 632.35 | A |
| 2,4-d, triisopropanolamine salt | Landscape maintenance | 56.42 | N/A | N/A | N/A |
| 2,4-dp-p, isoctyl ester | Golf course turf | 0.67 | N/A | 3.0 | A |
| 2,4-dp-p, isoctyl ester | Landscape maintenance | 194.7 | N/A | N/A | N/A |
| 2,4-dp-p, isoctyl ester | N-grnhs transplants | 2.68 | N/A | 12.0 | A |
| 2,4-dp-p, isoctyl ester | Rights of way | 6.15 | N/A | N/A | N/A |
| 2-butoxyethanol | Rights of way | 161.67 | N/A | N/A | N/A |
| 2-methyl-4-isothiazolin-3-one | Structural pest control | 0.33 | N/A | N/A | N/A |
| 2-methyl-4-isothiazolin-3-one | Water (industrial) | 443.25 | N/A | 429.0 | U |
| 2-methyl-4-isothiazolin-3-one | Water washer/cooler/condenser systems | 5.46 | N/A | 2.0 | U |
| 4-aminopyridine | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| 4-aminopyridine | Structural pest control | 0.41 | N/A | N/A | N/A |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Structural pest control | 0.94 | N/A | N/A | N/A |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Water (industrial) | 1,274.38 | N/A | 429.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---------------------------------------|----------------|------|--------------|--------------|
| 5-chloro-2-methyl-4-isothiazolin-3-one | Water washer/cooler/condenser systems | 15.54 | N/A | 2.0 | U |
| Abamectin | Basil, sweet | 0.1 | 12 | 7.96 | A |
| Abamectin | Citrus | <0.01 | 1 | 0.1 | A |
| Abamectin | Golf course turf | 0.18 | 1 | 2.0 | A |
| Abamectin | Grapefruit | 1.2 | 12 | 57.3 | A |
| Abamectin | Landscape maintenance | 0.69 | N/A | N/A | N/A |
| Abamectin | Lemon | 13.65 | 18 | 597.56 | A |
| Abamectin | N-grnhs flower | 0.03 | 2 | 10,000.0 | S |
| Abamectin | N-grnhs transplants | 0.18 | N/A | 3.0 | A |
| Abamectin | N-outdr plants in containers | 0.5 | 37 | 50.5 | A |
| Abamectin | Orange | 20.41 | 101 | 1,010.7 | A |
| Abamectin | Regulatory pest control | 206.08 | N/A | N/A | N/A |
| Abamectin | Stone fruit | 0.08 | 1 | 4.0 | A |
| Abamectin | Strawberry | 0.28 | 5 | 15.75 | A |
| Abamectin | Structural pest control | 0.08 | N/A | N/A | N/A |
| Abamectin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| Acephate | Landscape maintenance | 3.34 | N/A | N/A | N/A |
| Acephate | N-grnhs flower | 35.25 | 72 | 286,000.0 | S |
| Acephate | N-grnhs plants in containers | 0.49 | 1 | 4,000.0 | S |
| Acephate | N-outdr plants in containers | 273.54 | 72 | 282.0 | A |
| Acephate | Structural pest control | 92.32 | N/A | N/A | N/A |
| Acetamiprid | Grape | 1.23 | 2 | 14.5 | A |
| Acetamiprid | Landscape maintenance | 0.08 | N/A | N/A | N/A |
| Acetamiprid | Regulatory pest control | 0.06 | N/A | N/A | N/A |
| Acetamiprid | Structural pest control | 43.36 | N/A | N/A | N/A |
| Acibenzolar-s-methyl | Golf course turf | 1.43 | N/A | 77.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|------|--------------|--------------|
| Acibenzolar-s-methyl | Golf course turf | 0.21 | N/A | 550,000.0 | S |
| Acibenzolar-s-methyl | Landscape maintenance | 0.27 | N/A | N/A | N/A |
| Acibenzolar-s-methyl | N-grnhs flower | 0.02 | N/A | 110,000.0 | S |
| Acibenzolar-s-methyl | N-grnhs transplants | 0.07 | N/A | 6.0 | A |
| Acibenzolar-s-methyl | N-outdr flower | 0.05 | N/A | 210,000.0 | S |
| Acid blue 9, diammonium salt | Water area | 102.4 | N/A | 140.0 | A |
| Afidopyropen | Orange | 0.46 | 2 | 10.0 | A |
| Alcohols, c12-c14, aliphatic | Rights of way | 62.87 | N/A | N/A | N/A |
| Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride | Animal premise | 92.29 | 24 | 29.0 | U |
| Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride | Cannabis (all or unspecified) | 0.54 | 2 | 0.2 | A |
| Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride | Structural pest control | 10.49 | N/A | N/A | N/A |
| Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride | Cannabis (all or unspecified) | 0.08 | 12 | 1.2 | A |
| Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride | Structural pest control | 0.02 | N/A | N/A | N/A |
| Alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride | Cannabis (all or unspecified) | 0.08 | 12 | 1.2 | A |
| Alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride | Structural pest control | 0.02 | N/A | N/A | N/A |
| Alkyl (as in fatty acids of coconut oil) monoethanolamide | Structural pest control | 0.15 | N/A | N/A | N/A |
| Alkyl (c8,c10) polyglucoside | Alfalfa | 32.17 | 1 | 218.0 | A |
| Alkyl (c8,c10) polyglucoside | Landscape maintenance | 16.67 | N/A | N/A | N/A |
| Alkyl (c8,c10) polyglucoside | Rights of way | 285.9 | N/A | N/A | N/A |
| Alkyl (c8,c10) polyglucoside | Structural pest control | 1.85 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| Alkyl (c9-c11) oligomeric d-glucopyranoside | Rights of way | 179.64 | N/A | N/A | N/A |
| Alkyl (c9-c11) oligomeric d-glucopyranoside | Structural pest control | 0.57 | N/A | N/A | N/A |
| Allethrin | Alfalfa | 0.1 | 1 | 12.0 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt | Forest, timberland | 0.01 | N/A | 25.0 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Alfalfa | 55.95 | 10 | 958.0 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Avocado | 4.87 | 5 | 7.68 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Corn (forage - fodder) | 70.54 | 20 | 592.82 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Forage hay/silage | 6.66 | 1 | 120.0 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grape | 0.86 | 1 | 3.64 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grapefruit | 3.31 | 6 | 15.85 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 363.96 | N/A | N/A | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Lemon | 21.89 | 19 | 606.9 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-grnhs flower | 1.83 | 30 | 129,500.0 | S |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Oat (forage - fodder) | 6.21 | 8 | 306.0 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Orange | 55.11 | 62 | 360.85 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pistachio | 15.31 | 2 | 138.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pumpkin | 0.73 | 1 | 6.0 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights of way | 653.93 | N/A | N/A | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Stone fruit | 3.13 | 3 | 11.0 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Strawberry | 2.84 | 2 | 10.0 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Structural pest control | 8.68 | N/A | N/A | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Tomato | 0.17 | 1 | 1.2 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 29.15 | 4 | 266.0 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated non-ag | 3.1 | 3 | 25.42 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Wheat (forage - fodder) | 27.73 | 15 | 573.62 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Rights of way | 0.66 | N/A | N/A | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Corn (forage - fodder) | 48.88 | 35 | 1,162.32 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Grape | 2.1 | 2 | 7.28 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Uncultivated non-ag | 2.21 | 6 | 6.84 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Wheat (forage - fodder) | 26.25 | 6 | 192.0 | A |
| Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Alfalfa | 15.54 | 10 | 1,250.0 | A |
| Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Structural pest control | 0.18 | N/A | N/A | N/A |
| Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt | Grapefruit | 1.31 | 6 | 22.5 | A |
| Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt | Lemon | 1.05 | 1 | 23.0 | A |
| Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt | Orange | 36.03 | 66 | 643.95 | A |
| Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt | Squash, summer | 0.32 | 7 | 5.5 | A |
| Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt | Stone fruit | 0.39 | 1 | 4.0 | A |
| Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt | Strawberry | 0.99 | 4 | 19.0 | A |
| Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt | Watermelon | 0.15 | 3 | 2.5 | A |
| Alpha-alkyl (c8-c18)-omega-hydroxypoly(oxyethylene) poly(oxypropylene) | Rights of way | 60.83 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Corn (forage - fodder) | 9.01 | 1 | 40.0 | A |
| Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Rights of way | 15.41 | N/A | N/A | N/A |
| Alpha-alkyl (mixed)-omega-hydroxypoly(oxyethylene) sulfate | Structural pest control | 0.48 | N/A | N/A | N/A |
| Alpha-alkylaryl-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 6.21 | N/A | N/A | N/A |
| Alpha-cypermethrin | Structural pest control | 23.87 | N/A | N/A | N/A |
| Alpha-isoctadecyl-omega-hydroxypoly(oxyethylene) | Public health | 0.42 | N/A | N/A | N/A |
| Alpha-pinene beta-pinene copolymer | Landscape maintenance | 1.32 | N/A | N/A | N/A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Avocado | 1.7 | 9 | 42.88 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Lemon | 1.94 | 10 | 54.4 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Rights of way | 24.85 | N/A | N/A | N/A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Uncultivated ag | 0.14 | 2 | 38.0 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 77.3 | N/A | N/A | N/A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | N-grnhs flower | 1.83 | 30 | 129,500.0 | S |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Orange | 7.25 | 2 | 9.5 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Pumpkin | 2.36 | 3 | 22.0 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Rights of way | 243.97 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 0.23 | N/A | 16.0 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Uncultivated non-ag | 2.19 | N/A | 22.0 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Wheat (forage - fodder) | 21.39 | 8 | 260.94 | A |
| Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 12.73 | N/A | N/A | N/A |
| Aluminum phosphide | Avocado | 6.28 | 4 | 27.0 | A |
| Aluminum phosphide | Commodity fumigation | 4,875.65 | N/A | N/A | N/A |
| Aluminum phosphide | Fumigation, other | 5.78 | N/A | N/A | N/A |
| Aluminum phosphide | Golf course turf | 8.49 | 14 | 957.0 | A |
| Aluminum phosphide | Landscape maintenance | 1,238.31 | N/A | N/A | N/A |
| Aluminum phosphide | Rights of way | 0.07 | N/A | N/A | N/A |
| Aluminum phosphide | Structural pest control | 7.18 | N/A | N/A | N/A |
| Ametoctradin | N-outdr plants in containers | 22.09 | 59 | 83.5 | A |
| Aminocyclopyrachlor, potassium salt | Landscape maintenance | 30.05 | N/A | N/A | N/A |
| Aminocyclopyrachlor, potassium salt | Rights of way | 158.68 | N/A | N/A | N/A |
| Aminopyralid, triisopropanolamine salt | Landscape maintenance | 183.9 | N/A | N/A | N/A |
| Aminopyralid, triisopropanolamine salt | Rights of way | 1,404.95 | N/A | N/A | N/A |
| Ammonium nitrate | Landscape maintenance | 0.15 | N/A | N/A | N/A |
| Ammonium nitrate | Structural pest control | 8.79 | N/A | N/A | N/A |
| Ammonium propionate | Corn (forage - fodder) | 53.69 | 15 | 569.5 | A |
| Ammonium propionate | Grape | 2.73 | 1 | 3.64 | A |
| Ammonium propionate | Uncultivated non-ag | 2.88 | 3 | 3.42 | A |
| Ammonium propionate | Wheat (forage - fodder) | 36.2 | 6 | 192.0 | A |
| Ammonium sulfate | Alfalfa | 543.4 | 8 | 823.0 | A |
| Ammonium sulfate | Corn (forage - fodder) | 13.42 | 15 | 569.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------|-------------------------------|----------------|------|--------------|--------------|
| Ammonium sulfate | Grape | 0.68 | 1 | 3.64 | A |
| Ammonium sulfate | Grapefruit | 11.44 | 6 | 15.85 | A |
| Ammonium sulfate | Landscape maintenance | 10.94 | N/A | N/A | N/A |
| Ammonium sulfate | Orange | 80.57 | 39 | 232.6 | A |
| Ammonium sulfate | Pistachio | 263.97 | 2 | 280.0 | A |
| Ammonium sulfate | Rights of way | 682.97 | N/A | N/A | N/A |
| Ammonium sulfate | Structural pest control | 3.36 | N/A | N/A | N/A |
| Ammonium sulfate | Uncultivated non-ag | 0.72 | 3 | 3.42 | A |
| Ammonium sulfate | Wheat (forage - fodder) | 9.05 | 6 | 192.0 | A |
| Aspergillus flavus strain nrrl 21882 | Pistachio | 0.13 | 1 | 140.0 | A |
| Azadirachtin | Basil, sweet | 0.12 | 9 | 8.06 | A |
| Azadirachtin | Cannabis (all or unspecified) | 0.22 | 23 | 2.3 | A |
| Azadirachtin | Grapefruit | 0.03 | 2 | 4.7 | A |
| Azadirachtin | Lemon | 0.02 | 2 | 1.8 | A |
| Azadirachtin | Lime | 0.01 | 1 | 1.5 | A |
| Azadirachtin | Orange | 0.2 | 4 | 23.0 | A |
| Azadirachtin | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| Azadirachtin | Tangelo | 0.01 | 1 | 1.5 | A |
| Azadirachtin | Tangerine | 0.03 | 3 | 3.25 | A |
| Azadirachtin | Thyme | 0.02 | 1 | 0.65 | A |
| Azoxystrobin | Basil, sweet | 13.34 | 82 | 84.3 | A |
| Azoxystrobin | Chive | 1.35 | 13 | 8.8 | A |
| Azoxystrobin | Dill | 0.86 | 10 | 5.25 | A |
| Azoxystrobin | Golf course turf | 21.22 | 3 | 54.3 | A |
| Azoxystrobin | Golf course turf | 2.34 | N/A | 220,000.0 | S |
| Azoxystrobin | Landscape maintenance | 20.05 | N/A | N/A | N/A |
| Azoxystrobin | Mint | 3.85 | 37 | 23.85 | A |
| Azoxystrobin | N-grnhs flower | 1.0 | N/A | 110,000.0 | S |
| Azoxystrobin | N-grnhs transplants | 3.0 | N/A | 6.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| Azoxystrobin | N-outdr flower | 2.0 | N/A | 210,000.0 | S |
| Azoxystrobin | N-outdr plants in containers | 1.07 | 15 | 6.8 | A |
| Azoxystrobin | Parsley | 0.03 | 1 | 0.2 | A |
| Azoxystrobin | Rosemary | 2.97 | 20 | 18.7 | A |
| Azoxystrobin | Sage | 4.27 | 56 | 26.4 | A |
| Azoxystrobin | Strawberry | 0.44 | 2 | 1.75 | A |
| Azoxystrobin | Tarragon | 1.14 | 12 | 7.15 | A |
| Azoxystrobin | Thyme | 3.31 | 31 | 20.46 | A |
| Bacillus amyloliquefaciens strain d747 | Basil, sweet | 28.57 | 8 | 7.79 | A |
| Bacillus amyloliquefaciens strain d747 | Chive | 1.72 | 1 | 0.6 | A |
| Bacillus amyloliquefaciens strain d747 | Mint | 2.75 | 1 | 0.75 | A |
| Bacillus amyloliquefaciens strain d747 | Tarragon | 2.75 | 1 | 0.75 | A |
| Bacillus amyloliquefaciens strain d747 | Thyme | 2.75 | 1 | 0.8 | A |
| Bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins | Public health | 116.04 | N/A | N/A | N/A |
| Bacillus thuringiensis (berliner) | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Landscape maintenance | 0.11 | N/A | N/A | N/A |
| Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Public health | 2.07 | N/A | N/A | N/A |
| Bacillus thuringiensis, subsp. aizawai, strain abts-1857 | N-outdr plants in containers | 2.43 | 4 | 4.5 | A |
| Bacillus thuringiensis, subsp. israelensis, strain am 65-52 | Public health | 339.02 | N/A | N/A | N/A |
| Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Basil, sweet | 10.02 | 22 | 20.49 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Chive | 0.2 | 1 | 0.6 | A |
| Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Mint | 4.42 | 11 | 7.55 | A |
| Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr plants in containers | 1.22 | 7 | 2.15 | A |
| Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Parsley | 0.07 | 1 | 0.2 | A |
| Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Rosemary | 1.82 | 3 | 4.0 | A |
| Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Sage | 0.17 | 1 | 0.4 | A |
| Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Thyme | 5.4 | 14 | 9.01 | A |
| Beauveria bassiana strain gha | Landscape maintenance | 0.63 | N/A | N/A | N/A |
| Beauveria bassiana strain gha | Public health | 0.22 | N/A | N/A | N/A |
| Beauveria bassiana strain gha | Structural pest control | 9.27 | N/A | N/A | N/A |
| Bensulide | Vegetables, leafy | 212.05 | 18 | 70.0 | A |
| Benzenesulfonic acid, c10-16-alkyl derivatives | Landscape maintenance | 2.14 | N/A | N/A | N/A |
| Benzoic acid | Rights of way | 23.3 | N/A | N/A | N/A |
| Benzovindiflupyr | Golf course turf | 0.79 | N/A | 5.1 | A |
| Benzovindiflupyr | N-grnhs flower | 0.15 | N/A | 100,000.0 | S |
| Benzovindiflupyr | N-grnhs transplants | 0.79 | N/A | 12.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------|------------------------------|----------------|------|--------------|--------------|
| Beta-cyfluthrin | Citrus | 0.12 | 25 | 4.19 | A |
| Beta-cyfluthrin | Grapefruit | 0.25 | 5 | 12.17 | A |
| Beta-cyfluthrin | Landscape maintenance | 2.98 | N/A | N/A | N/A |
| Beta-cyfluthrin | Lemon | 8.04 | 15 | 502.81 | A |
| Beta-cyfluthrin | Orange | 2.1 | 47 | 78.53 | A |
| Beta-cyfluthrin | Public health | 0.32 | N/A | N/A | N/A |
| Beta-cyfluthrin | Regulatory pest control | 0.16 | N/A | N/A | N/A |
| Beta-cyfluthrin | Structural pest control | 287.31 | N/A | N/A | N/A |
| Bifenazate | Landscape maintenance | 0.07 | N/A | N/A | N/A |
| Bifenthrin | Landscape maintenance | 81.15 | N/A | N/A | N/A |
| Bifenthrin | N-grnhs plants in containers | 0.13 | 1 | 12,000.0 | S |
| Bifenthrin | N-outdr plants in containers | 0.87 | 6 | 5.5 | A |
| Bifenthrin | Pumpkin | 1.59 | 2 | 16.0 | A |
| Bifenthrin | Regulatory pest control | 1,370.15 | N/A | N/A | N/A |
| Bifenthrin | Structural pest control | 2,186.0 | N/A | N/A | N/A |
| Bifenthrin | Uncultivated ag | 0.01 | 1 | 14.0 | A |
| Bis butenylene tetrahydro furfural | Structural pest control | 0.03 | N/A | N/A | N/A |
| Borax | Structural pest control | 1.89 | N/A | N/A | N/A |
| Boric acid | Landscape maintenance | 17.62 | N/A | N/A | N/A |
| Boric acid | Structural pest control | 32,040.33 | N/A | N/A | N/A |
| Brodifacoum | Structural pest control | 0.01 | N/A | N/A | N/A |
| Bromacil | Citrus | 2.4 | 1 | 2.0 | A |
| Bromacil | Landscape maintenance | 22.35 | N/A | N/A | N/A |
| Bromacil | Orange | 9.9 | 3 | 6.25 | A |
| Bromacil | Rights of way | 8,789.65 | N/A | N/A | N/A |
| Bromadiolone | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| Bromadiolone | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| Bromadiolone | Structural pest control | 0.09 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|-------------------------------|----------------|------|--------------|--------------|
| Bromethalin | Landscape maintenance | 0.07 | N/A | N/A | N/A |
| Bromethalin | Structural pest control | 1.59 | N/A | N/A | N/A |
| Bromethalin | Vertebrate control | <0.01 | N/A | N/A | N/A |
| Bromoxynil heptanoate | Alfalfa | 81.73 | 3 | 275.0 | A |
| Bromoxynil octanoate | Alfalfa | 84.76 | 3 | 275.0 | A |
| Bromoxynil octanoate | Oat (forage - fodder) | 4.97 | 1 | 14.0 | A |
| Buprofezin | Landscape maintenance | 0.56 | N/A | N/A | N/A |
| Burkholderia rinojensis strain a396 | Cannabis (all or unspecified) | 37.6 | 11 | 1.1 | A |
| Butyl alcohol | Landscape maintenance | 1.17 | N/A | N/A | N/A |
| Butyl alcohol | Rights of way | 0.03 | N/A | N/A | N/A |
| Butyl lactate | Landscape maintenance | 0.13 | N/A | N/A | N/A |
| Butyl lactate | Rights of way | 1.42 | N/A | N/A | N/A |
| Capric acid | Uncultivated ag | 9.21 | 2 | 38.0 | A |
| Caprylic acid | Uncultivated ag | 13.52 | 2 | 38.0 | A |
| Capsicum oleoresin | Structural pest control | 0.02 | N/A | N/A | N/A |
| Captan | Strawberry | 27.01 | 5 | 20.0 | A |
| Captan, other related | Strawberry | 0.02 | 1 | 1.0 | A |
| Carbaryl | Citrus | 1.89 | 6 | 30,344.0 | S |
| Carbaryl | Landscape maintenance | 52.67 | N/A | N/A | N/A |
| Carbaryl | N-outdr plants in containers | 10.54 | 45 | 25.5 | A |
| Carbaryl | Uncultivated ag | 0.15 | 1 | 0.15 | A |
| Carbon | Landscape maintenance | 5.74 | N/A | N/A | N/A |
| Carbon | Rights of way | 0.09 | N/A | N/A | N/A |
| Carbon | Structural pest control | <0.01 | N/A | N/A | N/A |
| Carbon dioxide | Structural pest control | 0.75 | N/A | N/A | N/A |
| Carfentrazone-ethyl | Golf course turf | 0.06 | N/A | 3.0 | A |
| Carfentrazone-ethyl | Golf course turf | 0.09 | N/A | 144,000.0 | S |
| Carfentrazone-ethyl | Landscape maintenance | 0.02 | 1 | 20.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------|-------------------------|----------------|------|--------------|--------------|
| Carfentrazone-ethyl | Landscape maintenance | 34.39 | N/A | N/A | N/A |
| Carfentrazone-ethyl | N-grnhs flower | 0.06 | N/A | 2.3 | A |
| Carfentrazone-ethyl | N-grnhs flower | 0.07 | N/A | 50,000.0 | S |
| Carfentrazone-ethyl | N-grnhs transplants | 0.24 | N/A | 12.0 | A |
| Carfentrazone-ethyl | Rights of way | 0.56 | N/A | N/A | N/A |
| Carfentrazone-ethyl | Sod farm (turf) | 3.49 | 29 | 345.0 | A |
| Carfentrazone-ethyl | Turf/sod | 0.25 | 3 | 75.0 | A |
| Carfentrazone-ethyl | Wheat (forage - fodder) | 2.81 | 6 | 192.0 | A |
| Chlorantraniliprole | Alfalfa | 13.86 | 9 | 1,260.0 | A |
| Chlorantraniliprole | Golf course turf | 9.76 | 2 | 60.0 | A |
| Chlorantraniliprole | Landscape maintenance | 2.98 | N/A | N/A | N/A |
| Chlorantraniliprole | N-grnhs flower | 1.8 | N/A | 10.0 | A |
| Chlorantraniliprole | N-grnhs transplants | 0.31 | N/A | 3.0 | A |
| Chlorantraniliprole | Structural pest control | 15.1 | N/A | N/A | N/A |
| Chlorantraniliprole | Tomato | 0.3 | 1 | 2.0 | A |
| Chlорfenapyr | Regulatory pest control | 0.33 | N/A | N/A | N/A |
| Chlорfenapyr | Structural pest control | 316.49 | N/A | N/A | N/A |
| Chlorflurenol, methyl ester | Landscape maintenance | 0.09 | N/A | N/A | N/A |
| Chlorine dioxide | Structural pest control | 0.04 | N/A | N/A | N/A |
| Chlorophacinone | Landscape maintenance | 0.27 | N/A | N/A | N/A |
| Chlorophacinone | Structural pest control | 0.13 | N/A | N/A | N/A |
| Chlorothalonil | Golf course turf | 967.13 | 2 | 72.7 | A |
| Chlorothalonil | Golf course turf | 78.55 | N/A | 330,000.0 | S |
| Chlorothalonil | Landscape maintenance | 475.97 | N/A | N/A | N/A |
| Chlorothalonil | N-grnhs flower | 24.11 | N/A | 100,000.0 | S |
| Chlorothalonil | N-grnhs transplants | 90.41 | N/A | 9.0 | A |
| Chlorpyrifos | Rights of way | 252.43 | N/A | N/A | N/A |
| Chlorpyrifos | Structural pest control | 5.37 | N/A | N/A | N/A |
| Chlorsulfuron | Landscape maintenance | 46.93 | N/A | N/A | N/A |
| Chlorsulfuron | Rights of way | 19.42 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|------|--------------|--------------|
| Chlorthal-dimethyl | Vegetables, leafy | 21.32 | 5 | 18.0 | A |
| Cholecalciferol | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| Cholecalciferol | Structural pest control | 14.24 | N/A | N/A | N/A |
| Chromobacterium subtsugae strain praa4-1 | Cannabis (all or unspecified) | 8.96 | 22 | 2.2 | A |
| Citric acid | Avocado | 2.12 | 9 | 42.88 | A |
| Citric acid | Corn (forage - fodder) | 26.85 | 15 | 569.5 | A |
| Citric acid | Grape | 1.37 | 1 | 3.64 | A |
| Citric acid | Grapefruit | 0.64 | 6 | 15.85 | A |
| Citric acid | Landscape maintenance | 2.18 | N/A | N/A | N/A |
| Citric acid | Lemon | 2.43 | 10 | 54.4 | A |
| Citric acid | Orange | 4.51 | 39 | 232.6 | A |
| Citric acid | Rights of way | 69.77 | N/A | N/A | N/A |
| Citric acid | Uncultivated ag | 0.17 | 2 | 38.0 | A |
| Citric acid | Uncultivated non-ag | 1.44 | 3 | 3.42 | A |
| Citric acid | Wheat (forage - fodder) | 18.1 | 6 | 192.0 | A |
| Clarified hydrophobic extract of neem oil | Cannabis (all or unspecified) | 134.84 | 187 | 46.75 | A |
| Clarified hydrophobic extract of neem oil | Cannabis (all or unspecified) | 31.35 | 70 | 496,720.0 | S |
| Clarified hydrophobic extract of neem oil | Landscape maintenance | 3.54 | N/A | N/A | N/A |
| Clarified hydrophobic extract of neem oil | Orange | 63.05 | 2 | 16.5 | A |
| Clethodim | Alfalfa | 85.57 | 6 | 333.0 | A |
| Clethodim | Landscape maintenance | 5.4 | N/A | N/A | N/A |
| Clopyralid, monoethanolamine salt | Golf course turf | <0.01 | N/A | 1.0 | A |
| Clopyralid, monoethanolamine salt | Golf course turf | 0.07 | N/A | 9,000.0 | S |
| Clopyralid, monoethanolamine salt | Landscape maintenance | 24.61 | N/A | N/A | N/A |
| Clopyralid, monoethanolamine salt | Rights of way | 153.52 | N/A | N/A | N/A |
| Clothianidin | Golf course turf | 0.5 | N/A | 2.0 | A |
| Clothianidin | Landscape maintenance | 0.54 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------|-------------------------|----------------|------|--------------|--------------|
| Clothianidin | Regulatory pest control | 0.05 | N/A | N/A | N/A |
| Clothianidin | Structural pest control | 7.38 | N/A | N/A | N/A |
| Coconut diethanolamide | Grapefruit | 5.95 | 6 | 22.5 | A |
| Coconut diethanolamide | Landscape maintenance | 2.51 | N/A | N/A | N/A |
| Coconut diethanolamide | Lemon | 4.76 | 1 | 23.0 | A |
| Coconut diethanolamide | Orange | 163.75 | 66 | 643.95 | A |
| Coconut diethanolamide | Squash, summer | 1.45 | 7 | 5.5 | A |
| Coconut diethanolamide | Stone fruit | 1.75 | 1 | 4.0 | A |
| Coconut diethanolamide | Strawberry | 4.5 | 4 | 19.0 | A |
| Coconut diethanolamide | Watermelon | 0.66 | 3 | 2.5 | A |
| Copper | Landscape maintenance | 521.34 | N/A | N/A | N/A |
| Copper ammonium carbonate | Landscape maintenance | 165.26 | N/A | N/A | N/A |
| Copper ethanolamine complexes, mixed | Water area | 606.47 | N/A | 217.84 | A |
| Copper ethylenediamine complex | Water area | 88.25 | N/A | 12.5 | A |
| Copper hydroxide | Grapefruit | 66.02 | 5 | 21.5 | A |
| Copper hydroxide | Landscape maintenance | 0.82 | N/A | N/A | N/A |
| Copper hydroxide | Orange | 1,918.4 | 68 | 649.95 | A |
| Copper hydroxide | Stone fruit | 39.92 | 2 | 8.0 | A |
| Copper naphthenate | Structural pest control | 0.05 | N/A | N/A | N/A |
| Copper octanoate | Basil, sweet | 17.99 | 49 | 54.4 | A |
| Copper octanoate | Mint | 2.78 | 11 | 8.2 | A |
| Copper oxychloride | Orange | 97.5 | 4 | 39.0 | A |
| Copper salts of fatty and rosin acids | Landscape maintenance | 0.72 | N/A | N/A | N/A |
| Copper sulfate (anhydrous) | Landscape maintenance | 1.48 | N/A | N/A | N/A |
| Copper sulfate (pentahydrate) | Landscape maintenance | 150.46 | N/A | N/A | N/A |
| Copper sulfate (pentahydrate) | Water area | 16,616.34 | 1 | 1,508.95 | A |
| Cuprous oxide | Grapefruit | 12.42 | 2 | 4.7 | A |
| Cuprous oxide | Lemon | 1.01 | 1 | 0.3 | A |
| Cuprous oxide | Orange | 21.81 | 2 | 6.5 | A |
| Cuprous oxide | Tangerine | 5.87 | 2 | 1.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|------------------------------|----------------|------|--------------|--------------|
| Cyantraniliprole | Citrus | 0.01 | 1 | 0.1 | A |
| Cyantraniliprole | Grapefruit | 2.26 | 4 | 21.5 | A |
| Cyantraniliprole | Lemon | 7.55 | 4 | 118.84 | A |
| Cyantraniliprole | Orange | 9.06 | 14 | 87.25 | A |
| Cyazofamid | Golf course turf | 2.32 | N/A | 4.0 | A |
| Cyazofamid | Golf course turf | 4.21 | N/A | 220,000.0 | S |
| Cyazofamid | Landscape maintenance | 4.04 | N/A | N/A | N/A |
| Cyazofamid | N-grnhs transplants | 9.14 | N/A | 9.0 | A |
| Cyazofamid | N-outdr flower | 2.59 | N/A | 100,000.0 | S |
| Cyflufenamid | N-outdr plants in containers | 11.37 | 101 | 136.5 | A |
| Cyfluthrin | Grapefruit | 0.36 | 2 | 11.0 | A |
| Cyfluthrin | Landscape maintenance | 0.16 | N/A | N/A | N/A |
| Cyfluthrin | Lemon | 1.17 | 3 | 41.0 | A |
| Cyfluthrin | Orange | 0.87 | 5 | 26.75 | A |
| Cyfluthrin | Structural pest control | 88.09 | N/A | N/A | N/A |
| Cypermethrin | Landscape maintenance | 46.1 | N/A | N/A | N/A |
| Cypermethrin | Public health | 0.05 | N/A | N/A | N/A |
| Cypermethrin | Structural pest control | 520.79 | N/A | N/A | N/A |
| Cyprodinil | Basil, sweet | 1.85 | 7 | 8.8 | A |
| Cyprodinil | Chive | 0.23 | 2 | 1.0 | A |
| Cyprodinil | Rosemary | 0.66 | 3 | 2.85 | A |
| Cyprodinil | Tarragon | 0.4 | 3 | 1.75 | A |
| D-allethrin | Structural pest control | 0.07 | N/A | N/A | N/A |
| D-allethrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| D-trans allethrin | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| D-trans allethrin | Structural pest control | 0.56 | N/A | N/A | N/A |
| Dazomet | Landscape maintenance | 841.5 | N/A | N/A | N/A |
| Ddvp | Commodity fumigation | 0.67 | N/A | N/A | N/A |
| Ddvp | Fumigation, other | 5.38 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------|---|----------------|------|--------------|--------------|
| Ddvp | Structural pest control | 23.65 | N/A | N/A | N/A |
| Ddvp, other related | Fumigation, other | 0.41 | N/A | N/A | N/A |
| Ddvp, other related | Structural pest control | 0.12 | N/A | N/A | N/A |
| Deltamethrin | Landscape maintenance | 0.24 | N/A | N/A | N/A |
| Deltamethrin | Public health | 0.01 | N/A | N/A | N/A |
| Deltamethrin | Regulatory pest control | 3.23 | N/A | N/A | N/A |
| Deltamethrin | Structural pest control | 1,829.39 | N/A | N/A | N/A |
| Diatomaceous earth | Structural pest control | 27.39 | N/A | N/A | N/A |
| Dicamba | Forage hay/silage | 13.69 | 1 | 110.0 | A |
| Dicamba | Golf course turf | 0.08 | N/A | 3.0 | A |
| Dicamba | Golf course turf | 0.11 | N/A | 144,000.0 | S |
| Dicamba | Landscape maintenance | 0.04 | 1 | 20.0 | A |
| Dicamba | Landscape maintenance | 79.12 | N/A | N/A | N/A |
| Dicamba | N-grnhs flower | 0.47 | N/A | 11.3 | A |
| Dicamba | N-grnhs flower | 0.33 | N/A | 75,000.0 | S |
| Dicamba | N-grnhs transplants | 0.3 | N/A | 12.0 | A |
| Dicamba | Rights of way | 0.7 | N/A | N/A | N/A |
| Dicamba | Sod farm (turf) | 4.33 | 29 | 345.0 | A |
| Dicamba | Turf/sod | 0.69 | 3 | 75.0 | A |
| Dicamba | Uncultivated ag | 8.21 | 1 | 66.0 | A |
| Dicamba, dimethylamine salt | Corn (forage - fodder) | 47.78 | 5 | 158.5 | A |
| Dicamba, dimethylamine salt | Landscape maintenance | 44.85 | N/A | N/A | N/A |
| Dicamba, dimethylamine salt | Oat (forage - fodder) | 44.02 | 7 | 292.0 | A |
| Dicamba, dimethylamine salt | Structural pest control | 0.11 | N/A | N/A | N/A |
| Dicamba, dimethylamine salt | Wheat (forage - fodder) | 50.3 | 8 | 333.68 | A |
| Dichlobenil | Industrial waste disposal systems, disposal water | 4.83 | N/A | 240.0 | U |
| Dichlobenil | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| Dichlobenil | Structural pest control | 29.5 | N/A | N/A | N/A |
| Didecyl dimethyl ammonium chloride | Animal premise | 42.2 | 24 | 29.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|------|--------------|--------------|
| Didecyldimethyl ammonium chloride | Cannabis (all or unspecified) | 0.81 | 2 | 0.2 | A |
| Didecyldimethyl ammonium chloride | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| Didecyldimethyl ammonium chloride | Structural pest control | 5.75 | N/A | N/A | N/A |
| Diethylene glycol | Landscape maintenance | 18.88 | N/A | N/A | N/A |
| Diethylene glycol | N-grnhs flower | 0.7 | 30 | 129,500.0 | S |
| Diethylene glycol | Orange | 2.78 | 2 | 9.5 | A |
| Diethylene glycol | Pumpkin | 0.28 | 1 | 6.0 | A |
| Diethylene glycol | Rights of way | 68.34 | N/A | N/A | N/A |
| Diethylene glycol | Uncultivated non-ag | 0.84 | N/A | 22.0 | A |
| Diethylene glycol | Wheat (forage - fodder) | 8.21 | 8 | 260.94 | A |
| Difenoconazole | Golf course turf | 2.63 | N/A | 5.1 | A |
| Difenoconazole | N-grnhs flower | 0.51 | N/A | 100,000.0 | S |
| Difenoconazole | N-grnhs transplants | 2.63 | N/A | 12.0 | A |
| Difethialone | Structural pest control | 0.18 | N/A | N/A | N/A |
| Diflubenzuron | Structural pest control | 0.01 | N/A | N/A | N/A |
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Forage hay/silage | 45.37 | 1 | 60.0 | A |
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Landscape maintenance | 19.95 | N/A | N/A | N/A |
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Oat | 22.69 | 1 | 120.0 | A |
| Dikegulac sodium | Landscape maintenance | 213.97 | N/A | N/A | N/A |
| Dimethomorph | N-outdr plants in containers | 16.59 | 59 | 83.5 | A |
| Dimethyl alkyl tertiary amines | Rights of way | 25.46 | N/A | N/A | N/A |
| Dimethylpolysiloxane | Alfalfa | 0.25 | 7 | 605.0 | A |
| Dimethylpolysiloxane | Grapefruit | 0.15 | 2 | 4.7 | A |
| Dimethylpolysiloxane | Landscape maintenance | 0.19 | N/A | N/A | N/A |
| Dimethylpolysiloxane | Lemon | 0.07 | 2 | 1.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------|-------------------------|----------------|------|--------------|--------------|
| Dimethylpolysiloxane | Lime | 0.06 | 1 | 1.5 | A |
| Dimethylpolysiloxane | N-grnhs flower | 0.02 | 30 | 129,500.0 | S |
| Dimethylpolysiloxane | Orange | 0.99 | 7 | 37.5 | A |
| Dimethylpolysiloxane | Pistachio | 0.14 | 2 | 280.0 | A |
| Dimethylpolysiloxane | Pumpkin | 0.01 | 1 | 6.0 | A |
| Dimethylpolysiloxane | Rights of way | 10.79 | N/A | N/A | N/A |
| Dimethylpolysiloxane | Structural pest control | 0.03 | N/A | N/A | N/A |
| Dimethylpolysiloxane | Tangelo | 0.06 | 1 | 1.5 | A |
| Dimethylpolysiloxane | Tangerine | 0.13 | 3 | 3.25 | A |
| Dimethylpolysiloxane | Uncultivated non-ag | 0.02 | N/A | 22.0 | A |
| Dimethylpolysiloxane | Wheat (forage - fodder) | 0.18 | 8 | 260.94 | A |
| Dinotefuran | Animal premise | 0.06 | 9 | 9.0 | U |
| Dinotefuran | Landscape maintenance | 7.96 | N/A | N/A | N/A |
| Dinotefuran | N-grnhs flower | 0.55 | 72 | 286,000.0 | S |
| Dinotefuran | Rights of way | 5.96 | N/A | N/A | N/A |
| Dinotefuran | Structural pest control | 16,044.18 | N/A | N/A | N/A |
| Dioctyl dimethyl ammonium chloride | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| Dioctyl dimethyl ammonium chloride | Structural pest control | 3.33 | N/A | N/A | N/A |
| Dioctyl dimethyl ammonium chloride | Water (industrial) | 2,987.07 | N/A | 10.0 | U |
| Diphacinone | Corn (forage - fodder) | <0.01 | 1 | 20.0 | A |
| Diphacinone | Grape | <0.01 | 2 | 1.0 | A |
| Diphacinone | Landscape maintenance | 1.1 | N/A | N/A | N/A |
| Diphacinone | N-outdr flower | <0.01 | 1 | 5.0 | A |
| Diphacinone | Orange | 0.01 | 16 | 81.9 | A |
| Diphacinone | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| Diphacinone | Rights of way | 0.15 | N/A | N/A | N/A |
| Diphacinone | Structural pest control | 1.14 | N/A | N/A | N/A |
| Diphacinone | Uncultivated ag | 0.01 | 7 | 128.0 | A |
| Diphacinone | Uncultivated non-ag | <0.01 | 1 | 0.25 | A |
| Diphacinone | Vertebrate control | <0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|----------------|------|--------------|--------------|
| Diphacinone, sodium salt | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| Diphacinone, sodium salt | Structural pest control | 0.08 | N/A | N/A | N/A |
| Dipropyl isocinchomeronate | Structural pest control | 0.04 | N/A | N/A | N/A |
| Diquat dibromide | Landscape maintenance | 557.24 | N/A | N/A | N/A |
| Diquat dibromide | N-grnhs flower | 0.53 | N/A | 117.0 | A |
| Diquat dibromide | N-outdr flower | 0.18 | N/A | 45.0 | A |
| Diquat dibromide | N-outdr plants in containers | 111.87 | 64 | 80.0 | A |
| Diquat dibromide | Rights of way | 1,089.76 | N/A | N/A | N/A |
| Diquat dibromide | Water area | 607.49 | N/A | 268.5 | A |
| Disodium lauryl sulfosuccinate | Structural pest control | <0.01 | N/A | N/A | N/A |
| Disodium octaborate tetrahydrate | Landscape maintenance | 27,004.88 | N/A | N/A | N/A |
| Disodium octaborate tetrahydrate | Rights of way | 4,202.31 | N/A | N/A | N/A |
| Disodium octaborate tetrahydrate | Structural pest control | 6,238.22 | N/A | N/A | N/A |
| Dithiopyr | Landscape maintenance | 515.75 | N/A | N/A | N/A |
| Dithiopyr | N-grnhs transplants | 8.0 | N/A | 8.0 | A |
| Dithiopyr | Rights of way | 386.82 | N/A | N/A | N/A |
| Diuron | Alfalfa | 610.93 | 7 | 470.0 | A |
| Diuron | Citrus | 2.4 | 1 | 2.0 | A |
| Diuron | Landscape maintenance | 112.8 | N/A | N/A | N/A |
| Diuron | N-grnhs flower | 8.7 | 9 | 40,005.0 | S |
| Diuron | Orange | 5.95 | 3 | 6.25 | A |
| Diuron | Rights of way | 651.81 | N/A | N/A | N/A |
| Dodecylbenzene sulfonic acid | Landscape maintenance | 10.88 | N/A | N/A | N/A |
| Edta, tetrasodium salt | Landscape maintenance | 0.67 | N/A | N/A | N/A |
| Emamectin benzoate | Landscape maintenance | 1.29 | N/A | N/A | N/A |
| Emamectin benzoate | N-grnhs flower | 0.04 | N/A | 6.0 | U |
| Emamectin benzoate | Structural pest control | 0.02 | N/A | N/A | N/A |
| Endothall, dipotassium salt | Water area | 80.38 | N/A | 10.0 | A |
| Esfenvalerate | Commodity fumigation | 1.88 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|----------------|------|--------------|--------------|
| Esfenvalerate | Structural pest control | 108.89 | N/A | N/A | N/A |
| Ethanolamine | Landscape maintenance | 0.39 | N/A | N/A | N/A |
| Ethepron | Golf course turf | 292.72 | 10 | 71.5 | A |
| Ethepron | Landscape maintenance | 40.34 | N/A | N/A | N/A |
| Ethepron | N-grnhs transplants | 89.83 | N/A | 21.0 | A |
| Ethofumesate | Landscape maintenance | 13.37 | N/A | N/A | N/A |
| Ethylene glycol | Structural pest control | 1.65 | N/A | N/A | N/A |
| Etofenprox | Structural pest control | 7.43 | N/A | N/A | N/A |
| Fatty acids derived from tallow | Structural pest control | 0.07 | N/A | N/A | N/A |
| Fatty acids, methyl esters | Alfalfa | 152.99 | 4 | 118.0 | A |
| Fatty acids, methyl esters | Forage hay/silage | 104.31 | 1 | 120.0 | A |
| Fatty acids, methyl esters | Pistachio | 239.91 | 2 | 138.0 | A |
| Fatty acids, methyl esters | Uncultivated ag | 399.86 | 3 | 200.0 | A |
| Fatty acids, mixed | Avocado | 0.97 | 5 | 7.68 | A |
| Fatty acids, mixed | Landscape maintenance | 11.17 | N/A | N/A | N/A |
| Fatty acids, mixed | N-grnhs flower | 1.25 | 30 | 129,500.0 | S |
| Fatty acids, mixed | Oat (forage - fodder) | 0.99 | 8 | 306.0 | A |
| Fatty acids, mixed | Orange | 8.05 | 6 | 48.5 | A |
| Fatty acids, mixed | Pumpkin | 0.5 | 1 | 6.0 | A |
| Fatty acids, mixed | Rights of way | 185.52 | N/A | N/A | N/A |
| Fatty acids, mixed | Uncultivated non-ag | 1.5 | N/A | 22.0 | A |
| Fatty acids, mixed | Wheat (forage - fodder) | 15.64 | 15 | 573.62 | A |
| Fenoxy carb | Structural pest control | 0.02 | N/A | N/A | N/A |
| Fenpropathrin | Citrus | 0.1 | 1 | 0.35 | A |
| Fenpropathrin | Grapefruit | 7.04 | 6 | 22.5 | A |
| Fenpropathrin | Landscape maintenance | 0.46 | N/A | N/A | N/A |
| Fenpropathrin | Lemon | 1.09 | 2 | 3.5 | A |
| Fenpropathrin | N-outdr plants in containers | 0.47 | 3 | 8.0 | A |
| Fenpropathrin | Orange | 177.45 | 63 | 589.45 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|-------------------------|----------------|------|--------------|--------------|
| Fenpropathrin | Squash, summer | 0.16 | 2 | 0.5 | A |
| Fenpyroximate | Lemon | 104.95 | 14 | 501.06 | A |
| Fenvalerate | Structural pest control | 1.29 | N/A | N/A | N/A |
| Ferric sodium edta | Landscape maintenance | 0.11 | N/A | N/A | N/A |
| Fipronil | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| Fipronil | Regulatory pest control | 0.05 | N/A | N/A | N/A |
| Fipronil | Structural pest control | 538.55 | N/A | N/A | N/A |
| Flazasulfuron | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| Flonicamid | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| Flonicamid | Mint | 0.53 | 9 | 5.85 | A |
| Fluazifop-butyl | Landscape maintenance | 0.19 | N/A | N/A | N/A |
| Fluazifop-butyl | Rights of way | 0.12 | N/A | N/A | N/A |
| Fluazifop-p-butyl | Landscape maintenance | 20.83 | N/A | N/A | N/A |
| Fluazifop-p-butyl | Rights of way | 150.76 | N/A | N/A | N/A |
| Fluazinam | Golf course turf | 40.32 | 1 | 39.7 | A |
| Fluazinam | Golf course turf | 3.54 | N/A | 220,000.0 | S |
| Fluazinam | Landscape maintenance | 13.24 | N/A | N/A | N/A |
| Fludioxonil | Basil, sweet | 1.23 | 7 | 8.8 | A |
| Fludioxonil | Chive | 0.16 | 2 | 1.0 | A |
| Fludioxonil | Golf course turf | 9.46 | N/A | 44.0 | A |
| Fludioxonil | Golf course turf | 3.57 | N/A | 220,000.0 | S |
| Fludioxonil | N-grnhs transplants | 4.15 | N/A | 6.0 | A |
| Fludioxonil | N-outdr flower | 2.51 | N/A | 210,000.0 | S |
| Fludioxonil | Rosemary | 0.44 | 3 | 2.85 | A |
| Fludioxonil | Tarragon | 0.27 | 3 | 1.75 | A |
| Flumioxazin | Alfalfa | 9.56 | 2 | 75.0 | A |
| Flumioxazin | Landscape maintenance | 5.05 | N/A | N/A | N/A |
| Flumioxazin | Rights of way | 245.83 | N/A | N/A | N/A |
| Fluopyram | Melon | 0.05 | 1 | 2.0 | A |
| Fluopyram | N-grnhs transplants | 1.34 | N/A | 3.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-----------------------|----------------|------|--------------|--------------|
| Fluopyram | Stone fruit | 0.11 | 1 | 4.0 | A |
| Fluopyram | Strawberry | 0.11 | 1 | 4.0 | A |
| Fluopyram | Tomato | 0.11 | 2 | 4.0 | A |
| Fluopyram | Watermelon | 0.05 | 1 | 2.0 | A |
| Flupyradifurone | Alfalfa | 91.22 | 4 | 500.0 | A |
| Flupyradifurone | Citrus | 0.01 | 1 | 0.1 | A |
| Flupyradifurone | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| Flupyradifurone | Lemon | 33.71 | 7 | 250.22 | A |
| Flupyradifurone | Orange | 4.39 | 10 | 26.3 | A |
| Flurecol-methyl | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| Fluridone | Landscape maintenance | 1.51 | N/A | N/A | N/A |
| Fluroxypyrr, 1-methylheptyl ester | Landscape maintenance | 69.87 | N/A | N/A | N/A |
| Fluroxypyrr, 1-methylheptyl ester | N-grnhs flower | 0.57 | N/A | 9.0 | A |
| Fluroxypyrr, 1-methylheptyl ester | N-grnhs flower | 0.33 | N/A | 25,000.0 | S |
| Flurprimidol | Golf course turf | 12.2 | N/A | 83.69 | A |
| Flurprimidol | Landscape maintenance | 6.41 | N/A | N/A | N/A |
| Flurprimidol | N-grnhs transplants | 20.01 | N/A | 140.0 | A |
| Flutolanil | Golf course turf | 9.43 | N/A | 5.1 | A |
| Flutolanil | Landscape maintenance | 37.8 | N/A | N/A | N/A |
| Flutriafol | Melon | 0.23 | 1 | 2.0 | A |
| Flutriafol | Strawberry | 0.45 | 1 | 4.0 | A |
| Flutriafol | Tomato | 0.23 | 1 | 2.0 | A |
| Flutriafol | Watermelon | 0.23 | 1 | 2.0 | A |
| Fluxapyroxad | Golf course turf | 1.18 | N/A | 5.1 | A |
| Fluxapyroxad | Landscape maintenance | 3.75 | N/A | N/A | N/A |
| Fluxapyroxad | N-grnhs transplants | 1.38 | N/A | 6.0 | A |
| Foramsulfuron | Golf course turf | 0.33 | N/A | 4.75 | A |
| Foramsulfuron | Landscape maintenance | 0.46 | N/A | N/A | N/A |
| Foramsulfuron | N-grnhs transplants | 0.96 | N/A | 105.0 | A |
| Foramsulfuron | Turf/sod | 0.41 | 3 | 75.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| Fosetyl-al | Golf course turf | 48.4 | N/A | 6.0 | A |
| Fosetyl-al | Golf course turf | 66.0 | N/A | 330,000.0 | S |
| Fosetyl-al | Landscape maintenance | 17.6 | N/A | N/A | N/A |
| Fosetyl-al | N-grnhs transplants | 105.6 | N/A | 9.0 | A |
| Fosetyl-al | N-outdr plants in containers | 6.9 | 4 | 4.0 | A |
| Free fatty acids and/or amine salts | Structural pest control | 0.8 | N/A | N/A | N/A |
| Freon 12 | Structural pest control | 0.3 | N/A | N/A | N/A |
| Gamma-cyhalothrin | Structural pest control | 339.76 | N/A | N/A | N/A |
| Gibberellins | Avocado | 2.98 | 4 | 56.5 | A |
| Gibberellins | Lemon | 0.13 | 1 | 1.5 | A |
| Gibberellins | Orange | 6.41 | 24 | 149.65 | A |
| Glufosinate-ammonium | Airport | 13.79 | N/A | 18.0 | A |
| Glufosinate-ammonium | Golf course turf | 0.84 | N/A | 2.0 | A |
| Glufosinate-ammonium | Grape | 3.81 | 2 | 4.14 | A |
| Glufosinate-ammonium | Grapefruit | <0.01 | 1 | 200.0 | S |
| Glufosinate-ammonium | Landscape maintenance | 611.09 | N/A | N/A | N/A |
| Glufosinate-ammonium | N-grnhs flower | 1.76 | N/A | 2.0 | A |
| Glufosinate-ammonium | N-outdr flower | 0.88 | N/A | 1.0 | A |
| Glufosinate-ammonium | N-outdr transplants | 0.88 | N/A | 1.0 | A |
| Glufosinate-ammonium | Orange | 9.4 | 4 | 12.0 | A |
| Glufosinate-ammonium | Rights of way | 25.82 | 1 | 27.0 | A |
| Glufosinate-ammonium | Rights of way | 1,006.29 | N/A | N/A | N/A |
| Glufosinate-ammonium | Uncultivated non-ag | 8.76 | 6 | 6.42 | A |
| Glutaraldehyde | Animal premise | 58.02 | 24 | 29.0 | U |
| Glutaraldehyde | Water (industrial) | 1,230.46 | N/A | 4.0 | U |
| Glycerol | Alfalfa | 123.85 | 6 | 840.0 | A |
| Glycerol | Landscape maintenance | 103.42 | N/A | N/A | N/A |
| Glycerol | Uncultivated ag | 9.73 | 1 | 66.0 | A |
| Glyphosate, diammonium salt | N-grnhs transplants | 0.65 | 1 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|----------------|------|--------------|--------------|
| Glyphosate, dimethylamine salt | Forest, timberland | 5.0 | N/A | 25.0 | A |
| Glyphosate, dimethylamine salt | Landscape maintenance | 185.96 | N/A | N/A | N/A |
| Glyphosate, dimethylamine salt | Rights of way | 993.26 | N/A | N/A | N/A |
| Glyphosate, isopropylamine salt | Airport | 89.72 | N/A | 18.0 | A |
| Glyphosate, isopropylamine salt | Alfalfa | 540.58 | 5 | 270.0 | A |
| Glyphosate, isopropylamine salt | Avocado | 19.65 | 2 | 24.0 | A |
| Glyphosate, isopropylamine salt | Corn (forage - fodder) | 1,330.09 | 28 | 975.82 | A |
| Glyphosate, isopropylamine salt | Forage hay/silage | 220.04 | 1 | 110.0 | A |
| Glyphosate, isopropylamine salt | Golf course turf | 32.94 | N/A | 9.7 | A |
| Glyphosate, isopropylamine salt | Golf course turf | 5.7 | N/A | 28,000.0 | S |
| Glyphosate, isopropylamine salt | Grapefruit | 0.4 | 1 | 200.0 | S |
| Glyphosate, isopropylamine salt | Landscape maintenance | 72.76 | 47 | 574.75 | A |
| Glyphosate, isopropylamine salt | Landscape maintenance | 21,643.43 | N/A | N/A | N/A |
| Glyphosate, isopropylamine salt | N-grnhs flower | 13.51 | N/A | 117.0 | A |
| Glyphosate, isopropylamine salt | N-outdr flower | 14.57 | 2 | 50.0 | A |
| Glyphosate, isopropylamine salt | N-outdr plants in containers | 2,138.34 | 136 | 536.12 | A |
| Glyphosate, isopropylamine salt | N-outdr plants in containers | 1.95 | 5 | 18,000.0 | S |
| Glyphosate, isopropylamine salt | N-outdr plants in containers | 0.46 | 1 | 4,000.0 | U |
| Glyphosate, isopropylamine salt | Orange | 312.04 | 53 | 288.8 | A |
| Glyphosate, isopropylamine salt | Pastureland | 7.99 | 1 | 16.5 | A |
| Glyphosate, isopropylamine salt | Pistachio | 992.17 | 5 | 496.0 | A |
| Glyphosate, isopropylamine salt | Rights of way | 95.69 | 13 | 76.0 | A |
| Glyphosate, isopropylamine salt | Rights of way | 39,077.24 | N/A | N/A | N/A |
| Glyphosate, isopropylamine salt | Structural pest control | 190.78 | N/A | N/A | N/A |
| Glyphosate, isopropylamine salt | Sudangrass | 7.99 | 1 | 60.0 | A |
| Glyphosate, isopropylamine salt | Thyme | 0.38 | 1 | 0.63 | A |
| Glyphosate, isopropylamine salt | Turf/sod | 5.84 | 9 | 225.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------|----------------|------|--------------|--------------|
| Glyphosate, isopropylamine salt | Uncultivated ag | 113.84 | 83 | 339.49 | A |
| Glyphosate, isopropylamine salt | Uncultivated non-ag | 9.7 | N/A | 22.0 | A |
| Glyphosate, isopropylamine salt | Water area | 9.28 | N/A | 99,000.0 | S |
| Glyphosate, monoammonium salt | Landscape maintenance | 249.31 | N/A | N/A | N/A |
| Glyphosate, monoammonium salt | Rights of way | 821.83 | N/A | N/A | N/A |
| Glyphosate, potassium salt | Alfalfa | 1,875.53 | 15 | 1,005.0 | A |
| Glyphosate, potassium salt | Avocado | 466.77 | 52 | 433.48 | A |
| Glyphosate, potassium salt | Corn (forage - fodder) | 392.68 | 11 | 291.0 | A |
| Glyphosate, potassium salt | Forage hay/silage | 220.74 | 1 | 120.0 | A |
| Glyphosate, potassium salt | Golf course turf | 13.79 | N/A | 3.4 | A |
| Glyphosate, potassium salt | Golf course turf | 4.0 | N/A | 5,000.0 | S |
| Glyphosate, potassium salt | Grape | 1.45 | 1 | 0.5 | A |
| Glyphosate, potassium salt | Grapefruit | 143.26 | 12 | 44.1 | A |
| Glyphosate, potassium salt | Landscape maintenance | 9,804.51 | N/A | N/A | N/A |
| Glyphosate, potassium salt | Lemon | 82.75 | 11 | 61.9 | A |
| Glyphosate, potassium salt | N-grnhs transplants | 0.59 | 1 | 1.0 | A |
| Glyphosate, potassium salt | Orange | 1,700.16 | 138 | 1,579.1 | A |
| Glyphosate, potassium salt | Rights of way | 4,789.46 | N/A | N/A | N/A |
| Glyphosate, potassium salt | Stone fruit | 2.76 | 1 | 4.0 | A |
| Glyphosate, potassium salt | Uncultivated ag | 100.75 | 20 | 254.6 | A |
| Glyphosate, potassium salt | Uncultivated non-ag | 31.03 | 6 | 6.3 | A |
| Halosulfuron-methyl | Golf course turf | 0.06 | N/A | 1.0 | A |
| Halosulfuron-methyl | Landscape maintenance | 18.68 | N/A | N/A | N/A |
| Halosulfuron-methyl | N-grnhs transplants | 0.61 | N/A | 12.0 | A |
| Halosulfuron-methyl | Sod farm (turf) | 4.45 | 7 | 95.0 | A |
| Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Rights of way | 1.12 | N/A | N/A | N/A |
| Hexazinone | Alfalfa | 55.44 | 2 | 120.0 | A |
| Hexylene glycol | Rights of way | 161.67 | N/A | N/A | N/A |
| Hexythiazox | Strawberry | 0.94 | 1 | 5.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|-------------------------------|----------------|------|--------------|--------------|
| Hydramethylnon | Landscape maintenance | 0.27 | N/A | N/A | N/A |
| Hydramethylnon | Structural pest control | 17.03 | N/A | N/A | N/A |
| Hydrogen peroxide | Cannabis (all or unspecified) | 116.61 | 176 | 44.0 | A |
| Hydrogen peroxide | Regulatory pest control | 5.1 | N/A | N/A | N/A |
| Hydrogen peroxide | Structural pest control | 4.84 | N/A | N/A | N/A |
| Hydroprene | Regulatory pest control | 0.04 | N/A | N/A | N/A |
| Hydroprene | Structural pest control | 677.86 | N/A | N/A | N/A |
| Imazamox, ammonium salt | Alfalfa | 1.9 | 2 | 55.0 | A |
| Imazamox, ammonium salt | Water area | 0.53 | N/A | 1.0 | A |
| Imazapyr, isopropylamine salt | Landscape maintenance | 295.95 | N/A | N/A | N/A |
| Imazapyr, isopropylamine salt | Rights of way | 25.11 | 10 | 113.0 | A |
| Imazapyr, isopropylamine salt | Rights of way | 4,119.22 | N/A | N/A | N/A |
| Imazapyr, isopropylamine salt | Structural pest control | 3.4 | N/A | N/A | N/A |
| Imazethapyr, ammonium salt | Alfalfa | 3.98 | 1 | 60.0 | A |
| Imazethapyr, ammonium salt | Forage hay/silage | 7.94 | 1 | 120.0 | A |
| Imidacloprid | Basil, sweet | 0.51 | 9 | 10.28 | A |
| Imidacloprid | Citrus | 3.97 | 6 | 30,344.0 | S |
| Imidacloprid | Golf course turf | 17.59 | N/A | 86.0 | A |
| Imidacloprid | Grape | <0.01 | 2 | 1.0 | A |
| Imidacloprid | Grapefruit | 9.61 | 3 | 19.0 | A |
| Imidacloprid | Landscape maintenance | 125.74 | N/A | N/A | N/A |
| Imidacloprid | Lemon | 109.56 | 15 | 509.31 | A |
| Imidacloprid | Melon | 0.76 | 1 | 2.0 | A |
| Imidacloprid | N-grnhs flower | 0.15 | N/A | 16,000.0 | S |
| Imidacloprid | N-grnhs flower | 0.02 | N/A | 3.0 | U |
| Imidacloprid | N-grnhs transplants | 10.8 | N/A | 38.0 | A |
| Imidacloprid | N-grnhs transplants | <0.01 | N/A | 1.0 | U |
| Imidacloprid | N-outdr flower | <0.01 | 1 | 5.0 | A |
| Imidacloprid | Orange | 182.23 | 52 | 389.7 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|------------------------------|----------------|------|--------------|--------------|
| Imidacloprid | Public health | 33.74 | N/A | N/A | N/A |
| Imidacloprid | Regulatory pest control | 5.22 | N/A | N/A | N/A |
| Imidacloprid | Rights of way | 3.28 | N/A | N/A | N/A |
| Imidacloprid | Rosemary | 0.4 | 3 | 3.25 | A |
| Imidacloprid | Strawberry | 2.02 | 1 | 4.0 | A |
| Imidacloprid | Structural pest control | 730.89 | N/A | N/A | N/A |
| Imidacloprid | Tarragon | 0.02 | 1 | 0.4 | A |
| Imidacloprid | Tomato | 0.76 | 1 | 2.0 | A |
| Imidacloprid | Uncultivated non-ag | <0.01 | 1 | 0.25 | A |
| Indaziflam | Golf course turf | 0.95 | N/A | 25.6 | A |
| Indaziflam | Grapefruit | 0.98 | 2 | 15.0 | A |
| Indaziflam | Landscape maintenance | 5.37 | N/A | N/A | N/A |
| Indaziflam | Orange | 14.38 | 25 | 220.95 | A |
| Indaziflam | Rights of way | 1.72 | 1 | 27.0 | A |
| Indaziflam | Rights of way | 464.63 | N/A | N/A | N/A |
| Indaziflam | Structural pest control | 0.02 | N/A | N/A | N/A |
| Indoxacarb | Alfalfa | 29.03 | 5 | 345.0 | A |
| Indoxacarb | Golf course turf | 0.23 | N/A | 3.0 | A |
| Indoxacarb | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| Indoxacarb | N-outdr plants in containers | <0.01 | 2 | 5.34 | A |
| Indoxacarb | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| Indoxacarb | Structural pest control | 36.36 | N/A | N/A | N/A |
| Iodosulfuron-methyl-sodium | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| Iprodione | Golf course turf | 36.98 | 5 | 12.0 | A |
| Iprodione | Landscape maintenance | 5.0 | N/A | N/A | N/A |
| Iprodione | N-grnhs transplants | 29.98 | N/A | 9.0 | A |
| Iron phosphate | Landscape maintenance | 2.1 | N/A | N/A | N/A |
| Iron phosphate | Structural pest control | 0.78 | N/A | N/A | N/A |
| Isofetamid | Structural pest control | 0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| Isopropyl alcohol | Landscape maintenance | 5.5 | N/A | N/A | N/A |
| Isopropyl alcohol | Structural pest control | 1,198.64 | N/A | N/A | N/A |
| Isopropylamine dodecylbenzene sulfonate | Landscape maintenance | 0.71 | N/A | N/A | N/A |
| Isopropylamine dodecylbenzene sulfonate | Rights of way | 1.93 | N/A | N/A | N/A |
| Isoxaben | Airport | 10.5 | N/A | 8.0 | A |
| Isoxaben | Landscape maintenance | 20.33 | N/A | N/A | N/A |
| Isoxaben | N-outdr plants in containers | 0.58 | 2 | 1.0 | A |
| Isoxaben | Rights of way | 347.02 | N/A | N/A | N/A |
| Kaolin | Avocado | 47.5 | 1 | 12.0 | A |
| Lambda-cyhalothrin | Alfalfa | 18.47 | 6 | 700.0 | A |
| Lambda-cyhalothrin | Landscape maintenance | 0.53 | N/A | N/A | N/A |
| Lambda-cyhalothrin | N-grnhs transplants | 0.21 | N/A | 3.0 | A |
| Lambda-cyhalothrin | Pumpkin | 0.19 | 1 | 6.0 | A |
| Lambda-cyhalothrin | Regulatory pest control | 0.69 | N/A | N/A | N/A |
| Lambda-cyhalothrin | Structural pest control | 1,062.77 | N/A | N/A | N/A |
| Lambda-cyhalothrin | Vegetables, leafy | 4.17 | 6 | 45.0 | A |
| Lauric acid | Grapefruit | 1.19 | 6 | 22.5 | A |
| Lauric acid | Lemon | 0.95 | 1 | 23.0 | A |
| Lauric acid | Orange | 32.75 | 66 | 643.95 | A |
| Lauric acid | Squash, summer | 0.29 | 7 | 5.5 | A |
| Lauric acid | Stone fruit | 0.35 | 1 | 4.0 | A |
| Lauric acid | Strawberry | 0.9 | 4 | 19.0 | A |
| Lauric acid | Watermelon | 0.13 | 3 | 2.5 | A |
| Lecithin | Corn (forage - fodder) | 9.01 | 1 | 40.0 | A |
| Lecithin | Landscape maintenance | 175.85 | N/A | N/A | N/A |
| Lecithin | Oat (forage - fodder) | 23.13 | 8 | 306.0 | A |
| Lecithin | Pumpkin | 3.26 | 2 | 16.0 | A |
| Lecithin | Rights of way | 147.22 | N/A | N/A | N/A |
| Lecithin | Uncultivated ag | 0.45 | N/A | 16.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| Lecithin | Wheat (forage - fodder) | 23.64 | 7 | 312.68 | A |
| Limonene | Structural pest control | 28.56 | N/A | N/A | N/A |
| Low molecular weight paraffinic oil | Rights of way | 0.02 | N/A | N/A | N/A |
| Magnesium phosphide | Commodity fumigation | 1.24 | N/A | N/A | N/A |
| Magnesium phosphide | Structural pest control | 2,550.24 | N/A | N/A | N/A |
| Malathion | Landscape maintenance | 2.52 | N/A | N/A | N/A |
| Mancozeb | Golf course turf | 1,590.85 | 15 | 95.0 | A |
| Mancozeb | Landscape maintenance | 327.7 | N/A | N/A | N/A |
| Mancozeb | N-grnhs transplants | 360.0 | N/A | 27.0 | A |
| Mancozeb | Sod farm (turf) | 5,040.0 | 42 | 560.0 | A |
| Mcpa, 2-ethyl hexyl ester | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| Mcpa, dimethylamine salt | Landscape maintenance | 335.86 | N/A | N/A | N/A |
| Mcpa, dimethylamine salt | N-grnhs flower | 4.85 | N/A | 9.0 | A |
| Mcpa, dimethylamine salt | N-grnhs flower | 2.84 | N/A | 25,000.0 | S |
| Mcpa, isoctyl ester | Landscape maintenance | 261.25 | N/A | N/A | N/A |
| Mcpp, dimethylamine salt | Landscape maintenance | 0.37 | N/A | N/A | N/A |
| Mcpp-p, dimethylamine salt | Landscape maintenance | 129.7 | N/A | N/A | N/A |
| Mcpp-p, dimethylamine salt | Structural pest control | 0.32 | N/A | N/A | N/A |
| Mecoprop-p | Golf course turf | 0.45 | N/A | 144,000.0 | S |
| Mecoprop-p | Landscape maintenance | 0.14 | 1 | 20.0 | A |
| Mecoprop-p | Landscape maintenance | 57.52 | N/A | N/A | N/A |
| Mecoprop-p | N-grnhs flower | 0.3 | N/A | 2.3 | A |
| Mecoprop-p | N-grnhs flower | 0.37 | N/A | 50,000.0 | S |
| Mecoprop-p | Sod farm (turf) | 17.2 | 29 | 345.0 | A |
| Mecoprop-p | Turf/sod | 2.38 | 3 | 75.0 | A |
| Mefenoxam | Basil, sweet | 0.47 | 5 | 4.13 | A |
| Mefenoxam | Golf course turf | 17.4 | 4 | 23.0 | A |
| Mefenoxam | Landscape maintenance | 10.08 | N/A | N/A | N/A |
| Mefenoxam | N-grnhs flower | 3.21 | N/A | 210,000.0 | S |
| Mefenoxam | N-grnhs transplants | 9.79 | N/A | 15.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|---|----------------|------|--------------|--------------|
| Mefenoxam | N-outdr plants in containers | 8.35 | 193 | 519.0 | A |
| Mefenoxam | Stone fruit | 4.01 | 1 | 4.0 | A |
| Mefenoxam | Strawberry | 2.0 | 1 | 4.0 | A |
| Mefenoxam | Tomato | 2.0 | 1 | 2.0 | A |
| Mefenoxam, other related | Golf course turf | 0.57 | 4 | 23.0 | A |
| Mefenoxam, other related | Landscape maintenance | 0.22 | N/A | N/A | N/A |
| Mefenoxam, other related | N-grnhs flower | 0.11 | N/A | 210,000.0 | S |
| Mefenoxam, other related | N-grnhs transplants | 0.32 | N/A | 15.0 | A |
| Mefenoxam, other related | N-outdr plants in containers | 0.27 | 191 | 512.0 | A |
| Mefentrifluconazole | Golf course turf | 10.31 | N/A | 14.2 | A |
| Mefentrifluconazole | Golf course turf | 9.37 | N/A | 550,000.0 | S |
| Mefentrifluconazole | Landscape maintenance | 8.18 | N/A | N/A | N/A |
| Mefluidide, diethanolamine salt | Landscape maintenance | 0.41 | N/A | N/A | N/A |
| Mesosulfuron-methyl | Wheat (forage - fodder) | 0.44 | 1 | 33.28 | A |
| Mesotrione | Grapefruit | 1.41 | 2 | 15.0 | A |
| Mesotrione | Landscape maintenance | 1.19 | N/A | N/A | N/A |
| Mesotrione | Orange | 20.58 | 23 | 219.55 | A |
| Mesotrione | Sod farm (turf) | 7.34 | 14 | 235.0 | A |
| Metaflumizone | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| Metaflumizone | Structural pest control | <0.01 | N/A | N/A | N/A |
| Metaldehyde | Landscape maintenance | 0.84 | N/A | N/A | N/A |
| Metaldehyde | N-grnhs flower | 27.38 | 7 | 29,500.0 | S |
| Metaldehyde | Orange | 4.6 | 5 | 36.85 | A |
| Metaldehyde | Structural pest control | 0.04 | N/A | N/A | N/A |
| Metam-sodium | Industrial waste disposal systems, disposal water | 2.9 | N/A | 240.0 | U |
| Metam-sodium | Structural pest control | 17.7 | N/A | N/A | N/A |
| Methomyl | Structural pest control | 0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| Methoprene | Public health | 0.02 | N/A | N/A | N/A |
| Methoprene | Structural pest control | 0.2 | N/A | N/A | N/A |
| Methoxyfenozide | Apple | 2.82 | 5 | 15.0 | A |
| Methoxyfenozide | Basil, sweet | 11.61 | 62 | 61.59 | A |
| Methoxyfenozide | Chive | 0.12 | 1 | 0.75 | A |
| Methoxyfenozide | Dill | 0.23 | 3 | 1.25 | A |
| Methoxyfenozide | Mint | 0.6 | 6 | 3.45 | A |
| Methoxyfenozide | N-outdr plants in containers | 0.79 | 9 | 4.65 | A |
| Methoxyfenozide | Rosemary | 1.54 | 11 | 8.85 | A |
| Methoxyfenozide | Sage | 4.32 | 52 | 24.6 | A |
| Methoxyfenozide | Tarragon | 0.9 | 9 | 5.2 | A |
| Methoxyfenozide | Thyme | 1.78 | 15 | 10.84 | A |
| Methyl bromide | Commodity fumigation | 171.0 | N/A | N/A | N/A |
| Methyl eugenol | Regulatory pest control | 4.21 | N/A | N/A | N/A |
| Methyl silicone resins | Rights of way | 0.06 | N/A | N/A | N/A |
| Methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| Methylated soybean oil | Grapefruit | 17.66 | 6 | 15.85 | A |
| Methylated soybean oil | Landscape maintenance | 358.16 | N/A | N/A | N/A |
| Methylated soybean oil | Lemon | 118.85 | 19 | 606.9 | A |
| Methylated soybean oil | Orange | 156.83 | 55 | 307.35 | A |
| Methylated soybean oil | Pumpkin | 1.63 | 2 | 16.0 | A |
| Methylated soybean oil | Rights of way | 1,612.49 | N/A | N/A | N/A |
| Methylated soybean oil | Stone fruit | 16.68 | 3 | 11.0 | A |
| Methylated soybean oil | Strawberry | 15.16 | 2 | 10.0 | A |
| Methylated soybean oil | Tomato | 0.91 | 1 | 1.2 | A |
| Methylated soybean oil | Uncultivated ag | 0.23 | N/A | 16.0 | A |
| Methylene chloride | Structural pest control | 0.17 | N/A | N/A | N/A |
| Metofluthrin | Regulatory pest control | <0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|-------------------------------|----------------|------|--------------|--------------|
| Metofluthrin | Structural pest control | 0.13 | N/A | N/A | N/A |
| Mineral oil | Apple | 83.35 | 6 | 18.0 | A |
| Mineral oil | Cannabis (all or unspecified) | 64.95 | 31 | 3.1 | A |
| Mineral oil | Citrus | 0.69 | 1 | 0.1 | A |
| Mineral oil | Corn (forage - fodder) | 694.57 | 20 | 592.82 | A |
| Mineral oil | Golf course turf | 2,563.1 | N/A | 176.0 | A |
| Mineral oil | Grape | 8.49 | 1 | 3.64 | A |
| Mineral oil | Grapefruit | 528.45 | 12 | 57.3 | A |
| Mineral oil | Landscape maintenance | 293.94 | N/A | N/A | N/A |
| Mineral oil | Lemon | 13,877.56 | 46 | 1,501.34 | A |
| Mineral oil | N-outdr plants in containers | 5.96 | 1 | 3.5 | A |
| Mineral oil | Orange | 11,782.43 | 132 | 1,209.19 | A |
| Mineral oil | Public health | 263.75 | N/A | N/A | N/A |
| Mineral oil | Rights of way | 694.24 | N/A | N/A | N/A |
| Mineral oil | Structural pest control | 1.69 | N/A | N/A | N/A |
| Mineral oil | Uncultivated non-ag | 8.93 | 3 | 3.42 | A |
| Msma | Landscape maintenance | 61.0 | N/A | N/A | N/A |
| Muscalure | Animal premise | <0.01 | 9 | 9.0 | U |
| Muscalure | Structural pest control | 0.48 | N/A | N/A | N/A |
| Myclobutanil | Apple | 0.15 | 3 | 1.98 | A |
| Myclobutanil | Grape | 0.2 | 1 | 1.5 | A |
| Myclobutanil | Landscape maintenance | 16.9 | N/A | N/A | N/A |
| Myclobutanil | N-outdr plants in containers | 0.21 | 2 | 4.0 | A |
| Myclobutanil | Pumpkin | 2.0 | 2 | 16.0 | A |
| Myclobutanil | Squash, summer | 0.4 | 4 | 4.0 | A |
| Myclobutanil | Stone fruit | 0.3 | 1 | 3.0 | A |
| Myclobutanil | Watermelon | 0.25 | 3 | 2.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Avocado | 1.84 | 9 | 42.88 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Corn (forage - fodder) | 9.96 | 20 | 592.82 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Grape | 0.12 | 1 | 3.64 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Landscape maintenance | 0.06 | N/A | N/A | N/A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Lemon | 2.1 | 10 | 54.4 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Rights of way | 26.93 | N/A | N/A | N/A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Uncultivated ag | 0.15 | 2 | 38.0 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Uncultivated non-ag | 0.13 | 3 | 3.42 | A |
| N-octyl bicycloheptene dicarboximide | Alfalfa | 0.32 | 1 | 12.0 | A |
| N-octyl bicycloheptene dicarboximide | Commodity fumigation | 26.94 | N/A | N/A | N/A |
| N-octyl bicycloheptene dicarboximide | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| N-octyl bicycloheptene dicarboximide | Structural pest control | 393.97 | N/A | N/A | N/A |
| Naa, ammonium salt | Landscape maintenance | 0.36 | N/A | N/A | N/A |
| Naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Landscape maintenance | 0.15 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| Nicarbazin | Structural pest control | 0.08 | N/A | N/A | N/A |
| Nonanoic acid | Landscape maintenance | 4.73 | 30 | 343.5 | A |
| Nonanoic acid | Landscape maintenance | 5.28 | N/A | N/A | N/A |
| Nonanoic acid | Rights of way | 9.15 | N/A | N/A | N/A |
| Nonanoic acid | Turf/sod | 1.86 | 8 | 200.0 | A |
| Nonanoic acid, other related | Landscape maintenance | 0.25 | N/A | N/A | N/A |
| Nonanoic acid, other related | Rights of way | 0.48 | N/A | N/A | N/A |
| Novaluron | Landscape maintenance | 0.11 | N/A | N/A | N/A |
| Novaluron | Structural pest control | 33.17 | N/A | N/A | N/A |
| Noviflumuron | Structural pest control | 0.89 | N/A | N/A | N/A |
| Octyl decyl dimethyl ammonium chloride | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| Octyl decyl dimethyl ammonium chloride | Structural pest control | 6.58 | N/A | N/A | N/A |
| Oil of citronella | Structural pest control | 0.27 | N/A | N/A | N/A |
| Oleic acid | Structural pest control | 0.23 | N/A | N/A | N/A |
| Oleic acid, ethyl ester | Rights of way | 2,058.94 | N/A | N/A | N/A |
| Oleic acid, methyl ester | Corn (forage - fodder) | 42.04 | 1 | 40.0 | A |
| Oleic acid, methyl ester | Landscape maintenance | 1.35 | N/A | N/A | N/A |
| Oleic acid, methyl ester | Rights of way | 71.93 | N/A | N/A | N/A |
| Organomodified polysiloxane | Structural pest control | 0.02 | N/A | N/A | N/A |
| Organosilicone, poly oxyalkylene ether copolymer | Landscape maintenance | 7.41 | N/A | N/A | N/A |
| Organosilicone, poly oxyalkylene ether copolymer | Rights of way | 1.73 | N/A | N/A | N/A |
| Oryzalin | Landscape maintenance | 23.03 | N/A | N/A | N/A |
| Oryzalin | Lemon | 34.32 | 2 | 16.5 | A |
| Oryzalin | Rights of way | 22.88 | N/A | N/A | N/A |
| Oxadiazon | Landscape maintenance | 15.4 | N/A | N/A | N/A |
| Oxadiazon | N-outdr plants in containers | 32.46 | 38 | 36.0 | A |
| Oxathiapiprolin | Avocado | 7.52 | 15 | 122.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-----------------------|----------------|------|--------------|--------------|
| Oxathiapiprolin | Grapefruit | 0.59 | 3 | 19.0 | A |
| Oxathiapiprolin | Lemon | 1.36 | 2 | 21.6 | A |
| Oxathiapiprolin | Orange | 13.06 | 46 | 363.45 | A |
| Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylhexyl) ether | Landscape maintenance | 4.98 | N/A | N/A | N/A |
| Oxyfluorfen | Landscape maintenance | 8.47 | N/A | N/A | N/A |
| Oxyfluorfen | Pistachio | 232.41 | 5 | 496.0 | A |
| Oxyfluorfen | Rights of way | 3,145.87 | N/A | N/A | N/A |
| Oxyfluorfen | Strawberry | 2.01 | 1 | 4.0 | A |
| Oxytetracycline hydrochloride | Landscape maintenance | 0.19 | N/A | N/A | N/A |
| Oxytetracycline hydrochloride | N-outdr flower | 0.04 | N/A | 22.0 | U |
| Oxytetracycline hydrochloride, other related | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| Paclobutrazol | Landscape maintenance | 35.09 | N/A | N/A | N/A |
| Paclobutrazol | N-grnhs transplants | 0.05 | N/A | 1.0 | U |
| Paclobutrazol | N-outdr flower | 0.47 | N/A | 20,000.0 | S |
| Paraquat dichloride | Avocado | 3.81 | 10 | 13.04 | A |
| Pendimethalin | Alfalfa | 620.92 | 4 | 340.0 | A |
| Pendimethalin | Golf course turf | 8.83 | N/A | 12.1 | A |
| Pendimethalin | Golf course turf | 1.2 | N/A | 28,000.0 | S |
| Pendimethalin | Grape | 13.79 | 1 | 3.64 | A |
| Pendimethalin | Landscape maintenance | 1,051.38 | N/A | N/A | N/A |
| Pendimethalin | N-grnhs transplants | 0.89 | 1 | 1.0 | A |
| Pendimethalin | Rights of way | 584.92 | N/A | N/A | N/A |
| Pendimethalin | Uncultivated ag | 0.89 | 1 | 1.5 | A |
| Pendimethalin | Uncultivated non-ag | 19.39 | 4 | 4.82 | A |
| Penoxsulam | Landscape maintenance | 0.18 | N/A | N/A | N/A |
| Penoxsulam | Rights of way | 62.76 | N/A | N/A | N/A |
| Penthiopyrad | Golf course turf | 27.06 | 5 | 38.4 | A |
| Penthiopyrad | Landscape maintenance | 16.69 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|-------------------------------|----------------|------|--------------|--------------|
| Penthiopyrad | N-grnhs flower | 1.38 | N/A | 110,000.0 | S |
| Penthiopyrad | N-grnhs transplants | 4.13 | N/A | 6.0 | A |
| Penthiopyrad | Squash, summer | 1.14 | 7 | 5.5 | A |
| Penthiopyrad | Stone fruit | 0.78 | 1 | 3.0 | A |
| Penthiopyrad | Tomato | 0.37 | 1 | 1.2 | A |
| Penthiopyrad | Watermelon | 0.52 | 3 | 2.5 | A |
| Permethrin | Animal premise | 16.69 | N/A | 27.0 | U |
| Permethrin | Landscape maintenance | 9.56 | N/A | N/A | N/A |
| Permethrin | N-grnhs flower | 7.08 | N/A | 39.0 | U |
| Permethrin | N-outdr flower | 3.15 | N/A | 27.0 | U |
| Permethrin | N-outdr plants in containers | 11.79 | 46 | 69.0 | A |
| Permethrin | Structural pest control | 678.72 | N/A | N/A | N/A |
| Permethrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| Peroxyacetic acid | Cannabis (all or unspecified) | 8.31 | 157 | 39.25 | A |
| Peroxyacetic acid | Regulatory pest control | 0.32 | N/A | N/A | N/A |
| Petroleum distillates | Alfalfa | 38.12 | 1 | 12.0 | A |
| Petroleum distillates | Structural pest control | 104.65 | N/A | N/A | N/A |
| Petroleum distillates, aromatic | Structural pest control | 0.14 | N/A | N/A | N/A |
| Petroleum oil, paraffin based | Forest, timberland | 2.14 | N/A | 25.0 | A |
| Petroleum oil, unclassified | Grapefruit | 34.73 | 1 | 5.0 | A |
| Petroleum oil, unclassified | Landscape maintenance | 8.33 | N/A | N/A | N/A |
| Petroleum oil, unclassified | Orange | 357.73 | 7 | 51.5 | A |
| Petroleum oil, unclassified | Structural pest control | 0.35 | N/A | N/A | N/A |
| Phenothrin | Structural pest control | 8.12 | N/A | N/A | N/A |
| Phenothrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| Phenylethyl propionate | Structural pest control | 0.14 | N/A | N/A | N/A |
| Phosmet | Apple | 10.5 | 3 | 9.0 | A |
| Phosphoric acid | Grapefruit | 3.54 | 6 | 15.85 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| Phosphoric acid | Landscape maintenance | 6.42 | N/A | N/A | N/A |
| Phosphoric acid | Orange | 24.93 | 39 | 232.6 | A |
| Phosphoric acid | Rights of way | 211.34 | N/A | N/A | N/A |
| Pine oil | Structural pest control | 0.04 | N/A | N/A | N/A |
| Pinoxaden | Wheat (forage - fodder) | 1.91 | 1 | 35.66 | A |
| Piperonyl butoxide | Alfalfa | 0.15 | 1 | 12.0 | A |
| Piperonyl butoxide | Animal premise | 16.69 | N/A | 27.0 | U |
| Piperonyl butoxide | Basil, sweet | 4.83 | 13 | 12.15 | A |
| Piperonyl butoxide | Chive | 4.03 | 14 | 9.3 | A |
| Piperonyl butoxide | Commodity fumigation | 15.02 | N/A | N/A | N/A |
| Piperonyl butoxide | Dill | 2.24 | 9 | 5.05 | A |
| Piperonyl butoxide | Landscape maintenance | 53.23 | N/A | N/A | N/A |
| Piperonyl butoxide | Mint | 8.51 | 32 | 20.45 | A |
| Piperonyl butoxide | N-outdr plants in containers | 3.04 | 15 | 6.65 | A |
| Piperonyl butoxide | Parsley | 0.06 | 1 | 0.2 | A |
| Piperonyl butoxide | Public health | 0.57 | N/A | N/A | N/A |
| Piperonyl butoxide | Regulatory pest control | 0.14 | N/A | N/A | N/A |
| Piperonyl butoxide | Rosemary | 8.38 | 22 | 20.45 | A |
| Piperonyl butoxide | Structural pest control | 809.59 | N/A | N/A | N/A |
| Piperonyl butoxide | Tarragon | 3.39 | 14 | 8.05 | A |
| Piperonyl butoxide | Thyme | 6.81 | 20 | 14.5 | A |
| Piperonyl butoxide, other related | Alfalfa | 0.04 | 1 | 12.0 | A |
| Piperonyl butoxide, other related | Basil, sweet | 1.21 | 13 | 12.15 | A |
| Piperonyl butoxide, other related | Chive | 1.01 | 14 | 9.3 | A |
| Piperonyl butoxide, other related | Commodity fumigation | 3.76 | N/A | N/A | N/A |
| Piperonyl butoxide, other related | Dill | 0.56 | 9 | 5.05 | A |
| Piperonyl butoxide, other related | Landscape maintenance | 13.26 | N/A | N/A | N/A |
| Piperonyl butoxide, other related | Mint | 2.13 | 32 | 20.45 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| Piperonyl butoxide, other related | N-outdr plants in containers | 0.76 | 15 | 6.65 | A |
| Piperonyl butoxide, other related | Parsley | 0.02 | 1 | 0.2 | A |
| Piperonyl butoxide, other related | Public health | 0.01 | N/A | N/A | N/A |
| Piperonyl butoxide, other related | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| Piperonyl butoxide, other related | Rosemary | 2.09 | 22 | 20.45 | A |
| Piperonyl butoxide, other related | Structural pest control | 43.72 | N/A | N/A | N/A |
| Piperonyl butoxide, other related | Tarragon | 0.85 | 14 | 8.05 | A |
| Piperonyl butoxide, other related | Thyme | 1.7 | 20 | 14.5 | A |
| Polyacrylamide polymer | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| Polyacrylamide polymer | Structural pest control | 0.01 | N/A | N/A | N/A |
| Polyacrylamide, polyethylene glycol mixture | Rights of way | 12.24 | N/A | N/A | N/A |
| Polyacrylic polymer | Grapefruit | 0.32 | 6 | 15.85 | A |
| Polyacrylic polymer | Landscape maintenance | 0.19 | N/A | N/A | N/A |
| Polyacrylic polymer | Orange | 2.26 | 39 | 232.6 | A |
| Polyacrylic polymer | Rights of way | 19.13 | N/A | N/A | N/A |
| Polyalkene oxide modified heptamethyl trisiloxane | Avocado | 12.56 | 8 | 33.86 | A |
| Polyalkene oxide modified heptamethyl trisiloxane | Grapefruit | 0.88 | 6 | 15.85 | A |
| Polyalkene oxide modified heptamethyl trisiloxane | Landscape maintenance | 1.71 | N/A | N/A | N/A |
| Polyalkene oxide modified heptamethyl trisiloxane | Lemon | 5.74 | 18 | 597.9 | A |
| Polyalkene oxide modified heptamethyl trisiloxane | Orange | 7.84 | 55 | 307.35 | A |
| Polyalkene oxide modified heptamethyl trisiloxane | Rights of way | 12.14 | N/A | N/A | N/A |
| Polyalkene oxide modified heptamethyl trisiloxane | Stone fruit | 0.83 | 3 | 11.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|------|--------------|--------------|
| Polyalkene oxide modified heptamethyl trisiloxane | Strawberry | 0.76 | 2 | 10.0 | A |
| Polyalkene oxide modified heptamethyl trisiloxane | Tomato | 0.05 | 1 | 1.2 | A |
| Polyalkyleneoxide modified polydimethyl-siloxane | Avocado | 11.13 | 1 | 28.0 | A |
| Polybutenes | Structural pest control | 3.66 | N/A | N/A | N/A |
| Polyether modified polysiloxane | Lemon | 0.64 | 1 | 9.0 | A |
| Polyethoxylated castor oil | Lemon | 0.21 | 1 | 9.0 | A |
| Polyethylene glycol stearate | Rights of way | 514.36 | N/A | N/A | N/A |
| Polyoxin d, zinc salt | Golf course turf | 5.97 | 2 | 20.2 | A |
| Polyoxyethylene dioleate | Rights of way | 0.26 | N/A | N/A | N/A |
| Polyoxyethylene polyol fatty acid esters | Rights of way | 2.11 | N/A | N/A | N/A |
| Polyoxyethylene polyoxypropylene | Grapefruit | 0.59 | 2 | 4.7 | A |
| Polyoxyethylene polyoxypropylene | Lemon | 0.29 | 2 | 1.8 | A |
| Polyoxyethylene polyoxypropylene | Lime | 0.24 | 1 | 1.5 | A |
| Polyoxyethylene polyoxypropylene | Orange | 3.66 | 4 | 23.0 | A |
| Polyoxyethylene polyoxypropylene | Tangelo | 0.24 | 1 | 1.5 | A |
| Polyoxyethylene polyoxypropylene | Tangerine | 0.52 | 3 | 3.25 | A |
| Polyoxyethylene sorbitan mixed fatty acid esters | Forest, timberland | 0.33 | N/A | 25.0 | A |
| Polyoxyethylene sorbitan monolaurate | Landscape maintenance | 1.13 | N/A | N/A | N/A |
| Polyoxyethylene sorbitan monooleate | Landscape maintenance | 2.83 | N/A | N/A | N/A |
| Polyoxyethylene sorbitan monooleate | Rights of way | 7.79 | N/A | N/A | N/A |
| Polyoxyethylene sorbitan trioleate | Landscape maintenance | 18.63 | N/A | N/A | N/A |
| Polyoxyethylene sorbitan trioleate | Rights of way | 50.77 | N/A | N/A | N/A |
| Polypropylene glycol | Rights of way | 0.08 | N/A | N/A | N/A |
| Polysorbate 65 | Rights of way | 33.58 | N/A | N/A | N/A |
| Potash soap | Cannabis (all or unspecified) | 10.94 | 6 | 0.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|-------------------------------|----------------|------|--------------|--------------|
| Potash soap | Landscape maintenance | 14.69 | N/A | N/A | N/A |
| Potash soap | N-outdr plants in containers | 16.65 | 2 | 2.0 | A |
| Potash soap | Public health | 0.79 | N/A | N/A | N/A |
| Potassium bicarbonate | Basil, sweet | 102.65 | 56 | 62.55 | A |
| Potassium bicarbonate | Dill | 1.28 | 1 | 0.75 | A |
| Potassium bicarbonate | N-outdr plants in containers | 1.49 | 2 | 0.8 | A |
| Potassium bicarbonate | Rosemary | 21.04 | 13 | 12.45 | A |
| Potassium bicarbonate | Sage | 47.81 | 58 | 27.55 | A |
| Potassium bicarbonate | Tarragon | 1.28 | 1 | 0.75 | A |
| Potassium bicarbonate | Thyme | 17.21 | 16 | 9.46 | A |
| Potassium nitrate | Landscape maintenance | 16.18 | N/A | N/A | N/A |
| Potassium phosphite | Cannabis (all or unspecified) | 10.18 | 19 | 4.75 | A |
| Potassium phosphite | Landscape maintenance | 79.71 | N/A | N/A | N/A |
| Potassium phosphite | Regulatory pest control | 0.47 | N/A | N/A | N/A |
| Potassium silicate | Orange | 0.38 | 1 | 4.0 | A |
| Prallethrin | Public health | 0.05 | N/A | N/A | N/A |
| Prallethrin | Structural pest control | 38.39 | N/A | N/A | N/A |
| Prodiamine | Golf course turf | 21.69 | N/A | 36.0 | A |
| Prodiamine | Landscape maintenance | 883.83 | N/A | N/A | N/A |
| Prodiamine | N-grnhs flower | 69.59 | N/A | 112.0 | A |
| Prodiamine | N-grnhs transplants | 24.15 | N/A | 59.0 | A |
| Prodiamine, other related | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| Propamocarb | Landscape maintenance | 5.63 | N/A | N/A | N/A |
| Propamocarb hydrochloride | Golf course turf | 29.43 | N/A | 8.0 | A |
| Propamocarb hydrochloride | Golf course turf | 15.47 | N/A | 110,000.0 | S |
| Propamocarb hydrochloride | Landscape maintenance | 11.25 | N/A | N/A | N/A |
| Propamocarb hydrochloride | N-grnhs transplants | 89.99 | N/A | 9.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|-------------------------|----------------|------|--------------|--------------|
| Propiconazole | Golf course turf | 69.04 | 9 | 85.4 | A |
| Propiconazole | Golf course turf | 3.48 | N/A | 110,000.0 | S |
| Propiconazole | Landscape maintenance | 352.76 | N/A | N/A | N/A |
| Propiconazole | N-grnhs flower | 1.35 | N/A | 110,000.0 | S |
| Propiconazole | N-grnhs flower | 0.02 | N/A | 2.0 | U |
| Propiconazole | N-grnhs transplants | 8.09 | N/A | 6.0 | A |
| Propionic acid | Landscape maintenance | 48.44 | N/A | N/A | N/A |
| Propionic acid | Oat (forage - fodder) | 23.13 | 8 | 306.0 | A |
| Propionic acid | Wheat (forage - fodder) | 23.64 | 7 | 312.68 | A |
| Propoxur | Structural pest control | 0.01 | N/A | N/A | N/A |
| Propylene glycol | Grapefruit | 2.02 | 6 | 22.5 | A |
| Propylene glycol | Landscape maintenance | 12.71 | N/A | N/A | N/A |
| Propylene glycol | Lemon | 1.62 | 1 | 23.0 | A |
| Propylene glycol | Orange | 56.77 | 67 | 648.95 | A |
| Propylene glycol | Rights of way | 29.99 | N/A | N/A | N/A |
| Propylene glycol | Squash, summer | 0.49 | 7 | 5.5 | A |
| Propylene glycol | Stone fruit | 0.6 | 1 | 4.0 | A |
| Propylene glycol | Strawberry | 1.53 | 4 | 19.0 | A |
| Propylene glycol | Watermelon | 0.22 | 3 | 2.5 | A |
| Pyraclostrobin | Golf course turf | 11.88 | 3 | 26.2 | A |
| Pyraclostrobin | Golf course turf | 2.46 | N/A | 220,000.0 | S |
| Pyraclostrobin | Landscape maintenance | 24.11 | N/A | N/A | N/A |
| Pyraclostrobin | Lemon | 108.18 | 14 | 501.06 | A |
| Pyraclostrobin | N-grnhs flower | 0.99 | N/A | 110,000.0 | S |
| Pyraclostrobin | N-grnhs transplants | 4.27 | N/A | 9.0 | A |
| Pyraclostrobin | N-outdr flower | 0.91 | N/A | 110,000.0 | S |
| Pyrethrins | Basil, sweet | 0.6 | 13 | 12.15 | A |
| Pyrethrins | Chive | 0.5 | 14 | 9.3 | A |
| Pyrethrins | Commodity fumigation | 9.39 | N/A | N/A | N/A |
| Pyrethrins | Dill | 0.28 | 9 | 5.05 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| Pyrethrins | Landscape maintenance | 13.29 | N/A | N/A | N/A |
| Pyrethrins | Mint | 1.06 | 32 | 20.45 | A |
| Pyrethrins | N-outdr plants in containers | 0.38 | 15 | 6.65 | A |
| Pyrethrins | Parsley | 0.01 | 1 | 0.2 | A |
| Pyrethrins | Public health | 0.06 | N/A | N/A | N/A |
| Pyrethrins | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| Pyrethrins | Rosemary | 1.05 | 22 | 20.45 | A |
| Pyrethrins | Squash, summer | 0.05 | 1 | 1.0 | A |
| Pyrethrins | Structural pest control | 156.34 | N/A | N/A | N/A |
| Pyrethrins | Tarragon | 0.42 | 14 | 8.05 | A |
| Pyrethrins | Thyme | 0.85 | 20 | 14.5 | A |
| Pyrethrins | Watermelon | 0.02 | 1 | 0.5 | A |
| Pyriproxyfen | Commodity fumigation | 0.94 | N/A | N/A | N/A |
| Pyriproxyfen | Landscape maintenance | 4.78 | N/A | N/A | N/A |
| Pyriproxyfen | Public health | 2.73 | N/A | N/A | N/A |
| Pyriproxyfen | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| Pyriproxyfen | Structural pest control | 153.1 | N/A | N/A | N/A |
| Pyroxsulam | Wheat (forage - fodder) | 2.26 | 5 | 171.0 | A |
| Qst 713 strain of dried bacillus subtilis | Basil, sweet | 3.64 | 74 | 79.75 | A |
| Qst 713 strain of dried bacillus subtilis | Chive | 0.35 | 11 | 7.45 | A |
| Qst 713 strain of dried bacillus subtilis | Dill | 0.11 | 6 | 2.65 | A |
| Qst 713 strain of dried bacillus subtilis | Landscape maintenance | 0.34 | N/A | N/A | N/A |
| Qst 713 strain of dried bacillus subtilis | Mint | 1.02 | 33 | 21.95 | A |
| Qst 713 strain of dried bacillus subtilis | N-outdr plants in containers | 0.35 | 16 | 7.65 | A |
| Qst 713 strain of dried bacillus subtilis | Rosemary | 0.51 | 14 | 11.7 | A |
| Qst 713 strain of dried bacillus subtilis | Sage | 0.06 | 3 | 1.2 | A |
| Qst 713 strain of dried bacillus subtilis | Tarragon | 0.11 | 5 | 2.6 | A |
| Qst 713 strain of dried bacillus subtilis | Thyme | 0.4 | 15 | 10.7 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------|-------------------------|----------------|------|--------------|--------------|
| Quinclorac | Landscape maintenance | 2.32 | N/A | N/A | N/A |
| Quinclorac, dimethylamine salt | Landscape maintenance | 22.19 | N/A | N/A | N/A |
| Quinclorac, dimethylamine salt | N-grnhs transplants | 5.79 | N/A | 8.0 | A |
| Quinoxifen | Grape | <0.01 | 1 | 0.06 | A |
| Quinoxifen | Landscape maintenance | 0.14 | N/A | N/A | N/A |
| Resmethrin | Structural pest control | 0.18 | N/A | N/A | N/A |
| Resmethrin, other related | Structural pest control | 0.02 | N/A | N/A | N/A |
| Reynoutria sachalinensis | Regulatory pest control | 0.41 | N/A | N/A | N/A |
| Rimsulfuron | Orange | 0.34 | 3 | 5.4 | A |
| Rimsulfuron | Rights of way | 51.05 | N/A | N/A | N/A |
| Rotenone | Structural pest control | <0.01 | N/A | N/A | N/A |
| Rotenone, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| S-methoprene | Landscape maintenance | 0.31 | N/A | N/A | N/A |
| S-methoprene | Public health | 3.53 | N/A | N/A | N/A |
| S-methoprene | Structural pest control | 1.38 | N/A | N/A | N/A |
| S-methoprene | Water area | 0.72 | N/A | 199,000.0 | S |
| Saflufenacil | Grapefruit | 0.69 | 6 | 15.85 | A |
| Saflufenacil | Landscape maintenance | 0.95 | N/A | N/A | N/A |
| Saflufenacil | Orange | 8.54 | 37 | 203.85 | A |
| Saflufenacil | Rights of way | 0.68 | N/A | N/A | N/A |
| Saflufenacil | Uncultivated ag | 5.13 | 3 | 200.0 | A |
| Sethoxydim | Landscape maintenance | 1.14 | N/A | N/A | N/A |
| Siduron | Golf course turf | 12.0 | N/A | 4.0 | A |
| Silica aerogel | Public health | 2.33 | N/A | N/A | N/A |
| Silica aerogel | Structural pest control | 111.83 | N/A | N/A | N/A |
| Silica filled polydimethylsiloxane | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| Silicone defoamer | Landscape maintenance | 0.28 | N/A | N/A | N/A |
| Simazine | Avocado | 5.57 | 10 | 13.04 | A |
| Simazine | Landscape maintenance | 332.15 | N/A | N/A | N/A |
| Simazine | Lemon | 32.83 | 2 | 16.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--|----------------|------|--------------|--------------|
| Simazine | Orange | 3.98 | 1 | 3.5 | A |
| Simazine | Rights of way | 21.09 | N/A | N/A | N/A |
| Sodium alpha-olefin (c14-c16) sulfonate | Rights of way | 1,230.52 | N/A | N/A | N/A |
| Sodium bromide | Water (industrial) | 2,919.48 | N/A | 485.0 | U |
| Sodium bromosulfamate, sodium chlorosulfamate, potassium bromosulfamate, potassium chlorosulfamate | Water (industrial) | 6,463.09 | N/A | 64.0 | U |
| Sodium carbonate peroxyhydrate | Water area | 3,546.63 | N/A | 83.45 | A |
| Sodium chlorate | Water (industrial) | 16,767.92 | N/A | 1.0 | U |
| Sodium decyl sulfate | Structural pest control | 8.7 | N/A | N/A | N/A |
| Sodium dichloro-s-triazinetrione | Water (industrial) | 135.0 | N/A | 3.0 | U |
| Sodium dichloro-s-triazinetrione dihydrate | Water (industrial) | 643.5 | N/A | 5.0 | U |
| Sodium hypochlorite | Food processing plant | 269.89 | N/A | 3.0 | U |
| Sodium hypochlorite | Water (industrial) | 5,331.69 | N/A | 1,036.0 | U |
| Sodium hypochlorite | Water systems - human potable/drinking | 12.59 | N/A | 1.0 | U |
| Sodium lauroampho acetate | Structural pest control | 6.57 | N/A | N/A | N/A |
| Sodium lauryl sulfate | Structural pest control | 4.43 | N/A | N/A | N/A |
| Sodium nitrate | Landscape maintenance | 15.94 | N/A | N/A | N/A |
| Sodium nitrate | Rights of way | 0.17 | N/A | N/A | N/A |
| Sodium nitrate | Structural pest control | 0.01 | N/A | N/A | N/A |
| Sodium polyacrylate | Corn (forage - fodder) | 1.34 | 15 | 569.5 | A |
| Sodium polyacrylate | Grape | 0.07 | 1 | 3.64 | A |
| Sodium polyacrylate | Uncultivated non-ag | 0.07 | 3 | 3.42 | A |
| Sodium polyacrylate | Wheat (forage - fodder) | 0.91 | 6 | 192.0 | A |
| Sodium xylene sulfonate | Alfalfa | 18.89 | 6 | 840.0 | A |
| Sodium xylene sulfonate | Landscape maintenance | 3.45 | N/A | N/A | N/A |
| Sodium xylene sulfonate | Uncultivated ag | 1.48 | 1 | 66.0 | A |
| Sorbitan fatty acid esters | Forest, timberland | 0.07 | N/A | 25.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|------------------------------|----------------|------|--------------|--------------|
| Sorbitan trioleate | Rights of way | 33.58 | N/A | N/A | N/A |
| Spinetoram | Apple | 0.25 | 2 | 6.0 | A |
| Spinetoram | Lemon | 1.52 | 2 | 19.5 | A |
| Spinetoram | Orange | 19.24 | 36 | 209.65 | A |
| Spinetoram | Squash, summer | 0.13 | 2 | 2.0 | A |
| Spinetoram | Stone fruit | 0.77 | 2 | 7.0 | A |
| Spinetoram | Strawberry | 0.31 | 1 | 5.0 | A |
| Spinetoram | Tomato | 0.09 | 1 | 1.2 | A |
| Spinetoram | Watermelon | 0.06 | 1 | 1.0 | A |
| Spinosad | Apple | 0.37 | 3 | 1.98 | A |
| Spinosad | Basil, sweet | 1.62 | 16 | 21.76 | A |
| Spinosad | Chive | 0.62 | 12 | 7.95 | A |
| Spinosad | Dill | 0.05 | 1 | 0.85 | A |
| Spinosad | Landscape maintenance | 0.46 | N/A | N/A | N/A |
| Spinosad | Mint | 1.18 | 24 | 15.45 | A |
| Spinosad | N-outdr plants in containers | 0.26 | 6 | 3.4 | A |
| Spinosad | Public health | 64.65 | N/A | N/A | N/A |
| Spinosad | Regulatory pest control | 0.17 | N/A | N/A | N/A |
| Spinosad | Rosemary | 0.03 | 1 | 0.6 | A |
| Spinosad | Sage | 0.13 | 4 | 1.8 | A |
| Spinosad | Structural pest control | <0.01 | N/A | N/A | N/A |
| Spinosad | Tarragon | 0.1 | 2 | 1.1 | A |
| Spinosad | Thyme | 0.14 | 5 | 2.58 | A |
| Spirodiclofen | Orange | 1.58 | 1 | 5.0 | A |
| Spiromesifen | Squash, summer | 0.13 | 1 | 1.0 | A |
| Spiromesifen | Strawberry | 2.48 | 2 | 10.0 | A |
| Spiromesifen | Tomato | 0.16 | 1 | 1.2 | A |
| Spirotetramat | Citrus | 0.46 | 22 | 3.65 | A |
| Spirotetramat | Grapefruit | 6.22 | 8 | 42.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------|------------------------------|----------------|------|--------------|--------------|
| Spirotetramat | Landscape maintenance | 0.28 | N/A | N/A | N/A |
| Spirotetramat | Lemon | 3.21 | 4 | 20.75 | A |
| Spirotetramat | Orange | 116.43 | 81 | 777.65 | A |
| Strychnine | Avocado | 0.25 | 8 | 64.2 | A |
| Strychnine | Grapefruit | 0.15 | 9 | 67.0 | A |
| Strychnine | Landscape maintenance | 17.58 | N/A | N/A | N/A |
| Strychnine | Orange | 2.74 | 149 | 1,286.2 | A |
| Strychnine | Rights of way | 0.12 | N/A | N/A | N/A |
| Strychnine | Stone fruit | 0.01 | 1 | 4.0 | A |
| Strychnine | Structural pest control | 0.95 | N/A | N/A | N/A |
| Strychnine | Uncultivated ag | 0.01 | 1 | 3.0 | A |
| Styrene butadiene copolymer | Rights of way | 273.74 | N/A | N/A | N/A |
| Sulfentrazone | Golf course turf | 0.04 | N/A | 5,000.0 | S |
| Sulfentrazone | Landscape maintenance | 5.31 | N/A | N/A | N/A |
| Sulfentrazone | Rights of way | 526.97 | N/A | N/A | N/A |
| Sulfluramid | Structural pest control | <0.01 | N/A | N/A | N/A |
| Sulfometuron-methyl | Landscape maintenance | 197.87 | N/A | N/A | N/A |
| Sulfometuron-methyl | Rights of way | 854.56 | N/A | N/A | N/A |
| Sulfosulfuron | Landscape maintenance | 0.41 | N/A | N/A | N/A |
| Sulfur | Apple | 7.2 | 3 | 9.0 | A |
| Sulfur | Chive | 1.35 | 1 | 0.75 | A |
| Sulfur | Dill | 9.79 | 10 | 5.25 | A |
| Sulfur | Grape | 849.7 | 10 | 89.9 | A |
| Sulfur | Landscape maintenance | 28.29 | N/A | N/A | N/A |
| Sulfur | Mint | 0.9 | 1 | 0.4 | A |
| Sulfur | N-outdr plants in containers | 10.01 | 11 | 5.25 | A |
| Sulfur | Regulatory pest control | 0.63 | N/A | N/A | N/A |
| Sulfur | Rosemary | 14.4 | 9 | 8.0 | A |
| Sulfur | Sage | 50.63 | 58 | 27.55 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|------------------------------|----------------|------|--------------|--------------|
| Sulfur | Structural pest control | 0.01 | N/A | N/A | N/A |
| Sulfur | Tarragon | 11.48 | 11 | 6.45 | A |
| Sulfur | Thyme | 25.99 | 22 | 13.86 | A |
| Sulfuryl fluoride | Fumigation, other | 289.42 | N/A | N/A | N/A |
| Sulfuryl fluoride | Structural pest control | 63,945.34 | N/A | N/A | N/A |
| Tall oil | Landscape maintenance | 0.39 | N/A | N/A | N/A |
| Tall oil fatty acids | Corn (forage - fodder) | 40.42 | 20 | 592.82 | A |
| Tall oil fatty acids | Grape | 0.49 | 1 | 3.64 | A |
| Tall oil fatty acids | Landscape maintenance | 7.9 | N/A | N/A | N/A |
| Tall oil fatty acids | Orange | 0.8 | 1 | 5.0 | A |
| Tall oil fatty acids | Rights of way | 21.79 | N/A | N/A | N/A |
| Tall oil fatty acids | Uncultivated non-ag | 0.52 | 3 | 3.42 | A |
| Tartrazine | Water area | 8.24 | N/A | 140.0 | A |
| Tau-fluvalinate | Landscape maintenance | 0.16 | N/A | N/A | N/A |
| Tau-fluvalinate | N-outdr plants in containers | 0.39 | 3 | 7.01 | A |
| Tau-fluvalinate | Structural pest control | 0.11 | N/A | N/A | N/A |
| Tebuconazole | Golf course turf | 190.1 | 5 | 186.0 | A |
| Tebuconazole | Golf course turf | 6.94 | N/A | 220,000.0 | S |
| Tebuconazole | Landscape maintenance | 152.12 | N/A | N/A | N/A |
| Tebuconazole | N-grnhs transplants | 8.07 | N/A | 6.0 | A |
| Tebuconazole | Structural pest control | 0.03 | N/A | N/A | N/A |
| Tebuthiuron | Rights of way | 273.25 | N/A | N/A | N/A |
| Tembotrione | Corn (forage - fodder) | 51.39 | 21 | 632.82 | A |
| Terbutylazine | Water (industrial) | 1.83 | N/A | 1.0 | U |
| Tetrachloroethylene | Structural pest control | 0.49 | N/A | N/A | N/A |
| Tetramethrin | Structural pest control | 0.25 | N/A | N/A | N/A |
| Tetrapotassium pyrophosphate | Landscape maintenance | 1.67 | N/A | N/A | N/A |
| Thiamethoxam | Apple | <0.01 | 1 | 0.02 | A |
| Thiamethoxam | Grapefruit | 0.15 | 2 | 2.34 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|------------------------------|----------------|------|--------------|--------------|
| Thiamethoxam | Landscape maintenance | 0.09 | N/A | N/A | N/A |
| Thiamethoxam | Lemon | 32.82 | 11 | 363.68 | A |
| Thiamethoxam | Orange | 4.93 | 23 | 63.5 | A |
| Thiamethoxam | Squash, summer | 0.25 | 3 | 3.0 | A |
| Thiamethoxam | Strawberry | 0.38 | 2 | 6.0 | A |
| Thiamethoxam | Structural pest control | 102.32 | N/A | N/A | N/A |
| Thiamethoxam | Watermelon | 0.12 | 2 | 1.5 | A |
| Thiencarbazone-methyl | Landscape maintenance | 0.11 | N/A | N/A | N/A |
| Thiencarbazone-methyl | N-grnhs transplants | 0.07 | N/A | 6.0 | A |
| Thiophanate-methyl | Golf course turf | 594.54 | 3 | 96.0 | A |
| Thiophanate-methyl | Landscape maintenance | 141.42 | N/A | N/A | N/A |
| Thiophanate-methyl | N-grnhs transplants | 41.22 | N/A | 6.0 | A |
| Thiophanate-methyl | N-outdr plants in containers | 153.03 | 213 | 303.25 | A |
| Thymol | Structural pest control | <0.01 | N/A | N/A | N/A |
| Tolfenpyrad | Lemon | 101.43 | 11 | 379.47 | A |
| Triadimefon | Golf course turf | 9.95 | N/A | 8.0 | A |
| Triadimefon | Golf course turf | 3.42 | N/A | 110,000.0 | S |
| Triadimefon | Landscape maintenance | 0.44 | N/A | N/A | N/A |
| Trichloro-s-triazinetrione | Water (industrial) | 278.71 | N/A | 4.0 | U |
| Trichlorofluoromethane | Structural pest control | 3.67 | N/A | N/A | N/A |
| Triclopyr choline | Forest, timberland | 2.83 | N/A | 25.0 | A |
| Triclopyr choline | Landscape maintenance | 75.77 | N/A | N/A | N/A |
| Triclopyr choline | Rights of way | 567.08 | N/A | N/A | N/A |
| Triclopyr, butoxyethyl ester | Golf course turf | 92.54 | N/A | 126.1 | A |
| Triclopyr, butoxyethyl ester | Golf course turf | 2.13 | N/A | 28,000.0 | S |
| Triclopyr, butoxyethyl ester | Landscape maintenance | 577.38 | N/A | N/A | N/A |
| Triclopyr, butoxyethyl ester | N-outdr plants in containers | 0.04 | 1 | 3.0 | A |
| Triclopyr, butoxyethyl ester | N-outdr transplants | 0.21 | 1 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|-------------------------|----------------|------|--------------|--------------|
| Triclopyr, butoxyethyl ester | Rights of way | 1,439.32 | N/A | N/A | N/A |
| Triclopyr, triethylamine salt | Landscape maintenance | 12.54 | N/A | N/A | N/A |
| Triclopyr, triethylamine salt | Rights of way | 1,105.98 | N/A | N/A | N/A |
| Triethanolamine | Landscape maintenance | 4.27 | N/A | N/A | N/A |
| Trifloxystrobin | Golf course turf | 1.99 | N/A | 8.0 | A |
| Trifloxystrobin | Golf course turf | 0.68 | N/A | 110,000.0 | S |
| Trifluralin | Landscape maintenance | 25.8 | N/A | N/A | N/A |
| Trifluralin | Vegetables, leafy | 9.32 | 5 | 18.0 | A |
| Trinexapac-ethyl | Golf course turf | 81.72 | 8 | 742.49 | A |
| Trinexapac-ethyl | Golf course turf | 0.25 | N/A | 220,000.0 | S |
| Trinexapac-ethyl | Landscape maintenance | 22.64 | N/A | N/A | N/A |
| Trinexapac-ethyl | N-grnhs transplants | 11.07 | N/A | 173.0 | A |
| Triticonazole | Golf course turf | 3.45 | N/A | 3.0 | A |
| Urea | Structural pest control | 4.07 | N/A | N/A | N/A |
| Urea dihydrogen sulfate | Avocado | 1.02 | 9 | 42.88 | A |
| Urea dihydrogen sulfate | Lemon | 1.16 | 10 | 54.4 | A |
| Urea dihydrogen sulfate | Rights of way | 14.91 | N/A | N/A | N/A |
| Urea dihydrogen sulfate | Uncultivated ag | 0.08 | 2 | 38.0 | A |
| Warfarin | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| Warfarin | Structural pest control | 0.03 | N/A | N/A | N/A |
| Z,e-9,12-tetradecadien-1-yl acetate | Structural pest control | 0.03 | N/A | N/A | N/A |
| Zeta-cypermethrin | Landscape maintenance | 2.57 | N/A | N/A | N/A |
| Zeta-cypermethrin | Structural pest control | 0.83 | N/A | N/A | N/A |
| Zinc phosphide | Landscape maintenance | 49.67 | N/A | N/A | N/A |
| Zinc phosphide | Structural pest control | 0.33 | N/A | N/A | N/A |