

2022 Annual Statewide Pesticide Use Report Indexed by Chemical San Luis Obispo County

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(s)-kinoprene	N-grnhs plants in containers	1.27	5	135,000.0	S
(s)-kinoprene	N-grnhs transplants	0.41	1	13,920.0	S
(z)-11-hexadecen-1-yl acetate	Broccoli	0.17	2	7.5	A
(z)-11-hexadecen-1-yl acetate	Brussels sprout	1.95	18	107.3	A
(z)-11-hexadecen-1-yl acetate	Cabbage	0.13	1	9.0	A
(z)-11-hexadecen-1-yl acetate	Kale	0.07	1	5.25	A
(z)-11-hexadecenal	Broccoli	0.17	2	7.5	A
(z)-11-hexadecenal	Brussels sprout	1.95	18	107.3	A
(z)-11-hexadecenal	Cabbage	0.13	1	9.0	A
(z)-11-hexadecenal	Kale	0.07	1	5.25	A
1,3-dichloro-5,5-dimethylhydantoin	Water (industrial)	3.47	N/A	12.0	U
1,3-dichloro-5-ethyl-5-methylhydantoin	Water (industrial)	1.91	N/A	12.0	U
1,3-dichloropropene	Cabbage	2,658.2	2	22.5	A
1,3-dichloropropene	Carrot	37,362.48	3	316.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
1,3-dichloropropene	Chinese cabbage (napa, wong bok, celery cabbage)	42,672.97	29	361.2	A
1,3-dichloropropene	Strawberry	148,261.09	48	1,331.57	A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Water (industrial)	6.5	N/A	12.0	U
2,4-d	Forage hay/silage	92.96	1	120.0	A
2,4-d	Landscape maintenance	0.02	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	County ag comm	2.5	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Landscape maintenance	93.56	N/A	N/A	N/A
2,4-d, dimethylamine salt	Barley	3,890.21	27	6,184.5	A
2,4-d, dimethylamine salt	County ag comm	31.61	N/A	N/A	N/A
2,4-d, dimethylamine salt	Forage hay/silage	1,109.09	20	1,588.0	A
2,4-d, dimethylamine salt	Golf course turf	32.57	N/A	116.5	A
2,4-d, dimethylamine salt	Landscape maintenance	545.89	N/A	N/A	N/A
2,4-d, dimethylamine salt	Lemon	157.46	1	130.0	A
2,4-d, dimethylamine salt	Oat	115.29	8	185.5	A
2,4-d, dimethylamine salt	Oat (forage - fodder)	10.13	2	14.0	A
2,4-d, dimethylamine salt	Pastureland	59.64	3	35.18	A
2,4-d, dimethylamine salt	Rights of way	0.03	N/A	N/A	N/A
2,4-d, dimethylamine salt	Sorghum (forage - fodder)	44.97	3	82.5	A
2,4-d, dimethylamine salt	Wheat	379.38	7	464.0	A
2,4-d, isooctyl ester	Landscape maintenance	0.28	N/A	N/A	N/A
2,4-d, isopropyl ester	Lemon	5.79	N/A	4,595.0	T
2,4-d, isopropyl ester	Tangerine	2.34	1	32.5	A
2,4-dichlorophenoxyacetic acid, choline salt	Oat (forage - fodder)	29.1	1	220.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-dp-p, dimethylamine salt	Landscape maintenance	0.01	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	County ag comm	1.44	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	Landscape maintenance	24.61	N/A	N/A	N/A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Broccoli	0.66	5	15.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Carrot	0.32	5	19.05	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lettuce, head	0.31	3	7.55	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lettuce, leaf	0.79	8	17.02	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Onion, dry	0.35	8	17.06	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Onion, green	0.02	1	1.34	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Parsley	0.17	2	10.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pepper, fruiting	0.13	2	4.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Raspberry	1.11	2	3.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Spinach	0.29	6	8.04	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Squash, zucchini	0.1	1	2.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Swiss chard	0.26	1	0.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Tomato	0.16	3	5.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-butoxyethanol	Rights of way	28.91	N/A	N/A	N/A
2-methyl-4-isothiazolin-3-one	Water (industrial)	7.95	N/A	240.0	U
3-chloro-p-toluidine hydrochloride	Vertebrate control	<0.01	N/A	N/A	N/A
4-aminopyridine	Structural pest control	0.02	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Bok choy (choy sum, pak choi)	81.05	304	696.88	A
4-nonylphenol, formaldehyde resin, propoxylated	Broccoli	347.08	363	3,454.71	A
4-nonylphenol, formaldehyde resin, propoxylated	Brussels sprout	385.33	137	1,150.06	A
4-nonylphenol, formaldehyde resin, propoxylated	Cabbage	451.47	482	2,431.36	A
4-nonylphenol, formaldehyde resin, propoxylated	Carrot	47.76	4	299.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Cauliflower	363.94	273	2,452.45	A
4-nonylphenol, formaldehyde resin, propoxylated	Celery	204.84	86	829.83	A
4-nonylphenol, formaldehyde resin, propoxylated	Chinese cabbage (napa, wong bok, celery cabbage)	605.46	524	2,874.74	A
4-nonylphenol, formaldehyde resin, propoxylated	Cilantro	0.83	2	7.7	A
4-nonylphenol, formaldehyde resin, propoxylated	Collard	37.29	84	316.2	A
4-nonylphenol, formaldehyde resin, propoxylated	Corn, human consumption	1.33	3	6.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Endive (escarole)	1.07	4	8.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Grape, wine	374.81	48	1,014.8	A
4-nonylphenol, formaldehyde resin, propoxylated	Kale	35.49	79	300.46	A
4-nonylphenol, formaldehyde resin, propoxylated	Leek	6.49	17	44.25	A
4-nonylphenol, formaldehyde resin, propoxylated	Lemon	52.27	11	200.03	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, head	960.56	1,041	9,937.39	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, leaf	679.71	587	3,305.29	A
4-nonylphenol, formaldehyde resin, propoxylated	N-grnhs plants in containers	0.77	3	5.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Parsley	14.8	47	80.85	A
4-nonylphenol, formaldehyde resin, propoxylated	Pepper, fruiting	1.94	1	15.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
4-nonylphenol, formaldehyde resin, propoxylated	Rights of way	0.35	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Spinach	4.45	31	80.7	A
4-nonylphenol, formaldehyde resin, propoxylated	Strawberry	93.61	39	815.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Sunflower	0.1	1	0.5	A
5-chloro-2-methyl-4-isothiazolin-3-one	Water (industrial)	22.64	N/A	240.0	U
Abamectin	Avocado	43.4	111	2,124.46	A
Abamectin	Avocado	<0.01	2	2,400.0	S
Abamectin	Blackberry	1.53	8	88.24	A
Abamectin	Broccoli	<0.01	1	0.05	A
Abamectin	Celery	18.03	139	969.97	A
Abamectin	Christmas tree	0.06	3	10.0	A
Abamectin	Landscape maintenance	0.58	N/A	N/A	N/A
Abamectin	Lemon	1.49	6	105.0	A
Abamectin	N-grnhs flower	9.96	136	174.07	A
Abamectin	N-grnhs plants in containers	1.48	58	55.87	A
Abamectin	N-grnhs plants in containers	0.22	58	618,408.0	S
Abamectin	N-grnhs transplants	<0.01	1	0.5	A
Abamectin	N-grnhs transplants	0.02	10	372,000.0	S
Abamectin	N-outdr flower	1.22	133	444.0	A
Abamectin	N-outdr plants in containers	0.06	1	3.0	A
Abamectin	Onion, dry	0.03	1	2.0	A
Abamectin	Raspberry	0.71	2	41.04	A
Abamectin	Spinach	6.74	56	344.05	A
Abamectin	Strawberry	78.88	95	4,355.76	A
Abamectin	Structural pest control	0.08	N/A	N/A	N/A
Abamectin	Tomato	<0.01	2	0.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin	Vertebrate control	0.07	1	0.78	A
Abamectin, other related	Structural pest control	<0.01	N/A	N/A	N/A
Acephate	Brussels sprout	124.74	14	128.6	A
Acephate	Cauliflower	183.03	28	188.4	A
Acephate	Celery	77.92	13	80.2	A
Acephate	Landscape maintenance	0.03	N/A	N/A	N/A
Acephate	Lemon	44.96	2	99.22	A
Acephate	Lettuce, head	2,735.59	300	2,819.39	A
Acephate	N-grnhs flower	9.7	9	12.03	A
Acephate	N-grnhs plants in containers	2.78	16	253,600.0	S
Acephate	N-grnhs transplants	0.91	3	1.5	A
Acephate	N-outdr plants in containers	13.18	13	22.1	A
Acephate	Structural pest control	12.83	N/A	N/A	N/A
Acequinocyl	Blackberry	13.85	6	34.77	A
Acequinocyl	N-grnhs plants in containers	11.83	50	54.84	A
Acequinocyl	N-grnhs plants in containers	0.19	1	40,952.0	S
Acequinocyl	N-grnhs transplants	0.18	3	1.48	A
Acequinocyl	N-grnhs transplants	0.08	1	24,192.0	S
Acequinocyl	Raspberry	8.18	1	20.52	A
Acequinocyl	Strawberry	1,245.67	83	3,164.85	A
Acetamiprid	Blackberry	4.42	4	43.97	A
Acetamiprid	Bok choy (choy sum, pak choi)	3.77	22	42.35	A
Acetamiprid	Broccoli	3.11	5	48.41	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acetamiprid	Brussels sprout	11.6	18	155.33	A
Acetamiprid	Cabbage	0.86	7	13.7	A
Acetamiprid	Cauliflower	0.74	2	10.0	A
Acetamiprid	Celery	16.95	27	228.66	A
Acetamiprid	Chinese cabbage (napa, wong bok, celery cabbage)	49.36	70	662.94	A
Acetamiprid	Citrus	1.01	1	4.0	A
Acetamiprid	Grape, wine	3.79	2	50.54	A
Acetamiprid	Lemon	4.2	1	32.5	A
Acetamiprid	Lettuce, head	49.36	68	663.52	A
Acetamiprid	Lettuce, leaf	1.18	10	10.8	A
Acetamiprid	N-grnhs flower	0.04	1	6,000.0	S
Acetamiprid	N-grnhs plants in containers	0.66	9	16.43	A
Acetamiprid	N-grnhs plants in containers	0.08	1	40,952.0	S
Acetamiprid	N-grnhs transplants	0.2	9	2.24	A
Acetamiprid	N-outdr flower	76.83	144	705.5	A
Acetamiprid	N-outdr transplants	0.02	1	24,206.0	S
Acetamiprid	Research commodity	0.13	N/A	N/A	N/A
Acetamiprid	Spinach	8.0	10	107.5	A
Acetamiprid	Strawberry	602.06	128	4,712.14	A
Acetamiprid	Structural pest control	7.18	N/A	N/A	N/A
Acetamiprid	Tomato	0.18	4	0.2	A
Acibenzolar-s-methyl	Brussels sprout	0.13	2	4.0	A
Acibenzolar-s-methyl	Cauliflower	1.26	5	40.0	A
Acibenzolar-s-methyl	Collard	1.35	12	43.0	A
Acibenzolar-s-methyl	Endive (escarole)	0.18	3	7.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acibenzolar-s-methyl	Kale	1.63	10	52.1	A
Acibenzolar-s-methyl	Landscape maintenance	0.06	N/A	N/A	N/A
Acibenzolar-s-methyl	Lettuce, head	16.58	98	548.93	A
Acibenzolar-s-methyl	Lettuce, leaf	23.34	178	800.63	A
Acibenzolar-s-methyl	Parsley	1.6	33	50.4	A
Acibenzolar-s-methyl	Spinach	8.16	63	349.25	A
Acid blue 9, diammonium salt	Water area	0.29	N/A	1.0	A
Acrylamide/sodium acrylate copolymer	Grape, wine	0.4	1	11.55	A
Afidopyropen	Bok choy (choy sum, pak choi)	0.95	16	89.0	A
Afidopyropen	Broccoli	0.58	4	29.5	A
Afidopyropen	Brussels sprout	10.11	67	603.0	A
Afidopyropen	Cauliflower	1.44	13	118.8	A
Afidopyropen	Celery	1.37	11	105.8	A
Afidopyropen	Chinese cabbage (napa, wong bok, celery cabbage)	0.45	3	45.8	A
Afidopyropen	Lemon	17.34	24	547.1	A
Afidopyropen	Lettuce, head	0.45	5	46.5	A
Afidopyropen	Lettuce, leaf	3.23	36	298.45	A
Afidopyropen	N-grnhs transplants	0.09	1	21,000.0	S
Afidopyropen	Spinach	2.2	11	170.35	A
Afidopyropen	Tangerine	0.94	1	32.5	A
Agrobacterium radiobacter	N-grnhs plants in containers	36.73	14	221.3	A
Alcohols, c12-c14, aliphatic	Rights of way	11.24	N/A	N/A	N/A
Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride	N-outdr flower	<0.01	4	15.5	A
Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride	Structural pest control	0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride	Broccoli	<0.01	1	10.28	A
Alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride	Cauliflower	<0.01	2	10.0	A
Alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride	Golf course turf	0.15	N/A	4.0	A
Alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride	N-outdr flower	0.01	1	5.0	A
Alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride	Broccoli	<0.01	1	10.28	A
Alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride	Cauliflower	<0.01	2	10.0	A
Alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride	Golf course turf	0.15	N/A	4.0	A
Alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride	N-outdr flower	0.01	1	5.0	A
Alkyl (c8,c10) polyglucoside	Golf course turf	4.69	N/A	178.5	A
Alkyl (c8,c10) polyglucoside	Golf course turf	0.64	N/A	142,225.0	S
Alkyl (c8,c10) polyglucoside	Grape, wine	5.5	2	10.75	A
Alkyl (c8,c10) polyglucoside	Landscape maintenance	10.89	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	N-grnhs plants in containers	4.9	15	5.64	A
Alkyl (c8,c10) polyglucoside	N-outdr plants in containers	6.69	14	5.96	A
Alkyl (c8,c10) polyglucoside	N-outdr plants in containers	<0.01	4	3.87	S
Alkyl (c8,c10) polyglucoside	Raspberry	0.05	1	2.0	A
Alkyl (c8,c10) polyglucoside	Regulatory pest control	58.75	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Rights of way	15.23	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (c8,c10) polyglucoside	Strawberry	59.84	130	2,965.5	A
Alkyl (c8,c10) polyglucoside	Structural pest control	1.13	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Uncultivated non-ag	22.11	N/A	450.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Rights of way	32.12	N/A	N/A	N/A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Avocado	1.08	1	30.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Blackberry	1.4	2	38.98	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	0.1	2	7.75	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.15	N/A	N/A	N/A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Leek	0.01	2	2.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.66	27	54.74	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	0.33	30	104.42	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, dry	2.51	7	281.5	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Strawberry	33.44	97	2,475.76	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) sulfate, ammonium salt	Landscape maintenance	0.03	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	84.95	13	767.53	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Avocado	27.64	11	364.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Barley	69.01	13	1,941.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Blackberry	62.99	20	218.09	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	0.16	1	2.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	44.99	41	382.23	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Brussels sprout	137.75	105	1,286.54	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	62.64	6	421.08	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	85.84	110	756.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Celery	83.9	88	714.13	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	82.17	20	1,642.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Golf course turf	2.79	N/A	12.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	10,625.63	1,146	49,264.42	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kale	4.09	4	30.75	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	169.11	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lemon	177.31	30	950.02	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, head	179.59	146	1,425.09	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	0.93	35	93.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	1.86	38	157.87	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr flower	0.04	1	5.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	1.08	6	18.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	3.35	84	179.66	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat	9.59	9	247.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	16.95	10	309.75	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Olive	14.38	4	190.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, dry	46.8	10	581.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Parsley	6.32	23	30.75	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pastureland	0.08	1	0.7	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pistachio	14.32	3	82.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rangeland	37.79	9	1,424.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Raspberry	26.82	6	88.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	239.98	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Strawberry	2,446.49	329	7,553.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tangerine	1.28	2	32.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	23.15	19	215.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Unknown	3.01	1	2.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Water area	0.45	3	3.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Wheat	20.02	8	584.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Avocado	0.02	1	1.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Blackberry	0.96	1	5.19	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Grape, wine	239.51	55	1,702.82	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Raspberry	0.89	1	4.85	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Rights of way	2.9	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Strawberry	29.99	7	235.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Alfalfa	12.53	8	174.31	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Avocado	0.73	5	69.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Broccoli	5.83	5	33.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Carrot	8.84	6	421.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cauliflower	2.07	3	19.1	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Celery	0.96	2	15.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grape, wine	2,406.74	844	11,134.4	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Landscape maintenance	24.57	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Lemon	7.45	8	355.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-grnhs transplants	0.07	1	20.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-outdr flower	100.82	295	1,509.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-outdr plants in containers	0.15	6	18.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-outdr transplants	0.46	2	18.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Onion, dry	6.2	3	172.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pastureland	0.06	1	0.7	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pistachio	3.08	1	20.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rangeland	1.85	1	72.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rights of way	20.27	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Strawberry	3,557.8	213	9,979.81	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Uncultivated ag	23.48	16	141.13	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Unknown	2.43	1	9.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Water area	0.06	3	3.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Strawberry	1,041.53	127	2,952.49	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Alfalfa	2.41	5	111.31	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Avocado	49.92	4	183.7	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	4.82	39	32.95	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Broccoli	276.01	177	1,760.53	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Brussels sprout	2.04	3	11.25	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cauliflower	86.03	111	487.2	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Celery	5.84	8	39.4	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Chinese cabbage (napa, wong bok, celery cabbage)	10.38	40	66.9	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Garlic	0.88	3	4.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grape	4.17	2	19.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grape, wine	6,787.5	1,174	36,547.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Kale	2.97	1	10.25	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Landscape maintenance	60.0	N/A	N/A	N/A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr flower	16.53	298	1,419.5	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.96	3	15.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	<0.01	2	3.0	S
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Olive	0.27	1	4.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Onion, dry	18.12	13	63.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Potato	0.19	2	1.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Strawberry	2,686.68	425	10,299.33	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Uncultivated ag	0.6	1	1.0	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Strawberry	40.9	9	380.5	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Unknown	0.86	1	2.0	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Strawberry	1,615.43	143	3,109.34	A
Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Peas	0.35	1	3.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Avocado	1.13	1	6.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	7.31	1	200.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grape, wine	353.48	103	2,432.19	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.64	N/A	N/A	N/A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lemon	18.09	4	116.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Parsley	1.2	17	23.25	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Rights of way	39.82	N/A	N/A	N/A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Strawberry	12.5	8	107.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	3.57	2	19.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Grape	2.68	1	9.5	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Grape, wine	1,349.74	147	5,411.48	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	42.48	N/A	N/A	N/A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pastureland	4.96	1	22.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pistachio	5.63	1	20.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rangeland	3.78	3	152.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	3.6	N/A	N/A	N/A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	2.58	3	9.13	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	20.36	N/A	196.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Unknown	2.68	1	9.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Avocado	3.98	1	46.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Broccoli	72.86	18	126.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cabbage	0.14	1	0.25	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cauliflower	115.38	33	221.3	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Collard	0.47	2	4.2	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Grape, wine	3,692.75	1,041	42,436.06	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Kale	0.88	5	8.19	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lemon	15.29	4	133.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	17.81	23	121.55	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Mustard	0.35	4	3.1	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Onion, dry	19.06	8	349.34	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Parsley	0.3	2	4.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Peas	83.09	16	288.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	27.49	7	128.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pistachio	7.79	2	60.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Strawberry	202.05	13	343.84	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Swiss chard	1.08	5	9.6	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.06	1	0.25	A
Alpha-cypermethrin	Chinese cabbage (napa, wong bok, celery cabbage)	3.53	13	142.18	A
Alpha-cypermethrin	Spinach	5.37	16	216.49	A
Alpha-cypermethrin	Structural pest control	21.32	N/A	N/A	N/A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Blackberry	3.34	1	5.19	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Brussels sprout	467.79	97	1,037.3	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Cauliflower	184.14	74	419.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Celery	130.62	58	337.54	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Raspberry	3.11	1	4.85	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Strawberry	1,493.13	74	4,285.86	A
Alpha-pinene beta-pinene copolymer	Avocado	22.04	5	90.0	A
Alpha-pinene beta-pinene copolymer	Blackberry	26.17	2	38.98	A
Alpha-pinene beta-pinene copolymer	Bok choy (choy sum, pak choi)	7.97	66	161.55	A
Alpha-pinene beta-pinene copolymer	Cabbage	1.93	2	7.75	A
Alpha-pinene beta-pinene copolymer	Celery	14.78	33	328.57	A
Alpha-pinene beta-pinene copolymer	Chinese cabbage (napa, wong bok, celery cabbage)	0.15	1	3.0	A
Alpha-pinene beta-pinene copolymer	Cilantro	21.16	135	423.36	A
Alpha-pinene beta-pinene copolymer	Corn, human consumption	0.16	2	3.0	A
Alpha-pinene beta-pinene copolymer	Garbanzo bean	3.46	3	33.0	A
Alpha-pinene beta-pinene copolymer	Grape, wine	75.28	11	450.25	A
Alpha-pinene beta-pinene copolymer	Leek	0.21	2	2.0	A
Alpha-pinene beta-pinene copolymer	Lettuce, head	0.1	2	2.0	A
Alpha-pinene beta-pinene copolymer	N-grnhs transplants	12.45	28	56.55	A
Alpha-pinene beta-pinene copolymer	N-outdr transplants	6.19	30	104.42	A
Alpha-pinene beta-pinene copolymer	Onion, dry	47.12	7	281.5	A
Alpha-pinene beta-pinene copolymer	Parsley	0.85	11	17.65	A
Alpha-pinene beta-pinene copolymer	Spinach	0.59	6	11.5	A
Alpha-pinene beta-pinene copolymer	Strawberry	627.4	97	2,477.76	A
Alpha-pinene beta-pinene copolymer	Structural pest control	0.34	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grape, wine	1,058.2	141	2,243.72	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Lemon	62.25	65	2,791.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Olive	2.34	3	146.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights of way	0.26	N/A	N/A	N/A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tangerine	2.3	6	154.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Barley	0.61	1	6.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Broccoli	18.23	21	137.1	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Brussels sprout	329.25	321	3,249.3	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cabbage	16.58	13	114.99	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cauliflower	87.15	114	782.3	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Celery	31.4	37	131.7	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	696.19	75	3,531.61	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lemon	49.06	12	532.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.74	6	11.85	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr transplants	1.47	15	34.56	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Oat	1.62	2	53.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	13.43	1	220.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Onion, dry	41.72	4	292.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pistachio	49.36	5	146.1	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Raspberry	0.65	1	2.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	130.94	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Strawberry	723.32	131	3,020.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Structural pest control	13.52	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tangerine	3.34	1	32.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	3.57	N/A	13.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Water area	0.07	N/A	0.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Water area	1.44	N/A	12.5	U
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Landscape maintenance	<0.01	N/A	N/A	N/A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Rights of way	0.76	N/A	N/A	N/A
Aluminum phosphide	Avocado	16.5	3	15.0	A
Aluminum phosphide	Grape, wine	53.58	28	443.46	A
Aluminum phosphide	Landscape maintenance	169.86	N/A	N/A	N/A
Aluminum phosphide	Orange	0.45	N/A	0.75	A
Aluminum phosphide	Rangeland	8.62	4	53.0	A
Aluminum phosphide	Regulatory pest control	0.17	N/A	N/A	N/A
Aluminum phosphide	Research commodity	0.81	N/A	N/A	N/A
Aluminum phosphide	Structural pest control	6.13	N/A	N/A	N/A
Aluminum phosphide	Uncultivated ag	6.94	N/A	350.0	A
Aluminum phosphide	Vertebrate control	706.48	N/A	N/A	N/A
Ametoctradin	Brussels sprout	1.1	2	4.0	A
Ametoctradin	Cabbage	5.19	4	19.0	A
Ametoctradin	Collard	9.72	8	35.5	A
Ametoctradin	Kale	2.74	2	10.0	A
Ametoctradin	Lettuce, head	869.54	321	3,195.08	A
Ametoctradin	Lettuce, leaf	71.5	85	261.97	A
Ametoctradin	Spinach	9.79	7	35.8	A
Aminopyralid, triisopropanolamine salt	Alfalfa	0.94	1	20.0	A
Aminopyralid, triisopropanolamine salt	Landscape maintenance	25.65	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aminopyralid, triisopropanolamine salt	Pastureland	3.11	1	22.0	A
Aminopyralid, triisopropanolamine salt	Rangeland	398.89	12	2,291.6	A
Aminopyralid, triisopropanolamine salt	Regulatory pest control	34.58	N/A	N/A	N/A
Aminopyralid, triisopropanolamine salt	Rights of way	216.65	N/A	N/A	N/A
Aminopyralid, triisopropanolamine salt	Uncultivated non-ag	1.07	N/A	20.0	A
Ammonium nitrate	Avocado	0.15	1	6.0	A
Ammonium nitrate	Grape, wine	7.6	7	437.74	A
Ammonium nitrate	Landscape maintenance	28.78	N/A	N/A	N/A
Ammonium nitrate	N-outdr plants in containers	0.05	1	0.5	A
Ammonium nitrate	N-outdr plants in containers	<0.01	1	0.75	S
Ammonium nitrate	Regulatory pest control	27.98	N/A	N/A	N/A
Ammonium nitrate	Rights of way	6.21	N/A	N/A	N/A
Ammonium nitrate	Uncultivated ag	0.46	2	19.0	A
Ammonium nitrate	Uncultivated non-ag	62.02	N/A	450.0	A
Ammonium nonanoate	Landscape maintenance	7.83	N/A	N/A	N/A
Ammonium propionate	Alfalfa	15.74	5	111.31	A
Ammonium propionate	Broccoli	1.25	14	93.6	A
Ammonium propionate	Brussels sprout	44.84	301	3,044.2	A
Ammonium propionate	Cauliflower	9.75	88	644.1	A
Ammonium propionate	Celery	1.42	7	28.3	A
Ammonium propionate	Grape, wine	3,212.57	744	8,934.36	A
Ammonium propionate	Landscape maintenance	33.01	N/A	N/A	N/A
Ammonium propionate	N-grnhs transplants	0.12	6	11.85	A
Ammonium propionate	N-outdr flower	139.06	295	1,509.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium propionate	N-outdr transplants	0.85	16	43.56	A
Ammonium propionate	Onion, dry	3.88	1	11.0	A
Ammonium propionate	Pastureland	0.09	1	0.7	A
Ammonium propionate	Pistachio	4.24	1	20.0	A
Ammonium propionate	Rangeland	2.55	1	72.0	A
Ammonium propionate	Rights of way	18.67	N/A	N/A	N/A
Ammonium propionate	Strawberry	4,907.31	213	9,979.81	A
Ammonium propionate	Uncultivated ag	30.73	7	85.13	A
Ammonium propionate	Unknown	3.36	1	9.5	A
Ammonium sulfate	Alfalfa	3.94	5	111.31	A
Ammonium sulfate	Avocado	120.23	7	76.2	A
Ammonium sulfate	Blackberry	291.78	24	246.87	A
Ammonium sulfate	Cauliflower	0.26	2	11.6	A
Ammonium sulfate	Celery	0.33	2	15.0	A
Ammonium sulfate	Golf course turf	10.5	N/A	4.0	A
Ammonium sulfate	Grape, wine	4,368.69	946	14,349.43	A
Ammonium sulfate	Landscape maintenance	146.27	N/A	N/A	N/A
Ammonium sulfate	Lemon	203.75	13	439.65	A
Ammonium sulfate	N-grnhs flower	104.3	165	224.08	A
Ammonium sulfate	N-outdr flower	34.77	295	1,509.0	A
Ammonium sulfate	N-outdr plants in containers	0.1	1	0.5	A
Ammonium sulfate	N-outdr plants in containers	<0.01	1	0.75	S
Ammonium sulfate	N-outdr transplants	0.15	1	9.0	A
Ammonium sulfate	Onion, dry	0.97	1	11.0	A
Ammonium sulfate	Pastureland	0.02	1	0.7	A
Ammonium sulfate	Pistachio	1.06	1	20.0	A
Ammonium sulfate	Rangeland	0.64	1	72.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Raspberry	124.04	7	93.05	A
Ammonium sulfate	Regulatory pest control	55.96	N/A	N/A	N/A
Ammonium sulfate	Rights of way	353.33	N/A	N/A	N/A
Ammonium sulfate	Strawberry	7,753.75	438	17,221.34	A
Ammonium sulfate	Uncultivated ag	24.96	13	116.13	A
Ammonium sulfate	Uncultivated non-ag	5.29	N/A	70.0	A
Ammonium sulfate	Unknown	0.84	1	9.5	A
Ammonium sulfate	Vertebrate control	1.1	3	2.34	A
Ammonium sulfate	Water area	1.51	3	3.0	A
Amyl acetate	Broccoli	0.5	14	93.6	A
Amyl acetate	Brussels sprout	17.94	301	3,044.2	A
Amyl acetate	Cauliflower	3.49	86	632.5	A
Amyl acetate	Celery	0.04	5	13.3	A
Amyl acetate	N-grnhs transplants	0.05	6	11.85	A
Amyl acetate	N-outdr transplants	0.1	15	34.56	A
Ancymidol	N-grnhs transplants	0.03	99	413,253.75	S
Aromatic 200	Grape, wine	2,751.3	140	2,243.53	A
Aromatic 200	Lemon	9.16	1	10.0	A
Aspergillus flavus strain nrri 21882	Pistachio	0.04	1	40.0	A
Azadirachtin	Beet	16.01	15	587.3	A
Azadirachtin	Blackberry	14.8	27	399.66	A
Azadirachtin	Blueberry	0.75	2	16.26	A
Azadirachtin	Broccoli	9.24	11	283.3	A
Azadirachtin	Cabbage	5.67	17	190.75	A
Azadirachtin	Cannabis (all or unspecified)	0.02	20	18,632.0	S
Azadirachtin	Cannabis (all or unspecified)	0.07	7	14.0	U
Azadirachtin	Cauliflower	18.8	37	635.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	Celery	2.14	3	69.6	A
Azadirachtin	Collard	1.16	10	44.0	A
Azadirachtin	Grape	23.61	22	594.0	A
Azadirachtin	Grape, wine	107.42	100	2,963.87	A
Azadirachtin	Kale	7.54	12	284.7	A
Azadirachtin	Landscape maintenance	0.08	N/A	N/A	N/A
Azadirachtin	Lettuce, leaf	2.68	20	102.14	A
Azadirachtin	Mustard	0.31	5	12.3	A
Azadirachtin	N-grnhs flower	6.88	142	209.9	A
Azadirachtin	N-grnhs plants in containers	0.09	4	90,908.0	S
Azadirachtin	N-grnhs transplants	4.92	68	128.21	A
Azadirachtin	N-grnhs transplants	0.27	35	1,471,000.0	S
Azadirachtin	N-outdr transplants	1.69	39	107.49	A
Azadirachtin	Onion, dry	14.14	6	332.0	A
Azadirachtin	Onion, green	0.03	1	1.34	A
Azadirachtin	Parsley	0.15	2	4.0	A
Azadirachtin	Peas	8.13	16	288.0	A
Azadirachtin	Strawberry	303.89	224	9,598.05	A
Azadirachtin	Structural pest control	0.05	N/A	N/A	N/A
Azadirachtin	Swiss chard	2.33	5	97.4	A
Azadirachtin	Tomato	0.02	8	0.63	A
Azadirachtin	Vertebrate control	0.02	1	0.78	A
Azoxystrobin	Blackberry	6.7	3	29.5	A
Azoxystrobin	Bok choy (choy sum, pak choi)	10.67	18	42.6	A
Azoxystrobin	Broccoli	74.0	34	327.26	A
Azoxystrobin	Brussels sprout	70.82	24	286.29	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azoxystrobin	Carrot	99.02	6	581.78	A
Azoxystrobin	Cauliflower	2.72	5	11.0	A
Azoxystrobin	Celery	49.0	32	196.14	A
Azoxystrobin	Chinese cabbage (napa, wong bok, celery cabbage)	210.89	83	838.74	A
Azoxystrobin	Golf course turf	3.62	N/A	12.6	A
Azoxystrobin	Golf course turf	0.06	N/A	4,500.0	S
Azoxystrobin	Grape, wine	128.71	14	583.7	A
Azoxystrobin	Kale	1.39	3	7.0	A
Azoxystrobin	Landscape maintenance	22.21	N/A	N/A	N/A
Azoxystrobin	Lemon	28.23	N/A	9,608.0	T
Azoxystrobin	Lettuce, head	1.56	1	6.5	A
Azoxystrobin	Lettuce, leaf	8.97	5	37.1	A
Azoxystrobin	N-grnhs plants in containers	4.69	36	32.54	A
Azoxystrobin	N-grnhs plants in containers	0.92	11	53,500.0	S
Azoxystrobin	N-grnhs transplants	2.81	20	21.06	A
Azoxystrobin	N-grnhs transplants	0.06	1	3,200.0	S
Azoxystrobin	N-outdr plants in containers	0.01	1	0.11	A
Azoxystrobin	N-outdr transplants	2.29	10	25.06	A
Azoxystrobin	N-outdr transplants	0.48	5	231,732.0	S
Azoxystrobin	Parsley	0.5	1	2.0	A
Azoxystrobin	Pepper, fruiting	2.76	3	17.0	A
Azoxystrobin	Raspberry	4.85	2	21.27	A
Azoxystrobin	Research commodity	0.07	N/A	N/A	N/A
Azoxystrobin	Spinach	109.27	43	433.94	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azoxystrobin	Strawberry	452.58	57	2,002.18	A
Bacillus amyloliquefaciens strain d747	Cilantro	98.13	1	19.8	A
Bacillus amyloliquefaciens strain d747	Grape, wine	932.6	8	161.89	A
Bacillus amyloliquefaciens strain d747	Lettuce, leaf	22.82	2	5.18	A
Bacillus amyloliquefaciens strain d747	N-grnhs transplants	765.77	64	119.25	A
Bacillus amyloliquefaciens strain d747	N-outdr transplants	622.68	61	163.8	A
Bacillus amyloliquefaciens strain d747	Spinach	17.71	2	4.02	A
Bacillus amyloliquefaciens strain d747	Strawberry	5,427.33	55	670.0	A
Bacillus amyloliquefaciens strain f727	Lettuce, leaf	399.74	14	84.0	A
Bacillus amyloliquefaciens strain f727	N-grnhs transplants	242.4	21	38.76	A
Bacillus amyloliquefaciens strain f727	N-outdr transplants	102.55	13	22.8	A
Bacillus amyloliquefaciens strain f727	Parsley	21.15	2	5.25	A
Bacillus amyloliquefaciens strain mbi 600	Grape, wine	195.11	82	2,275.34	A
Bacillus mycoides isolate j	N-grnhs transplants	3.93	9	31.56	A
Bacillus mycoides isolate j	N-outdr transplants	1.53	14	27.11	A
Bacillus pumilus, strain qst 2808	Grape, wine	471.51	138	4,586.71	A
Bacillus subtilis strain iab/bs03	Blackberry	0.6	15	253.7	A
Bacillus subtilis strain iab/bs03	Blueberry	0.03	2	16.26	A
Bacillus subtilis strain iab/bs03	Grape, wine	0.14	2	108.18	A
Bacillus subtilis strain iab/bs03	Peas	0.21	9	202.0	A
Bacillus thuringiensis (berliner)	N-grnhs flower	<0.01	1	3,000.0	S
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Bok choy (choy sum, pak choi)	34.73	9	39.9	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Broccoli	6.5	1	6.5	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Brussels sprout	686.84	88	780.2	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Cauliflower	182.75	28	200.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12	Landscape maintenance	0.01	N/A	N/A	N/A
Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b	Landscape maintenance	<0.01	N/A	N/A	N/A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Blackberry	25.84	2	29.9	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Broccoli	578.54	49	453.72	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Brussels sprout	47.97	5	37.61	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Cauliflower	108.22	27	90.3	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Chinese cabbage (napa, wong bok, celery cabbage)	196.97	15	154.49	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Kale	<0.01	1	0.05	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	N-grnhs transplants	3.77	7	113,301.0	S
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	N-outdr transplants	22.95	14	35.1	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	N-outdr transplants	4.88	8	354,222.0	S
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Raspberry	11.48	2	4.0	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Spinach	52.15	3	40.9	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Strawberry	2,224.14	58	2,377.37	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Bok choy (choy sum, pak choi)	6.88	28	26.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Broccoli	141.87	37	563.7	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Brussels sprout	281.38	97	1,148.3	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Cauliflower	42.39	27	167.4	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Chinese cabbage (napa, wong bok, celery cabbage)	12.17	30	46.5	A
Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin	Bok choy (choy sum, pak choi)	17.4	5	23.0	A
Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin	Brussels sprout	127.18	20	220.3	A
Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin	Cauliflower	11.2	1	14.0	A
Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin	Chinese cabbage (napa, wong bok, celery cabbage)	50.4	5	64.0	A
Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin	Spinach	38.86	6	56.3	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Avocado	54.0	1	50.0	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Beet	280.91	7	260.1	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Bok choy (choy sum, pak choi)	5.93	3	6.55	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Broccoli	474.35	49	490.55	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Brussels sprout	1,938.37	215	2,111.64	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Cabbage	834.9	151	1,002.02	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Cauliflower	1,572.4	215	1,609.74	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Celery	56.38	3	69.6	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Chinese cabbage (napa, wong bok, celery cabbage)	100.6	50	123.95	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Collard	43.95	11	51.0	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Kale	125.35	17	133.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Mustard	3.89	1	3.6	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	N-grnhs plants in containers	1.62	4	6.84	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	N-grnhs transplants	19.91	18	36.39	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	N-outdr transplants	26.31	28	75.02	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Strawberry	3,205.69	129	6,165.79	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Swiss chard	152.39	4	141.1	A
Bacillus thuringiensis, subsp. israelensis, strain am 65-52	N-grnhs plants in containers	105.01	13	204.3	A
Bacillus thuringiensis, subsp. israelensis, strain am 65-52	N-grnhs transplants	4.62	9	41.55	A
Bacillus thuringiensis, subsp. israelensis, strain am 65-52	N-grnhs transplants	9.35	4	100,000.0	S
Bacillus thuringiensis, subsp. israelensis, strain am 65-52	Public health	21.25	N/A	N/A	N/A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Avocado	1.62	N/A	3.0	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Beet	75.06	2	69.5	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Blackberry	4.02	1	4.96	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Broccoli	115.53	14	117.7	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Cabbage	24.62	4	22.8	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Cauliflower	99.28	14	96.7	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Grape	227.24	12	507.0	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Grape, wine	966.02	42	1,302.88	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Kale	25.06	2	23.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Landscape maintenance	40.64	N/A	N/A	N/A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-grnhs flower	5.4	5	6.15	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-grnhs transplants	0.54	2	1.5	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-outdr flower	0.57	2	2.5	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Strawberry	8.31	1	30.78	A
Bacillus thuringiensis, subsp. kurstaki, strain hd-1	Grape, wine	1.44	1	7.0	A
Bacillus velezensis	Landscape maintenance	<0.01	N/A	N/A	N/A
Beauveria bassiana strain gha	Beet	10.79	2	49.0	A
Beauveria bassiana strain gha	Cabbage	21.63	10	98.2	A
Beauveria bassiana strain gha	Cauliflower	9.23	2	41.9	A
Beauveria bassiana strain gha	Collard	1.45	2	6.6	A
Beauveria bassiana strain gha	Kale	34.63	8	157.2	A
Beauveria bassiana strain gha	Lettuce, leaf	0.29	1	1.34	A
Beauveria bassiana strain gha	N-grnhs flower	39.0	60	183.0	A
Beauveria bassiana strain gha	N-grnhs plants in containers	1.09	9	221,600.0	S
Beauveria bassiana strain gha	N-grnhs transplants	11.13	18	49.0	A
Beauveria bassiana strain gha	N-outdr transplants	4.43	12	28.63	A
Beauveria bassiana strain gha	Strawberry	345.44	9	891.58	A
Beauveria bassiana strain gha	Structural pest control	0.5	N/A	N/A	N/A
Beauveria bassiana strain ppri 5339	N-grnhs plants in containers	0.56	13	33.26	A
Beauveria bassiana strain ppri 5339	N-grnhs plants in containers	0.21	6	189,400.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Beauveria bassiana strain ppri 5339	N-grnhs transplants	0.06	1	0.32	A
Bensulide	Brussels sprout	46.8	3	23.6	A
Bensulide	Chinese cabbage (napa, wong bok, celery cabbage)	24.91	10	23.0	A
Bentazon, sodium salt	Bean, succulent	18.66	4	17.0	A
Bentazon, sodium salt	Bean, unspecified	16.26	6	26.0	A
Bentazon, sodium salt	Peas	1.65	1	3.0	A
Benzenesulfonic acid, c10-16-alkyl derivatives	Grape, wine	3.21	11	85.2	A
Benzenesulfonic acid, c10-16-alkyl derivatives	Rights of way	3.72	N/A	N/A	N/A
Benzoic acid	Rights of way	7.29	N/A	N/A	N/A
Benzovindiflupyr	Landscape maintenance	0.79	N/A	N/A	N/A
Benzovindiflupyr	N-grnhs plants in containers	1.39	24	10.47	A
Benzovindiflupyr	N-outdr plants in containers	0.01	1	0.11	A
Beta-conglutin	Grape, wine	1,775.97	68	2,603.57	A
Beta-conglutin	Strawberry	55.82	3	78.77	A
Beta-cyfluthrin	Bok choy (choy sum, pak choi)	23.72	366	916.68	A
Beta-cyfluthrin	Broccoli	13.56	59	546.45	A
Beta-cyfluthrin	Brussels sprout	12.73	67	515.78	A
Beta-cyfluthrin	Cabbage	23.45	202	932.95	A
Beta-cyfluthrin	Cauliflower	31.6	137	1,240.9	A
Beta-cyfluthrin	Celery	2.04	19	73.58	A
Beta-cyfluthrin	Chinese cabbage (napa, wong bok, celery cabbage)	26.42	337	1,034.67	A
Beta-cyfluthrin	Citrus	1.42	7	28.0	A
Beta-cyfluthrin	Collard	4.04	42	154.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Beta-cyfluthrin	Endive (escarole)	0.18	3	7.5	A
Beta-cyfluthrin	Kale	3.9	46	156.31	A
Beta-cyfluthrin	Landscape maintenance	0.03	N/A	N/A	N/A
Beta-cyfluthrin	Lemon	5.77	9	150.89	A
Beta-cyfluthrin	Lettuce, head	25.96	131	1,053.76	A
Beta-cyfluthrin	Lettuce, leaf	15.91	125	621.7	A
Beta-cyfluthrin	N-outdr plants in containers	0.17	15	3.27	A
Beta-cyfluthrin	Potato	5.33	2	240.0	A
Beta-cyfluthrin	Public health	0.04	N/A	N/A	N/A
Beta-cyfluthrin	Spinach	0.4	8	15.9	A
Beta-cyfluthrin	Structural pest control	6.64	N/A	N/A	N/A
Beta-cyfluthrin	Vertebrate control	0.06	N/A	N/A	N/A
Bifenazate	Blackberry	8.73	2	17.46	A
Bifenazate	Blueberry	0.5	1	1.0	A
Bifenazate	N-grnhs flower	57.56	24	31.89	A
Bifenazate	N-grnhs plants in containers	15.46	49	60.07	A
Bifenazate	N-grnhs plants in containers	1.73	15	348,608.0	S
Bifenazate	N-grnhs transplants	0.37	2	47,520.0	S
Bifenazate	Raspberry	14.69	5	29.37	A
Bifenazate	Research commodity	0.14	N/A	N/A	N/A
Bifenazate	Strawberry	2,161.56	143	4,432.3	A
Bifenazate	Vertebrate control	1.75	1	0.78	A
Bifenthrin	Blackberry	6.16	5	61.62	A
Bifenthrin	Bok choy (choy sum, pak choy)	0.91	23	22.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bifenthrin	Broccoli	8.35	15	85.5	A
Bifenthrin	Brussels sprout	11.89	20	118.89	A
Bifenthrin	Cabbage	3.85	9	38.5	A
Bifenthrin	Cauliflower	9.35	12	94.0	A
Bifenthrin	Celery	6.8	13	67.7	A
Bifenthrin	Chinese cabbage (napa, wong bok, celery cabbage)	1.76	28	43.5	A
Bifenthrin	Christmas tree	1.01	2	7.0	A
Bifenthrin	Collard	0.57	11	43.0	A
Bifenthrin	Kale	0.82	11	59.35	A
Bifenthrin	Landscape maintenance	17.88	N/A	N/A	N/A
Bifenthrin	Lemon	23.86	14	364.25	A
Bifenthrin	Lettuce, head	0.12	5	0.88	A
Bifenthrin	N-grnhs flower	0.16	1	5,000.0	S
Bifenthrin	N-grnhs plants in containers	1.55	15	12.08	A
Bifenthrin	N-grnhs transplants	2.79	18	32.81	A
Bifenthrin	N-outdr plants in containers	<0.01	1	1.5	S
Bifenthrin	N-outdr transplants	5.02	32	76.53	A
Bifenthrin	N-outdr transplants	0.21	6	203,213.0	S
Bifenthrin	Pepper, fruiting	1.5	1	15.0	A
Bifenthrin	Raspberry	2.05	1	20.52	A
Bifenthrin	Squash	0.7	1	7.0	A
Bifenthrin	Strawberry	708.28	188	6,149.5	A
Bifenthrin	Structural pest control	706.76	N/A	N/A	N/A
Borax	Rights of way	6,963.91	N/A	N/A	N/A
Borax	Strawberry	988.76	159	5,349.22	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Borax	Structural pest control	1.88	N/A	N/A	N/A
Boric acid	Landscape maintenance	44.39	N/A	N/A	N/A
Boric acid	Structural pest control	1,325.13	N/A	N/A	N/A
Boscalid	Blackberry	4.45	1	12.27	A
Boscalid	Broccoli	13.79	5	35.0	A
Boscalid	Brussels sprout	0.79	1	2.0	A
Boscalid	Cabbage	41.39	11	104.5	A
Boscalid	Carrot	2.01	1	15.0	A
Boscalid	Cauliflower	17.14	5	43.5	A
Boscalid	Celery	63.63	32	162.16	A
Boscalid	Collard	25.21	17	64.0	A
Boscalid	Garlic	0.53	1	2.0	A
Boscalid	Grape, wine	2,399.03	237	8,638.78	A
Boscalid	Kale	31.22	18	79.35	A
Boscalid	Landscape maintenance	1.01	N/A	N/A	N/A
Boscalid	Lettuce, head	457.62	151	1,026.58	A
Boscalid	Lettuce, leaf	442.25	192	1,018.08	A
Boscalid	N-grnhs flower	17.12	24	62.37	A
Boscalid	N-grnhs plants in containers	17.13	41	235.95	A
Boscalid	N-grnhs plants in containers	0.43	5	110,400.0	S
Boscalid	N-grnhs transplants	0.05	1	0.16	A
Boscalid	N-grnhs transplants	0.8	54	481,750.0	S
Boscalid	N-outdr flower	25.11	94	430.5	A
Boscalid	N-outdr transplants	1.84	3	3.9	A
Boscalid	Onion, dry	10.43	9	36.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Boscalid	Peach	0.19	2	0.82	A
Boscalid	Pistachio	6.85	1	30.0	A
Boscalid	Potato	73.5	2	240.0	A
Boscalid	Raspberry	7.71	3	21.27	A
Boscalid	Research commodity	0.04	N/A	N/A	N/A
Boscalid	Strawberry	245.22	14	711.24	A
Boscalid	Tomato	0.24	3	1.1	A
Brodifacoum	Structural pest control	<0.01	N/A	N/A	N/A
Bromadiolone	Structural pest control	0.01	N/A	N/A	N/A
Bromadiolone	Vertebrate control	<0.01	N/A	N/A	N/A
Bromethalin	Golf course turf	<0.01	N/A	20,000.0	S
Bromethalin	Landscape maintenance	0.05	N/A	N/A	N/A
Bromethalin	Structural pest control	0.97	N/A	N/A	N/A
Bromethalin	Vertebrate control	0.02	N/A	N/A	N/A
Bromoxynil heptanoate	Alfalfa	27.53	1	80.0	A
Bromoxynil heptanoate	Barley	6.37	2	41.0	A
Bromoxynil heptanoate	Forage hay/silage	38.8	7	191.0	A
Bromoxynil heptanoate	Oat	87.06	10	355.0	A
Bromoxynil heptanoate	Onion, dry	28.43	26	421.0	A
Bromoxynil heptanoate	Wheat	30.97	1	120.0	A
Bromoxynil octanoate	Alfalfa	28.55	1	80.0	A
Bromoxynil octanoate	Barley	12.14	3	66.0	A
Bromoxynil octanoate	Forage hay/silage	93.67	9	406.0	A
Bromoxynil octanoate	Oat	90.28	10	355.0	A
Bromoxynil octanoate	Onion, dry	29.48	26	421.0	A
Bromoxynil octanoate	Wheat	32.12	1	120.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Buprofezin	Grape, wine	846.93	47	877.08	A
Buprofezin	Lemon	142.88	5	80.0	A
Buprofezin	Strawberry	369.49	18	951.44	A
Burkholderia rinojensis strain a396	Blackberry	271.23	4	66.48	A
Burkholderia rinojensis strain a396	Grape, wine	4,323.27	35	998.85	A
Burkholderia rinojensis strain a396	N-grnhs plants in containers	134.49	17	24.36	A
Burkholderia rinojensis strain a396	N-grnhs transplants	148.53	19	48.8	A
Burkholderia rinojensis strain a396	N-outdr transplants	70.67	17	39.6	A
Burkholderia rinojensis strain a396	Strawberry	463.06	5	81.0	A
Butyl lactate	Landscape maintenance	11.76	N/A	N/A	N/A
Calcium hydroxide	Lemon	5,698.53	18	635.2	A
Calcium hydroxide	Tangerine	348.75	1	32.5	A
Calcium hypochlorite	Water (industrial)	8.16	N/A	48.0	U
Capric acid	Carrot	928.84	13	512.14	A
Capric acid	Collard	11.85	2	4.2	A
Capric acid	Grape, wine	467.38	7	53.0	A
Capric acid	Kale	20.29	4	7.19	A
Capric acid	Landscape maintenance	2.1	N/A	N/A	N/A
Capric acid	Lettuce, leaf	27.42	1	3.61	A
Capric acid	Mustard	8.75	4	3.1	A
Capric acid	Radish	28.14	2	3.91	A
Capric acid	Rights of way	84.66	N/A	N/A	N/A
Capric acid	Swiss chard	27.09	5	9.6	A
Capric acid	Uncultivated ag	7.2	1	1.0	A
Caprylic acid	Carrot	1,364.24	13	512.14	A
Caprylic acid	Collard	14.49	2	4.2	A
Caprylic acid	Grape, wine	686.47	7	53.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Caprylic acid	Kale	24.8	4	7.19	A
Caprylic acid	Landscape maintenance	3.08	N/A	N/A	N/A
Caprylic acid	Lettuce, leaf	40.28	1	3.61	A
Caprylic acid	Mustard	10.69	4	3.1	A
Caprylic acid	Radish	41.34	2	3.91	A
Caprylic acid	Rights of way	103.47	N/A	N/A	N/A
Caprylic acid	Swiss chard	33.11	5	9.6	A
Caprylic acid	Uncultivated ag	10.57	1	1.0	A
Capsicum oleoresin	Grape, wine	1.68	3	64.83	A
Captan	Strawberry	39,447.37	576	22,219.21	A
Captan, other related	Strawberry	423.38	294	11,340.5	A
Carbaryl	Brussels sprout	110.21	6	112.7	A
Carbaryl	Cabbage	1.5	1	3.0	A
Carbaryl	Landscape maintenance	<0.01	N/A	N/A	N/A
Carbaryl	Pumpkin	0.99	1	1.0	A
Carbaryl	Research commodity	0.06	N/A	N/A	N/A
Carbon	County ag comm	0.2	N/A	N/A	N/A
Carbon	Landscape maintenance	1.82	N/A	N/A	N/A
Carbon	Vertebrate control	8.67	N/A	N/A	N/A
Carfentrazone-ethyl	Avocado	0.13	7	8.5	A
Carfentrazone-ethyl	Barley	0.25	4	17.25	A
Carfentrazone-ethyl	County ag comm	1.54	N/A	N/A	N/A
Carfentrazone-ethyl	Forage hay/silage	2.92	1	200.0	A
Carfentrazone-ethyl	Grape, wine	127.2	359	6,217.75	A
Carfentrazone-ethyl	Landscape maintenance	6.37	N/A	N/A	N/A
Carfentrazone-ethyl	Lemon	21.66	71	2,995.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Carfentrazone-ethyl	Oat	0.32	6	22.15	A
Carfentrazone-ethyl	Oat (forage - fodder)	1.12	7	75.75	A
Carfentrazone-ethyl	Olive	0.01	1	1.0	A
Carfentrazone-ethyl	Onion, dry	3.07	1	105.0	A
Carfentrazone-ethyl	Pistachio	4.29	5	146.1	A
Carfentrazone-ethyl	Rights of way	0.13	N/A	N/A	N/A
Carfentrazone-ethyl	Tangerine	0.36	5	118.0	A
Carfentrazone-ethyl	Uncultivated ag	0.15	1	5.0	A
Carfentrazone-ethyl	Walnut	0.01	1	1.0	A
Chlorantraniliprole	Bok choy (choy sum, pak choi)	3.24	21	45.53	A
Chlorantraniliprole	Broccoli	192.77	208	1,979.46	A
Chlorantraniliprole	Brussels sprout	77.25	90	809.85	A
Chlorantraniliprole	Cabbage	37.71	94	431.86	A
Chlorantraniliprole	Cauliflower	46.74	67	547.7	A
Chlorantraniliprole	Celery	33.16	39	259.96	A
Chlorantraniliprole	Chinese cabbage (napa, wong bok, celery cabbage)	60.46	99	614.38	A
Chlorantraniliprole	Collard	5.12	12	47.5	A
Chlorantraniliprole	Corn, human consumption	0.65	4	9.0	A
Chlorantraniliprole	Grape, wine	1.75	1	20.0	A
Chlorantraniliprole	Kale	5.15	10	40.85	A
Chlorantraniliprole	Landscape maintenance	11.36	N/A	N/A	N/A
Chlorantraniliprole	Lettuce, head	45.43	91	746.8	A
Chlorantraniliprole	Lettuce, leaf	24.18	39	333.91	A
Chlorantraniliprole	Potato	0.03	1	0.5	A
Chlorantraniliprole	Spinach	7.35	4	66.8	A
Chlorantraniliprole	Strawberry	138.21	36	1,315.92	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorantraniliprole	Structural pest control	5.93	N/A	N/A	N/A
Chlorantraniliprole	Tomato	0.49	2	7.0	A
Chlorfenapyr	N-grnhs flower	0.25	1	3.0	A
Chlorfenapyr	N-grnhs plants in containers	2.41	20	19.47	A
Chlorfenapyr	N-grnhs plants in containers	0.37	4	93,408.0	S
Chlorfenapyr	Structural pest control	26.07	N/A	N/A	N/A
Chloromequat chloride	N-grnhs plants in containers	0.46	12	1.44	A
Chloromequat chloride	N-grnhs transplants	4.66	7	7.8	A
Chloromequat chloride	N-grnhs transplants	0.06	1	6,750.0	S
Chloromequat chloride	N-outdr plants in containers	<0.01	1	0.02	A
Chlorophacinone	Landscape maintenance	0.05	N/A	N/A	N/A
Chlorophacinone	Rangeland	<0.01	N/A	4.0	A
Chlorophacinone	Regulatory pest control	0.01	N/A	N/A	N/A
Chlorophacinone	Rights of way	0.07	N/A	N/A	N/A
Chlorophacinone	Structural pest control	<0.01	N/A	N/A	N/A
Chlorophacinone	Vertebrate control	0.45	N/A	N/A	N/A
Chloropicrin	Blackberry	5,940.0	1	20.0	A
Chloropicrin	Raspberry	10,216.8	2	34.4	A
Chloropicrin	Squash, summer	940.0	1	10.0	A
Chloropicrin	Strawberry	589,380.72	110	3,083.49	A
Chloropicrin	Structural pest control	44.66	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorothalonil	Broccoli	39.65	5	35.0	A
Chlorothalonil	Brussels sprout	38.93	7	51.5	A
Chlorothalonil	Carrot	376.55	4	249.5	A
Chlorothalonil	Cauliflower	23.24	3	20.5	A
Chlorothalonil	Celery	584.18	32	290.83	A
Chlorothalonil	Chinese cabbage (napa, wong bok, celery cabbage)	904.24	66	759.76	A
Chlorothalonil	Christmas tree	19.48	6	25.0	A
Chlorothalonil	County ag comm	25.54	N/A	N/A	N/A
Chlorothalonil	Golf course turf	171.06	N/A	27.7	A
Chlorothalonil	Landscape maintenance	133.91	N/A	N/A	N/A
Chlorothalonil	N-grnhs flower	0.37	2	1.0	A
Chlorothalonil	N-grnhs plants in containers	0.19	1	2.0	A
Chlorothalonil	N-grnhs transplants	9.95	13	9.34	A
Chlorothalonil	N-grnhs transplants	4.13	51	1,062,000.0	S
Chlorothalonil	N-outdr flower	30.83	34	75.5	A
Chlorothalonil	N-outdr plants in containers	1.54	3	9.0	A
Chlorothalonil	N-outdr transplants	43.75	16	39.0	A
Chlorothalonil	N-outdr transplants	11.55	12	657,990.0	S
Chlorothalonil	Onion, dry	417.8	2	187.0	A
Chlorothalonil	Peach	3.67	3	1.23	A
Chlorothalonil	Research commodity	1.92	N/A	N/A	N/A
Chlorothalonil	Tomato	26.97	5	16.0	A
Chlorpyrifos	Rights of way	5.87	N/A	N/A	N/A
Chlorsulfuron	Barley	0.43	2	39.0	A
Chlorsulfuron	Forage hay/silage	1.31	2	163.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorsulfuron	Landscape maintenance	4.77	N/A	N/A	N/A
Chlorsulfuron	Oat	3.79	7	240.0	A
Chlorsulfuron	Rights of way	28.73	N/A	N/A	N/A
Chlorsulfuron	Wheat	0.47	1	50.0	A
Chlorthal-dimethyl	Bok choy (choy sum, pak choi)	1,948.96	181	361.85	A
Chlorthal-dimethyl	Broccoli	48.3	2	8.1	A
Chlorthal-dimethyl	Brussels sprout	3,225.35	61	582.64	A
Chlorthal-dimethyl	Cabbage	58.14	1	11.0	A
Chlorthal-dimethyl	Cauliflower	3.2	1	0.75	A
Chlorthal-dimethyl	Chinese cabbage (napa, wong bok, celery cabbage)	4,417.11	120	479.09	A
Chlorthal-dimethyl	Collard	233.35	12	44.75	A
Chlorthal-dimethyl	Kale	206.48	10	39.05	A
Chlorthal-dimethyl	Leek	24.15	1	4.0	A
Chlorthal-dimethyl	N-outdr transplants	270.18	13	44.75	A
Cholecalciferol	Landscape maintenance	<0.01	N/A	N/A	N/A
Cholecalciferol	Structural pest control	4.26	N/A	N/A	N/A
Cholecalciferol	Vertebrate control	0.06	N/A	N/A	N/A
Chromobacterium subtsugae strain praa4-1	Blackberry	97.25	8	114.39	A
Chromobacterium subtsugae strain praa4-1	Blueberry	174.09	33	253.09	A
Chromobacterium subtsugae strain praa4-1	Broccoli	80.28	2	89.2	A
Chromobacterium subtsugae strain praa4-1	Cabbage	65.61	4	72.9	A
Chromobacterium subtsugae strain praa4-1	Cauliflower	108.99	6	121.1	A
Chromobacterium subtsugae strain praa4-1	Grape, wine	798.54	29	887.27	A
Chromobacterium subtsugae strain praa4-1	Lettuce, leaf	27.18	4	30.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chromobacterium subtsugae strain praa4-1	N-grnhs plants in containers	7.85	13	18.41	A
Chromobacterium subtsugae strain praa4-1	N-grnhs transplants	28.31	20	38.54	A
Chromobacterium subtsugae strain praa4-1	N-outdr transplants	15.19	19	57.5	A
Chromobacterium subtsugae strain praa4-1	Onion, dry	27.0	5	30.0	A
Chromobacterium subtsugae strain praa4-1	Spinach	45.54	4	50.6	A
Chromobacterium subtsugae strain praa4-1	Strawberry	1,027.31	35	1,221.78	A
Chromobacterium subtsugae strain praa4-1	Tomato	0.21	6	0.55	A
Cinnamaldehyde	Strawberry	161.24	6	259.58	A
Citric acid	Alfalfa	7.87	5	111.31	A
Citric acid	Avocado	0.08	1	1.0	A
Citric acid	Blackberry	16.34	24	246.87	A
Citric acid	Broccoli	7.79	19	126.6	A
Citric acid	Brussels sprout	134.51	301	3,044.2	A
Citric acid	Carrot	873.26	12	630.8	A
Citric acid	Cauliflower	27.59	89	651.6	A
Citric acid	Celery	0.93	7	28.3	A
Citric acid	Grape, wine	1,777.87	891	13,156.66	A
Citric acid	Landscape maintenance	27.96	N/A	N/A	N/A
Citric acid	Lemon	80.18	69	2,865.65	A
Citric acid	N-grnhs flower	5.84	165	224.08	A
Citric acid	N-grnhs transplants	0.37	6	11.85	A
Citric acid	N-outdr flower	69.53	295	1,509.0	A
Citric acid	N-outdr transplants	1.04	16	43.56	A
Citric acid	Olive	2.93	3	146.0	A
Citric acid	Onion, dry	1.94	1	11.0	A
Citric acid	Pastureland	0.04	1	0.7	A
Citric acid	Pistachio	2.12	1	20.0	A
Citric acid	Rangeland	1.27	1	72.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Citric acid	Raspberry	6.95	7	93.05	A
Citric acid	Rights of way	15.87	N/A	N/A	N/A
Citric acid	Strawberry	2,968.83	438	17,221.34	A
Citric acid	Tangerine	2.87	6	154.5	A
Citric acid	Uncultivated ag	15.48	8	94.13	A
Citric acid	Unknown	1.68	1	9.5	A
Citric acid	Vertebrate control	0.06	3	2.34	A
Clarified hydrophobic extract of neem oil	Blackberry	270.0	7	44.87	A
Clarified hydrophobic extract of neem oil	Blueberry	93.2	1	8.13	A
Clarified hydrophobic extract of neem oil	Cannabis (all or unspecified)	2.99	4	8.0	U
Clarified hydrophobic extract of neem oil	Landscape maintenance	22.84	N/A	N/A	N/A
Clarified hydrophobic extract of neem oil	N-grnhs flower	12.37	4	2.0	A
Clarified hydrophobic extract of neem oil	N-grnhs flower	0.42	1	1,500.0	S
Clarified hydrophobic extract of neem oil	N-outdr flower	47.52	9	6.75	A
Clarified hydrophobic extract of neem oil	Strawberry	2,508.06	18	752.96	A
Clethodim	Brussels sprout	3.52	2	29.0	A
Clethodim	Cabbage	2.46	5	20.3	A
Clethodim	Carrot	42.27	5	323.5	A
Clethodim	Cauliflower	0.91	1	7.5	A
Clethodim	Chinese cabbage (napa, wong bok, celery cabbage)	3.61	3	29.8	A
Clethodim	Cilantro	1.97	3	16.3	A
Clethodim	Grape, wine	7.43	3	73.96	A
Clethodim	Landscape maintenance	159.38	N/A	N/A	N/A
Clethodim	Onion, dry	56.74	12	217.0	A
Clethodim	Uncultivated non-ag	0.3	N/A	5.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clofentezine	N-grnhs plants in containers	0.42	6	7.44	A
Clofentezine	N-grnhs transplants	0.02	1	0.16	A
Clopyralid, monoethanolamine salt	County ag comm	7.16	N/A	N/A	N/A
Clopyralid, monoethanolamine salt	Golf course turf	7.13	N/A	73.5	A
Clopyralid, monoethanolamine salt	Golf course turf	0.59	N/A	142,225.0	S
Clopyralid, monoethanolamine salt	Landscape maintenance	34.39	N/A	N/A	N/A
Clopyralid, monoethanolamine salt	Regulatory pest control	26.53	N/A	N/A	N/A
Clopyralid, monoethanolamine salt	Rights of way	3.31	N/A	N/A	N/A
Clopyralid, monoethanolamine salt	Uncultivated non-ag	4.82	N/A	45.0	A
Clothianidin	Bok choy (choy sum, pak choi)	4.56	27	63.45	A
Clothianidin	Broccoli	7.55	11	76.9	A
Clothianidin	Brussels sprout	5.36	6	30.6	A
Clothianidin	Cabbage	4.34	16	65.1	A
Clothianidin	Cauliflower	2.48	6	31.0	A
Clothianidin	Chinese cabbage (napa, wong bok, celery cabbage)	12.56	58	174.45	A
Clothianidin	Collard	0.81	1	4.0	A
Clothianidin	Grape, wine	405.13	39	2,548.28	A
Clothianidin	Kale	0.41	2	6.0	A
Clothianidin	Landscape maintenance	0.1	N/A	N/A	N/A
Clothianidin	Lettuce, leaf	0.51	1	7.6	A
Clothianidin	Potato	0.04	1	0.5	A
Clothianidin	Structural pest control	6.12	N/A	N/A	N/A
Clothianidin	Vertebrate control	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Coconut diethanolamide	Landscape maintenance	<0.01	N/A	N/A	N/A
Coconut diethanolamide	Peas	1.59	1	3.0	A
Coconut diethanolamide	Rights of way	0.15	N/A	N/A	N/A
Codling moth granulosis virus	Apple	<0.01	9	17.28	A
Coniothyrium minitans strain con/m/91-08	Broccoli	1.06	1	10.0	A
Coniothyrium minitans strain con/m/91-08	Carrot	176.68	27	1,666.8	A
Coniothyrium minitans strain con/m/91-08	Cauliflower	2.23	3	21.0	A
Coniothyrium minitans strain con/m/91-08	Peas	14.87	1	140.3	A
Copper	N-grnhs transplants	0.01	15	115,250.0	S
Copper ammonium carbonate	Landscape maintenance	0.02	N/A	N/A	N/A
Copper ammonium complex	Landscape maintenance	2.9	N/A	N/A	N/A
Copper carbonate, basic	Rights of way	77.21	N/A	N/A	N/A
Copper diammonium diacetate complex	Landscape maintenance	1.97	N/A	N/A	N/A
Copper ethanolamine complexes, mixed	Landscape maintenance	49.73	N/A	N/A	N/A
Copper ethanolamine complexes, mixed	Water area	36.91	N/A	3.7	A
Copper ethanolamine complexes, mixed	Water area	7.77	N/A	783.0	K
Copper ethanolamine complexes, mixed	Water area	113.11	N/A	38.25	U
Copper ethylenediamine complex	Landscape maintenance	2.68	N/A	N/A	N/A
Copper hydroxide	Broccoli	39.19	19	125.0	A
Copper hydroxide	Carrot	2.46	1	5.34	A
Copper hydroxide	Cauliflower	37.69	14	109.0	A
Copper hydroxide	Celery	62.45	26	137.82	A
Copper hydroxide	Garlic	1.04	2	3.0	A
Copper hydroxide	Grape	64.66	4	169.0	A
Copper hydroxide	Grape, wine	9,601.88	344	18,489.07	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper hydroxide	Landscape maintenance	45.12	N/A	N/A	N/A
Copper hydroxide	Leek	1.15	1	1.67	A
Copper hydroxide	Lemon	637.67	9	203.2	A
Copper hydroxide	N-grnhs plants in containers	0.07	3	14,400.0	S
Copper hydroxide	N-grnhs transplants	3.86	15	7.96	A
Copper hydroxide	N-grnhs transplants	1.34	1	75,617.0	S
Copper hydroxide	N-outdr flower	3.83	3	2.25	A
Copper hydroxide	N-outdr plants in containers	3.69	4	12.0	A
Copper hydroxide	N-outdr transplants	8.69	16	36.4	A
Copper hydroxide	N-outdr transplants	6.45	12	495,458.0	S
Copper hydroxide	Olive	112.95	2	48.2	A
Copper hydroxide	Onion, dry	30.38	11	71.5	A
Copper hydroxide	Parsley	47.36	23	30.75	A
Copper hydroxide	Peach	27.68	3	2.88	A
Copper hydroxide	Peas	4.24	1	5.5	A
Copper hydroxide	Rights of way	357.29	N/A	N/A	N/A
Copper hydroxide	Tomato	2.54	3	5.5	A
Copper octanoate	Broccoli	14.44	7	35.25	A
Copper octanoate	Carrot	5.27	4	13.71	A
Copper octanoate	Cauliflower	8.55	3	20.5	A
Copper octanoate	Celery	58.03	2	46.4	A
Copper octanoate	Garlic	0.42	1	1.0	A
Copper octanoate	Leek	0.25	1	0.6	A
Copper octanoate	Lettuce, leaf	1.09	1	2.61	A
Copper octanoate	N-grnhs plants in containers	198.61	52	22.38	A
Copper octanoate	N-grnhs transplants	6.41	8	13.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper octanoate	N-outdr plants in containers	0.34	2	8.0	A
Copper octanoate	N-outdr transplants	11.48	15	53.4	A
Copper octanoate	N-outdr transplants	0.42	2	88,417.0	S
Copper octanoate	Onion, dry	1.81	2	4.34	A
Copper octanoate	Onion, green	0.56	1	1.34	A
Copper octanoate	Parsley	7.71	4	18.5	A
Copper octanoate	Peach	0.47	1	0.41	A
Copper octanoate	Potato	0.42	2	1.0	A
Copper octanoate	Spinach	1.12	2	2.68	A
Copper octanoate	Squash, zucchini	0.83	1	2.0	A
Copper octanoate	Strawberry	42.11	3	101.0	A
Copper octanoate	Tomato	0.63	1	1.5	A
Copper oxychloride	Celery	24.3	14	68.0	A
Copper oxychloride	Grape, wine	1,012.87	32	1,222.34	A
Copper oxychloride	N-outdr flower	4.2	3	2.25	A
Copper oxychloride	Onion, dry	27.06	1	56.8	A
Copper sulfate (basic)	Grape, wine	283.03	6	205.19	A
Copper sulfate (basic)	Lemon	2,155.44	12	532.0	A
Copper sulfate (basic)	N-outdr transplants	16.1	13	824,263.0	S
Copper sulfate (basic)	Tangerine	146.21	1	32.5	A
Copper sulfate (basic)	Vertebrate control	1.49	N/A	N/A	N/A
Copper sulfate (pentahydrate)	Grape, wine	7,920.0	5	1,373.0	A
Copper sulfate (pentahydrate)	Landscape maintenance	115.19	N/A	N/A	N/A
Copper sulfate (pentahydrate)	N-grnhs plants in containers	14.99	22	22.46	A
Copper sulfate (pentahydrate)	N-grnhs transplants	0.12	34	340,250.0	S
Copper sulfate (pentahydrate)	Vertebrate control	26.37	N/A	N/A	N/A
Copper sulfate (pentahydrate)	Water area	181.26	N/A	175.93	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper triethanolamine complex	Landscape maintenance	3.03	N/A	N/A	N/A
Corn product, hydrolyzed	Blackberry	23.18	1	13.71	A
Corn product, hydrolyzed	Walnut	1.05	1	11.0	A
Cuprous oxide	Grape, wine	214.2	8	198.5	A
Cuprous oxide	N-outdr transplants	12.17	14	31.2	A
Cuprous oxide	N-outdr transplants	0.5	1	26,106.0	S
Cuprous oxide	Tomato	0.79	8	0.75	A
Cyantraniliprole	Bok choy (choy sum, pak choi)	9.0	30	93.85	A
Cyantraniliprole	Broccoli	59.88	52	440.97	A
Cyantraniliprole	Brussels sprout	158.78	146	1,605.59	A
Cyantraniliprole	Cabbage	25.25	32	171.24	A
Cyantraniliprole	Cauliflower	80.54	113	712.7	A
Cyantraniliprole	Celery	52.71	109	591.75	A
Cyantraniliprole	Chinese cabbage (napa, wong bok, celery cabbage)	47.92	49	341.5	A
Cyantraniliprole	N-grnhs flower	24.02	84	123.42	A
Cyantraniliprole	N-grnhs flower	0.19	6	17,100.0	S
Cyantraniliprole	N-grnhs plants in containers	0.03	2	0.46	A
Cyantraniliprole	N-grnhs plants in containers	0.53	8	126,400.0	S
Cyantraniliprole	N-grnhs transplants	218.61	67	119.45	A
Cyantraniliprole	N-outdr flower	0.88	15	16.5	A
Cyantraniliprole	N-outdr transplants	1,378.78	506	442.24	A
Cyantraniliprole	N-outdr transplants	145.24	100	181,728.0	S
Cyantraniliprole	Spinach	50.12	37	338.65	A
Cyantraniliprole	Strawberry	84.28	22	941.29	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyantraniliprole	Structural pest control	0.01	N/A	N/A	N/A
Cyantraniliprole	Vertebrate control	0.17	1	0.78	A
Cyazofamid	Carrot	124.89	9	822.92	A
Cyazofamid	Landscape maintenance	1.35	N/A	N/A	N/A
Cyazofamid	N-grnhs transplants	1.42	6	11.85	A
Cyazofamid	N-outdr transplants	1.66	16	37.94	A
Cyclaniliprole	Broccoli	1.71	5	32.1	A
Cyclaniliprole	Brussels sprout	24.84	42	467.19	A
Cyclaniliprole	Cabbage	9.96	31	189.43	A
Cyclaniliprole	Cauliflower	13.87	32	259.9	A
Cyclaniliprole	Chinese cabbage (napa, wong bok, celery cabbage)	7.46	22	139.62	A
Cyclaniliprole	Collard	0.13	1	2.5	A
Cyclaniliprole	Kale	1.15	4	21.5	A
Cyclaniliprole	N-outdr transplants	0.94	10	23.4	A
Cycloate	Spinach	1,439.78	82	366.79	A
Cyflufenamid	Grape, wine	304.73	253	10,076.52	A
Cyflufenamid	N-grnhs flower	<0.01	1	285.0	S
Cyflufenamid	N-grnhs plants in containers	0.21	4	2.3	A
Cyflufenamid	N-grnhs transplants	0.34	11	7.2	A
Cyflufenamid	N-grnhs transplants	0.16	18	375,000.0	S
Cyflufenamid	Research commodity	0.01	N/A	N/A	N/A
Cyflufenamid	Strawberry	38.22	49	1,688.93	A
Cyflumetofen	Grape, wine	30.47	6	166.58	A
Cyflumetofen	N-grnhs flower	0.01	1	3,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyflumetofen	N-grnhs plants in containers	7.37	25	31.24	A
Cyflumetofen	N-grnhs plants in containers	1.25	8	182,208.0	S
Cyflumetofen	N-grnhs transplants	0.07	1	0.32	A
Cyflumetofen	N-outdr plants in containers	0.09	2	1.5	A
Cyflumetofen	Strawberry	1,093.85	154	5,984.55	A
Cyfluthrin	Alfalfa	8.89	9	194.31	A
Cyfluthrin	Cauliflower	0.29	1	5.8	A
Cyfluthrin	Grape, wine	0.29	1	6.0	A
Cyfluthrin	Landscape maintenance	0.68	N/A	N/A	N/A
Cyfluthrin	Lemon	47.69	26	650.0	A
Cyfluthrin	N-grnhs flower	0.53	5	15.0	A
Cyfluthrin	N-grnhs transplants	0.37	3	3.0	A
Cyfluthrin	Structural pest control	2.8	N/A	N/A	N/A
Cyfluthrin	Tangerine	1.87	2	32.5	A
Cymoxanil	Lettuce, head	415.3	231	2,214.5	A
Cymoxanil	Lettuce, leaf	46.46	45	247.8	A
Cymoxanil	Research commodity	0.26	N/A	N/A	N/A
Cymoxanil	Spinach	6.12	16	32.5	A
Cypermethrin	Structural pest control	38.51	N/A	N/A	N/A
Cyprodinil	Blackberry	21.76	6	66.31	A
Cyprodinil	Bok choy (choy sum, pak choi)	1.41	1	5.0	A
Cyprodinil	Broccoli	191.88	60	584.95	A
Cyprodinil	Cauliflower	4.78	2	17.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyprodinil	Chinese cabbage (napa, wong bok, celery cabbage)	12.66	5	45.0	A
Cyprodinil	Cilantro	6.5	1	19.8	A
Cyprodinil	Collard	2.06	2	8.0	A
Cyprodinil	Garlic	0.33	1	1.0	A
Cyprodinil	Grape, wine	738.23	183	2,359.77	A
Cyprodinil	Kale	5.09	2	15.5	A
Cyprodinil	Lettuce, head	0.26	5	0.93	A
Cyprodinil	Lettuce, leaf	3.91	4	12.0	A
Cyprodinil	N-grnhs flower	9.91	15	45.0	A
Cyprodinil	N-grnhs flower	0.01	1	600.0	S
Cyprodinil	N-grnhs plants in containers	0.07	2	0.67	A
Cyprodinil	N-grnhs transplants	4.09	15	33.09	A
Cyprodinil	N-outdr flower	4.5	48	199.0	A
Cyprodinil	N-outdr plants in containers	0.21	6	1.61	A
Cyprodinil	N-outdr transplants	6.23	10	28.42	A
Cyprodinil	Onion, dry	0.33	1	1.0	A
Cyprodinil	Raspberry	6.73	1	20.52	A
Cyprodinil	Research commodity	0.05	N/A	N/A	N/A
Cyprodinil	Spinach	2.63	1	8.0	A
Cyprodinil	Strawberry	2,138.71	174	6,733.53	A
Cyprodinil	Tomato	0.02	1	0.05	A
Cyromazine	Celery	34.7	28	278.42	A
Cyromazine	N-grnhs transplants	0.1	1	1.0	A
Cyromazine	N-grnhs transplants	0.33	11	522,000.0	S
Cyromazine	Spinach	1.91	8	15.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
D-allethrin	Structural pest control	<0.01	N/A	N/A	N/A
D-allethrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
D-trans allethrin	Structural pest control	0.01	N/A	N/A	N/A
Daminozide	N-grnhs flower	0.1	1	1,500.0	S
Daminozide	N-grnhs plants in containers	16.89	36	8.2	A
Daminozide	N-grnhs transplants	0.08	1	6,750.0	S
Daminozide	N-outdr plants in containers	2.59	8	1.95	A
Deet	N-grnhs flower	0.51	1	3.0	A
Deet, other related	N-grnhs flower	0.03	1	3.0	A
Deltamethrin	Structural pest control	68.21	N/A	N/A	N/A
Diatomaceous earth	Citrus	0.07	5	1,490.0	S
Diatomaceous earth	Daikon	347.31	11	32.4	A
Diatomaceous earth	Mustard	244.97	8	20.9	A
Diatomaceous earth	Structural pest control	9.01	N/A	N/A	N/A
Diazinon	Landscape maintenance	0.01	N/A	N/A	N/A
Diazinon	Onion, dry	174.99	2	70.0	A
Diazinon	Pepper, fruiting	6.0	1	6.0	A
Diazinon	Strawberry	226.78	9	228.5	A
Dicamba	County ag comm	0.16	N/A	N/A	N/A
Dicamba	Landscape maintenance	6.53	N/A	N/A	N/A
Dicamba	Rights of way	0.64	N/A	N/A	N/A
Dicamba, dimethylamine salt	Barley	3.84	2	51.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dicamba, dimethylamine salt	Forage hay/silage	56.47	12	644.0	A
Dicamba, dimethylamine salt	Golf course turf	2.95	N/A	116.5	A
Dicamba, dimethylamine salt	Landscape maintenance	0.07	N/A	N/A	N/A
Dicamba, dimethylamine salt	Oat	6.9	3	100.0	A
Dicamba, dimethylamine salt	Rights of way	<0.01	N/A	N/A	N/A
Dicloran	Celery	168.61	31	110.1	A
Didecyl dimethyl ammonium chloride	N-grnhs plants in containers	0.72	2	34.0	A
Didecyl dimethyl ammonium chloride	Structural pest control	<0.01	N/A	N/A	N/A
Diethylene glycol	Alfalfa	18.41	4	181.53	A
Diethylene glycol	Barley	156.52	11	1,749.5	A
Diethylene glycol	Forage hay/silage	142.64	15	1,335.0	A
Diethylene glycol	Golf course turf	14.19	N/A	190.5	A
Diethylene glycol	Golf course turf	0.96	N/A	142,225.0	S
Diethylene glycol	Grape, wine	5,607.4	497	22,868.83	A
Diethylene glycol	Landscape maintenance	13.44	N/A	N/A	N/A
Diethylene glycol	Lemon	143.49	12	337.82	A
Diethylene glycol	Oat	9.85	4	155.0	A
Diethylene glycol	Oat (forage - fodder)	5.16	1	220.0	A
Diethylene glycol	Onion, dry	8.2	3	140.0	A
Diethylene glycol	Pastureland	0.22	1	0.7	A
Diethylene glycol	Rights of way	23.96	N/A	N/A	N/A
Diethylene glycol	Uncultivated ag	36.19	1	50.0	A
Diethylene glycol	Wheat	51.93	8	584.0	A
Difenoconazole	Grape, wine	44.63	34	856.22	A
Difenoconazole	Landscape maintenance	2.63	N/A	N/A	N/A
Difenoconazole	Strawberry	0.41	2	30.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Difethialone	Structural pest control	<0.01	N/A	N/A	N/A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Barley	61.46	2	650.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Forage hay/silage	37.81	1	200.0	A
Dikegulac sodium	Landscape maintenance	1.13	N/A	N/A	N/A
Dimethenamid-p	Onion, dry	308.38	13	710.0	A
Dimethenamid-p	Potato	179.97	2	240.0	A
Dimethoate	Bean, unspecified	1.74	2	13.0	A
Dimethoate	N-outdr transplants	0.49	1	2.6	A
Dimethoate	Peas	2.18	6	29.0	A
Dimethomorph	Brussels sprout	1.02	3	5.0	A
Dimethomorph	Cabbage	3.89	4	19.0	A
Dimethomorph	Collard	7.3	8	35.5	A
Dimethomorph	Kale	2.06	2	10.0	A
Dimethomorph	Lettuce, head	1,111.61	560	5,522.01	A
Dimethomorph	Lettuce, leaf	102.98	134	511.44	A
Dimethomorph	N-grnhs flower	1.8	9	9.09	A
Dimethomorph	N-grnhs plants in containers	1.23	4	9.59	A
Dimethomorph	N-grnhs transplants	0.73	17	376,000.0	S
Dimethomorph	N-outdr flower	5.67	15	17.34	A
Dimethomorph	Spinach	7.35	7	35.8	A
Dimethyl alkyl tertiary amines	Rights of way	7.96	N/A	N/A	N/A
Dimethyl silicone fluid emulsion	Grape, wine	5.98	29	2,457.41	A
Dimethylpolysiloxane	Alfalfa	0.24	8	659.53	A
Dimethylpolysiloxane	Avocado	16.58	5	203.95	A
Dimethylpolysiloxane	Barley	0.37	11	1,749.5	A
Dimethylpolysiloxane	Beet	2.93	5	145.7	A
Dimethylpolysiloxane	Blackberry	98.7	40	632.42	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	Blueberry	3.92	2	16.26	A
Dimethylpolysiloxane	Bok choy (choy sum, pak choi)	44.44	75	210.4	A
Dimethylpolysiloxane	Broccoli	5.58	184	1,873.83	A
Dimethylpolysiloxane	Brussels sprout	0.02	3	11.25	A
Dimethylpolysiloxane	Cabbage	0.75	5	37.3	A
Dimethylpolysiloxane	Cauliflower	8.21	117	598.1	A
Dimethylpolysiloxane	Celery	106.37	111	477.08	A
Dimethylpolysiloxane	Chinese cabbage (napa, wong bok, celery cabbage)	0.09	40	66.9	A
Dimethylpolysiloxane	Citrus	0.73	5	1,490.0	S
Dimethylpolysiloxane	Collard	0.08	1	4.1	A
Dimethylpolysiloxane	Daikon	0.65	11	32.4	A
Dimethylpolysiloxane	Forage hay/silage	0.33	19	1,442.0	A
Dimethylpolysiloxane	Garlic	0.01	3	4.0	A
Dimethylpolysiloxane	Golf course turf	0.02	N/A	12.0	A
Dimethylpolysiloxane	Grape	0.04	2	19.0	A
Dimethylpolysiloxane	Grape, wine	430.79	2,008	66,564.64	A
Dimethylpolysiloxane	Kale	2.58	4	43.45	A
Dimethylpolysiloxane	Landscape maintenance	0.65	N/A	N/A	N/A
Dimethylpolysiloxane	Leek	1.61	2	7.4	A
Dimethylpolysiloxane	Lemon	6.7	12	340.82	A
Dimethylpolysiloxane	Lettuce, head	69.77	40	263.2	A
Dimethylpolysiloxane	Lettuce, leaf	0.09	2	6.0	A
Dimethylpolysiloxane	Mustard	0.42	8	20.9	A
Dimethylpolysiloxane	N-grnhs plants in containers	20.14	120	91.92	A
Dimethylpolysiloxane	N-grnhs plants in containers	8.48	78	1,627,900.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	N-grnhs transplants	42.27	46	125.06	A
Dimethylpolysiloxane	N-grnhs transplants	0.36	3	71,712.0	S
Dimethylpolysiloxane	N-outdr flower	0.4	298	1,419.5	A
Dimethylpolysiloxane	N-outdr plants in containers	2.35	28	22.44	A
Dimethylpolysiloxane	N-outdr plants in containers	<0.01	5	4.62	S
Dimethylpolysiloxane	N-outdr transplants	31.22	54	140.5	A
Dimethylpolysiloxane	Oat	0.05	9	247.5	A
Dimethylpolysiloxane	Oat (forage - fodder)	0.12	3	234.0	A
Dimethylpolysiloxane	Onion, dry	31.15	27	769.2	A
Dimethylpolysiloxane	Pastureland	<0.01	1	0.7	A
Dimethylpolysiloxane	Potato	<0.01	2	1.0	A
Dimethylpolysiloxane	Rangeland	0.07	4	516.6	A
Dimethylpolysiloxane	Rights of way	26.7	N/A	N/A	N/A
Dimethylpolysiloxane	Strawberry	1,931.26	555	18,306.67	A
Dimethylpolysiloxane	Swiss chard	1.19	2	59.3	A
Dimethylpolysiloxane	Uncultivated ag	0.09	2	51.0	A
Dimethylpolysiloxane	Uncultivated non-ag	0.01	N/A	70.0	A
Dimethylpolysiloxane	Wheat	0.12	8	584.0	A
Dinotefuran	Cauliflower	1.52	2	11.6	A
Dinotefuran	Landscape maintenance	21.66	N/A	N/A	N/A
Dinotefuran	N-grnhs flower	3.48	13	16.8	A
Dinotefuran	N-grnhs flower	1.07	6	10,600.0	S
Dinotefuran	N-grnhs plants in containers	5.53	21	14.46	A
Dinotefuran	N-grnhs plants in containers	1.33	15	244,600.0	S
Dinotefuran	N-grnhs transplants	3.28	13	30.62	A
Dinotefuran	N-outdr flower	2.41	25	39.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dinotefuran	N-outdr plants in containers	0.02	2	8.0	A
Dinotefuran	N-outdr plants in containers	<0.01	1	1.5	S
Dinotefuran	N-outdr transplants	8.05	28	69.24	A
Dinotefuran	Research commodity	0.02	N/A	N/A	N/A
Dinotefuran	Spinach	37.11	36	280.05	A
Dinotefuran	Structural pest control	117.26	N/A	N/A	N/A
Diocetyl phthalate	N-outdr flower	0.06	1	5.0	A
Diphacinone	Avocado	<0.01	2	25.0	A
Diphacinone	Golf course turf	0.01	N/A	493.25	A
Diphacinone	Grape, wine	0.05	22	601.32	A
Diphacinone	Landscape maintenance	0.22	N/A	N/A	N/A
Diphacinone	Lemon	0.01	2	120.0	A
Diphacinone	N-grnhs flower	<0.01	N/A	40.0	A
Diphacinone	N-grnhs plants in containers	<0.01	N/A	2.0	A
Diphacinone	N-grnhs transplants	<0.01	8	120.46	A
Diphacinone	N-outdr plants in containers	<0.01	3	26.0	U
Diphacinone	N-outdr transplants	<0.01	4	27.95	A
Diphacinone	Olive	<0.01	4	40.0	A
Diphacinone	Rangeland	0.02	27	549.5	A
Diphacinone	Regulatory pest control	0.01	N/A	N/A	N/A
Diphacinone	Rights of way	0.15	N/A	N/A	N/A
Diphacinone	Structural pest control	0.7	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diphacinone	Uncultivated ag	0.14	12	272.0	A
Diphacinone	Vertebrate control	0.73	N/A	N/A	N/A
Diphacinone, sodium salt	Structural pest control	0.02	N/A	N/A	N/A
Diquat dibromide	Landscape maintenance	13.29	N/A	N/A	N/A
Diquat dibromide	N-grnhs flower	0.06	1	5,000.0	S
Diquat dibromide	N-grnhs plants in containers	4.51	13	4.23	A
Diquat dibromide	N-grnhs plants in containers	0.03	1	1,550.0	S
Diquat dibromide	N-grnhs transplants	0.93	2	80,000.0	S
Diquat dibromide	N-outdr plants in containers	0.24	3	1.01	A
Diquat dibromide	Rights of way	1,084.96	N/A	N/A	N/A
Diquat dibromide	Uncultivated ag	13.23	8	15.5	A
Diquat dibromide	Water area	9.32	N/A	0.5	A
Diquat dibromide	Water area	45.54	N/A	38.25	U
Disodium octaborate anhydrous	Rights of way	2,436.04	N/A	N/A	N/A
Disodium octaborate tetrahydrate	Landscape maintenance	0.03	N/A	N/A	N/A
Disodium octaborate tetrahydrate	Structural pest control	1,113.33	N/A	N/A	N/A
Dithiopyr	Landscape maintenance	121.52	N/A	N/A	N/A
Dithiopyr	N-outdr plants in containers	3.6	10	3.98	A
Dithiopyr	N-outdr plants in containers	<0.01	1	0.75	S
Dithiopyr	Rights of way	6.39	N/A	N/A	N/A
Diuron	Grape, wine	2.0	1	7.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diuron	Landscape maintenance	222.0	N/A	N/A	N/A
Diuron	Rights of way	8.64	N/A	N/A	N/A
Dodecyl dimethyl benzyl ammonium naphthenate	N-grnhs plants in containers	0.06	1	3,500.0	S
Dodecylbenzene sulfonic acid	Landscape maintenance	<0.01	N/A	N/A	N/A
Dodecylbenzene sulfonic acid	Rights of way	0.66	N/A	N/A	N/A
E,e-8,10-dodecadien-1-ol	Apple	1.03	1	14.0	A
Edta	Broccoli	0.8	5	33.0	A
Edta	Cauliflower	0.18	1	7.5	A
Edta	Rights of way	0.49	N/A	N/A	N/A
Edta	Uncultivated ag	0.02	1	9.0	A
Edta, tetrasodium salt	Golf course turf	0.18	N/A	4.0	A
Edta, tetrasodium salt	Landscape maintenance	<0.01	N/A	N/A	N/A
Edta, tetrasodium salt	Rights of way	0.04	N/A	N/A	N/A
Emamectin benzoate	Bok choy (choy sum, pak choi)	0.09	3	6.1	A
Emamectin benzoate	Broccoli	13.36	90	889.97	A
Emamectin benzoate	Brussels sprout	23.45	165	1,573.66	A
Emamectin benzoate	Cabbage	7.55	79	500.28	A
Emamectin benzoate	Cauliflower	17.61	174	1,175.13	A
Emamectin benzoate	Chinese cabbage (napa, wong bok, celery cabbage)	7.14	63	475.84	A
Emamectin benzoate	Collard	0.6	15	55.0	A
Emamectin benzoate	Kale	0.85	13	66.6	A
Emamectin benzoate	Landscape maintenance	0.02	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Emamectin benzoate	Structural pest control	<0.01	N/A	N/A	N/A
Emulsifiable methylated vegetable oil	Broccoli	52.98	7	43.5	A
Emulsifiable methylated vegetable oil	Brussels sprout	298.07	20	205.1	A
Emulsifiable methylated vegetable oil	Cabbage	82.07	13	114.99	A
Emulsifiable methylated vegetable oil	Cauliflower	172.32	28	149.8	A
Emulsifiable methylated vegetable oil	Celery	152.77	32	118.4	A
Emulsifiable methylated vegetable oil	Rights of way	34.07	N/A	N/A	N/A
Emulsifiable polyethylene	Golf course turf	0.73	N/A	28.0	A
Eptc	Bean, succulent	33.11	4	14.0	A
Eptc	Bean, unspecified	44.2	5	17.0	A
Eptc	Carrot	371.35	1	121.78	A
Eptc	Tomato	0.87	1	1.0	A
Esbiothrin	Structural pest control	0.01	N/A	N/A	N/A
Esfenvalerate	Cabbage	34.55	153	690.2	A
Esfenvalerate	Cauliflower	1.8	5	37.9	A
Esfenvalerate	Chinese cabbage (napa, wong bok, celery cabbage)	8.13	28	162.1	A
Esfenvalerate	N-grnhs transplants	0.06	1	2.0	A
Esfenvalerate	Structural pest control	24.52	N/A	N/A	N/A
Ethanolamine	Grape, wine	0.58	11	85.2	A
Ethanolamine	Rights of way	0.67	N/A	N/A	N/A
Ethephon	County ag comm	39.93	N/A	N/A	N/A
Ethephon	Landscape maintenance	63.93	N/A	N/A	N/A
Ethephon	Olive	1.65	1	4.0	A
Ethoprop	Cabbage	423.56	24	131.45	A
Ethylene glycol	Grape, wine	130.54	16	696.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Etofenprox	Structural pest control	2.29	N/A	N/A	N/A
Etoxazole	Avocado	0.41	N/A	3.0	A
Etoxazole	Blackberry	1.85	1	13.71	A
Etoxazole	Grape, wine	5.09	5	38.86	A
Etoxazole	N-grnhs plants in containers	0.3	15	8.49	A
Etoxazole	N-grnhs plants in containers	0.24	12	261,616.0	S
Etoxazole	Research commodity	0.04	N/A	N/A	N/A
Etoxazole	Strawberry	3.35	1	24.8	A
Etoxazole	Walnut	0.27	1	1.5	A
Fatty acids derived from tallow	Strawberry	646.17	143	3,109.34	A
Fatty acids, c16-18 and c18-unsaturated, branched and linear	Grape, wine	0.03	1	5.0	A
Fatty acids, c16-18 and c18-unsaturated, branched and linear	Olive	0.75	1	44.2	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Bok choy (choy sum, pak choi)	263.79	304	696.88	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Broccoli	1,276.07	363	3,454.71	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Brussels sprout	1,156.39	137	1,150.06	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cabbage	1,479.89	482	2,431.36	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Carrot	191.03	4	299.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cauliflower	1,177.36	273	2,452.45	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Celery	604.27	86	829.83	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Chinese cabbage (napa, wong bok, celery cabbage)	1,843.58	524	2,874.74	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cilantro	2.58	2	7.7	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Collard	109.91	84	316.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Corn, human consumption	3.93	3	6.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Endive (escarole)	3.16	4	8.5	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Grape, wine	1,096.68	47	998.8	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Kale	104.6	79	300.46	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Leek	19.13	17	44.25	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lemon	154.05	11	200.03	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lettuce, head	3,320.69	1,041	9,937.39	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lettuce, leaf	2,069.28	587	3,305.29	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	N-grnhs plants in containers	2.28	3	5.5	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Parsley	43.62	47	80.85	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Pepper, fruiting	5.71	1	15.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Rights of way	1.03	N/A	N/A	N/A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Spinach	13.12	31	80.7	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Strawberry	281.88	39	815.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Sunflower	0.3	1	0.5	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Water area	0.1	N/A	0.5	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Water area	2.16	N/A	12.5	U
Fatty acids, methyl esters	Grape, wine	3,250.73	72	3,281.61	A
Fatty acids, methyl esters	Olive	115.99	3	146.0	A
Fatty acids, methyl esters	Uncultivated ag	26.08	3	15.0	A
Fatty acids, mixed	Alfalfa	0.13	1	20.0	A
Fatty acids, mixed	Barley	0.42	1	6.0	A
Fatty acids, mixed	Broccoli	0.2	5	33.0	A
Fatty acids, mixed	Cauliflower	0.08	2	12.5	A
Fatty acids, mixed	Grape, wine	61.27	48	1,966.16	A
Fatty acids, mixed	Landscape maintenance	0.21	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fatty acids, mixed	N-grnhs plants in containers	0.15	35	93.87	A
Fatty acids, mixed	N-grnhs transplants	0.22	37	137.87	A
Fatty acids, mixed	N-outdr transplants	0.51	83	170.66	A
Fatty acids, mixed	Oat	1.11	2	53.0	A
Fatty acids, mixed	Oat (forage - fodder)	9.18	1	220.0	A
Fatty acids, mixed	Onion, dry	14.61	3	140.0	A
Fatty acids, mixed	Pistachio	0.77	2	67.0	A
Fatty acids, mixed	Rights of way	43.98	N/A	N/A	N/A
Fatty acids, mixed	Strawberry	5.99	29	796.0	A
Fatty acids, mixed	Uncultivated ag	0.04	7	103.0	A
Fenamidone	Bok choy (choy sum, pak choi)	1.59	3	6.0	A
Fenamidone	Brussels sprout	2.15	4	8.0	A
Fenamidone	Carrot	3.96	1	15.0	A
Fenamidone	Chinese cabbage (napa, wong bok, celery cabbage)	16.69	5	63.1	A
Fenamidone	Collard	2.85	3	11.0	A
Fenamidone	Lettuce, head	40.95	20	158.2	A
Fenamidone	Lettuce, leaf	39.38	18	152.2	A
Fenamidone	N-grnhs transplants	2.26	4	11.34	A
Fenamidone	N-outdr flower	6.78	15	20.0	A
Fenamidone	N-outdr transplants	2.45	7	18.59	A
Fenamidone	Research commodity	0.08	N/A	N/A	N/A
Fenamidone	Spinach	12.51	6	47.3	A
Fenazaquin	Blackberry	9.67	1	13.71	A
Fenazaquin	Strawberry	156.42	2	222.07	A
Fenbutatin-oxide	Strawberry	7.88	1	5.25	A
Fenhexamid	Blackberry	3.9	1	5.19	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenhexamid	Grape, wine	668.37	113	1,334.98	A
Fenhexamid	Lettuce, head	0.31	4	0.95	A
Fenhexamid	N-grnhs plants in containers	0.12	2	0.67	A
Fenhexamid	N-grnhs transplants	6.4	6	6.65	A
Fenhexamid	N-outdr flower	23.5	47	294.5	A
Fenhexamid	N-outdr plants in containers	0.12	4	0.65	A
Fenhexamid	Raspberry	4.59	1	6.12	A
Fenhexamid	Strawberry	2,186.32	135	3,164.31	A
Fenpropathrin	Avocado	15.72	2	50.25	A
Fenpropathrin	Chinese cabbage (napa, wong bok, celery cabbage)	29.64	8	94.75	A
Fenpropathrin	Lemon	28.46	4	91.0	A
Fenpropathrin	N-outdr plants in containers	1.02	12	3.25	A
Fenpropathrin	Strawberry	637.53	68	2,019.79	A
Fenpyroximate	Blackberry	2.79	1	25.98	A
Fenpyroximate	Lemon	34.03	15	320.21	A
Fenpyroximate	N-grnhs plants in containers	2.13	21	20.26	A
Fenpyroximate	N-grnhs plants in containers	0.11	3	49,956.0	S
Fenpyroximate	N-grnhs transplants	0.16	1	28,000.0	S
Fenpyroximate	Strawberry	173.18	31	1,611.29	A
Fipronil	Landscape maintenance	0.05	N/A	N/A	N/A
Fipronil	Structural pest control	157.71	N/A	N/A	N/A
Flazasulfuron	Grape, wine	23.94	29	746.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flonicamid	Bok choy (choy sum, pak choi)	0.17	1	1.9	A
Flonicamid	Cauliflower	1.49	2	17.0	A
Flonicamid	Celery	0.3	1	3.4	A
Flonicamid	Chinese cabbage (napa, wong bok, celery cabbage)	9.09	8	103.9	A
Flonicamid	Cilantro	0.2	1	2.2	A
Flonicamid	Lettuce, head	0.9	1	10.2	A
Flonicamid	Lettuce, leaf	2.73	20	31.0	A
Flonicamid	N-grnhs flower	11.95	53	98.26	A
Flonicamid	N-grnhs flower	0.04	5	14,984.0	S
Flonicamid	N-grnhs plants in containers	0.07	1	22,000.0	S
Flonicamid	N-grnhs transplants	2.83	11	30.59	A
Flonicamid	N-outdr transplants	2.38	14	35.18	A
Flonicamid	Spinach	0.84	1	9.6	A
Flonicamid	Strawberry	690.77	230	8,234.41	A
Flonicamid	Vertebrate control	0.14	1	0.78	A
Fluazifop-p-butyl	Carrot	61.39	3	203.0	A
Fluazifop-p-butyl	Grape, wine	253.69	29	904.92	A
Fluazifop-p-butyl	Landscape maintenance	1.15	N/A	N/A	N/A
Fluazifop-p-butyl	Onion, dry	56.5	1	150.0	A
Fluazifop-p-butyl	Rights of way	0.18	N/A	N/A	N/A
Fluazifop-p-butyl	Uncultivated non-ag	0.12	N/A	2.0	A
Fluazinam	Landscape maintenance	53.15	N/A	N/A	N/A
Fludioxonil	Blackberry	14.51	6	66.31	A
Fludioxonil	Bok choy (choy sum, pak choi)	0.94	1	5.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fludioxonil	Broccoli	156.5	78	739.2	A
Fludioxonil	Brussels sprout	6.28	3	33.9	A
Fludioxonil	Cabbage	6.53	3	35.1	A
Fludioxonil	Cauliflower	27.37	15	147.0	A
Fludioxonil	Chinese cabbage (napa, wong bok, celery cabbage)	8.44	5	45.0	A
Fludioxonil	Cilantro	4.33	1	19.8	A
Fludioxonil	Collard	1.38	2	8.0	A
Fludioxonil	Garlic	0.41	2	2.0	A
Fludioxonil	Grape, wine	56.46	43	258.07	A
Fludioxonil	Kale	3.39	2	15.5	A
Fludioxonil	Landscape maintenance	6.46	N/A	N/A	N/A
Fludioxonil	Lemon	27.55	N/A	9,608.0	T
Fludioxonil	Lettuce, head	0.17	5	0.93	A
Fludioxonil	Lettuce, leaf	2.61	4	12.0	A
Fludioxonil	N-grnhs flower	6.61	15	45.0	A
Fludioxonil	N-grnhs flower	0.27	3	2,685.0	S
Fludioxonil	N-grnhs plants in containers	0.07	3	1.08	A
Fludioxonil	N-grnhs plants in containers	4.06	15	85,212.0	S
Fludioxonil	N-grnhs plants in containers	0.27	3	48,292.0	U
Fludioxonil	N-grnhs transplants	2.85	16	34.29	A
Fludioxonil	N-grnhs transplants	5.72	52	905,000.0	S
Fludioxonil	N-outdr flower	11.38	115	493.5	A
Fludioxonil	N-outdr plants in containers	0.18	10	2.6	A
Fludioxonil	N-outdr transplants	4.16	10	28.42	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fludioxonil	Onion, dry	0.41	2	2.0	A
Fludioxonil	Potato	0.08	1	0.5	A
Fludioxonil	Raspberry	4.49	1	20.52	A
Fludioxonil	Research commodity	0.03	N/A	N/A	N/A
Fludioxonil	Spinach	1.75	1	8.0	A
Fludioxonil	Strawberry	1,530.05	183	7,187.01	A
Fludioxonil	Tomato	0.02	1	0.05	A
Flumioxazin	Artichoke, globe	0.58	1	4.5	A
Flumioxazin	Celery	0.26	1	4.0	A
Flumioxazin	Citrus	0.61	1	1.9	A
Flumioxazin	Garbanzo bean	2.11	3	33.0	A
Flumioxazin	Grape, wine	1,812.15	235	5,902.52	A
Flumioxazin	Landscape maintenance	40.15	N/A	N/A	N/A
Flumioxazin	Lemon	46.89	6	325.0	A
Flumioxazin	Olive	8.7	1	39.0	A
Flumioxazin	Pastureland	0.07	1	0.7	A
Flumioxazin	Pear	0.07	1	0.21	A
Flumioxazin	Pistachio	5.6	1	15.0	A
Flumioxazin	Rights of way	7.65	N/A	N/A	N/A
Flumioxazin	Strawberry	90.71	27	1,070.95	A
Flumioxazin	Water area	5.15	N/A	32.25	U
Fluopicolide	N-grnhs transplants	1.27	6	9.54	A
Fluopicolide	N-outdr flower	1.5	16	18.5	A
Fluopicolide	N-outdr transplants	2.63	11	29.13	A
Fluopyram	Blackberry	10.93	5	49.57	A
Fluopyram	Broccoli	8.29	11	71.25	A
Fluopyram	Brussels sprout	30.96	24	291.15	A
Fluopyram	Cabbage	9.5	11	76.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluopyram	Cauliflower	6.14	6	49.5	A
Fluopyram	Chinese cabbage (napa, wong bok, celery cabbage)	27.27	20	219.97	A
Fluopyram	Collard	5.24	14	42.45	A
Fluopyram	Grape	1.06	1	9.5	A
Fluopyram	Grape, wine	1,195.08	248	11,032.88	A
Fluopyram	Kale	12.38	24	105.6	A
Fluopyram	Landscape maintenance	2.42	N/A	N/A	N/A
Fluopyram	Lettuce, head	13.38	17	108.3	A
Fluopyram	Lettuce, leaf	3.21	4	25.9	A
Fluopyram	N-grnhs plants in containers	1.26	23	11.4	A
Fluopyram	N-grnhs transplants	2.3	8	16.82	A
Fluopyram	N-outdr plants in containers	0.19	3	0.47	A
Fluopyram	N-outdr transplants	2.45	10	27.45	A
Fluopyram	Pistachio	4.67	1	30.0	A
Fluopyram	Raspberry	5.6	2	25.37	A
Fluopyram	Strawberry	984.42	221	8,152.96	A
Flupyradifurone	Avocado	0.47	N/A	3.0	A
Flupyradifurone	Blackberry	6.54	4	35.86	A
Flupyradifurone	Blueberry	0.27	3	3.0	A
Flupyradifurone	Bok choy (choy sum, pak choi)	25.39	53	139.05	A
Flupyradifurone	Broccoli	13.05	14	71.35	A
Flupyradifurone	Brussels sprout	52.87	26	300.79	A
Flupyradifurone	Cabbage	8.17	9	44.65	A
Flupyradifurone	Cauliflower	3.1	2	17.0	A
Flupyradifurone	Celery	3.12	2	17.15	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flupyradifurone	Chinese cabbage (napa, wong bok, celery cabbage)	45.51	51	249.3	A
Flupyradifurone	Cilantro	0.4	1	2.2	A
Flupyradifurone	Citrus	3.65	2	10.0	A
Flupyradifurone	Collard	3.15	5	17.25	A
Flupyradifurone	Endive (escarole)	0.18	1	1.0	A
Flupyradifurone	Grape, wine	8.12	1	43.72	A
Flupyradifurone	Guava	<0.01	1	300.0	S
Flupyradifurone	Kale	11.16	14	61.0	A
Flupyradifurone	Lemon	159.16	26	1,023.63	A
Flupyradifurone	Lettuce, head	51.3	25	286.7	A
Flupyradifurone	Lettuce, leaf	44.31	84	242.51	A
Flupyradifurone	N-grnhs flower	0.02	N/A	200.0	S
Flupyradifurone	N-grnhs plants in containers	9.16	40	9.33	A
Flupyradifurone	N-grnhs plants in containers	0.21	9	67,400.0	S
Flupyradifurone	N-outdr plants in containers	0.27	2	0.61	A
Flupyradifurone	Orange	6.57	8	36.0	A
Flupyradifurone	Parsley	0.1	1	1.8	A
Flupyradifurone	Potato	0.08	1	0.5	A
Flupyradifurone	Raspberry	1.12	1	6.12	A
Flupyradifurone	Spinach	8.88	9	48.6	A
Flupyradifurone	Strawberry	817.67	133	4,561.71	A
Flupyradifurone	Tangerine	6.01	1	32.5	A
Fluridone	Water area	1.96	N/A	18.75	U
Fluroxypyr, 1-methylheptyl ester	Landscape maintenance	2.35	N/A	N/A	N/A
Flurprimidol	Golf course turf	1.2	N/A	19.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flurprimidol	Golf course turf	0.16	N/A	142,225.0	S
Flurprimidol	Landscape maintenance	1.08	N/A	N/A	N/A
Flutolanil	Landscape maintenance	17.82	N/A	N/A	N/A
Flutriafol	Brussels sprout	0.92	4	8.0	A
Flutriafol	Collard	2.85	7	26.0	A
Flutriafol	Grape, wine	1,162.84	181	14,133.01	A
Flutriafol	Kale	4.89	7	43.0	A
Flutriafol	Strawberry	534.66	103	4,772.74	A
Fluxapyroxad	Bok choy (choy sum, pak choi)	0.04	1	0.5	A
Fluxapyroxad	Broccoli	17.15	18	192.5	A
Fluxapyroxad	Brussels sprout	36.37	42	425.05	A
Fluxapyroxad	Cabbage	10.35	10	115.0	A
Fluxapyroxad	Cauliflower	4.85	7	54.5	A
Fluxapyroxad	Chinese cabbage (napa, wong bok, celery cabbage)	0.39	2	4.5	A
Fluxapyroxad	Golf course turf	1.5	N/A	6.5	A
Fluxapyroxad	Grape, wine	26.3	2	290.79	A
Fluxapyroxad	Kale	0.89	1	10.25	A
Fluxapyroxad	Landscape maintenance	10.43	N/A	N/A	N/A
Fluxapyroxad	Lettuce, head	18.31	11	101.1	A
Fluxapyroxad	Lettuce, leaf	0.15	6	1.25	A
Fluxapyroxad	Potato	0.04	1	0.5	A
Fluxapyroxad	Strawberry	296.08	40	1,690.88	A
Foramsulfuron	Landscape maintenance	0.08	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fosetyl-al	Landscape maintenance	8.1	N/A	N/A	N/A
Fosetyl-al	Lettuce, head	570.8	31	252.0	A
Fosetyl-al	N-grnhs flower	19.2	4	4.04	A
Fosetyl-al	N-grnhs transplants	3.0	7	2.5	A
Fosetyl-al	N-grnhs transplants	7.53	7	63,400.0	S
Fosetyl-al	N-outdr flower	121.6	83	342.0	A
Fosetyl-al	N-outdr transplants	140.0	19	45.5	A
Fosetyl-al	N-outdr transplants	9.89	12	253,318.0	S
Gamma-cyhalothrin	Landscape maintenance	<0.01	N/A	N/A	N/A
Garlic	Grape, wine	8.14	6	23.0	A
Garlic	Rights of way	2.64	N/A	N/A	N/A
Gibberellins	Avocado	13.22	13	250.0	A
Gibberellins	Grape	1.37	11	438.0	A
Gibberellins	Lemon	2.97	3	65.5	A
Gibberellins	N-grnhs plants in containers	0.02	19	1.21	A
Gibberellins	N-grnhs transplants	0.02	1	0.8	A
Glufosinate-ammonium	Citrus	38.06	15	72.6	A
Glufosinate-ammonium	Grape, wine	34,307.49	1,187	22,813.75	A
Glufosinate-ammonium	Landscape maintenance	154.53	N/A	N/A	N/A
Glufosinate-ammonium	Lemon	480.79	23	571.79	A
Glufosinate-ammonium	N-grnhs transplants	2.86	1	20.0	A
Glufosinate-ammonium	N-outdr transplants	1.54	2	18.0	A
Glufosinate-ammonium	Pistachio	54.84	3	54.0	A
Glufosinate-ammonium	Rights of way	66.4	N/A	N/A	N/A
Glufosinate-ammonium	Uncultivated ag	92.52	18	129.33	A
Glufosinate-ammonium	Walnut	1.18	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glycerol	Avocado	0.44	1	1.0	A
Glycerol	Golf course turf	52.18	N/A	178.5	A
Glycerol	Golf course turf	7.17	N/A	142,225.0	S
Glycerol	Grape, wine	47.8	13	287.72	A
Glycerol	Landscape maintenance	25.52	N/A	N/A	N/A
Glycerol	Olive	23.15	1	44.2	A
Glycerol	Strawberry	24.25	11	201.0	A
Glyphosate, dimethylamine salt	Landscape maintenance	101.5	N/A	N/A	N/A
Glyphosate, dimethylamine salt	Rights of way	71.67	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Alfalfa	143.99	3	54.0	A
Glyphosate, isopropylamine salt	Avocado	3,696.54	176	2,301.6	A
Glyphosate, isopropylamine salt	Barley	959.18	2	192.0	A
Glyphosate, isopropylamine salt	Broccoli	117.9	5	66.0	A
Glyphosate, isopropylamine salt	Brussels sprout	4.8	1	7.5	A
Glyphosate, isopropylamine salt	Cauliflower	8.59	3	19.9	A
Glyphosate, isopropylamine salt	Christmas tree	50.45	14	45.0	A
Glyphosate, isopropylamine salt	Citrus	134.02	12	67.0	A
Glyphosate, isopropylamine salt	Golf course turf	18.39	2	31.0	A
Glyphosate, isopropylamine salt	Golf course turf	12.02	N/A	96,000.0	S
Glyphosate, isopropylamine salt	Grape	18.98	1	9.5	A
Glyphosate, isopropylamine salt	Grape, wine	15,708.78	217	6,178.47	A
Glyphosate, isopropylamine salt	Landscape maintenance	10.0	1	2.5	A
Glyphosate, isopropylamine salt	Landscape maintenance	5,629.95	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Lemon	2,072.24	122	1,566.0	A
Glyphosate, isopropylamine salt	N-grnhs flower	0.06	1	0.5	A
Glyphosate, isopropylamine salt	N-grnhs plants in containers	7.97	10	3.74	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glyphosate, isopropylamine salt	N-grnhs transplants	52.26	8	140.16	A
Glyphosate, isopropylamine salt	N-outdr plants in containers	158.85	71	112.26	A
Glyphosate, isopropylamine salt	N-outdr plants in containers	<0.01	4	3.87	S
Glyphosate, isopropylamine salt	N-outdr transplants	26.33	6	52.0	A
Glyphosate, isopropylamine salt	Olive	296.05	4	150.0	A
Glyphosate, isopropylamine salt	Onion, dry	43.96	1	11.0	A
Glyphosate, isopropylamine salt	Orange	21.79	4	24.75	A
Glyphosate, isopropylamine salt	Pistachio	291.99	5	146.1	A
Glyphosate, isopropylamine salt	Public health	0.38	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Rangeland	194.84	1	740.0	A
Glyphosate, isopropylamine salt	Regulatory pest control	71.6	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Rights of way	6,465.34	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Strawberry	11.19	2	4.0	A
Glyphosate, isopropylamine salt	Uncultivated ag	375.22	28	217.65	A
Glyphosate, isopropylamine salt	Uncultivated non-ag	272.08	N/A	45,534.0	A
Glyphosate, isopropylamine salt	Unknown	77.67	2	29.5	A
Glyphosate, isopropylamine salt	Vertebrate control	1.17	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Walnut	3.11	3	4.5	A
Glyphosate, isopropylamine salt	Water area	14.63	3	4.5	A
Glyphosate, monoammonium salt	Landscape maintenance	29.94	N/A	N/A	N/A
Glyphosate, monoammonium salt	Research commodity	0.39	N/A	N/A	N/A
Glyphosate, potassium salt	Alfalfa	754.41	4	384.53	A
Glyphosate, potassium salt	Avocado	803.74	48	549.43	A
Glyphosate, potassium salt	Cabbage	42.7	5	18.0	A
Glyphosate, potassium salt	Corn, human consumption	1.38	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glyphosate, potassium salt	County ag comm	161.92	N/A	N/A	N/A
Glyphosate, potassium salt	Garbanzo bean	7.61	1	4.0	A
Glyphosate, potassium salt	Grape, wine	11,590.5	145	4,044.47	A
Glyphosate, potassium salt	Landscape maintenance	740.04	N/A	N/A	N/A
Glyphosate, potassium salt	Lemon	3,833.74	103	3,960.04	A
Glyphosate, potassium salt	Olive	10.77	7	11.15	A
Glyphosate, potassium salt	Onion, dry	154.52	1	105.0	A
Glyphosate, potassium salt	Orange	0.12	N/A	0.75	A
Glyphosate, potassium salt	Pastureland	1.55	1	0.7	A
Glyphosate, potassium salt	Pistachio	55.17	1	20.0	A
Glyphosate, potassium salt	Rangeland	13.79	1	20.0	A
Glyphosate, potassium salt	Rights of way	778.05	N/A	N/A	N/A
Glyphosate, potassium salt	Strawberry	130.25	3	47.22	A
Glyphosate, potassium salt	Tangerine	130.3	7	183.0	A
Glyphosate, potassium salt	Uncultivated ag	38.18	4	12.9	A
Glyphosate, potassium salt	Uncultivated ag	0.17	1	400.0	S
Glyphosate, potassium salt	Uncultivated non-ag	5.52	N/A	10.0	A
Glyphosate, potassium salt	Walnut	2.75	1	1.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Bok choy (choy sum, pak choi)	0.99	5	23.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Broccoli	22.21	32	555.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Brussels sprout	38.87	88	924.5	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Cauliflower	5.03	23	129.8	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Chinese cabbage (napa, wong bok, celery cabbage)	2.75	5	64.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	N-grnhs plants in containers	5.88	14	34.81	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	N-grnhs transplants	0.21	1	0.32	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	N-outdr transplants	1.24	29	75.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Gs-omega/kappa-hctx-hv1a (versitude peptide)	Spinach	2.42	6	56.3	A
Halosulfuron-methyl	Christmas tree	0.12	2	8.0	A
Halosulfuron-methyl	Landscape maintenance	0.97	N/A	N/A	N/A
Heptamethyltrisiloxane ethoxylated	Blackberry	1.44	1	5.19	A
Heptamethyltrisiloxane ethoxylated	Grape, wine	14.45	6	432.77	A
Heptamethyltrisiloxane ethoxylated	Raspberry	1.34	1	4.85	A
Heptamethyltrisiloxane ethoxylated	Strawberry	6.89	2	56.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Avocado	2.79	5	95.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Blackberry	2.52	1	7.62	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Blueberry	15.99	1	9.48	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Broccoli	2.51	14	93.6	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Brussels sprout	89.68	301	3,044.2	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cauliflower	17.44	86	632.5	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Celery	0.18	5	13.3	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grape, wine	16.56	5	483.79	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-grnhs flower	738.31	232	315.42	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-grnhs transplants	0.25	6	11.85	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-outdr transplants	0.49	15	34.56	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Strawberry	2,175.84	70	3,291.94	A
Hexazinone	Alfalfa	176.49	5	263.31	A
Hexylene glycol	Rights of way	28.91	N/A	N/A	N/A
Hexythiazox	Blackberry	2.84	2	11.32	A
Hexythiazox	Grape, wine	6.49	1	46.0	A
Hexythiazox	N-grnhs flower	1.8	7	9.93	A
Hexythiazox	N-grnhs plants in containers	1.99	18	16.75	A
Hexythiazox	N-grnhs plants in containers	0.68	19	314,808.0	S
Hexythiazox	N-grnhs transplants	0.19	1	1.0	A
Hexythiazox	Raspberry	6.68	2	26.64	A
Hexythiazox	Strawberry	560.04	69	2,652.19	A
Humic acid	Broccoli	1.59	5	33.0	A
Humic acid	Cauliflower	0.36	1	7.5	A
Humic acid	Rights of way	0.96	N/A	N/A	N/A
Humic acid	Uncultivated ag	0.05	1	9.0	A
Hydramethylnon	Structural pest control	0.08	N/A	N/A	N/A
Hydrogen chloride	N-outdr flower	0.1	4	15.5	A
Hydrogen peroxide	Blueberry	410.94	4	72.15	A
Hydrogen peroxide	Carrot	1,064.73	4	427.8	A
Hydrogen peroxide	Cauliflower	4.98	1	7.3	A
Hydrogen peroxide	Grape	506.95	25	1,004.0	A
Hydrogen peroxide	Grape, wine	1,656.03	85	989.19	A
Hydrogen peroxide	Lemon	134.46	7	27.0	A
Hydrogen peroxide	Lettuce, leaf	105.42	4	28.22	A
Hydrogen peroxide	N-grnhs flower	8.84	3	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hydrogen peroxide	N-grnhs plants in containers	89.78	16	221.84	A
Hydrogen peroxide	N-grnhs transplants	651.75	23	306.13	A
Hydrogen peroxide	N-grnhs transplants	3.73	3	9,600.0	S
Hydrogen peroxide	N-outdr flower	1.91	3	0.95	A
Hydrogen peroxide	N-outdr transplants	20.02	8	33.44	A
Hydrogen peroxide	Strawberry	2,219.74	22	851.38	A
Hydrogen peroxide	Uncultivated ag	8.54	2	34.0	A
Hydrogen peroxide	Water area	503.33	N/A	346.99	U
Hydroprene	Structural pest control	183.59	N/A	N/A	N/A
Hydrotreated paraffinic solvent	Garbanzo bean	0.38	1	4.0	A
Iba	N-grnhs plants in containers	0.19	16	255.3	A
Iba	N-grnhs plants in containers	0.06	7	12,320.0	S
Iba	N-outdr plants in containers	0.04	4	7,040.0	S
Iba	N-outdr plants in containers	0.01	5	17,350.0	U
Imazamox, ammonium salt	Alfalfa	1.44	2	43.0	A
Imazamox, ammonium salt	Landscape maintenance	0.18	N/A	N/A	N/A
Imazamox, ammonium salt	Rights of way	1.06	N/A	N/A	N/A
Imazamox, ammonium salt	Water area	0.1	N/A	0.5	A
Imazapyr, isopropylamine salt	Landscape maintenance	173.88	N/A	N/A	N/A
Imazapyr, isopropylamine salt	Regulatory pest control	18.15	N/A	N/A	N/A
Imazapyr, isopropylamine salt	Rights of way	4.92	N/A	N/A	N/A
Imazapyr, isopropylamine salt	Uncultivated non-ag	57.35	N/A	330.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imazethapyr, ammonium salt	Alfalfa	2.84	2	43.0	A
Imidacloprid	Avocado	<0.01	1	20.0	A
Imidacloprid	Bean, succulent	1.82	2	6.0	A
Imidacloprid	Bean, unspecified	4.48	7	27.5	A
Imidacloprid	Bok choy (choy sum, pak choi)	26.29	209	451.8	A
Imidacloprid	Broccoli	1,135.9	358	3,562.33	A
Imidacloprid	Brussels sprout	195.44	76	693.5	A
Imidacloprid	Cabbage	276.62	274	1,352.3	A
Imidacloprid	Cauliflower	714.07	298	2,618.14	A
Imidacloprid	Celery	98.05	26	259.5	A
Imidacloprid	Chinese cabbage (napa, wong bok, celery cabbage)	73.62	262	951.67	A
Imidacloprid	Christmas tree	0.84	1	6.0	A
Imidacloprid	Christmas tree	0.01	1	400.0	S
Imidacloprid	Cilantro	5.0	14	15.45	A
Imidacloprid	Citrus	2.84	7	28.0	A
Imidacloprid	Citrus	0.56	4	1,210.0	S
Imidacloprid	Collard	21.02	33	125.55	A
Imidacloprid	Endive (escarole)	0.37	3	7.5	A
Imidacloprid	Fava bean	1.21	1	4.0	A
Imidacloprid	Grape	0.48	1	9.5	A
Imidacloprid	Grape, wine	6,286.87	365	16,432.58	A
Imidacloprid	Kale	21.62	42	139.15	A
Imidacloprid	Landscape maintenance	9.43	N/A	N/A	N/A
Imidacloprid	Lemon	57.72	8	228.0	A
Imidacloprid	Lettuce, head	696.01	277	2,629.18	A
Imidacloprid	Lettuce, leaf	371.64	205	1,303.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Melon	28.36	1	75.0	A
Imidacloprid	N-grnhs flower	0.28	6	12.0	A
Imidacloprid	N-grnhs flower	0.01	1	4,800.0	S
Imidacloprid	N-grnhs plants in containers	<0.01	N/A	1.0	A
Imidacloprid	N-grnhs plants in containers	0.82	4	84,808.0	S
Imidacloprid	N-grnhs transplants	7.82	7	26.2	A
Imidacloprid	N-outdr flower	15.62	88	489.75	A
Imidacloprid	N-outdr plants in containers	5.98	17	60.0	A
Imidacloprid	N-outdr plants in containers	17.1	2	40,400.0	C
Imidacloprid	N-outdr transplants	0.04	2	39,373.0	S
Imidacloprid	Parsley	3.19	3	8.3	A
Imidacloprid	Peas	2.06	2	11.0	A
Imidacloprid	Pepper, fruiting	30.62	8	69.0	A
Imidacloprid	Potato	10.65	2	240.0	A
Imidacloprid	Public health	7.57	N/A	N/A	N/A
Imidacloprid	Rangeland	<0.01	1	100.0	A
Imidacloprid	Research commodity	0.1	N/A	N/A	N/A
Imidacloprid	Rights of way	0.01	N/A	N/A	N/A
Imidacloprid	Spinach	1.56	9	33.7	A
Imidacloprid	Squash	8.04	3	19.0	A
Imidacloprid	Squash, summer	7.87	3	24.0	A
Imidacloprid	Strawberry	975.6	53	2,247.36	A
Imidacloprid	Structural pest control	55.73	N/A	N/A	N/A
Imidacloprid	Tomato	1.39	4	7.1	A
Imidacloprid	Vertebrate control	17.9	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Indaziflam	Grape, wine	122.44	151	2,917.29	A
Indaziflam	Landscape maintenance	1.48	N/A	N/A	N/A
Indaziflam	Lemon	17.05	17	561.71	A
Indaziflam	N-grnhs plants in containers	0.18	14	4.44	A
Indaziflam	N-grnhs plants in containers	<0.01	1	1,550.0	S
Indaziflam	N-outdr plants in containers	0.07	3	1.41	A
Indaziflam	N-outdr plants in containers	<0.01	3	3.12	S
Indaziflam	Olive	0.02	1	0.46	A
Indaziflam	Pistachio	0.55	1	12.0	A
Indaziflam	Rights of way	31.16	N/A	N/A	N/A
Indaziflam	Structural pest control	0.18	N/A	N/A	N/A
Indoxacarb	Alfalfa	11.67	2	239.0	A
Indoxacarb	Bok choy (choy sum, pak choi)	1.84	12	28.0	A
Indoxacarb	Broccoli	105.82	146	1,612.7	A
Indoxacarb	Brussels sprout	78.53	109	1,196.79	A
Indoxacarb	Cabbage	30.94	92	469.64	A
Indoxacarb	Cauliflower	65.32	133	995.07	A
Indoxacarb	Chinese cabbage (napa, wong bok, celery cabbage)	8.65	32	131.84	A
Indoxacarb	Collard	3.47	14	52.65	A
Indoxacarb	County ag comm	0.34	N/A	N/A	N/A
Indoxacarb	Kale	5.46	16	83.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Indoxacarb	Landscape maintenance	0.01	N/A	N/A	N/A
Indoxacarb	Lettuce, head	8.57	15	130.6	A
Indoxacarb	N-grnhs transplants	0.14	1	1.85	A
Indoxacarb	N-outdr transplants	0.76	5	11.7	A
Indoxacarb	Structural pest control	5.28	N/A	N/A	N/A
Indoxacarb	Tomato	0.07	1	1.0	A
Iprodione	Broccoli	56.81	9	56.0	A
Iprodione	Carrot	7.49	1	15.0	A
Iprodione	Cauliflower	22.0	3	22.0	A
Iprodione	Golf course turf	37.38	N/A	10.4	A
Iprodione	Golf course turf	7.48	N/A	115,000.0	S
Iprodione	Landscape maintenance	47.64	N/A	N/A	N/A
Iprodione	N-grnhs flower	29.73	54	71.34	A
Iprodione	N-grnhs transplants	0.09	1	0.5	A
Iprodione	N-grnhs transplants	4.04	3	21,000.0	S
Iprodione	N-outdr flower	6.5	13	65.0	A
Iron phosphate	Landscape maintenance	6.97	N/A	N/A	N/A
Iron phosphate	N-grnhs transplants	2.51	17	182.14	A
Iron phosphate	N-outdr plants in containers	3.35	8	8.0	A
Iron phosphate	N-outdr transplants	0.08	1	9.0	A
Iron phosphate	Rights of way	0.25	N/A	N/A	N/A
Iron phosphate	Structural pest control	0.51	N/A	N/A	N/A
Isaria fumosorosea strain fe 9901	Grape, wine	0.27	2	1.25	A
Isofetamid	Grape, wine	17.25	5	114.74	A
Isofetamid	N-grnhs transplants	1.38	54	801,250.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isfetamid	Strawberry	328.24	11	807.05	A
Isoparaffinic hydrocarbons	Grape, wine	706.11	4	402.63	A
Isoparaffinic hydrocarbons	Rights of way	96.58	N/A	N/A	N/A
Isopropyl alcohol	Grape, wine	28.25	31	853.8	A
Isopropyl alcohol	Landscape maintenance	9.82	N/A	N/A	N/A
Isopropyl alcohol	N-outdr flower	0.05	1	5.0	A
Isopropyl alcohol	Rights of way	1.46	N/A	N/A	N/A
Isopropyl alcohol	Structural pest control	0.24	N/A	N/A	N/A
Isopropylamine dodecylbenzene sulfonate	Landscape maintenance	1.42	N/A	N/A	N/A
Isoxaben	County ag comm	11.96	N/A	N/A	N/A
Isoxaben	Grape, wine	41.67	6	119.66	A
Isoxaben	Landscape maintenance	17.39	N/A	N/A	N/A
Isoxaben	N-grnhs plants in containers	0.45	1	1.2	A
Isoxaben	N-outdr plants in containers	6.28	29	22.55	A
Isoxaben	N-outdr plants in containers	<0.01	1	0.75	S
Isoxaben	Rights of way	10.17	N/A	N/A	N/A
Kaolin	Grape, wine	3,809.98	5	159.42	A
Kresoxim-methyl	Grape, wine	7.65	2	51.0	A
Lambda-cyhalothrin	Alfalfa	7.29	2	239.0	A
Lambda-cyhalothrin	Broccoli	13.24	48	431.96	A
Lambda-cyhalothrin	Brussels sprout	23.27	71	784.9	A
Lambda-cyhalothrin	Cabbage	21.49	121	709.7	A
Lambda-cyhalothrin	Cauliflower	29.93	115	1,013.42	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lambda-cyhalothrin	Chinese cabbage (napa, wong bok, celery cabbage)	23.29	93	757.57	A
Lambda-cyhalothrin	Corn, human consumption	0.33	4	9.0	A
Lambda-cyhalothrin	Garlic	0.06	1	2.0	A
Lambda-cyhalothrin	Landscape maintenance	<0.01	N/A	N/A	N/A
Lambda-cyhalothrin	Lettuce, head	36.85	129	1,285.27	A
Lambda-cyhalothrin	Lettuce, leaf	37.4	134	1,240.82	A
Lambda-cyhalothrin	N-grnhs flower	0.07	2	3.0	A
Lambda-cyhalothrin	N-outdr transplants	1.88	14	33.8	A
Lambda-cyhalothrin	Onion, dry	0.06	1	2.0	A
Lambda-cyhalothrin	Pistachio	1.52	1	40.0	A
Lambda-cyhalothrin	Potato	0.02	1	0.5	A
Lambda-cyhalothrin	Pumpkin	0.23	3	7.3	A
Lambda-cyhalothrin	Regulatory pest control	0.01	N/A	N/A	N/A
Lambda-cyhalothrin	Structural pest control	22.63	N/A	N/A	N/A
Lambda-cyhalothrin	Sunflower	0.01	1	0.5	A
Lambda-cyhalothrin	Tomato	0.15	1	5.0	A
Lauric acid	Peas	0.32	1	3.0	A
Lauryl alcohol	Apple	0.58	1	14.0	A
Lavandulyl senecioate	Grape, wine	143.27	456	11,058.9	A
Lecithin	Alfalfa	6.78	2	45.0	A
Lecithin	Barley	28.53	2	192.0	A
Lecithin	Broccoli	19.74	19	126.6	A
Lecithin	Brussels sprout	538.05	301	3,044.2	A
Lecithin	Cauliflower	106.41	88	645.0	A
Lecithin	Celery	1.08	5	13.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lecithin	Grape	2.68	1	9.5	A
Lecithin	Grape, wine	2,345.12	196	7,382.63	A
Lecithin	Landscape maintenance	47.48	N/A	N/A	N/A
Lecithin	N-grnhs plants in containers	3.45	35	93.87	A
Lecithin	N-grnhs transplants	6.69	43	149.72	A
Lecithin	N-outdr transplants	14.73	98	205.22	A
Lecithin	Onion, dry	40.69	1	152.0	A
Lecithin	Pastureland	4.96	1	22.0	A
Lecithin	Pistachio	23.71	3	87.0	A
Lecithin	Rangeland	3.78	3	152.0	A
Lecithin	Raspberry	0.58	1	2.0	A
Lecithin	Rights of way	124.12	N/A	N/A	N/A
Lecithin	Strawberry	857.97	169	4,197.0	A
Lecithin	Structural pest control	12.17	N/A	N/A	N/A
Lecithin	Uncultivated ag	3.49	10	112.13	A
Lecithin	Uncultivated non-ag	20.36	N/A	196.0	A
Lecithin	Unknown	2.68	1	9.5	A
Lime-sulfur	Grape, wine	261.31	5	38.65	A
Lime-sulfur	Landscape maintenance	0.14	N/A	N/A	N/A
Lime-sulfur	Lemon	600.87	1	34.5	A
Lime-sulfur	N-outdr plants in containers	20.21	1	3.5	A
Lime-sulfur	Raspberry	30.79	1	2.0	A
Limonene	Landscape maintenance	0.49	N/A	N/A	N/A
Limonene	Structural pest control	136.42	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Limone	Water area	0.51	N/A	0.5	A
Limone	Water area	10.8	N/A	12.5	U
Linuron	Carrot	985.05	17	1,179.86	A
Linuron	Celery	404.33	96	515.8	A
Linuron	Cilantro	298.12	134	561.3	A
Linuron	N-grnhs flower	4.5	1	4.5	A
Linuron	N-grnhs plants in containers	20.0	2	20.0	A
Low molecular weight paraffinic oil	Grape, wine	0.02	1	11.55	A
Low molecular weight paraffinic oil	Rights of way	2.08	N/A	N/A	N/A
Malathion	Avocado	8.91	1	50.0	A
Malathion	Bean, unspecified	10.82	2	11.0	A
Malathion	Blackberry	83.65	7	42.34	A
Malathion	Broccoli	2,650.39	220	2,080.22	A
Malathion	Brussels sprout	275.86	15	218.41	A
Malathion	Cabbage	248.17	46	194.23	A
Malathion	Cauliflower	751.84	71	594.38	A
Malathion	Celery	1,547.75	187	1,093.28	A
Malathion	Chinese cabbage (napa, wong bok, celery cabbage)	458.71	62	404.23	A
Malathion	Collard	77.86	21	76.15	A
Malathion	Endive (escarole)	6.79	3	5.25	A
Malathion	Garlic	2.54	1	2.0	A
Malathion	Kale	78.1	16	76.0	A
Malathion	Landscape maintenance	2.6	N/A	N/A	N/A
Malathion	Lettuce, head	3,903.51	259	2,477.87	A
Malathion	Lettuce, leaf	1,346.67	122	751.75	A
Malathion	N-outdr plants in containers	0.64	4	0.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Malathion	Onion, dry	4.45	2	4.0	A
Malathion	Peas	6.57	2	14.0	A
Malathion	Pepper, fruiting	12.82	5	10.0	A
Malathion	Pumpkin	2.04	1	2.0	A
Malathion	Raspberry	9.73	1	4.85	A
Malathion	Spinach	98.79	15	129.08	A
Malathion	Squash	8.95	3	9.0	A
Malathion	Strawberry	6,632.77	119	3,439.42	A
Malathion	Tomato	1.59	2	2.0	A
Malathion	Walnut	4.91	1	11.0	A
Mancozeb	Broccoli	73.19	9	50.1	A
Mancozeb	Cabbage	239.4	14	159.6	A
Mancozeb	Garlic	4.7	2	3.0	A
Mancozeb	Lettuce, head	6,162.15	465	4,103.42	A
Mancozeb	Lettuce, leaf	1,084.48	138	715.4	A
Mancozeb	N-grnhs transplants	8.94	14	9.08	A
Mancozeb	N-outdr flower	19.34	53	70.0	A
Mancozeb	N-outdr transplants	152.98	47	111.8	A
Mancozeb	N-outdr transplants	18.86	16	677,403.0	S
Mancozeb	Onion, dry	56.09	10	37.0	A
Mancozeb	Squash	6.0	2	4.0	A
Mancozeb	Tomato	14.63	5	12.0	A
Mandipropamid	Bok choy (choy sum, pak choi)	2.56	8	19.6	A
Mandipropamid	Broccoli	0.46	3	3.5	A
Mandipropamid	Brussels sprout	0.54	2	4.0	A
Mandipropamid	Cabbage	5.75	9	44.0	A
Mandipropamid	Cauliflower	8.48	7	65.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mandipropamid	Chinese cabbage (napa, wong bok, celery cabbage)	24.73	16	189.92	A
Mandipropamid	Collard	21.94	47	168.4	A
Mandipropamid	Kale	16.0	31	123.0	A
Mandipropamid	Lettuce, head	385.21	303	2,958.63	A
Mandipropamid	Lettuce, leaf	144.63	176	1,108.38	A
Mandipropamid	N-grnhs transplants	0.83	13	5.45	A
Mandipropamid	N-outdr transplants	5.43	68	112.15	A
Mandipropamid	Onion, dry	2.92	5	30.0	A
Mandipropamid	Research commodity	0.01	N/A	N/A	N/A
Mandipropamid	Spinach	77.63	75	595.99	A
Margosa oil	Beet	1,329.34	17	645.7	A
Margosa oil	Broccoli	750.17	11	281.3	A
Margosa oil	Cabbage	500.28	21	246.7	A
Margosa oil	Cauliflower	1,310.42	18	577.7	A
Margosa oil	Collard	122.02	14	57.3	A
Margosa oil	Grape, wine	128.13	6	159.02	A
Margosa oil	Kale	804.93	16	370.5	A
Margosa oil	Mustard	25.02	7	17.1	A
Margosa oil	Onion, dry	1,329.06	6	332.0	A
Margosa oil	Strawberry	632.19	6	141.01	A
Margosa oil	Structural pest control	0.07	N/A	N/A	N/A
Margosa oil	Swiss chard	248.93	7	154.8	A
Margosa oil	Tomato	9.79	1	12,960.0	S
Mcpa, 2-ethyl hexyl ester	Rights of way	12.2	N/A	N/A	N/A
Mcpa, dimethylamine salt	Forage hay/silage	104.75	6	273.0	A
Mcpa, dimethylamine salt	Landscape maintenance	0.15	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mcpa, dimethylamine salt	Oat (forage - fodder)	133.53	1	220.0	A
Mcpa, isooctyl ester	Landscape maintenance	7.91	N/A	N/A	N/A
Mcpp, dimethylamine salt	Landscape maintenance	0.01	N/A	N/A	N/A
Mcpp-p, dimethylamine salt	Golf course turf	8.71	N/A	116.5	A
Mcpp-p, dimethylamine salt	Landscape maintenance	0.15	N/A	N/A	N/A
Mcpp-p, potassium salt	County ag comm	1.04	N/A	N/A	N/A
Mecoprop-p	Landscape maintenance	12.55	N/A	N/A	N/A
Mecoprop-p	Rights of way	2.38	N/A	N/A	N/A
Mefenoxam	Carrot	160.54	15	1,214.06	A
Mefenoxam	Cilantro	31.99	5	31.9	A
Mefenoxam	Collard	4.41	10	34.0	A
Mefenoxam	Kale	1.4	3	11.0	A
Mefenoxam	Landscape maintenance	2.0	N/A	N/A	N/A
Mefenoxam	Lettuce, head	6.09	14	47.5	A
Mefenoxam	Lettuce, leaf	5.09	11	41.1	A
Mefenoxam	Melon	90.18	1	180.0	A
Mefenoxam	N-grnhs plants in containers	0.48	6	52.2	A
Mefenoxam	N-grnhs plants in containers	0.25	7	15,500.0	S
Mefenoxam	N-grnhs plants in containers	0.02	1	1,000.0	U
Mefenoxam	N-grnhs transplants	1.5	10	42.14	A
Mefenoxam	N-grnhs transplants	8.99	68	1,150,800.0	S
Mefenoxam	N-outdr flower	0.61	19	32.5	A
Mefenoxam	N-outdr transplants	22.55	16	39.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mefenoxam	Onion, dry	3.01	1	6.0	A
Mefenoxam	Parsley	2.32	4	9.0	A
Mefenoxam	Potato	25.78	1	120.0	A
Mefenoxam	Strawberry	145.86	7	290.97	A
Mefenoxam, other related	Landscape maintenance	0.07	N/A	N/A	N/A
Mefenoxam, other related	N-grnhs plants in containers	<0.01	3	8,000.0	S
Mefenoxam, other related	N-grnhs transplants	0.02	4	1.23	A
Mefenoxam, other related	N-outdr flower	0.02	18	31.0	A
Mefentrifluconazole	Grape, wine	320.54	73	2,472.44	A
Metaflumizone	Grape, wine	0.06	12	98.63	A
Metaldehyde	Cabbage	0.8	1	2.0	A
Metaldehyde	Landscape maintenance	48.82	N/A	N/A	N/A
Metaldehyde	Lemon	117.88	12	221.5	A
Metaldehyde	N-grnhs plants in containers	0.49	7	17.39	A
Metaldehyde	N-grnhs transplants	7.52	13	181.02	A
Metaldehyde	N-outdr plants in containers	5.6	6	1.76	A
Metaldehyde	Orange	2.0	1	10.0	A
Metam-sodium	Blackberry	5,689.56	1	24.0	A
Metam-sodium	Carrot	24,027.28	2	134.78	A
Metam-sodium	Cauliflower	1,820.32	1	8.6	A
Metam-sodium	Raspberry	2,275.83	1	9.6	A
Metam-sodium	Rights of way	9,210.77	N/A	N/A	N/A
Metam-sodium	Strawberry	67,224.56	8	283.57	A
Metconazole	Golf course turf	1.25	1	3.0	A
Methiocarb	N-grnhs plants in containers	1.88	2	44,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methomyl	Brussels sprout	25.79	1	28.66	A
Methomyl	Cabbage	46.69	10	51.88	A
Methomyl	Cauliflower	12.33	1	13.7	A
Methomyl	Celery	206.66	26	257.05	A
Methomyl	Lettuce, head	60.65	9	94.45	A
Methomyl	Lettuce, leaf	19.08	5	42.4	A
Methomyl	Onion, dry	315.0	7	350.0	A
Methoprene	Structural pest control	237.18	N/A	N/A	N/A
Methoxyfenozide	Avocado	6.91	2	33.0	A
Methoxyfenozide	Bok choy (choy sum, pak choi)	5.24	12	26.7	A
Methoxyfenozide	Broccoli	0.65	1	9.15	A
Methoxyfenozide	Brussels sprout	24.17	4	117.22	A
Methoxyfenozide	Cauliflower	0.41	1	5.8	A
Methoxyfenozide	Celery	42.26	34	267.09	A
Methoxyfenozide	Chinese cabbage (napa, wong bok, celery cabbage)	62.87	29	318.86	A
Methoxyfenozide	Grape, wine	229.39	15	1,230.92	A
Methoxyfenozide	Lettuce, head	68.89	46	467.26	A
Methoxyfenozide	Lettuce, leaf	3.31	3	24.3	A
Methoxyfenozide	N-grnhs transplants	0.05	1	0.6	A
Methoxyfenozide	Pistachio	7.16	1	30.0	A
Methoxyfenozide	Spinach	92.59	47	458.9	A
Methoxyfenozide	Strawberry	377.54	50	2,069.15	A
Methyl bromide	Broccoli	1,664.65	N/A	17,376.0	U
Methyl bromide	Structural pest control	58.89	N/A	N/A	N/A
Methyl silicone resins	Avocado	72.46	2	96.0	A
Methyl silicone resins	Blueberry	27.47	1	16.26	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methyl silicone resins	Bok choy (choy sum, pak choi)	10.53	11	26.25	A
Methyl silicone resins	Broccoli	14.59	4	29.5	A
Methyl silicone resins	Brussels sprout	240.87	63	820.96	A
Methyl silicone resins	Cabbage	76.25	33	172.35	A
Methyl silicone resins	Carrot	0.14	2	1.25	A
Methyl silicone resins	Cauliflower	22.35	7	39.1	A
Methyl silicone resins	Celery	28.27	11	51.0	A
Methyl silicone resins	Chinese cabbage (napa, wong bok, celery cabbage)	37.42	32	79.95	A
Methyl silicone resins	Cilantro	0.21	1	4.5	A
Methyl silicone resins	Grape, wine	313.1	65	1,208.17	A
Methyl silicone resins	Kale	10.81	5	22.0	A
Methyl silicone resins	Landscape maintenance	<0.01	N/A	N/A	N/A
Methyl silicone resins	Leek	1.12	1	3.0	A
Methyl silicone resins	Lettuce, head	0.84	3	4.0	A
Methyl silicone resins	Parsley	0.35	2	8.5	A
Methyl silicone resins	Raspberry	0.17	2	2.75	A
Methyl silicone resins	Regulatory pest control	0.06	N/A	N/A	N/A
Methyl silicone resins	Rights of way	0.1	N/A	N/A	N/A
Methyl silicone resins	Strawberry	33,981.69	623	28,693.43	A
Methyl silicone resins	Structural pest control	0.05	N/A	N/A	N/A
Methyl silicone resins	Swiss chard	0.14	2	1.0	A
Methylated soybean oil	Avocado	0.21	1	1.0	A
Methylated soybean oil	Blackberry	341.83	21	223.28	A
Methylated soybean oil	Bok choy (choy sum, pak choi)	0.85	1	2.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Broccoli	240.88	50	442.83	A
Methylated soybean oil	Brussels sprout	1,008.19	406	4,330.74	A
Methylated soybean oil	Cauliflower	508.5	194	1,376.6	A
Methylated soybean oil	Celery	448.03	93	727.43	A
Methylated soybean oil	Golf course turf	0.76	N/A	2.6	A
Methylated soybean oil	Grape, wine	10,891.48	423	10,281.76	A
Methylated soybean oil	Kale	21.83	4	30.75	A
Methylated soybean oil	Landscape maintenance	195.52	N/A	N/A	N/A
Methylated soybean oil	Lemon	22.1	7	60.5	A
Methylated soybean oil	Lettuce, head	957.79	146	1,425.09	A
Methylated soybean oil	N-grnhs transplants	0.75	6	11.85	A
Methylated soybean oil	N-outdr transplants	1.49	15	34.56	A
Methylated soybean oil	Oat (forage - fodder)	6.11	7	75.75	A
Methylated soybean oil	Onion, dry	20.35	1	152.0	A
Methylated soybean oil	Pistachio	230.35	5	146.1	A
Methylated soybean oil	Rangeland	107.14	5	908.0	A
Methylated soybean oil	Raspberry	148.52	7	93.05	A
Methylated soybean oil	Rights of way	460.67	N/A	N/A	N/A
Methylated soybean oil	Strawberry	4,166.85	129	3,427.61	A
Methylated soybean oil	Tangerine	6.85	2	32.5	A
Methylated soybean oil	Uncultivated non-ag	49.48	N/A	380.0	A
Metofluthrin	Structural pest control	0.15	N/A	N/A	N/A
Metrafenone	Grape, wine	5,026.02	401	18,118.83	A
Metribuzin	Carrot	38.89	4	276.58	A
Metribuzin	Potato	90.0	2	240.0	A
Mineral oil	Alfalfa	77.62	3	63.0	A
Mineral oil	Apple	42.22	5	9.28	A
Mineral oil	Avocado	37,946.37	133	2,377.09	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mineral oil	Blackberry	7,370.57	46	782.56	A
Mineral oil	Blueberry	84.86	1	8.13	A
Mineral oil	Bok choy (choy sum, pak choi)	5.98	66	161.55	A
Mineral oil	Broccoli	21.6	3	5.5	A
Mineral oil	Cabbage	16.42	5	27.0	A
Mineral oil	Carrot	616.75	6	421.08	A
Mineral oil	Celery	241.92	66	650.72	A
Mineral oil	Chinese cabbage (napa, wong bok, celery cabbage)	4.97	3	8.3	A
Mineral oil	Christmas tree	184.33	7	39.0	A
Mineral oil	Cilantro	15.87	135	423.36	A
Mineral oil	Citrus	1,333.37	5	36.0	A
Mineral oil	Citrus	0.01	N/A	280.0	S
Mineral oil	Corn, human consumption	0.12	2	3.0	A
Mineral oil	Garbanzo bean	2.22	2	29.0	A
Mineral oil	Golf course turf	47.94	N/A	2.6	A
Mineral oil	Grape	7,150.01	13	516.5	A
Mineral oil	Grape, wine	167,660.86	1,079	41,624.92	A
Mineral oil	Kale	2.26	1	1.0	A
Mineral oil	Landscape maintenance	1,016.08	N/A	N/A	N/A
Mineral oil	Leek	0.06	2	2.0	A
Mineral oil	Lemon	45,397.7	94	2,514.13	A
Mineral oil	Lettuce, head	11.96	3	4.66	A
Mineral oil	Lettuce, leaf	15.85	2	4.18	A
Mineral oil	N-grnhs flower	3.93	5	12,850.0	S
Mineral oil	N-grnhs plants in containers	75.4	16	4.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mineral oil	N-grnhs plants in containers	294.03	51	1,716,680.0	S
Mineral oil	N-grnhs plants in containers	10.43	2	76,808.0	U
Mineral oil	N-grnhs transplants	8.14	29	76.55	A
Mineral oil	N-outdr flower	15.77	3	2.25	A
Mineral oil	N-outdr plants in containers	10.89	7	18.1	A
Mineral oil	N-outdr plants in containers	<0.01	1	1.5	S
Mineral oil	N-outdr transplants	3.58	31	113.42	A
Mineral oil	Onion, dry	257.95	10	445.51	A
Mineral oil	Orange	63.24	8	36.0	A
Mineral oil	Parsley	0.64	11	17.65	A
Mineral oil	Peach	126.74	3	2.88	A
Mineral oil	Pistachio	9.06	1	12.0	A
Mineral oil	Rights of way	62.26	N/A	N/A	N/A
Mineral oil	Spinach	0.44	6	11.5	A
Mineral oil	Strawberry	376.52	101	2,593.27	A
Mineral oil	Structural pest control	0.12	N/A	N/A	N/A
Mineral oil	Tangerine	852.11	2	65.0	A
Mineral oil	Tropical/subtropical fruit	0.31	1	0.5	A
Mineral oil	Uncultivated ag	71.79	8	47.0	A
Mineral oil	Unknown	29.29	1	20.0	A
Mineral oil	Water area	4.39	3	3.0	A
Modified phthalic glycerol alkyd resin	Grape, wine	67.04	7	224.72	A
Morpholine	N-outdr flower	0.03	1	5.0	A
Msma	Landscape maintenance	0.45	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Muscalure	Structural pest control	0.04	N/A	N/A	N/A
Myclobutanil	Blackberry	2.93	5	41.09	A
Myclobutanil	Grape, wine	824.15	302	7,747.4	A
Myclobutanil	N-grnhs flower	1.19	N/A	46,225.0	S
Myclobutanil	N-grnhs plants in containers	1.51	3	3.76	A
Myclobutanil	N-grnhs plants in containers	0.13	10	81,600.0	S
Myclobutanil	N-outdr flower	2.4	12	28.5	A
Myclobutanil	N-outdr plants in containers	0.16	2	8.0	A
Myclobutanil	Pepper, fruiting	6.03	3	38.0	A
Myclobutanil	Pumpkin	0.25	1	2.0	A
Myclobutanil	Research commodity	0.15	N/A	N/A	N/A
Myclobutanil	Strawberry	822.96	236	7,328.89	A
Myristyl alcohol	Apple	0.12	1	14.0	A
Myrothecium verrucaria, dried fermentation solids & solubles, strain aarc-0255	Brussels sprout	55.8	1	11.5	A
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Collard	0.11	1	0.5	A
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Kale	0.95	1	5.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Alfalfa	14.73	7	541.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Avocado	0.73	5	69.2	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Bok choy (choy sum, pak choi)	74.88	304	696.88	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Broccoli	386.95	368	3,487.71	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Brussels sprout	313.26	137	1,150.06	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cabbage	421.72	482	2,431.36	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Carrot	68.54	10	720.08	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cauliflower	333.63	274	2,459.95	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Celery	161.95	86	829.83	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Chinese cabbage (napa, wong bok, celery cabbage)	503.84	524	2,874.74	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cilantro	0.71	2	7.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Collard	30.95	90	336.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Corn, human consumption	1.05	3	6.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Endive (escarole)	0.85	4	8.5	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grape, wine	827.57	293	5,730.26	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Kale	28.86	82	311.46	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Landscape maintenance	0.64	N/A	N/A	N/A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Leek	5.13	17	44.25	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lemon	113.98	84	3,346.03	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, head	972.52	1,041	9,937.39	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, leaf	565.45	587	3,305.29	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-grnhs plants in containers	0.61	3	5.5	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-grnhs transplants	0.07	1	20.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-outdr plants in containers	0.15	6	18.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-outdr transplants	0.03	1	9.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Olive	2.54	3	146.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Onion, dry	3.38	2	161.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Parsley	11.68	47	80.85	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pepper, fruiting	1.53	1	15.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Rights of way	5.1	N/A	N/A	N/A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Spinach	3.51	31	80.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Strawberry	76.54	39	817.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Structural pest control	0.01	N/A	N/A	N/A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Sunflower	0.08	1	0.5	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Tangerine	2.49	6	154.5	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Uncultivated ag	1.1	9	56.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Water area	0.06	3	3.0	A
N-octyl bicycloheptene dicarboximide	Structural pest control	6.18	N/A	N/A	N/A
N6-benzyl adenine	N-grnhs plants in containers	<0.01	5	0.71	A
N6-benzyl adenine	N-grnhs transplants	0.02	1	0.8	A
Naa	Landscape maintenance	<0.01	N/A	N/A	N/A
Naled	Broccoli	688.21	49	371.55	A
Naled	Brussels sprout	2,715.62	196	2,270.4	A
Naled	Cauliflower	1,262.74	161	977.25	A
Naled	Strawberry	4,387.64	118	4,347.53	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Grape, wine	0.23	11	85.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Rights of way	0.26	N/A	N/A	N/A
Napropamide	Broccoli	1,117.86	92	1,136.11	A
Napropamide	Brussels sprout	239.9	49	476.9	A
Napropamide	Cauliflower	372.7	68	372.7	A
Nonanoic acid	Landscape maintenance	<0.01	N/A	N/A	N/A
Novaluron	Broccoli	7.08	13	89.95	A
Novaluron	Brussels sprout	55.59	68	707.99	A
Novaluron	Cabbage	1.08	7	13.7	A
Novaluron	Cauliflower	11.73	24	149.2	A
Novaluron	N-grnhs flower	7.15	4	12.0	A
Novaluron	N-grnhs plants in containers	0.13	2	57,000.0	S
Novaluron	N-outdr transplants	0.88	5	11.7	A
Novaluron	Potato	9.41	2	240.0	A
Novaluron	Strawberry	635.49	255	8,349.74	A
Novaluron	Structural pest control	0.99	N/A	N/A	N/A
Noviflumuron	Structural pest control	<0.01	N/A	N/A	N/A
Oleic acid	Bok choy (choy sum, pak choi)	29.57	80	180.23	A
Oleic acid	Broccoli	300.55	320	3,026.56	A
Oleic acid	Brussels sprout	24.56	18	179.69	A
Oleic acid	Cabbage	177.23	246	1,135.21	A
Oleic acid	Carrot	59.7	4	299.0	A
Oleic acid	Cauliflower	124.34	174	1,373.02	A
Oleic acid	Celery	0.64	2	9.11	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oleic acid	Chinese cabbage (napa, wong bok, celery cabbage)	70.14	136	443.3	A
Oleic acid	Cilantro	0.16	1	2.2	A
Oleic acid	Lettuce, head	581.36	788	7,674.53	A
Oleic acid	Lettuce, leaf	78.28	208	756.65	A
Oleic acid	N-outdr flower	0.09	1	5.0	A
Oleic acid	Strawberry	7.11	5	133.0	A
Oleic acid, ethyl ester	Landscape maintenance	113.16	N/A	N/A	N/A
Oleic acid, ethyl ester	Rights of way	571.8	N/A	N/A	N/A
Oleic acid, methyl ester	Grape	12.51	1	9.5	A
Oleic acid, methyl ester	Grape, wine	6,455.33	152	5,876.48	A
Oleic acid, methyl ester	Landscape maintenance	198.22	N/A	N/A	N/A
Oleic acid, methyl ester	Pastureland	23.12	1	22.0	A
Oleic acid, methyl ester	Pistachio	26.28	1	20.0	A
Oleic acid, methyl ester	Rangeland	17.66	3	152.0	A
Oleic acid, methyl ester	Rights of way	216.75	N/A	N/A	N/A
Oleic acid, methyl ester	Uncultivated ag	12.04	3	9.13	A
Oleic acid, methyl ester	Uncultivated non-ag	111.69	N/A	209.0	A
Oleic acid, methyl ester	Unknown	12.51	1	9.5	A
Orchex 796 oil	Grape, wine	480.99	4	402.63	A
Orchex 796 oil	Rights of way	65.79	N/A	N/A	N/A
Organosilicone, poly oxyalkylene ether copolymer	Lemon	0.75	1	10.0	A
Orthosulfamuron	Grape, wine	36.15	13	160.85	A
Oryzalin	Grape, wine	5.2	1	10.0	A
Oryzalin	Landscape maintenance	11.33	N/A	N/A	N/A
Oxadiazon	Landscape maintenance	3.67	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxadiazon	N-outdr flower	0.38	1	0.5	A
Oxadiazon	N-outdr plants in containers	2.0	1	7.0	A
Oxamyl	Celery	50.06	23	78.1	A
Oxathiapiprolin	Avocado	4.14	9	41.61	A
Oxathiapiprolin	Broccoli	0.05	3	3.5	A
Oxathiapiprolin	Cauliflower	0.56	4	36.0	A
Oxathiapiprolin	Lettuce, head	7.47	54	479.3	A
Oxathiapiprolin	Lettuce, leaf	7.19	64	459.32	A
Oxathiapiprolin	N-grnhs transplants	0.13	17	7.45	A
Oxathiapiprolin	N-grnhs transplants	3.33	15	256,250.0	S
Oxathiapiprolin	N-outdr transplants	0.65	68	112.15	A
Oxathiapiprolin	Onion, dry	0.35	5	30.0	A
Oxathiapiprolin	Spinach	0.38	3	24.4	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Grape, wine	7.49	11	85.2	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Rights of way	8.67	N/A	N/A	N/A
Oxyfluorfen	Avocado	95.64	33	180.58	A
Oxyfluorfen	Broccoli	1,600.38	533	5,144.99	A
Oxyfluorfen	Cabbage	316.58	200	981.93	A
Oxyfluorfen	Cauliflower	850.31	399	3,067.11	A
Oxyfluorfen	Christmas tree	22.56	9	29.0	A
Oxyfluorfen	Grape	2.28	1	9.5	A
Oxyfluorfen	Grape, wine	7,643.19	504	10,790.99	A
Oxyfluorfen	Landscape maintenance	13.44	N/A	N/A	N/A
Oxyfluorfen	Lemon	59.01	14	154.4	A
Oxyfluorfen	Lettuce, leaf	7.96	3	31.5	A
Oxyfluorfen	N-outdr flower	28.09	N/A	56.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxyfluorfen	N-outdr plants in containers	3.61	18	2.63	A
Oxyfluorfen	N-outdr transplants	2.35	1	9.0	A
Oxyfluorfen	Olive	207.95	3	381.0	A
Oxyfluorfen	Onion, dry	95.29	34	1,414.0	A
Oxyfluorfen	Pistachio	24.13	2	27.0	A
Oxyfluorfen	Rangeland	0.38	1	2.0	A
Oxyfluorfen	Rights of way	439.56	N/A	N/A	N/A
Oxyfluorfen	Strawberry	174.76	7	437.03	A
Oxyfluorfen	Uncultivated ag	75.42	9	74.23	A
Oxyfluorfen	Unknown	47.72	13	190.0	A
Oxyfluorfen	Walnut	1.0	1	1.5	A
Paclobutrazol	Landscape maintenance	0.04	N/A	N/A	N/A
Paclobutrazol	N-grnhs plants in containers	0.05	17	2.58	A
Paclobutrazol	N-grnhs transplants	0.03	57	64,750.0	S
Paclobutrazol	N-outdr plants in containers	<0.01	2	0.02	A
Paecilomyces fumosoroseus apopka strain 97	Broccoli	1.4	2	7.0	A
Paecilomyces fumosoroseus apopka strain 97	Lettuce, head	0.98	2	4.89	A
Paecilomyces fumosoroseus apopka strain 97	Strawberry	5.79	1	28.97	A
Pcnb	Golf course turf	4.1	N/A	8,200.0	S
Pendimethalin	Alfalfa	937.72	5	307.31	A
Pendimethalin	Carrot	476.12	7	502.78	A
Pendimethalin	Citrus	7.1	1	1.9	A
Pendimethalin	Corn, human consumption	18.63	4	8.21	A
Pendimethalin	County ag comm	71.15	N/A	N/A	N/A
Pendimethalin	Grape, wine	9,696.52	210	3,604.32	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pendimethalin	Landscape maintenance	63.16	N/A	N/A	N/A
Pendimethalin	Lemon	571.93	8	259.5	A
Pendimethalin	N-outdr flower	53.03	N/A	56.0	A
Pendimethalin	N-outdr plants in containers	1.8	18	2.63	A
Pendimethalin	Onion, dry	351.74	20	791.0	A
Pendimethalin	Pear	0.8	1	0.21	A
Pendimethalin	Potato	170.45	2	240.0	A
Pendimethalin	Strawberry	1,855.14	29	1,393.96	A
Pendimethalin	Uncultivated ag	94.7	1	50.0	A
Penoxsulam	County ag comm	0.38	N/A	N/A	N/A
Penoxsulam	Golf course turf	1.03	N/A	94.5	A
Penoxsulam	Golf course turf	0.03	N/A	142,225.0	S
Penoxsulam	Landscape maintenance	3.02	N/A	N/A	N/A
Penoxsulam	Rights of way	6.42	N/A	N/A	N/A
Penthiopyrad	Bok choy (choy sum, pak choi)	101.53	143	324.09	A
Penthiopyrad	Brussels sprout	46.11	14	154.28	A
Penthiopyrad	Cabbage	109.58	83	350.35	A
Penthiopyrad	Celery	35.21	38	132.7	A
Penthiopyrad	Chinese cabbage (napa, wong bok, celery cabbage)	172.27	200	551.34	A
Penthiopyrad	Collard	5.78	7	26.5	A
Penthiopyrad	Kale	6.22	8	20.0	A
Penthiopyrad	Landscape maintenance	2.75	N/A	N/A	N/A
Penthiopyrad	Leek	8.59	8	29.85	A
Penthiopyrad	Lettuce, head	425.33	138	1,386.47	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Penthiopyrad	Lettuce, leaf	37.59	31	135.3	A
Penthiopyrad	Melon	31.23	2	150.0	A
Penthiopyrad	N-outdr transplants	0.94	3	1.75	A
Penthiopyrad	Onion, dry	0.63	1	2.0	A
Penthiopyrad	Parsley	14.34	30	50.93	A
Penthiopyrad	Spinach	6.87	1	22.0	A
Penthiopyrad	Strawberry	323.84	38	1,034.26	A
Permethrin	Broccoli	263.97	148	1,421.83	A
Permethrin	Brussels sprout	46.58	31	466.3	A
Permethrin	Cabbage	57.58	72	373.92	A
Permethrin	Cauliflower	31.49	41	248.93	A
Permethrin	Celery	227.16	176	1,142.81	A
Permethrin	Chinese cabbage (napa, wong bok, celery cabbage)	64.24	85	322.1	A
Permethrin	Corn, human consumption	0.4	2	4.0	A
Permethrin	County ag comm	0.72	N/A	N/A	N/A
Permethrin	Landscape maintenance	4.76	N/A	N/A	N/A
Permethrin	Lettuce, head	1,285.2	669	6,440.51	A
Permethrin	Lettuce, leaf	196.93	251	983.38	A
Permethrin	N-grnhs flower	0.03	1	2,500.0	S
Permethrin	N-grnhs transplants	0.49	5	3.8	A
Permethrin	N-outdr transplants	1.04	17	356,781.0	S
Permethrin	Spinach	56.8	34	283.75	A
Permethrin	Structural pest control	761.55	N/A	N/A	N/A
Peroxyacetic acid	Blueberry	30.33	4	72.15	A
Peroxyacetic acid	Carrot	197.17	4	427.8	A
Peroxyacetic acid	Cauliflower	0.92	1	7.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Peroxyacetic acid	Grape	93.88	25	1,004.0	A
Peroxyacetic acid	Grape, wine	181.15	82	983.85	A
Peroxyacetic acid	Lemon	9.92	7	27.0	A
Peroxyacetic acid	Lettuce, leaf	7.78	4	28.22	A
Peroxyacetic acid	N-grnhs flower	1.06	3	2.0	A
Peroxyacetic acid	N-grnhs plants in containers	53.85	16	221.84	A
Peroxyacetic acid	N-grnhs transplants	49.08	23	306.13	A
Peroxyacetic acid	N-grnhs transplants	0.23	2	8,000.0	S
Peroxyacetic acid	N-outdr flower	0.14	3	0.95	A
Peroxyacetic acid	N-outdr transplants	1.48	8	33.44	A
Peroxyacetic acid	Strawberry	410.55	22	851.38	A
Peroxyacetic acid	Uncultivated ag	5.54	2	34.0	A
Peroxyacetic acid	Water area	343.18	N/A	346.99	U
Petroleum distillates, aromatic	Landscape maintenance	0.06	N/A	N/A	N/A
Petroleum oil, paraffin based	Grape, wine	7,868.74	589	5,862.42	A
Petroleum oil, paraffin based	Guava	0.46	1	300.0	S
Petroleum oil, paraffin based	Landscape maintenance	6.84	N/A	N/A	N/A
Petroleum oil, paraffin based	Rights of way	21.69	N/A	N/A	N/A
Petroleum oil, unclassified	Lemon	1,512.68	2	109.0	A
Petroleum oil, unclassified	N-outdr plants in containers	6.17	2	5.5	A
Phenothrin	Structural pest control	0.76	N/A	N/A	N/A
Phenothrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
Phenylethyl propionate	Structural pest control	0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosphine	Commodity fumigation	<0.01	N/A	N/A	N/A
Phosphoric acid	Avocado	0.14	1	1.0	A
Phosphoric acid	Blackberry	90.54	25	252.06	A
Phosphoric acid	Brussels sprout	64.23	29	406.6	A
Phosphoric acid	Cauliflower	4.82	5	30.5	A
Phosphoric acid	Celery	2.86	5	23.5	A
Phosphoric acid	Grape, wine	824.38	150	4,300.11	A
Phosphoric acid	Landscape maintenance	42.52	N/A	N/A	N/A
Phosphoric acid	Lemon	3.01	5	84.65	A
Phosphoric acid	N-grnhs flower	32.27	165	224.08	A
Phosphoric acid	Onion, dry	4.11	5	280.0	A
Phosphoric acid	Raspberry	38.62	8	97.9	A
Phosphoric acid	Rights of way	18.39	N/A	N/A	N/A
Phosphoric acid	Strawberry	3,471.35	363	13,958.8	A
Phosphoric acid	Vertebrate control	0.34	3	2.34	A
Picloram	Regulatory pest control	0.79	N/A	N/A	N/A
Pinoxaden	Barley	77.68	9	1,483.0	A
Piperalin	N-grnhs plants in containers	9.57	17	79.13	A
Piperalin	N-outdr flower	4.11	11	27.0	A
Piperonyl butoxide	Bean, unspecified	1.91	1	4.0	A
Piperonyl butoxide	Blackberry	2.44	1	6.13	A
Piperonyl butoxide	Bok choy (choy sum, pak choi)	13.76	13	34.4	A
Piperonyl butoxide	Chinese cabbage (napa, wong bok, celery cabbage)	248.09	53	620.88	A
Piperonyl butoxide	County ag comm	1.53	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Piperonyl butoxide	Landscape maintenance	<0.01	N/A	N/A	N/A
Piperonyl butoxide	N-grnhs flower	0.76	2	3.0	A
Piperonyl butoxide	Pepper, fruiting	20.78	4	48.0	A
Piperonyl butoxide	Spinach	45.77	13	114.5	A
Piperonyl butoxide	Squash	2.66	1	7.0	A
Piperonyl butoxide	Strawberry	74.74	7	187.0	A
Piperonyl butoxide	Structural pest control	64.79	N/A	N/A	N/A
Piperonyl butoxide, other related	Blackberry	0.61	1	6.13	A
Piperonyl butoxide, other related	Bok choy (choy sum, pak choi)	3.44	13	34.4	A
Piperonyl butoxide, other related	Chinese cabbage (napa, wong bok, celery cabbage)	62.02	53	620.88	A
Piperonyl butoxide, other related	N-grnhs flower	0.19	2	3.0	A
Piperonyl butoxide, other related	Pepper, fruiting	1.62	1	17.0	A
Piperonyl butoxide, other related	Spinach	11.44	13	114.5	A
Piperonyl butoxide, other related	Squash	0.67	1	7.0	A
Piperonyl butoxide, other related	Strawberry	18.69	7	187.0	A
Piperonyl butoxide, other related	Structural pest control	1.19	N/A	N/A	N/A
Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Landscape maintenance	0.91	N/A	N/A	N/A
Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Uncultivated non-ag	1.9	N/A	380.0	A
Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt	Brussels sprout	170.11	97	1,037.3	A
Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt	Cauliflower	66.96	74	419.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt	Celery	47.5	58	337.54	A
Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt	Strawberry	537.13	72	4,229.86	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Avocado	10.04	1	46.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Blackberry	0.48	1	7.62	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Blueberry	8.28	2	25.74	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Bok choy (choy sum, pak choi)	2.01	11	26.25	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Brussels sprout	3.97	9	40.41	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cabbage	14.52	33	172.35	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Carrot	0.03	2	1.25	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Celery	1.42	5	16.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Chinese cabbage (napa, wong bok, celery cabbage)	7.13	32	79.95	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cilantro	0.04	1	4.5	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Grape, wine	57.51	23	392.35	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Kale	2.06	5	22.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Leek	0.21	1	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Lettuce, head	0.16	3	4.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	N-grnhs flower	140.63	232	315.42	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Parsley	0.07	2	8.5	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Strawberry	5,001.77	281	14,564.63	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Swiss chard	0.03	2	1.0	A
Poly-i-para-menthene	N-outdr transplants	0.82	2	6.54	A
Polyacrylamide polymer	Avocado	0.04	1	1.0	A
Polyacrylamide polymer	Bok choy (choy sum, pak choi)	0.67	24	73.4	A
Polyacrylamide polymer	Broccoli	2.01	35	261.1	A
Polyacrylamide polymer	Brussels sprout	4.03	42	428.9	A
Polyacrylamide polymer	Cauliflower	4.43	89	529.5	A
Polyacrylamide polymer	Celery	2.12	62	225.4	A
Polyacrylamide polymer	Cilantro	1.47	58	156.25	A
Polyacrylamide polymer	Leek	0.04	1	4.0	A
Polyacrylamide polymer	Lettuce, head	1.7	34	289.2	A
Polyacrylamide polymer	Oat	0.2	2	53.0	A
Polyacrylamide polymer	Onion, dry	0.99	2	156.0	A
Polyacrylamide polymer	Regulatory pest control	0.74	N/A	N/A	N/A
Polyacrylamide polymer	Rights of way	0.02	N/A	N/A	N/A
Polyacrylamide polymer	Strawberry	4.53	6	178.92	A
Polyacrylic polymer	Blackberry	8.17	24	246.87	A
Polyacrylic polymer	Grape, wine	72.87	118	3,844.3	A
Polyacrylic polymer	Landscape maintenance	3.85	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyacrylic polymer	N-grnhs flower	2.92	165	224.08	A
Polyacrylic polymer	Raspberry	3.47	7	93.05	A
Polyacrylic polymer	Rights of way	1.55	N/A	N/A	N/A
Polyacrylic polymer	Strawberry	155.73	195	6,094.93	A
Polyacrylic polymer	Vertebrate control	0.03	3	2.34	A
Polyalkene oxide modified heptamethyl trisiloxane	Alfalfa	1.76	5	111.31	A
Polyalkene oxide modified heptamethyl trisiloxane	Avocado	25.54	4	241.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Blackberry	16.8	20	218.09	A
Polyalkene oxide modified heptamethyl trisiloxane	Bok choy (choy sum, pak choi)	0.04	1	2.3	A
Polyalkene oxide modified heptamethyl trisiloxane	Broccoli	11.66	36	349.23	A
Polyalkene oxide modified heptamethyl trisiloxane	Brussels sprout	36.73	105	1,286.54	A
Polyalkene oxide modified heptamethyl trisiloxane	Cauliflower	22.77	108	744.1	A
Polyalkene oxide modified heptamethyl trisiloxane	Celery	22.37	88	714.13	A
Polyalkene oxide modified heptamethyl trisiloxane	Grape, wine	78.97	66	2,253.23	A
Polyalkene oxide modified heptamethyl trisiloxane	Kale	1.09	4	30.75	A
Polyalkene oxide modified heptamethyl trisiloxane	Landscape maintenance	0.08	N/A	N/A	N/A
Polyalkene oxide modified heptamethyl trisiloxane	Lemon	0.4	5	40.5	A
Polyalkene oxide modified heptamethyl trisiloxane	Lettuce, head	47.89	146	1,425.09	A
Polyalkene oxide modified heptamethyl trisiloxane	N-outdr plants in containers	<0.01	2	3.0	S
Polyalkene oxide modified heptamethyl trisiloxane	Olive	0.2	1	4.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Raspberry	7.15	6	88.2	A
Polyalkene oxide modified heptamethyl trisiloxane	Strawberry	231.72	124	3,149.27	A
Polyalkene oxide modified heptamethyl trisiloxane	Tangerine	0.34	2	32.5	A
Polyalkyleneoxide modified polydimethyl-siloxane	Avocado	36.97	10	101.3	A
Polyalkyleneoxide modified polydimethyl-siloxane	Blueberry	1,528.48	71	762.2	A
Polyalkyleneoxide modified polydimethyl-siloxane	Grape, wine	61.06	5	159.99	A
Polyalkyleneoxide modified polydimethyl-siloxane	Lemon	2.55	2	32.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyalkyleneoxide modified polydimethyl-siloxane	Strawberry	19.28	8	40.25	A
Polybutenes	Bok choy (choy sum, pak choi)	49.92	304	696.88	A
Polybutenes	Broccoli	256.49	363	3,454.71	A
Polybutenes	Brussels sprout	208.84	137	1,150.06	A
Polybutenes	Cabbage	281.15	482	2,431.36	A
Polybutenes	Carrot	39.8	4	299.0	A
Polybutenes	Cauliflower	222.08	273	2,452.45	A
Polybutenes	Celery	107.97	86	829.83	A
Polybutenes	Chinese cabbage (napa, wong bok, celery cabbage)	335.89	524	2,874.74	A
Polybutenes	Cilantro	0.48	2	7.7	A
Polybutenes	Collard	19.63	84	316.2	A
Polybutenes	Corn, human consumption	0.7	3	6.0	A
Polybutenes	Endive (escarole)	0.56	4	8.5	A
Polybutenes	Grape, wine	198.16	50	1,063.63	A
Polybutenes	Kale	18.68	79	300.46	A
Polybutenes	Leek	3.42	17	44.25	A
Polybutenes	Lemon	27.51	11	200.03	A
Polybutenes	Lettuce, head	648.35	1,041	9,937.39	A
Polybutenes	Lettuce, leaf	376.97	587	3,305.29	A
Polybutenes	N-grnhs plants in containers	0.41	3	5.5	A
Polybutenes	Parsley	7.79	47	80.85	A
Polybutenes	Pepper, fruiting	1.02	1	15.0	A
Polybutenes	Rights of way	0.18	N/A	N/A	N/A
Polybutenes	Spinach	2.34	31	80.7	A
Polybutenes	Strawberry	51.01	39	815.0	A
Polybutenes	Sunflower	0.05	1	0.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyether modified polysiloxane	Broccoli	2.71	7	43.5	A
Polyether modified polysiloxane	Brussels sprout	15.25	20	205.1	A
Polyether modified polysiloxane	Cabbage	4.2	13	114.99	A
Polyether modified polysiloxane	Cauliflower	8.81	28	149.8	A
Polyether modified polysiloxane	Celery	7.81	32	118.4	A
Polyether modified polysiloxane	N-grnhs flower	0.01	1	5,000.0	S
Polyether modified polysiloxane	N-grnhs plants in containers	0.13	1	1,800.0	S
Polyether modified polysiloxane	N-grnhs transplants	0.84	56	521,250.0	S
Polyether modified polysiloxane	Oat (forage - fodder)	0.95	7	75.75	A
Polyether modified polysiloxane	Rangeland	16.7	5	908.0	A
Polyether modified polysiloxane	Rights of way	1.74	N/A	N/A	N/A
Polyether modified polysiloxane	Strawberry	535.39	6	505.54	A
Polyethoxylated castor oil	Landscape maintenance	8.9	N/A	N/A	N/A
Polyethoxylated castor oil	Oat (forage - fodder)	0.32	7	75.75	A
Polyethoxylated castor oil	Rangeland	5.57	5	908.0	A
Polyethoxylated castor oil	Uncultivated non-ag	18.55	N/A	380.0	A
Polyethylene glycol	Avocado	5.96	6	295.0	A
Polyethylene glycol	Grape, wine	1,551.14	245	13,928.59	A
Polyethylene glycol	Lemon	0.98	1	100.0	A
Polyethylene glycol	Pistachio	2.37	1	15.0	A
Polyethylene glycol	Rights of way	0.47	N/A	N/A	N/A
Polyethylene glycol	Strawberry	4.41	28	403.5	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Avocado	26.78	4	183.7	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Bok choy (choy sum, pak choi)	2.59	39	32.95	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Broccoli	148.04	177	1,760.53	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Brussels sprout	1.09	3	11.25	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cauliflower	46.14	111	487.2	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Celery	84.51	34	202.35	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Chinese cabbage (napa, wong bok, celery cabbage)	5.57	40	66.9	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Garlic	0.47	3	4.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Grape	2.24	2	19.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Grape, wine	3,639.89	1,173	36,517.38	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Kale	1.59	1	10.25	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Landscape maintenance	32.18	N/A	N/A	N/A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-grnhs flower	17.04	162	217.67	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr flower	20.37	351	1,643.5	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr plants in containers	0.51	3	15.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Onion, dry	9.72	13	63.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Potato	0.1	2	1.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Strawberry	1,722.33	439	10,896.19	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Uncultivated ag	0.32	1	1.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Vertebrate control	0.2	3	2.34	A
Polyethylene glycol stearate	Rights of way	142.95	N/A	N/A	N/A
Polymerized acrylic acid	Grape, wine	1.23	2	8.34	A
Polymerized pinene	Landscape maintenance	2.66	N/A	N/A	N/A
Polyoxin d, zinc salt	Blueberry	0.71	10	133.64	A
Polyoxin d, zinc salt	Broccoli	0.32	3	60.8	A
Polyoxin d, zinc salt	Grape, wine	0.05	1	1.18	A
Polyoxin d, zinc salt	N-grnhs flower	0.51	1	3.0	A
Polyoxin d, zinc salt	N-outdr flower	2.67	93	428.5	A
Polyoxin d, zinc salt	Strawberry	176.98	113	4,166.52	A
Polyoxyethylene dioleate	Landscape maintenance	19.8	N/A	N/A	N/A
Polyoxyethylene dioleate	Lemon	0.02	1	10.0	A
Polyoxyethylene polyol fatty acid esters	Landscape maintenance	17.4	N/A	N/A	N/A
Polyoxyethylene polyoxypropylene	Beet	11.58	5	145.7	A
Polyoxyethylene polyoxypropylene	Blackberry	389.85	40	632.42	A
Polyoxyethylene polyoxypropylene	Blueberry	15.47	2	16.26	A
Polyoxyethylene polyoxypropylene	Broccoli	8.63	6	108.5	A
Polyoxyethylene polyoxypropylene	Cabbage	2.97	5	37.3	A
Polyoxyethylene polyoxypropylene	Cauliflower	7.23	3	90.9	A
Polyoxyethylene polyoxypropylene	Celery	24.63	3	69.6	A
Polyoxyethylene polyoxypropylene	Collard	0.33	1	4.1	A
Polyoxyethylene polyoxypropylene	Daikon	2.58	11	32.4	A
Polyoxyethylene polyoxypropylene	Golf course turf	4.02	N/A	28.0	A
Polyoxyethylene polyoxypropylene	Grape, wine	1,360.05	232	4,583.62	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyoxyethylene polyoxypropylene	Kale	2.04	1	25.6	A
Polyoxyethylene polyoxypropylene	Landscape maintenance	0.32	N/A	N/A	N/A
Polyoxyethylene polyoxypropylene	Lettuce, leaf	0.34	2	6.0	A
Polyoxyethylene polyoxypropylene	Mustard	1.66	8	20.9	A
Polyoxyethylene polyoxypropylene	N-grnhs plants in containers	2.83	78	1,627,900.0	S
Polyoxyethylene polyoxypropylene	Onion, dry	121.21	5	275.2	A
Polyoxyethylene polyoxypropylene	Rights of way	44.86	N/A	N/A	N/A
Polyoxyethylene polyoxypropylene	Strawberry	2,077.27	93	3,322.42	A
Polyoxyethylene polyoxypropylene	Swiss chard	4.71	2	59.3	A
Polyoxyethylene sorbitan mixed fatty acid esters	Landscape maintenance	1.05	N/A	N/A	N/A
Polyoxyethylene sorbitan monooleate	Avocado	3.22	4	60.0	A
Polyoxyethylene sorbitan monooleate	Bok choy (choy sum, pak choi)	13.95	66	161.55	A
Polyoxyethylene sorbitan monooleate	Celery	25.87	33	328.57	A
Polyoxyethylene sorbitan monooleate	Chinese cabbage (napa, wong bok, celery cabbage)	0.26	1	3.0	A
Polyoxyethylene sorbitan monooleate	Cilantro	37.02	135	423.36	A
Polyoxyethylene sorbitan monooleate	Corn, human consumption	0.27	2	3.0	A
Polyoxyethylene sorbitan monooleate	Garbanzo bean	6.06	3	33.0	A
Polyoxyethylene sorbitan monooleate	Landscape maintenance	11.32	N/A	N/A	N/A
Polyoxyethylene sorbitan monooleate	Lettuce, head	0.17	2	2.0	A
Polyoxyethylene sorbitan monooleate	N-grnhs transplants	0.28	1	1.81	A
Polyoxyethylene sorbitan monooleate	Parsley	1.49	11	17.65	A
Polyoxyethylene sorbitan monooleate	Spinach	1.03	6	11.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyoxyethylene sorbitan trioleate	Landscape maintenance	37.27	N/A	N/A	N/A
Polyoxyethylene sorbitol, mixed ether ester	Grape, wine	1,611.67	589	5,862.42	A
Polyoxyethylene sorbitol, mixed ether ester	Rights of way	4.44	N/A	N/A	N/A
Polyoxyethylene soybean oil fatty acid ester	Avocado	1.84	4	60.0	A
Polyoxyethylene soybean oil fatty acid ester	Bok choy (choy sum, pak choi)	7.97	66	161.55	A
Polyoxyethylene soybean oil fatty acid ester	Celery	14.78	33	328.57	A
Polyoxyethylene soybean oil fatty acid ester	Chinese cabbage (napa, wong bok, celery cabbage)	0.15	1	3.0	A
Polyoxyethylene soybean oil fatty acid ester	Cilantro	21.16	135	423.36	A
Polyoxyethylene soybean oil fatty acid ester	Corn, human consumption	0.16	2	3.0	A
Polyoxyethylene soybean oil fatty acid ester	Garbanzo bean	3.46	3	33.0	A
Polyoxyethylene soybean oil fatty acid ester	Lettuce, head	0.1	2	2.0	A
Polyoxyethylene soybean oil fatty acid ester	N-grnhs transplants	0.16	1	1.81	A
Polyoxyethylene soybean oil fatty acid ester	Parsley	0.85	11	17.65	A
Polyoxyethylene soybean oil fatty acid ester	Spinach	0.59	6	11.5	A
Polypropylene glycol	Grape, wine	1.84	20	759.59	A
Polysiloxane	Strawberry	0.05	48	687.5	A
Polysorbate 65	Celery	9.81	15	140.85	A
Polysorbate 65	Grape, wine	203.15	59	1,657.88	A
Polysorbate 65	Lemon	10.23	7	159.0	A
Potash soap	Beet	310.17	1	74.5	A
Potash soap	Broccoli	60.89	6	13.0	A
Potash soap	Cabbage	254.84	7	73.7	A
Potash soap	Grape, wine	499.77	6	71.02	A
Potash soap	Landscape maintenance	0.01	N/A	N/A	N/A
Potash soap	Lettuce, leaf	2.91	1	1.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potash soap	N-grnhs flower	46.58	8	11.76	A
Potash soap	N-grnhs flower	0.49	1	1,500.0	S
Potash soap	N-grnhs plants in containers	226.91	44	92.43	A
Potash soap	N-grnhs plants in containers	3.93	14	221,200.0	S
Potash soap	N-grnhs transplants	11.69	6	22.26	A
Potash soap	Strawberry	1,467.87	11	339.07	A
Potash soap	Tomato	2.6	19	2.48	A
Potash soap	Tropical/subtropical fruit	0.42	2	1.0	A
Potassium bicarbonate	Blackberry	0.37	1	0.15	A
Potassium bicarbonate	Blueberry	152.53	5	62.08	A
Potassium bicarbonate	Brussels sprout	29.48	6	12.0	A
Potassium bicarbonate	Carrot	3.07	2	1.25	A
Potassium bicarbonate	Collard	57.74	7	23.5	A
Potassium bicarbonate	Grape, wine	11,482.47	304	3,174.91	A
Potassium bicarbonate	Kale	312.65	23	127.25	A
Potassium bicarbonate	N-grnhs flower	4.25	4	12.0	A
Potassium bicarbonate	N-grnhs transplants	172.69	46	78.06	A
Potassium bicarbonate	N-outdr flower	3.69	9	19.5	A
Potassium bicarbonate	N-outdr transplants	80.29	37	78.53	A
Potassium bicarbonate	Strawberry	2,162.39	15	799.94	A
Potassium bicarbonate	Tomato	1.7	1	12,960.0	S
Potassium hydroxide	Raspberry	0.06	1	2.0	A
Potassium hydroxide	Rights of way	2.87	N/A	N/A	N/A
Potassium hydroxide	Strawberry	69.43	130	2,965.5	A
Potassium hydroxide	Structural pest control	1.31	N/A	N/A	N/A
Potassium n-methyldithiocarbamate	Carrot	29,283.5	1	111.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium n-methyldithiocarbamate	Cilantro	403.44	1	1.5	A
Potassium n-methyldithiocarbamate	Strawberry	107,340.62	24	411.48	A
Potassium phosphite	Landscape maintenance	139.53	N/A	N/A	N/A
Potassium phosphite	Lettuce, head	15,459.37	518	5,010.76	A
Potassium phosphite	Lettuce, leaf	1,713.28	70	534.5	A
Potassium silicate	Beet	1,153.78	14	379.0	A
Potassium silicate	Broccoli	359.74	8	119.6	A
Potassium silicate	Cauliflower	413.81	6	138.2	A
Potassium silicate	Grape	1,028.8	16	676.0	A
Potassium silicate	Grape, wine	490.81	12	322.46	A
Potassium silicate	Leek	6.12	2	2.27	A
Potassium silicate	Onion, dry	4.58	1	3.01	A
Potassium silicate	Strawberry	31.66	2	10.4	A
Potassium silicate	Swiss chard	296.51	4	97.4	A
Prallethrin	Structural pest control	6.09	N/A	N/A	N/A
Prodiamine	Landscape maintenance	1.86	N/A	N/A	N/A
Prometryn	Celery	1,329.98	149	873.0	A
Prometryn	Cilantro	1,649.42	340	1,078.48	A
Prometryn	Fennel	56.93	22	45.2	A
Prometryn	Parsley	51.58	17	30.85	A
Propamocarb	Landscape maintenance	40.57	N/A	N/A	N/A
Propamocarb hydrochloride	Lettuce, head	475.32	39	475.72	A
Propamocarb hydrochloride	Lettuce, leaf	408.95	44	409.75	A
Propamocarb hydrochloride	N-grnhs flower	3.02	3	1.5	A
Propamocarb hydrochloride	N-grnhs transplants	7.67	15	11.19	A
Propiconazole	Blackberry	5.81	3	29.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propiconazole	Carrot	43.25	3	386.78	A
Propiconazole	Celery	135.26	158	1,146.37	A
Propiconazole	Collard	0.93	2	8.0	A
Propiconazole	County ag comm	5.65	N/A	N/A	N/A
Propiconazole	Golf course turf	1.72	N/A	2.6	A
Propiconazole	Kale	4.36	9	38.75	A
Propiconazole	Landscape maintenance	2.27	N/A	N/A	N/A
Propiconazole	Leek	6.08	20	54.65	A
Propiconazole	N-outdr transplants	2.32	7	9.1	A
Propiconazole	Parsley	6.8	36	58.95	A
Propiconazole	Raspberry	4.04	1	20.52	A
Propiconazole	Strawberry	310.27	68	2,627.16	A
Propionic acid	Alfalfa	6.78	2	45.0	A
Propionic acid	Barley	28.53	2	192.0	A
Propionic acid	Broccoli	8.95	19	126.6	A
Propionic acid	Brussels sprout	152.45	301	3,044.2	A
Propionic acid	Cauliflower	31.41	88	645.0	A
Propionic acid	Celery	0.31	5	13.3	A
Propionic acid	Grape, wine	911.33	43	1,808.6	A
Propionic acid	Landscape maintenance	5.01	N/A	N/A	N/A
Propionic acid	N-grnhs plants in containers	3.45	35	93.87	A
Propionic acid	N-grnhs transplants	5.63	43	149.72	A
Propionic acid	N-outdr transplants	12.63	98	205.22	A
Propionic acid	Pistachio	18.08	2	67.0	A
Propionic acid	Raspberry	0.43	1	2.0	A
Propionic acid	Rights of way	50.19	N/A	N/A	N/A
Propionic acid	Strawberry	679.92	168	4,142.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propionic acid	Structural pest control	9.01	N/A	N/A	N/A
Propionic acid	Uncultivated ag	0.91	7	103.0	A
Propylene glycol	Alfalfa	23.32	9	589.31	A
Propylene glycol	Avocado	13.62	4	183.7	A
Propylene glycol	Bok choy (choy sum, pak choi)	1.31	39	32.95	A
Propylene glycol	Broccoli	78.28	191	1,854.13	A
Propylene glycol	Brussels sprout	108.17	304	3,055.45	A
Propylene glycol	Cauliflower	44.39	197	1,119.7	A
Propylene glycol	Celery	1.81	13	52.7	A
Propylene glycol	Chinese cabbage (napa, wong bok, celery cabbage)	2.83	40	66.9	A
Propylene glycol	Forage hay/silage	0.59	4	107.0	A
Propylene glycol	Garlic	0.24	3	4.0	A
Propylene glycol	Grape	1.14	2	19.0	A
Propylene glycol	Grape, wine	1,854.92	1,187	36,638.58	A
Propylene glycol	Kale	0.81	1	10.25	A
Propylene glycol	Landscape maintenance	16.43	N/A	N/A	N/A
Propylene glycol	Lemon	49.06	12	532.0	A
Propylene glycol	N-grnhs transplants	0.3	6	11.85	A
Propylene glycol	N-outdr flower	29.47	298	1,419.5	A
Propylene glycol	N-outdr plants in containers	0.26	3	15.0	A
Propylene glycol	N-outdr plants in containers	<0.01	2	3.0	S
Propylene glycol	N-outdr transplants	0.59	15	34.56	A
Propylene glycol	Oat	1.62	5	92.5	A
Propylene glycol	Oat (forage - fodder)	1.08	2	14.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propylene glycol	Olive	0.43	1	4.0	A
Propylene glycol	Onion, dry	4.94	13	63.0	A
Propylene glycol	Peas	0.54	1	3.0	A
Propylene glycol	Potato	0.05	2	1.0	A
Propylene glycol	Rangeland	10.26	4	516.6	A
Propylene glycol	Rights of way	1.47	N/A	N/A	N/A
Propylene glycol	Strawberry	732.73	425	10,299.33	A
Propylene glycol	Tangerine	3.34	1	32.5	A
Propylene glycol	Uncultivated ag	0.16	1	1.0	A
Propylene glycol, methyl ether	N-outdr flower	0.06	1	5.0	A
Propyzamide	Lettuce, head	3,058.37	282	2,495.28	A
Propyzamide	Lettuce, leaf	1,379.76	126	974.45	A
Pseudomonas chlororaphis subsp. aurantiaca strain afs009	Grape, wine	2,322.79	83	1,148.04	A
Pseudomonas chlororaphis subsp. aurantiaca strain afs009	N-grnhs transplants	143.5	15	36.93	A
Pseudomonas chlororaphis subsp. aurantiaca strain afs009	N-outdr transplants	89.0	20	41.94	A
Purpureocillium lilacinum strain 251	Carrot	21.24	1	88.5	A
Purpureocillium lilacinum strain 251	Grape, wine	18.51	12	77.13	A
Pydiflumetofen	Broccoli	17.09	18	154.25	A
Pydiflumetofen	Brussels sprout	3.76	3	33.9	A
Pydiflumetofen	Cabbage	3.91	3	35.1	A
Pydiflumetofen	Cauliflower	14.46	13	130.0	A
Pydiflumetofen	Garlic	0.11	1	1.0	A
Pydiflumetofen	Onion, dry	0.11	1	1.0	A
Pydiflumetofen	Potato	0.05	1	0.5	A
Pydiflumetofen	Strawberry	62.82	11	483.48	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pymetrozine	Chinese cabbage (napa, wong bok, celery cabbage)	0.56	4	6.5	A
Pymetrozine	Collard	0.49	2	5.75	A
Pymetrozine	Kale	3.1	6	36.0	A
Pymetrozine	N-grnhs flower	4.81	10	29.0	A
Pymetrozine	N-outdr flower	0.19	1	1.5	A
Pymetrozine	Spinach	0.69	1	8.0	A
Pyraclostrobin	Blackberry	5.02	2	28.06	A
Pyraclostrobin	Bok choy (choy sum, pak choi)	27.49	76	182.56	A
Pyraclostrobin	Broccoli	349.4	180	1,795.75	A
Pyraclostrobin	Brussels sprout	82.3	51	479.87	A
Pyraclostrobin	Cabbage	40.46	32	218.9	A
Pyraclostrobin	Carrot	104.71	8	706.28	A
Pyraclostrobin	Cauliflower	85.57	48	434.0	A
Pyraclostrobin	Celery	4.56	4	22.8	A
Pyraclostrobin	Chinese cabbage (napa, wong bok, celery cabbage)	12.77	30	82.93	A
Pyraclostrobin	Collard	4.4	7	27.5	A
Pyraclostrobin	Endive (escarole)	0.15	1	1.0	A
Pyraclostrobin	Grape, wine	1,244.86	239	8,929.57	A
Pyraclostrobin	Kale	9.8	17	60.51	A
Pyraclostrobin	Landscape maintenance	7.18	N/A	N/A	N/A
Pyraclostrobin	Leek	2.61	6	17.4	A
Pyraclostrobin	Lettuce, head	52.68	33	278.68	A
Pyraclostrobin	Lettuce, leaf	31.03	26	155.65	A
Pyraclostrobin	N-grnhs flower	10.0	24	62.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraclostrobin	N-grnhs plants in containers	8.76	43	236.13	A
Pyraclostrobin	N-grnhs plants in containers	0.45	5	110,400.0	S
Pyraclostrobin	N-grnhs transplants	0.02	1	0.16	A
Pyraclostrobin	N-grnhs transplants	0.81	54	481,750.0	S
Pyraclostrobin	Onion, dry	4.44	5	30.0	A
Pyraclostrobin	Parsley	4.02	14	20.1	A
Pyraclostrobin	Peach	0.1	2	0.82	A
Pyraclostrobin	Pistachio	3.48	1	30.0	A
Pyraclostrobin	Potato	0.08	1	0.5	A
Pyraclostrobin	Pumpkin	1.06	2	5.3	A
Pyraclostrobin	Raspberry	3.91	3	21.27	A
Pyraclostrobin	Research commodity	0.01	N/A	N/A	N/A
Pyraclostrobin	Strawberry	501.55	75	2,864.42	A
Pyraclostrobin	Tomato	0.2	1	2.0	A
Pyraflufen-ethyl	Cabbage	0.03	1	8.3	A
Pyraflufen-ethyl	Chinese cabbage (napa, wong bok, celery cabbage)	0.01	1	3.4	A
Pyraflufen-ethyl	Grape, wine	38.77	428	9,342.82	A
Pyraflufen-ethyl	Lemon	0.33	12	132.73	A
Pyraflufen-ethyl	Pistachio	0.07	1	27.0	A
Pyraflufen-ethyl	Rights of way	0.59	N/A	N/A	N/A
Pyraflufen-ethyl	Uncultivated ag	0.08	1	15.0	A
Pyraflufen-ethyl	Unknown	0.07	1	20.0	A
Pyrethrins	Bean, unspecified	0.19	1	4.0	A
Pyrethrins	Blackberry	7.34	12	154.96	A
Pyrethrins	Blueberry	14.43	45	304.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	Bok choy (choy sum, pak choi)	1.87	15	41.6	A
Pyrethrins	Broccoli	0.28	3	5.5	A
Pyrethrins	Cabbage	0.01	1	0.25	A
Pyrethrins	Cauliflower	0.8	2	16.8	A
Pyrethrins	Chinese cabbage (napa, wong bok, celery cabbage)	35.36	59	712.38	A
Pyrethrins	Collard	0.94	8	35.0	A
Pyrethrins	Grape	26.75	13	497.0	A
Pyrethrins	Grape, wine	106.97	87	2,655.61	A
Pyrethrins	Kale	0.12	4	4.0	A
Pyrethrins	Landscape maintenance	0.14	N/A	N/A	N/A
Pyrethrins	Lettuce, leaf	0.34	3	7.34	A
Pyrethrins	N-grnhs flower	0.1	2	3.0	A
Pyrethrins	N-grnhs plants in containers	0.35	13	18.41	A
Pyrethrins	N-grnhs transplants	6.23	67	166.96	A
Pyrethrins	N-outdr transplants	2.97	63	177.28	A
Pyrethrins	Parsley	0.17	2	4.0	A
Pyrethrins	Pepper, fruiting	3.3	9	174.0	A
Pyrethrins	Spinach	5.77	15	115.84	A
Pyrethrins	Squash	0.45	4	13.0	A
Pyrethrins	Strawberry	11.91	9	241.02	A
Pyrethrins	Structural pest control	2.41	N/A	N/A	N/A
Pyrethrins	Swiss chard	0.07	3	1.5	A
Pyrethrins	Tomato	0.09	4	10.0	A
Pyrethrins	Tomato	0.02	1	12,960.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	Tropical/subtropical fruit	0.02	3	1.5	A
Pyridaben	N-grnhs plants in containers	3.38	25	18.77	A
Pyridaben	N-grnhs plants in containers	0.56	3	98,808.0	S
Pyridalyl	N-grnhs flower	17.54	46	89.67	A
Pyridalyl	N-grnhs plants in containers	0.53	3	63,000.0	S
Pyridalyl	N-outdr flower	3.85	22	55.5	A
Pyrifluquinazon	N-grnhs flower	1.25	9	21.0	A
Pyrifluquinazon	N-grnhs flower	0.01	1	1,500.0	S
Pyrifluquinazon	N-grnhs plants in containers	3.99	22	14.54	A
Pyrifluquinazon	N-grnhs plants in containers	0.46	11	242,368.0	S
Pyrifluquinazon	N-grnhs plants in containers	0.07	1	22,896.0	U
Pyrimethanil	Blackberry	32.7	5	49.57	A
Pyrimethanil	Grape, wine	261.05	52	747.63	A
Pyrimethanil	Raspberry	16.74	2	25.37	A
Pyrimethanil	Strawberry	1,146.13	82	3,164.83	A
Pyriofenone	Blackberry	5.35	6	54.53	A
Pyriofenone	Grape, wine	153.3	68	1,579.49	A
Pyriofenone	Raspberry	4.6	4	47.16	A
Pyriofenone	Strawberry	142.69	36	1,459.98	A
Pyriproxyfen	Bok choy (choy sum, pak choi)	0.8	31	29.2	A
Pyriproxyfen	Broccoli	11.82	31	436.4	A
Pyriproxyfen	Brussels sprout	9.32	29	347.25	A
Pyriproxyfen	Cauliflower	3.46	16	90.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyriproxyfen	Celery	0.4	3	14.7	A
Pyriproxyfen	Chinese cabbage (napa, wong bok, celery cabbage)	9.93	58	362.85	A
Pyriproxyfen	N-grnhs flower	0.78	3	9.0	A
Pyriproxyfen	N-grnhs plants in containers	0.35	6	133,000.0	S
Pyriproxyfen	Spinach	0.14	1	5.15	A
Pyriproxyfen	Strawberry	62.77	16	936.28	A
Pyriproxyfen	Structural pest control	15.54	N/A	N/A	N/A
Pyriproxyfen	Vertebrate control	<0.01	N/A	N/A	N/A
Qst 713 strain of dried bacillus subtilis	Blackberry	0.49	1	5.73	A
Qst 713 strain of dried bacillus subtilis	Carrot	21.04	2	184.8	A
Qst 713 strain of dried bacillus subtilis	Grape	39.63	17	696.0	A
Qst 713 strain of dried bacillus subtilis	Grape, wine	488.95	213	4,600.1	A
Qst 713 strain of dried bacillus subtilis	N-grnhs flower	1.82	15	19.5	A
Qst 713 strain of dried bacillus subtilis	N-grnhs plants in containers	1.77	2	2.26	A
Qst 713 strain of dried bacillus subtilis	N-grnhs transplants	37.46	85	214.89	A
Qst 713 strain of dried bacillus subtilis	N-outdr transplants	24.79	102	272.81	A
Qst 713 strain of dried bacillus subtilis	N-outdr transplants	0.6	3	64,274.0	S
Qst 713 strain of dried bacillus subtilis	Potato	3.42	1	120.0	A
Qst 713 strain of dried bacillus subtilis	Strawberry	30.66	6	197.69	A
Quinclorac	Landscape maintenance	0.07	N/A	N/A	N/A
Quinclorac	Rights of way	0.02	N/A	N/A	N/A
Quinclorac, dimethylamine salt	County ag comm	0.33	N/A	N/A	N/A
Quinclorac, dimethylamine salt	Golf course turf	0.86	N/A	9.1	A
Quinclorac, dimethylamine salt	Golf course turf	0.25	N/A	142,225.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Quinclorac, dimethylamine salt	Landscape maintenance	9.95	N/A	N/A	N/A
Quinoxifen	Grape	1.0	1	9.5	A
Quinoxifen	Grape, wine	2,343.19	521	23,189.21	A
Quinoxifen	Research commodity	0.03	N/A	N/A	N/A
Quinoxifen	Strawberry	580.0	128	6,087.52	A
Reynoutria sachalinensis	Blackberry	38.83	6	118.06	A
Reynoutria sachalinensis	Grape, wine	1,183.96	220	5,045.54	A
Reynoutria sachalinensis	Lettuce, leaf	36.54	20	112.73	A
Reynoutria sachalinensis	N-outdr transplants	0.06	1	3,807.0	S
Reynoutria sachalinensis	Parsley	0.82	2	2.5	A
Reynoutria sachalinensis	Spinach	0.58	2	2.68	A
Reynoutria sachalinensis	Strawberry	129.35	18	429.68	A
Rimsulfuron	Grape, wine	153.7	120	3,704.45	A
Rimsulfuron	Lemon	18.64	11	416.21	A
Rimsulfuron	Pistachio	0.75	1	12.0	A
Rimsulfuron	Rights of way	5.37	N/A	N/A	N/A
Rimsulfuron	Structural pest control	0.13	N/A	N/A	N/A
Rotenone	N-outdr transplants	0.02	1	2.6	A
Rotenone, other related	N-outdr transplants	0.02	1	2.6	A
S-methoprene	Structural pest control	0.18	N/A	N/A	N/A
S-metolachlor	Potato	571.76	4	480.0	A
Saflufenacil	Citrus	0.16	1	3.6	A
Saflufenacil	Lemon	1.86	7	138.39	A
Saflufenacil	Pistachio	0.88	1	20.0	A
Sethoxydim	Alfalfa	18.84	2	43.0	A
Sethoxydim	Cilantro	0.02	1	0.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sethoxydim	Grape, wine	68.75	44	281.4	A
Sethoxydim	Landscape maintenance	0.38	N/A	N/A	N/A
Sethoxydim	Lemon	0.95	1	6.4	A
Silica aerogel	Structural pest control	2.82	N/A	N/A	N/A
Silica filled polydimethylsiloxane	Grape, wine	6.49	2	26.0	A
Silicone	Avocado	1.32	10	51.0	A
Silicone defoamer	Landscape maintenance	<0.01	N/A	N/A	N/A
Silicone defoamer	Rights of way	0.02	N/A	N/A	N/A
Simazine	Avocado	68.58	9	81.0	A
Simazine	Grape, wine	77.08	3	42.82	A
Simazine	Lemon	256.73	10	335.0	A
Simazine	Rights of way	26.86	N/A	N/A	N/A
Sodium alpha-olefin (c14-c16) sulfonate	Rights of way	220.01	N/A	N/A	N/A
Sodium bromide	Water (industrial)	0.99	N/A	196.0	U
Sodium carbonate peroxyhydrate	N-grnhs transplants	5.1	1	20.0	A
Sodium decyl sulfate	Structural pest control	2.35	N/A	N/A	N/A
Sodium diisooctylsulfosuccinate	Grape, wine	0.02	1	5.0	A
Sodium diisooctylsulfosuccinate	N-outdr flower	0.01	1	5.0	A
Sodium diisooctylsulfosuccinate	Olive	0.37	1	44.2	A
Sodium dioctylsulfosuccinate	Rights of way	<0.01	N/A	N/A	N/A
Sodium hydroxide	Avocado	0.12	1	1.0	A
Sodium hypochlorite	Ditch bank	192.33	N/A	1.0	U
Sodium hypochlorite	Lemon	700.55	N/A	9,608.0	T
Sodium hypochlorite	N-grnhs plants in containers	80.78	4	68.0	A
Sodium hypochlorite	N-grnhs transplants	193.12	4	80.0	A
Sodium hypochlorite	Uncultivated ag	72.41	2	34.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium hypochlorite	Water (industrial)	0.71	N/A	196.0	U
Sodium lauroampho acetate	Structural pest control	1.77	N/A	N/A	N/A
Sodium lauryl ether sulfate	Avocado	3.33	1	46.0	A
Sodium lauryl ether sulfate	Lemon	9.88	3	93.0	A
Sodium lauryl ether sulfate	Onion, dry	15.73	7	348.0	A
Sodium lauryl ether sulfate	Pepper, fruiting	0.19	2	2.5	A
Sodium lauryl ether sulfate	Strawberry	14.12	10	151.5	A
Sodium lauryl sulfate	Structural pest control	1.2	N/A	N/A	N/A
Sodium metasilicate	Golf course turf	0.44	N/A	4.0	A
Sodium nitrate	County ag comm	1.13	N/A	N/A	N/A
Sodium nitrate	Landscape maintenance	3.45	N/A	N/A	N/A
Sodium nitrate	Vertebrate control	48.19	N/A	N/A	N/A
Sodium polyacrylate	Alfalfa	0.39	5	111.31	A
Sodium polyacrylate	Cauliflower	0.03	2	11.6	A
Sodium polyacrylate	Celery	0.03	2	15.0	A
Sodium polyacrylate	Grape, wine	80.25	742	8,926.02	A
Sodium polyacrylate	Landscape maintenance	0.83	N/A	N/A	N/A
Sodium polyacrylate	N-outdr flower	3.48	295	1,509.0	A
Sodium polyacrylate	N-outdr transplants	0.02	1	9.0	A
Sodium polyacrylate	Onion, dry	0.1	1	11.0	A
Sodium polyacrylate	Pastureland	<0.01	1	0.7	A
Sodium polyacrylate	Pistachio	0.11	1	20.0	A
Sodium polyacrylate	Rangeland	0.06	1	72.0	A
Sodium polyacrylate	Rights of way	0.47	N/A	N/A	N/A
Sodium polyacrylate	Strawberry	122.68	213	9,979.81	A
Sodium polyacrylate	Uncultivated ag	0.77	7	85.13	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium polyacrylate	Unknown	0.08	1	9.5	A
Sodium tripolyphosphate	Grape, wine	11.22	17	292.61	A
Sodium tripolyphosphate	Lemon	3.01	5	84.65	A
Sodium tripolyphosphate	Strawberry	90.54	30	1,146.6	A
Sodium xylene sulfonate	Grape, wine	5.75	17	269.2	A
Sodium xylene sulfonate	Landscape maintenance	<0.01	N/A	N/A	N/A
Sodium xylene sulfonate	Olive	2.43	1	44.2	A
Sodium xylene sulfonate	Rights of way	0.38	N/A	N/A	N/A
Sorbitan fatty acid esters	Landscape maintenance	0.23	N/A	N/A	N/A
Sorbitan trioleate	Celery	9.81	15	140.85	A
Sorbitan trioleate	Grape, wine	203.15	59	1,657.88	A
Sorbitan trioleate	Lemon	10.23	7	159.0	A
Sorbitol	Broccoli	2.82	5	33.0	A
Sorbitol	Cauliflower	0.64	1	7.5	A
Sorbitol	Grape, wine	10.8	7	103.72	A
Sorbitol	Rights of way	1.7	N/A	N/A	N/A
Sorbitol	Strawberry	24.25	11	201.0	A
Sorbitol	Uncultivated ag	0.09	1	9.0	A
Spinetoram	Apple	0.64	5	9.28	A
Spinetoram	Avocado	8.32	5	103.0	A
Spinetoram	Blackberry	5.45	5	58.09	A
Spinetoram	Bok choy (choy sum, pak choi)	41.22	294	677.8	A
Spinetoram	Broccoli	41.77	83	667.75	A
Spinetoram	Brussels sprout	120.08	170	1,685.76	A
Spinetoram	Cabbage	39.09	123	603.2	A
Spinetoram	Cauliflower	60.86	120	971.39	A
Spinetoram	Celery	38.01	99	715.43	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinetoram	Chinese cabbage (napa, wong bok, celery cabbage)	54.72	291	855.61	A
Spinetoram	Collard	14.81	59	211.15	A
Spinetoram	Endive (escarole)	0.2	2	4.25	A
Spinetoram	Grape, wine	20.66	10	271.49	A
Spinetoram	Kale	14.15	59	203.26	A
Spinetoram	Leek	1.33	9	21.0	A
Spinetoram	Lemon	0.25	1	6.0	A
Spinetoram	Lettuce, head	229.94	414	3,998.73	A
Spinetoram	Lettuce, leaf	63.36	282	1,128.68	A
Spinetoram	Onion, dry	30.36	15	514.0	A
Spinetoram	Pistachio	1.43	1	30.0	A
Spinetoram	Potato	0.03	1	0.5	A
Spinetoram	Raspberry	3.85	3	41.04	A
Spinetoram	Research commodity	0.05	N/A	N/A	N/A
Spinetoram	Spinach	25.93	63	340.15	A
Spinetoram	Strawberry	264.81	85	3,749.46	A
Spinetoram	Structural pest control	0.08	N/A	N/A	N/A
Spinetoram	Tomato	0.82	6	10.2	A
Spinosad	Avocado	9.37	15	106.43	A
Spinosad	Beet	0.5	1	4.0	A
Spinosad	Blackberry	13.45	11	143.84	A
Spinosad	Blueberry	5.42	4	69.83	A
Spinosad	Broccoli	2.77	2	27.18	A
Spinosad	Cabbage	0.53	1	4.3	A
Spinosad	Cauliflower	5.25	2	42.3	A
Spinosad	Collard	0.51	1	4.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	Daikon	0.3	3	3.0	A
Spinosad	Grape, wine	63.25	17	567.89	A
Spinosad	Kale	3.18	1	25.6	A
Spinosad	Landscape maintenance	0.01	N/A	N/A	N/A
Spinosad	Leek	0.24	4	4.27	A
Spinosad	Lemon	16.24	25	936.96	A
Spinosad	Lettuce, leaf	3.55	6	37.3	A
Spinosad	N-grnhs flower	3.44	18	19.37	A
Spinosad	N-grnhs plants in containers	2.83	13	18.61	A
Spinosad	N-grnhs plants in containers	1.21	10	276,408.0	S
Spinosad	N-grnhs transplants	0.49	12	23.96	A
Spinosad	N-grnhs transplants	0.32	12	465,000.0	S
Spinosad	N-outdr flower	1.19	13	13.5	A
Spinosad	N-outdr plants in containers	0.55	9	16.0	A
Spinosad	N-outdr transplants	4.41	14	35.1	A
Spinosad	Olive	<0.01	7	53.0	A
Spinosad	Onion, dry	0.47	8	11.87	A
Spinosad	Peas	81.15	16	288.0	A
Spinosad	Raspberry	N/A	1	2.0	A
Spinosad	Research commodity	0.03	N/A	N/A	N/A
Spinosad	Strawberry	153.15	44	1,476.12	A
Spinosad	Tangerine	0.01	1	12.5	A
Spinosad	Tomato	0.48	11	0.93	A
Spirodiclofen	Lemon	94.7	9	359.5	A
Spiromesifen	N-grnhs plants in containers	1.61	10	11.23	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spiromesifen	N-grnhs plants in containers	0.29	2	76,808.0	S
Spiromesifen	N-grnhs transplants	3.14	7	6.67	A
Spiromesifen	Strawberry	733.64	56	2,964.03	A
Spirotetramat	Avocado	2.52	2	16.0	A
Spirotetramat	Bok choy (choy sum, pak choi)	40.42	237	512.78	A
Spirotetramat	Broccoli	298.46	393	3,800.82	A
Spirotetramat	Brussels sprout	160.41	191	2,067.33	A
Spirotetramat	Cabbage	92.87	238	1,171.44	A
Spirotetramat	Cauliflower	174.75	281	2,222.9	A
Spirotetramat	Celery	37.1	70	473.02	A
Spirotetramat	Chinese cabbage (napa, wong bok, celery cabbage)	88.26	309	1,112.57	A
Spirotetramat	Citrus	6.91	7	46.0	A
Spirotetramat	Citrus	0.01	4	1,210.0	S
Spirotetramat	Collard	8.31	31	103.8	A
Spirotetramat	Endive (escarole)	0.6	3	7.5	A
Spirotetramat	Grape, wine	974.65	265	8,932.17	A
Spirotetramat	Kale	9.46	36	118.71	A
Spirotetramat	Lemon	120.98	19	786.0	A
Spirotetramat	Lettuce, head	239.43	364	3,047.14	A
Spirotetramat	Lettuce, leaf	49.11	204	616.72	A
Spirotetramat	N-grnhs flower	0.06	2	2.0	A
Spirotetramat	N-grnhs flower	0.04	2	9,000.0	S
Spirotetramat	N-grnhs plants in containers	10.03	120	47.31	A
Spirotetramat	N-grnhs plants in containers	0.01	1	2,400.0	S
Spirotetramat	N-grnhs transplants	0.05	1	20.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spirotetramat	N-outdr plants in containers	0.05	2	0.59	A
Spirotetramat	Onion, dry	11.97	1	152.0	A
Spirotetramat	Peach	0.06	1	0.41	A
Spirotetramat	Pepper, fruiting	1.19	1	15.0	A
Spirotetramat	Potato	0.04	1	0.5	A
Spirotetramat	Spinach	7.9	21	100.0	A
Spirotetramat	Tomato	0.65	5	8.05	A
Starch	Grape, wine	<0.01	1	8.0	A
Starch	N-outdr flower	0.08	298	1,419.5	A
Streptomyces lydicus wyec 108	N-grnhs plants in containers	0.05	17	238.54	A
Streptomyces lydicus wyec 108	N-grnhs transplants	0.03	52	529.57	A
Streptomyces lydicus wyec 108	N-outdr transplants	<0.01	33	141.08	A
Streptomycin	Apple	0.2	1	0.5	A
Streptomycin sulfate	N-grnhs transplants	0.85	14	4.5	A
Strychnine	Alfalfa	2.99	2	239.0	A
Strychnine	Avocado	0.04	2	40.0	A
Strychnine	Christmas tree	0.09	5	38.0	A
Strychnine	Golf course turf	0.2	5	186.0	A
Strychnine	Grape, wine	2.06	9	204.63	A
Strychnine	Landscape maintenance	0.77	N/A	N/A	N/A
Strychnine	Lemon	0.01	N/A	6.0	A
Strychnine	N-grnhs flower	0.01	N/A	5.0	A
Strychnine	N-outdr flower	0.03	N/A	10.0	A
Strychnine	Rangeland	0.14	2	30.0	A
Strychnine	Regulatory pest control	0.09	N/A	N/A	N/A
Strychnine	Rights of way	0.02	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Strychnine	Structural pest control	0.34	N/A	N/A	N/A
Strychnine	Vertebrate control	3.01	N/A	N/A	N/A
Styrene butadiene copolymer	Alfalfa	5.23	5	111.31	A
Styrene butadiene copolymer	Grape, wine	5.18	2	38.0	A
Styrene butadiene copolymer	Lemon	42.92	12	532.0	A
Styrene butadiene copolymer	N-outdr flower	39.93	298	1,419.5	A
Styrene butadiene copolymer	N-outdr plants in containers	<0.01	2	3.0	S
Styrene butadiene copolymer	Olive	0.58	1	4.0	A
Styrene butadiene copolymer	Tangerine	2.92	1	32.5	A
Sulfentrazone	Rights of way	21.55	N/A	N/A	N/A
Sulfometuron-methyl	Landscape maintenance	1.17	N/A	N/A	N/A
Sulfometuron-methyl	Rights of way	1.72	N/A	N/A	N/A
Sulfosulfuron	Landscape maintenance	0.35	N/A	N/A	N/A
Sulfoxaflor	Bok choy (choy sum, pak choi)	6.71	53	128.4	A
Sulfoxaflor	Broccoli	15.93	48	474.75	A
Sulfoxaflor	Brussels sprout	68.45	131	1,488.73	A
Sulfoxaflor	Cabbage	10.21	62	306.58	A
Sulfoxaflor	Cauliflower	16.22	68	491.98	A
Sulfoxaflor	Celery	25.71	69	532.69	A
Sulfoxaflor	Chinese cabbage (napa, wong bok, celery cabbage)	8.81	62	167.5	A
Sulfoxaflor	Collard	0.2	1	2.5	A
Sulfoxaflor	Endive (escarole)	0.1	1	3.25	A
Sulfoxaflor	Grape, wine	99.52	23	1,164.69	A
Sulfoxaflor	Kale	1.94	4	22.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfoxaflor	Lettuce, head	49.75	118	1,267.02	A
Sulfoxaflor	Lettuce, leaf	32.09	118	879.02	A
Sulfoxaflor	Spinach	4.03	11	50.1	A
Sulfur	Bean, succulent	58.8	1	4.0	A
Sulfur	Bean, unspecified	191.8	3	13.0	A
Sulfur	Blackberry	692.56	4	94.32	A
Sulfur	Broccoli	856.8	26	315.5	A
Sulfur	Brussels sprout	673.28	9	138.7	A
Sulfur	Carrot	77,479.43	210	13,260.0	A
Sulfur	Cauliflower	33.6	1	21.0	A
Sulfur	County ag comm	0.86	N/A	N/A	N/A
Sulfur	Cucumber	0.13	1	1.0	A
Sulfur	Fava bean	117.6	1	4.0	A
Sulfur	Grape	13,915.84	45	2,044.0	A
Sulfur	Grape, wine	332,357.05	2,289	98,964.41	A
Sulfur	Landscape maintenance	0.1	N/A	N/A	N/A
Sulfur	Leek	2.2	2	2.27	A
Sulfur	N-grnhs transplants	1.6	1	3,807.0	S
Sulfur	N-outdr transplants	28.89	16	528,861.0	S
Sulfur	Onion, dry	7.9	6	11.04	A
Sulfur	Onion, green	0.24	1	1.34	A
Sulfur	Peach	4.8	3	2.88	A
Sulfur	Peas	8,324.58	21	292.5	A
Sulfur	Pepper, fruiting	872.2	7	47.0	A
Sulfur	Pumpkin	46.72	3	7.3	A
Sulfur	Research commodity	28.8	N/A	N/A	N/A
Sulfur	Squash	1,647.7	15	86.0	A
Sulfur	Squash, summer	1,043.7	8	71.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfur	Squash, zucchini	1.94	1	2.0	A
Sulfur	Strawberry	103,022.37	373	14,816.09	A
Sulfur	Swiss chard	0.1	1	0.5	A
Sulfur	Tomato	1,291.57	38	41.66	A
Sulfur	Vertebrate control	36.62	N/A	N/A	N/A
Sulfur dioxide	Commodity fumigation	409.37	N/A	N/A	N/A
Sulfur dioxide	Fumigation, other	297.0	2	5,000.0	U
Sulfur dioxide	Fumigation, other	1,580.32	N/A	N/A	N/A
Sulfuric acid	Alfalfa	7.78	4	478.0	A
Sulfuryl fluoride	Structural pest control	45,190.44	N/A	N/A	N/A
Tall oil	Grape, wine	0.9	4	72.0	A
Tall oil	Landscape maintenance	0.03	N/A	N/A	N/A
Tall oil fatty acids	Alfalfa	4.52	3	63.0	A
Tall oil fatty acids	Avocado	9.55	15	424.2	A
Tall oil fatty acids	Bok choy (choy sum, pak choi)	3.99	66	161.55	A
Tall oil fatty acids	Carrot	35.89	6	421.08	A
Tall oil fatty acids	Celery	7.39	33	328.57	A
Tall oil fatty acids	Chinese cabbage (napa, wong bok, celery cabbage)	0.07	1	3.0	A
Tall oil fatty acids	Cilantro	10.58	135	423.36	A
Tall oil fatty acids	Corn, human consumption	0.08	2	3.0	A
Tall oil fatty acids	Forage hay/silage	0.43	4	107.0	A
Tall oil fatty acids	Garbanzo bean	1.73	3	33.0	A
Tall oil fatty acids	Grape, wine	2,356.0	432	19,686.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tall oil fatty acids	Landscape maintenance	63.29	N/A	N/A	N/A
Tall oil fatty acids	Lemon	31.24	9	455.0	A
Tall oil fatty acids	Lettuce, head	0.05	2	2.0	A
Tall oil fatty acids	N-grnhs transplants	0.35	2	21.81	A
Tall oil fatty acids	N-outdr plants in containers	0.62	6	18.0	A
Tall oil fatty acids	N-outdr transplants	0.11	1	9.0	A
Tall oil fatty acids	Oat	1.18	5	92.5	A
Tall oil fatty acids	Oat (forage - fodder)	0.79	2	14.0	A
Tall oil fatty acids	Onion, dry	13.72	2	161.0	A
Tall oil fatty acids	Parsley	0.42	11	17.65	A
Tall oil fatty acids	Pistachio	51.73	6	161.1	A
Tall oil fatty acids	Rangeland	7.52	4	516.6	A
Tall oil fatty acids	Rights of way	15.34	N/A	N/A	N/A
Tall oil fatty acids	Spinach	0.29	6	11.5	A
Tall oil fatty acids	Strawberry	4.41	28	405.5	A
Tall oil fatty acids	Structural pest control	<0.01	N/A	N/A	N/A
Tall oil fatty acids	Uncultivated ag	4.18	8	47.0	A
Tall oil fatty acids	Uncultivated non-ag	16.42	N/A	393.0	A
Tall oil fatty acids	Water area	0.26	3	3.0	A
Tartrazine	Water area	0.02	N/A	1.0	A
Tau-fluvalinate	Landscape maintenance	0.23	N/A	N/A	N/A
Tau-fluvalinate	N-grnhs plants in containers	0.97	7	158,200.0	S
Tebuconazole	Golf course turf	5.99	3	11.0	A
Tebuconazole	Grape	1.06	1	9.5	A
Tebuconazole	Grape, wine	1,809.54	323	16,536.49	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tebuconazole	Landscape maintenance	111.66	N/A	N/A	N/A
Tebuconazole	Pistachio	4.67	1	30.0	A
Tebuthiuron	Landscape maintenance	18.6	N/A	N/A	N/A
Tebuthiuron	Rights of way	2.88	N/A	N/A	N/A
Terrazole	N-grnhs transplants	0.64	1	4,000.0	S
Tetraconazole	Grape, wine	305.83	187	7,752.46	A
Tetraconazole	Strawberry	176.0	114	4,341.26	A
Tetramethrin	Structural pest control	0.1	N/A	N/A	N/A
Tetrapotassium pyrophosphate	Landscape maintenance	<0.01	N/A	N/A	N/A
Tetrapotassium pyrophosphate	Rights of way	0.1	N/A	N/A	N/A
Thiamethoxam	Broccoli	13.38	35	324.7	A
Thiamethoxam	Brussels sprout	105.74	105	936.1	A
Thiamethoxam	Cabbage	23.27	93	560.6	A
Thiamethoxam	Cauliflower	28.16	56	602.3	A
Thiamethoxam	Chinese cabbage (napa, wong bok, celery cabbage)	1.61	15	40.4	A
Thiamethoxam	Citrus	0.7	2	10.0	A
Thiamethoxam	Collard	0.58	3	11.5	A
Thiamethoxam	Grape, wine	231.14	24	1,193.44	A
Thiamethoxam	Kale	0.77	3	16.5	A
Thiamethoxam	Lemon	44.84	32	629.0	A
Thiamethoxam	Lettuce, head	11.04	24	267.0	A
Thiamethoxam	Lettuce, leaf	25.59	64	619.3	A
Thiamethoxam	N-grnhs plants in containers	0.02	1	5,000.0	S
Thiamethoxam	Pumpkin	0.3	3	7.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiamethoxam	Spinach	0.39	3	8.3	A
Thiamethoxam	Strawberry	154.06	99	2,644.12	A
Thiamethoxam	Structural pest control	0.99	N/A	N/A	N/A
Thiencarbazon-methyl	Landscape maintenance	0.04	N/A	N/A	N/A
Thiophanate	N-grnhs flower	1.5	2	1.0	A
Thiophanate-methyl	Christmas tree	18.81	8	44.0	A
Thiophanate-methyl	Golf course turf	14.02	N/A	2.6	A
Thiophanate-methyl	Grape, wine	4,290.03	166	4,784.99	A
Thiophanate-methyl	Landscape maintenance	847.55	N/A	N/A	N/A
Thiophanate-methyl	N-grnhs plants in containers	12.48	6	52.2	A
Thiophanate-methyl	N-grnhs plants in containers	0.25	4	33,600.0	S
Thiophanate-methyl	N-grnhs transplants	27.0	10	43.36	A
Thiophanate-methyl	N-grnhs transplants	50.3	18	177,000.0	S
Thiophanate-methyl	N-outdr plants in containers	0.96	3	9.0	A
Thiophanate-methyl	Strawberry	1,278.89	90	1,906.28	A
Thiram	Strawberry	10,553.92	134	4,507.54	A
Tolfenpyrad	N-grnhs transplants	0.08	1	0.5	A
Topramezone	Landscape maintenance	<0.01	N/A	N/A	N/A
Tralomethrin	Structural pest control	0.12	N/A	N/A	N/A
Triadimefon	Landscape maintenance	4.98	N/A	N/A	N/A
Triadimefon	N-grnhs transplants	0.13	2	0.48	A
Tribenuron-methyl	Barley	4.82	13	644.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tribenuron-methyl	Forage hay/silage	11.59	15	1,280.0	A
Tribenuron-methyl	Oat	3.48	16	384.15	A
Tribenuron-methyl	Oat (forage - fodder)	1.85	8	295.75	A
Tribenuron-methyl	Wheat	4.77	4	353.0	A
Trichoderma harzianum rifai strain krl-ag2	N-grnhs plants in containers	13.62	144	347.39	A
Trichoderma harzianum rifai strain krl-ag2	N-grnhs transplants	80.51	12	240.0	A
Trichoderma harzianum rifai strain krl-ag2	N-outdr plants in containers	0.1	4	1.2	A
Trichoderma harzianum rifai strain krl-ag2	N-outdr transplants	7.66	4	36.0	A
Trichoderma harzianum rifai strain krl-ag2	Strawberry	0.98	2	42.5	A
Trichoderma icc 012 asperellum	Grape, wine	22.47	12	1,123.4	A
Trichoderma icc 080 gamsii	Grape, wine	22.47	12	1,123.4	A
Trichoderma virens strain g-41	N-grnhs plants in containers	1.16	110	55.94	A
Trichoderma virens strain g-41	N-outdr plants in containers	0.06	4	1.2	A
Trichoderma virens strain g-41	Strawberry	0.52	2	42.5	A
Triclopyr choline	Landscape maintenance	30.4	N/A	N/A	N/A
Triclopyr choline	Rights of way	25.28	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	County ag comm	83.46	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Landscape maintenance	216.05	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Pastureland	2.64	1	4.0	A
Triclopyr, butoxyethyl ester	Rangeland	506.39	1	970.0	A
Triclopyr, butoxyethyl ester	Regulatory pest control	3.32	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Rights of way	800.21	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Uncultivated ag	11.85	N/A	8.0	A
Triclopyr, butoxyethyl ester	Uncultivated non-ag	6.39	N/A	5.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triclopyr, triethylamine salt	Alfalfa	6.89	1	20.0	A
Triclopyr, triethylamine salt	Landscape maintenance	35.68	N/A	N/A	N/A
Triclopyr, triethylamine salt	Pastureland	22.74	1	22.0	A
Triclopyr, triethylamine salt	Rangeland	335.92	2	336.6	A
Triclopyr, triethylamine salt	Rights of way	85.18	N/A	N/A	N/A
Triethanolamine	Broccoli	5.13	5	33.0	A
Triethanolamine	Cauliflower	1.16	1	7.5	A
Triethanolamine	Landscape maintenance	<0.01	N/A	N/A	N/A
Triethanolamine	Rights of way	3.36	N/A	N/A	N/A
Triethanolamine	Uncultivated ag	0.16	1	9.0	A
Trifloxystrobin	Broccoli	8.29	11	71.25	A
Trifloxystrobin	Brussels sprout	30.15	20	258.25	A
Trifloxystrobin	Cabbage	9.5	11	76.5	A
Trifloxystrobin	Cauliflower	6.14	6	49.5	A
Trifloxystrobin	Celery	1.76	2	23.99	A
Trifloxystrobin	Chinese cabbage (napa, wong bok, celery cabbage)	27.27	20	219.97	A
Trifloxystrobin	Collard	5.24	14	42.45	A
Trifloxystrobin	Golf course turf	2.33	N/A	10.4	A
Trifloxystrobin	Golf course turf	0.47	N/A	115,000.0	S
Trifloxystrobin	Grape, wine	1,115.28	245	10,443.8	A
Trifloxystrobin	Kale	12.34	22	104.1	A
Trifloxystrobin	Landscape maintenance	0.99	N/A	N/A	N/A
Trifloxystrobin	Lettuce, head	13.36	16	107.8	A
Trifloxystrobin	Lettuce, leaf	3.21	4	25.9	A
Trifloxystrobin	N-grnhs flower	4.66	65	87.81	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trifloxystrobin	N-grnhs plants in containers	1.26	23	11.4	A
Trifloxystrobin	N-grnhs transplants	2.33	10	17.3	A
Trifloxystrobin	N-outdr plants in containers	0.19	3	0.47	A
Trifloxystrobin	N-outdr transplants	2.45	10	27.45	A
Trifloxystrobin	Strawberry	1,046.72	243	8,809.43	A
Trifloxystrobin	Vertebrate control	0.05	1	0.78	A
Triflumizole	Brussels sprout	73.08	17	291.87	A
Triflumizole	Collard	10.33	11	41.25	A
Triflumizole	Grape, wine	1.77	3	8.55	A
Triflumizole	Kale	6.8	7	27.5	A
Triflumizole	N-grnhs flower	31.39	27	81.0	A
Triflumizole	Research commodity	0.01	N/A	N/A	N/A
Triflumizole	Strawberry	1,188.54	91	4,748.53	A
Trifluralin	Broccoli	688.59	48	699.5	A
Trifluralin	Cauliflower	46.44	9	62.25	A
Trifluralin	Landscape maintenance	2.44	N/A	N/A	N/A
Trifluralin	Lemon	123.89	7	157.0	A
Trifluralin	N-outdr plants in containers	10.9	18	18.0	A
Trinexapac-ethyl	County ag comm	9.81	N/A	N/A	N/A
Trinexapac-ethyl	Golf course turf	4.45	8	103.0	A
Trinexapac-ethyl	Golf course turf	0.21	N/A	284,450.0	S
Trinexapac-ethyl	Landscape maintenance	25.54	N/A	N/A	N/A
Uniconazole-p	N-grnhs flower	<0.01	2	300.0	S
Uniconazole-p	N-grnhs transplants	<0.01	4	2.56	A
Uniconazole-p	N-grnhs transplants	<0.01	11	20,616.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Urea	Onion, dry	3.67	5	280.0	A
Urea dihydrogen sulfate	Grape, wine	0.01	1	0.19	A
Urea dihydrogen sulfate	Lemon	35.23	64	2,781.0	A
Urea dihydrogen sulfate	Olive	1.4	3	146.0	A
Urea dihydrogen sulfate	Rights of way	0.15	N/A	N/A	N/A
Urea dihydrogen sulfate	Tangerine	1.38	6	154.5	A
Vinclozolin	N-outdr transplants	1.63	1	1.3	A
Vinyl ester polymer	Rights of way	1.34	N/A	N/A	N/A
Vinyl polymer	Avocado	0.87	1	20.0	A
Vinyl polymer	Bok choy (choy sum, pak choi)	0.12	4	7.9	A
Vinyl polymer	Broccoli	9.74	142	1,358.26	A
Vinyl polymer	Cabbage	6.62	84	432.56	A
Vinyl polymer	Cauliflower	4.43	77	621.81	A
Vinyl polymer	Celery	0.17	1	2.0	A
Vinyl polymer	Chinese cabbage (napa, wong bok, celery cabbage)	0.25	9	20.4	A
Vinyl polymer	Cilantro	4.53	96	251.7	A
Vinyl polymer	Collard	0.09	1	5.25	A
Vinyl polymer	Kale	0.06	1	3.6	A
Vinyl polymer	Lettuce, head	16.16	299	2,829.83	A
Vinyl polymer	Lettuce, leaf	2.35	42	336.0	A
Vinyl polymer	Onion, dry	0.33	11	14.6	A
Vinyl polymer	Strawberry	1.75	1	20.0	A
Vinyl polymer	Unknown	3.32	13	190.0	A
Warfarin	Vertebrate control	<0.01	N/A	N/A	N/A
Xanthan gum	Grape, wine	10.79	7	103.72	A
Xanthan gum	Strawberry	24.21	11	201.0	A
Xylene	Pepper, fruiting	4.5	1	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Yucca schidigera	Grape, wine	24.41	6	23.0	A
Yucca schidigera	Rights of way	7.92	N/A	N/A	N/A
Z,e-9,12-tetradecadien-1-yl acetate	Structural pest control	<0.01	N/A	N/A	N/A
Zeta-cypermethrin	Blackberry	2.52	5	57.56	A
Zeta-cypermethrin	Bok choy (choy sum, pak choi)	5.46	117	216.3	A
Zeta-cypermethrin	Broccoli	1.13	7	45.5	A
Zeta-cypermethrin	Brussels sprout	4.08	15	163.65	A
Zeta-cypermethrin	Cabbage	7.32	63	290.8	A
Zeta-cypermethrin	Cauliflower	0.74	4	29.9	A
Zeta-cypermethrin	Celery	1.66	12	66.94	A
Zeta-cypermethrin	Chinese cabbage (napa, wong bok, celery cabbage)	27.45	191	1,067.59	A
Zeta-cypermethrin	Cilantro	9.57	66	364.12	A
Zeta-cypermethrin	Collard	4.68	45	185.3	A
Zeta-cypermethrin	Garlic	0.07	2	3.0	A
Zeta-cypermethrin	Kale	2.66	29	106.35	A
Zeta-cypermethrin	Landscape maintenance	0.45	N/A	N/A	N/A
Zeta-cypermethrin	Leek	0.6	6	24.0	A
Zeta-cypermethrin	Lemon	7.54	9	227.5	A
Zeta-cypermethrin	Lettuce, head	0.09	1	3.5	A
Zeta-cypermethrin	Lettuce, leaf	2.11	16	84.25	A
Zeta-cypermethrin	Onion, dry	18.32	13	594.0	A
Zeta-cypermethrin	Parsley	0.05	1	1.8	A
Zeta-cypermethrin	Pepper, fruiting	1.02	4	22.0	A
Zeta-cypermethrin	Spinach	16.81	110	657.93	A
Zeta-cypermethrin	Squash	0.07	1	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Zeta-cypermethrin	Structural pest control	0.01	N/A	N/A	N/A
Zeta-cypermethrin	Watermelon	0.1	2	4.0	A
Zinc phosphide	Grape, wine	2.0	1	40.0	A
Zinc phosphide	Landscape maintenance	65.25	N/A	N/A	N/A
Zinc phosphide	Structural pest control	2.33	N/A	N/A	N/A
Zinc phosphide	Vertebrate control	1.45	N/A	N/A	N/A