

# 2022 Annual Statewide Pesticide Use Report Indexed by Chemical

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Citrus	<0.01	1	4.0	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Grapefruit	0.46	41	502.9	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Lemon	3.99	179	4,546.66	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	N-outdr plants in containers	<0.01	1	4.0	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Orange	25.84	1,152	31,724.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Pomelo	0.07	6	88.5	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Tangelo	0.65	34	797.54	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Tangerine	17.72	590	22,897.06	A
(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Citrus	<0.01	1	4.0	A
(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Grapefruit	0.46	41	502.9	A
(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Lemon	3.99	179	4,546.66	A
(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	N-outdr plants in containers	<0.01	1	4.0	A
(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Orange	25.84	1,152	31,724.55	A
(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Pomelo	0.07	6	88.5	A
(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Tangelo	0.65	34	797.54	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Tangerine	17.72	590	22,897.06	A
(e)-5-decen-1-ol	Nectarine	0.03	3	27.5	A
(e)-5-decen-1-ol	Peach	0.84	36	577.63	A
(e)-5-decen-1-ol	Stone fruit	2.21	8	240.5	A
(e)-5-decenyl acetate	Nectarine	0.14	3	27.5	A
(e)-5-decenyl acetate	Peach	2.52	36	577.63	A
(e)-5-decenyl acetate	Plum	12.92	19	228.34	A
(e)-5-decenyl acetate	Stone fruit	10.43	8	240.5	A
(e,e)-9, 11-tetradecadien-1-yl acetate	Blackberry	<0.01	2	5.0	A
(e,e)-9, 11-tetradecadien-1-yl acetate	Loganberry	<0.01	1	0.5	A
(e,e)-9, 11-tetradecadien-1-yl acetate	Olallieberry	<0.01	1	0.5	A
(e,e)-9, 11-tetradecadien-1-yl acetate	Raspberry	0.08	3	15.2	A
(s)-kinoprene	Landscape maintenance	1.4	N/A	N/A	N/A
(s)-kinoprene	N-grnhs flower	9.51	30	927,488.0	S
(s)-kinoprene	N-grnhs plants in containers	145.29	117	191.74	A
(s)-kinoprene	N-grnhs plants in containers	56.66	200	9,268,615.0	S
(s)-kinoprene	N-grnhs plants in containers	0.2	1	45,000.0	U
(s)-kinoprene	N-grnhs transplants	1.17	3	9.24	A
(s)-kinoprene	N-grnhs transplants	0.87	5	53,445.0	S
(s)-kinoprene	N-outdr flower	10.1	8	16.34	A
(s)-kinoprene	N-outdr plants in containers	67.47	56	115.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(s)-kinoprene	N-outdr plants in containers	9.33	25	1,261,290.0	S
(s)-kinoprene	N-outdr transplants	2.64	3	10.5	A
(s)-kinoprene	Regulatory pest control	3.68	N/A	N/A	N/A
(s)-kinoprene	Research commodity	0.21	8	0.79	A
(s)-kinoprene	Research commodity	0.02	7	918.0	S
(s)-kinoprene	Research commodity	2.51	N/A	N/A	N/A
(s)-verbenone	Landscape maintenance	1.84	N/A	N/A	N/A
(z)-11-hexadecen-1-yl acetate	Bok choy (choy sum, pak choi)	1.04	10	56.36	A
(z)-11-hexadecen-1-yl acetate	Broccoli	92.2	551	5,668.4	A
(z)-11-hexadecen-1-yl acetate	Brussels sprout	164.24	994	11,214.88	A
(z)-11-hexadecen-1-yl acetate	Cabbage	28.5	184	1,696.16	A
(z)-11-hexadecen-1-yl acetate	Cauliflower	41.54	298	2,560.42	A
(z)-11-hexadecen-1-yl acetate	Chinese cabbage (napa, wong bok, celery cabbage)	4.89	74	318.45	A
(z)-11-hexadecen-1-yl acetate	Kale	2.77	12	130.06	A
(z)-11-hexadecen-1-yl acetate	Kohlrabi	0.19	3	13.3	A
(z)-11-hexadecen-1-yl acetate	Mustard greens	0.06	6	3.0	A
(z)-11-hexadecenal	Bok choy (choy sum, pak choi)	1.04	10	56.36	A
(z)-11-hexadecenal	Broccoli	92.2	551	5,668.4	A
(z)-11-hexadecenal	Brussels sprout	164.24	994	11,214.88	A
(z)-11-hexadecenal	Cabbage	28.5	184	1,696.16	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(z)-11-hexadecenal	Cauliflower	41.52	297	2,550.72	A
(z)-11-hexadecenal	Chinese cabbage (napa, wong bok, celery cabbage)	4.89	74	318.45	A
(z)-11-hexadecenal	Kale	2.77	12	130.06	A
(z)-11-hexadecenal	Kohlrabi	0.19	3	13.3	A
(z)-11-hexadecenal	Mustard greens	0.06	6	3.0	A
(z)-11-hexadecenal	Structural pest control	<0.01	N/A	N/A	N/A
(z)-9-hexadecenal	Structural pest control	19.91	N/A	N/A	N/A
(z,z)-11,13-hexadecadienal	Almond	927.4	1,400	95,558.34	A
(z,z)-11,13-hexadecadienal	Almond	22.91	N/A	0.09	U
(z,z)-11,13-hexadecadienal	Pistachio	1,309.48	925	116,389.8	A
(z,z)-11,13-hexadecadienal	Pomegranate	1.35	2	608.0	A
(z,z)-11,13-hexadecadienal	Walnut	2.23	29	879.5	A
1,3-dibromo-5,5-dimethylhydantoin	Structural pest control	284.2	N/A	N/A	N/A
1,3-dichloro-5,5-dimethylhydantoin	Water (industrial)	19,681.87	N/A	15,416.0	U
1,3-dichloro-5,5-dimethylhydantoin	Water washer/cooler/condenser systems	158.95	N/A	4.0	U
1,3-dichloro-5-ethyl-5-methylhydantoin	Water (industrial)	10,828.43	N/A	15,416.0	U
1,3-dichloro-5-ethyl-5-methylhydantoin	Water washer/cooler/condenser systems	87.45	N/A	4.0	U
1,3-dichloropropene	Almond	1,655,926.45	279	5,203.91	A
1,3-dichloropropene	Artichoke, globe	201.16	1	1.23	A
1,3-dichloropropene	Bean, dried	20,118.64	1	61.0	A
1,3-dichloropropene	Blackberry	7,496.92	14	117.2	A
1,3-dichloropropene	Blueberry	3,990.75	1	12.1	A
1,3-dichloropropene	Brussels sprout	133,447.16	77	1,471.14	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
1,3-dichloropropene	Cabbage	2,658.2	2	22.5	A
1,3-dichloropropene	Cantaloupe	14,221.37	3	321.0	A
1,3-dichloropropene	Carrot	697,068.56	123	6,873.94	A
1,3-dichloropropene	Cherry	172,002.48	34	523.1	A
1,3-dichloropropene	Chinese cabbage (napa, wong bok, celery cabbage)	42,672.97	29	361.2	A
1,3-dichloropropene	Citrus	41,653.99	1	126.8	A
1,3-dichloropropene	Eggplant	34,041.67	55	275.0	A
1,3-dichloropropene	Grape	465,506.8	43	1,690.08	A
1,3-dichloropropene	Grape, wine	813,274.63	72	2,531.44	A
1,3-dichloropropene	Grapefruit	236.28	1	0.75	A
1,3-dichloropropene	Lemon	15,388.02	2	46.7	A
1,3-dichloropropene	Lettuce, leaf	4,224.77	2	38.26	A
1,3-dichloropropene	Melon	35,245.76	10	707.5	A
1,3-dichloropropene	N-grnhs flower	4,937.36	1	14.97	A
1,3-dichloropropene	N-outdr flower	29,624.93	21	183.5	A
1,3-dichloropropene	N-outdr plants in containers	120,513.54	14	366.7	A
1,3-dichloropropene	N-outdr transplants	14,397.55	10	59.3	A
1,3-dichloropropene	Nectarine	78,400.56	26	238.96	A
1,3-dichloropropene	Olive	12,678.04	1	38.44	A
1,3-dichloropropene	Onion, dry	926.27	2	7.0	A
1,3-dichloropropene	Orange	52,059.37	8	159.1	A
1,3-dichloropropene	Peach	157,554.37	54	482.0	A
1,3-dichloropropene	Pear, asian (oriental pear, ya, ya li, nashi)	5,738.76	3	17.4	A
1,3-dichloropropene	Pepper, fruiting	98,041.14	37	877.27	A
1,3-dichloropropene	Pistachio	3,265.16	1	9.9	A
1,3-dichloropropene	Plum	18,402.62	13	56.36	A
1,3-dichloropropene	Pomegranate	7,915.53	3	24.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
1,3-dichloropropene	Potato	75,363.02	19	852.2	A
1,3-dichloropropene	Raspberry	61,599.96	29	659.73	A
1,3-dichloropropene	Research commodity	12,640.14	13	73.29	A
1,3-dichloropropene	Research commodity	0.07	1	8.7	S
1,3-dichloropropene	Soil fumigation/preplant	1,089,702.93	233	3,664.2	A
1,3-dichloropropene	Squash	2,951.9	3	23.4	A
1,3-dichloropropene	Strawberry	1,756,984.75	727	16,570.96	A
1,3-dichloropropene	Sweet potato	881,943.15	371	8,176.89	A
1,3-dichloropropene	Tangerine	180,387.03	15	550.93	A
1,3-dichloropropene	Tomato	26,427.7	7	241.5	A
1,3-dichloropropene	Tomato, processing	50,377.81	8	448.7	A
1,3-dichloropropene	Uncultivated ag	474,808.6	58	1,445.78	A
1,3-dichloropropene	Walnut	371,817.71	239	1,448.91	A
1,4-dimethylnaphthalene	Potato	575.45	N/A	19,583.5	T
1,4-dimethylnaphthalene	Regulatory pest control	944.33	N/A	N/A	N/A
1-(2-hydroxyethyl)-2-alkyl-2-imidazoline, alkyl derived from tall oil fatty acids	Commercial, institutional or industrial areas	103.12	N/A	1.0	U
1-bromo-3-chloro-5,5-dimethyl hydantoin	Cabbage	1.44	1	2.0	A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Industrial processing water	157.3	N/A	396,392.0	P
1-bromo-3-chloro-5,5-dimethyl hydantoin	Lettuce, leaf	25.92	3	36.0	A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Parsley	2.4	1	4.0	A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Water (industrial)	48,612.31	N/A	15,505.0	U
1-bromo-3-chloro-5,5-dimethyl hydantoin	Water washer/cooler/condenser systems	298.1	N/A	4.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
1-methylcyclopropene	Fumigation, other	0.4	N/A	N/A	N/A
1-methylcyclopropene	N-grnhs plants in containers	<0.01	24	13,338.41	C
1-methylcyclopropene	N-grnhs plants in containers	0.01	4	97,602.57	S
1-naphthaleneacetamide	Apple	5.85	5	75.5	A
1-naphthaleneacetamide	N-grnhs plants in containers	<0.01	1	600.0	S
1080	Landscape maintenance	0.01	N/A	N/A	N/A
1080	Rangeland	0.88	2	400.0	A
1080	Rights of way	0.09	N/A	N/A	N/A
2,2-dibromo-3-nitrilopropionamide	Industrial processing water	9.87	N/A	3.0	A
2,2-dibromo-3-nitrilopropionamide	Industrial processing water	3,322.42	N/A	3,001,834.0	U
2,2-dibromo-3-nitrilopropionamide	Olive	0.24	1	0.5	A
2,2-dibromo-3-nitrilopropionamide	Structural pest control	0.03	N/A	N/A	N/A
2,2-dibromo-3-nitrilopropionamide	Water (industrial)	198.81	N/A	157.0	A
2,2-dibromo-3-nitrilopropionamide	Water (industrial)	30,761.16	N/A	2,115.0	U
2,4-d	Almond	1,756.32	72	2,457.6	A
2,4-d	Barley	27.73	2	63.9	A
2,4-d	Forage hay/silage	98.81	5	173.9	A
2,4-d	Grape, wine	2.21	1	13.0	A
2,4-d	Landscape maintenance	316.48	N/A	N/A	N/A
2,4-d	Oat (forage - fodder)	37.58	4	126.4	A
2,4-d	Peach	3.26	1	5.0	A
2,4-d	Pistachio	2,590.26	71	3,045.29	A
2,4-d	Rights of way	0.37	1	2.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d	Rights of way	523.92	N/A	N/A	N/A
2,4-d	Ryegrass	46.65	3	172.0	A
2,4-d	Timothy	183.53	7	423.0	A
2,4-d	Triticale	26.85	2	99.0	A
2,4-d	Uncultivated ag	435.64	18	833.05	A
2,4-d	Walnut	163.11	23	452.69	A
2,4-d	Water area	1.75	1	0.25	A
2,4-d	Wheat	844.56	34	1,774.22	A
2,4-d	Wheat (forage - fodder)	896.92	39	2,141.4	A
2,4-d, 2-ethylhexyl ester	Alfalfa	55.38	1	50.0	A
2,4-d, 2-ethylhexyl ester	Commodity fumigation	0.03	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	County ag comm	2.5	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Forage hay/silage	63.33	1	110.0	A
2,4-d, 2-ethylhexyl ester	Forest, timberland	286.06	6	285.7	A
2,4-d, 2-ethylhexyl ester	Golf course turf	371.72	4	1,311.48	A
2,4-d, 2-ethylhexyl ester	Golf course turf	30.25	6	448,529.5	S
2,4-d, 2-ethylhexyl ester	Landscape maintenance	14.8	8	129.75	A
2,4-d, 2-ethylhexyl ester	Landscape maintenance	2.89	1	120,077.0	S
2,4-d, 2-ethylhexyl ester	Landscape maintenance	13,871.97	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	N-grnhs flower	96.0	N/A	197.82	A
2,4-d, 2-ethylhexyl ester	N-grnhs flower	8.24	N/A	564,125.0	S
2,4-d, 2-ethylhexyl ester	N-grnhs plants in containers	0.83	N/A	5.0	A
2,4-d, 2-ethylhexyl ester	N-grnhs transplants	9.79	N/A	29.32	A
2,4-d, 2-ethylhexyl ester	N-outdr flower	2.96	3	5.25	A
2,4-d, 2-ethylhexyl ester	N-outdr plants in containers	2.69	5	15.0	A
2,4-d, 2-ethylhexyl ester	Oat	21.5	1	15.0	A
2,4-d, 2-ethylhexyl ester	Oat (forage - fodder)	193.49	3	135.0	A
2,4-d, 2-ethylhexyl ester	Pastureland	31.53	7	22.0	A
2,4-d, 2-ethylhexyl ester	Pecan	2.04	1	0.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, 2-ethylhexyl ester	Rangeland	524.66	2	428.67	A
2,4-d, 2-ethylhexyl ester	Recreation area	3.11	N/A	4.0	A
2,4-d, 2-ethylhexyl ester	Regulatory pest control	194.94	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Rights of way	513.17	3	76.0	A
2,4-d, 2-ethylhexyl ester	Rights of way	1,729.86	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Ryegrass	174.85	2	122.0	A
2,4-d, 2-ethylhexyl ester	Sod farm (turf)	120.73	56	578.83	A
2,4-d, 2-ethylhexyl ester	Structural pest control	2.45	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Triticale	432.03	4	424.0	A
2,4-d, 2-ethylhexyl ester	Turf/sod	381.31	48	1,153.95	A
2,4-d, 2-ethylhexyl ester	Turf/sod	0.09	N/A	18.0	U
2,4-d, 2-ethylhexyl ester	Uncultivated ag	346.04	4	258.0	A
2,4-d, 2-ethylhexyl ester	Wheat	150.29	2	117.0	A
2,4-d, 2-ethylhexyl ester	Wheat (forage - fodder)	366.45	4	255.68	A
2,4-d, butoxyethanol ester	Landscape maintenance	290.21	N/A	N/A	N/A
2,4-d, butoxyethanol ester	Rangeland	1,811.25	2	920.0	A
2,4-d, butoxyethanol ester	Rights of way	875.55	N/A	N/A	N/A
2,4-d, butoxyethanol ester	Uncultivated ag	178.34	8	400.0	A
2,4-d, butoxyethanol ester	Uncultivated non-ag	0.14	1	1.0	A
2,4-d, butoxyethanol ester	Wheat	29.21	2	76.0	A
2,4-d, diethanolamine salt	Almond	1,277.06	93	3,363.19	A
2,4-d, diethanolamine salt	Cherry	45.35	16	120.43	A
2,4-d, diethanolamine salt	Forage hay/silage	4.84	1	7.0	A
2,4-d, diethanolamine salt	Landscape maintenance	1.04	N/A	N/A	N/A
2,4-d, diethanolamine salt	Peach	62.3	20	107.92	A
2,4-d, diethanolamine salt	Prune	242.61	40	436.11	A
2,4-d, diethanolamine salt	Rights of way	69.19	N/A	N/A	N/A
2,4-d, diethanolamine salt	Uncultivated ag	24.11	1	3.0	A
2,4-d, diethanolamine salt	Uncultivated non-ag	5.54	1	5.0	A
2,4-d, diethanolamine salt	Walnut	805.16	96	1,834.08	A
2,4-d, diethanolamine salt	Wheat	53.97	1	156.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, dimethylamine salt	Alfalfa	1,020.16	24	1,157.5	A
2,4-d, dimethylamine salt	Almond	87,699.87	2,067	71,544.07	A
2,4-d, dimethylamine salt	Apricot	240.29	26	387.9	A
2,4-d, dimethylamine salt	Barley	6,162.82	73	9,251.6	A
2,4-d, dimethylamine salt	Barley (forage - fodder)	210.51	13	371.22	A
2,4-d, dimethylamine salt	Bean, dried	27.33	1	45.0	A
2,4-d, dimethylamine salt	Bermudagrass	22,398.82	241	15,420.3	A
2,4-d, dimethylamine salt	Cannabis (all or unspecified)	69.26	117	1,170,000.0	S
2,4-d, dimethylamine salt	Cherry	613.87	66	483.37	A
2,4-d, dimethylamine salt	Corn (forage - fodder)	1,450.21	29	1,686.0	A
2,4-d, dimethylamine salt	Corn, human consumption	179.86	5	317.0	A
2,4-d, dimethylamine salt	County ag comm	31.61	N/A	N/A	N/A
2,4-d, dimethylamine salt	Ditch bank	45.15	N/A	20.0	A
2,4-d, dimethylamine salt	Forage hay/silage	17,826.86	304	16,512.51	A
2,4-d, dimethylamine salt	Golf course turf	271.27	4	358.85	A
2,4-d, dimethylamine salt	Grain	52.94	4	100.0	A
2,4-d, dimethylamine salt	Grape	6,226.11	345	8,543.9	A
2,4-d, dimethylamine salt	Grape, wine	10,936.57	339	12,862.82	A
2,4-d, dimethylamine salt	Grass, seed	294.34	13	347.0	A
2,4-d, dimethylamine salt	Landscape maintenance	1.5	5	12.0	A
2,4-d, dimethylamine salt	Landscape maintenance	1.07	1	43,200.0	S
2,4-d, dimethylamine salt	Landscape maintenance	5,450.08	N/A	N/A	N/A
2,4-d, dimethylamine salt	Lemon	157.46	1	130.0	A
2,4-d, dimethylamine salt	N-grnhs flower	69.16	4	62.0	A
2,4-d, dimethylamine salt	N-grnhs flower	5.14	N/A	420,000.0	S
2,4-d, dimethylamine salt	N-outdr flower	51.76	12	36.0	A
2,4-d, dimethylamine salt	N-outdr plants in containers	68.48	3	35.0	A
2,4-d, dimethylamine salt	N-outdr transplants	11.43	1	10.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, dimethylamine salt	Nectarine	1,255.79	146	1,202.96	A
2,4-d, dimethylamine salt	Oat	4,194.19	113	5,369.13	A
2,4-d, dimethylamine salt	Oat (forage - fodder)	4,796.18	166	6,885.75	A
2,4-d, dimethylamine salt	Orchardgrass	2,996.76	45	2,597.38	A
2,4-d, dimethylamine salt	Pasture (forage - fodder)	43.66	5	61.0	A
2,4-d, dimethylamine salt	Pastureland	7,589.08	102	5,571.5	A
2,4-d, dimethylamine salt	Peach	2,784.01	250	2,341.04	A
2,4-d, dimethylamine salt	Pear	451.22	21	286.96	A
2,4-d, dimethylamine salt	Pecan	88.53	2	52.0	A
2,4-d, dimethylamine salt	Pistachio	10,815.71	107	6,266.02	A
2,4-d, dimethylamine salt	Plum	1,093.81	78	921.83	A
2,4-d, dimethylamine salt	Prune	2,887.23	137	3,327.42	A
2,4-d, dimethylamine salt	Public health	0.39	N/A	N/A	N/A
2,4-d, dimethylamine salt	Rangeland	561.7	23	2,072.0	A
2,4-d, dimethylamine salt	Regulatory pest control	82.71	N/A	N/A	N/A
2,4-d, dimethylamine salt	Research commodity	16.82	7	19.9	A
2,4-d, dimethylamine salt	Rice	45.01	1	40.0	A
2,4-d, dimethylamine salt	Rights of way	2,363.88	91	1,619.0	A
2,4-d, dimethylamine salt	Rights of way	12,976.31	N/A	N/A	N/A
2,4-d, dimethylamine salt	Rye	785.1	26	907.3	A
2,4-d, dimethylamine salt	Ryegrass	5,097.67	110	4,890.4	A
2,4-d, dimethylamine salt	Safflower	137.36	5	284.8	A
2,4-d, dimethylamine salt	Soil fumigation/preplant	8,988.34	36	8,617.0	A
2,4-d, dimethylamine salt	Sorghum (forage - fodder)	380.35	10	583.4	A
2,4-d, dimethylamine salt	Sorghum/milo	186.26	3	220.09	A
2,4-d, dimethylamine salt	Structural pest control	24.72	N/A	N/A	N/A
2,4-d, dimethylamine salt	Sudangrass	3,766.34	62	3,366.5	A
2,4-d, dimethylamine salt	Sugarcane	159.64	1	70.0	A
2,4-d, dimethylamine salt	Tangerine	17.44	1	40.0	A
2,4-d, dimethylamine salt	Timothy	373.21	10	364.0	A
2,4-d, dimethylamine salt	Tomato	83.27	1	74.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, dimethylamine salt	Tomato, processing	168.77	2	247.1	A
2,4-d, dimethylamine salt	Triticale	3,949.24	76	4,599.3	A
2,4-d, dimethylamine salt	Turf/sod	656.29	27	527.0	A
2,4-d, dimethylamine salt	Uncultivated ag	15,151.59	229	13,023.9	A
2,4-d, dimethylamine salt	Uncultivated non-ag	536.83	16	446.0	A
2,4-d, dimethylamine salt	Walnut	18,674.48	545	15,932.76	A
2,4-d, dimethylamine salt	Water area	1,148.73	1	385.0	A
2,4-d, dimethylamine salt	Wheat	28,831.1	532	34,039.05	A
2,4-d, dimethylamine salt	Wheat (forage - fodder)	11,217.86	303	14,629.2	A
2,4-d, isooctyl ester	Golf course turf	3.34	N/A	24.0	A
2,4-d, isooctyl ester	Landscape maintenance	296.67	N/A	N/A	N/A
2,4-d, isooctyl ester	N-grnhs flower	50.73	N/A	53.7	A
2,4-d, isooctyl ester	N-grnhs flower	1.32	N/A	50,000.0	S
2,4-d, isooctyl ester	N-grnhs transplants	36.72	N/A	49.0	A
2,4-d, isooctyl ester	Rights of way	5.67	N/A	N/A	N/A
2,4-d, isooctyl ester	Uncultivated ag	5.02	3	6.0	A
2,4-d, isopropyl ester	Citrus	10.31	10	287.38	A
2,4-d, isopropyl ester	Citrus	3.54	N/A	125,312.0	T
2,4-d, isopropyl ester	Commodity fumigation	28.77	N/A	N/A	N/A
2,4-d, isopropyl ester	Food processing plant	3.89	4	125,343.0	?
2,4-d, isopropyl ester	Food processing plant	35.96	N/A	27,986.0	T
2,4-d, isopropyl ester	Grapefruit	469.56	236	5,481.99	A
2,4-d, isopropyl ester	Landscape maintenance	6.83	N/A	N/A	N/A
2,4-d, isopropyl ester	Lemon	782.02	736	15,104.59	A
2,4-d, isopropyl ester	Lemon	0.02	N/A	977.0	K
2,4-d, isopropyl ester	Lemon	558.75	N/A	889,759.02	T
2,4-d, isopropyl ester	Lime	0.64	4	11.25	A
2,4-d, isopropyl ester	Orange	8,387.16	4,635	96,050.5	A
2,4-d, isopropyl ester	Orange	21.73	N/A	119,109.0	T
2,4-d, isopropyl ester	Pomelo	8.84	20	110.35	A
2,4-d, isopropyl ester	Tangelo	232.97	223	3,740.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2,4-d, isopropyl ester	Tangerine	2,393.01	1,027	32,765.85	A
2,4-d, triethylamine salt	Grape, wine	11.14	1	13.0	A
2,4-d, triisopropanolamine salt	Landscape maintenance	445.35	N/A	N/A	N/A
2,4-d, triisopropanolamine salt	N-outdr plants in containers	0.64	1	0.5	A
2,4-d, triisopropanolamine salt	Rights of way	153.14	N/A	N/A	N/A
2,4-d, triisopropylamine salt	Landscape maintenance	44.57	N/A	N/A	N/A
2,4-decadienoic acid, ethyl ester, (2e,4z)-	Walnut	0.49	22	322.0	A
2,4-dichlorophenoxyacetic acid, choline salt	Almond	15,493.74	519	26,373.73	A
2,4-dichlorophenoxyacetic acid, choline salt	Apricot	15.24	3	30.65	A
2,4-dichlorophenoxyacetic acid, choline salt	Barley	166.65	4	549.6	A
2,4-dichlorophenoxyacetic acid, choline salt	Barley (forage - fodder)	10.58	1	80.0	A
2,4-dichlorophenoxyacetic acid, choline salt	Blueberry	5.65	1	10.68	A
2,4-dichlorophenoxyacetic acid, choline salt	Cherry	78.62	10	127.4	A
2,4-dichlorophenoxyacetic acid, choline salt	Citrus	0.04	1	0.06	A
2,4-dichlorophenoxyacetic acid, choline salt	Cotton	263.09	10	455.5	A
2,4-dichlorophenoxyacetic acid, choline salt	Forest, timberland	87.7	8	228.5	A
2,4-dichlorophenoxyacetic acid, choline salt	Landscape maintenance	4.37	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2,4-dichlorophenoxyacetic acid, choline salt	Nectarine	816.4	50	1,361.12	A
2,4-dichlorophenoxyacetic acid, choline salt	Oat	15.22	2	110.0	A
2,4-dichlorophenoxyacetic acid, choline salt	Oat (forage - fodder)	274.35	34	1,130.4	A
2,4-dichlorophenoxyacetic acid, choline salt	Peach	1,841.11	92	3,083.41	A
2,4-dichlorophenoxyacetic acid, choline salt	Pecan	731.7	16	912.44	A
2,4-dichlorophenoxyacetic acid, choline salt	Pistachio	11,136.97	333	16,704.4	A
2,4-dichlorophenoxyacetic acid, choline salt	Plum	417.59	40	618.8	A
2,4-dichlorophenoxyacetic acid, choline salt	Prune	124.62	11	170.7	A
2,4-dichlorophenoxyacetic acid, choline salt	Regulatory pest control	18.72	N/A	N/A	N/A
2,4-dichlorophenoxyacetic acid, choline salt	Rights of way	34.83	N/A	N/A	N/A
2,4-dichlorophenoxyacetic acid, choline salt	Ryegrass	15.87	1	30.0	A
2,4-dichlorophenoxyacetic acid, choline salt	Triticale	397.17	18	789.58	A
2,4-dichlorophenoxyacetic acid, choline salt	Turf/sod	10.26	1	23.0	A
2,4-dichlorophenoxyacetic acid, choline salt	Uncultivated ag	761.35	49	1,511.57	A
2,4-dichlorophenoxyacetic acid, choline salt	Walnut	1,292.93	100	2,709.19	A
2,4-dichlorophenoxyacetic acid, choline salt	Wheat	612.41	16	1,592.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-dichlorophenoxyacetic acid, choline salt	Wheat (forage - fodder)	3,612.19	183	11,636.44	A
2,4-dp, isooctyl ester	Landscape maintenance	0.02	N/A	N/A	N/A
2,4-dp-p, dimethylamine salt	Landscape maintenance	0.39	1	8.0	A
2,4-dp-p, dimethylamine salt	Landscape maintenance	23.15	N/A	N/A	N/A
2,4-dp-p, dimethylamine salt	Pastureland	0.1	N/A	5.0	A
2,4-dp-p, dimethylamine salt	Rights of way	1.37	N/A	N/A	N/A
2,4-dp-p, dimethylamine salt	Structural pest control	0.1	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	Commodity fumigation	0.02	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	County ag comm	1.44	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	Golf course turf	153.87	1	1,014.73	A
2,4-dp-p, isooctyl ester	Golf course turf	8.61	5	78,179.5	S
2,4-dp-p, isooctyl ester	Landscape maintenance	1,925.41	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	N-grnhs flower	37.52	N/A	144.75	A
2,4-dp-p, isooctyl ester	N-grnhs flower	1.88	N/A	276,000.0	S
2,4-dp-p, isooctyl ester	N-grnhs transplants	5.41	N/A	26.82	A
2,4-dp-p, isooctyl ester	N-outdr flower	1.7	3	5.25	A
2,4-dp-p, isooctyl ester	Recreation area	1.79	N/A	4.0	A
2,4-dp-p, isooctyl ester	Rights of way	16.03	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	Sod farm (turf)	30.43	27	233.83	A
2,4-dp-p, isooctyl ester	Structural pest control	0.04	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	Turf/sod	36.09	14	361.04	A
2,4-dp-p, isooctyl ester	Turf/sod	0.05	N/A	18.0	U
2,4-xyleneol	Grape, wine	0.16	3	6.32	A
2,4-xyleneol	Landscape maintenance	0.1	N/A	N/A	N/A
2,4-xyleneol	Walnut	0.28	1	57.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>2-(2,4-dp), dimethylamine salt</b>	Landscape maintenance	1.96	N/A	N/A	N/A
<b>2-(2,4-dp), dimethylamine salt</b>	Rights of way	0.39	N/A	N/A	N/A
<b>2-(2-(p-(diisobutyl phenoxy) ethoxy) ethyl dimethylbenzyl ammonium chloride</b>	Water (industrial)	1.2	N/A	1.0	U
<b>2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate</b>	Alfalfa	99.18	66	2,788.7	A
<b>2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate</b>	Almond	19,088.84	1,565	71,777.98	A
<b>2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate</b>	Apple	11.15	3	83.0	A
<b>2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate</b>	Apricot	0.76	1	3.8	A
<b>2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate</b>	Artichoke, globe	917.39	323	3,519.4	A
<b>2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate</b>	Arugula	4.66	3	17.53	A
<b>2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate</b>	Bean, unspecified	2.57	8	32.0	A
<b>2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate</b>	Bok choy (choy sum, pak choy)	2.82	13	21.04	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Broccoli	1,756.54	1,096	9,664.22	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Brussels sprout	4,051.28	975	11,420.45	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cabbage	132.92	127	975.9	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cannabis (all or unspecified)	27.73	77	195.98	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cannabis (all or unspecified)	0.8	38	55,140.0	S
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cantaloupe	2.23	2	80.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cardoon	3.41	4	24.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Carrot	200.38	87	1,296.36	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cauliflower	1,243.29	817	6,219.55	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Celery	207.08	161	1,423.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cherry	372.8	95	2,138.16	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Chicory	85.47	9	106.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Chinese cabbage (napa, wong bok, celery cabbage)	5.09	17	38.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Collard	0.43	4	3.2	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Corn (forage - fodder)	23.94	16	606.97	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cotton	54.36	9	716.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cucumber	174.83	48	384.03	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Endive (escarole)	1.61	1	2.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Fennel	7.92	12	50.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Forest, timberland	100.04	10	499.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Garlic	28.16	6	630.1	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Grape	2,550.6	164	9,293.52	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Grape, wine	55,114.19	12,952	255,435.78	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Grapefruit	2.41	1	9.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Kale	33.52	67	218.05	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Landscape maintenance	152.84	N/A	N/A	N/A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lemon	41.77	8	93.3	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lettuce, head	579.45	393	4,188.45	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lettuce, leaf	1,916.89	1,040	8,625.41	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Melon	2.92	2	54.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Mizuna	0.43	7	5.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	N-outdr transplants	6.78	5	102.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Nectarine	6.27	5	16.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Olive	871.38	100	3,341.46	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Onion, dry	168.28	72	1,713.57	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Onion, green	0.02	1	1.34	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Orange	296.86	57	650.16	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Parsley	0.17	2	10.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Peach	52.77	12	203.56	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pear	129.81	16	788.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Peas	133.45	178	1,060.59	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pecan	83.29	8	206.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pepper, fruiting	4.85	6	146.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pistachio	5,076.16	135	10,399.06	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Plum	0.71	1	1.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Prune	675.41	54	2,631.9	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pumpkin	7.96	6	212.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Radicchio	73.47	7	102.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Raspberry	1.11	2	3.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Regulatory pest control	0.42	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Rice	276.55	89	7,873.7	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Rights of way	97.34	N/A	N/A	N/A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Shallot	4.29	1	16.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Spinach	8.87	30	72.04	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Squash	5.64	3	18.9	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Squash, zucchini	0.1	1	2.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Stone fruit	0.55	3	2.25	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Sudangrass	8.49	3	225.3	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Sunflower	66.73	27	435.06	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Swiss chard	4.2	15	29.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Tangelo	40.56	4	78.7	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Tangerine	21.64	6	72.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Tomato	770.84	206	3,455.43	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Tomato, processing	293.09	92	6,208.83	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Uncultivated ag	117.57	58	661.76	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Unknown	0.62	3	3.24	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Vegetable	5.09	7	24.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Vegetables, fruiting	5.23	14	25.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Walnut	9,109.03	1,000	39,745.47	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Watermelon	1.03	1	10.1	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Wheat (forage - fodder)	6.43	4	240.0	A
2-butoxyethanol	Alfalfa	0.22	3	41.5	A
2-butoxyethanol	Almond	360.61	326	14,032.57	A
2-butoxyethanol	Apple	294.53	38	1,511.0	A
2-butoxyethanol	Apricot	1.31	6	54.94	A
2-butoxyethanol	Blueberry	3.55	8	158.09	A
2-butoxyethanol	Cannabis (all or unspecified)	1.09	2	2.0	A
2-butoxyethanol	Cherry	154.24	33	676.34	A
2-butoxyethanol	Corn (forage - fodder)	6.84	9	750.0	A
2-butoxyethanol	Ditch bank	0.78	1	75.0	A
2-butoxyethanol	Grape	5.59	37	419.6	A
2-butoxyethanol	Grape, wine	24.09	10	697.32	A
2-butoxyethanol	Grapefruit	1.81	9	73.0	A
2-butoxyethanol	Landscape maintenance	3.93	N/A	N/A	N/A
2-butoxyethanol	N-outdr plants in containers	15.34	49	196.25	A
2-butoxyethanol	Nectarine	3.73	17	145.72	A
2-butoxyethanol	Orange	0.45	2	15.4	A
2-butoxyethanol	Peach	6.1	42	357.79	A
2-butoxyethanol	Pecan	1.38	4	40.0	A
2-butoxyethanol	Pistachio	9.3	12	323.6	A
2-butoxyethanol	Plum	5.69	22	243.99	A
2-butoxyethanol	Pomegranate	<0.01	1	0.3	A
2-butoxyethanol	Potato	2.86	4	207.0	A
2-butoxyethanol	Rights of way	0.69	5	25.0	A
2-butoxyethanol	Rights of way	3,220.86	N/A	N/A	N/A
2-butoxyethanol	Stone fruit	1.02	2	43.0	A
2-butoxyethanol	Tangerine	0.47	5	26.76	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-butoxyethanol	Uncultivated ag	2.27	4	655.0	A
2-butoxyethanol	Walnut	37.91	97	1,765.14	A
2-ethylhexyl sulfate, sodium salt	Grape, wine	3.66	1	9.0	A
2-methyl-1-butanol	Landscape maintenance	0.13	N/A	N/A	N/A
2-methyl-1-butanol	Structural pest control	2.28	N/A	N/A	N/A
2-methyl-1-naphthalene acetamide	N-grnhs plants in containers	<0.01	1	600.0	S
2-methyl-1-naphthalene acetic acid	N-grnhs plants in containers	<0.01	1	600.0	S
2-methyl-4-isothiazolin-3-one	Industrial processing water	162.17	N/A	1,775,424.0	C
2-methyl-4-isothiazolin-3-one	Industrial processing water	3.09	N/A	653,588.07	P
2-methyl-4-isothiazolin-3-one	Industrial processing water	27.47	N/A	11,599,992.0	U
2-methyl-4-isothiazolin-3-one	Landscape maintenance	0.5	N/A	N/A	N/A
2-methyl-4-isothiazolin-3-one	Lumber, treated	16,064.21	N/A	7,586.7	K
2-methyl-4-isothiazolin-3-one	Structural pest control	21.74	N/A	N/A	N/A
2-methyl-4-isothiazolin-3-one	Water (industrial)	2,805.55	N/A	19,153.0	U
2-methyl-4-isothiazolin-3-one	Water washer/cooler/condenser systems	5.46	N/A	2.0	U
2-naphthol	Cannabis (all or unspecified)	0.41	2	2.0	A
3,7-dimethyl-6-octen-1-ol	Almond	5.29	7	244.1	A
3,7-dimethyl-6-octen-1-ol	Grape	6.74	6	349.0	A
3,7-dimethyl-6-octen-1-ol	Grape, wine	3.47	14	221.44	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
3,7-dimethyl-6-octen-1-ol	Nectarine	10.09	41	547.66	A
3,7-dimethyl-6-octen-1-ol	Peach	13.75	63	762.56	A
3,7-dimethyl-6-octen-1-ol	Squash	0.45	1	70.0	A
3,7-dimethyl-6-octen-1-ol	Walnut	2.2	4	133.0	A
3-(trihydroxysilyl) propyl dimethyl octadecyl ammonium chloride	Household	0.05	N/A	2,500.0	S
3-(trimethoxysilyl) propyldimethyloctadecyl ammonium chloride	Structural pest control	0.62	N/A	N/A	N/A
3-chloro-p-toluidine hydrochloride	Landscape maintenance	0.43	N/A	N/A	N/A
3-chloro-p-toluidine hydrochloride	Vertebrate control	<0.01	6	6.0	A
3-chloro-p-toluidine hydrochloride	Vertebrate control	<0.01	N/A	N/A	N/A
3-iodo-2-propynyl butylcarbamate	Landscape maintenance	8.16	N/A	N/A	N/A
3-iodo-2-propynyl butylcarbamate	Lumber, treated	2,093.93	N/A	7,779.02	K
4,4-dimethyl oxazolidine	N-outdr flower	12.05	1	11.1	A
4-(2,4-db), dimethylamine salt	Alfalfa	52,533.91	944	55,804.31	A
4-(2,4-db), dimethylamine salt	Ryegrass	214.12	6	487.0	A
4-(2,4-db), dimethylamine salt	Wheat	40.96	1	70.0	A
4-aminopyridine	Landscape maintenance	0.21	N/A	N/A	N/A
4-aminopyridine	Regulatory pest control	<0.01	N/A	N/A	N/A
4-aminopyridine	Structural pest control	13.35	N/A	N/A	N/A
4-aminopyridine	Vertebrate control	0.03	2	438.0	A
4-aminopyridine	Vertebrate control	1.52	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Alfalfa	2,685.69	969	58,445.8	A
4-nonylphenol, formaldehyde resin, propoxylated	Almond	35,755.39	4,631	238,957.59	A
4-nonylphenol, formaldehyde resin, propoxylated	Apple	119.44	39	859.8	A
4-nonylphenol, formaldehyde resin, propoxylated	Apricot	72.51	45	1,280.6	A
4-nonylphenol, formaldehyde resin, propoxylated	Artichoke, globe	174.34	149	2,370.87	A
4-nonylphenol, formaldehyde resin, propoxylated	Arugula	24.32	60	801.67	A
4-nonylphenol, formaldehyde resin, propoxylated	Asparagus	4.44	5	55.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Barley (forage - fodder)	15.78	7	991.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Bean, dried	157.86	34	2,989.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Bean, succulent	7.56	3	214.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Bean, unspecified	1.65	2	34.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Beet	0.08	1	1.96	A
4-nonylphenol, formaldehyde resin, propoxylated	Bermudagrass	76.5	33	1,634.8	A
4-nonylphenol, formaldehyde resin, propoxylated	Blackberry	1.88	6	51.38	A
4-nonylphenol, formaldehyde resin, propoxylated	Blueberry	146.36	49	1,443.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Bok choy (choy sum, pak choi)	110.38	427	931.04	A
4-nonylphenol, formaldehyde resin, propoxylated	Broccoli	1,942.48	1,583	15,921.64	A
4-nonylphenol, formaldehyde resin, propoxylated	Brussels sprout	852.78	351	3,875.12	A
4-nonylphenol, formaldehyde resin, propoxylated	Cabbage	877.6	864	9,183.39	A
4-nonylphenol, formaldehyde resin, propoxylated	Cannabis (all or unspecified)	0.14	1	1.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Cannabis (all or unspecified)	<0.01	2	3,952.0	S
4-nonylphenol, formaldehyde resin, propoxylated	Cantaloupe	143.03	70	3,279.29	A
4-nonylphenol, formaldehyde resin, propoxylated	Carrot	1,610.77	221	14,121.43	A
4-nonylphenol, formaldehyde resin, propoxylated	Cauliflower	890.59	612	6,614.26	A
4-nonylphenol, formaldehyde resin, propoxylated	Celery	991.94	650	8,566.55	A
4-nonylphenol, formaldehyde resin, propoxylated	Cherry	1,210.98	526	11,423.95	A
4-nonylphenol, formaldehyde resin, propoxylated	Chinese cabbage (napa, wong bok, celery cabbage)	666.32	677	3,569.7	A
4-nonylphenol, formaldehyde resin, propoxylated	Cilantro	29.66	21	337.49	A
4-nonylphenol, formaldehyde resin, propoxylated	Citrus	0.18	3	5.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Collard	37.42	85	322.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Corn (forage - fodder)	470.88	190	8,186.81	A
4-nonylphenol, formaldehyde resin, propoxylated	Corn, human consumption	6.8	6	102.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Cotton	579.43	279	15,236.45	A
4-nonylphenol, formaldehyde resin, propoxylated	Eggplant	21.48	22	369.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Endive (escarole)	3.38	47	90.51	A
4-nonylphenol, formaldehyde resin, propoxylated	Fennel	1.24	4	17.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Forage hay/silage	7.22	1	70.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Garlic	144.48	22	1,854.9	A
4-nonylphenol, formaldehyde resin, propoxylated	Grape	2,420.88	1,140	33,878.36	A
4-nonylphenol, formaldehyde resin, propoxylated	Grape, wine	7,994.99	2,957	95,382.91	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Grapefruit	146.55	43	682.96	A
4-nonylphenol, formaldehyde resin, propoxylated	Kale	72.23	241	1,041.21	A
4-nonylphenol, formaldehyde resin, propoxylated	Landscape maintenance	6.78	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Leek	6.49	17	44.25	A
4-nonylphenol, formaldehyde resin, propoxylated	Lemon	620.59	232	4,692.75	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, head	2,066.94	1,993	24,576.64	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, leaf	3,131.15	2,790	33,949.17	A
4-nonylphenol, formaldehyde resin, propoxylated	Melon	33.42	21	970.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Melon	<0.01	2	5,220.0	S
4-nonylphenol, formaldehyde resin, propoxylated	Mizuna	17.86	77	446.6	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Mustard	1.78	11	40.91	A
4-nonylphenol, formaldehyde resin, propoxylated	Mustard greens	0.78	4	4.5	A
4-nonylphenol, formaldehyde resin, propoxylated	N-grnhs plants in containers	0.77	3	5.5	A
4-nonylphenol, formaldehyde resin, propoxylated	N-grnhs plants in containers	0.14	1	18,000.0	S
4-nonylphenol, formaldehyde resin, propoxylated	N-outdr flower	1.39	11	14.5	A
4-nonylphenol, formaldehyde resin, propoxylated	N-outdr plants in containers	2.51	4	72.01	A
4-nonylphenol, formaldehyde resin, propoxylated	N-outdr transplants	139.44	165	1,592.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Nectarine	662.05	435	2,945.42	A
4-nonylphenol, formaldehyde resin, propoxylated	Oat	6.14	4	477.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Oat (forage - fodder)	8.2	9	340.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Olive	369.44	36	1,625.1	A
4-nonylphenol, formaldehyde resin, propoxylated	Onion, dry	27.89	19	612.98	A
4-nonylphenol, formaldehyde resin, propoxylated	Orange	5,020.28	1,580	33,441.67	A
4-nonylphenol, formaldehyde resin, propoxylated	Parsley	14.8	47	80.85	A
4-nonylphenol, formaldehyde resin, propoxylated	Peach	1,112.18	718	8,664.57	A
4-nonylphenol, formaldehyde resin, propoxylated	Pear	2,850.05	502	17,561.15	A
4-nonylphenol, formaldehyde resin, propoxylated	Pear, asian (oriental pear, ya, ya li, nashi)	1.79	5	35.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Pecan	83.7	37	454.46	A
4-nonylphenol, formaldehyde resin, propoxylated	Pepper, fruiting	157.78	170	5,864.88	A
4-nonylphenol, formaldehyde resin, propoxylated	Pepper, fruiting	<0.01	1	1,215.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Pepper, spice	11.66	24	185.54	A
4-nonylphenol, formaldehyde resin, propoxylated	Persimmon	8.02	15	76.55	A
4-nonylphenol, formaldehyde resin, propoxylated	Pistachio	9,183.97	1,115	75,507.93	A
4-nonylphenol, formaldehyde resin, propoxylated	Plum	136.59	146	1,514.47	A
4-nonylphenol, formaldehyde resin, propoxylated	Pomegranate	42.8	39	626.03	A
4-nonylphenol, formaldehyde resin, propoxylated	Pomelo	20.31	11	82.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Potato	1.74	2	75.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Prune	21.72	9	546.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Pumpkin	5.36	5	93.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Quince	1.03	4	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Radish	0.68	1	18.63	A
4-nonylphenol, formaldehyde resin, propoxylated	Raspberry	61.96	24	651.31	A
4-nonylphenol, formaldehyde resin, propoxylated	Research commodity	3.87	21	35.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Research commodity	0.57	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Rice	127.84	37	2,804.34	A
4-nonylphenol, formaldehyde resin, propoxylated	Rights of way	6.33	6	115.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Rights of way	48.33	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Rye	13.99	1	135.7	A
4-nonylphenol, formaldehyde resin, propoxylated	Sesame, seed	0.9	1	5.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Soil fumigation/preplant	72.06	20	2,989.02	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Sorghum (forage - fodder)	11.2	9	797.1	A
4-nonylphenol, formaldehyde resin, propoxylated	Spinach	84.56	103	1,944.94	A
4-nonylphenol, formaldehyde resin, propoxylated	Squash, summer	0.38	3	54.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Squash, winter	0.36	1	15.4	A
4-nonylphenol, formaldehyde resin, propoxylated	Squash, zucchini	0.03	3	0.6	A
4-nonylphenol, formaldehyde resin, propoxylated	Strawberry	1,238.56	498	12,950.64	A
4-nonylphenol, formaldehyde resin, propoxylated	Sugarbeet	185.25	89	5,233.26	A
4-nonylphenol, formaldehyde resin, propoxylated	Sunflower	0.1	1	0.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Sweet potato	6.13	6	119.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Swiss chard	23.84	56	606.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Tangelo	181.44	44	869.96	A
4-nonylphenol, formaldehyde resin, propoxylated	Tangerine	1,806.31	745	15,262.92	A
4-nonylphenol, formaldehyde resin, propoxylated	Tomato	27.21	47	844.75	A
4-nonylphenol, formaldehyde resin, propoxylated	Tomato	<0.01	2	5,040.0	S
4-nonylphenol, formaldehyde resin, propoxylated	Tomato, processing	474.45	105	6,290.1	A
4-nonylphenol, formaldehyde resin, propoxylated	Triticale	53.26	29	2,268.35	A
4-nonylphenol, formaldehyde resin, propoxylated	Uncultivated ag	49.29	28	501.85	A
4-nonylphenol, formaldehyde resin, propoxylated	Walnut	12,235.31	2,331	72,132.04	A
4-nonylphenol, formaldehyde resin, propoxylated	Water area	16.1	9	59.75	A
4-nonylphenol, formaldehyde resin, propoxylated	Watermelon	71.33	45	2,247.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Wheat	391.89	127	7,194.08	A
<b>4-nonylphenol, formaldehyde resin, propoxylated</b>	Wheat (forage - fodder)	243.62	230	12,166.92	A
<b>4-vinylcyclohexenediepoide</b>	Landscape maintenance	0.13	N/A	N/A	N/A
<b>4-vinylcyclohexenediepoide</b>	Regulatory pest control	<0.01	N/A	N/A	N/A
<b>4-vinylcyclohexenediepoide</b>	Structural pest control	0.61	N/A	N/A	N/A
<b>5,5-dimethylhydantoin</b>	Water (industrial)	19,372.3	N/A	12.0	U
<b>5-chloro-2-methyl-4-isothiazolin-3-one</b>	Industrial processing water	453.12	N/A	1,775,424.0	C
<b>5-chloro-2-methyl-4-isothiazolin-3-one</b>	Industrial processing water	9.09	N/A	653,588.07	P
<b>5-chloro-2-methyl-4-isothiazolin-3-one</b>	Industrial processing water	76.75	N/A	11,599,992.0	U
<b>5-chloro-2-methyl-4-isothiazolin-3-one</b>	Landscape maintenance	1.41	N/A	N/A	N/A
<b>5-chloro-2-methyl-4-isothiazolin-3-one</b>	Lumber, treated	45,153.46	N/A	7,586.7	K
<b>5-chloro-2-methyl-4-isothiazolin-3-one</b>	Structural pest control	61.87	N/A	N/A	N/A
<b>5-chloro-2-methyl-4-isothiazolin-3-one</b>	Water (industrial)	8,030.94	N/A	19,153.0	U
<b>5-chloro-2-methyl-4-isothiazolin-3-one</b>	Water washer/cooler/condenser systems	15.54	N/A	2.0	U
<b>Abamectin</b>	Alfalfa	12.34	16	1,038.0	A
<b>Abamectin</b>	Almond	20,020.48	17,135	1,089,580.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin	Apple	12.81	33	819.83	A
Abamectin	Apricot	8.55	26	328.78	A
Abamectin	Arugula	0.98	30	89.15	A
Abamectin	Avocado	411.45	915	19,876.77	A
Abamectin	Avocado	<0.01	2	2,400.0	S
Abamectin	Avocado	0.17	9	290,700.0	U
Abamectin	Basil, sweet	0.57	13	55.96	A
Abamectin	Bean, dried	163.02	190	9,450.59	A
Abamectin	Bean, succulent	21.36	60	1,281.03	A
Abamectin	Bean, unspecified	8.77	26	512.34	A
Abamectin	Blackberry	30.07	176	1,757.56	A
Abamectin	Blueberry	22.83	40	1,215.52	A
Abamectin	Broccoli	<0.01	1	0.05	A
Abamectin	Cannabis (all or unspecified)	3.78	83	249,644.0	S
Abamectin	Cantaloupe	244.94	227	15,565.65	A
Abamectin	Cardoon	0.26	1	14.0	A
Abamectin	Celery	334.18	2,140	21,237.1	A
Abamectin	Cherry	418.72	849	19,852.27	A
Abamectin	Chinese amaranth (chinese spinach, tampala, yin choy)	0.06	3	1.0	A
Abamectin	Christmas tree	0.11	4	20.0	A
Abamectin	Cilantro	0.06	3	3.0	A
Abamectin	Citrus	13.31	34	631.6	A
Abamectin	Citrus	<0.01	N/A	14.0	U
Abamectin	Commercial, institutional or industrial areas	<0.01	N/A	0.01	U
Abamectin	Commodity fumigation	<0.01	N/A	N/A	N/A
Abamectin	Corn (forage - fodder)	4.68	5	271.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin	Corn, human consumption	161.94	318	9,450.1	A
Abamectin	Corn, human consumption	0.02	2	4,000.0	S
Abamectin	Cotton	1,621.61	1,746	110,121.08	A
Abamectin	Cucumber	20.23	74	1,342.22	A
Abamectin	Eggplant	23.14	131	1,566.48	A
Abamectin	Endive (escarole)	4.95	28	354.6	A
Abamectin	Fennel	0.28	1	15.4	A
Abamectin	Garlic	91.1	43	5,081.43	A
Abamectin	Golf course turf	6.6	2	93.64	A
Abamectin	Golf course turf	1.48	N/A	860,000.0	S
Abamectin	Grape	1,722.7	1,196	46,459.14	A
Abamectin	Grape, wine	2,142.81	2,849	124,176.26	A
Abamectin	Grapefruit	188.83	439	8,727.04	A
Abamectin	Herb, spice	0.56	3	30.0	A
Abamectin	Kumquat	0.45	9	27.34	A
Abamectin	Landscape maintenance	60.01	N/A	N/A	N/A
Abamectin	Leek	3.06	49	219.46	A
Abamectin	Lemon	1,112.76	2,629	54,330.19	A
Abamectin	Lettuce, head	301.03	1,711	20,132.85	A
Abamectin	Lettuce, leaf	535.63	3,636	34,586.92	A
Abamectin	Lime	4.58	40	244.29	A
Abamectin	Melon	149.41	267	11,134.4	A
Abamectin	Mint	1.03	5	65.0	A
Abamectin	N-grnhs flower	20.6	290	714.28	A
Abamectin	N-grnhs flower	<0.01	1	2,000.0	C
Abamectin	N-grnhs flower	0.85	145	2,744,957.5	S
Abamectin	N-grnhs plants in containers	29.78	1,635	1,668.06	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin	N-grnhs plants in containers	9.49	777	27,601,425.0	S
Abamectin	N-grnhs plants in containers	0.07	8	276,500.0	U
Abamectin	N-grnhs transplants	2.91	171	1,655.37	A
Abamectin	N-grnhs transplants	1.16	170	5,092,125.0	S
Abamectin	N-outdr flower	14.84	481	1,482.66	A
Abamectin	N-outdr flower	<0.01	1	4,000.0	C
Abamectin	N-outdr flower	0.02	4	16,000.0	S
Abamectin	N-outdr plants in containers	56.72	2,118	3,939.48	A
Abamectin	N-outdr plants in containers	3.56	172	5,710,216.0	S
Abamectin	N-outdr plants in containers	1.35	55	1,073,611.0	U
Abamectin	N-outdr transplants	48.03	238	3,531.61	A
Abamectin	N-outdr transplants	5.02	61	9,864,000.0	S
Abamectin	Nectarine	120.7	319	4,972.33	A
Abamectin	Okra	0.3	2	30.0	A
Abamectin	Olive	0.03	3	2.9	A
Abamectin	Onion, dry	200.86	180	10,940.31	A
Abamectin	Onion, green	10.7	7	588.4	A
Abamectin	Orange	3,114.51	6,182	133,646.09	A
Abamectin	Parsley	0.38	1	20.4	A
Abamectin	Peach	486.7	1,097	20,906.42	A
Abamectin	Pear	138.81	176	6,600.49	A
Abamectin	Pear, asian (oriental pear, ya, ya li, nashi)	0.47	4	20.66	A
Abamectin	Peas	1.42	15	82.1	A
Abamectin	Pecan	1.49	2	132.82	A
Abamectin	Pepper, fruiting	215.55	480	12,418.9	A
Abamectin	Pimento	0.19	1	7.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin	Pistachio	155.82	131	9,290.34	A
Abamectin	Plum	31.6	171	1,313.75	A
Abamectin	Pluot	0.23	1	9.0	A
Abamectin	Pomelo	8.99	46	404.25	A
Abamectin	Potato	5.39	9	437.0	A
Abamectin	Prune	224.76	237	10,321.21	A
Abamectin	Public health	<0.01	N/A	N/A	N/A
Abamectin	Pumpkin	96.11	167	5,196.88	A
Abamectin	Raspberry	17.58	130	1,037.49	A
Abamectin	Regulatory pest control	207.37	N/A	N/A	N/A
Abamectin	Research commodity	1.59	71	97.21	A
Abamectin	Research commodity	0.07	23	221,768.0	S
Abamectin	Research commodity	0.7	N/A	N/A	N/A
Abamectin	Rights of way	0.17	10	10.0	A
Abamectin	Rights of way	2.49	N/A	N/A	N/A
Abamectin	Safflower	1.58	1	80.0	A
Abamectin	Safflower	<0.01	2	6,000.0	S
Abamectin	Soil fumigation/preplant	0.25	1	25.0	A
Abamectin	Spinach	165.09	1,394	10,414.68	A
Abamectin	Squash	38.26	129	2,448.41	A
Abamectin	Squash, summer	4.24	9	224.46	A
Abamectin	Squash, winter	7.2	15	432.19	A
Abamectin	Squash, zucchini	0.18	2	11.0	A
Abamectin	Stone fruit	0.08	1	4.0	A
Abamectin	Stone fruit	<0.01	N/A	10,500.0	S
Abamectin	Strawberry	658.42	1,247	36,543.55	A
Abamectin	Strawberry	<0.01	5	18,000.0	S
Abamectin	Structural pest control	0.02	1	34,848.0	S
Abamectin	Structural pest control	25.46	N/A	N/A	N/A
Abamectin	Sunflower	0.45	1	26.67	A
Abamectin	Swiss chard	3.64	60	233.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin	Tangelo	83.06	204	3,665.99	A
Abamectin	Tangerine	1,808.42	2,388	58,574.26	A
Abamectin	Tomato	265.43	397	15,222.67	A
Abamectin	Tomato	<0.01	2	5,400.0	S
Abamectin	Tomato, processing	1,299.64	1,257	82,207.42	A
Abamectin	Turf/sod	0.69	N/A	9.0	A
Abamectin	Uncultivated ag	11.52	18	694.8	A
Abamectin	Uncultivated non-ag	<0.01	1	27.0	A
Abamectin	Unknown	0.38	1	16.0	A
Abamectin	Vertebrate control	0.07	1	0.78	A
Abamectin	Walnut	2,462.74	2,563	110,671.43	A
Abamectin	Watercress	0.03	1	5.0	A
Abamectin	Watermelon	175.83	272	10,188.36	A
Abamectin	Watermelon	<0.01	4	12,600.0	S
Abamectin	Yam	0.06	3	1.0	A
Abamectin, other related	Landscape maintenance	<0.01	N/A	N/A	N/A
Abamectin, other related	Regulatory pest control	<0.01	N/A	N/A	N/A
Abamectin, other related	Structural pest control	0.03	N/A	N/A	N/A
Acephate	Alfalfa	1,808.72	28	1,857.0	A
Acephate	Almond	1,709.63	132	1,825.5	A
Acephate	Bean, dried	3,547.62	74	3,673.8	A
Acephate	Bean, succulent	1,993.83	58	2,072.48	A
Acephate	Bean, unspecified	117.78	9	123.4	A
Acephate	Brussels sprout	4,631.96	353	4,776.74	A
Acephate	Cauliflower	2,874.23	276	2,999.98	A
Acephate	Celery	9,880.02	881	10,200.06	A
Acephate	Cherry	55.9	8	67.5	A
Acephate	Christmas tree	5.82	1	6.0	A
Acephate	Citrus	46.32	4	95.5	A
Acephate	Commodity fumigation	1.94	N/A	N/A	N/A
Acephate	Cotton	19,573.39	275	20,657.47	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Acephate	Cotton	9,816.66	N/A	1,323.56	T
Acephate	Fava bean	14.8	3	14.82	A
Acephate	Golf course turf	0.6	2	7.6	A
Acephate	Golf course turf	<0.01	1	0.26	S
Acephate	Grape	19.4	2	40.0	A
Acephate	Grapefruit	151.46	26	254.0	A
Acephate	Landscape maintenance	1,069.85	N/A	N/A	N/A
Acephate	Lemon	936.99	104	1,596.57	A
Acephate	Lettuce, head	18,866.63	1,632	19,775.91	A
Acephate	Mint	14.55	1	15.0	A
Acephate	N-grnhs flower	572.09	225	445.03	A
Acephate	N-grnhs flower	59.33	100	1,135,750.0	S
Acephate	N-grnhs flower	0.24	1	400.0	U
Acephate	N-grnhs plants in containers	462.29	401	428.17	A
Acephate	N-grnhs plants in containers	360.31	280	15,859,425.0	S
Acephate	N-grnhs plants in containers	8.46	8	360,000.0	U
Acephate	N-grnhs transplants	666.7	1,838	853.13	A
Acephate	N-grnhs transplants	3.4	10	78,018.0	S
Acephate	N-outdr flower	2,958.49	1,623	4,631.82	A
Acephate	N-outdr flower	<0.01	2	500.0	S
Acephate	N-outdr flower	0.06	1	100.0	U
Acephate	N-outdr plants in containers	2,593.52	1,460	2,648.76	A
Acephate	N-outdr plants in containers	122.09	123	5,331,399.0	S
Acephate	N-outdr plants in containers	147.25	46	1,002,093.0	U
Acephate	N-outdr transplants	1,571.59	170	2,059.13	A
Acephate	Oat	0.48	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acephate	Orange	2,361.96	288	4,231.72	A
Acephate	Peach	14.06	5	22.0	A
Acephate	Pepper, fruiting	1,241.42	67	1,386.05	A
Acephate	Pistachio	3,976.21	69	4,420.54	A
Acephate	Pomelo	22.68	5	68.5	A
Acephate	Regulatory pest control	0.04	N/A	N/A	N/A
Acephate	Research commodity	4.07	5	3.85	A
Acephate	Research commodity	1.96	40	180,000.0	S
Acephate	Research commodity	1.84	N/A	N/A	N/A
Acephate	Rights of way	0.73	1	3.0	A
Acephate	Rights of way	0.12	N/A	N/A	N/A
Acephate	Safflower	1.31	2	6,800.0	S
Acephate	Structural pest control	7,501.71	N/A	N/A	N/A
Acephate	Sunflower	0.75	1	2,400.0	S
Acephate	Tangerine	16,054.15	724	21,624.25	A
Acephate	Uncultivated ag	0.86	3	3.5	A
Acephate	Walnut	70.9	4	135.0	A
Acequinocyl	Almond	256.61	13	646.87	A
Acequinocyl	Bean, unspecified	14.33	2	36.0	A
Acequinocyl	Blackberry	407.66	149	1,023.31	A
Acequinocyl	Citrus	6.16	3	17.25	A
Acequinocyl	Cucumber	0.26	1	2.0	A
Acequinocyl	Eggplant	1.31	3	4.5	A
Acequinocyl	Grape	26.27	1	73.0	A
Acequinocyl	Hops	0.8	1	2.0	A
Acequinocyl	Landscape maintenance	3.67	N/A	N/A	N/A
Acequinocyl	Lemon	64.31	15	169.2	A
Acequinocyl	N-grnhs flower	11.2	42	71.5	A
Acequinocyl	N-grnhs flower	2.55	36	517,349.0	S
Acequinocyl	N-grnhs plants in containers	72.48	292	340.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acequinocyl	N-grnhs plants in containers	4.3	54	1,091,277.0	S
Acequinocyl	N-grnhs transplants	0.87	13	9.58	A
Acequinocyl	N-grnhs transplants	0.37	11	47,592.0	S
Acequinocyl	N-outdr flower	1.19	8	13.5	A
Acequinocyl	N-outdr plants in containers	30.61	44	119.82	A
Acequinocyl	N-outdr plants in containers	0.63	7	188,000.0	S
Acequinocyl	N-outdr plants in containers	8.85	19	508,672.0	U
Acequinocyl	N-outdr transplants	52.87	23	157.6	A
Acequinocyl	Orange	351.21	29	881.36	A
Acequinocyl	Pepper, fruiting	245.78	37	616.87	A
Acequinocyl	Raspberry	623.9	212	1,566.11	A
Acequinocyl	Regulatory pest control	0.09	N/A	N/A	N/A
Acequinocyl	Research commodity	2.5	7	6.68	A
Acequinocyl	Research commodity	0.35	8	42,500.0	S
Acequinocyl	Research commodity	1.02	N/A	N/A	N/A
Acequinocyl	Stone fruit	0.03	N/A	10,200.0	S
Acequinocyl	Strawberry	14,018.73	1,055	35,340.54	A
Acequinocyl	Tangerine	353.36	33	886.78	A
Acequinocyl	Tomato	5.84	3	15.33	A
Acequinocyl	Uncultivated ag	2.07	3	5.2	A
Acequinocyl	Uncultivated ag	0.06	1	34,000.0	S
Acequinocyl	Watermelon	99.33	4	283.0	A
Acetamiprid	Almond	2,221.19	239	15,218.89	A
Acetamiprid	Apple	84.07	31	663.72	A
Acetamiprid	Apricot	28.93	21	232.77	A
Acetamiprid	Arugula	61.31	101	827.66	A
Acetamiprid	Avocado	0.04	1	0.13	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acetamiprid	Bean, dried	39.34	24	472.79	A
Acetamiprid	Bean, succulent	15.65	9	167.02	A
Acetamiprid	Bean, unspecified	19.4	10	244.0	A
Acetamiprid	Bitter melon	0.22	1	3.0	A
Acetamiprid	Blackberry	322.34	330	3,062.97	A
Acetamiprid	Blueberry	120.78	54	1,221.89	A
Acetamiprid	Bok choy (choy sum, pak choi)	24.18	96	322.91	A
Acetamiprid	Broccoli	457.64	619	6,603.37	A
Acetamiprid	Brussels sprout	931.65	1,012	13,675.35	A
Acetamiprid	Cabbage	118.05	276	1,695.88	A
Acetamiprid	Cantaloupe	1,395.93	179	14,849.59	A
Acetamiprid	Cauliflower	120.87	202	1,778.28	A
Acetamiprid	Celery	965.85	1,272	13,508.33	A
Acetamiprid	Cherry	2.61	6	28.51	A
Acetamiprid	Chinese cabbage (napa, wong bok, celery cabbage)	65.76	112	903.74	A
Acetamiprid	Citrus	1.8	2	10.0	A
Acetamiprid	Collard	7.91	25	94.28	A
Acetamiprid	Corn, human consumption	305.67	159	4,406.45	A
Acetamiprid	Corn, human consumption	0.03	2	4,000.0	S
Acetamiprid	Cotton	9,017.75	878	92,467.01	A
Acetamiprid	Cucumber	129.39	51	1,393.52	A
Acetamiprid	Eggplant	11.1	13	182.5	A
Acetamiprid	Endive (escarole)	14.78	131	202.6	A
Acetamiprid	Fennel	28.6	37	395.4	A
Acetamiprid	Garlic	68.5	5	745.5	A
Acetamiprid	Gourds (edible)	0.15	1	2.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acetamiprid	Grape	949.39	347	10,477.31	A
Acetamiprid	Grape, wine	1,226.79	607	15,909.34	A
Acetamiprid	Grapefruit	79.44	29	355.5	A
Acetamiprid	Kale	69.43	189	831.96	A
Acetamiprid	Kohlrabi	0.19	3	2.52	A
Acetamiprid	Landscape maintenance	155.34	N/A	N/A	N/A
Acetamiprid	Leek	15.36	30	123.16	A
Acetamiprid	Lemon	515.83	152	2,330.16	A
Acetamiprid	Lettuce, head	1,353.2	1,507	20,302.23	A
Acetamiprid	Lettuce, leaf	1,351.52	1,881	19,660.93	A
Acetamiprid	Melon	933.34	170	10,016.32	A
Acetamiprid	Melon	0.01	1	2,520.0	S
Acetamiprid	Mizuna	2.64	24	35.25	A
Acetamiprid	Mustard	0.58	5	7.8	A
Acetamiprid	Mustard greens	17.14	83	255.26	A
Acetamiprid	N-grnhs flower	11.05	39	84.78	A
Acetamiprid	N-grnhs flower	0.64	9	167,300.0	S
Acetamiprid	N-grnhs plants in containers	11.61	108	107.49	A
Acetamiprid	N-grnhs plants in containers	16.37	177	5,735,308.0	S
Acetamiprid	N-grnhs plants in containers	0.03	N/A	84,304.0	U
Acetamiprid	N-grnhs transplants	6.02	40	48.29	A
Acetamiprid	N-grnhs transplants	2.57	18	2,102,000.0	S
Acetamiprid	N-outdr flower	140.82	340	1,213.67	A
Acetamiprid	N-outdr flower	0.06	1	1,500.0	S
Acetamiprid	N-outdr plants in containers	349.57	1,087	4,416.87	A
Acetamiprid	N-outdr plants in containers	3.03	51	856,200.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acetamiprid	N-outdr plants in containers	3.66	20	667,246.0	U
Acetamiprid	N-outdr transplants	122.52	113	1,518.25	A
Acetamiprid	N-outdr transplants	23.3	128	19,821,206.0	S
Acetamiprid	Nectarine	92.24	58	642.44	A
Acetamiprid	Olive	0.24	2	9.8	A
Acetamiprid	Onion, dry	373.36	56	3,035.34	A
Acetamiprid	Onion, green	4.75	1	54.2	A
Acetamiprid	Orange	3,995.69	1,081	19,914.62	A
Acetamiprid	Parsley	17.95	15	241.13	A
Acetamiprid	Peach	259.29	161	1,944.21	A
Acetamiprid	Pear	4.8	4	32.8	A
Acetamiprid	Pear, asian (oriental pear, ya, ya li, nashi)	1.32	2	10.0	A
Acetamiprid	Peas	95.9	122	1,219.63	A
Acetamiprid	Pecan	89.85	14	554.5	A
Acetamiprid	Pepper, fruiting	258.29	175	4,037.85	A
Acetamiprid	Pepper, fruiting	<0.01	2	3,735.0	S
Acetamiprid	Pistachio	12,105.68	751	73,209.32	A
Acetamiprid	Plum	138.74	122	950.13	A
Acetamiprid	Pomelo	19.73	10	84.5	A
Acetamiprid	Potato	12.39	3	175.0	A
Acetamiprid	Prune	42.39	12	592.2	A
Acetamiprid	Pumpkin	156.92	88	1,819.3	A
Acetamiprid	Quince	1.72	3	14.0	A
Acetamiprid	Radicchio	2.87	3	45.95	A
Acetamiprid	Rapini	140.74	83	1,596.9	A
Acetamiprid	Raspberry	138.4	216	1,419.18	A
Acetamiprid	Regulatory pest control	2.48	N/A	N/A	N/A
Acetamiprid	Research commodity	5.54	45	64.44	A
Acetamiprid	Research commodity	<0.01	1	200.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acetamiprid	Research commodity	0.92	N/A	N/A	N/A
Acetamiprid	Rights of way	0.33	2	2.0	A
Acetamiprid	Rights of way	30.03	N/A	N/A	N/A
Acetamiprid	Spinach	665.17	799	9,128.12	A
Acetamiprid	Squash	148.36	75	1,999.67	A
Acetamiprid	Squash, summer	12.48	8	225.46	A
Acetamiprid	Squash, winter	20.18	11	241.8	A
Acetamiprid	Squash, zucchini	<0.01	1	0.1	A
Acetamiprid	Strawberry	4,985.09	1,352	40,046.83	A
Acetamiprid	Structural pest control	423.37	N/A	N/A	N/A
Acetamiprid	Swiss chard	14.01	103	216.29	A
Acetamiprid	Tangelo	79.08	31	368.3	A
Acetamiprid	Tangerine	713.67	171	3,925.3	A
Acetamiprid	Tomato	447.05	212	6,516.53	A
Acetamiprid	Tomato	<0.01	1	2,520.0	S
Acetamiprid	Tomato, processing	3,419.94	753	50,759.34	A
Acetamiprid	Uncultivated ag	18.71	8	266.4	A
Acetamiprid	Uncultivated ag	0.14	3	102,000.0	S
Acetamiprid	Upland cress	2.92	16	39.1	A
Acetamiprid	Vegetables, leafy	<0.01	4	1,200.0	S
Acetamiprid	Walnut	8,282.55	2,929	65,612.78	A
Acetamiprid	Watermelon	680.34	163	6,420.37	A
Acetic acid	Avocado	0.75	2	28.0	A
Acetic acid	Blueberry	6.83	25	314.28	A
Acetic acid	Broccoli	0.13	2	16.5	A
Acetic acid	Celery	1.07	18	174.6	A
Acetic acid	Ditch bank	0.35	1	4.0	A
Acetic acid	Grape	23.6	35	1,559.0	A
Acetic acid	Hops	23.43	1	1.0	A
Acetic acid	Landscape maintenance	432.34	5	7.75	A
Acetic acid	Landscape maintenance	24.94	4	6,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acetic acid	Landscape maintenance	47.39	N/A	N/A	N/A
Acetic acid	Pistachio	1.43	2	82.35	A
Acetic acid	Structural pest control	5.37	N/A	N/A	N/A
Acetic acid	Sugarcane	<0.01	1	2.5	A
Acetic acid	Sweet potato	3.55	9	338.7	A
Acibenzolar-s-methyl	Apple	1.13	2	18.0	A
Acibenzolar-s-methyl	Arugula	0.32	5	13.4	A
Acibenzolar-s-methyl	Brussels sprout	0.13	2	4.0	A
Acibenzolar-s-methyl	Cabbage	0.22	8	9.5	A
Acibenzolar-s-methyl	Cauliflower	1.25	5	40.0	A
Acibenzolar-s-methyl	Collard	1.34	12	43.0	A
Acibenzolar-s-methyl	Endive (escarole)	0.22	5	9.37	A
Acibenzolar-s-methyl	Golf course turf	13.1	13	1,079.96	A
Acibenzolar-s-methyl	Golf course turf	1.73	N/A	4,520,000.0	S
Acibenzolar-s-methyl	Kale	3.07	42	116.8	A
Acibenzolar-s-methyl	Landscape maintenance	0.04	2	2.47	A
Acibenzolar-s-methyl	Landscape maintenance	<0.01	1	32,000.0	S
Acibenzolar-s-methyl	Landscape maintenance	88.31	N/A	N/A	N/A
Acibenzolar-s-methyl	Lettuce, head	206.25	657	6,898.41	A
Acibenzolar-s-methyl	Lettuce, leaf	966.52	3,308	31,834.34	A
Acibenzolar-s-methyl	N-grnhs flower	6.68	N/A	565.6	A
Acibenzolar-s-methyl	N-grnhs flower	0.44	N/A	1,570,000.0	S
Acibenzolar-s-methyl	N-grnhs plants in containers	1.1	47	45.94	A
Acibenzolar-s-methyl	N-grnhs transplants	3.17	55	137.61	A
Acibenzolar-s-methyl	N-grnhs transplants	0.49	3	714,000.0	S
Acibenzolar-s-methyl	N-outdr flower	0.37	6	60.1	A
Acibenzolar-s-methyl	N-outdr flower	0.05	N/A	210,000.0	S
Acibenzolar-s-methyl	N-outdr plants in containers	0.07	9	13.0	A
Acibenzolar-s-methyl	N-outdr transplants	14.17	56	575.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Acibenzolar-s-methyl	N-outdr transplants	7.66	58	11,348,400.0	S
Acibenzolar-s-methyl	Onion, dry	13.55	5	538.7	A
Acibenzolar-s-methyl	Parsley	1.6	33	50.4	A
Acibenzolar-s-methyl	Pear	80.46	23	1,287.3	A
Acibenzolar-s-methyl	Recreation area	0.15	N/A	14.0	A
Acibenzolar-s-methyl	Research commodity	0.17	N/A	N/A	N/A
Acibenzolar-s-methyl	Spinach	578.46	2,878	24,849.48	A
Acibenzolar-s-methyl	Strawberry	6.85	7	326.57	A
Acibenzolar-s-methyl	Swiss chard	1.05	10	45.5	A
Acibenzolar-s-methyl	Tomato	0.4	11	17.25	A
Acibenzolar-s-methyl	Tomato, processing	0.07	2	8.5	A
Acibenzolar-s-methyl	Turf/sod	1.42	19	127.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Acibenzolar-s-methyl	Turf/sod	0.03	N/A	189,200.0	S
Acid blue 9, diammonium salt	Landscape maintenance	371.52	N/A	N/A	N/A
Acid blue 9, diammonium salt	Public health	0.35	N/A	N/A	N/A
Acid blue 9, diammonium salt	Regulatory pest control	24.39	N/A	N/A	N/A
Acid blue 9, diammonium salt	Rights of way	2.22	N/A	N/A	N/A
Acid blue 9, diammonium salt	Water area	531.84	25	710.0	A
Acid blue 9, diammonium salt	Water area	4.72	N/A	65.0	U
Acid blue 9, disodium salt	Uncultivated ag	<0.01	3	4.0	S
Acrolein	Ditch bank	42.9	N/A	1.0	U
Acrolein	Rights of way	29,470.58	N/A	N/A	N/A
Acrolein	Water area	6,906.16	4	1,325.3	U
Acrylamide/sodium acrylate copolymer	Alfalfa	0.31	2	102.0	A
Acrylamide/sodium acrylate copolymer	Almond	7.52	7	496.73	A
Acrylamide/sodium acrylate copolymer	Barley (forage - fodder)	1.58	3	230.0	A
Acrylamide/sodium acrylate copolymer	Broccoli	0.4	3	25.5	A
Acrylamide/sodium acrylate copolymer	Cauliflower	0.31	2	19.0	A
Acrylamide/sodium acrylate copolymer	Corn (forage - fodder)	70.08	65	4,606.5	A
Acrylamide/sodium acrylate copolymer	Cotton	34.05	56	2,087.69	A
Acrylamide/sodium acrylate copolymer	Garbanzo bean	1.06	1	150.0	A
Acrylamide/sodium acrylate copolymer	Garlic	3.26	2	154.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Acrylamide/sodium acrylate copolymer	Grape	4.84	20	261.0	A
Acrylamide/sodium acrylate copolymer	Grape, wine	3.92	5	223.01	A
Acrylamide/sodium acrylate copolymer	Oat (forage - fodder)	0.09	1	3.25	A
Acrylamide/sodium acrylate copolymer	Onion, dry	6.69	1	156.0	A
Acrylamide/sodium acrylate copolymer	Pastureland	89.21	3	1,300.0	A
Acrylamide/sodium acrylate copolymer	Peas	0.4	1	5.5	A
Acrylamide/sodium acrylate copolymer	Pistachio	2.2	2	138.95	A
Acrylamide/sodium acrylate copolymer	Rice	1.76	4	254.4	A
Acrylamide/sodium acrylate copolymer	Strawberry	5.19	2	58.0	A
Acrylamide/sodium acrylate copolymer	Sudangrass	0.61	2	179.0	A
Acrylamide/sodium acrylate copolymer	Sunflower	30.27	15	1,106.6	A
Acrylamide/sodium acrylate copolymer	Tomato, processing	1.06	1	150.0	A
Acrylamide/sodium acrylate copolymer	Triticale	4.58	6	682.0	A
Acrylamide/sodium acrylate copolymer	Uncultivated ag	0.7	1	100.0	A
Acrylamide/sodium acrylate copolymer	Wheat	7.83	17	1,241.5	A
Acrylamide/sodium acrylate copolymer	Wheat (forage - fodder)	5.81	12	960.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Acrylic acid	Alfalfa	1.83	7	223.85	A
Acrylic acid	Almond	3,000.3	342	26,550.89	A
Acrylic acid	Apricot	6.01	8	74.72	A
Acrylic acid	Bean, succulent	10.37	5	99.0	A
Acrylic acid	Blackberry	3.41	4	41.84	A
Acrylic acid	Broccoli	1.09	3	36.0	A
Acrylic acid	Celery	0.87	3	28.8	A
Acrylic acid	Corn, human consumption	20.85	45	512.0	A
Acrylic acid	Cotton	94.63	50	7,822.0	A
Acrylic acid	Eggplant	3.24	2	37.5	A
Acrylic acid	Grape	31.88	12	338.32	A
Acrylic acid	Grape, wine	1,200.53	497	14,154.05	A
Acrylic acid	Grapefruit	1.62	1	10.0	A
Acrylic acid	Lemon	1.53	2	75.0	A
Acrylic acid	Lettuce, head	9.6	19	208.8	A
Acrylic acid	Lettuce, leaf	4.04	2	25.0	A
Acrylic acid	Onion, dry	2.07	3	219.0	A
Acrylic acid	Orange	5.46	3	35.27	A
Acrylic acid	Peach	88.27	25	490.0	A
Acrylic acid	Pear	29.15	3	101.0	A
Acrylic acid	Pistachio	1,001.35	57	9,917.67	A
Acrylic acid	Plum	8.84	9	141.9	A
Acrylic acid	Raspberry	1.43	2	22.0	A
Acrylic acid	Strawberry	1,936.25	375	14,823.84	A
Acrylic acid	Tangerine	18.55	6	122.8	A
Acrylic acid	Tomato, processing	59.62	41	6,447.0	A
Acrylic acid	Walnut	15.0	14	396.0	A
Acrylic acid	Wheat (forage - fodder)	0.87	7	425.0	A
Afidopyropen	Alfalfa	2,205.61	1,690	96,511.5	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Afidopyropen	Almond	0.39	1	30.0	A
Afidopyropen	Arugula	0.62	8	58.58	A
Afidopyropen	Bermudagrass	1.83	1	65.0	A
Afidopyropen	Bok choy (choy sum, pak choi)	2.07	42	181.0	A
Afidopyropen	Broccoli	61.35	394	5,924.17	A
Afidopyropen	Brussels sprout	61.48	346	4,196.83	A
Afidopyropen	Cabbage	9.4	104	915.3	A
Afidopyropen	Cantaloupe	311.77	107	8,545.05	A
Afidopyropen	Cauliflower	24.15	157	2,271.12	A
Afidopyropen	Celery	19.23	175	1,916.32	A
Afidopyropen	Chinese cabbage (napa, wong bok, celery cabbage)	5.26	81	483.81	A
Afidopyropen	Cilantro	2.39	26	160.72	A
Afidopyropen	Cole crop	0.04	4	1.15	A
Afidopyropen	Collard	0.74	19	77.55	A
Afidopyropen	Cotton	2,894.93	834	66,532.9	A
Afidopyropen	Cucumber	26.87	63	1,350.93	A
Afidopyropen	Eggplant	2.25	6	72.0	A
Afidopyropen	Endive (escarole)	0.65	31	56.07	A
Afidopyropen	Grapefruit	14.63	23	318.5	A
Afidopyropen	Kale	6.32	98	534.73	A
Afidopyropen	Kumquat	0.55	3	11.97	A
Afidopyropen	Lemon	215.14	214	5,048.8	A
Afidopyropen	Lettuce, head	99.13	778	9,680.11	A
Afidopyropen	Lettuce, leaf	263.13	2,130	25,646.87	A
Afidopyropen	Lime	0.39	2	8.6	A
Afidopyropen	Melon	224.09	111	6,180.86	A
Afidopyropen	Mustard	0.29	7	28.38	A
Afidopyropen	Mustard greens	0.11	9	8.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Afidopyropen	N-grnhs flower	3.77	20	52.0	A
Afidopyropen	N-grnhs flower	0.1	1	68,000.0	S
Afidopyropen	N-grnhs plants in containers	13.14	99	126.3	A
Afidopyropen	N-grnhs plants in containers	0.11	6	56,160.0	S
Afidopyropen	N-grnhs transplants	0.09	1	21,000.0	S
Afidopyropen	N-outdr flower	7.49	33	104.67	A
Afidopyropen	N-outdr plants in containers	15.24	105	219.35	A
Afidopyropen	N-outdr transplants	0.99	4	12.9	A
Afidopyropen	Orange	173.95	198	4,009.64	A
Afidopyropen	Parsley	2.86	41	290.1	A
Afidopyropen	Pecan	10.95	12	552.1	A
Afidopyropen	Pepper, fruiting	112.22	163	4,494.43	A
Afidopyropen	Pepper, spice	1.48	2	32.4	A
Afidopyropen	Pistachio	0.02	1	0.37	A
Afidopyropen	Pomelo	1.94	4	42.5	A
Afidopyropen	Potato	14.0	6	365.0	A
Afidopyropen	Pumpkin	44.8	41	1,191.5	A
Afidopyropen	Radicchio	1.24	25	128.54	A
Afidopyropen	Rapini	22.79	158	2,113.9	A
Afidopyropen	Research commodity	0.07	9	7.08	A
Afidopyropen	Research commodity	0.03	N/A	N/A	N/A
Afidopyropen	Sorghum (forage - fodder)	39.05	30	1,975.1	A
Afidopyropen	Sorghum/milo	3.68	3	187.6	A
Afidopyropen	Spinach	35.2	343	3,489.87	A
Afidopyropen	Squash	19.3	25	864.0	A
Afidopyropen	Squash, winter	2.38	1	52.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Afidopyropen	Sudangrass	4.19	6	217.48	A
Afidopyropen	Swiss chard	0.59	25	52.75	A
Afidopyropen	Tangelo	13.36	7	292.04	A
Afidopyropen	Tangerine	39.32	54	897.55	A
Afidopyropen	Tomato	147.87	112	3,213.29	A
Afidopyropen	Tomato, processing	568.58	140	13,022.3	A
Afidopyropen	Turnip	<0.01	1	0.5	A
Afidopyropen	Turnip greens	0.05	6	3.0	A
Afidopyropen	Vegetables, leafy	0.75	22	33.5	A
Afidopyropen	Walnut	19.27	33	992.5	A
Afidopyropen	Watermelon	114.67	76	3,691.05	A
Agrobacterium radiobacter	Almond	7.3	3	158.0	A
Agrobacterium radiobacter	N-grnhs plants in containers	36.73	14	221.3	A
Agrobacterium radiobacter	N-grnhs transplants	0.16	5	2,300.0	S
Agrobacterium radiobacter	Walnut	8.25	1	0.5	A
Alachlor	Corn (forage - fodder)	9.02	1	3.0	A
Alcohol alkoxyate	Alfalfa	68.33	122	9,812.43	A
Alcohol alkoxyate	Forage hay/silage	21.59	14	2,047.5	A
Alcohol alkoxyate	Orchardgrass	0.79	2	61.0	A
Alcohol alkoxyate	Pasture (forage - fodder)	1.02	2	168.0	A
Alcohol alkoxyate	Pastureland	6.64	6	1,520.0	A
Alcohol alkoxyate	Potato	28.77	39	1,699.5	A
Alcohol alkoxyate	Uncultivated ag	0.43	2	58.6	A
Alcohol alkoxyate	Wheat	1.55	2	119.0	A
Alcohol ethoxylate phosphate ester	N-outdr plants in containers	54.42	44	43.25	A
Alcohols, c12 - c13, ethoxylated	Forest, timberland	66.11	2	43.0	A
Alcohols, c12 - c13, ethoxylated	Rights of way	115.29	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alcohols, c12-c14, aliphatic</b>	Rights of way	1,252.23	N/A	N/A	N/A
<b>Alkyl (50%c12, 30%c14, 17%c16, 3%c18) dimethylethylbenzyl ammonium chloride</b>	Landscape maintenance	0.3	N/A	N/A	N/A
<b>Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride</b>	Animal premise	2.78	N/A	238,576.0	S
<b>Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride</b>	Animal premise	1,123.9	29	675,261.02	U
<b>Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride</b>	Cannabis (all or unspecified)	0.54	2	0.2	A
<b>Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride</b>	Cannabis (all or unspecified)	0.48	1	5,000.0	S
<b>Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride</b>	Farm/ag building	159.73	N/A	319.0	U
<b>Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride</b>	Fumigation, other	<0.01	N/A	N/A	N/A
<b>Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride</b>	Grape, wine	0.53	12	97.31	A
<b>Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride</b>	Industrial processing water	19,357.7	N/A	32.0	U
<b>Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride</b>	Landscape maintenance	3.3	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	N-grnhs flower	0.03	8	12.0	A
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	N-grnhs transplants	0.03	8	8.0	A
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	N-outdr flower	<0.01	4	15.5	A
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	N-outdr plants in containers	0.1	1	4.0	A
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	Public health	1.5	N/A	N/A	N/A
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	Regulatory pest control	0.08	N/A	N/A	N/A
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	Rights of way	120.95	N/A	N/A	N/A
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	Soil fumigation/preplant	0.42	1	31.0	A
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	Structural pest control	185.35	N/A	N/A	N/A
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	Vertebrate control	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	Walnut	5.36	1	13.0	A
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium chloride</b>	Water (industrial)	5,599.53	N/A	16.0	U
<b>Alkyl (50%<sup>c14</sup>, 40%<sup>c12</sup>, 10%<sup>c16</sup>) dimethylbenzyl ammonium saccharinate</b>	Household	<0.01	N/A	9.0	U
<b>Alkyl (58%<sup>c14</sup>, 28%<sup>c16</sup>, 14%<sup>c12</sup>) dimethylbenzyl ammonium chloride</b>	Golf course turf	0.91	N/A	17.5	A
<b>Alkyl (58%<sup>c14</sup>, 28%<sup>c16</sup>, 14%<sup>c12</sup>) dimethylbenzyl ammonium chloride</b>	Landscape maintenance	0.65	1	9.0	A
<b>Alkyl (58%<sup>c14</sup>, 28%<sup>c16</sup>, 14%<sup>c12</sup>) dimethylbenzyl ammonium chloride</b>	Landscape maintenance	0.13	N/A	N/A	N/A
<b>Alkyl (60%<sup>c14</sup>, 30%<sup>c16</sup>, 5%<sup>c12</sup>, 5%<sup>c18</sup>) dimethylbenzyl ammonium chloride</b>	Animal premise	0.26	N/A	119,288.0	S
<b>Alkyl (60%<sup>c14</sup>, 30%<sup>c16</sup>, 5%<sup>c12</sup>, 5%<sup>c18</sup>) dimethylbenzyl ammonium chloride</b>	Animal premise	4,490.25	N/A	324,455.0	U
<b>Alkyl (60%<sup>c14</sup>, 30%<sup>c16</sup>, 5%<sup>c12</sup>, 5%<sup>c18</sup>) dimethylbenzyl ammonium chloride</b>	Avocado	0.97	2	21.0	A
<b>Alkyl (60%<sup>c14</sup>, 30%<sup>c16</sup>, 5%<sup>c12</sup>, 5%<sup>c18</sup>) dimethylbenzyl ammonium chloride</b>	Broccoli	<0.01	1	10.28	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Cannabis (all or unspecified)	0.08	12	1.2	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Cauliflower	<0.01	2	10.0	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Commercial, institutional or industrial areas	207.2	N/A	3.0	U
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Farm/ag building	0.31	N/A	1.0	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Farm/ag building	1.63	N/A	102,000.0	S
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Food processing plant	626.09	N/A	14.0	U
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Fumigation, other	0.39	N/A	N/A	N/A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Garlic	0.02	1	80.0	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Golf course turf	0.15	N/A	4.0	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Landscape maintenance	75.04	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Melon	<0.01	1	2,520.0	S
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs flower	7.44	20	22.0	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs flower	0.48	8	31,330.0	S
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs plants in containers	3.9	2	8.17	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs plants in containers	2.8	27	99,928.0	S
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs transplants	27.88	31	47.96	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-outdr flower	1.02	4	18.5	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-outdr plants in containers	21.66	30	36.93	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-outdr plants in containers	0.16	1	10,000.0	S
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-outdr plants in containers	0.02	1	5,000.0	U



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-outdr transplants	0.17	5	11.51	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Regulatory pest control	2.5	N/A	N/A	N/A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Research commodity	1.96	27	0.48	A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Research commodity	0.98	N/A	N/A	N/A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Structural pest control	17.93	N/A	N/A	N/A
Alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Water (industrial)	2,089.35	N/A	5.0	U
Alkyl (61% <b>c12</b> , 23% <b>c14</b> , 11% <b>c16</b> , 5% <b>c8</b> , <b>c10</b> , <b>c18</b> ) dimethylbenzyl ammonium chloride	Commodity fumigation	0.08	1	94,188.0	C
Alkyl (61% <b>c12</b> ,23% <b>c14</b> ,11% <b>c16</b> ,2.5% <b>c8</b> & <b>c10</b> ,2.5% <b>c18</b> ) dimethyl benzyl ammonium chloride	Structural pest control	0.3	N/A	N/A	N/A
Alkyl (67% <b>c12</b> , 25% <b>c14</b> , 7% <b>c16</b> , 1% <b>c18</b> ) dimethylbenzyl ammonium chloride	Farm/ag building	304.59	N/A	328.0	U
Alkyl (67% <b>c12</b> , 25% <b>c14</b> , 7% <b>c16</b> , 1% <b>c18</b> ) dimethylbenzyl ammonium chloride	Landscape maintenance	9.0	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alkyl (68%<b>c12</b>, 32%<b>c14</b>) dimethylethylbenzyl ammonium chloride</b>	Animal premise	0.26	N/A	119,288.0	S
<b>Alkyl (68%<b>c12</b>, 32%<b>c14</b>) dimethylethylbenzyl ammonium chloride</b>	Animal premise	4,490.25	N/A	324,455.0	U
<b>Alkyl (68%<b>c12</b>, 32%<b>c14</b>) dimethylethylbenzyl ammonium chloride</b>	Avocado	0.97	2	21.0	A
<b>Alkyl (68%<b>c12</b>, 32%<b>c14</b>) dimethylethylbenzyl ammonium chloride</b>	Broccoli	<0.01	1	10.28	A
<b>Alkyl (68%<b>c12</b>, 32%<b>c14</b>) dimethylethylbenzyl ammonium chloride</b>	Cannabis (all or unspecified)	0.08	12	1.2	A
<b>Alkyl (68%<b>c12</b>, 32%<b>c14</b>) dimethylethylbenzyl ammonium chloride</b>	Cauliflower	<0.01	2	10.0	A
<b>Alkyl (68%<b>c12</b>, 32%<b>c14</b>) dimethylethylbenzyl ammonium chloride</b>	Commercial, institutional or industrial areas	207.2	N/A	3.0	U
<b>Alkyl (68%<b>c12</b>, 32%<b>c14</b>) dimethylethylbenzyl ammonium chloride</b>	Farm/ag building	0.31	N/A	1.0	A
<b>Alkyl (68%<b>c12</b>, 32%<b>c14</b>) dimethylethylbenzyl ammonium chloride</b>	Farm/ag building	1.63	N/A	102,000.0	S
<b>Alkyl (68%<b>c12</b>, 32%<b>c14</b>) dimethylethylbenzyl ammonium chloride</b>	Food processing plant	626.09	N/A	14.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alkyl (68%<b>c</b>12, 32%<b>c</b>14) dimethylethylbenzyl ammonium chloride</b>	Fumigation, other	0.39	N/A	N/A	N/A
<b>Alkyl (68%<b>c</b>12, 32%<b>c</b>14) dimethylethylbenzyl ammonium chloride</b>	Garlic	0.02	1	80.0	A
<b>Alkyl (68%<b>c</b>12, 32%<b>c</b>14) dimethylethylbenzyl ammonium chloride</b>	Golf course turf	0.15	N/A	4.0	A
<b>Alkyl (68%<b>c</b>12, 32%<b>c</b>14) dimethylethylbenzyl ammonium chloride</b>	Landscape maintenance	73.55	N/A	N/A	N/A
<b>Alkyl (68%<b>c</b>12, 32%<b>c</b>14) dimethylethylbenzyl ammonium chloride</b>	Melon	<0.01	1	2,520.0	S
<b>Alkyl (68%<b>c</b>12, 32%<b>c</b>14) dimethylethylbenzyl ammonium chloride</b>	N-grnhs flower	7.29	3	5.0	A
<b>Alkyl (68%<b>c</b>12, 32%<b>c</b>14) dimethylethylbenzyl ammonium chloride</b>	N-grnhs flower	0.48	8	31,330.0	S
<b>Alkyl (68%<b>c</b>12, 32%<b>c</b>14) dimethylethylbenzyl ammonium chloride</b>	N-grnhs plants in containers	3.9	2	8.17	A
<b>Alkyl (68%<b>c</b>12, 32%<b>c</b>14) dimethylethylbenzyl ammonium chloride</b>	N-grnhs plants in containers	2.75	26	79,928.0	S
<b>Alkyl (68%<b>c</b>12, 32%<b>c</b>14) dimethylethylbenzyl ammonium chloride</b>	N-grnhs transplants	27.74	13	29.96	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alkyl (68%<chem>c12</chem>, 32%<chem>c14</chem>) dimethylethylbenzyl ammonium chloride</b>	N-outdr flower	1.02	4	18.5	A
<b>Alkyl (68%<chem>c12</chem>, 32%<chem>c14</chem>) dimethylethylbenzyl ammonium chloride</b>	N-outdr plants in containers	21.66	30	36.93	A
<b>Alkyl (68%<chem>c12</chem>, 32%<chem>c14</chem>) dimethylethylbenzyl ammonium chloride</b>	N-outdr plants in containers	0.16	1	10,000.0	S
<b>Alkyl (68%<chem>c12</chem>, 32%<chem>c14</chem>) dimethylethylbenzyl ammonium chloride</b>	N-outdr plants in containers	0.02	1	5,000.0	U
<b>Alkyl (68%<chem>c12</chem>, 32%<chem>c14</chem>) dimethylethylbenzyl ammonium chloride</b>	N-outdr transplants	0.17	5	11.51	A
<b>Alkyl (68%<chem>c12</chem>, 32%<chem>c14</chem>) dimethylethylbenzyl ammonium chloride</b>	Regulatory pest control	2.5	N/A	N/A	N/A
<b>Alkyl (68%<chem>c12</chem>, 32%<chem>c14</chem>) dimethylethylbenzyl ammonium chloride</b>	Research commodity	1.96	27	0.48	A
<b>Alkyl (68%<chem>c12</chem>, 32%<chem>c14</chem>) dimethylethylbenzyl ammonium chloride</b>	Research commodity	0.98	N/A	N/A	N/A
<b>Alkyl (68%<chem>c12</chem>, 32%<chem>c14</chem>) dimethylethylbenzyl ammonium chloride</b>	Structural pest control	17.93	N/A	N/A	N/A
<b>Alkyl (68%<chem>c12</chem>, 32%<chem>c14</chem>) dimethylethylbenzyl ammonium chloride</b>	Water (industrial)	61.51	N/A	3.0	U
<b>Alkyl (as in fatty acids of coconut oil) monoethanolamide</b>	Structural pest control	6.57	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (c10-16) dimethyl amine oxide	Forest, timberland	2,099.71	385	9,243.28	A
Alkyl (c10-16) dimethyl amine oxide	Forest, timberland	4.89	1	2.0	U
Alkyl (c8,c10) polyglucoside	Alfalfa	7,856.69	1,763	82,944.9	A
Alkyl (c8,c10) polyglucoside	Almond	19,781.23	3,459	146,700.76	A
Alkyl (c8,c10) polyglucoside	Apricot	7.96	5	30.5	A
Alkyl (c8,c10) polyglucoside	Artichoke, globe	6.16	15	493.3	A
Alkyl (c8,c10) polyglucoside	Avocado	23.03	34	307.5	A
Alkyl (c8,c10) polyglucoside	Bean, dried	366.9	6	683.0	A
Alkyl (c8,c10) polyglucoside	Bean, succulent	5.34	3	163.0	A
Alkyl (c8,c10) polyglucoside	Bean, unspecified	8.03	1	68.0	A
Alkyl (c8,c10) polyglucoside	Beet	0.44	4	58.97	A
Alkyl (c8,c10) polyglucoside	Bermudagrass	5.45	4	111.4	A
Alkyl (c8,c10) polyglucoside	Blackberry	0.53	33	50.94	A
Alkyl (c8,c10) polyglucoside	Bok choy (choy sum, pak choi)	0.08	2	12.0	A
Alkyl (c8,c10) polyglucoside	Broccoli	266.27	42	1,330.18	A
Alkyl (c8,c10) polyglucoside	Cabbage	0.7	13	90.4	A
Alkyl (c8,c10) polyglucoside	Cabbage, savoy	0.22	2	33.0	A
Alkyl (c8,c10) polyglucoside	Cantaloupe	0.45	2	194.0	A
Alkyl (c8,c10) polyglucoside	Carrot	672.72	131	4,544.4	A
Alkyl (c8,c10) polyglucoside	Cauliflower	53.88	5	185.0	A
Alkyl (c8,c10) polyglucoside	Celery	214.82	81	1,452.35	A
Alkyl (c8,c10) polyglucoside	Cherry	185.06	199	2,234.7	A
Alkyl (c8,c10) polyglucoside	Chestnut	3.1	3	10.44	A
Alkyl (c8,c10) polyglucoside	Chinese broccoli (gai lon)	<0.01	1	2.0	A
Alkyl (c8,c10) polyglucoside	Cilantro	1.15	13	148.9	A
Alkyl (c8,c10) polyglucoside	Citrus	10.66	15	19.1	A
Alkyl (c8,c10) polyglucoside	Collard	0.24	10	25.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (c8,c10) polyglucoside	Commercial, institutional or industrial areas	3.73	N/A	17.0	A
Alkyl (c8,c10) polyglucoside	Corn (forage - fodder)	2,072.42	488	21,859.09	A
Alkyl (c8,c10) polyglucoside	Corn, grain	154.45	110	2,849.9	A
Alkyl (c8,c10) polyglucoside	Corn, human consumption	1.31	11	490.0	A
Alkyl (c8,c10) polyglucoside	Cotton	214.53	373	20,061.5	A
Alkyl (c8,c10) polyglucoside	Cucumber	6.94	2	47.0	A
Alkyl (c8,c10) polyglucoside	Date	0.02	1	3.0	A
Alkyl (c8,c10) polyglucoside	Ditch bank	102.49	N/A	90.0	A
Alkyl (c8,c10) polyglucoside	Eggplant	29.76	8	96.0	A
Alkyl (c8,c10) polyglucoside	Forage hay/silage	157.98	33	1,740.0	A
Alkyl (c8,c10) polyglucoside	Garlic	40.92	18	2,282.0	A
Alkyl (c8,c10) polyglucoside	Golf course turf	4.95	N/A	180.25	A
Alkyl (c8,c10) polyglucoside	Golf course turf	0.64	N/A	142,225.0	S
Alkyl (c8,c10) polyglucoside	Grape	1,538.63	576	13,420.87	A
Alkyl (c8,c10) polyglucoside	Grape, wine	7,161.07	2,470	40,699.09	A
Alkyl (c8,c10) polyglucoside	Grapefruit	30.2	29	97.56	A
Alkyl (c8,c10) polyglucoside	Kale	0.65	11	66.75	A
Alkyl (c8,c10) polyglucoside	Kiwi fruit fuzzy	67.38	94	530.54	A
Alkyl (c8,c10) polyglucoside	Landscape maintenance	142.0	1	135.0	A
Alkyl (c8,c10) polyglucoside	Landscape maintenance	4,164.77	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Lemon	1,558.42	110	1,817.75	A
Alkyl (c8,c10) polyglucoside	Lettuce, head	140.58	22	562.0	A
Alkyl (c8,c10) polyglucoside	Lettuce, leaf	534.33	76	2,080.45	A
Alkyl (c8,c10) polyglucoside	Melon	2.44	39	1,146.0	A
Alkyl (c8,c10) polyglucoside	Mint	98.25	13	798.0	A
Alkyl (c8,c10) polyglucoside	Mustard	0.01	1	3.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (c8,c10) polyglucoside	N-grnhs flower	9.29	43	68.25	A
Alkyl (c8,c10) polyglucoside	N-grnhs flower	<0.01	N/A	39.0	S
Alkyl (c8,c10) polyglucoside	N-grnhs plants in containers	8.65	143	194.26	A
Alkyl (c8,c10) polyglucoside	N-grnhs plants in containers	20.77	22	936,000.0	S
Alkyl (c8,c10) polyglucoside	N-grnhs transplants	0.05	23	4.98	A
Alkyl (c8,c10) polyglucoside	N-outdr flower	2.12	76	78.9	A
Alkyl (c8,c10) polyglucoside	N-outdr plants in containers	192.69	4,468	5,135.1	A
Alkyl (c8,c10) polyglucoside	N-outdr plants in containers	0.07	32	150,003.87	S
Alkyl (c8,c10) polyglucoside	N-outdr transplants	49.08	68	174.96	A
Alkyl (c8,c10) polyglucoside	N-outdr transplants	<0.01	2	16,000.0	U
Alkyl (c8,c10) polyglucoside	Nectarine	158.34	76	712.68	A
Alkyl (c8,c10) polyglucoside	Oat	2.26	3	63.0	A
Alkyl (c8,c10) polyglucoside	Oat (forage - fodder)	95.19	21	842.3	A
Alkyl (c8,c10) polyglucoside	Olive	261.31	22	1,258.5	A
Alkyl (c8,c10) polyglucoside	Onion, dry	19.07	14	1,195.0	A
Alkyl (c8,c10) polyglucoside	Orange	150.37	150	2,650.98	A
Alkyl (c8,c10) polyglucoside	Orchardgrass	11.62	1	145.0	A
Alkyl (c8,c10) polyglucoside	Pastureland	140.84	10	3,019.0	A
Alkyl (c8,c10) polyglucoside	Peach	411.04	205	2,514.69	A
Alkyl (c8,c10) polyglucoside	Pear	447.17	56	1,271.26	A
Alkyl (c8,c10) polyglucoside	Pear, asian (oriental pear, ya, ya li, nashi)	7.08	6	36.0	A
Alkyl (c8,c10) polyglucoside	Pecan	79.39	13	861.58	A
Alkyl (c8,c10) polyglucoside	Pepper, fruiting	956.32	95	2,839.3	A
Alkyl (c8,c10) polyglucoside	Persimmon	0.63	1	7.0	A
Alkyl (c8,c10) polyglucoside	Pistachio	5,040.89	609	32,791.17	A
Alkyl (c8,c10) polyglucoside	Plum	101.25	47	379.46	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (c8,c10) polyglucoside	Pluot	0.23	1	1.0	A
Alkyl (c8,c10) polyglucoside	Pomegranate	21.61	9	191.15	A
Alkyl (c8,c10) polyglucoside	Pomelo	0.9	1	20.0	A
Alkyl (c8,c10) polyglucoside	Potato	205.7	72	4,263.02	A
Alkyl (c8,c10) polyglucoside	Prune	736.14	114	3,732.94	A
Alkyl (c8,c10) polyglucoside	Pumpkin	1.15	3	106.6	A
Alkyl (c8,c10) polyglucoside	Quince	0.53	1	4.0	A
Alkyl (c8,c10) polyglucoside	Radish	1.75	32	206.0	A
Alkyl (c8,c10) polyglucoside	Rangeland	1.84	1	23.0	A
Alkyl (c8,c10) polyglucoside	Raspberry	0.41	55	28.92	A
Alkyl (c8,c10) polyglucoside	Regulatory pest control	58.84	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Research commodity	6.58	4	24.5	A
Alkyl (c8,c10) polyglucoside	Rice	6,733.14	354	26,863.52	A
Alkyl (c8,c10) polyglucoside	Rights of way	187.47	49	842.9	A
Alkyl (c8,c10) polyglucoside	Rights of way	45.65	4	0.04	U
Alkyl (c8,c10) polyglucoside	Rights of way	13,131.75	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Rye	37.64	3	235.0	A
Alkyl (c8,c10) polyglucoside	Ryegrass	17.13	6	257.0	A
Alkyl (c8,c10) polyglucoside	Safflower	1.91	3	65.0	A
Alkyl (c8,c10) polyglucoside	Soil fumigation/preplant	12.58	2	112.0	A
Alkyl (c8,c10) polyglucoside	Sorghum (forage - fodder)	49.6	7	576.0	A
Alkyl (c8,c10) polyglucoside	Spinach	0.13	2	19.2	A
Alkyl (c8,c10) polyglucoside	Squash	5.34	1	25.0	A
Alkyl (c8,c10) polyglucoside	Stone fruit	3.21	6	6.96	A
Alkyl (c8,c10) polyglucoside	Strawberry	1,196.41	1,211	55,536.56	A
Alkyl (c8,c10) polyglucoside	Structural pest control	73.48	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (c8,c10) polyglucoside	Sudangrass	44.65	16	849.48	A
Alkyl (c8,c10) polyglucoside	Sugarbeet	1,042.7	59	4,253.4	A
Alkyl (c8,c10) polyglucoside	Sunflower	483.44	17	1,314.0	A
Alkyl (c8,c10) polyglucoside	Sweet potato	3.2	1	15.0	A
Alkyl (c8,c10) polyglucoside	Swiss chard	0.18	10	18.5	A
Alkyl (c8,c10) polyglucoside	Tangerine	374.89	86	2,242.85	A
Alkyl (c8,c10) polyglucoside	Tomato	75.82	23	756.51	A
Alkyl (c8,c10) polyglucoside	Tomato, processing	718.96	81	5,092.02	A
Alkyl (c8,c10) polyglucoside	Turf/sod	2.72	1	23.0	A
Alkyl (c8,c10) polyglucoside	Uncultivated ag	5,209.66	957	22,932.78	A
Alkyl (c8,c10) polyglucoside	Uncultivated non-ag	74.86	8	860.05	A
Alkyl (c8,c10) polyglucoside	Vegetable	1.07	1	1.0	A
Alkyl (c8,c10) polyglucoside	Vegetables, fruiting	1.6	1	1.5	A
Alkyl (c8,c10) polyglucoside	Vertebrate control	1,770.8	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Walnut	13,502.24	2,970	54,780.47	A
Alkyl (c8,c10) polyglucoside	Water area	49.21	16	86.37	A
Alkyl (c8,c10) polyglucoside	Watermelon	6.67	4	309.0	A
Alkyl (c8,c10) polyglucoside	Wheat	477.89	63	2,964.0	A
Alkyl (c8,c10) polyglucoside	Wheat (forage - fodder)	188.49	30	2,363.8	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Alfalfa	41.51	88	4,062.3	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Almond	854.68	383	15,691.61	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Barley (forage - fodder)	1.05	7	991.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Cannabis (all or unspecified)	<0.01	1	1.75	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Cannabis (all or unspecified)	<0.01	2	3,952.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alkyl (c9-c11) oligomeric d-glucopyranoside	Cherry	3.01	15	226.48	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Corn (forage - fodder)	49.33	54	2,322.7	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Corn, human consumption	10.69	2	111.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Cotton	4.46	52	2,888.28	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Fig	67.87	10	603.93	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Grape	12.08	60	2,439.84	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Grape, wine	66.45	250	15,739.92	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Landscape maintenance	137.26	N/A	N/A	N/A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Lettuce, head	0.69	18	326.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Lettuce, leaf	0.02	1	10.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Oat (forage - fodder)	19.4	8	280.5	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Orange	0.14	3	70.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Peach	19.12	26	1,008.07	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Pecan	1.93	1	10.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Persimmon	0.05	1	10.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Pistachio	40.79	56	1,739.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alkyl (c9-c11) oligomeric d-glucopyranoside	Plum	0.03	1	5.5	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Pomegranate	0.05	2	10.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Prune	24.46	12	643.71	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Rights of way	12.75	6	284.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Rights of way	3,587.57	N/A	N/A	N/A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Soil fumigation/preplant	4.8	19	2,986.52	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Sorghum (forage - fodder)	0.75	9	797.1	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Structural pest control	32.64	N/A	N/A	N/A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Tangerine	0.03	1	2.5	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Tomato	1.81	46	844.25	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Triticale	12.43	22	1,920.75	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Uncultivated ag	4.13	7	117.27	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Walnut	196.55	126	4,044.29	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Wheat	33.98	27	1,166.9	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Wheat (forage - fodder)	121.1	168	9,726.82	A
Alkyl benzene sulfonic acid	Grape, wine	1.24	1	9.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl dimethyl ethylbenzyl ammonium cyclohexyl sulfamate	Landscape maintenance	4.78	N/A	N/A	N/A
Alkyl(42% <b>c</b> 12, 26% <b>c</b> 18, 15% <b>c</b> 14, 8% <b>c</b> 16, 5% <b>c</b> 10, 4% <b>c</b> 8)1,3-propylenediamine	Water (industrial)	206,495.06	N/A	50.0	U
Alkylaryl sulfonates	Avocado	0.82	4	24.0	A
Alkylaryl sulfonates	Guava	0.01	2	8.0	A
Alkylaryl sulfonates	Lime	0.02	1	8.0	A
Alkylaryl sulfonates	Orange	0.02	1	4.0	A
Alkylaryl sulfonates	Tropical/subtropical fruit	<0.01	1	3.0	A
Allethrin	Alfalfa	0.1	1	12.0	A
Allethrin	Almond	0.23	3	40.0	A
Allethrin	Grape, wine	0.24	8	62.25	A
Allethrin	Landscape maintenance	0.5	N/A	N/A	N/A
Allethrin	N-grnhs plants in containers	<0.01	1	152,880.0	S
Allethrin	Pastureland	0.02	3	3.0	A
Allethrin	Rights of way	<0.01	1	2.0	A
Allethrin	Rights of way	0.04	N/A	N/A	N/A
Allethrin	Structural pest control	<0.01	N/A	N/A	N/A
Allethrin	Walnut	0.77	2	64.0	A
Allethrin, other related	N-grnhs plants in containers	<0.01	1	152,880.0	S
Allyloxypolyethylene glycol acetate	Almond	140.96	15	1,600.57	A
Allyloxypolyethylene glycol acetate	Cherry	1.21	1	16.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Allyloxypolyethylene glycol acetate	Forest, timberland	28.96	10	499.1	A
Allyloxypolyethylene glycol acetate	Grape	4.34	2	49.5	A
Allyloxypolyethylene glycol acetate	Grape, wine	326.66	341	8,318.75	A
Allyloxypolyethylene glycol acetate	Landscape maintenance	4.57	N/A	N/A	N/A
Allyloxypolyethylene glycol acetate	Lemon	1.72	1	13.0	A
Allyloxypolyethylene glycol acetate	Nectarine	0.62	2	7.5	A
Allyloxypolyethylene glycol acetate	Orange	7.73	6	75.5	A
Allyloxypolyethylene glycol acetate	Peach	10.18	3	115.06	A
Allyloxypolyethylene glycol acetate	Pecan	3.51	1	30.0	A
Allyloxypolyethylene glycol acetate	Pistachio	184.67	19	2,429.4	A
Allyloxypolyethylene glycol acetate	Regulatory pest control	0.12	N/A	N/A	N/A
Allyloxypolyethylene glycol acetate	Rice	9.87	10	1,177.2	A
Allyloxypolyethylene glycol acetate	Rights of way	28.06	N/A	N/A	N/A
Allyloxypolyethylene glycol acetate	Tangerine	4.0	5	57.0	A
Allyloxypolyethylene glycol acetate	Walnut	132.16	66	2,579.5	A
Almond, bitter	Rights of way	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(ortho,para-dinonylphenyl)-omega-hydroxypoly(oxyethylene)	Orange	0.75	1	10.0	A
Alpha-(ortho,para-dinonylphenyl)-omega-hydroxypolyoxy(ethylene) phosphate	N-outdr plants in containers	0.28	1	5.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	60.61	91	5,798.14	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Almond	1,068.16	736	49,263.21	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Apple	25.63	206	1,843.39	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Apricot	15.75	100	955.51	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	19.13	46	476.4	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Arugula	1.79	13	115.34	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Asparagus	0.44	3	13.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Avocado	13.62	77	636.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Basil, sweet	0.07	1	4.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, dried	0.33	3	17.45	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, succulent	0.23	2	20.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Beet	0.81	19	32.58	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Bermudagrass	0.57	1	70.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Blackberry	45.95	309	3,485.12	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Blueberry	63.24	249	5,533.85	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	0.39	6	25.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	77.35	309	3,602.18	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Brussels sprout	2.52	7	85.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	70.82	732	6,829.38	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cantaloupe	0.72	1	46.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	6.72	23	458.23	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	91.71	260	2,971.08	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Celery	12.48	46	525.6	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cherry	51.27	189	2,878.92	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Chestnut	0.24	1	18.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Chinese greens	0.14	4	5.5	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Chive	0.02	1	1.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cilantro	53.21	130	1,677.23	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Citrus	4.05	8	99.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Citrus	884.55	N/A	81,451.58	T
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Collard	5.11	73	515.68	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	6.07	11	497.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	0.63	7	21.95	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cotton	10.06	7	288.6	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cucumber	0.17	2	8.28	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	0.06	3	1.29	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Fennel	0.42	8	16.58	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Garlic	8.09	11	682.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Golf course turf	0.63	N/A	12.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grape	269.06	1,105	35,541.42	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	542.79	2,197	35,445.66	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grapefruit	41.14	102	1,207.55	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grapefruit	470.79	N/A	20,767.63	T
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Herb, spice	0.09	3	6.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Kale	19.07	217	1,572.52	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Kohlrabi	0.07	3	4.31	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	7.79	N/A	N/A	N/A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Leek	0.01	2	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-dodecylphenyl)- omega- hydroxypoly(oxyethylene)	Lemon	173.0	309	4,108.34	A
Alpha-(para-dodecylphenyl)- omega- hydroxypoly(oxyethylene)	Lemon	2,043.5	N/A	66,595.31	T
Alpha-(para-dodecylphenyl)- omega- hydroxypoly(oxyethylene)	Lettuce, head	41.77	288	3,020.5	A
Alpha-(para-dodecylphenyl)- omega- hydroxypoly(oxyethylene)	Lettuce, leaf	116.87	583	5,946.9	A
Alpha-(para-dodecylphenyl)- omega- hydroxypoly(oxyethylene)	Lime	4.39	N/A	80.74	T
Alpha-(para-dodecylphenyl)- omega- hydroxypoly(oxyethylene)	Melon	3.28	9	212.0	A
Alpha-(para-dodecylphenyl)- omega- hydroxypoly(oxyethylene)	Mint	0.05	2	6.0	A
Alpha-(para-dodecylphenyl)- omega- hydroxypoly(oxyethylene)	Mustard greens	0.5	5	39.55	A
Alpha-(para-dodecylphenyl)- omega- hydroxypoly(oxyethylene)	N-grnhs flower	1.59	N/A	32.5	A
Alpha-(para-dodecylphenyl)- omega- hydroxypoly(oxyethylene)	N-grnhs flower	0.36	1	300,037.5	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	6.37	257	229.15	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	5.08	30	157.84	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	1.07	7	57.5	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	4.17	93	966.13	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Nectarine	290.4	1,288	23,697.77	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Olive	835.75	466	26,031.15	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, dry	59.42	52	4,114.85	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Orange	1,353.14	1,887	31,883.86	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Orange	7,045.83	N/A	395,040.53	T
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Oregano	<0.01	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Parsley	4.49	23	122.53	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Peach	423.0	1,646	33,545.89	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pear	71.67	196	3,258.6	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pear, asian (oriental pear, ya, ya li, nashi)	0.32	6	19.4	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Peas	0.27	4	35.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	20.55	54	1,620.95	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pistachio	482.89	316	18,099.61	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Plum	61.3	335	4,249.81	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pluot	1.31	25	86.93	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pomegranate	3.04	10	214.86	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pomelo	12.61	16	178.26	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Potato	26.61	44	2,819.5	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Prune	5.42	18	330.39	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pumpkin	0.51	5	38.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Quince	1.63	12	61.6	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Radicchio	1.16	1	30.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Radish	0.35	3	9.1	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rapini	1.78	5	55.5	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Raspberry	63.55	394	5,211.21	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Regulatory pest control	0.85	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	0.3	5	21.52	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rice	267.15	42	4,914.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	2.79	17	99.4	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	262.65	N/A	N/A	N/A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Safflower	6.43	2	167.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Sage	0.05	1	6.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	1.2	2	78.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Spinach	7.44	87	426.63	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Squash	0.14	2	16.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Squash, winter	0.84	3	74.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Stone fruit	0.38	6	28.25	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Strawberry	926.6	1,497	62,203.46	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Strawberry	<0.01	3	1,116.0	S
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Sunflower	3.15	3	265.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Swiss chard	2.48	29	177.78	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tangelo	22.2	42	567.59	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tangelo	173.08	N/A	9,572.79	T
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tangerine	375.71	621	11,044.01	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tangerine	646.39	N/A	41,531.21	T
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato	7.69	44	857.73	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato, processing	60.35	111	6,551.79	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Triticale	0.06	1	60.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Turnip	0.1	1	11.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	23.4	66	667.22	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Unknown	0.75	16	21.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Vegetable	1.1	25	129.2	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Vegetables, fruiting	0.3	20	40.5	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Walnut	428.2	729	28,108.76	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Watermelon	2.39	13	266.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Wheat	0.14	1	30.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt</b>	Almond	1.95	12	456.92	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt</b>	Apple	3.23	8	193.72	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt</b>	Bermudagrass	0.22	1	36.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt</b>	Corn (forage - fodder)	0.17	3	159.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt</b>	Corn, human consumption	1.39	3	226.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt</b>	Cotton	0.09	2	61.5	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt</b>	Forest, timberland	0.01	N/A	25.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt</b>	Landscape maintenance	3.73	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	N-outdr plants in containers	0.01	1	1.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	N-outdr plants in containers	<0.01	1	282.0	U
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Orange	0.07	1	19.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Peach	0.04	6	54.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Rice	53.39	88	6,893.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Rights of way	<0.01	1	0.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Rights of way	297.94	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Squash	0.05	1	3.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)- omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Strawberry	0.09	2	12.0	A
Alpha-(para-nonylphenyl)- omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Uncultivated ag	0.44	1	70.0	A
Alpha-(para-nonylphenyl)- omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Uncultivated non-ag	0.27	N/A	287.0	A
Alpha-(para-nonylphenyl)- omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Walnut	0.12	3	71.0	A
Alpha-(para-nonylphenyl)- omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Wheat	0.59	2	96.0	A
Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)	Alfalfa	47,840.53	11,947	630,117.98	A
Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)	Almond	557,673.93	36,843	1,938,911.51	A
Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)	Apple	792.19	88	1,053.55	A
Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)	Apricot	1,093.84	394	5,770.51	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	225.88	174	2,302.77	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Asparagus	328.89	28	1,213.39	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Avocado	328.49	319	3,211.27	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Barley	546.64	85	6,780.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Barley (forage - fodder)	158.47	52	2,354.28	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Basil, sweet	192.17	45	1,381.43	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, dried	1,170.95	224	10,289.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, succulent	140.19	47	992.93	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, unspecified	32.39	10	297.66	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Beet	14.57	5	50.84	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bermudagrass	1,279.09	193	14,013.36	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bitter melon	4.51	2	6.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Blackberry	211.61	112	1,046.57	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Blueberry	1,702.8	310	10,174.45	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	105.42	157	1,134.33	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	2,110.43	2,119	27,875.09	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Brussels sprout	1,291.89	768	12,082.48	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bushberry	0.11	1	4.75	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	2,314.6	2,034	22,818.87	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage, savoy	7.4	1	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	0.56	15	20.55	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	0.94	6	32,912.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Canola (rape)	18.09	25	103.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cantaloupe	599.92	137	10,471.33	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	1,209.48	310	13,415.4	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	1,268.87	1,221	15,542.52	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Celery	3,805.72	2,390	31,990.14	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cherry	37,829.91	2,398	42,657.7	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chervil	<0.01	1	0.15	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chestnut	0.06	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chicory	0.02	1	0.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chinese cabbage (napa, wong bok, celery cabbage)	21.31	46	252.17	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chinese greens	1.54	4	5.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chive	1.35	10	23.51	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Christmas tree	16.07	17	98.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cilantro	135.78	380	1,525.8	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Citrus	570.12	45	764.85	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Clover	48.19	4	228.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Collard	27.7	62	384.54	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Commercial, institutional or industrial areas	65.18	2	300.86	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Commercial, institutional or industrial areas	5.72	N/A	27,866.54	K
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Commercial, institutional or industrial areas	0.79	N/A	950,213.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Commodity fumigation	<0.01	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	33,087.07	6,078	300,158.53	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, grain	2,057.85	455	17,186.88	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	10,522.07	2,596	89,415.48	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cotton	33,886.3	6,973	586,901.61	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	County ag comm	11.49	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cucumber	249.5	63	2,200.73	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Dandelion green	0.03	1	1.37	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Date	28.05	15	81.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Dill	58.42	11	336.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Ditch bank	538.74	23	578.87	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Eggplant	18.17	4	58.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	70.56	95	298.65	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Fava bean	0.26	2	5.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Fennel	7.26	16	125.88	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Fig	856.05	155	4,704.36	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	1,826.52	325	17,330.63	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	13.86	4	79.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Forest, timberland	26,331.3	2,054	61,057.82	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Forest, timberland	143.27	2	550.0	U
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Gai choy	4.04	32	65.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Gai lon	23.21	73	479.84	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Garbanzo bean	5.94	2	177.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Garlic	4,454.48	583	41,595.42	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Golf course turf	11.35	1	49.72	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Gourds (edible)	4.51	2	6.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grain	33.45	10	249.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape	51,670.06	5,545	170,290.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape	0.02	2	18,000.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	140,367.38	17,021	583,570.44	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grapefruit	1,639.36	261	5,718.81	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grass, seed	278.41	152	6,829.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Herb, spice	48.33	34	310.78	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Hops	12.75	5	40.8	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Jujube	0.06	2	1.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kale	62.74	163	1,033.56	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	1,208.47	522	4,999.72	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kumquat	4.75	1	20.84	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	9.39	6	42.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	16,293.92	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Leek	10.58	19	71.76	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lemon	7,245.83	1,310	29,048.98	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, head	5,491.94	6,208	75,440.48	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	7,108.43	10,408	102,445.31	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lime	105.76	46	346.23	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mango	0.17	1	2.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Melon	427.39	150	6,483.43	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mint	8.47	3	59.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mustard	0.38	7	18.24	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mustard greens	1.96	27	90.13	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	35.85	126	211.68	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	1.92	30	142,500.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	119.34	332	561.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	142.55	973	67,839,220.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	32.33	156	337.77	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr flower	593.59	2,246	10,185.73	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	950.47	1,890	4,087.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	73.17	408	33,055,503.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	10.96	6	160,260.0	U
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	1,612.93	684	4,685.38	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	0.08	1	180,000.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Nectarine	11,452.43	1,945	23,034.99	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat	549.48	86	4,193.08	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	3,198.3	639	26,038.72	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Olive	1,895.09	293	10,180.17	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, dry	9,940.15	867	61,822.01	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, green	209.96	22	2,006.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Orange	18,481.58	2,965	61,359.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Orchardgrass	169.51	28	1,463.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Parsley	371.48	222	2,087.09	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pasture (forage - fodder)	13.97	4	34.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pastureland	733.34	126	7,712.33	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pastureland	0.26	9	65,250.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Peach	17,362.1	3,529	48,160.82	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pear	3,623.14	581	18,859.76	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pear, asian (oriental pear, ya, ya li, nashi)	24.24	23	170.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Peas	123.52	197	2,195.4	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pecan	1,701.72	129	3,296.7	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	3,200.47	729	17,236.68	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Persimmon	288.13	86	1,351.87	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pistachio	322,229.36	11,846	908,165.19	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pistachio	2.09	11	62,552.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pistachio	4.28	14	157.0	U
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Plum	5,148.08	1,319	11,887.46	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pomegranate	4,830.97	217	12,450.35	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pomelo	39.88	17	191.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Potato	1,340.66	211	7,551.79	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Prune	12,063.46	856	29,543.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Public health	876.9	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pumpkin	638.59	122	3,633.74	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Quince	16.55	17	81.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Radicchio	9.99	32	407.74	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Radish	42.31	26	176.85	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rangeland	669.11	82	5,398.77	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rape (leafy vegetable)	0.58	1	3.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rapini	109.22	171	1,597.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Raspberry	85.6	43	418.76	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Recreation area	1.51	N/A	7.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Regulatory pest control	99.11	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	239.23	90	257.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	0.42	51	229,500.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	5.69	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rice	44,694.53	3,473	255,786.99	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rice, wild	43.96	10	449.7	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	1,665.47	296	17,014.35	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	0.61	1	40,000.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	4.48	3	0.03	U
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	55,754.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rye	73.34	27	858.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Ryegrass	621.28	165	7,386.16	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Safflower	978.18	339	83,337.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sage	0.12	10	8.43	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sod farm (turf)	4.83	9	109.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	1,651.64	279	48,011.63	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	895.34	145	9,129.52	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sorghum/milo	1,047.77	115	7,132.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Spinach	12.47	21	87.69	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash	697.69	49	829.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash, summer	22.51	9	110.64	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash, winter	28.32	6	152.39	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash, zucchini	0.02	1	0.1	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Stone fruit	39.69	16	412.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Stone fruit	0.18	N/A	33,900.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Strawberry	13,776.33	1,888	50,764.14	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Structural pest control	335.82	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sudangrass	569.08	123	6,476.14	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sugarbeet	906.15	246	15,785.34	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sugarbeet (forage - fodder)	39.83	5	282.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sugarcane	17.58	3	142.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sunflower	2,182.7	301	12,757.78	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sweet potato	160.49	52	1,393.75	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Swiss chard	0.46	17	21.17	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tangelo	439.75	69	1,403.65	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tangerine	10,385.32	1,535	31,297.33	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tarragon	0.03	2	2.12	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Timothy	92.37	32	1,456.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato	4,800.91	1,089	43,266.93	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato, processing	39,742.66	5,409	361,245.83	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Triticale	3,211.76	405	23,287.23	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Turf/sod	128.31	100	2,160.06	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Turf/sod	0.33	N/A	70,000.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Turnip	1.47	11	42.38	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Turnip greens	0.11	5	2.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	9,660.66	2,215	92,642.87	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	448.6	127	3,517.91	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Unknown	14.94	8	170.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Vegetable	8.43	2	2.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Vegetables, fruiting	1.7	1	1.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)</b>	Vertebrate control	12.45	N/A	N/A	N/A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)</b>	Walnut	85,328.03	9,933	357,312.78	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)</b>	Water (industrial)	1.35	N/A	21.5	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)</b>	Water area	103.19	11	551.69	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)</b>	Water area	0.52	N/A	1.0	U
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)</b>	Watermelon	1,866.67	205	10,052.9	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)</b>	Wheat	6,608.43	1,135	64,035.71	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene)</b>	Wheat (forage - fodder)	12,799.4	2,411	136,665.81	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Alfalfa	2,275.22	789	33,258.36	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Almond	12,438.16	2,853	123,095.75	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Apple	49.8	14	349.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Avocado	4.81	13	45.85	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Basil, sweet	30.55	40	152.75	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Bean, succulent	0.06	5	1.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Blackberry	9.0	7	66.21	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Blueberry	1.45	7	149.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Broccoli	569.24	582	5,980.42	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Brussels sprout	331.13	208	3,593.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cabbage	61.42	86	805.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cantaloupe	25.26	1	91.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Carrot	11.55	7	125.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cauliflower	246.03	211	2,460.27	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Celery	58.01	70	633.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cherry	138.0	120	1,813.42	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Citrus	15.75	9	199.38	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cole crop	0.66	30	11.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Collard	0.23	2	2.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Corn (forage - fodder)	1,637.57	368	19,125.05	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Corn, human consumption	8.32	2	111.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cotton	3,394.88	563	40,245.8	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cucumber	2.25	17	22.37	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Eggplant	0.02	1	10.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Fennel	0.24	1	2.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Fig	156.42	16	840.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Forage hay/silage	4.97	2	53.0	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Forest, timberland	120,839.39	1,214	41,021.22	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Forest, timberland	74.97	3	204.0	U
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Garlic	190.24	10	735.9	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Ginger	0.06	2	1.0	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Grape	1,037.54	246	7,994.82	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Grape, wine	1,803.97	807	18,058.58	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Grapefruit	90.26	21	548.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Herb, spice	36.48	65	190.4	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Kale	11.49	23	117.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Landscape maintenance	130.67	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Lemon	76.14	61	896.69	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Lettuce, head	3.17	2	36.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Lettuce, leaf	1.72	16	830.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Lime	0.33	1	7.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Melon	73.98	44	1,361.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Mint	0.93	18	14.7	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	N-outdr flower	14.84	3	173.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	N-outdr transplants	50.6	1	7.51	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Nectarine	43.5	20	239.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Oat	13.91	9	151.1	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Oat (forage - fodder)	4.31	1	46.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Olive	32.67	23	362.33	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Onion, dry	24.04	11	554.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Onion, green	0.15	4	2.25	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Orange	352.8	279	5,605.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pastureland	23.08	6	154.02	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Peach	78.64	81	1,009.24	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pear	68.61	7	305.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Peas	0.16	7	2.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pecan	36.64	13	200.84	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pistachio	3,296.01	596	22,300.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Plum	3.79	3	73.0	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Pomegranate	31.21	12	519.31	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Pomelo	5.49	4	19.0	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Potato	86.43	21	884.2	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Prune	48.58	14	516.33	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Public health	19.7	N/A	N/A	N/A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Pumpkin	11.84	4	119.6	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched</b>	Quince	10.14	25	165.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Raspberry	0.89	1	4.85	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Rice	5,287.68	533	37,764.68	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Rights of way	131.34	22	1,022.6	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Rights of way	0.73	4	0.04	U
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Rights of way	730.43	N/A	N/A	N/A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Root vegetable	2.07	24	36.7	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Safflower	416.69	8	2,223.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Soil fumigation/preplant	104.78	3	559.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Sorghum (forage - fodder)	2.42	4	830.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Sorghum/milo	36.72	11	576.9	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Spinach	0.34	2	3.7	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Squash	5.16	30	76.83	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Strawberry	76.16	24	605.79	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Structural pest control	0.44	N/A	N/A	N/A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Sudangrass	26.26	10	461.9	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched</b>	Sunflower	128.44	27	1,319.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Tangelo	5.37	10	114.4	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Tangerine	305.88	72	1,694.93	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Tomato	74.44	27	1,402.92	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Tomato, processing	304.85	106	9,646.34	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Uncultivated ag	351.55	130	3,237.05	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Uncultivated non-ag	6.65	2	72.58	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Unknown	2.06	3	21.91	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Vegetables, fruiting	0.59	30	9.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Vegetables, leafy	31.51	314	522.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Walnut	1,855.88	707	20,293.53	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Water area	3.3	1	0.75	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Watermelon	1.93	3	157.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Wheat	284.62	33	1,913.1	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Wheat (forage - fodder)	14.26	20	1,141.73	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Alfalfa	2,733.51	1,064	63,185.49	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Almond	39,991.99	5,134	254,189.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Apple	2.4	1	9.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Apricot	180.45	108	727.01	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Asparagus	0.09	6	14.19	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Avocado	323.33	311	3,144.99	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Barley	47.13	12	509.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Bean, dried	144.21	17	534.22	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Bean, succulent	50.21	11	239.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Bermudagrass	13.29	19	1,196.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Blackberry	14.84	7	68.09	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Blueberry	501.83	108	2,861.38	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Broccoli	54.37	85	1,303.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cabbage	83.0	28	205.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cantaloupe	93.25	25	1,954.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Carrot	148.64	193	10,610.8	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cauliflower	4.19	9	73.05	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Celery	180.5	89	1,130.19	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cherry	756.37	245	5,164.35	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cilantro	11.48	3	21.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Citrus	0.06	1	10.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Corn (forage - fodder)	1,823.4	569	30,541.04	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Corn, grain	29.75	8	304.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Corn, human consumption	194.8	87	2,991.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cotton	4,105.55	899	83,868.78	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Ditch bank	244.93	110	754.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Eggplant	12.09	2	37.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Fig	32.54	6	186.52	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Forage hay/silage	6.67	11	568.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Garlic	340.06	39	3,423.65	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grape	3,327.89	873	20,640.47	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grape, wine	16,835.29	3,681	86,517.78	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grapefruit	85.69	37	355.18	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grass, seed	0.19	10	11.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Herb, spice	0.42	1	2.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Hops	0.05	1	4.8	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Kale	6.39	2	25.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Kiwi fruit fuzzy	160.8	452	3,900.71	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Landscape maintenance	16.52	1	16.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Landscape maintenance	244.2	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Leek	1.53	7	11.61	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Lemon	1,341.2	384	7,647.69	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	Lettuce, head	64.85	103	1,537.7	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	Lettuce, leaf	27.82	42	394.1	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	Melon	42.01	9	800.25	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	Mint	0.31	1	15.0	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	Mustard greens	10.32	1	50.0	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	N-grnhs plants in containers	246.34	319	517.66	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	N-grnhs transplants	0.07	1	20.0	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	N-outdr flower	223.64	476	2,350.57	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-outdr plants in containers	18.86	37	105.21	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-outdr transplants	18.09	15	50.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Nectarine	499.17	274	2,312.36	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Oat	18.49	7	345.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Oat (forage - fodder)	34.8	23	384.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Olive	174.08	48	1,506.68	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Onion, dry	144.14	37	2,710.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Orange	3,287.06	778	16,907.81	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Parsley	1.03	1	6.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pastureland	1.01	2	57.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pastureland	0.04	9	65,250.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Peach	1,219.6	559	4,837.22	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pear	113.87	5	124.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pecan	65.04	12	234.97	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pepper, fruiting	128.96	22	783.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Persimmon	40.65	39	422.74	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pistachio	14,585.74	1,857	92,347.98	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Plum	647.32	352	2,998.76	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pomegranate	90.13	37	1,357.78	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pomelo	10.76	8	50.75	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Potato	41.61	73	1,124.63	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Prune	316.74	79	2,688.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pumpkin	63.23	19	525.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Quince	2.79	2	9.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Radish	29.09	18	56.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rangeland	10.76	3	472.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Raspberry	37.29	30	238.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Regulatory pest control	0.31	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rice	164.6	128	11,447.87	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rights of way	2,428.66	263	40,239.75	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rights of way	0.23	1	0.01	U
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rights of way	6,292.51	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Ryegrass	1.23	1	18.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Safflower	62.24	41	10,033.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Sod farm (turf)	4.03	1	6.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Soil fumigation/preplant	327.25	47	7,875.27	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Sorghum (forage - fodder)	18.72	3	193.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Sorghum/milo	8.3	2	170.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Squash, winter	0.21	1	19.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Strawberry	25,481.33	1,637	65,886.48	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Structural pest control	2.13	N/A	N/A	N/A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Sudangrass	6.96	15	783.98	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Sugarbeet	449.32	106	8,756.8	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Sugarbeet (forage - fodder)	1.57	2	126.2	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Sugarcane	1.74	2	140.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Sunflower	24.76	5	96.0	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Tangelo	121.59	24	267.15	A
<b>Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester</b>	Tangerine	6,163.19	993	33,936.4	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Tomato	110.07	88	3,830.53	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Tomato, processing	1,764.03	304	24,067.75	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Triticale	11.22	11	420.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Turf/sod	644.63	135	1,631.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Uncultivated ag	3,318.07	1,161	39,279.46	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Uncultivated non-ag	131.71	54	978.38	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Unknown	2.43	1	9.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Walnut	4,338.44	1,315	41,945.15	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	Water (industrial)	1.97	N/A	25.45	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	Water area	3.14	3	63.09	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	Watermelon	169.83	22	2,658.0	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	Wheat	411.68	92	6,011.2	A
<b>Alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester</b>	Wheat (forage - fodder)	273.26	87	4,787.1	A
<b>Alpha-(para-tert-butylphenyl)- omega- hydroxypoly(oxyethylene) phosphate</b>	Alfalfa	3,642.18	1,960	90,792.73	A
<b>Alpha-(para-tert-butylphenyl)- omega- hydroxypoly(oxyethylene) phosphate</b>	Almond	7,089.16	334	21,431.36	A
<b>Alpha-(para-tert-butylphenyl)- omega- hydroxypoly(oxyethylene) phosphate</b>	Apricot	3.24	2	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-(para-tert-butylphenyl)- omega- hydroxypoly(oxyethylene) phosphate</b>	Asparagus	120.95	20	1,081.0	A
<b>Alpha-(para-tert-butylphenyl)- omega- hydroxypoly(oxyethylene) phosphate</b>	Bean, succulent	2.73	1	17.0	A
<b>Alpha-(para-tert-butylphenyl)- omega- hydroxypoly(oxyethylene) phosphate</b>	Bermudagrass	10.42	11	356.3	A
<b>Alpha-(para-tert-butylphenyl)- omega- hydroxypoly(oxyethylene) phosphate</b>	Cantaloupe	1.01	1	61.8	A
<b>Alpha-(para-tert-butylphenyl)- omega- hydroxypoly(oxyethylene) phosphate</b>	Cherry	1,164.66	55	1,891.59	A
<b>Alpha-(para-tert-butylphenyl)- omega- hydroxypoly(oxyethylene) phosphate</b>	Chinese cabbage (napa, wong bok, celery cabbage)	600.62	370	1,951.62	A
<b>Alpha-(para-tert-butylphenyl)- omega- hydroxypoly(oxyethylene) phosphate</b>	Corn (forage - fodder)	119.41	75	2,819.08	A
<b>Alpha-(para-tert-butylphenyl)- omega- hydroxypoly(oxyethylene) phosphate</b>	Cotton	791.21	336	14,353.15	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Garlic	169.18	14	1,312.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Grape	108.03	19	620.78	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Grape, wine	263.42	20	679.35	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Grass, seed	66.38	52	3,216.9	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	N-outdr transplants	103.27	16	339.52	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Nectarine	286.91	4	320.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Onion, dry	12.89	2	140.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Orange	12.89	2	40.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Peach	48.74	7	126.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Pistachio	4,954.64	89	9,597.97	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Pomegranate	6.09	1	37.5	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Pumpkin	6.29	4	22.5	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Research commodity	13.49	16	49.5	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Safflower	48.85	6	1,514.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Soil fumigation/preplant	330.83	43	4,288.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Strawberry	2,927.42	342	8,466.86	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Sugarbeet	65.76	15	1,038.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Sunflower	4.02	4	16.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Timothy	5.75	11	356.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Tomato, processing	52.82	22	1,416.9	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Uncultivated ag	19.02	4	71.83	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Walnut	3,094.85	99	7,960.13	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Wheat	25.79	29	1,154.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Wheat (forage - fodder)	5.44	4	334.24	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Alfalfa	143.35	101	4,666.16	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Almond	9,346.06	1,015	67,682.83	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Apricot	5.84	2	20.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Artichoke, globe	30.22	28	148.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Arugula	2.78	17	32.9	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Avocado	186.47	67	1,941.65	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Barley	1.55	2	60.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Bean, succulent	3.11	5	20.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Bean, unspecified	12.79	4	118.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Beet	0.19	1	1.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Bermudagrass	42.27	25	2,864.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Blackberry	403.8	89	1,470.18	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	16.22	67	191.11	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Broccoli	911.79	510	5,577.1	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Brussels sprout	2.97	4	16.37	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cabbage	54.56	57	393.49	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cactus pear	5.1	1	8.8	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cantaloupe	6.22	5	432.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Carrot	34.28	13	236.27	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cauliflower	523.18	503	3,351.76	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Celery	867.73	561	4,583.31	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cherry	708.13	87	2,539.3	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Chinese cabbage (napa, wong bok, celery cabbage)	10.38	40	66.9	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cilantro	10.85	10	48.6	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Citrus	30.59	16	392.93	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Citrus	8.25	N/A	3,338.0	U
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Collard	1.99	11	22.02	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	57.92	33	1,462.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Corn, grain	11.98	6	285.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Corn, human consumption	391.47	137	2,545.75	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cotton	12.04	4	187.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cucumber	23.83	8	137.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Eggplant	15.69	11	175.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Fava bean	0.97	1	4.55	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Forage hay/silage	2.85	2	111.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Gai lon	0.94	24	20.03	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Garlic	78.36	27	1,999.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grape	9.33	4	99.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grape, wine	24,569.83	3,080	120,812.72	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grapefruit	170.53	58	1,301.6	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Herb, spice	43.67	65	192.5	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Hops	1.75	3	18.25	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Industrial hemp	18.26	8	125.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Kale	27.24	43	240.65	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Kumquat	0.3	4	9.34	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.19	1	0.4	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Landscape maintenance	80.9	N/A	N/A	N/A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Leek	1.67	6	7.9	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Lemon	137.75	44	914.13	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Lettuce, head	754.49	322	4,630.08	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	837.63	742	5,804.53	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Lime	2.46	8	53.73	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Melon	1.03	1	72.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Mizuna	1.21	7	13.98	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Mustard greens	20.58	71	229.12	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs flower	3.4	32	31.5	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs flower	0.14	32	196,901.0	S
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	11.44	272	325.03	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.05	1	1.61	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr flower	386.17	1,229	6,028.05	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	29.91	343	469.09	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.18	27	127,303.0	S
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.14	2	23.0	U
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr transplants	0.01	1	0.4	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Olive	0.27	1	4.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Onion, dry	562.21	99	2,638.93	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Orange	263.99	124	1,886.82	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Parsley	0.22	1	1.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Peach	30.47	12	277.5	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pecan	19.39	2	182.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	1,104.81	351	8,557.61	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pistachio	2,555.26	175	15,333.04	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Potato	1.48	4	7.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Prune	24.34	3	56.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pumpkin	12.01	6	123.5	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Raspberry	29.21	18	258.83	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Rice	352.7	71	5,577.6	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Rights of way	0.33	1	3.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Rights of way	3.69	N/A	N/A	N/A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Spinach	0.87	1	2.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Squash	25.29	8	173.8	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Squash, summer	30.97	6	225.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Strawberry	18,204.37	1,762	58,997.72	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Sunflower	24.6	10	491.7	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Swiss chard	4.72	11	35.98	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Tangelo	5.52	1	19.1	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Tangerine	13.95	7	38.62	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Thyme	0.22	1	1.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Tomatillo	15.12	4	96.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Tomato	632.35	214	5,078.47	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Tomato, processing	543.57	202	4,330.91	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Turf/sod	14.19	12	169.48	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Uncultivated ag	24.27	9	407.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	3.09	1	30.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Walnut	4,717.03	523	30,202.24	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Watermelon	19.89	7	515.55	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Wheat	1.47	1	38.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	1.39	1	54.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-alkyl (c10-c12)- omega- hydroxypoly(oxyethylene)</b>	N-grnhs flower	0.05	1	2,500.0	S
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Almond	9.22	28	960.17	A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Corn (forage - fodder)	2.85	4	552.0	A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Cotton	1.67	5	215.0	A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Fig	0.74	4	143.4	A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Grape	5.36	16	774.36	A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Grape, wine	0.41	2	64.0	A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Landscape maintenance	1.97	N/A	N/A	N/A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Mint	8.78	2	44.0	A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Pistachio	7.62	31	1,944.77	A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Rice	341.69	7	622.3	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Rights of way	193.65	N/A	N/A	N/A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Sod farm (turf)	0.04	2	16.5	A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Strawberry	0.33	2	64.0	A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Turf/sod	0.21	3	79.6	A
<b>Alpha-alkyl (c10-c14)- omega- hydroxypoly(oxyethylene)</b>	Walnut	0.42	3	102.0	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Alfalfa	671.56	188	11,494.91	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Almond	19,384.47	1,573	78,522.9	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Apricot	32.84	5	268.5	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Avocado	3.02	6	34.57	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Barley	5.16	1	120.0	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Basil, sweet	44.44	8	590.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Bean, succulent	5.66	3	210.13	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Beet	3.66	2	27.35	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	10.32	14	84.68	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Broccoli	7.87	8	129.5	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Cabbage	29.0	21	258.1	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Celery	72.63	24	813.24	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Cherry	229.18	69	1,488.01	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Cilantro	17.87	10	123.2	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Corn (forage - fodder)	523.81	204	10,300.5	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Corn, grain	12.97	7	225.6	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Corn, human consumption	27.61	18	1,005.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Cotton	276.99	51	4,491.7	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Cucumber	13.87	8	273.0	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Forage hay/silage	183.31	53	3,993.69	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Garlic	9.67	3	454.0	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Grape	1,117.08	47	6,283.45	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Grape, wine	2,507.33	585	13,003.04	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Grapefruit	72.68	2	76.0	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Herb, spice	10.9	4	140.3	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Hops	0.72	2	3.67	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Landscape maintenance	0.93	N/A	N/A	N/A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Leek	1.34	1	6.26	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Lemon	33.33	16	200.9	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Lettuce, leaf	1.48	2	18.5	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	N-outdr plants in containers	11.0	33	37.1	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Nectarine	6.02	1	28.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Oat	3.13	3	100.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Oat (forage - fodder)	615.14	75	2,642.07	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Olive	5.1	1	18.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Orange	117.71	54	788.8	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Orchardgrass	18.52	6	430.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Parsley	49.34	32	434.65	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Pastureland	22.41	4	1,129.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Peach	153.36	49	960.25	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Pecan	781.52	12	1,824.0	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Pepper, fruiting	0.41	1	15.25	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Persimmon	1.46	5	19.0	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Pistachio	3,837.61	276	23,939.06	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Plum	6.8	1	10.0	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Pomegranate	0.8	1	5.0	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Pomelo	7.34	2	23.0	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Potato	33.69	14	725.5	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Prune	114.3	8	371.0	A
<b>Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)</b>	Pumpkin	117.66	48	1,578.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Radicchio	1.19	3	110.8	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Radish	10.8	18	134.5	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Rice, wild	6.91	5	255.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Rights of way	20.29	6	198.38	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Rights of way	206.24	N/A	N/A	N/A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Ryegrass	2.02	2	71.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Safflower	28.91	9	2,694.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sod farm (turf)	7.53	2	89.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	9.6	2	149.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sorghum/milo	4.98	6	182.2	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Spinach	3.01	6	37.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Squash	6.39	5	127.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Strawberry	571.94	114	3,648.25	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Structural pest control	176.37	N/A	N/A	N/A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sudangrass	15.74	5	343.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sugarbeet	3.4	2	82.5	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sunflower	42.21	22	958.7	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sweet potato	1.95	1	64.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Tangelo	1.84	1	26.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Tangerine	73.66	25	305.94	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Timothy	4.9	1	114.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Tomato	24.39	4	430.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Tomato, processing	1,146.84	288	17,475.47	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Triticale	26.89	8	520.96	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Turf/sod	64.83	37	735.8	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Uncultivated ag	286.13	53	3,249.56	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Unknown	0.86	1	2.0	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Walnut	2,962.07	272	12,260.83	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Watermelon	156.35	38	1,900.7	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Wheat	67.71	43	1,923.14	A
Alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Wheat (forage - fodder)	155.8	34	1,533.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Alfalfa	2,107.22	654	35,417.92	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Almond	9,006.81	1,017	51,469.8	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Apple	19.88	8	74.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Apricot	5.54	1	18.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Asparagus	288.84	20	1,081.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Barley	22.88	8	401.9	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Barley (forage - fodder)	12.26	5	124.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Bean, dried	20.64	6	430.5	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Bermudagrass	96.26	13	787.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Blackberry	3.27	11	8.5	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Blueberry	6.77	8	47.5	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	11.3	16	117.02	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Broccoli	3.12	6	64.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Cabbage	6.75	1	35.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Cabbage, savoy	7.4	1	20.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Canola (rape)	0.59	1	5.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Cantaloupe	132.26	32	1,464.52	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Celery	3.05	2	15.8	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Cherry	14.36	8	90.2	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Corn (forage - fodder)	1,745.85	321	17,856.32	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Corn, grain	31.02	8	268.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Corn, human consumption	56.39	91	772.65	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Cotton	2,425.22	545	31,335.56	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Dill	53.84	8	233.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Ditch bank	10.7	10	53.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Fig	20.94	10	603.93	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Forage hay/silage	133.67	61	2,570.91	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Gai lon	1.05	16	11.25	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Garbanzo bean	0.74	1	6.5	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Garlic	584.03	71	8,332.9	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Grain	9.38	3	78.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Grape	190.06	73	2,710.92	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Grape, wine	859.23	68	3,359.67	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Grapefruit	165.03	8	311.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Grass, seed	195.46	87	4,840.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Herb, spice	7.76	2	100.4	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Landscape maintenance	326.91	N/A	N/A	N/A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Lemon	776.81	29	2,183.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Lettuce, head	70.5	36	709.4	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Lettuce, leaf	59.0	27	841.15	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Melon	36.96	14	366.2	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	N-grnhs flower	10.78	12	47.93	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	N-grnhs transplants	3.98	11	10.35	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	N-outdr transplants	273.34	61	837.69	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Nectarine	0.1	2	0.5	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Oat	26.12	4	265.27	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Oat (forage - fodder)	32.77	13	467.0	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Olive	42.23	3	202.7	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Onion, dry	165.0	35	1,929.9	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Onion, green	209.96	22	2,006.6	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Orange	125.63	9	282.5	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Orchardgrass	22.39	6	321.0	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Parsley	17.12	2	74.0	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Pastureland	19.84	9	377.0	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Peach	79.83	32	545.33	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Pecan	3.49	2	25.0	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Pepper, fruiting	12.22	15	180.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Pistachio	7,785.2	281	24,048.66	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Pomegranate	80.45	4	161.11	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Prune	42.99	34	899.21	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Pumpkin	2.93	3	31.44	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Rangeland	30.43	5	740.0	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Raspberry	18.79	3	48.76	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Regulatory pest control	26.9	N/A	N/A	N/A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Rice	62.19	19	859.0	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Rights of way	133.99	16	705.25	A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Rights of way	263.39	N/A	N/A	N/A
<b>Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)</b>	Ryegrass	119.78	27	834.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Safflower	41.15	15	4,274.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Soil fumigation/preplant	8.5	1	220.7	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	50.04	12	493.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Squash	0.77	1	20.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Strawberry	4,213.11	439	9,999.39	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Structural pest control	10.07	N/A	N/A	N/A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Sudangrass	19.84	10	423.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Sugarbeet	49.53	17	857.1	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Sunflower	3.05	2	73.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Tangelo	38.5	2	80.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Tangerine	239.19	18	606.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Timothy	75.21	31	1,342.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Tomato	780.22	192	4,955.83	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Tomato, processing	2,720.31	432	26,329.72	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Triticale	300.69	69	4,235.58	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Uncultivated ag	81.4	20	569.4	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Uncultivated non-ag	20.98	9	92.0	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Walnut	2,678.2	384	15,960.51	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Watermelon	87.72	22	887.3	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Wheat	623.52	138	7,466.72	A
Alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Wheat (forage - fodder)	878.35	328	16,374.09	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Almond	871.87	325	15,548.76	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Apple	0.04	1	1.0	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Cherry	21.21	16	270.89	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Grape	117.28	31	784.0	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Grape, wine	51.98	20	823.08	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Grapefruit	5.56	13	107.1	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Lemon	47.46	42	512.4	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	N-grnhs flower	1.58	26	31.35	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	N-grnhs flower	0.52	17	133,000.0	S
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	N-grnhs transplants	0.02	1	1.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	N-outdr flower	2.38	25	76.0	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	N-outdr flower	0.02	1	3,000.0	S
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	N-outdr plants in containers	0.86	9	14.68	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Nectarine	8.18	20	179.42	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Olive	33.09	18	550.5	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Onion, dry	0.99	1	17.0	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Orange	490.0	311	5,352.54	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Peach	7.16	20	217.8	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Peas	0.35	1	3.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Pistachio	2,422.05	435	39,334.26	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Plum	1.34	2	28.86	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Pomegranate	128.04	28	2,000.0	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Pomelo	3.44	6	29.6	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Prune	1.73	2	46.0	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Squash, summer	0.32	7	5.5	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Stone fruit	0.39	1	4.0	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Strawberry	27.19	9	235.0	A
Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Tangelo	0.23	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt</b>	Tangerine	304.64	195	5,533.94	A
<b>Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt</b>	Uncultivated ag	1.31	1	75.0	A
<b>Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt</b>	Walnut	34.69	32	1,628.28	A
<b>Alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt</b>	Watermelon	0.15	3	2.5	A
<b>Alpha-alkyl (c12-c16)- omega- hydroxypoly(oxyethylene)</b>	Almond	0.36	1	20.0	A
<b>Alpha-alkyl (c12-c16)- omega- hydroxypoly(oxyethylene)</b>	Landscape maintenance	0.24	N/A	N/A	N/A
<b>Alpha-alkyl (c12-c16)- omega- hydroxypoly(oxyethylene)</b>	Mint	1.09	2	44.0	A
<b>Alpha-alkyl (c12-c16)- omega- hydroxypoly(oxyethylene)</b>	Rice	42.46	7	622.3	A
<b>Alpha-alkyl (c12-c16)- omega- hydroxypoly(oxyethylene)</b>	Rights of way	24.06	N/A	N/A	N/A
<b>Alpha-alkyl (c8-c18)- omega- hydroxypoly(oxyethylene) poly(oxypropylene)</b>	Almond	2.01	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (c8-c18)- omega- hydroxypoly(oxyethylene) poly(oxypropylene)	Grape	19.45	13	670.0	A
Alpha-alkyl (c8-c18)- omega- hydroxypoly(oxyethylene) poly(oxypropylene)	N-grnhs plants in containers	0.2	4	7.0	A
Alpha-alkyl (c8-c18)- omega- hydroxypoly(oxyethylene) poly(oxypropylene)	N-outdr plants in containers	1.64	26	16.96	A
Alpha-alkyl (c8-c18)- omega- hydroxypoly(oxyethylene) poly(oxypropylene)	Rights of way	60.83	N/A	N/A	N/A
Alpha-alkyl (c8-c18)- omega- hydroxypoly(oxyethylene) poly(oxypropylene)	Strawberry	0.61	1	23.0	A
Alpha-alkyl (c8-c18)- omega- hydroxypoly(oxyethylene) poly(oxypropylene)	Walnut	29.5	2	325.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Alfalfa	11,798.28	2,035	99,674.61	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Almond	52,245.77	6,520	327,940.2	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Apple	156.0	36	744.76	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Apricot	77.24	29	411.16	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Artichoke, globe	31.54	35	565.8	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Arugula	2.0	15	66.45	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Avocado	11.99	22	164.0	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Barley	41.14	17	1,137.6	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Barley (forage - fodder)	30.46	10	657.6	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Basil, sweet	8.55	4	186.5	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Bean, dried	76.39	28	1,443.5	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Bean, succulent	22.29	31	327.19	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Bean, unspecified	6.06	19	196.7	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Beet	149.68	125	979.58	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Bermudagrass	1,039.22	85	5,303.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Bitter melon	1.29	2	6.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Blackberry	324.99	483	4,346.26	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Blueberry	591.05	108	2,366.52	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	29.31	119	519.02	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Broccoli	1,042.6	1,785	19,085.95	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Brussels sprout	405.52	424	6,507.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Cabbage	869.86	835	7,427.84	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Cabbage, savoy	9.07	18	133.76	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Cantaloupe	87.73	21	1,934.26	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Carrot	690.01	128	3,816.77	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Cauliflower	343.17	801	6,087.27	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Celeriac	9.33	18	82.58	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Celery	371.55	732	6,257.98	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Cherry	2,305.61	702	11,509.57	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Chinese cabbage (napa, wong bok, celery cabbage)	35.76	115	680.14	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Cilantro	61.81	297	1,216.35	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Citrus	2.63	2	28.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Collard	7.28	15	92.95	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Commodity fumigation	3.51	4	25.5	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Corn (forage - fodder)	4,269.43	987	46,574.4	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Corn, grain	205.86	50	3,667.91	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Corn, human consumption	5,975.05	620	34,428.86	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Cotton	1,964.71	431	32,616.25	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Cucumber	23.15	17	527.43	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Eggplant	1.72	2	8.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Endive (escarole)	43.09	173	718.31	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Fava bean	0.53	1	5.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Fennel	0.8	3	13.5	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Fig	85.0	16	298.1	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Forage hay/silage	98.42	22	1,527.3	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Garbanzo bean	10.69	1	158.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Garlic	381.14	121	6,332.49	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Gourds (edible)	1.29	2	6.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Grape	4,412.19	915	26,591.19	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Grape, wine	21,880.13	6,632	153,763.21	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Grapefruit	35.22	11	227.9	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Herb, spice	8.12	3	108.0	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Hops	0.21	1	1.5	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Kale	118.53	275	1,866.66	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Kiwi fruit fuzzy	21.92	24	137.85	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Kohlrabi	20.34	34	286.08	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Landscape maintenance	0.7	2	12.0	A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Landscape maintenance	352.64	N/A	N/A	N/A
<b>Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)</b>	Leek	22.24	108	449.62	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Lemon	313.3	70	1,376.05	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Lettuce, head	1,156.7	1,985	22,058.25	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Lettuce, leaf	1,561.79	3,624	31,962.14	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Melon	38.59	12	786.62	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Mint	1.79	3	116.6	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Mushroom	2.4	4	32.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Mustard	8.64	1	40.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Mustard greens	2.93	30	96.51	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	N-grnhs flower	3.64	N/A	72.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	N-grnhs plants in containers	1.5	1	1.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	N-outdr plants in containers	5.99	10	48.33	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	N-outdr plants in containers	0.5	1	15,000.0	S
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	N-outdr transplants	21.36	13	140.5	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Nectarine	2,989.27	351	3,918.21	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Oat	246.82	24	1,424.7	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Oat (forage - fodder)	160.18	23	1,376.8	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Olive	516.77	160	3,436.21	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Onion, dry	3,203.53	376	34,539.78	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Orange	1,332.1	237	4,635.54	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Orchardgrass	0.56	1	13.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Parsley	36.44	125	605.55	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Pastureland	18.85	8	357.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Peach	3,507.57	668	10,082.86	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pear	32.08	5	119.5	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pear, asian (oriental pear, ya, ya li, nashi)	6.06	6	37.5	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Peas	70.91	124	942.74	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pecan	69.53	22	597.53	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	163.25	89	1,850.92	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Persimmon	0.58	2	9.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pistachio	23,606.63	1,976	155,327.45	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Plum	1,100.3	161	1,690.88	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pomegranate	2,387.79	240	27,179.87	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Potato	148.78	11	833.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Prune	676.77	206	4,853.81	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Pumpkin	522.93	97	3,437.68	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Quince	0.65	1	6.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Radicchio	11.32	36	154.76	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Radish	61.02	369	1,055.15	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Rangeland	157.57	8	979.55	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Raspberry	215.06	607	3,003.7	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Recreation area	1.84	N/A	6.4	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Regulatory pest control	2.95	N/A	N/A	N/A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Research commodity	1.59	N/A	N/A	N/A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Rice	20,488.15	1,259	95,242.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Rights of way	317.83	89	2,191.95	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Rights of way	6,372.87	N/A	N/A	N/A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Rye	5.48	7	115.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Ryegrass	81.22	10	722.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Safflower	3.75	2	58.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Soil fumigation/preplant	45.05	12	2,300.69	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Sorghum/milo	42.08	28	1,801.65	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Spinach	0.88	4	15.03	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Squash	3.56	8	97.37	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Squash, summer	1.61	3	44.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Strawberry	6,029.62	1,185	46,596.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Sudangrass	214.33	21	1,055.4	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Sugarbeet	1,083.11	75	4,717.5	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Sunflower	180.08	78	2,286.8	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Sweet potato	6.26	4	146.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Swiss chard	3.37	41	72.54	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Tangelo	3.67	1	20.0	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Tangerine	1,141.14	154	4,232.5	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Tomato	1,340.49	583	24,293.06	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Tomato, processing	1,663.52	601	41,089.23	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Triticale	165.01	49	3,039.2	A
Alpha-alkyl (c9-c11)- omega- hydroxypoly(oxyethylene)	Turf/sod	3.67	2	32.5	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Turnip	1.78	14	49.37	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	2,886.12	1,311	28,334.94	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	78.35	46	1,543.5	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Vertebrate control	0.38	1	2.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Walnut	9,533.55	1,974	64,971.11	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Water area	1.59	3	7.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Watermelon	926.0	134	8,853.46	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Wheat	1,501.18	218	17,071.01	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	1,112.79	346	19,794.03	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Alfalfa	2,380.72	286	13,791.75	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Almond	68,773.34	5,367	310,677.61	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Apple	11.54	3	178.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Apricot	46.11	24	283.72	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Avocado	972.94	158	2,800.19	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Barley	33.79	1	152.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Bean, dried	198.27	39	1,357.5	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Blackberry	7.6	3	29.65	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Blueberry	91.61	11	431.54	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Broccoli	21.26	26	242.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Cabbage	7.13	9	81.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Cantaloupe	16.76	1	85.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Carrot	239.31	70	849.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Celery	160.67	96	855.43	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Cherry	494.43	114	2,197.87	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Citrus	6.49	9	28.5	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Corn (forage - fodder)	3,552.64	545	29,588.14	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Corn, grain	31.74	6	191.59	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Corn, human consumption	7.01	1	33.2	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Cotton	747.04	74	5,400.59	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Cucumber	4.8	2	41.13	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Fig	160.61	61	1,105.77	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Forage hay/silage	0.84	1	6.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Forest, timberland	0.07	1	11.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Garlic	275.86	9	1,352.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Grape	1,089.9	199	4,130.35	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Grape, wine	7,823.54	888	30,555.33	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Grapefruit	27.78	13	98.98	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Hops	1.94	2	13.72	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Kale	14.82	5	64.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	1.06	1	10.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Landscape maintenance	220.52	N/A	N/A	N/A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Lemon	418.23	193	2,813.66	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Lettuce, head	161.65	72	754.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Lettuce, leaf	377.74	187	1,424.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Mustard greens	7.04	1	50.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	N-grnhs plants in containers	0.49	1	3.5	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	N-grnhs transplants	0.56	1	2.5	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	N-outdr flower	18.39	29	67.9	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	N-outdr plants in containers	106.56	13	382.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	N-outdr transplants	0.25	1	1.8	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Nectarine	445.6	104	2,221.48	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Oat (forage - fodder)	5.63	1	40.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Olive	417.97	76	2,087.76	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Onion, dry	236.78	15	1,176.6	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Orange	1,434.13	427	6,679.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Parsley	58.28	6	272.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Pastureland	4.96	1	22.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Peach	1,187.72	262	5,554.54	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Pear	9.99	2	23.5	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Pecan	7.97	3	43.6	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Pepper, fruiting	8.16	2	30.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Persimmon	13.82	8	24.5	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Pistachio	35,176.55	2,818	154,207.08	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Plum	106.07	59	518.91	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Pomegranate	1,543.16	183	8,276.33	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Pomelo	3.1	2	12.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Prune	559.29	64	3,236.03	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Pumpkin	7.37	3	87.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Radish	0.56	1	2.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Rangeland	3.78	3	152.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Raspberry	0.71	1	2.5	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Regulatory pest control	1.3	N/A	N/A	N/A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Research commodity	0.53	2	6.5	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Rice	1,458.66	95	7,056.2	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Rights of way	2,789.02	103	12,636.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Rights of way	4.5	2	1.01	U
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Rights of way	3,988.89	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Soil fumigation/preplant	5,417.78	139	28,188.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Strawberry	42.23	6	242.6	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Sudangrass	43.09	4	204.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Sunflower	118.82	23	808.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Tangelo	32.25	14	155.2	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Tangerine	2,392.62	750	14,820.44	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Tomato	0.84	1	6.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Tomato, processing	1,315.93	98	9,284.14	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Turf/sod	17.26	21	517.9	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Uncultivated ag	1,913.08	365	8,958.83	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Uncultivated non-ag	22.91	2	214.19	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Unknown	2.68	1	9.5	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Vertebrate control	0.23	1	1.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Walnut	3,283.48	584	14,914.25	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Wheat	61.24	3	309.0	A
Alpha-alkyl (c9-c16)- omega- hydroxypoly(oxyethylene)	Wheat (forage - fodder)	36.49	2	140.0	A
Alpha-alkyl (c9-c18)- omega- hydroxypoly(oxyethylene)	Alfalfa	607.49	200	11,297.8	A
Alpha-alkyl (c9-c18)- omega- hydroxypoly(oxyethylene)	Broccoli	4.95	2	95.0	A
Alpha-alkyl (c9-c18)- omega- hydroxypoly(oxyethylene)	Forage hay/silage	7.43	3	98.0	A
Alpha-alkyl (c9-c18)- omega- hydroxypoly(oxyethylene)	Lettuce, head	68.09	38	883.5	A
Alpha-alkyl (c9-c18)- omega- hydroxypoly(oxyethylene)	Peach	1.11	1	4.5	A
Alpha-alkyl (c9-c18)- omega- hydroxypoly(oxyethylene)	Sudangrass	2.48	1	60.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Sugarbeet	151.04	56	3,352.0	A
Alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	44.57	6	394.0	A
Alpha-alkyl (mixed)-omega-hydroxypoly(oxyethylene) sulfate	Structural pest control	21.01	N/A	N/A	N/A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Alfalfa	1,242.97	68	4,658.1	A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Almond	45.14	4	222.43	A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Bermudagrass	12.29	1	66.0	A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Cantaloupe	21.5	2	70.0	A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Carrot	70.65	5	362.0	A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	22.73	3	140.0	A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	174.11	13	656.7	A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Onion, dry	201.83	14	1,000.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Rights of way	3.99	N/A	N/A	N/A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Sudangrass	107.52	7	476.0	A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Sugarbeet	556.26	34	2,259.4	A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Tomato, processing	344.17	95	4,139.96	A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	334.64	20	1,288.2	A
Alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Wheat	335.01	28	1,831.97	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Alfalfa	204.53	168	9,490.91	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Almond	73,428.39	8,657	503,544.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Apple	30.43	17	217.2	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Apricot	39.49	49	348.26	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	2.49	4	8.98	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Avocado	10.87	5	150.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Basil, sweet	2.79	24	64.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Bean, dried	138.18	59	3,878.6	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Bean, succulent	27.34	19	780.62	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Bean, unspecified	8.51	19	74.4	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Beet	30.08	11	56.98	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Blackberry	425.31	144	1,486.12	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Blueberry	64.49	25	332.24	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	5.75	31	41.3	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Broccoli	768.32	620	5,571.29	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Brussels sprout	36.9	7	125.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cabbage	292.14	482	2,816.4	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	22.59	29	124.43	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	42.72	189	2,606,720.0	S
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cantaloupe	19.05	6	284.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Carrot	79.84	24	568.73	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cauliflower	441.78	350	2,984.22	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Celery	170.19	183	1,458.93	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cherry	680.2	204	3,900.32	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Chive	0.01	1	0.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cilantro	158.05	125	606.91	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Citrus	135.62	32	315.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Collard	5.5	24	156.73	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	609.73	450	23,124.51	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Corn, grain	45.71	12	555.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	198.15	137	3,472.43	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cotton	465.97	232	12,679.31	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cucumber	179.95	210	5,140.55	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Date	314.28	177	3,086.95	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Dill	0.93	2	3.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Eggplant	11.91	7	134.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	0.84	16	23.87	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Fennel	0.48	4	5.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	86.79	21	1,390.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Garbanzo bean	8.38	3	465.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Garlic	33.99	12	1,141.2	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Grape	1,792.78	389	13,927.39	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Grape, wine	25,993.56	8,832	263,455.48	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Grapefruit	80.51	42	667.53	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Kale	51.71	95	429.32	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	3.03	2	11.69	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Kumquat	2.21	3	9.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	131.59	N/A	N/A	N/A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Leek	3.94	9	45.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lemon	3,150.46	515	13,853.09	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lettuce, head	39.5	149	641.85	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	523.34	1,063	6,304.34	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lime	12.35	5	40.9	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Mango	30.88	18	450.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Melon	4.29	9	164.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Mint	0.64	9	15.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Mizuna	2.89	1	32.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Mustard	1.59	11	10.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Mustard greens	3.91	14	43.78	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	3.46	N/A	24.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	10.16	69	114.39	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.29	7	3.76	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.14	1	83,065.0	S
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	38.69	17	203.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	80.34	64	1,404.39	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Nectarine	423.34	280	3,395.51	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	2.58	2	135.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Olive	16.69	6	165.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Onion, dry	237.27	98	4,258.92	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Orange	2,920.53	1,167	25,000.25	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Orchardgrass	15.46	13	928.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Oregano	0.42	9	9.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Parsley	12.58	19	108.51	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pastureland	6.09	2	902.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Peach	1,263.09	863	10,792.4	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pear	35.1	11	229.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pear, asian (oriental pear, ya, ya li, nashi)	3.23	3	7.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Peas	83.09	16	288.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pecan	105.32	23	1,155.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	1,016.54	337	11,171.94	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Persimmon	10.15	7	90.2	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pistachio	15,155.59	1,136	118,261.94	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Plum	334.32	369	3,192.41	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pluot	5.38	4	29.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pomegranate	160.49	27	1,587.9	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pomelo	1.12	4	19.25	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Potato	8.29	4	178.28	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Prune	1,622.8	266	8,930.69	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pumpkin	10.06	14	229.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Quince	3.46	2	10.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Radicchio	7.77	9	397.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Radish	1.35	1	10.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Rangeland	12.7	8	944.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Raspberry	1,015.28	270	4,561.52	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Research commodity	14.07	102	189.55	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Research commodity	3.28	N/A	N/A	N/A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Rice	397.03	99	9,008.9	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Rice, wild	7.06	4	457.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Rights of way	100.71	92	977.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Rights of way	28.74	N/A	N/A	N/A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Ryegrass	1.73	1	4.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Small fruits/berry	13.14	3	106.22	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	51.23	28	1,340.64	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Sorghum/milo	13.1	5	388.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Spinach	42.9	138	673.45	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Squash	73.34	73	2,134.6	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Squash, summer	4.68	6	158.46	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Squash, zucchini	0.47	2	11.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Strawberry	2,817.86	559	9,664.37	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Sunflower	157.92	24	2,015.2	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Swiss chard	35.63	64	194.62	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Tangelo	179.13	63	1,127.98	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Tangerine	1,525.9	522	10,175.34	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Tarragon	0.03	2	1.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Timothy	6.23	7	359.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Tomato	10.92	14	159.87	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Tomato, processing	648.48	261	14,954.67	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Turf/sod	21.14	9	187.74	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Turnip	0.14	2	7.6	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	487.76	133	7,215.12	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	4.33	6	15.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Unknown	1.08	2	12.46	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Vegetable	5.77	2	10.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Walnut	9,715.95	1,808	70,496.77	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Watermelon	59.53	49	1,386.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Wheat	50.14	18	1,171.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	6.12	6	392.2	A
Alpha-alkyl-omega-hydroxypoly(oxyethylene)	Grape	35.69	2	68.67	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Alfalfa	40.89	4	199.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Almond	8.87	13	329.5	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Avocado	28.26	4	24.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Bermudagrass	183.99	6	840.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Cabbage	0.34	2	2.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	26.1	33	28.5	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Cherry	0.45	5	90.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	21.61	7	294.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Corn, human consumption	3.41	1	65.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Cotton	1.88	1	28.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Cucumber	4.4	2	10.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Grape, wine	72.32	21	385.75	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Grapefruit	23.07	1	36.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Guava	0.49	2	8.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Kale	0.34	2	1.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	Landscape maintenance	13.3	N/A	N/A	N/A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	Lemon	285.63	12	868.8	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	Lime	0.65	1	8.0	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	N-grnhs transplants	0.06	1	0.25	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	N-outdr flower	0.62	1	3.49	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	N-outdr plants in containers	9.07	21	73.0	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	Orange	25.23	4	48.5	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	Pomegranate	0.88	1	2.0	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	Pumpkin	0.06	1	1.0	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	Regulatory pest control	0.03	N/A	N/A	N/A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	Strawberry	0.06	1	0.14	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	Tomato	35.81	10	91.61	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	Tropical/subtropical fruit	0.22	1	3.0	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)</b>	Walnut	2.9	17	621.5	A
<b>Alpha-alkylaryl-omega-hydroxypoly(oxyethylene) phosphate</b>	Almond	0.68	1	35.0	A
<b>Alpha-alkylphenyl-omega-hydroxypoly(oxyethylene)</b>	Barley (forage - fodder)	0.73	1	25.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkylphenyl-omega-hydroxypoly(oxyethylene)	Oat	2.34	1	200.0	A
Alpha-cypermethrin	Almond	16.53	1	185.0	A
Alpha-cypermethrin	Chinese cabbage (napa, wong bok, celery cabbage)	3.53	13	142.18	A
Alpha-cypermethrin	Landscape maintenance	9.87	N/A	N/A	N/A
Alpha-cypermethrin	Regulatory pest control	<0.01	N/A	N/A	N/A
Alpha-cypermethrin	Spinach	5.37	16	216.49	A
Alpha-cypermethrin	Structural pest control	2,698.68	N/A	N/A	N/A
Alpha-cypermethrin	Tomato	7.92	8	329.66	A
Alpha-decyl-omega-hydroxypoly(oxyethylene) phosphate	Lettuce, head	0.2	1	11.0	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Almond	1,317.71	176	10,332.18	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Cherry	3.54	8	187.35	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	0.47	2	40.0	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Cotton	373.09	63	16,822.82	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Endive (escarole)	0.06	2	4.6	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Grape	354.26	104	3,219.64	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	14.77	14	275.41	A
Alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Lettuce, head	0.33	3	18.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Lettuce, leaf	2.72	5	211.2	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Orange	2.0	1	6.2	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Pistachio	20,872.36	183	35,336.83	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Pomegranate	195.46	14	970.32	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Safflower	66.17	16	3,943.0	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Soil fumigation/preplant	176.93	52	11,155.0	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Squash	3.39	6	149.0	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Strawberry	1.13	1	14.0	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Tangerine	48.52	10	795.6	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Tomato, processing	18.5	14	1,096.0	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Triticale	8.6	2	461.0	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Uncultivated ag	13.19	6	678.0	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Walnut	8.58	5	109.0	A
<b>Alpha-dodecyl-omega-hydroxypoly(oxyethylene)</b>	Wheat	6.73	3	598.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene)</b>	Alfalfa	20.8	61	2,250.26	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene)</b>	Almond	2,695.19	515	26,278.93	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene)</b>	Apricot	4.25	9	40.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Blueberry	13.82	11	151.24	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Cherry	159.43	43	1,577.46	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Cotton	26.39	47	2,021.66	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Grape	265.92	101	1,997.24	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	207.17	229	2,087.78	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Melon	1.31	16	449.46	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Nectarine	9.74	25	119.16	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Orange	5.63	2	30.02	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Peach	46.36	63	400.0	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	3.74	1	26.0	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Persimmon	1.89	4	10.5	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Pistachio	3,982.69	671	34,476.14	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Plum	18.81	30	179.8	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Rights of way	7.91	1	66.0	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Rights of way	191.66	N/A	N/A	N/A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Rye	0.05	1	17.5	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Tangerine	6.39	12	54.68	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene)</b>	Tomato	10.18	3	140.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene)</b>	Tomato, processing	8.54	3	67.6	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene)</b>	Uncultivated ag	63.38	172	3,657.7	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene)</b>	Uncultivated non-ag	3.36	8	845.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene)</b>	Walnut	13.19	21	508.55	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Alfalfa	37.89	5	594.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Almond	2,219.26	137	11,055.39	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Basil, sweet	0.69	1	2.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Blackberry	71.72	32	304.81	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Broccoli	911.7	127	1,994.48	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Brussels sprout	1,044.43	204	2,254.46	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Cabbage	209.14	23	346.82	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Cauliflower	709.0	177	1,464.69	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Celery	1,619.01	289	4,115.04	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Citrus	54.92	9	199.38	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Citrus	3.22	N/A	6.0	T
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Corn (forage - fodder)	2.75	1	24.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Grape	328.14	116	3,850.25	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Grape, wine	339.77	14	1,453.02	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Grapefruit	212.26	11	398.4	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Herb, spice	9.44	8	16.5	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Kale	39.02	12	99.1	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Landscape maintenance	29.09	N/A	N/A	N/A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Lemon	55.96	11	258.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Lettuce, head	3.43	7	11.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Lettuce, leaf	0.69	1	2.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Lime	1.16	1	7.5	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Mint	16.72	8	37.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Nectarine	13.68	9	98.5	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Olive	2.83	4	57.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Orange	93.5	9	216.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Peach	10.17	6	67.6	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Pear	85.37	6	185.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Pistachio	174.45	20	1,393.83	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Prune	1.14	1	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Raspberry	455.03	95	855.77	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Rights of way	2.86	1	10.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Soil fumigation/preplant	8.91	1	36.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Strawberry	20,963.16	1,099	51,382.03	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Tangerine	0.86	2	8.0	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Tomato, processing	152.13	20	1,692.5	A
<b>Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Walnut	281.07	21	806.87	A
<b>Alpha-isoctadecyl-omega-hydroxypoly(oxyethylene)</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>Alpha-isoctadecyl-omega-hydroxypoly(oxyethylene)</b>	Public health	349.56	N/A	N/A	N/A
<b>Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)</b>	Alfalfa	0.54	3	41.5	A
<b>Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)</b>	Almond	901.05	326	14,022.83	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Apricot	3.28	6	54.94	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Blueberry	8.86	8	158.09	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Celery	5.85	1	24.9	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Cherry	2,327.83	11	254.28	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Corn (forage - fodder)	17.1	9	750.0	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Cotton	49.43	2	570.0	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Ditch bank	1.94	1	75.0	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Grape	430.51	59	1,483.21	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Grape, wine	60.22	10	697.32	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Grapefruit	4.52	9	73.0	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Landscape maintenance	9.84	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	N-grnhs transplants	1.78	3	120.0	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	N-outdr plants in containers	4.34	5	153.0	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Nectarine	9.32	17	145.72	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Orange	35.79	4	64.4	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Peach	15.25	42	357.79	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Pecan	3.45	4	40.0	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Pistachio	23.26	12	323.6	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Plum	14.22	22	243.99	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Pomegranate	0.02	1	0.3	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Potato	7.15	4	207.0	A
Alpha-octylphenyl- omega- hydroxypoly(oxyethylene)	Rights of way	1.73	5	25.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Rights of way	2.09	N/A	N/A	N/A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Stone fruit	2.55	2	43.0	A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Tangerine	60.1	8	148.06	A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Uncultivated ag	5.68	4	655.0	A
Alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Walnut	94.77	97	1,765.14	A
Alpha-pinene beta-pinene copolymer	Alfalfa	1,924.92	287	17,929.84	A
Alpha-pinene beta-pinene copolymer	Almond	51,936.51	2,056	139,488.26	A
Alpha-pinene beta-pinene copolymer	Apple	486.37	217	1,862.95	A
Alpha-pinene beta-pinene copolymer	Apricot	361.32	142	1,423.17	A
Alpha-pinene beta-pinene copolymer	Artichoke, globe	40.98	17	145.0	A
Alpha-pinene beta-pinene copolymer	Arugula	85.84	54	424.5	A
Alpha-pinene beta-pinene copolymer	Asparagus	0.34	1	2.0	A
Alpha-pinene beta-pinene copolymer	Avocado	257.24	81	696.3	A
Alpha-pinene beta-pinene copolymer	Barley	170.03	14	1,102.6	A
Alpha-pinene beta-pinene copolymer	Barley (forage - fodder)	2.66	2	91.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-pinene beta-pinene copolymer	Basil, sweet	1.34	1	4.0	A
Alpha-pinene beta-pinene copolymer	Bean, dried	8.94	6	218.0	A
Alpha-pinene beta-pinene copolymer	Bean, succulent	4.24	2	20.0	A
Alpha-pinene beta-pinene copolymer	Beet	13.44	18	30.28	A
Alpha-pinene beta-pinene copolymer	Bermudagrass	10.75	1	70.0	A
Alpha-pinene beta-pinene copolymer	Blackberry	948.77	333	3,847.14	A
Alpha-pinene beta-pinene copolymer	Blueberry	1,073.53	277	5,423.63	A
Alpha-pinene beta-pinene copolymer	Bok choy (choy sum, pak choi)	15.27	72	186.55	A
Alpha-pinene beta-pinene copolymer	Broccoli	424.22	214	2,675.31	A
Alpha-pinene beta-pinene copolymer	Brussels sprout	8.6	3	31.5	A
Alpha-pinene beta-pinene copolymer	Cabbage	1,157.83	694	6,534.18	A
Alpha-pinene beta-pinene copolymer	Cantaloupe	13.54	1	46.0	A
Alpha-pinene beta-pinene copolymer	Carrot	95.13	20	415.43	A
Alpha-pinene beta-pinene copolymer	Cauliflower	339.97	143	1,322.68	A
Alpha-pinene beta-pinene copolymer	Celery	264.58	217	2,282.34	A
Alpha-pinene beta-pinene copolymer	Cherry	1,028.26	225	3,377.12	A
Alpha-pinene beta-pinene copolymer	Chestnut	4.53	1	18.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-pinene beta-pinene copolymer	Chinese cabbage (napa, wong bok, celery cabbage)	0.15	1	3.0	A
Alpha-pinene beta-pinene copolymer	Chinese greens	2.64	4	5.5	A
Alpha-pinene beta-pinene copolymer	Chive	0.42	1	1.0	A
Alpha-pinene beta-pinene copolymer	Cilantro	55.26	229	1,000.96	A
Alpha-pinene beta-pinene copolymer	Citrus	52.06	8	154.0	A
Alpha-pinene beta-pinene copolymer	Collard	95.78	73	515.68	A
Alpha-pinene beta-pinene copolymer	Corn (forage - fodder)	3,670.18	614	33,165.44	A
Alpha-pinene beta-pinene copolymer	Corn, grain	68.88	41	1,536.0	A
Alpha-pinene beta-pinene copolymer	Corn, human consumption	12.01	9	24.95	A
Alpha-pinene beta-pinene copolymer	Cotton	137.26	73	4,443.0	A
Alpha-pinene beta-pinene copolymer	Cucumber	17.03	6	161.4	A
Alpha-pinene beta-pinene copolymer	Fennel	4.3	7	14.08	A
Alpha-pinene beta-pinene copolymer	Fig	10.99	14	657.24	A
Alpha-pinene beta-pinene copolymer	Forage hay/silage	12.68	4	261.0	A
Alpha-pinene beta-pinene copolymer	Garbanzo bean	3.46	3	33.0	A
Alpha-pinene beta-pinene copolymer	Garlic	127.05	10	766.0	A
Alpha-pinene beta-pinene copolymer	Grape	6,379.99	1,594	46,645.55	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-pinene beta-pinene copolymer	Grape, wine	8,775.19	2,559	42,292.14	A
Alpha-pinene beta-pinene copolymer	Grapefruit	638.02	66	1,216.94	A
Alpha-pinene beta-pinene copolymer	Herb, spice	1.72	3	6.0	A
Alpha-pinene beta-pinene copolymer	Kale	332.15	163	1,545.27	A
Alpha-pinene beta-pinene copolymer	Kohlrabi	1.24	3	4.31	A
Alpha-pinene beta-pinene copolymer	Landscape maintenance	66.11	N/A	N/A	N/A
Alpha-pinene beta-pinene copolymer	Leek	3.61	15	24.12	A
Alpha-pinene beta-pinene copolymer	Lemon	2,637.45	270	4,758.85	A
Alpha-pinene beta-pinene copolymer	Lettuce, head	469.41	261	2,683.8	A
Alpha-pinene beta-pinene copolymer	Lettuce, leaf	1,081.03	431	4,561.33	A
Alpha-pinene beta-pinene copolymer	Melon	61.43	9	212.0	A
Alpha-pinene beta-pinene copolymer	Mint	1.02	2	6.0	A
Alpha-pinene beta-pinene copolymer	Mizuna	1.15	7	6.48	A
Alpha-pinene beta-pinene copolymer	Mustard greens	9.29	5	39.55	A
Alpha-pinene beta-pinene copolymer	N-grnhs flower	21.49	N/A	24.0	A
Alpha-pinene beta-pinene copolymer	N-grnhs flower	<0.01	1	37.5	S
Alpha-pinene beta-pinene copolymer	N-grnhs plants in containers	121.35	260	235.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-pinene beta-pinene copolymer	N-grnhs transplants	12.5	30	56.72	A
Alpha-pinene beta-pinene copolymer	N-grnhs transplants	39.01	35	3,918,210.0	S
Alpha-pinene beta-pinene copolymer	N-outdr plants in containers	84.41	80	442.67	A
Alpha-pinene beta-pinene copolymer	N-outdr transplants	310.38	174	3,503.68	A
Alpha-pinene beta-pinene copolymer	N-outdr transplants	416.18	348	39,779,031.0	S
Alpha-pinene beta-pinene copolymer	Nectarine	8,405.28	2,095	33,536.54	A
Alpha-pinene beta-pinene copolymer	Oat	1.04	1	25.4	A
Alpha-pinene beta-pinene copolymer	Oat (forage - fodder)	376.55	128	5,529.17	A
Alpha-pinene beta-pinene copolymer	Olive	7,092.65	288	13,673.02	A
Alpha-pinene beta-pinene copolymer	Onion, dry	1,195.11	61	4,913.85	A
Alpha-pinene beta-pinene copolymer	Orange	17,736.5	1,673	34,859.28	A
Alpha-pinene beta-pinene copolymer	Oregano	0.16	1	1.0	A
Alpha-pinene beta-pinene copolymer	Parsley	3.48	18	32.58	A
Alpha-pinene beta-pinene copolymer	Pastureland	0.82	1	16.0	A
Alpha-pinene beta-pinene copolymer	Peach	9,591.61	2,429	41,642.68	A
Alpha-pinene beta-pinene copolymer	Pear	2,554.05	333	8,188.05	A
Alpha-pinene beta-pinene copolymer	Pear, asian (oriental pear, ya, ya li, nashi)	30.68	16	107.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-pinene beta-pinene copolymer	Peas	5.04	4	35.0	A
Alpha-pinene beta-pinene copolymer	Pecan	1.9	2	3.0	A
Alpha-pinene beta-pinene copolymer	Pepper, fruiting	126.82	33	1,091.9	A
Alpha-pinene beta-pinene copolymer	Pistachio	22,742.82	995	60,701.5	A
Alpha-pinene beta-pinene copolymer	Plum	1,441.65	510	5,454.37	A
Alpha-pinene beta-pinene copolymer	Pluot	24.59	25	86.93	A
Alpha-pinene beta-pinene copolymer	Pomegranate	71.83	23	1,233.96	A
Alpha-pinene beta-pinene copolymer	Pomelo	29.35	6	51.0	A
Alpha-pinene beta-pinene copolymer	Potato	438.92	39	2,612.9	A
Alpha-pinene beta-pinene copolymer	Prune	76.18	14	288.89	A
Alpha-pinene beta-pinene copolymer	Pumpkin	9.59	5	38.0	A
Alpha-pinene beta-pinene copolymer	Quince	20.02	14	71.6	A
Alpha-pinene beta-pinene copolymer	Rangeland	3.5	1	69.0	A
Alpha-pinene beta-pinene copolymer	Raspberry	1,367.36	546	5,864.56	A
Alpha-pinene beta-pinene copolymer	Regulatory pest control	15.88	N/A	N/A	N/A
Alpha-pinene beta-pinene copolymer	Research commodity	17.51	16	44.62	A
Alpha-pinene beta-pinene copolymer	Rice	2,858.89	83	7,025.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-pinene beta-pinene copolymer	Rights of way	43.46	37	258.4	A
Alpha-pinene beta-pinene copolymer	Rights of way	2.06	3	0.03	U
Alpha-pinene beta-pinene copolymer	Rights of way	105.94	N/A	N/A	N/A
Alpha-pinene beta-pinene copolymer	Rye	20.69	13	530.7	A
Alpha-pinene beta-pinene copolymer	Ryegrass	1.44	1	28.0	A
Alpha-pinene beta-pinene copolymer	Safflower	36.89	8	767.0	A
Alpha-pinene beta-pinene copolymer	Sage	1.02	1	6.0	A
Alpha-pinene beta-pinene copolymer	Small fruits/berry	0.26	1	1.0	A
Alpha-pinene beta-pinene copolymer	Soil fumigation/preplant	56.7	11	1,266.0	A
Alpha-pinene beta-pinene copolymer	Sorghum (forage - fodder)	261.25	30	2,778.8	A
Alpha-pinene beta-pinene copolymer	Sorghum/milo	763.08	38	2,708.57	A
Alpha-pinene beta-pinene copolymer	Spinach	255.55	163	1,369.26	A
Alpha-pinene beta-pinene copolymer	Squash	6.77	3	46.0	A
Alpha-pinene beta-pinene copolymer	Squash, winter	15.81	3	74.0	A
Alpha-pinene beta-pinene copolymer	Stone fruit	7.04	6	28.25	A
Alpha-pinene beta-pinene copolymer	Strawberry	16,763.0	1,478	60,807.95	A
Alpha-pinene beta-pinene copolymer	Structural pest control	0.34	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-pinene beta-pinene copolymer	Sudangrass	14.31	8	561.0	A
Alpha-pinene beta-pinene copolymer	Sugarbeet	158.76	14	901.0	A
Alpha-pinene beta-pinene copolymer	Sugarbeet (forage - fodder)	0.77	1	30.0	A
Alpha-pinene beta-pinene copolymer	Sunflower	59.05	3	265.0	A
Alpha-pinene beta-pinene copolymer	Sweet potato	11.71	9	285.0	A
Alpha-pinene beta-pinene copolymer	Swiss chard	46.55	29	177.78	A
Alpha-pinene beta-pinene copolymer	Tangelo	909.85	74	1,594.32	A
Alpha-pinene beta-pinene copolymer	Tangerine	10,954.21	1,011	19,798.8	A
Alpha-pinene beta-pinene copolymer	Tomato	217.34	60	1,421.11	A
Alpha-pinene beta-pinene copolymer	Tomato, processing	1,772.1	150	9,935.59	A
Alpha-pinene beta-pinene copolymer	Triticale	142.73	47	2,761.13	A
Alpha-pinene beta-pinene copolymer	Turnip	1.83	1	11.0	A
Alpha-pinene beta-pinene copolymer	Uncultivated ag	225.95	59	1,320.39	A
Alpha-pinene beta-pinene copolymer	Uncultivated non-ag	0.26	1	10.0	A
Alpha-pinene beta-pinene copolymer	Unknown	0.62	5	2.5	A
Alpha-pinene beta-pinene copolymer	Vegetable	20.54	25	129.2	A
Alpha-pinene beta-pinene copolymer	Vegetables, fruiting	5.62	20	40.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-pinene beta-pinene copolymer	Walnut	10,680.0	973	38,417.99	A
Alpha-pinene beta-pinene copolymer	Watermelon	44.76	13	266.0	A
Alpha-pinene beta-pinene copolymer	Wheat	171.83	39	4,768.29	A
Alpha-pinene beta-pinene copolymer	Wheat (forage - fodder)	814.47	299	16,623.59	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Alfalfa	1,068.43	1,690	77,555.37	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Almond	14,627.62	4,134	171,240.44	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Apple	4.12	3	31.26	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Apricot	9.05	30	127.89	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Asparagus	12.82	15	1,221.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Avocado	1.78	15	53.88	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Barley	2.05	7	585.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Bermudagrass	37.97	34	1,770.88	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Blackberry	0.15	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Blueberry	18.61	18	230.24	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Cabbage	0.18	1	4.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Cantaloupe	0.67	1	85.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Carrot	6.6	4	265.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Celery	0.27	1	19.2	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Cherry	425.46	224	5,093.44	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate</b>	Chinese broccoli (gai lon)	0.09	1	2.0	A
<b>Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate</b>	Citrus	0.04	1	1.0	A
<b>Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate</b>	Corn (forage - fodder)	177.87	176	9,447.45	A
<b>Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate</b>	Corn, grain	0.23	2	65.0	A
<b>Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate</b>	Corn, human consumption	16.58	3	60.0	A
<b>Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate</b>	Cotton	460.98	844	37,088.3	A
<b>Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate</b>	Cotton	1.05	N/A	1,940.25	U
<b>Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate</b>	Date	1.67	17	599.0	A
<b>Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate</b>	Ditch bank	54.05	41	442.0	A
<b>Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate</b>	Fig	2.74	3	130.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Forage hay/silage	1.0	7	284.4	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grape	935.86	528	12,367.46	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grape, wine	5,966.4	965	27,236.16	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grapefruit	42.53	38	865.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grass, seed	4.65	35	920.5	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Herb, spice	0.38	1	36.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Kiwi fruit fuzzy	9.35	4	124.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Landscape maintenance	41.17	N/A	N/A	N/A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Lemon	393.7	303	8,757.23	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Lettuce, head	4.87	1	16.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Lime	0.37	2	68.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Melon	3.2	17	521.46	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Mustard	1.56	2	69.5	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	N-grnhs flower	3.42	N/A	24.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Nectarine	61.26	89	331.73	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Oat	1.97	2	75.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Oat (forage - fodder)	1.02	1	14.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Olive	295.51	72	3,303.42	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Onion, dry	44.46	43	1,906.62	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Orange	688.76	401	9,179.04	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pastureland	0.02	1	2.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Peach	71.58	249	1,509.15	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pecan	162.07	16	841.32	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pepper, fruiting	1.94	2	42.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Persimmon	1.92	9	67.7	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pistachio	6,841.25	1,592	69,863.05	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Plum	36.56	509	2,469.37	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pomegranate	58.36	16	417.16	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pomelo	37.58	31	312.6	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Prune	1,092.61	124	4,447.44	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pumpkin	5.81	1	36.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Research commodity	7.39	18	72.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rice	314.35	46	3,585.19	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights of way	98.55	57	8,889.5	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights of way	373.44	N/A	N/A	N/A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rye	0.06	1	17.5	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Ryegrass	0.7	2	100.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Safflower	3.86	4	501.6	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Small fruits/berry	9.58	2	62.22	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Soil fumigation/preplant	1,490.39	175	32,805.6	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Sorghum/milo	2.46	1	72.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Sugarbeet	140.9	121	8,679.84	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Sunflower	8.81	1	60.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tangelo	20.38	12	501.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tangerine	573.03	326	7,424.81	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tomato	18.96	24	783.9	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tomato, processing	294.82	91	7,964.06	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Uncultivated ag	479.27	494	14,891.91	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Uncultivated non-ag	38.21	41	2,666.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Walnut	2,171.21	875	29,804.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Watermelon	1.05	1	100.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Wheat	77.61	46	3,572.2	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Wheat (forage - fodder)	76.87	9	859.82	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Alfalfa	5,319.06	1,338	78,319.29	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Almond	138,336.05	9,303	560,098.3	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Apple	144.88	30	833.44	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Apricot	490.58	124	2,149.59	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Artichoke, globe	866.93	483	6,438.92	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Arugula	2.05	15	66.45	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Avocado	61.64	28	582.3	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Barley	62.13	8	681.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Basil, sweet	16.42	5	247.75	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bean, dried	206.09	60	2,241.1	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bean, succulent	211.63	66	1,751.15	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Bean, unspecified	11.88	24	219.07	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Beet	43.38	101	626.83	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Bermudagrass	452.82	30	2,640.0	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Blackberry	13.96	36	111.69	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Blueberry	455.9	59	3,692.97	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Bok choy (choy sum, pak choi)	109.27	323	1,129.98	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Broccoli	5,015.15	3,910	44,668.73	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Brussels sprout	2,407.26	1,767	22,376.5	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Cabbage	2,856.28	2,247	19,157.63	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Cabbage, savoy	2.67	2	33.0	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Cantaloupe	214.51	65	3,459.43	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Carrot	149.73	94	1,065.72	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Cauliflower	2,257.8	2,179	19,626.79	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Celeriac	9.57	18	82.58	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Celery	3,347.15	1,932	20,258.94	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Cherry	3,589.84	762	13,102.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Chinese broccoli (gai lon)	5.72	1	15.0	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Chinese cabbage (napa, wong bok, celery cabbage)	54.07	176	828.29	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Cilantro	91.89	331	1,431.4	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Citrus	15.64	10	116.0	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Collard	50.79	125	404.67	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Commercial, institutional or industrial areas	50.11	N/A	671.53	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Commercial, institutional or industrial areas	14.91	N/A	30,028.88	K
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Commercial, institutional or industrial areas	17.13	N/A	1,981,972.0	S
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Corn (forage - fodder)	5,888.1	1,359	69,030.05	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Corn, grain	28.15	5	241.1	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Corn, human consumption	1,147.49	576	25,453.4	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Cotton	7,389.66	1,115	140,470.22	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Cucumber	4.35	8	73.6	A
<b>Alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Daikon	1.14	2	22.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Dandelion green	0.35	3	2.73	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Date	0.18	1	3.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Ditch bank	145.63	112	1,287.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Ditch bank	2.73	N/A	7,750.0	S
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Eggplant	22.91	11	188.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Endive (escarole)	34.0	203	601.17	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Fennel	101.94	43	407.9	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Forage hay/silage	252.19	48	2,799.59	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Forest, timberland	575.16	17	989.24	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Gai lon	1.93	18	16.91	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Garbanzo bean	21.95	14	101.2	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Garlic	835.09	180	8,775.94	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Golf course turf	33.25	1	135.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape	6,348.88	1,639	41,131.87	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape	0.02	2	18,000.0	S
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	13,271.66	3,093	87,495.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grapefruit	577.73	191	2,429.36	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grass, seed	12.29	20	96.2	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Herb, spice	0.47	2	2.9	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Hops	7.33	2	24.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Industrial waste disposal systems, disposal water	0.11	1	5.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Kale	183.96	442	2,424.39	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	569.0	72	1,169.43	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Kohlrabi	26.12	75	337.69	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.97	4	16.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	3,466.27	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Leek	30.06	122	485.28	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lemon	3,046.81	791	16,070.39	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, head	3,694.77	3,431	37,561.13	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	9,751.99	7,003	73,254.4	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lime	2.32	7	26.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Melon	100.6	29	1,786.77	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Mustard	20.31	71	160.76	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Mustard greens	46.12	131	438.05	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-grnhs flower	9.01	43	108.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-grnhs flower	2.08	30	142,500.0	S
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	19.08	89	151.25	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	70.65	197	10,011,992.0	S
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	361.76	67	342.66	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr flower	212.54	2,015	2,405.14	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	90.91	465	953.55	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	24.02	138	6,655,738.4	S
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.13	2	165.0	U
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr transplants	585.21	321	638.24	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Nectarine	451.02	410	4,070.48	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Oat	30.26	8	460.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	398.75	121	5,935.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Olive	592.82	55	2,686.02	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Onion, dry	1,113.59	262	17,623.8	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Orange	13,935.71	3,451	71,311.7	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Orchardgrass	9.82	5	140.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Parsley	201.17	262	1,617.8	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pastureland	23.68	4	189.75	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Peach	1,006.65	630	7,928.07	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pear	46.21	6	151.7	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Peas	220.94	165	1,678.76	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pecan	188.61	34	1,158.81	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	2,607.23	675	16,874.55	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pepper, spice	10.56	6	93.9	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Persimmon	265.63	30	963.4	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pistachio	139,230.85	4,784	402,973.75	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Plum	392.5	192	2,301.37	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pomegranate	2,939.49	85	6,090.84	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pomelo	84.91	50	425.11	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Potato	355.72	170	5,099.98	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Prune	199.02	69	1,799.55	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pumpkin	83.75	47	598.7	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Quince	48.38	47	272.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Radicchio	11.61	36	154.76	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Radish	88.87	411	1,322.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rangeland	0.85	8	28.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rapini	888.34	204	6,689.4	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Raspberry	26.14	65	280.92	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Recreation area	1.35	N/A	6.87	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Research commodity	4.07	10	40.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Research commodity	4.8	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rice	439.65	87	5,592.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	2,940.19	176	17,282.25	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	0.61	1	40,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	13.77	5	0.05	U
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	13,977.06	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Ryegrass	276.62	66	4,335.06	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Safflower	160.68	23	5,346.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sod farm (turf)	16.34	35	254.48	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	1,266.73	141	25,915.03	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	287.2	80	4,609.59	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sorghum/milo	87.35	32	1,589.7	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Spinach	7.88	29	89.35	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Squash	13.96	14	179.37	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Squash, summer	1.65	3	44.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Squash, winter	0.27	1	9.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Squash, zucchini	0.02	1	0.1	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Strawberry	18,811.64	1,522	68,893.61	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Structural pest control	34.79	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sudangrass	47.39	14	498.48	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sugarbeet	88.39	16	1,442.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sunflower	117.17	25	1,314.74	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sweet potato	36.67	14	327.25	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Swiss chard	16.47	117	170.08	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tangelo	329.29	112	1,858.37	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tangerine	6,609.1	1,531	45,028.4	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tomato	530.87	163	6,586.62	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tomato, processing	7,515.66	940	76,207.6	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Triticale	148.47	44	2,539.3	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Turf/sod	8.07	3	77.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Turnip	21.5	94	204.14	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated ag	897.34	441	5,393.21	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	312.29	19	1,954.53	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	0.34	N/A	26,374.0	S
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Vegetable	1.32	3	8.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Walnut	11,742.4	1,951	73,650.77	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Water (industrial)	36.73	N/A	190.25	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Water area	61.72	1	415.42	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Water area	0.6	N/A	1,701.0	S
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Water area	1.44	N/A	12.5	U
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Watermelon	291.78	88	3,577.16	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Wheat	748.82	118	8,846.35	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	2,469.23	779	47,162.87	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) phosphate ester	Almond	0.06	1	25.26	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Alfalfa	12.88	19	558.3	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Almond	217.64	82	5,577.8	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Apple	0.73	9	22.65	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Apricot	0.55	6	2.4	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Avocado	0.93	7	79.5	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Avocado	0.01	4	24,400.0	U
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Bean, succulent	0.52	1	62.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Broccoli	2.05	3	49.3	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cabbage	1.92	5	46.1	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cantaloupe	29.23	41	2,848.5	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cherry	6.0	1	18.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Citrus	0.29	1	20.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cotton	7.64	9	241.7	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Date	0.17	1	37.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Ditch bank	0.01	1	0.5	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Forage hay/silage	0.08	1	0.5	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Grape	310.48	269	12,215.81	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Grape, wine	55.23	28	110.55	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Grapefruit	1.25	4	100.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.27	1	8.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Landscape maintenance	105.7	N/A	N/A	N/A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lemon	25.38	38	2,804.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lettuce, head	7.5	18	187.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	10.14	24	254.8	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Melon	46.23	84	4,386.9	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs flower	13.43	85	287.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs flower	0.28	35	107,775.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	25.38	298	317.76	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	2.1	56	1,120,200.0	S
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	20.36	66	569.82	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	5.45	25	4,868,340.0	S
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr flower	52.9	460	1,075.31	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	92.65	735	1,069.89	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	<0.01	1	2.0	S
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.15	4	872.0	U



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr transplants	0.82	13	32.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr transplants	64.2	323	55,811,310.0	S
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Orange	18.21	16	403.51	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Peach	0.79	9	4.75	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Plum	0.53	4	1.7	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Pomegranate	0.21	2	1.25	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Regulatory pest control	5.97	N/A	N/A	N/A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Research commodity	0.13	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Rights of way	2.84	14	9.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Rights of way	22.51	N/A	N/A	N/A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	0.31	1	40.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Strawberry	127.91	140	1,424.3	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Structural pest control	14.24	N/A	N/A	N/A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Tangelo	2.49	5	275.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Tangerine	94.65	25	562.33	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Tomato, processing	22.61	35	1,982.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Uncultivated ag	5.03	1	63.8	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Walnut	0.5	6	79.0	A
Aluminum phosphide	Alfalfa	164.8	35	1,998.1	A
Aluminum phosphide	Almond	1,616.97	495	24,584.68	A
Aluminum phosphide	Almond	1,305.62	N/A	9,529,800.0	C
Aluminum phosphide	Almond	4,671.61	N/A	41,561.59	K
Aluminum phosphide	Almond	25.61	N/A	675,968.0	P
Aluminum phosphide	Almond	3.05	3	267,893.6	S
Aluminum phosphide	Almond	29,062.83	N/A	1,185,751.68	T
Aluminum phosphide	Almond	170.48	15	22,240.01	U
Aluminum phosphide	Animal burrows	4.35	3	15.0	A
Aluminum phosphide	Apple	26.16	33	153.0	A
Aluminum phosphide	Apricot	84.12	7	124.8	A
Aluminum phosphide	Artichoke, globe	5.63	28	308.9	A
Aluminum phosphide	Avocado	26.53	12	89.75	A
Aluminum phosphide	Avocado	0.06	1	50.0	S
Aluminum phosphide	Barley	0.45	N/A	3,200.0	C
Aluminum phosphide	Bean, dried	3.63	N/A	5,225.0	C
Aluminum phosphide	Beehive	7.92	1	648.08	A
Aluminum phosphide	Beehive	67.73	10	388,120.0	C
Aluminum phosphide	Beehive	0.2	N/A	1,000.0	S
Aluminum phosphide	Beehive	43.72	7	46,800.0	U
Aluminum phosphide	Cherry	9.23	18	419.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Aluminum phosphide	Commercial, institutional or industrial areas	217.8	N/A	650,085.0	C
Aluminum phosphide	Commercial, institutional or industrial areas	5,151.3	N/A	38,872.42	K
Aluminum phosphide	Commodity fumigation	417.04	1	1,475.0	?
Aluminum phosphide	Commodity fumigation	5.5	4	0.88	A
Aluminum phosphide	Commodity fumigation	20,816.79	78	6,178,160.0	C
Aluminum phosphide	Commodity fumigation	421.66	22	154.03	U
Aluminum phosphide	Commodity fumigation	36,033.91	N/A	N/A	N/A
Aluminum phosphide	Corn (forage - fodder)	0.06	1	22.0	A
Aluminum phosphide	Corn, human consumption	1,259.46	N/A	1,422,108.0	C
Aluminum phosphide	Cotton	1.21	N/A	13,500.0	C
Aluminum phosphide	County ag comm	2.33	N/A	N/A	N/A
Aluminum phosphide	Cucumber	0.26	1	1.0	A
Aluminum phosphide	Date	34.65	N/A	2,568.17	T
Aluminum phosphide	Dried fruit	733.77	1	5,394,036.5	C
Aluminum phosphide	Dried fruit	3,191.63	N/A	112,161.55	K
Aluminum phosphide	Eggplant	4.66	4	19.0	A
Aluminum phosphide	Fig	0.02	N/A	80.0	C
Aluminum phosphide	Food processing plant	0.03	1	600,000.0	C
Aluminum phosphide	Forage hay/silage	6.59	3	53.0	A
Aluminum phosphide	Fumigation, other	10,952.55	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Aluminum phosphide	Golf course turf	212.49	14	6,273.0	A
Aluminum phosphide	Golf course turf	1.65	N/A	120.0	C
Aluminum phosphide	Granary	2.75	1	60,820.0	?
Aluminum phosphide	Grape	28.01	13	324.0	A
Aluminum phosphide	Grape	499.77	N/A	8,643,000.0	C
Aluminum phosphide	Grape	632.95	N/A	4,467.31	K
Aluminum phosphide	Grape	0.04	1	200.0	S
Aluminum phosphide	Grape, wine	560.2	60	2,097.59	A
Aluminum phosphide	Grape, wine	3.97	2	250.0	U
Aluminum phosphide	Grapefruit	5.4	6	36.0	A
Aluminum phosphide	Landscape maintenance	76.51	40	1,159.0	A
Aluminum phosphide	Landscape maintenance	16,519.75	N/A	N/A	N/A
Aluminum phosphide	Lemon	1.64	5	73.0	A
Aluminum phosphide	N-grnhs flower	4.71	N/A	362.0	A
Aluminum phosphide	N-grnhs flower	1.28	N/A	40,000.0	S
Aluminum phosphide	N-grnhs plants in containers	3.97	N/A	120.0	A
Aluminum phosphide	N-grnhs transplants	0.27	N/A	120.0	A
Aluminum phosphide	N-outdr flower	0.08	4	5.5	A
Aluminum phosphide	N-outdr plants in containers	3.6	1	2.67	A
Aluminum phosphide	N-outdr transplants	3.96	2	60.0	A
Aluminum phosphide	Nuts	4.77	N/A	41,984.0	C
Aluminum phosphide	Oat (forage - fodder)	0.16	1	37.0	A
Aluminum phosphide	Olive	23.3	5	85.0	A
Aluminum phosphide	Orange	13.58	32	300.65	A
Aluminum phosphide	Pastureland	211.54	11	2,438.0	A
Aluminum phosphide	Pastureland	0.16	1	10.0	U
Aluminum phosphide	Peach	3.25	16	172.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aluminum phosphide	Pecan	0.04	1	10.0	A
Aluminum phosphide	Pistachio	74.69	33	2,601.1	A
Aluminum phosphide	Pistachio	4,540.73	N/A	29,124,419.0	C
Aluminum phosphide	Pistachio	0.82	N/A	252,000.0	P
Aluminum phosphide	Pistachio	2,851.05	N/A	431,606.46	T
Aluminum phosphide	Prune	28.49	N/A	588,800.0	C
Aluminum phosphide	Pumpkin	0.38	1	5.0	A
Aluminum phosphide	Rangeland	10.16	7	71.0	A
Aluminum phosphide	Regulatory pest control	3,309.09	N/A	N/A	N/A
Aluminum phosphide	Research commodity	0.08	1	1.0	A
Aluminum phosphide	Research commodity	1.49	N/A	N/A	N/A
Aluminum phosphide	Rice	1,420.62	N/A	3,580,549.0	C
Aluminum phosphide	Rice	172.87	N/A	20,279.0	T
Aluminum phosphide	Rice	738.44	N/A	6.4	U
Aluminum phosphide	Rice, wild	0.77	N/A	2,500.0	C
Aluminum phosphide	Rights of way	2.4	5	28.0	A
Aluminum phosphide	Rights of way	0.08	1	5.0	U
Aluminum phosphide	Rights of way	497.6	N/A	N/A	N/A
Aluminum phosphide	Rye	1.86	N/A	2,744.0	C
Aluminum phosphide	Safflower	0.18	N/A	891.0	C
Aluminum phosphide	Soil fumigation/preplant	18.57	2	149.4	A
Aluminum phosphide	Squash	0.12	1	15.0	A
Aluminum phosphide	Squash, summer	0.53	1	2.0	A
Aluminum phosphide	Storage area/box	1.94	2	25,000.0	C
Aluminum phosphide	Structural pest control	407.43	N/A	N/A	N/A
Aluminum phosphide	Sudangrass	1.31	N/A	264,000.0	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aluminum phosphide	Sweet potato	0.21	3	80.0	A
Aluminum phosphide	Tangerine	1.05	8	76.0	A
Aluminum phosphide	Triticale	6.84	N/A	2,482.75	T
Aluminum phosphide	Uncultivated ag	120.06	121	1,870.26	A
Aluminum phosphide	Uncultivated non-ag	0.21	3	1.5	A
Aluminum phosphide	Uncultivated non-ag	1.06	9	19,300.0	C
Aluminum phosphide	Uncultivated non-ag	0.63	N/A	400.0	S
Aluminum phosphide	Vegetable	0.07	N/A	880.0	C
Aluminum phosphide	Vertebrate control	72.06	83	230.28	A
Aluminum phosphide	Vertebrate control	1.66	5	83.04	U
Aluminum phosphide	Vertebrate control	4,066.07	N/A	N/A	N/A
Aluminum phosphide	Walnut	92.75	74	1,122.66	A
Aluminum phosphide	Walnut	0.29	N/A	4,500.0	C
Aluminum phosphide	Walnut	31.91	N/A	2,686.0	T
Aluminum phosphide	Wheat	2.15	N/A	13,290.0	C
Aluminum phosphide	Wheat	23.81	N/A	4,766,945.3	P
Aluminum phosphide	Wheat	64.87	N/A	24,887.78	T
Aluminum phosphide	Wheat (forage - fodder)	6.35	2	40.0	A
Ametoctradin	Arugula	115.08	172	422.23	A
Ametoctradin	Bok choy (choy sum, pak choi)	0.84	2	3.09	A
Ametoctradin	Broccoli	62.05	7	227.5	A
Ametoctradin	Brussels sprout	19.62	5	72.0	A
Ametoctradin	Cabbage	189.35	65	771.43	A
Ametoctradin	Cauliflower	14.56	4	63.0	A
Ametoctradin	Chinese broccoli (gai lon)	60.89	118	314.0	A
Ametoctradin	Collard	26.05	24	95.4	A
Ametoctradin	Cucumber	390.43	45	1,431.55	A
Ametoctradin	Dandelion green	0.75	3	2.73	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ametoctradin	Endive (escarole)	3.29	8	13.04	A
Ametoctradin	Kale	107.61	158	403.24	A
Ametoctradin	Kohlrabi	0.3	1	1.1	A
Ametoctradin	Lettuce, head	4,339.38	1,472	16,476.15	A
Ametoctradin	Lettuce, leaf	4,550.21	1,779	16,992.02	A
Ametoctradin	Melon	9.82	2	36.0	A
Ametoctradin	Mizuna	19.5	17	71.3	A
Ametoctradin	Mustard	18.08	27	79.33	A
Ametoctradin	Mustard greens	19.09	58	70.48	A
Ametoctradin	N-grnhs flower	4.41	6	14.5	A
Ametoctradin	N-grnhs flower	6.92	12	928,000.0	S
Ametoctradin	N-grnhs plants in containers	19.04	30	50.61	A
Ametoctradin	N-grnhs plants in containers	0.71	2	264,000.0	S
Ametoctradin	N-outdr plants in containers	83.49	178	266.88	A
Ametoctradin	N-outdr transplants	5.08	8	17.0	A
Ametoctradin	Onion, dry	1,309.12	79	4,824.2	A
Ametoctradin	Onion, green	100.4	4	368.1	A
Ametoctradin	Parsley	18.66	15	68.44	A
Ametoctradin	Pepper, fruiting	25.03	5	91.76	A
Ametoctradin	Research commodity	1.1	1	4.0	A
Ametoctradin	Research commodity	2.88	N/A	N/A	N/A
Ametoctradin	Spinach	2,151.49	1,013	7,927.21	A
Ametoctradin	Squash	2.19	1	8.0	A
Ametoctradin	Swiss chard	51.1	77	187.34	A
Ametoctradin	Tomato	11.17	4	41.0	A
Ametoctradin	Upland cress	19.88	32	72.9	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Ametoctradin</b>	Vegetables, leafy	0.78	2	4.5	A
<b>Ametoctradin</b>	Watermelon	31.06	6	114.0	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Almond	742.19	71	7,381.0	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Cherry	20.9	13	223.8	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Corn (forage - fodder)	32.25	3	294.0	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Cucumber	98.46	144	869.21	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Nectarine	32.08	25	292.47	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Peach	149.96	64	1,367.16	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Pear	54.43	21	496.2	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Plum	0.33	2	3.0	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Pomegranate	0.02	2	0.4	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Research commodity	0.22	26	233,700.0	S
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Research commodity	0.34	N/A	N/A	N/A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Uncultivated ag	4.12	2	30.0	A
<b>Amino ethoxy vinyl glycine hydrochloride</b>	Walnut	826.35	261	7,959.79	A
<b>Aminocyclopyrachlor</b>	Landscape maintenance	19.69	N/A	N/A	N/A
<b>Aminocyclopyrachlor</b>	Regulatory pest control	5.42	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Aminocyclopyrachlor</b>	Rights of way	37.12	N/A	N/A	N/A
<b>Aminocyclopyrachlor, potassium salt</b>	Commercial, institutional or industrial areas	38.82	N/A	293.1	A
<b>Aminocyclopyrachlor, potassium salt</b>	Commercial, institutional or industrial areas	0.01	N/A	8,100.0	C
<b>Aminocyclopyrachlor, potassium salt</b>	Commercial, institutional or industrial areas	0.18	N/A	91,741.0	S
<b>Aminocyclopyrachlor, potassium salt</b>	Landscape maintenance	523.72	N/A	N/A	N/A
<b>Aminocyclopyrachlor, potassium salt</b>	Regulatory pest control	11.95	N/A	N/A	N/A
<b>Aminocyclopyrachlor, potassium salt</b>	Rights of way	2,490.02	N/A	N/A	N/A
<b>Aminocyclopyrachlor, potassium salt</b>	Uncultivated non-ag	100.38	N/A	565.45	A
<b>Aminocyclopyrachlor, potassium salt</b>	Uncultivated non-ag	0.02	N/A	5,724.0	S
<b>Aminopyralid, triisopropanolamine salt</b>	Airport	8.44	2	47.0	A
<b>Aminopyralid, triisopropanolamine salt</b>	Alfalfa	0.94	1	20.0	A
<b>Aminopyralid, triisopropanolamine salt</b>	Commercial, institutional or industrial areas	3.46	N/A	17.0	A
<b>Aminopyralid, triisopropanolamine salt</b>	County ag comm	21.92	N/A	N/A	N/A
<b>Aminopyralid, triisopropanolamine salt</b>	Ditch bank	5.68	19	62.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Aminopyralid, triisopropanolamine salt</b>	Forage hay/silage	15.32	4	214.1	A
<b>Aminopyralid, triisopropanolamine salt</b>	Forest, timberland	1,919.68	243	11,880.99	A
<b>Aminopyralid, triisopropanolamine salt</b>	Industrial waste disposal systems, disposal water	0.21	1	5.0	A
<b>Aminopyralid, triisopropanolamine salt</b>	Landscape maintenance	7,454.18	N/A	N/A	N/A
<b>Aminopyralid, triisopropanolamine salt</b>	Lemon	15.6	4	110.25	A
<b>Aminopyralid, triisopropanolamine salt</b>	N-outdr plants in containers	0.27	2	2.5	A
<b>Aminopyralid, triisopropanolamine salt</b>	Pastureland	284.63	105	1,719.69	A
<b>Aminopyralid, triisopropanolamine salt</b>	Pastureland	1.55	10	335,200.0	S
<b>Aminopyralid, triisopropanolamine salt</b>	Prune	1.08	1	12.55	A
<b>Aminopyralid, triisopropanolamine salt</b>	Rangeland	922.71	136	7,473.21	A
<b>Aminopyralid, triisopropanolamine salt</b>	Regulatory pest control	107.94	N/A	N/A	N/A
<b>Aminopyralid, triisopropanolamine salt</b>	Rights of way	235.59	74	1,454.0	A
<b>Aminopyralid, triisopropanolamine salt</b>	Rights of way	18,804.07	N/A	N/A	N/A
<b>Aminopyralid, triisopropanolamine salt</b>	Structural pest control	14.53	N/A	N/A	N/A
<b>Aminopyralid, triisopropanolamine salt</b>	Uncultivated ag	20.9	21	114.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aminopyralid, triisopropanolamine salt	Uncultivated ag	0.01	1	3,500.0	S
Aminopyralid, triisopropanolamine salt	Uncultivated non-ag	91.04	17	1,708.67	A
Aminopyralid, triisopropanolamine salt	Water area	28.92	3	1,065.0	A
Amitraz	Beehive	1.95	14	12,424.0	U
Amitraz	Regulatory pest control	0.03	N/A	N/A	N/A
Ammonium nitrate	Alfalfa	4,362.26	1,262	62,379.24	A
Ammonium nitrate	Almond	16,011.8	3,172	112,669.3	A
Ammonium nitrate	Apple	0.02	2	3.0	A
Ammonium nitrate	Apricot	3.79	5	30.5	A
Ammonium nitrate	Artichoke, globe	0.63	10	95.0	A
Ammonium nitrate	Avocado	10.68	33	100.0	A
Ammonium nitrate	Barley	0.39	1	40.0	A
Ammonium nitrate	Barley (forage - fodder)	2.68	7	432.6	A
Ammonium nitrate	Basil, sweet	1.1	4	186.5	A
Ammonium nitrate	Bean, dried	150.46	11	1,218.0	A
Ammonium nitrate	Bean, succulent	2.39	2	84.0	A
Ammonium nitrate	Bermudagrass	2.54	2	16.0	A
Ammonium nitrate	Broccoli	3.46	4	136.5	A
Ammonium nitrate	Cabbage	0.61	1	25.0	A
Ammonium nitrate	Cantaloupe	0.88	1	91.0	A
Ammonium nitrate	Cherry	212.42	173	2,075.55	A
Ammonium nitrate	Citrus	5.08	15	19.1	A
Ammonium nitrate	Commercial, institutional or industrial areas	1.78	N/A	17.0	A
Ammonium nitrate	Corn (forage - fodder)	869.7	268	15,002.59	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium nitrate	Corn, grain	24.61	35	3,283.91	A
Ammonium nitrate	Corn, human consumption	104.44	10	386.0	A
Ammonium nitrate	Cotton	39.76	48	3,398.33	A
Ammonium nitrate	Cucumber	0.24	2	22.0	A
Ammonium nitrate	Ditch bank	48.8	N/A	90.0	A
Ammonium nitrate	Fig	644.61	10	603.93	A
Ammonium nitrate	Forage hay/silage	91.07	21	1,450.0	A
Ammonium nitrate	Garbanzo bean	1.38	1	158.0	A
Ammonium nitrate	Garlic	26.37	13	1,176.79	A
Ammonium nitrate	Golf course turf	0.13	N/A	1.75	A
Ammonium nitrate	Grape	394.65	235	5,770.65	A
Ammonium nitrate	Grape, wine	10,068.5	5,517	70,784.14	A
Ammonium nitrate	Grapefruit	14.38	29	97.56	A
Ammonium nitrate	Herb, spice	1.05	3	108.0	A
Ammonium nitrate	Hops	0.03	1	1.5	A
Ammonium nitrate	Kiwi fruit fuzzy	32.08	94	530.54	A
Ammonium nitrate	Landscape maintenance	67.62	1	135.0	A
Ammonium nitrate	Landscape maintenance	2,486.82	N/A	N/A	N/A
Ammonium nitrate	Lemon	53.52	44	457.92	A
Ammonium nitrate	Melon	0.96	4	99.0	A
Ammonium nitrate	Mint	352.33	13	798.0	A
Ammonium nitrate	Mushroom	0.31	4	32.0	A
Ammonium nitrate	N-grnhs flower	4.21	N/A	31.75	A
Ammonium nitrate	N-grnhs flower	<0.01	N/A	39.0	S
Ammonium nitrate	N-grnhs plants in containers	0.19	1	1.0	A
Ammonium nitrate	N-grnhs plants in containers	9.89	22	936,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium nitrate	N-outdr flower	0.53	4	8.4	A
Ammonium nitrate	N-outdr plants in containers	1.3	10	13.81	A
Ammonium nitrate	N-outdr plants in containers	<0.01	1	0.75	S
Ammonium nitrate	N-outdr transplants	25.56	29	283.0	A
Ammonium nitrate	Nectarine	75.4	76	712.68	A
Ammonium nitrate	Oat	1.02	1	10.0	A
Ammonium nitrate	Oat (forage - fodder)	183.2	6	175.0	A
Ammonium nitrate	Olive	139.88	148	2,906.01	A
Ammonium nitrate	Onion, dry	42.29	38	2,835.21	A
Ammonium nitrate	Orange	59.58	87	810.41	A
Ammonium nitrate	Orchardgrass	5.53	1	145.0	A
Ammonium nitrate	Pastureland	25.2	10	2,015.0	A
Ammonium nitrate	Peach	311.69	176	2,173.26	A
Ammonium nitrate	Pear	418.61	22	432.6	A
Ammonium nitrate	Pear, asian (oriental pear, ya, ya li, nashi)	3.37	6	36.0	A
Ammonium nitrate	Peas	7.93	35	327.3	A
Ammonium nitrate	Pecan	28.94	20	277.86	A
Ammonium nitrate	Pepper, fruiting	53.67	13	305.5	A
Ammonium nitrate	Pistachio	1,823.93	578	25,569.81	A
Ammonium nitrate	Plum	48.22	47	379.46	A
Ammonium nitrate	Pluot	0.11	1	1.0	A
Ammonium nitrate	Pomegranate	8.29	4	54.0	A
Ammonium nitrate	Potato	688.46	30	1,820.6	A
Ammonium nitrate	Prune	549.18	245	6,243.96	A
Ammonium nitrate	Pumpkin	0.99	3	75.0	A
Ammonium nitrate	Quince	0.25	1	4.0	A
Ammonium nitrate	Rangeland	0.95	3	423.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Ammonium nitrate	Regulatory pest control	28.06	N/A	N/A	N/A
Ammonium nitrate	Research commodity	3.13	4	24.5	A
Ammonium nitrate	Rice	4,859.02	995	72,726.49	A
Ammonium nitrate	Rights of way	196.2	71	1,992.3	A
Ammonium nitrate	Rights of way	21.74	4	0.04	U
Ammonium nitrate	Rights of way	2,487.9	N/A	N/A	N/A
Ammonium nitrate	Rye	18.22	5	275.0	A
Ammonium nitrate	Ryegrass	3.36	1	33.0	A
Ammonium nitrate	Squash	2.54	1	25.0	A
Ammonium nitrate	Stone fruit	1.53	6	6.96	A
Ammonium nitrate	Strawberry	2.37	3	97.75	A
Ammonium nitrate	Structural pest control	333.91	N/A	N/A	N/A
Ammonium nitrate	Sudangrass	7.54	4	345.2	A
Ammonium nitrate	Sugarbeet	485.54	51	3,540.4	A
Ammonium nitrate	Sunflower	362.96	83	3,084.06	A
Ammonium nitrate	Sweet potato	1.53	1	15.0	A
Ammonium nitrate	Tangerine	165.38	68	1,040.05	A
Ammonium nitrate	Tomato	64.58	104	3,699.15	A
Ammonium nitrate	Tomato, processing	290.13	158	7,573.89	A
Ammonium nitrate	Triticale	104.01	16	799.3	A
Ammonium nitrate	Uncultivated ag	3,467.85	1,791	34,605.9	A
Ammonium nitrate	Uncultivated non-ag	133.5	42	2,108.8	A
Ammonium nitrate	Vegetable	0.51	1	1.0	A
Ammonium nitrate	Vegetables, fruiting	0.76	1	1.5	A
Ammonium nitrate	Vertebrate control	0.05	1	2.0	A
Ammonium nitrate	Vertebrate control	843.24	N/A	N/A	N/A
Ammonium nitrate	Walnut	7,959.39	3,215	63,722.83	A
Ammonium nitrate	Water area	160.1	19	93.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium nitrate	Watermelon	1.53	4	153.0	A
Ammonium nitrate	Wheat	512.69	76	4,116.7	A
Ammonium nitrate	Wheat (forage - fodder)	1,152.75	115	5,891.63	A
Ammonium nonanoate	Almond	112.37	4	134.62	A
Ammonium nonanoate	Blueberry	33.39	2	2.0	A
Ammonium nonanoate	Broccoli	3.24	3	1.22	A
Ammonium nonanoate	Celery	17.23	3	3.5	A
Ammonium nonanoate	Cilantro	2.5	1	0.5	A
Ammonium nonanoate	Citrus	6.95	2	1.04	A
Ammonium nonanoate	Grape	2,132.16	19	832.0	A
Ammonium nonanoate	Kale	11.52	2	2.12	A
Ammonium nonanoate	Landscape maintenance	25.7	7	7.95	A
Ammonium nonanoate	Landscape maintenance	3.34	1	100.0	S
Ammonium nonanoate	Landscape maintenance	1,259.48	N/A	N/A	N/A
Ammonium nonanoate	Lettuce, head	195.18	10	66.56	A
Ammonium nonanoate	Lettuce, leaf	2,395.27	80	407.16	A
Ammonium nonanoate	N-grnhs plants in containers	291.96	20	28.38	A
Ammonium nonanoate	N-outdr plants in containers	46.27	3	17.06	A
Ammonium nonanoate	Onion, dry	26.71	2	1.0	A
Ammonium nonanoate	Pepper, fruiting	3.27	1	0.5	A
Ammonium nonanoate	Pome fruit	0.68	1	0.25	A
Ammonium nonanoate	Rights of way	2,641.41	3	90.0	A
Ammonium nonanoate	Rights of way	1,430.98	N/A	N/A	N/A
Ammonium nonanoate	Walnut	136.91	2	11.2	A
Ammonium propionate	Alfalfa	2,501.1	308	19,927.38	A
Ammonium propionate	Almond	18,518.25	1,924	99,901.09	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium propionate	Apricot	29.21	16	160.26	A
Ammonium propionate	Artichoke, globe	19.75	163	2,480.1	A
Ammonium propionate	Avocado	245.9	218	2,342.68	A
Ammonium propionate	Barley	4.71	1	37.0	A
Ammonium propionate	Blackberry	2.6	1	5.5	A
Ammonium propionate	Blueberry	102.32	21	369.96	A
Ammonium propionate	Bok choy (choy sum, pak choi)	0.09	4	6.3	A
Ammonium propionate	Broccoli	491.15	1,637	18,202.33	A
Ammonium propionate	Brussels sprout	240.75	1,164	13,277.32	A
Ammonium propionate	Cabbage	112.85	390	2,742.49	A
Ammonium propionate	Cantaloupe	41.01	11	466.0	A
Ammonium propionate	Carrot	14.39	3	79.0	A
Ammonium propionate	Cauliflower	237.02	1,116	10,455.62	A
Ammonium propionate	Celery	40.38	136	1,255.64	A
Ammonium propionate	Cherry	318.48	49	1,497.23	A
Ammonium propionate	Chinese cabbage (napa, wong bok, celery cabbage)	0.01	1	1.0	A
Ammonium propionate	Corn (forage - fodder)	1,329.79	282	16,162.67	A
Ammonium propionate	Corn, human consumption	376.68	5	124.9	A
Ammonium propionate	Cotton	2,499.74	333	32,242.61	A
Ammonium propionate	Ditch bank	75.72	12	205.6	A
Ammonium propionate	Forage hay/silage	2.36	1	20.0	A
Ammonium propionate	Garlic	75.42	3	377.0	A
Ammonium propionate	Grape	348.9	144	3,791.78	A
Ammonium propionate	Grape, wine	6,919.37	1,090	25,329.22	A
Ammonium propionate	Grapefruit	11.8	11	98.68	A
Ammonium propionate	Herb, spice	0.58	1	2.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium propionate	Kale	8.49	1	18.0	A
Ammonium propionate	Kohlrabi	0.15	3	15.0	A
Ammonium propionate	Landscape maintenance	287.56	N/A	N/A	N/A
Ammonium propionate	Lemon	581.53	150	3,531.14	A
Ammonium propionate	Lettuce, head	57.6	255	3,103.5	A
Ammonium propionate	Lettuce, leaf	36.88	391	2,905.55	A
Ammonium propionate	Melon	26.1	2	155.0	A
Ammonium propionate	N-grnhs plants in containers	316.21	297	470.16	A
Ammonium propionate	N-grnhs transplants	0.12	6	11.85	A
Ammonium propionate	N-outdr flower	622.55	461	2,336.8	A
Ammonium propionate	N-outdr plants in containers	5.4	40	72.38	A
Ammonium propionate	N-outdr transplants	17.35	25	66.56	A
Ammonium propionate	Nectarine	53.14	33	302.57	A
Ammonium propionate	Oat (forage - fodder)	30.4	18	282.0	A
Ammonium propionate	Olive	98.23	11	504.87	A
Ammonium propionate	Onion, dry	13.31	2	46.0	A
Ammonium propionate	Orange	1,453.28	378	7,028.37	A
Ammonium propionate	Parsley	1.41	1	6.0	A
Ammonium propionate	Pastureland	0.09	1	0.7	A
Ammonium propionate	Peach	57.79	44	354.24	A
Ammonium propionate	Pecan	37.41	5	297.97	A
Ammonium propionate	Pepper, fruiting	69.49	8	302.0	A
Ammonium propionate	Persimmon	21.68	6	102.13	A
Ammonium propionate	Pistachio	5,753.14	701	32,998.02	A
Ammonium propionate	Plum	68.14	52	416.87	A
Ammonium propionate	Pomegranate	12.56	1	26.63	A
Ammonium propionate	Pomelo	8.2	3	21.0	A
Ammonium propionate	Potato	37.64	27	173.97	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium propionate	Prune	376.95	52	2,316.03	A
Ammonium propionate	Rangeland	5.12	2	272.0	A
Ammonium propionate	Rapini	16.23	26	607.6	A
Ammonium propionate	Raspberry	28.9	11	61.28	A
Ammonium propionate	Research commodity	0.08	N/A	N/A	N/A
Ammonium propionate	Rights of way	1,432.58	99	16,790.75	A
Ammonium propionate	Rights of way	2,700.29	N/A	N/A	N/A
Ammonium propionate	Ryegrass	1.7	1	18.0	A
Ammonium propionate	Soil fumigation/preplant	430.82	37	6,647.0	A
Ammonium propionate	Sorghum (forage - fodder)	4.71	1	38.0	A
Ammonium propionate	Strawberry	24,842.62	1,242	50,088.44	A
Ammonium propionate	Sugarbeet	1,237.88	83	7,153.5	A
Ammonium propionate	Sunflower	33.94	4	72.0	A
Ammonium propionate	Tangelo	46.25	10	128.95	A
Ammonium propionate	Tangerine	3,461.97	666	18,815.13	A
Ammonium propionate	Tomato	251.9	11	436.0	A
Ammonium propionate	Tomato, processing	279.16	53	3,903.82	A
Ammonium propionate	Triticale	13.14	10	396.2	A
Ammonium propionate	Uncultivated ag	824.76	277	9,923.04	A
Ammonium propionate	Uncultivated non-ag	75.39	31	695.96	A
Ammonium propionate	Unknown	3.36	1	9.5	A
Ammonium propionate	Walnut	2,106.45	517	16,018.06	A
Ammonium propionate	Water (industrial)	2.71	N/A	25.45	A
Ammonium propionate	Water area	4.24	N/A	60.09	A
Ammonium propionate	Watermelon	11.31	2	140.0	A
Ammonium propionate	Wheat	552.65	35	2,242.7	A
Ammonium propionate	Wheat (forage - fodder)	244.82	75	3,705.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Alfalfa	48,110.13	4,086	198,648.22	A
Ammonium sulfate	Almond	273,557.7	15,384	638,241.77	A
Ammonium sulfate	Apple	1,858.44	65	1,129.3	A
Ammonium sulfate	Apricot	452.87	56	972.12	A
Ammonium sulfate	Artichoke, globe	22.37	11	102.0	A
Ammonium sulfate	Asparagus	13.77	6	14.19	A
Ammonium sulfate	Avocado	342.76	258	2,520.88	A
Ammonium sulfate	Barley	82.57	12	792.3	A
Ammonium sulfate	Barley (forage - fodder)	86.96	13	630.6	A
Ammonium sulfate	Basil, sweet	164.86	18	653.5	A
Ammonium sulfate	Bean, dried	696.89	21	1,821.6	A
Ammonium sulfate	Bean, succulent	4.78	2	84.0	A
Ammonium sulfate	Bean, unspecified	25.04	3	116.0	A
Ammonium sulfate	Bermudagrass	255.77	12	831.4	A
Ammonium sulfate	Blackberry	994.94	94	1,034.16	A
Ammonium sulfate	Blueberry	308.0	64	1,677.79	A
Ammonium sulfate	Bok choy (choy sum, pak choi)	14.81	11	68.56	A
Ammonium sulfate	Broccoli	756.73	230	2,726.6	A
Ammonium sulfate	Brussels sprout	626.67	87	1,410.7	A
Ammonium sulfate	Cabbage	809.47	558	2,761.8	A
Ammonium sulfate	Cabbage	11.23	9	48.0	U
Ammonium sulfate	Cantaloupe	987.72	29	2,082.87	A
Ammonium sulfate	Carrot	32.56	4	155.8	A
Ammonium sulfate	Cauliflower	418.15	108	1,054.95	A
Ammonium sulfate	Celery	192.32	83	1,174.69	A
Ammonium sulfate	Cherry	4,653.97	956	11,666.26	A
Ammonium sulfate	Chestnut	7.86	3	10.44	A
Ammonium sulfate	Chinese broccoli (gai lon)	158.81	258	654.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Cilantro	86.64	8	156.6	A
Ammonium sulfate	Citrus	18.93	19	40.24	A
Ammonium sulfate	Clover	255.25	3	210.0	A
Ammonium sulfate	Commercial, institutional or industrial areas	25.54	1	81.2	A
Ammonium sulfate	Commodity fumigation	1.35	2	6.0	A
Ammonium sulfate	Corn (forage - fodder)	38,681.46	2,440	126,012.52	A
Ammonium sulfate	Corn, grain	1,622.2	191	8,237.31	A
Ammonium sulfate	Corn, human consumption	600.37	58	3,608.3	A
Ammonium sulfate	Cotton	24,981.65	1,418	93,788.7	A
Ammonium sulfate	Cucumber	53.71	11	477.0	A
Ammonium sulfate	Dill	109.31	12	371.0	A
Ammonium sulfate	Ditch bank	148.93	13	328.6	A
Ammonium sulfate	Fig	179.99	22	991.9	A
Ammonium sulfate	Forage hay/silage	545.25	101	4,655.5	A
Ammonium sulfate	Forest, timberland	900.24	191	3,724.25	A
Ammonium sulfate	Gai lon	1.83	10	8.51	A
Ammonium sulfate	Garbanzo bean	283.1	3	335.5	A
Ammonium sulfate	Garlic	1,556.19	55	6,510.89	A
Ammonium sulfate	Golf course turf	10.75	N/A	5.75	A
Ammonium sulfate	Grain	7.36	3	78.0	A
Ammonium sulfate	Grape	20,711.78	1,201	29,087.38	A
Ammonium sulfate	Grape, wine	86,518.31	10,434	174,138.65	A
Ammonium sulfate	Grapefruit	223.83	63	454.09	A
Ammonium sulfate	Grass, seed	235.98	21	1,195.1	A
Ammonium sulfate	Herb, spice	53.37	8	212.5	A
Ammonium sulfate	Hops	8.64	2	8.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Kale	82.83	5	64.1	A
Ammonium sulfate	Kiwi fruit fuzzy	188.02	136	969.44	A
Ammonium sulfate	Landscape maintenance	135.24	1	135.0	A
Ammonium sulfate	Landscape maintenance	9,476.3	N/A	N/A	N/A
Ammonium sulfate	Lemon	2,385.9	337	6,400.73	A
Ammonium sulfate	Lettuce, head	235.96	185	2,378.6	A
Ammonium sulfate	Lettuce, leaf	358.28	169	1,541.8	A
Ammonium sulfate	Mango	2.5	1	2.5	A
Ammonium sulfate	Melon	607.57	25	1,455.05	A
Ammonium sulfate	Mushroom	7.65	4	32.0	A
Ammonium sulfate	Mustard	183.55	297	752.8	A
Ammonium sulfate	N-grnhs flower	174.94	165	303.83	A
Ammonium sulfate	N-grnhs flower	<0.01	N/A	39.0	S
Ammonium sulfate	N-grnhs plants in containers	85.34	299	472.56	A
Ammonium sulfate	N-grnhs plants in containers	19.78	22	936,000.0	S
Ammonium sulfate	N-grnhs transplants	1.72	3	3.5	A
Ammonium sulfate	N-outdr flower	384.31	532	2,817.15	A
Ammonium sulfate	N-outdr plants in containers	132.77	55	217.52	A
Ammonium sulfate	N-outdr plants in containers	<0.01	1	0.75	S
Ammonium sulfate	N-outdr transplants	336.33	96	622.6	A
Ammonium sulfate	Nectarine	2,866.5	525	7,129.96	A
Ammonium sulfate	Oat	28.28	6	301.0	A
Ammonium sulfate	Oat (forage - fodder)	880.4	65	2,576.3	A
Ammonium sulfate	Olive	2,711.5	282	8,089.45	A
Ammonium sulfate	Onion, dry	1,620.25	90	5,328.99	A
Ammonium sulfate	Orange	9,305.48	1,220	22,943.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Orchardgrass	35.23	6	305.0	A
Ammonium sulfate	Parsley	320.1	6	500.0	A
Ammonium sulfate	Pastureland	862.05	31	3,806.7	A
Ammonium sulfate	Pastureland	1.47	5	33,060.0	S
Ammonium sulfate	Peach	5,532.79	1,000	14,290.16	A
Ammonium sulfate	Pear	963.72	71	1,329.22	A
Ammonium sulfate	Pear, asian (oriental pear, ya, ya li, nashi)	6.74	6	36.0	A
Ammonium sulfate	Peas	196.28	35	327.3	A
Ammonium sulfate	Pecan	1,559.82	96	2,028.11	A
Ammonium sulfate	Pepper, fruiting	612.98	31	1,222.0	A
Ammonium sulfate	Persimmon	114.16	37	269.96	A
Ammonium sulfate	Pistachio	139,735.27	4,366	189,572.34	A
Ammonium sulfate	Plum	1,419.93	366	3,874.19	A
Ammonium sulfate	Pluot	0.22	1	1.0	A
Ammonium sulfate	Pomegranate	6,457.81	102	5,311.21	A
Ammonium sulfate	Pomelo	155.53	7	163.0	A
Ammonium sulfate	Potato	117.96	69	2,616.39	A
Ammonium sulfate	Prune	4,347.81	471	12,810.16	A
Ammonium sulfate	Pumpkin	530.69	28	1,091.5	A
Ammonium sulfate	Quince	0.51	1	4.0	A
Ammonium sulfate	Rangeland	10.47	6	704.5	A
Ammonium sulfate	Raspberry	235.82	30	260.76	A
Ammonium sulfate	Regulatory pest control	79.66	N/A	N/A	N/A
Ammonium sulfate	Research commodity	69.09	53	152.08	A
Ammonium sulfate	Research commodity	0.04	N/A	N/A	N/A
Ammonium sulfate	Rice	43,648.02	1,379	96,274.99	A
Ammonium sulfate	Rights of way	4,266.85	326	22,829.19	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Rights of way	43.48	4	0.04	U
Ammonium sulfate	Rights of way	60,162.51	N/A	N/A	N/A
Ammonium sulfate	Rye	43.05	5	275.0	A
Ammonium sulfate	Ryegrass	374.63	40	1,606.7	A
Ammonium sulfate	Safflower	1,752.83	16	1,144.2	A
Ammonium sulfate	Soil fumigation/preplant	1,113.01	66	9,280.1	A
Ammonium sulfate	Sorghum (forage - fodder)	299.03	20	1,283.54	A
Ammonium sulfate	Sorghum/milo	52.13	4	194.5	A
Ammonium sulfate	Soybean	15.82	1	140.0	A
Ammonium sulfate	Squash	28.19	9	280.0	A
Ammonium sulfate	Squash, winter	30.94	1	19.0	A
Ammonium sulfate	Stone fruit	19.62	11	100.96	A
Ammonium sulfate	Strawberry	25,324.8	1,976	71,891.43	A
Ammonium sulfate	Structural pest control	28.18	N/A	N/A	N/A
Ammonium sulfate	Sudangrass	252.19	15	791.2	A
Ammonium sulfate	Sugarbeet	1,989.61	157	12,564.9	A
Ammonium sulfate	Sunflower	1,697.71	118	5,080.76	A
Ammonium sulfate	Sweet potato	14.19	3	69.0	A
Ammonium sulfate	Tangelo	184.13	25	320.77	A
Ammonium sulfate	Tangerine	8,892.64	1,289	31,679.31	A
Ammonium sulfate	Timothy	73.27	11	534.0	A
Ammonium sulfate	Tomato	2,104.51	204	6,618.52	A
Ammonium sulfate	Tomato, processing	7,836.15	437	30,033.74	A
Ammonium sulfate	Triticale	568.34	59	2,540.87	A
Ammonium sulfate	Turf/sod	6.87	1	23.0	A
Ammonium sulfate	Uncultivated ag	25,085.39	2,800	97,239.03	A
Ammonium sulfate	Uncultivated non-ag	622.73	128	3,675.22	A
Ammonium sulfate	Unknown	38.91	5	46.22	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Vegetable	1.02	1	1.0	A
Ammonium sulfate	Vegetables, fruiting	1.53	1	1.5	A
Ammonium sulfate	Vertebrate control	2.69	5	5.34	A
Ammonium sulfate	Vertebrate control	1,686.47	N/A	N/A	N/A
Ammonium sulfate	Walnut	58,274.35	6,882	165,412.21	A
Ammonium sulfate	Water (industrial)	0.68	N/A	25.45	A
Ammonium sulfate	Water area	18.87	11	129.26	A
Ammonium sulfate	Watermelon	1,228.73	36	2,712.7	A
Ammonium sulfate	Wheat	4,398.09	374	20,829.89	A
Ammonium sulfate	Wheat (forage - fodder)	4,716.68	417	23,151.47	A
Amyl acetate	Almond	5.02	9	245.0	A
Amyl acetate	Artichoke, globe	7.9	163	2,480.1	A
Amyl acetate	Bok choy (choy sum, pak choi)	0.03	4	6.3	A
Amyl acetate	Broccoli	185.45	1,582	17,332.83	A
Amyl acetate	Brussels sprout	96.3	1,164	13,277.32	A
Amyl acetate	Cabbage	33.2	380	2,667.99	A
Amyl acetate	Cauliflower	93.23	1,108	10,390.07	A
Amyl acetate	Celery	2.84	69	430.25	A
Amyl acetate	Chinese cabbage (napa, wong bok, celery cabbage)	<0.01	1	1.0	A
Amyl acetate	Cotton	12.2	16	3,216.0	A
Amyl acetate	Grape	102.66	123	3,422.84	A
Amyl acetate	Grape, wine	7.87	14	552.5	A
Amyl acetate	Kohlrabi	0.06	3	15.0	A
Amyl acetate	Landscape maintenance	0.18	N/A	N/A	N/A
Amyl acetate	Lettuce, head	8.17	176	1,842.6	A
Amyl acetate	Lettuce, leaf	11.96	359	2,743.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Amyl acetate	N-grnhs transplants	0.05	6	11.85	A
Amyl acetate	N-outdr plants in containers	0.48	16	17.17	A
Amyl acetate	N-outdr transplants	0.1	15	34.56	A
Amyl acetate	Orange	1.15	2	27.0	A
Amyl acetate	Pecan	1.01	1	150.0	A
Amyl acetate	Pistachio	70.44	15	1,853.7	A
Amyl acetate	Rapini	6.49	26	607.6	A
Amyl acetate	Research commodity	0.03	N/A	N/A	N/A
Amyl acetate	Tangerine	0.43	1	20.0	A
Amyl acetate	Uncultivated ag	13.66	92	647.4	A
Ancymidol	N-grnhs flower	<0.01	9	408.0	S
Ancymidol	N-grnhs plants in containers	0.03	28	7.8	A
Ancymidol	N-grnhs plants in containers	<0.01	59	43,350.0	S
Ancymidol	N-grnhs transplants	<0.01	3	180.0	A
Ancymidol	N-grnhs transplants	0.14	543	10,168,953.75	S
Ancymidol	N-outdr plants in containers	0.02	6	2.5	A
Ancymidol	N-outdr transplants	<0.01	3	0.75	A
Aromatic 200	Alfalfa	809.48	29	1,680.1	A
Aromatic 200	Almond	19,852.97	983	39,777.33	A
Aromatic 200	Apple	10.72	3	31.26	A
Aromatic 200	Apricot	2.83	7	10.2	A
Aromatic 200	Blackberry	0.4	1	1.0	A
Aromatic 200	Blueberry	31.36	7	79.0	A
Aromatic 200	Cherry	377.68	56	1,006.96	A
Aromatic 200	Corn (forage - fodder)	76.34	1	202.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aromatic 200	Corn, human consumption	36.65	1	24.0	A
Aromatic 200	Cotton	561.59	19	2,858.6	A
Aromatic 200	Ditch bank	139.89	38	390.0	A
Aromatic 200	Grape	1,751.46	125	3,598.58	A
Aromatic 200	Grape, wine	14,062.38	551	18,706.16	A
Aromatic 200	Grapefruit	99.92	12	237.0	A
Aromatic 200	Kiwi fruit fuzzy	23.67	2	62.0	A
Aromatic 200	Landscape maintenance	15.27	N/A	N/A	N/A
Aromatic 200	Lemon	761.92	74	1,779.7	A
Aromatic 200	Lettuce, head	12.67	1	16.6	A
Aromatic 200	Nectarine	140.91	16	62.0	A
Aromatic 200	Olive	150.12	19	307.4	A
Aromatic 200	Onion, dry	61.08	1	161.5	A
Aromatic 200	Orange	1,528.9	138	3,343.69	A
Aromatic 200	Peach	46.35	32	272.41	A
Aromatic 200	Pecan	27.27	3	77.0	A
Aromatic 200	Pistachio	9,540.67	375	16,281.0	A
Aromatic 200	Plum	1.75	3	5.75	A
Aromatic 200	Pomegranate	147.34	13	310.82	A
Aromatic 200	Pomelo	91.64	10	129.0	A
Aromatic 200	Prune	2,624.23	52	2,200.32	A
Aromatic 200	Pumpkin	15.12	1	36.0	A
Aromatic 200	Rights of way	19.35	2	52.0	A
Aromatic 200	Rights of way	51.91	N/A	N/A	N/A
Aromatic 200	Soil fumigation/preplant	3,727.04	117	26,530.7	A
Aromatic 200	Sunflower	22.9	1	60.0	A
Aromatic 200	Tangelo	46.33	5	256.0	A
Aromatic 200	Tangerine	1,335.05	126	2,975.23	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aromatic 200	Tomato, processing	657.3	21	2,951.0	A
Aromatic 200	Uncultivated ag	662.94	75	1,112.66	A
Aromatic 200	Uncultivated non-ag	60.43	4	120.0	A
Aromatic 200	Walnut	3,917.39	263	8,919.94	A
Aspergillus flavus strain af36	Almond	1.03	94	12,884.03	A
Aspergillus flavus strain af36	Corn (forage - fodder)	0.06	12	760.0	A
Aspergillus flavus strain af36	Corn, human consumption	0.02	3	297.0	A
Aspergillus flavus strain af36	Fig	0.08	7	1,055.0	A
Aspergillus flavus strain af36	Pistachio	20.53	2,449	255,833.33	A
Aspergillus flavus strain nrrl 21882	Almond	1.18	13	1,259.4	A
Aspergillus flavus strain nrrl 21882	Pistachio	80.36	932	85,509.91	A
Atrazine	Corn (forage - fodder)	4,012.9	47	2,834.0	A
Atrazine	Corn, human consumption	10,240.02	124	6,983.3	A
Atrazine	N-outdr plants in containers	0.71	1	33,000.0	S
Atrazine	Sorghum (forage - fodder)	29.3	1	30.0	A
Atrazine	Sorghum/milo	136.75	1	72.0	A
Atrazine	Structural pest control	0.02	N/A	N/A	N/A
Atrazine	Sudangrass	3,130.11	39	2,493.28	A
Atrazine	Sugarcane	263.74	3	105.0	A
Atrazine	Turf/sod	98.22	6	100.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Atrazine, other related</b>	Corn (forage - fodder)	76.07	47	2,834.0	A
<b>Atrazine, other related</b>	Corn, human consumption	194.13	124	6,983.3	A
<b>Atrazine, other related</b>	N-outdr plants in containers	0.04	1	33,000.0	S
<b>Atrazine, other related</b>	Sorghum (forage - fodder)	0.56	1	30.0	A
<b>Atrazine, other related</b>	Sorghum/milo	2.59	1	72.0	A
<b>Atrazine, other related</b>	Sudangrass	59.34	39	2,493.28	A
<b>Atrazine, other related</b>	Sugarcane	5.0	3	105.0	A
<b>Atrazine, other related</b>	Turf/sod	1.87	6	100.6	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Almond	702.97	44	3,356.42	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Apple	76.41	37	242.3	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Apricot	0.5	2	2.0	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Blackberry	2.03	1	13.52	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Blueberry	704.84	65	2,841.94	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Cherry	13.4	10	53.61	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Grape	36.62	6	146.5	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Grape, wine	2.73	4	18.4	A
<b>Aureobasidium pullulans strain dsm 14940</b>	N-grnhs transplants	1.46	5	3.9	A
<b>Aureobasidium pullulans strain dsm 14940</b>	N-outdr transplants	23.34	12	62.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Aureobasidium pullulans strain dsm 14940</b>	Nectarine	1.0	2	5.0	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Peach	45.5	15	193.2	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Pear	3.99	8	18.6	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Pear, asian (oriental pear, ya, ya li, nashi)	12.9	6	40.0	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Plum	9.8	7	46.24	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Stone fruit	4.05	3	16.2	A
<b>Aureobasidium pullulans strain dsm 14940</b>	Strawberry	10.17	9	36.5	A
<b>Aureobasidium pullulans strain dsm 14941</b>	Almond	702.97	44	3,356.42	A
<b>Aureobasidium pullulans strain dsm 14941</b>	Apple	76.41	37	242.3	A
<b>Aureobasidium pullulans strain dsm 14941</b>	Apricot	0.5	2	2.0	A
<b>Aureobasidium pullulans strain dsm 14941</b>	Blackberry	2.03	1	13.52	A
<b>Aureobasidium pullulans strain dsm 14941</b>	Blueberry	704.84	65	2,841.94	A
<b>Aureobasidium pullulans strain dsm 14941</b>	Cherry	13.4	10	53.61	A
<b>Aureobasidium pullulans strain dsm 14941</b>	Grape	36.62	6	146.5	A
<b>Aureobasidium pullulans strain dsm 14941</b>	Grape, wine	2.73	4	18.4	A
<b>Aureobasidium pullulans strain dsm 14941</b>	N-grnhs transplants	1.46	5	3.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aureobasidium pullulans strain dsm 14941	N-outdr transplants	23.34	12	62.3	A
Aureobasidium pullulans strain dsm 14941	Nectarine	1.0	2	5.0	A
Aureobasidium pullulans strain dsm 14941	Peach	45.5	15	193.2	A
Aureobasidium pullulans strain dsm 14941	Pear	3.99	8	18.6	A
Aureobasidium pullulans strain dsm 14941	Pear, asian (oriental pear, ya, ya li, nashi)	12.9	6	40.0	A
Aureobasidium pullulans strain dsm 14941	Plum	9.8	7	46.24	A
Aureobasidium pullulans strain dsm 14941	Stone fruit	4.05	3	16.2	A
Aureobasidium pullulans strain dsm 14941	Strawberry	10.17	9	36.5	A
Azadirachtin	Almond	208.92	199	5,962.43	A
Azadirachtin	Apple	4.38	15	113.75	A
Azadirachtin	Apricot	0.31	2	10.0	A
Azadirachtin	Artichoke, globe	2.16	16	91.74	A
Azadirachtin	Arugula	1.13	13	98.54	A
Azadirachtin	Arugula	0.04	30	11,411.0	S
Azadirachtin	Avocado	0.5	7	30.0	A
Azadirachtin	Basil, sweet	16.56	177	580.92	A
Azadirachtin	Basil, sweet	0.15	48	213,078.77	S
Azadirachtin	Bean, succulent	1.65	2	60.0	A
Azadirachtin	Bean, unspecified	0.34	1	8.0	A
Azadirachtin	Beet	57.53	104	2,159.22	A
Azadirachtin	Blackberry	258.99	587	6,549.93	A
Azadirachtin	Blueberry	95.97	100	2,964.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	Bok choy (choy sum, pak choi)	13.24	75	495.71	A
Azadirachtin	Bok choy (choy sum, pak choi)	<0.01	1	72.0	S
Azadirachtin	Broccoli	104.77	504	3,880.73	A
Azadirachtin	Brussels sprout	7.14	18	184.2	A
Azadirachtin	Cabbage	105.4	391	3,988.64	A
Azadirachtin	Cannabis (all or unspecified)	199.35	1,988	6,903.17	A
Azadirachtin	Cannabis (all or unspecified)	4,675.17	6,425	53,898,897.95	S
Azadirachtin	Cannabis (all or unspecified)	1.39	59	5,387.0	U
Azadirachtin	Carrot	5.4	4	286.7	A
Azadirachtin	Cauliflower	192.31	692	6,682.85	A
Azadirachtin	Celery	167.03	588	5,549.11	A
Azadirachtin	Cherry	5.08	17	165.0	A
Azadirachtin	Chervil	0.03	1	3.44	A
Azadirachtin	Chicory	0.04	15	10,400.0	S
Azadirachtin	Chinese amaranth (chinese spinach, tampala, yin choy)	<0.01	4	900.0	S
Azadirachtin	Chinese cabbage (napa, wong bok, celery cabbage)	0.6	4	21.2	A
Azadirachtin	Chive	0.92	28	32.28	A
Azadirachtin	Cilantro	0.71	8	34.32	A
Azadirachtin	Citrus	0.52	9	25.75	A
Azadirachtin	Collard	9.57	108	347.01	A
Azadirachtin	Corn, human consumption	4.47	28	138.4	A
Azadirachtin	Cotton	13.62	6	464.8	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Azadirachtin	Cucumber	27.31	95	940.8	A
Azadirachtin	Cucumber	0.08	14	333,872.0	S
Azadirachtin	Daikon	0.74	15	26.9	A
Azadirachtin	Dandelion green	<0.01	4	1,200.0	S
Azadirachtin	Dill	0.67	7	41.5	A
Azadirachtin	Eggplant	0.4	11	15.5	A
Azadirachtin	Eggplant	<0.01	2	800.0	S
Azadirachtin	Fava bean	0.01	12	3,600.0	S
Azadirachtin	Grape	192.63	145	5,521.6	A
Azadirachtin	Grape, wine	145.02	135	3,985.08	A
Azadirachtin	Grapefruit	7.11	19	341.26	A
Azadirachtin	Herb, spice	16.31	256	399.31	A
Azadirachtin	Herb, spice	0.15	30	41,100.0	S
Azadirachtin	Industrial hemp	13.48	64	415.5	A
Azadirachtin	Industrial hemp	0.01	6	18,900.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	Kale	77.23	255	2,818.37	A
Azadirachtin	Kale	0.03	16	28,600.0	S
Azadirachtin	Kiwi fruit fuzzy	0.28	1	20.0	A
Azadirachtin	Landscape maintenance	10.65	N/A	N/A	N/A
Azadirachtin	Leek	1.05	5	24.37	A
Azadirachtin	Lemon	38.23	42	976.72	A
Azadirachtin	Lettuce, head	39.22	349	2,062.86	A
Azadirachtin	Lettuce, head	0.67	68	805,179.23	S
Azadirachtin	Lettuce, leaf	273.13	1,553	11,267.1	A
Azadirachtin	Lettuce, leaf	5.01	38	11,049,186.0	S
Azadirachtin	Lime	0.15	2	6.5	A
Azadirachtin	Melon	<0.01	1	2,700.0	S
Azadirachtin	Mint	1.62	48	60.8	A
Azadirachtin	Mizuna	1.43	13	53.92	A
Azadirachtin	Mushroom	8.01	88	41.03	A
Azadirachtin	Mushroom	7.47	179	2,720,657.0	S
Azadirachtin	Mustard	1.57	29	57.1	A
Azadirachtin	Mustard greens	0.39	3	18.24	A
Azadirachtin	N-grnhs flower	35.75	487	1,048.59	A
Azadirachtin	N-grnhs flower	1.99	97	1,018,255.2	S
Azadirachtin	N-grnhs plants in containers	0.01	1	5,000.0	?
Azadirachtin	N-grnhs plants in containers	39.97	932	840.41	A
Azadirachtin	N-grnhs plants in containers	13.81	206	4,445,093.1	S
Azadirachtin	N-grnhs plants in containers	<0.01	1	915.0	U
Azadirachtin	N-grnhs transplants	14.32	441	1,529.46	A
Azadirachtin	N-grnhs transplants	2.13	152	4,122,830.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	N-outdr flower	24.05	227	920.12	A
Azadirachtin	N-outdr flower	0.03	24	8,300.0	S
Azadirachtin	N-outdr plants in containers	32.74	516	984.54	A
Azadirachtin	N-outdr plants in containers	0.94	58	1,283,773.0	S
Azadirachtin	N-outdr plants in containers	0.09	5	8,058.0	U
Azadirachtin	N-outdr transplants	92.74	497	4,450.65	A
Azadirachtin	N-outdr transplants	14.95	202	19,916,717.22	S
Azadirachtin	Nectarine	105.99	395	5,611.18	A
Azadirachtin	Olive	1.19	3	22.0	A
Azadirachtin	Onion, dry	88.48	38	2,463.8	A
Azadirachtin	Onion, green	3.3	14	121.84	A
Azadirachtin	Orange	283.14	382	8,641.6	A
Azadirachtin	Oregano	0.81	37	36.82	A
Azadirachtin	Parsley	0.51	10	17.32	A
Azadirachtin	Parsley	0.03	24	7,550.0	S
Azadirachtin	Peach	75.81	306	3,637.86	A
Azadirachtin	Pear	0.91	16	86.5	A
Azadirachtin	Peas	8.81	26	329.77	A
Azadirachtin	Pecan	0.35	2	16.0	A
Azadirachtin	Pepper, fruiting	21.05	96	1,496.19	A
Azadirachtin	Pepper, fruiting	<0.01	3	3,465.0	S
Azadirachtin	Pepper, spice	<0.01	1	72.0	S
Azadirachtin	Pistachio	407.52	75	11,983.7	A
Azadirachtin	Plum	5.39	36	304.24	A
Azadirachtin	Pluot	0.27	1	7.5	A
Azadirachtin	Pomegranate	11.5	7	417.28	A
Azadirachtin	Pomelo	0.35	3	12.5	A
Azadirachtin	Potato	2.27	2	107.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	Pumpkin	1.04	7	36.9	A
Azadirachtin	Pumpkin	<0.01	2	400.0	S
Azadirachtin	Radish	2.75	13	76.44	A
Azadirachtin	Rapini	11.86	11	507.0	A
Azadirachtin	Raspberry	78.53	223	2,785.84	A
Azadirachtin	Regulatory pest control	0.05	N/A	N/A	N/A
Azadirachtin	Research commodity	2.43	55	67.16	A
Azadirachtin	Research commodity	0.15	21	105,555.0	S
Azadirachtin	Research commodity	0.31	N/A	N/A	N/A
Azadirachtin	Rights of way	0.02	N/A	N/A	N/A
Azadirachtin	Rosemary	2.49	61	83.59	A
Azadirachtin	Sage	0.32	5	4.8	A
Azadirachtin	Shallot	0.27	1	16.0	A
Azadirachtin	Spinach	29.99	176	1,376.37	A
Azadirachtin	Squash	4.82	21	179.0	A
Azadirachtin	Squash	<0.01	2	500.0	S
Azadirachtin	Strawberry	2,150.63	2,420	66,306.89	A
Azadirachtin	Strawberry	<0.01	4	1,188.0	S
Azadirachtin	Structural pest control	0.71	N/A	N/A	N/A
Azadirachtin	Sweet potato	16.41	9	332.0	A
Azadirachtin	Swiss chard	25.96	112	998.15	A
Azadirachtin	Tangelo	2.29	6	48.54	A
Azadirachtin	Tangerine	200.1	156	3,702.39	A
Azadirachtin	Tarragon	0.14	9	5.0	A
Azadirachtin	Thyme	0.34	12	17.25	A
Azadirachtin	Tomatillo	0.48	1	24.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	Tomatillo	<0.01	2	200.0	S
Azadirachtin	Tomato	303.45	399	7,957.71	A
Azadirachtin	Tomato	0.11	16	232,520.0	S
Azadirachtin	Tomato, processing	86.89	58	3,516.61	A
Azadirachtin	Uncultivated ag	2.32	38	48.65	A
Azadirachtin	Uncultivated ag	0.04	2	68,000.0	S
Azadirachtin	Uncultivated non-ag	<0.01	N/A	850.0	S
Azadirachtin	Unknown	0.02	1	1.0	A
Azadirachtin	Upland cress	0.22	24	8.68	A
Azadirachtin	Vegetable	0.41	5	20.74	A
Azadirachtin	Vegetables, leafy	<0.01	2	0.27	A
Azadirachtin	Vegetables, leafy	<0.01	1	2,000.0	S
Azadirachtin	Vertebrate control	0.02	1	0.78	A
Azadirachtin	Walnut	2.28	5	62.0	A
Azadirachtin	Watermelon	6.65	11	330.37	A
Azoxystrobin	Alfalfa	861.16	102	5,909.8	A
Azoxystrobin	Almond	88,505.49	6,796	439,574.18	A
Azoxystrobin	Apricot	155.51	52	791.59	A
Azoxystrobin	Artichoke, globe	1,224.77	335	5,345.75	A
Azoxystrobin	Avocado	0.73	1	800.0	U
Azoxystrobin	Barley	23.08	4	118.4	A
Azoxystrobin	Basil, sweet	25.54	124	151.6	A
Azoxystrobin	Bean, dried	1.27	1	5.0	A
Azoxystrobin	Bean, dried	0.07	N/A	6,500.0	P
Azoxystrobin	Bean, succulent	23.95	24	123.65	A
Azoxystrobin	Bean, unspecified	9.62	12	54.27	A
Azoxystrobin	Beet	44.03	36	242.55	A
Azoxystrobin	Beet	0.02	N/A	568.39	P
Azoxystrobin	Blackberry	152.01	71	646.9	A
Azoxystrobin	Blueberry	173.85	33	868.89	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azoxystrobin	Bok choy (choy sum, pak choi)	57.46	71	243.92	A
Azoxystrobin	Broccoli	4,439.13	1,857	21,454.58	A
Azoxystrobin	Broccoli	<0.01	N/A	127.35	P
Azoxystrobin	Brussels sprout	1,019.34	288	4,722.74	A
Azoxystrobin	Cabbage	185.56	95	936.95	A
Azoxystrobin	Cabbage	<0.01	N/A	4.73	P
Azoxystrobin	Cabbage, savoy	1.04	1	5.27	A
Azoxystrobin	Cantaloupe	951.13	145	6,088.13	A
Azoxystrobin	Carrot	2,656.84	220	13,805.19	A
Azoxystrobin	Carrot	0.12	N/A	4,690.71	P
Azoxystrobin	Cauliflower	301.91	124	1,278.93	A
Azoxystrobin	Cauliflower	<0.01	N/A	0.8	P
Azoxystrobin	Celery	1,924.72	615	8,099.65	A
Azoxystrobin	Cherry	407.12	115	2,317.66	A
Azoxystrobin	Chinese broccoli (gai lon)	2.92	8	18.0	A
Azoxystrobin	Chinese cabbage (napa, wong bok, celery cabbage)	257.26	117	1,065.34	A
Azoxystrobin	Chinese greens	1.46	4	30.0	A
Azoxystrobin	Chive	1.35	13	8.8	A
Azoxystrobin	Chrysanthemum, edible leaved	3.78	11	15.5	A
Azoxystrobin	Cilantro	109.68	96	492.25	A
Azoxystrobin	Citrus	10.45	3	58.0	A
Azoxystrobin	Cole crop	0.21	8	4.4	A
Azoxystrobin	Collard	14.3	18	61.23	A
Azoxystrobin	Commodity fumigation	309.19	N/A	N/A	N/A
Azoxystrobin	Corn, human consumption	15.9	4	119.41	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azoxystrobin	Cotton	2,991.69	97	19,928.38	A
Azoxystrobin	Cotton	247.25	N/A	1,102.74	T
Azoxystrobin	Cucumber	149.43	32	657.47	A
Azoxystrobin	Cucumber	6.63	N/A	272,736.04	P
Azoxystrobin	Dandelion green	3.82	14	16.38	A
Azoxystrobin	Dill	0.86	10	5.25	A
Azoxystrobin	Eggplant	71.01	17	383.0	A
Azoxystrobin	Fava bean	13.5	12	75.55	A
Azoxystrobin	Fennel	3.01	1	12.0	A
Azoxystrobin	Fennel	0.01	N/A	492.82	P
Azoxystrobin	Fig	0.13	1	1.43	A
Azoxystrobin	Food processing plant	194.68	N/A	120,530.0	T
Azoxystrobin	Forage hay/silage	24.24	3	121.0	A
Azoxystrobin	Garlic	5,174.82	403	25,923.04	A
Azoxystrobin	Golf course turf	504.18	16	980.99	A
Azoxystrobin	Golf course turf	16.27	1	1,415,500.0	S
Azoxystrobin	Grape	4,214.97	606	21,211.35	A
Azoxystrobin	Grape, wine	8,679.63	1,058	38,664.79	A
Azoxystrobin	Grapefruit	110.51	40	612.28	A
Azoxystrobin	Grapefruit	9.2	N/A	11,162.21	T
Azoxystrobin	Grass, seed	17.27	25	91.0	A
Azoxystrobin	Herb, spice	15.25	58	119.0	A
Azoxystrobin	Jujube	0.09	1	0.5	A
Azoxystrobin	Kale	79.71	79	361.4	A
Azoxystrobin	Kale	0.05	1	6,000.0	S
Azoxystrobin	Kohlrabi	54.54	27	235.48	A
Azoxystrobin	Landscape maintenance	8.08	7	14.29	A
Azoxystrobin	Landscape maintenance	0.46	2	40,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Azoxystrobin</b>	Landscape maintenance	4,598.15	N/A	N/A	N/A
<b>Azoxystrobin</b>	Leek	108.22	90	464.78	A
<b>Azoxystrobin</b>	Lemon	601.63	164	3,195.69	A
<b>Azoxystrobin</b>	Lemon	1.49	N/A	977.0	K
<b>Azoxystrobin</b>	Lemon	2,058.56	N/A	1,028,484.81	T
<b>Azoxystrobin</b>	Lettuce, head	151.44	42	676.63	A
<b>Azoxystrobin</b>	Lettuce, leaf	384.6	75	1,686.38	A
<b>Azoxystrobin</b>	Lettuce, leaf	<0.01	N/A	151.0	P
<b>Azoxystrobin</b>	Melon	577.73	84	3,213.23	A
<b>Azoxystrobin</b>	Melon	0.02	N/A	643.06	P
<b>Azoxystrobin</b>	Mint	4.36	43	28.3	A
<b>Azoxystrobin</b>	Mustard	11.2	30	68.55	A
<b>Azoxystrobin</b>	Mustard greens	3.17	3	13.01	A
<b>Azoxystrobin</b>	N-grnhs flower	160.97	64	529.52	A
<b>Azoxystrobin</b>	N-grnhs flower	24.77	97	2,539,539.0	S
<b>Azoxystrobin</b>	N-grnhs plants in containers	294.6	1,011	928.64	A
<b>Azoxystrobin</b>	N-grnhs plants in containers	101.29	382	17,697,351.0	S
<b>Azoxystrobin</b>	N-grnhs plants in containers	1.27	2	57,694.0	U
<b>Azoxystrobin</b>	N-grnhs transplants	185.94	203	3,844.24	A
<b>Azoxystrobin</b>	N-grnhs transplants	7.53	177	3,490,904.0	S
<b>Azoxystrobin</b>	N-outdr flower	200.34	378	1,484.22	A
<b>Azoxystrobin</b>	N-outdr flower	2.59	1	251,500.0	S
<b>Azoxystrobin</b>	N-outdr plants in containers	447.2	1,062	1,957.95	A
<b>Azoxystrobin</b>	N-outdr plants in containers	23.16	129	4,116,126.0	S
<b>Azoxystrobin</b>	N-outdr plants in containers	9.39	26	265,839.6	U



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azoxystrobin	N-outdr transplants	469.67	289	2,475.52	A
Azoxystrobin	N-outdr transplants	22.1	84	5,720,613.5	S
Azoxystrobin	N-outdr transplants	77.72	N/A	2,751,998.0	U
Azoxystrobin	Nectarine	244.21	92	1,104.78	A
Azoxystrobin	Olive	0.92	2	9.8	A
Azoxystrobin	Onion, dry	1,379.89	88	6,604.72	A
Azoxystrobin	Onion, dry	1.56	N/A	68,159.67	P
Azoxystrobin	Onion, green	1.3	2	8.0	A
Azoxystrobin	Orange	5,040.24	1,366	27,676.51	A
Azoxystrobin	Orange	2,181.23	N/A	1,125,552.05	T
Azoxystrobin	Parsley	355.49	232	1,663.17	A
Azoxystrobin	Parsnip	<0.01	N/A	33.3	P
Azoxystrobin	Peach	1,681.0	614	8,576.35	A
Azoxystrobin	Peas	69.69	39	291.2	A
Azoxystrobin	Pecan	17.64	3	93.0	A
Azoxystrobin	Pepper, fruiting	978.86	237	5,844.09	A
Azoxystrobin	Pepper, fruiting	0.05	N/A	1,935.37	P
Azoxystrobin	Pepper, spice	11.85	4	64.8	A
Azoxystrobin	Pepper, spice	0.01	N/A	574.3	P
Azoxystrobin	Persimmon	1.26	1	5.0	A
Azoxystrobin	Pistachio	6,547.02	463	33,081.04	A
Azoxystrobin	Plum	403.02	129	1,852.7	A
Azoxystrobin	Pluot	0.26	1	1.66	A
Azoxystrobin	Pomelo	2.8	2	13.5	A
Azoxystrobin	Potato	2,465.13	244	13,527.53	A
Azoxystrobin	Prune	213.04	35	1,108.2	A
Azoxystrobin	Pumpkin	63.75	27	341.19	A
Azoxystrobin	Pumpkin	0.05	N/A	2,092.24	P
Azoxystrobin	Radicchio	21.6	3	110.8	A
Azoxystrobin	Radish	63.49	67	275.25	A
Azoxystrobin	Rapini	224.56	10	911.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azoxystrobin	Raspberry	146.36	107	649.14	A
Azoxystrobin	Recreation area	2.0	N/A	4.0	A
Azoxystrobin	Regulatory pest control	0.17	N/A	N/A	N/A
Azoxystrobin	Research commodity	5.51	43	34.77	A
Azoxystrobin	Research commodity	3.66	57	392,260.0	S
Azoxystrobin	Research commodity	1.88	N/A	N/A	N/A
Azoxystrobin	Rice	32,354.36	1,992	162,286.41	A
Azoxystrobin	Rice, wild	28.22	3	139.5	A
Azoxystrobin	Rights of way	0.09	1	1.0	A
Azoxystrobin	Rights of way	5.19	N/A	N/A	N/A
Azoxystrobin	Root vegetable	0.39	6	7.2	A
Azoxystrobin	Rosemary	2.97	20	18.7	A
Azoxystrobin	Sage	4.27	56	26.4	A
Azoxystrobin	Sod farm (turf)	108.99	28	226.96	A
Azoxystrobin	Soil fumigation/preplant	149.75	14	1,136.95	A
Azoxystrobin	Spinach	440.97	151	1,764.56	A
Azoxystrobin	Spinach	0.38	N/A	15,687.67	P
Azoxystrobin	Squash	87.97	26	837.82	A
Azoxystrobin	Squash	0.76	N/A	30,972.07	P
Azoxystrobin	Squash, summer	16.72	12	158.81	A
Azoxystrobin	Squash, winter	28.29	4	147.0	A
Azoxystrobin	Squash, zucchini	2.75	2	11.0	A
Azoxystrobin	Stone fruit	1.49	1	7.0	A
Azoxystrobin	Strawberry	4,842.63	644	21,975.17	A
Azoxystrobin	Strawberry	0.02	1	680.0	C
Azoxystrobin	Strawberry	0.02	1	3,600.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azoxystrobin	Structural pest control	22.34	N/A	N/A	N/A
Azoxystrobin	Sugarbeet	60.3	3	275.0	A
Azoxystrobin	Sunflower	5.89	3	73.5	A
Azoxystrobin	Sunflower	0.96	N/A	2,387.0	P
Azoxystrobin	Sweet potato	84.48	4	335.49	A
Azoxystrobin	Swiss chard	65.1	176	270.42	A
Azoxystrobin	Tangelo	110.13	47	596.86	A
Azoxystrobin	Tangelo	1.79	N/A	6,172.62	T
Azoxystrobin	Tangerine	2,939.69	681	14,948.61	A
Azoxystrobin	Tangerine	21.11	N/A	15,756.38	T
Azoxystrobin	Tarragon	1.14	12	7.15	A
Azoxystrobin	Thyme	3.31	31	20.46	A
Azoxystrobin	Tomato	1,365.91	302	13,190.98	A
Azoxystrobin	Tomato	0.06	N/A	2,428.79	P
Azoxystrobin	Tomato	0.07	5	13,320.0	S
Azoxystrobin	Tomato, processing	11,377.65	1,556	112,710.08	A
Azoxystrobin	Triticale	65.31	12	622.0	A
Azoxystrobin	Turf/sod	301.02	99	841.84	A
Azoxystrobin	Turf/sod	1.65	N/A	259,200.0	S
Azoxystrobin	Turnip	25.72	37	112.84	A
Azoxystrobin	Uncultivated ag	43.36	4	323.0	A
Azoxystrobin	Unknown	21.52	8	99.9	A
Azoxystrobin	Vegetable	0.76	N/A	50,058.0	P
Azoxystrobin	Vegetables, fruiting	0.07	6	1.7	A
Azoxystrobin	Vegetables, leafy	3.98	44	66.05	A
Azoxystrobin	Walnut	5,657.57	560	30,391.22	A
Azoxystrobin	Watermelon	682.1	95	3,650.83	A
Azoxystrobin	Watermelon	0.32	N/A	13,274.15	P
Azoxystrobin	Wheat	289.65	30	2,137.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Azoxystrobin</b>	Wheat (forage - fodder)	1.16	1	6.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Almond	7,303.9	54	4,327.52	A
<b>Bacillus amyloliquefaciens strain d747</b>	Apple	776.13	14	97.05	A
<b>Bacillus amyloliquefaciens strain d747</b>	Apricot	37.03	7	47.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Apricot	0.65	1	18.0	U
<b>Bacillus amyloliquefaciens strain d747</b>	Artichoke, globe	44.05	3	20.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Arugula	3,169.26	59	698.35	A
<b>Bacillus amyloliquefaciens strain d747</b>	Asparagus	1.75	1	7.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Basil, sweet	406.04	71	71.74	A
<b>Bacillus amyloliquefaciens strain d747</b>	Basil, sweet	11.42	7	54,651.1	S
<b>Bacillus amyloliquefaciens strain d747</b>	Bean, dried	192.07	2	43.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain d747</b>	Beet	1,428.91	73	472.63	A
<b>Bacillus amyloliquefaciens strain d747</b>	Blackberry	281.56	9	101.14	A
<b>Bacillus amyloliquefaciens strain d747</b>	Blueberry	1,614.54	26	514.81	A
<b>Bacillus amyloliquefaciens strain d747</b>	Bok choy (choy sum, pak choi)	3.15	2	4.5	A
<b>Bacillus amyloliquefaciens strain d747</b>	Boysenberry	4.41	1	0.5	A
<b>Bacillus amyloliquefaciens strain d747</b>	Broccoli	7.79	2	10.39	A
<b>Bacillus amyloliquefaciens strain d747</b>	Brussels sprout	211.45	3	24.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Cabbage	283.11	25	305.96	A
<b>Bacillus amyloliquefaciens strain d747</b>	Cannabis (all or unspecified)	4,339.12	167	772.87	A
<b>Bacillus amyloliquefaciens strain d747</b>	Cannabis (all or unspecified)	997.53	642	8,042,567.2	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain d747</b>	Carrot	1,258.15	16	422.5	A
<b>Bacillus amyloliquefaciens strain d747</b>	Cauliflower	33.04	2	7.5	A
<b>Bacillus amyloliquefaciens strain d747</b>	Celery	1,540.65	115	456.77	A
<b>Bacillus amyloliquefaciens strain d747</b>	Cherry	3,520.1	18	503.46	A
<b>Bacillus amyloliquefaciens strain d747</b>	Chive	26.48	2	8.1	A
<b>Bacillus amyloliquefaciens strain d747</b>	Cilantro	998.7	25	340.75	A
<b>Bacillus amyloliquefaciens strain d747</b>	Cucumber	167.7	11	19.74	A
<b>Bacillus amyloliquefaciens strain d747</b>	Cucumber	3.81	8	12,000.0	S
<b>Bacillus amyloliquefaciens strain d747</b>	Dill	6.07	3	0.9	A
<b>Bacillus amyloliquefaciens strain d747</b>	Fennel	19.82	1	9.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain d747</b>	Garlic	237.89	2	52.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Grape	19,139.34	389	8,561.76	A
<b>Bacillus amyloliquefaciens strain d747</b>	Grape, wine	24,781.0	338	4,334.23	A
<b>Bacillus amyloliquefaciens strain d747</b>	Herb, spice	1,579.73	221	377.53	A
<b>Bacillus amyloliquefaciens strain d747</b>	Industrial hemp	220.26	2	25.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Kale	1,868.9	46	271.47	A
<b>Bacillus amyloliquefaciens strain d747</b>	Landscape maintenance	252.69	N/A	N/A	N/A
<b>Bacillus amyloliquefaciens strain d747</b>	Leek	33.09	16	31.13	A
<b>Bacillus amyloliquefaciens strain d747</b>	Lemon	8.68	2	1.5	A
<b>Bacillus amyloliquefaciens strain d747</b>	Lettuce, head	75.39	19	107.97	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain d747</b>	Lettuce, head	151.52	27	685,697.9	S
<b>Bacillus amyloliquefaciens strain d747</b>	Lettuce, leaf	5,506.16	213	1,353.37	A
<b>Bacillus amyloliquefaciens strain d747</b>	Lettuce, leaf	1,573.18	28	3,877,776.0	S
<b>Bacillus amyloliquefaciens strain d747</b>	Loganberry	4.41	1	0.5	A
<b>Bacillus amyloliquefaciens strain d747</b>	Mango	1,176.22	4	178.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Melon	125.19	17	14.4	A
<b>Bacillus amyloliquefaciens strain d747</b>	Mint	75.82	21	46.38	A
<b>Bacillus amyloliquefaciens strain d747</b>	Mizuna	268.99	13	25.21	A
<b>Bacillus amyloliquefaciens strain d747</b>	Mustard greens	12.06	7	20.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	N-grnhs flower	72.69	7	3.71	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain d747</b>	N-grnhs flower	22.57	16	121,780.0	S
<b>Bacillus amyloliquefaciens strain d747</b>	N-grnhs plants in containers	1,297.48	159	198.36	A
<b>Bacillus amyloliquefaciens strain d747</b>	N-grnhs plants in containers	21.22	13	77,160.0	S
<b>Bacillus amyloliquefaciens strain d747</b>	N-grnhs transplants	1,304.23	1,089	916.44	A
<b>Bacillus amyloliquefaciens strain d747</b>	N-grnhs transplants	323.03	17	1,692,470.0	S
<b>Bacillus amyloliquefaciens strain d747</b>	N-grnhs transplants	0.79	1	691.0	U
<b>Bacillus amyloliquefaciens strain d747</b>	N-outdr plants in containers	1,395.61	206	244.35	A
<b>Bacillus amyloliquefaciens strain d747</b>	N-outdr plants in containers	25.11	3	88,000.0	S
<b>Bacillus amyloliquefaciens strain d747</b>	N-outdr transplants	726.0	76	201.86	A
<b>Bacillus amyloliquefaciens strain d747</b>	N-outdr transplants	2,245.92	107	12,005,101.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain d747</b>	Nectarine	4,176.01	132	1,195.91	A
<b>Bacillus amyloliquefaciens strain d747</b>	Oat (forage - fodder)	528.64	1	161.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Olallieberry	4.41	1	0.5	A
<b>Bacillus amyloliquefaciens strain d747</b>	Onion, dry	13,935.51	59	2,623.64	A
<b>Bacillus amyloliquefaciens strain d747</b>	Oregano	13.07	6	4.23	A
<b>Bacillus amyloliquefaciens strain d747</b>	Parsley	812.2	95	526.21	A
<b>Bacillus amyloliquefaciens strain d747</b>	Peach	6,753.31	196	2,273.38	A
<b>Bacillus amyloliquefaciens strain d747</b>	Pear	784.67	15	183.6	A
<b>Bacillus amyloliquefaciens strain d747</b>	Pear, asian (oriental pear, ya, ya li, nashi)	50.24	8	42.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Peas	139.87	8	63.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain d747</b>	Pepper, fruiting	1,522.0	64	229.2	A
<b>Bacillus amyloliquefaciens strain d747</b>	Pistachio	7.39	3	3.16	A
<b>Bacillus amyloliquefaciens strain d747</b>	Plum	2,975.03	34	517.57	A
<b>Bacillus amyloliquefaciens strain d747</b>	Pluot	160.44	6	29.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Potato	85.78	3	132.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Prune	299.56	2	68.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Pumpkin	44.05	2	10.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Quince	0.7	1	30.0	U
<b>Bacillus amyloliquefaciens strain d747</b>	Radicchio	372.25	4	117.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Radish	804.71	247	846.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain d747</b>	Raspberry	773.13	12	213.17	A
<b>Bacillus amyloliquefaciens strain d747</b>	Research commodity	3.3	1	0.5	A
<b>Bacillus amyloliquefaciens strain d747</b>	Research commodity	1.06	N/A	N/A	N/A
<b>Bacillus amyloliquefaciens strain d747</b>	Rights of way	7.5	2	30.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Rosemary	31.86	15	11.02	A
<b>Bacillus amyloliquefaciens strain d747</b>	Sage	316.4	20	94.5	A
<b>Bacillus amyloliquefaciens strain d747</b>	Shallot	196.92	8	56.92	A
<b>Bacillus amyloliquefaciens strain d747</b>	Soil fumigation/preplant	233.48	3	100.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Spinach	4,588.41	114	939.31	A
<b>Bacillus amyloliquefaciens strain d747</b>	Squash	2.2	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain d747</b>	Squash, summer	80.18	13	9.1	A
<b>Bacillus amyloliquefaciens strain d747</b>	Squash, winter	151.37	10	18.18	A
<b>Bacillus amyloliquefaciens strain d747</b>	Strawberry	74,716.5	553	10,504.96	A
<b>Bacillus amyloliquefaciens strain d747</b>	Strawberry	0.43	3	2,000.0	S
<b>Bacillus amyloliquefaciens strain d747</b>	Sweet potato	95.67	10	382.7	A
<b>Bacillus amyloliquefaciens strain d747</b>	Swiss chard	783.71	46	247.59	A
<b>Bacillus amyloliquefaciens strain d747</b>	Tangerine	188.18	5	73.3	A
<b>Bacillus amyloliquefaciens strain d747</b>	Tarragon	9.36	2	1.75	A
<b>Bacillus amyloliquefaciens strain d747</b>	Tat soi (spinach mustard)	0.7	1	0.3	A
<b>Bacillus amyloliquefaciens strain d747</b>	Thyme	5.33	4	3.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain d747</b>	Tomatillo	1,065.2	7	96.9	A
<b>Bacillus amyloliquefaciens strain d747</b>	Tomato	3,297.54	41	565.5	A
<b>Bacillus amyloliquefaciens strain d747</b>	Tomato, processing	34,686.35	84	8,965.31	A
<b>Bacillus amyloliquefaciens strain d747</b>	Uncultivated ag	0.38	1	1.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Unknown	3.45	2	3.5	A
<b>Bacillus amyloliquefaciens strain d747</b>	Upland cress	2.19	30	11.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Vegetables, leafy	0.91	1	0.26	A
<b>Bacillus amyloliquefaciens strain d747</b>	Walnut	440.53	4	147.0	A
<b>Bacillus amyloliquefaciens strain d747</b>	Watermelon	378.61	7	209.37	A
<b>Bacillus amyloliquefaciens strain f727</b>	Almond	0.36	2	0.04	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain f727</b>	Arugula	822.64	41	189.45	A
<b>Bacillus amyloliquefaciens strain f727</b>	Basil, sweet	6.03	1	1.0	A
<b>Bacillus amyloliquefaciens strain f727</b>	Bean, unspecified	48.26	1	8.0	A
<b>Bacillus amyloliquefaciens strain f727</b>	Beet	260.59	11	45.9	A
<b>Bacillus amyloliquefaciens strain f727</b>	Blackberry	4,522.8	72	854.16	A
<b>Bacillus amyloliquefaciens strain f727</b>	Blueberry	241.29	1	32.0	A
<b>Bacillus amyloliquefaciens strain f727</b>	Broccoli	190.62	3	23.7	A
<b>Bacillus amyloliquefaciens strain f727</b>	Cannabis (all or unspecified)	1,074.3	49	198.11	A
<b>Bacillus amyloliquefaciens strain f727</b>	Cannabis (all or unspecified)	380.58	213	567,799.0	S
<b>Bacillus amyloliquefaciens strain f727</b>	Celery	420.65	6	52.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain f727</b>	Cucumber	40.21	1	10.0	A
<b>Bacillus amyloliquefaciens strain f727</b>	Grape, wine	4,967.75	63	723.51	A
<b>Bacillus amyloliquefaciens strain f727</b>	Herb, spice	150.02	18	24.87	A
<b>Bacillus amyloliquefaciens strain f727</b>	Kale	15.76	2	3.9	A
<b>Bacillus amyloliquefaciens strain f727</b>	Lettuce, head	46.65	1	5.8	A
<b>Bacillus amyloliquefaciens strain f727</b>	Lettuce, leaf	2,340.83	91	582.87	A
<b>Bacillus amyloliquefaciens strain f727</b>	Melon	587.14	2	146.0	A
<b>Bacillus amyloliquefaciens strain f727</b>	Mizuna	46.65	3	11.6	A
<b>Bacillus amyloliquefaciens strain f727</b>	Mustard greens	16.61	5	4.13	A
<b>Bacillus amyloliquefaciens strain f727</b>	N-grnhs transplants	344.78	66	62.41	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain f727</b>	N-grnhs transplants	103.8	6	748,626.0	S
<b>Bacillus amyloliquefaciens strain f727</b>	N-outdr transplants	4,074.66	158	851.33	A
<b>Bacillus amyloliquefaciens strain f727</b>	N-outdr transplants	1,179.3	47	7,955,145.0	S
<b>Bacillus amyloliquefaciens strain f727</b>	Nectarine	239.6	7	59.55	A
<b>Bacillus amyloliquefaciens strain f727</b>	Onion, dry	1,587.75	10	255.25	A
<b>Bacillus amyloliquefaciens strain f727</b>	Parsley	150.64	3	21.35	A
<b>Bacillus amyloliquefaciens strain f727</b>	Peach	413.87	16	171.64	A
<b>Bacillus amyloliquefaciens strain f727</b>	Pepper, fruiting	18.1	3	3.0	A
<b>Bacillus amyloliquefaciens strain f727</b>	Quince	42.23	2	7.0	A
<b>Bacillus amyloliquefaciens strain f727</b>	Research commodity	52.28	9	9.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain f727</b>	Rosemary	9.05	1	1.5	A
<b>Bacillus amyloliquefaciens strain f727</b>	Spinach	2,297.88	136	513.7	A
<b>Bacillus amyloliquefaciens strain f727</b>	Squash	544.91	20	88.0	A
<b>Bacillus amyloliquefaciens strain f727</b>	Strawberry	2,434.28	26	578.97	A
<b>Bacillus amyloliquefaciens strain f727</b>	Swiss chard	170.95	9	33.8	A
<b>Bacillus amyloliquefaciens strain f727</b>	Tomato	156.84	3	32.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Almond	1,114.98	195	17,259.4	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Apple	0.94	3	34.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Apricot	0.06	1	2.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Arugula	0.5	5	12.04	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Blackberry	20.64	72	624.54	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Blueberry	198.04	118	3,511.98	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Brussels sprout	11.16	7	447.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Celery	0.88	2	16.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Cherry	0.17	2	6.3	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Grape	605.54	205	10,582.35	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Grape, wine	332.59	177	4,939.19	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Kiwi fruit fuzzy	1.65	1	20.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Lemon	51.39	10	502.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Lettuce, leaf	1.65	4	34.52	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Mustard greens	0.18	2	4.96	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	N-outdr flower	<0.01	1	100.0	U
<b>Bacillus amyloliquefaciens strain mbi 600</b>	N-outdr plants in containers	0.23	5	10.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Nectarine	103.48	143	1,887.45	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Onion, dry	7.6	9	173.32	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Orange	1.76	1	16.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Peach	115.34	185	2,124.63	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Pear	6.6	12	239.9	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Pepper, fruiting	22.92	16	432.5	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Pistachio	249.54	54	2,866.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Plum	42.89	49	736.78	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Pluot	1.02	10	37.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Radicchio	8.8	1	75.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Raspberry	18.85	131	682.79	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Shallot	0.31	2	11.16	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Spinach	2.64	7	64.02	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Strawberry	20.51	46	248.4	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Sweet potato	3.71	5	90.0	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Tangerine	277.36	81	2,544.68	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Tomato	57.81	43	1,894.26	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Tomato, processing	61.81	81	1,201.02	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Walnut	1.78	2	32.32	A
<b>Bacillus amyloliquefaciens strain mbi 600</b>	Watermelon	5.46	3	99.25	A
<b>Bacillus firmus (strain i-1582)</b>	Golf course turf	21.0	N/A	6.0	A
<b>Bacillus mycoides isolate j</b>	Almond	<0.01	1	0.03	A
<b>Bacillus mycoides isolate j</b>	Arugula	3.1	6	33.72	A
<b>Bacillus mycoides isolate j</b>	Basil, sweet	7.25	65	63.96	A
<b>Bacillus mycoides isolate j</b>	Beet	6.36	11	126.74	A
<b>Bacillus mycoides isolate j</b>	Cabbage	5.48	13	109.78	A
<b>Bacillus mycoides isolate j</b>	Cilantro	0.15	1	2.0	A
<b>Bacillus mycoides isolate j</b>	Collard	0.46	5	6.56	A
<b>Bacillus mycoides isolate j</b>	Dill	0.02	1	0.2	A
<b>Bacillus mycoides isolate j</b>	Grape	21.4	43	1,142.0	A
<b>Bacillus mycoides isolate j</b>	Grape, wine	2.24	5	49.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus mycoides isolate j</b>	Herb, spice	6.61	58	57.49	A
<b>Bacillus mycoides isolate j</b>	Kale	18.07	49	220.48	A
<b>Bacillus mycoides isolate j</b>	Lettuce, leaf	51.75	72	557.94	A
<b>Bacillus mycoides isolate j</b>	Mustard greens	7.28	35	95.97	A
<b>Bacillus mycoides isolate j</b>	N-grnhs transplants	3.93	9	31.56	A
<b>Bacillus mycoides isolate j</b>	N-grnhs transplants	2.08	7	812,520.0	S
<b>Bacillus mycoides isolate j</b>	N-outdr transplants	1.53	14	27.11	A
<b>Bacillus mycoides isolate j</b>	N-outdr transplants	23.65	77	9,292,580.0	S
<b>Bacillus mycoides isolate j</b>	Pear	6.87	10	61.0	A
<b>Bacillus mycoides isolate j</b>	Pumpkin	0.8	1	16.0	A
<b>Bacillus mycoides isolate j</b>	Spinach	45.66	56	501.93	A
<b>Bacillus mycoides isolate j</b>	Swiss chard	5.26	21	59.81	A
<b>Bacillus pumilus, strain qst 2808</b>	Almond	36.25	6	365.98	A
<b>Bacillus pumilus, strain qst 2808</b>	Apple	0.42	2	3.5	A
<b>Bacillus pumilus, strain qst 2808</b>	Apricot	0.12	1	2.0	A
<b>Bacillus pumilus, strain qst 2808</b>	Artichoke, globe	25.44	95	448.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus pumilus, strain qst 2808</b>	Arugula	2.36	5	37.43	A
<b>Bacillus pumilus, strain qst 2808</b>	Arugula	0.02	11	4,200.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Basil, sweet	5.64	64	62.66	A
<b>Bacillus pumilus, strain qst 2808</b>	Basil, sweet	<0.01	2	1,200.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Blackberry	25.76	11	215.36	A
<b>Bacillus pumilus, strain qst 2808</b>	Bok choy (choy sum, pak choi)	0.47	7	7.91	A
<b>Bacillus pumilus, strain qst 2808</b>	Cannabis (all or unspecified)	1.18	19	8.48	A
<b>Bacillus pumilus, strain qst 2808</b>	Cannabis (all or unspecified)	0.5	8	197,400.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Carrot	7.82	8	130.01	A
<b>Bacillus pumilus, strain qst 2808</b>	Celery	3.38	4	40.6	A
<b>Bacillus pumilus, strain qst 2808</b>	Cherry	36.08	38	601.1	A
<b>Bacillus pumilus, strain qst 2808</b>	Chicory	12.78	9	106.5	A
<b>Bacillus pumilus, strain qst 2808</b>	Chicory	0.01	4	2,500.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Chinese amaranth (chinese spinach, tampala, yin choy)	<0.01	3	600.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Cucumber	<0.01	1	400.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus pumilus, strain qst 2808</b>	Dill	0.02	1	0.2	A
<b>Bacillus pumilus, strain qst 2808</b>	Eggplant	<0.01	1	400.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Fava bean	0.01	7	2,100.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Fennel	3.03	12	50.5	A
<b>Bacillus pumilus, strain qst 2808</b>	Grape	3,062.85	742	30,074.25	A
<b>Bacillus pumilus, strain qst 2808</b>	Grape, wine	3,111.11	2,170	31,591.03	A
<b>Bacillus pumilus, strain qst 2808</b>	Herb, spice	4.63	53	51.48	A
<b>Bacillus pumilus, strain qst 2808</b>	Herb, spice	0.08	11	14,350.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Kale	2.08	10	29.18	A
<b>Bacillus pumilus, strain qst 2808</b>	Kale	<0.01	4	700.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Lemon	0.05	1	0.5	A
<b>Bacillus pumilus, strain qst 2808</b>	Lettuce, head	5.51	19	200.3	A
<b>Bacillus pumilus, strain qst 2808</b>	Lettuce, head	0.1	11	16,351.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Lettuce, leaf	41.29	82	720.51	A
<b>Bacillus pumilus, strain qst 2808</b>	Mizuna	0.5	7	4.9	A
<b>Bacillus pumilus, strain qst 2808</b>	N-grnhs transplants	28.57	989	238.21	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus pumilus, strain qst 2808</b>	N-grnhs transplants	0.09	3	72,000.0	S
<b>Bacillus pumilus, strain qst 2808</b>	N-outdr flower	0.01	8	1,900.0	S
<b>Bacillus pumilus, strain qst 2808</b>	N-outdr transplants	2.24	12	55.99	A
<b>Bacillus pumilus, strain qst 2808</b>	N-outdr transplants	1.69	36	1,500,776.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Nectarine	168.22	115	1,497.41	A
<b>Bacillus pumilus, strain qst 2808</b>	Olive	0.18	1	1.5	A
<b>Bacillus pumilus, strain qst 2808</b>	Parsley	0.39	2	6.5	A
<b>Bacillus pumilus, strain qst 2808</b>	Parsley	0.02	10	3,500.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Peach	197.1	141	1,820.05	A
<b>Bacillus pumilus, strain qst 2808</b>	Peas	38.15	87	751.43	A
<b>Bacillus pumilus, strain qst 2808</b>	Pecan	27.37	3	456.0	A
<b>Bacillus pumilus, strain qst 2808</b>	Pepper, fruiting	9.66	3	151.0	A
<b>Bacillus pumilus, strain qst 2808</b>	Pepper, fruiting	<0.01	1	750.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Plum	81.36	45	713.02	A
<b>Bacillus pumilus, strain qst 2808</b>	Pluot	0.39	3	6.5	A
<b>Bacillus pumilus, strain qst 2808</b>	Pumpkin	<0.01	1	200.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus pumilus, strain qst 2808</b>	Radicchio	19.99	12	173.95	A
<b>Bacillus pumilus, strain qst 2808</b>	Radish	0.18	1	3.0	A
<b>Bacillus pumilus, strain qst 2808</b>	Raspberry	6.73	7	64.31	A
<b>Bacillus pumilus, strain qst 2808</b>	Research commodity	1.66	7	14.02	A
<b>Bacillus pumilus, strain qst 2808</b>	Spinach	108.43	85	1,207.2	A
<b>Bacillus pumilus, strain qst 2808</b>	Squash	<0.01	1	250.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Strawberry	104.56	46	1,205.0	A
<b>Bacillus pumilus, strain qst 2808</b>	Strawberry	0.06	4	14,400.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Swiss chard	1.43	9	36.78	A
<b>Bacillus pumilus, strain qst 2808</b>	Tomatillo	<0.01	1	100.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Tomato	95.73	21	1,293.6	A
<b>Bacillus pumilus, strain qst 2808</b>	Tomato	<0.01	1	500.0	S
<b>Bacillus pumilus, strain qst 2808</b>	Tomato, processing	38.91	10	453.9	A
<b>Bacillus pumilus, strain qst 2808</b>	Watermelon	6.55	2	72.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Landscape maintenance	43.04	N/A	N/A	N/A
<b>Bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Public health	5,783.3	N/A	N/A	N/A
<b>Bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Structural pest control	32.51	N/A	N/A	N/A
<b>Bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Water area	1,017.12	N/A	1,288.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Almond	0.14	2	80.73	A
<b>Bacillus subtilis strain iab/bs03</b>	Apricot	0.22	15	129.45	A
<b>Bacillus subtilis strain iab/bs03</b>	Artichoke, globe	0.09	11	83.1	A
<b>Bacillus subtilis strain iab/bs03</b>	Arugula	0.03	4	18.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus subtilis strain iab/bs03</b>	Beet	0.05	4	69.2	A
<b>Bacillus subtilis strain iab/bs03</b>	Blackberry	0.6	15	253.7	A
<b>Bacillus subtilis strain iab/bs03</b>	Blueberry	0.06	4	44.26	A
<b>Bacillus subtilis strain iab/bs03</b>	Cabbage	<0.01	1	4.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Carrot	0.04	1	24.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Celery	0.25	53	289.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Cherry	0.02	2	14.5	A
<b>Bacillus subtilis strain iab/bs03</b>	Collard	<0.01	2	5.1	A
<b>Bacillus subtilis strain iab/bs03</b>	Grape	16.67	265	12,412.83	A
<b>Bacillus subtilis strain iab/bs03</b>	Grape, wine	3.92	61	857.76	A
<b>Bacillus subtilis strain iab/bs03</b>	Grapefruit	0.01	1	6.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Kale	0.02	2	22.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Lettuce, leaf	<0.01	3	10.1	A
<b>Bacillus subtilis strain iab/bs03</b>	Nectarine	3.95	182	2,613.31	A
<b>Bacillus subtilis strain iab/bs03</b>	Orange	0.03	2	14.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Parsley	0.01	2	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus subtilis strain iab/bs03</b>	Peach	3.63	192	2,362.06	A
<b>Bacillus subtilis strain iab/bs03</b>	Pear	0.03	5	17.5	A
<b>Bacillus subtilis strain iab/bs03</b>	Peas	0.3	19	291.3	A
<b>Bacillus subtilis strain iab/bs03</b>	Pepper, fruiting	<0.01	1	1.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Plum	1.18	53	771.04	A
<b>Bacillus subtilis strain iab/bs03</b>	Pomegranate	0.15	4	90.8	A
<b>Bacillus subtilis strain iab/bs03</b>	Radish	0.01	3	26.6	A
<b>Bacillus subtilis strain iab/bs03</b>	Raspberry	0.11	8	58.4	A
<b>Bacillus subtilis strain iab/bs03</b>	Spinach	0.08	15	48.7	A
<b>Bacillus subtilis strain iab/bs03</b>	Squash	0.06	4	33.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Strawberry	21.35	103	3,806.53	A
<b>Bacillus subtilis strain iab/bs03</b>	Swiss chard	0.04	5	46.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Tangerine	0.08	4	40.25	A
<b>Bacillus subtilis strain iab/bs03</b>	Tomato	0.03	5	16.0	A
<b>Bacillus subtilis strain iab/bs03</b>	Tomato, processing	0.23	4	158.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner)</b>	Apple	0.32	8	4.8	A
<b>Bacillus thuringiensis (berliner)</b>	Broccoli	0.26	2	8.0	A
<b>Bacillus thuringiensis (berliner)</b>	Cannabis (all or unspecified)	0.61	16	19.0	A
<b>Bacillus thuringiensis (berliner)</b>	Cannabis (all or unspecified)	0.07	13	130,000.0	S
<b>Bacillus thuringiensis (berliner)</b>	Cauliflower	0.06	1	2.0	A
<b>Bacillus thuringiensis (berliner)</b>	Corn, human consumption	0.64	22	37.0	A
<b>Bacillus thuringiensis (berliner)</b>	Cucumber	0.43	9	297,000.0	S
<b>Bacillus thuringiensis (berliner)</b>	Grape	0.22	3	68.0	A
<b>Bacillus thuringiensis (berliner)</b>	Grape, wine	0.11	8	9.9	A
<b>Bacillus thuringiensis (berliner)</b>	Kale	0.03	1	0.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner)</b>	Landscape maintenance	1.02	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner)</b>	Lettuce, head	<0.01	3	1.95	A
<b>Bacillus thuringiensis (berliner)</b>	Lettuce, leaf	<0.01	3	1.95	A
<b>Bacillus thuringiensis (berliner)</b>	Lettuce, leaf	0.05	9	18,000.0	S
<b>Bacillus thuringiensis (berliner)</b>	N-grnhs flower	<0.01	1	3,000.0	S
<b>Bacillus thuringiensis (berliner)</b>	N-grnhs plants in containers	0.2	6	6.5	A
<b>Bacillus thuringiensis (berliner)</b>	N-grnhs plants in containers	0.13	5	22,500.0	S
<b>Bacillus thuringiensis (berliner)</b>	N-grnhs transplants	0.07	4	4.0	A
<b>Bacillus thuringiensis (berliner)</b>	N-outdr flower	1.43	2	11.4	A
<b>Bacillus thuringiensis (berliner)</b>	N-outdr plants in containers	0.1	3	6.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner)</b>	N-outdr plants in containers	0.02	3	22,000.0	S
<b>Bacillus thuringiensis (berliner)</b>	Pear	<0.01	8	0.8	A
<b>Bacillus thuringiensis (berliner)</b>	Plum	<0.01	1	0.2	A
<b>Bacillus thuringiensis (berliner)</b>	Public health	5.81	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner)</b>	Regulatory pest control	0.1	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner)</b>	Stone fruit	<0.01	5	0.8	A
<b>Bacillus thuringiensis (berliner)</b>	Structural pest control	1.15	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner)</b>	Swiss chard	0.26	1	8.0	A
<b>Bacillus thuringiensis (berliner)</b>	Tomato	<0.01	1	0.2	A
<b>Bacillus thuringiensis (berliner)</b>	Tomato	0.48	9	144,300.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner)</b>	Vegetables, leafy	<0.01	2	0.2	A
<b>Bacillus thuringiensis (berliner)</b>	Vegetables, leafy	0.01	2	4,000.0	S
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Alfalfa	265.0	4	316.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Almond	9.0	3	72.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Apple	0.08	1	1.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Artichoke, globe	1,094.59	167	1,473.8	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Arugula	74.9	19	76.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Basil, sweet	5.63	5	5.63	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Beet	19.15	13	19.8	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Blackberry	110.5	8	111.5	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Blueberry	21.0	1	21.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Bok choy (choy sum, pak choi)	40.8	13	49.77	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Broccoli	23,607.89	2,227	27,037.36	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Brussels sprout	6,554.51	617	8,965.57	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cabbage	4,599.65	582	5,309.78	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cantaloupe	8.62	16	221.6	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cauliflower	11,820.94	1,334	13,647.79	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Celery	1,325.4	154	1,380.54	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Chinese cabbage (napa, wong bok, celery cabbage)	10.0	2	15.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cole crop	0.06	2	0.75	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Collard	51.42	83	64.77	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Grape, wine	22.06	2	41.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Industrial hemp	92.0	6	92.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Kale	547.25	155	595.62	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Kohlrabi	26.1	9	31.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Leek	0.03	N/A	0.5	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Lettuce, head	538.12	74	637.1	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Lettuce, leaf	5,058.71	431	5,338.83	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Mustard greens	4.96	15	7.96	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	N-grnhs plants in containers	0.94	4	1.85	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	N-grnhs transplants	0.74	22	6.62	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	N-outdr flower	2.09	9	41.6	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Peas	240.0	17	240.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Pepper, fruiting	861.72	38	1,272.82	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Pistachio	1,667.5	29	1,667.5	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Pumpkin	5.0	2	10.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Radish	88.36	35	88.36	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Rapini	2,339.95	151	2,990.1	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Raspberry	127.14	19	193.28	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Spinach	539.29	60	565.58	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Strawberry	2,089.93	109	3,280.61	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Structural pest control	0.43	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Swiss chard	65.33	16	67.87	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Tomato, processing	2,061.69	83	3,112.67	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Turnip	0.25	1	0.5	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Turnip greens	0.25	1	0.5	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Vegetables, leafy	0.13	2	1.75	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Watermelon	17.5	1	24.8	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Cannabis (all or unspecified)	0.38	7	70,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Grape, wine	0.38	1	3.7	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Herb, spice	1.03	1	4.05	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Lettuce, leaf	8.24	2	49.9	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-grnhs flower	0.15	1	0.5	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-grnhs transplants	2.78	18	18.0	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-grnhs transplants	2.39	10	990,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-outdr flower	2.65	11	21.4	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-outdr plants in containers	4.91	14	73.25	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-outdr transplants	0.46	1	2.44	A
<b>Bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-outdr transplants	17.0	96	7,164,450.0	S
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Cannabis (all or unspecified)	1.13	34	245,120.0	S
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Endive (escarole)	0.86	N/A	2.88	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Landscape maintenance	169.76	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	N-grnhs plants in containers	17.31	81	114.32	A
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	N-grnhs plants in containers	1.08	12	220,200.0	S
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	N-outdr plants in containers	10.36	1	10.95	A
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Pastureland	8.03	N/A	16.0	A
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Public health	3,952.33	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Regulatory pest control	3.34	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Research commodity	<0.01	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Structural pest control	14.74	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Water area	55.14	N/A	289.01	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Basil, sweet	19.13	18	13.11	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Cannabis (all or unspecified)	32.91	31	190,880.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Industrial hemp	2.52	5	15.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Landscape maintenance	49.51	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	N-grnhs plants in containers	5.02	13	5.04	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	N-grnhs plants in containers	0.53	1	2,700.0	S
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Oregano	0.64	1	1.5	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Parsley	0.64	1	1.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Persimmon	90.95	3	58.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Rights of way	1.03	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Rosemary	2.34	6	1.26	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Structural pest control	21.81	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Uncultivated ag	16.56	1	6.21	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	Corn, human consumption	0.51	3	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	Grape, wine	0.96	1	30.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	Landscape maintenance	1.22	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	N-grnhs flower	0.04	7	8.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	N-grnhs flower	0.01	2	6,000.0	S
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	N-grnhs plants in containers	1.34	1	2,000.0	S
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	N-grnhs transplants	0.03	6	6.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	N-outdr plants in containers	<0.01	1	1,032.0	S
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	N-outdr transplants	0.23	8	1.52	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Alfalfa	493.03	7	395.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Almond	7,631.98	65	3,219.42	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Apple	0.94	3	11.51	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Apricot	178.36	16	189.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Artichoke, globe	159.08	27	149.7	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Avocado	473.88	6	460.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Basil, sweet	14.92	56	70.71	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Beet	13.27	18	236.02	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Blackberry	847.14	131	1,319.9	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Blueberry	5,816.04	195	7,256.79	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Boysenberry	0.15	1	1.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Broccoli	8,389.15	576	6,908.62	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Brussels sprout	1,290.33	56	1,303.36	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cabbage	2,216.11	228	2,046.55	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cabbage, savoy	1.83	3	38.27	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cannabis (all or unspecified)	33.86	35	75.47	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cannabis (all or unspecified)	0.26	2	18,000.0	S
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cantaloupe	625.58	9	785.7	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Carrot	103.06	3	151.25	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cauliflower	2,144.47	279	1,808.21	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Celery	1,034.51	186	909.81	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Chinese cabbage (napa, wong bok, celery cabbage)	196.97	15	154.49	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Chinese greens	36.57	32	53.6	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Chive	11.06	4	11.27	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Citrus	11.9	1	7.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Collard	77.27	35	89.41	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Corn (forage - fodder)	59.5	1	68.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Corn, human consumption	2,396.99	102	5,965.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cucumber	1.25	3	20.74	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Dill	0.07	1	1.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Garbanzo bean	5.1	1	6.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Grape	32.55	6	84.86	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Grape, wine	17.85	9	31.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Grapefruit	16.83	3	35.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Herb, spice	39.72	18	49.31	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Industrial hemp	505.75	23	638.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Kale	354.31	72	367.07	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Kiwi fruit fuzzy	8,150.06	407	6,882.4	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Landscape maintenance	26.49	N/A	N/A	N/A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Lemon	506.42	32	728.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Lettuce, head	221.19	32	294.37	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Lettuce, leaf	8,183.98	533	6,753.11	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Melon	330.95	5	356.4	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Mint	47.77	19	56.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Mustard	1.86	12	16.5	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Mustard greens	1,172.45	142	929.6	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs flower	1.95	15	26.5	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs plants in containers	354.82	53	65.46	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs plants in containers	0.38	4	258,000.0	S
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs transplants	49.45	30	1,871.6	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs transplants	3.84	8	113,901.0	S
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-outdr flower	222.35	132	1,501.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-outdr plants in containers	20.92	38	50.69	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-outdr transplants	23.14	15	36.8	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-outdr transplants	10.05	14	545,392.0	S
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Nectarine	1,666.36	158	2,110.85	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Onion, green	1.7	1	2.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Orange	10,692.18	628	16,185.89	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Oregano	0.07	1	1.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Parsley	10.94	26	275.19	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Peach	3,428.59	341	4,340.83	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Pear	148.96	8	97.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Peas	36.98	3	29.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Pepper, fruiting	291.76	17	297.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Persimmon	28.05	1	22.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Pistachio	916.3	13	539.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Plum	1,342.84	335	2,423.38	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Rapini	130.56	4	102.4	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Raspberry	2,830.92	262	3,463.22	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Research commodity	15.38	15	17.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Rice	1,305.41	21	1,043.21	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Rights of way	0.18	1	1.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Rosemary	1.9	3	5.5	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Sage	58.16	9	47.18	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Spinach	6,748.49	401	5,301.97	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Squash	59.5	1	70.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Strawberry	28,657.83	922	29,571.03	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Sudangrass	46.25	2	120.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Sugarbeet	189.46	7	494.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Swiss chard	778.03	109	668.68	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Tangelo	106.34	9	153.62	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Tangerine	8,338.08	338	9,937.93	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Tarragon	1.31	2	1.5	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Thyme	3.48	1	3.5	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Tomato	402.34	20	594.28	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Tomato, processing	826.02	32	723.54	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Uncultivated ag	10.71	8	12.1	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Unknown	1.27	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Vegetables, leafy	22.74	13	29.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Walnut	195.05	9	238.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Watercress	2.27	6	6.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Watermelon	524.45	14	758.0	A
<b>Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Wheat	89.89	4	70.5	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Almond	16,106.53	793	50,653.46	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Apple	25.48	21	165.7	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Apricot	16.96	12	79.9	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Basil, sweet	0.56	4	2.2	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Bean, succulent	4.16	2	25.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Bok choy (choy sum, pak choi)	6.88	28	26.2	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Broccoli	402.44	182	1,681.44	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Brussels sprout	810.06	252	2,911.92	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Cabbage	105.66	97	562.6	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Cannabis (all or unspecified)	0.65	6	7,411.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Cauliflower	243.26	107	1,014.58	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Cherry	13.53	3	78.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Chinese cabbage (napa, wong bok, celery cabbage)	186.21	193	828.26	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Collard	1.1	2	6.25	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Corn, human consumption	15.99	6	92.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Daikon	3.47	1	10.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Eggplant	60.03	19	360.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Grape	32.98	5	95.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Kiwi fruit fuzzy	5.21	1	30.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Lemon	7.25	5	20.5	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Lettuce, head	12.49	1	68.7	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Lettuce, leaf	13.42	4	32.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	N-grnhs transplants	0.36	1	0.7	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	N-outdr transplants	13.05	13	25.35	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Nectarine	23.61	6	73.47	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Orange	562.25	64	1,576.52	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Peach	57.02	12	135.9	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Pear, asian (oriental pear, ya, ya li, nashi)	0.87	2	5.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Pistachio	15,643.79	600	57,511.21	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Plum	36.23	14	143.2	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Pluot	1.12	3	6.5	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Pomegranate	329.75	19	2,052.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Pumpkin	3.51	2	10.1	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Radish	6.11	2	18.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Research commodity	4.8	9	27.5	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Rosemary	0.06	1	0.25	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Strawberry	93.36	4	179.33	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Sunflower	2.78	4	16.0	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Tangelo	85.89	7	247.5	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Tangerine	256.43	24	624.93	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Tomato	0.03	2	0.12	A
<b>Bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Walnut	467.04	44	2,102.32	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Bok choy (choy sum, pak choi)	17.4	5	23.0	A
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Broccoli	1,534.86	269	3,414.23	A
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Brussels sprout	3,336.23	378	5,637.41	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Cabbage	1,551.9	621	3,563.02	A
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Cabbage	19.2	9	48.0	U
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Cabbage, savoy	71.04	12	88.84	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Cauliflower	2,110.82	350	4,927.87	A
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Chinese broccoli (gai lon)	218.64	213	525.5	A
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Chinese cabbage (napa, wong bok, celery cabbage)	50.4	5	64.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Kohlrabi	3.0	1	5.0	A
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Mustard	246.74	253	623.4	A
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	N-grnhs plants in containers	1.0	3	3.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	N-outdr transplants	0.15	1	0.25	A
<b>Bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Spinach	38.86	6	56.3	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Alfalfa	1,082.22	17	1,335.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Almond	2,492.1	7	2,307.5	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Artichoke, globe	2,888.79	303	3,951.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Arugula	266.94	84	369.52	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Avocado	66.96	2	66.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Basil, sweet	2.7	1	5.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Bean, succulent	21.6	7	20.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Beet	2,298.43	112	2,211.01	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Blackberry	309.47	32	301.21	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Blueberry	1,452.49	80	1,544.23	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Bok choy (choy sum, pak choi)	837.1	173	940.27	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Broccoli	28,620.93	3,532	31,895.32	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Broccoli	0.02	1	900.0	S
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Brussels sprout	17,378.28	1,790	22,015.36	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cabbage	23,013.93	3,240	27,153.75	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cabbage	0.02	1	900.0	S
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cabbage, savoy	6.48	1	8.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cannabis (all or unspecified)	2,746.17	144	2,552.36	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cannabis (all or unspecified)	8.09	24	306,500.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Carrot	383.92	16	385.09	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cauliflower	20,324.14	2,912	22,552.48	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Celery	10,570.02	1,279	12,285.77	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Chicory	47.63	5	58.8	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Chinese broccoli (gai lon)	38.11	31	72.1	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Chinese cabbage (napa, wong bok, celery cabbage)	158.36	64	190.18	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Chive	8.64	1	16.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cilantro	37.4	9	52.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Citrus	13.77	1	12.75	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cole crop	0.07	3	3,600.0	S
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Collard	1,074.39	227	1,138.52	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Corn, human consumption	257.3	39	313.57	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cress, garden	5.08	3	7.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Daikon	12.31	4	11.4	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Endive (escarole)	8.37	8	13.2	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Fava bean	5.4	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Fennel	45.5	9	51.19	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Gai choy	11.34	11	21.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Gai lon	57.03	8	105.41	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Grape, wine	11.71	2	13.87	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Herb, spice	20.01	9	20.36	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Kale	4,957.08	727	5,545.42	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Kale	0.06	2	2,700.0	S
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Kohlrabi	4.4	7	7.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Landscape maintenance	2.21	N/A	N/A	N/A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Leek	312.12	29	296.1	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Lettuce, head	928.5	300	974.29	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Lettuce, leaf	5,729.86	1,035	8,029.69	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Melon	500.58	7	463.5	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Mint	11.61	3	13.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Mizuna	57.02	30	69.5	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Mustard	134.28	67	163.68	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Mustard greens	302.03	95	340.27	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-grnhs flower	6.21	23	46.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-grnhs plants in containers	108.9	227	158.32	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-grnhs transplants	134.6	659	246.13	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-grnhs transplants	29.73	15	2,859,000.0	S
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-outdr flower	25.3	65	177.5	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-outdr plants in containers	75.3	96	69.36	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-outdr transplants	289.56	123	517.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-outdr transplants	378.1	205	35,648,400.0	S
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Onion, green	136.4	12	126.3	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Oregano	2.16	2	2.5	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Parsley	452.76	53	731.72	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Peas	12.48	5	23.12	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Pepper, fruiting	333.94	29	368.45	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Potato	120.2	3	222.6	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Radicchio	140.37	18	225.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Radish	407.62	89	427.7	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Raspberry	2,802.48	173	2,792.41	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Research commodity	20.74	18	20.9	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Research commodity	0.38	1	2,000.0	S
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Research commodity	<0.01	N/A	N/A	N/A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Sage	21.6	3	20.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Spinach	514.91	146	831.92	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Strawberry	22,909.89	770	28,970.63	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Sweet potato	38.88	1	36.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Swiss chard	1,083.68	126	1,062.31	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Swiss chard	0.14	2	6,750.0	S
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Tomato	408.05	72	755.4	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Tomato, processing	1,623.99	27	2,222.5	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Turnip	137.07	51	126.94	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Upland cress	46.8	35	72.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Vegetable	3.24	3	12.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Vegetables, fruiting	2.7	4	6.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Vertebrate control	95.04	N/A	N/A	N/A
<b>Bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Watermelon	108.0	4	151.4	A
<b>Bacillus thuringiensis, subsp. aizawai, strain sd-1372, lepidopteran active toxin(s)</b>	Cannabis (all or unspecified)	1.88	25	371,000.0	S
<b>Bacillus thuringiensis, subsp. aizawai, strain sd-1372, lepidopteran active toxin(s)</b>	Corn, human consumption	0.62	8	12.0	A
<b>Bacillus thuringiensis, subsp. aizawai, strain sd-1372, lepidopteran active toxin(s)</b>	Grape, wine	0.31	1	2.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. aizawai, strain sd-1372, lepidopteran active toxin(s)</b>	Strawberry	0.62	1	4.0	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Basil, sweet	26.16	14	10.73	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Cannabis (all or unspecified)	2.85	2	2.8	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Cannabis (all or unspecified)	476.99	502	3,286,921.7	S
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Herb, spice	13.04	17	22.05	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Landscape maintenance	44.88	N/A	N/A	N/A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Lettuce, head	25.69	36	40.82	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Lettuce, leaf	24.92	50	31.84	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Lettuce, leaf	59.92	22	1,638,507.0	S
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs flower	2.43	5	39,900.0	S
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs plants in containers	287.92	137	264.44	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs plants in containers	63.15	144	479,346.0	S
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs transplants	23.35	25	50.62	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs transplants	203.87	131	758,779.0	S
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-outdr plants in containers	14.91	19	5.98	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-outdr plants in containers	1.45	2	12,600.0	S
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-outdr transplants	26.24	11	176.0	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-outdr transplants	183.42	66	533,204.0	S
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Peach	0.19	1	0.28	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Public health	54,004.86	N/A	N/A	N/A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Research commodity	0.57	10	1.19	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Research commodity	0.97	10	4,601.0	S
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Research commodity	0.2	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Rosemary	0.59	2	0.42	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Strawberry	3.11	5	5,500.0	S
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Structural pest control	0.02	N/A	N/A	N/A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Tomato	3.27	3	0.75	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Uncultivated ag	214.76	256	355.65	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Vegetable	1.8	8	5,100.0	S
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Vegetables, leafy	0.84	1	1.5	A
<b>Bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Water area	2,542.46	6	1,622.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Alfalfa	583.66	76	3,369.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Almond	28,376.11	586	40,131.01	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Apple	2,062.34	241	2,771.13	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Apricot	307.11	56	492.6	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Artichoke, globe	596.55	115	744.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Arugula	181.51	47	342.56	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Avocado	8.64	1	16.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Basil, sweet	129.74	41	156.66	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Basil, sweet	0.69	3	70,266.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Bean, succulent	15.72	8	14.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Beet	378.76	17	378.2	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Beet	0.02	2	100.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Blackberry	430.88	86	513.24	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Blueberry	404.91	27	503.7	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Bok choy (choy sum, pak choi)	155.06	47	240.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Bok choy (choy sum, pak choi)	0.27	1	32,000.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Broccoli	3,850.5	521	4,480.95	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Broccoli	0.16	5	3,400.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Brussels sprout	2,108.22	102	2,921.66	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cabbage	3,677.67	380	4,004.41	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cabbage	0.08	1	4,050.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cannabis (all or unspecified)	1,479.01	193	1,510.65	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cannabis (all or unspecified)	47.64	54	1,017,367.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cantaloupe	93.69	3	166.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cauliflower	3,151.76	424	3,431.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Celery	1,499.56	267	2,012.56	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cherry	633.15	66	1,155.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chicory	38.64	4	47.7	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chinese amaranth (chinese spinach, tampala, yin choy)	0.07	1	1.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chinese broccoli (gai lon)	7.56	3	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chinese cabbage (napa, wong bok, celery cabbage)	129.34	25	133.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chinese greens	0.02	2	100.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chive	0.2	1	0.6	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chrysanthemum, garland	0.07	1	1.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cilantro	3.89	1	7.2	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Citrus	26.46	1	49.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cole crop	0.04	1	1,800.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Collard	124.48	34	122.31	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Corn (forage - fodder)	86.4	1	80.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Corn, human consumption	1,363.66	107	2,385.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cotton	87.75	2	325.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cucumber	73.17	20	97.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Daikon	51.52	14	56.2	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Dill	1.08	1	1.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Eggplant	4.46	6	18.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Gai choy	1.62	3	1.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Gai lon	12.92	29	26.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Grape	8,119.26	357	17,943.6	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Grape, wine	3,727.77	173	5,103.85	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Grape, wine	1.62	3	1,780.0	U
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Grapefruit	152.05	15	308.13	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Grass, seed	44.35	8	813.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Herb, spice	10.24	20	15.93	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Herb, spice	0.14	1	4,000.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Kale	1,051.22	111	1,088.58	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Kale	0.23	7	10,600.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Kiwi fruit fuzzy	421.75	13	475.51	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Kohlrabi	5.4	1	5.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Landscape maintenance	203.61	N/A	N/A	N/A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Lemon	946.11	92	1,765.59	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Lettuce, head	357.53	50	412.81	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Lettuce, head	0.41	2	26,922.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Lettuce, leaf	2,355.37	436	3,485.4	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Lettuce, leaf	0.02	1	900.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Lime	17.73	7	32.83	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Melon	770.17	24	1,010.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Mint	4.42	11	7.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Mizuna	3.42	7	6.48	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Mustard	11.02	7	12.2	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Mustard greens	11.71	4	20.94	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs flower	16.36	40	60.75	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs flower	0.21	3	16,425.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs plants in containers	545.59	728	553.54	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs plants in containers	85.24	100	2,619,868.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs plants in containers	0.27	1	10,800.0	U
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs transplants	305.85	1,938	666.44	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs transplants	58.53	87	2,898,250.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr flower	359.73	280	508.32	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr plants in containers	1,016.58	840	1,230.66	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr plants in containers	39.41	68	4,017,664.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr plants in containers	0.27	2	3,230.0	U
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr transplants	1,050.32	190	2,043.84	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr transplants	4.18	17	178,614.5	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Nectarine	2,355.28	246	3,508.19	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Orange	3,972.93	499	8,932.7	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Parsley	7.63	5	13.2	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Peach	3,622.63	439	5,280.71	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pear	157.81	23	186.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pear, asian (oriental pear, ya, ya li, nashi)	5.0	1	9.25	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pepper, fruiting	133.23	19	187.55	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pistachio	4,836.99	53	5,029.81	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Plum	1,379.15	163	1,960.27	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pluot	26.32	8	46.75	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pome fruit	9.07	3	2.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pomegranate	2.16	1	2.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Potato	120.2	3	222.6	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Prune	119.7	6	197.67	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pumpkin	28.08	3	39.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Quince	15.12	4	28.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Radicchio	50.63	6	85.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Radish	0.09	1	0.16	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Radish	0.04	2	200.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Raspberry	952.67	83	1,133.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Research commodity	26.08	20	24.1	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Research commodity	0.16	N/A	N/A	N/A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Rice, wild	359.64	2	333.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Rosemary	1.82	3	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Sage	1.79	2	1.9	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Soil fumigation/preplant	0.81	1	0.75	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Spinach	681.5	93	1,166.9	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Squash	8.25	8	12.25	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Squash, summer	4.35	2	4.2	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Squash, winter	19.98	2	37.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Squash, zucchini	37.26	1	46.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Stone fruit	2.16	3	2.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Strawberry	10,328.3	554	12,836.22	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Structural pest control	0.27	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Sugarbeet	16.2	1	65.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Sweet potato	81.0	1	75.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Swiss chard	198.28	30	248.56	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Tangelo	220.64	24	487.24	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Tangerine	2,939.38	288	5,481.86	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Thyme	5.4	14	9.01	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Tomato	1,139.38	49	1,348.24	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Tomato, processing	3,534.31	56	5,629.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Uncultivated ag	0.88	3	1.63	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Vegetable	59.13	9	67.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Walnut	1,395.09	61	2,412.65	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Watermelon	224.1	13	328.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Cannabis (all or unspecified)	0.05	1	10,000.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Grape, wine	2.58	3	15.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	N-grnhs plants in containers	0.03	1	10,560.0	S
<b>Bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	N-grnhs transplants	2.01	9	12.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	N-outdr plants in containers	0.1	1	40,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Peach	0.1	2	1.0	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Plum	0.36	3	3.5	A
<b>Bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Research commodity	0.01	N/A	N/A	N/A
<b>Bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Strawberry	13.49	9	165.0	A
<b>Bacillus velezensis</b>	Golf course turf	1.14	N/A	144.8	A
<b>Bacillus velezensis</b>	Landscape maintenance	0.71	N/A	N/A	N/A
<b>Bacillus velezensis</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Bacteriophages active against xylella fastidiosa</b>	Grape, wine	<0.01	19	36.32	A
<b>Bandane</b>	Vertebrate control	0.02	N/A	N/A	N/A
<b>Beauveria bassiana hf 23</b>	Animal premise	0.39	N/A	33.6	A
<b>Beauveria bassiana hf 23</b>	Animal premise	1.78	N/A	2,700,000.0	S
<b>Beauveria bassiana hf 23</b>	Animal premise	35.7	N/A	169.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Beauveria bassiana hf 23</b>	Landscape maintenance	0.85	N/A	N/A	N/A
<b>Beauveria bassiana strain ant-03</b>	Basil, sweet	2.38	5	11.35	A
<b>Beauveria bassiana strain ant-03</b>	Basil, sweet	0.15	4	4,824.0	S
<b>Beauveria bassiana strain ant-03</b>	Cannabis (all or unspecified)	19.9	48	43.13	A
<b>Beauveria bassiana strain ant-03</b>	Cannabis (all or unspecified)	608.67	904	3,297,544.6	S
<b>Beauveria bassiana strain ant-03</b>	Cucumber	565.07	54	719.8	A
<b>Beauveria bassiana strain ant-03</b>	Grape, wine	0.4	1	3.5	A
<b>Beauveria bassiana strain ant-03</b>	Herb, spice	17.26	37	90.35	A
<b>Beauveria bassiana strain ant-03</b>	Landscape maintenance	0.7	N/A	N/A	N/A
<b>Beauveria bassiana strain ant-03</b>	Mint	1.5	13	6.82	A
<b>Beauveria bassiana strain ant-03</b>	N-grnhs flower	21.97	57	911,968.0	S
<b>Beauveria bassiana strain ant-03</b>	N-grnhs transplants	0.8	6	3.91	A
<b>Beauveria bassiana strain ant-03</b>	N-outdr transplants	28.9	12	104.03	A
<b>Beauveria bassiana strain ant-03</b>	Oregano	0.35	3	1.73	A
<b>Beauveria bassiana strain ant-03</b>	Pepper, fruiting	0.37	1	0.32	A
<b>Beauveria bassiana strain ant-03</b>	Pistachio	0.19	1	0.93	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Beauveria bassiana strain ant-03	Rosemary	0.51	6	1.95	A
Beauveria bassiana strain ant-03	Tarragon	0.22	2	1.75	A
Beauveria bassiana strain ant-03	Thyme	0.2	1	1.0	A
Beauveria bassiana strain ant-03	Tomato	3,417.5	253	4,363.99	A
Beauveria bassiana strain gha	Almond	122.8	10	514.32	A
Beauveria bassiana strain gha	Basil, sweet	18.47	7	88.0	A
Beauveria bassiana strain gha	Basil, sweet	0.95	20	107,574.9	S
Beauveria bassiana strain gha	Bean, succulent	0.07	4	0.4	A
Beauveria bassiana strain gha	Beet	177.04	47	768.55	A
Beauveria bassiana strain gha	Blackberry	1,941.23	250	2,933.49	A
Beauveria bassiana strain gha	Blueberry	169.46	36	837.1	A
Beauveria bassiana strain gha	Blueberry	0.04	3	7,500.0	S
Beauveria bassiana strain gha	Bok choy (choy sum, pak choi)	53.27	31	241.9	A
Beauveria bassiana strain gha	Broccoli	84.79	56	408.96	A
Beauveria bassiana strain gha	Brussels sprout	8.97	8	41.0	A
Beauveria bassiana strain gha	Cabbage	199.5	83	896.26	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Beauveria bassiana strain gha	Cannabis (all or unspecified)	12.11	81	108.24	A
Beauveria bassiana strain gha	Cannabis (all or unspecified)	377.09	1,340	5,483,513.35	S
Beauveria bassiana strain gha	Cantaloupe	138.37	15	1,359.62	A
Beauveria bassiana strain gha	Cauliflower	273.98	84	1,209.45	A
Beauveria bassiana strain gha	Celery	3.52	2	16.0	A
Beauveria bassiana strain gha	Chive	0.14	2	1.0	A
Beauveria bassiana strain gha	Cilantro	0.14	1	1.0	A
Beauveria bassiana strain gha	Collard	42.82	48	201.39	A
Beauveria bassiana strain gha	Corn, human consumption	13.45	9	491.8	A
Beauveria bassiana strain gha	Cucumber	49.61	9	78.95	A
Beauveria bassiana strain gha	Cucumber	5.06	12	381,000.0	S
Beauveria bassiana strain gha	Daikon	1.72	4	7.8	A
Beauveria bassiana strain gha	Dill	0.27	2	2.0	A
Beauveria bassiana strain gha	Eggplant	7.0	4	74.0	A
Beauveria bassiana strain gha	Garlic	2.69	1	16.0	A
Beauveria bassiana strain gha	Grape	2.63	1	40.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Beauveria bassiana strain gha</b>	Grape, wine	31.85	14	91.31	A
<b>Beauveria bassiana strain gha</b>	Herb, spice	4.1	18	12.87	A
<b>Beauveria bassiana strain gha</b>	Horseradish	2.09	19	494,000.0	S
<b>Beauveria bassiana strain gha</b>	Industrial hemp	0.17	2	8,100.0	S
<b>Beauveria bassiana strain gha</b>	Kale	293.35	102	1,446.33	A
<b>Beauveria bassiana strain gha</b>	Landscape maintenance	24.8	N/A	N/A	N/A
<b>Beauveria bassiana strain gha</b>	Lettuce, head	57.3	45	267.88	A
<b>Beauveria bassiana strain gha</b>	Lettuce, head	5.03	23	541,162.1	S
<b>Beauveria bassiana strain gha</b>	Lettuce, leaf	313.7	220	1,505.58	A
<b>Beauveria bassiana strain gha</b>	Lettuce, leaf	14.71	17	3,172,064.0	S
<b>Beauveria bassiana strain gha</b>	Melon	67.65	5	617.65	A
<b>Beauveria bassiana strain gha</b>	Melon	0.02	1	2,520.0	S
<b>Beauveria bassiana strain gha</b>	Mint	0.96	4	7.0	A
<b>Beauveria bassiana strain gha</b>	Mustard	3.35	8	15.2	A
<b>Beauveria bassiana strain gha</b>	N-grnhs flower	521.47	597	1,412.0	A
<b>Beauveria bassiana strain gha</b>	N-grnhs flower	1.95	11	52,612.7	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Beauveria bassiana strain gha</b>	N-grnhs plants in containers	20.66	78	88.27	A
<b>Beauveria bassiana strain gha</b>	N-grnhs plants in containers	<0.01	1	84.0	C
<b>Beauveria bassiana strain gha</b>	N-grnhs plants in containers	27.53	39	739,288.0	S
<b>Beauveria bassiana strain gha</b>	N-grnhs transplants	21.3	110	94.84	A
<b>Beauveria bassiana strain gha</b>	N-grnhs transplants	15.25	73	2,565,030.0	S
<b>Beauveria bassiana strain gha</b>	N-outdr flower	1.33	2	1.75	A
<b>Beauveria bassiana strain gha</b>	N-outdr plants in containers	24.74	121	390.58	A
<b>Beauveria bassiana strain gha</b>	N-outdr plants in containers	0.91	9	127,500.0	S
<b>Beauveria bassiana strain gha</b>	N-outdr transplants	245.54	238	926.48	A
<b>Beauveria bassiana strain gha</b>	N-outdr transplants	89.34	159	18,121,061.99	S
<b>Beauveria bassiana strain gha</b>	Onion, dry	259.91	20	1,187.32	A
<b>Beauveria bassiana strain gha</b>	Oregano	0.68	5	5.0	A
<b>Beauveria bassiana strain gha</b>	Parsley	2.76	5	13.0	A
<b>Beauveria bassiana strain gha</b>	Pepper, fruiting	38.36	13	61.5	A
<b>Beauveria bassiana strain gha</b>	Pepper, fruiting	<0.01	1	32.0	S
<b>Beauveria bassiana strain gha</b>	Plum	29.81	5	136.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Beauveria bassiana strain gha	Public health	1.61	N/A	N/A	N/A
Beauveria bassiana strain gha	Pumpkin	1.75	2	10.0	A
Beauveria bassiana strain gha	Raspberry	151.11	34	421.61	A
Beauveria bassiana strain gha	Raspberry	<0.01	1	75.0	S
Beauveria bassiana strain gha	Regulatory pest control	4.76	N/A	N/A	N/A
Beauveria bassiana strain gha	Research commodity	1.49	10	4.78	A
Beauveria bassiana strain gha	Research commodity	0.25	20	22,300.0	S
Beauveria bassiana strain gha	Research commodity	1.67	N/A	N/A	N/A
Beauveria bassiana strain gha	Rosemary	0.33	1	3.0	A
Beauveria bassiana strain gha	Spinach	74.12	40	326.2	A
Beauveria bassiana strain gha	Squash	0.67	5	4.25	A
Beauveria bassiana strain gha	Squash, summer	12.31	1	45.0	A
Beauveria bassiana strain gha	Strawberry	1,688.66	284	5,730.15	A
Beauveria bassiana strain gha	Structural pest control	252.69	N/A	N/A	N/A
Beauveria bassiana strain gha	Sunflower	6.96	2	15.9	A
Beauveria bassiana strain gha	Sweet potato	119.18	14	544.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Beauveria bassiana strain gha</b>	Swiss chard	116.25	38	537.83	A
<b>Beauveria bassiana strain gha</b>	Tarragon	0.14	2	1.0	A
<b>Beauveria bassiana strain gha</b>	Tomatillo	15.76	2	48.0	A
<b>Beauveria bassiana strain gha</b>	Tomato	574.98	53	652.51	A
<b>Beauveria bassiana strain gha</b>	Tomato	5.94	14	282,000.0	S
<b>Beauveria bassiana strain gha</b>	Tomato, processing	116.67	5	532.6	A
<b>Beauveria bassiana strain gha</b>	Uncultivated non-ag	1.1	1	0.5	A
<b>Beauveria bassiana strain gha</b>	Upland cress	0.9	6	1.15	A
<b>Beauveria bassiana strain gha</b>	Vegetables, leafy	0.3	7	14,000.0	S
<b>Beauveria bassiana strain gha</b>	Vertebrate control	0.01	N/A	N/A	N/A
<b>Beauveria bassiana strain gha</b>	Watermelon	72.13	12	441.37	A
<b>Beauveria bassiana strain ppri 5339</b>	Basil, sweet	0.14	6	7.85	A
<b>Beauveria bassiana strain ppri 5339</b>	Cannabis (all or unspecified)	4.93	53	46.92	A
<b>Beauveria bassiana strain ppri 5339</b>	Cannabis (all or unspecified)	17.56	228	1,526,001.0	S
<b>Beauveria bassiana strain ppri 5339</b>	Citrus	1.46	1	12.8	A
<b>Beauveria bassiana strain ppri 5339</b>	N-grnhs flower	6.16	45	178.43	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Beauveria bassiana strain ppri 5339</b>	N-grnhs flower	0.69	22	188,020.0	S
<b>Beauveria bassiana strain ppri 5339</b>	N-grnhs plants in containers	8.27	83	133.81	A
<b>Beauveria bassiana strain ppri 5339</b>	N-grnhs plants in containers	0.21	6	189,400.0	S
<b>Beauveria bassiana strain ppri 5339</b>	N-grnhs transplants	0.22	5	3.91	A
<b>Beauveria bassiana strain ppri 5339</b>	N-grnhs transplants	0.06	2	24,000.0	S
<b>Beauveria bassiana strain ppri 5339</b>	Tomato	0.12	2	0.6	A
<b>Bendiocarb</b>	Structural pest control	0.9	N/A	N/A	N/A
<b>Benefin</b>	Alfalfa	303.6	6	253.0	A
<b>Benefin</b>	Landscape maintenance	3.96	N/A	N/A	N/A
<b>Benefin</b>	Lettuce, head	2,476.74	53	2,418.0	A
<b>Benefin</b>	Lettuce, leaf	2,939.06	90	3,758.8	A
<b>Bensulfuron methyl</b>	Rice	313.42	93	6,220.93	A
<b>Bensulide</b>	Alfalfa	184.41	1	31.0	A
<b>Bensulide</b>	Arugula	9,155.43	425	2,208.55	A
<b>Bensulide</b>	Bok choy (choy sum, pak choi)	2,814.73	230	789.07	A
<b>Bensulide</b>	Broccoli	46,518.73	1,191	13,082.02	A
<b>Bensulide</b>	Brussels sprout	649.5	21	204.13	A
<b>Bensulide</b>	Cabbage	9,087.49	443	2,285.9	A
<b>Bensulide</b>	Canola (rape)	11.9	1	3.0	A
<b>Bensulide</b>	Cantaloupe	9,907.63	36	1,732.75	A
<b>Bensulide</b>	Cauliflower	3,272.12	94	833.04	A
<b>Bensulide</b>	Celery	1,396.02	29	236.52	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Bensulide	Chinese broccoli (gai lon)	1,542.64	171	994.6	A
Bensulide	Chinese cabbage (napa, wong bok, celery cabbage)	229.29	27	68.56	A
Bensulide	Chinese greens	133.85	3	27.0	A
Bensulide	Chrysanthemum, edible leaved	68.41	11	11.5	A
Bensulide	Collard	687.83	40	138.77	A
Bensulide	Cress, garden	11.9	1	2.4	A
Bensulide	Cucumber	663.07	37	196.6	A
Bensulide	Dandelion green	106.12	23	17.8	A
Bensulide	Endive (escarole)	1,097.16	121	275.82	A
Bensulide	Fennel	59.49	1	12.0	A
Bensulide	Gai choy	101.61	34	62.0	A
Bensulide	Gai lon	18.6	2	5.5	A
Bensulide	Garlic	2.5	1	0.5	A
Bensulide	Golf course turf	15.88	N/A	1.75	A
Bensulide	Kale	3,309.87	316	760.48	A
Bensulide	Kohlrabi	210.52	72	148.3	A
Bensulide	Landscape maintenance	1,277.94	N/A	N/A	N/A
Bensulide	Lettuce, head	57,660.38	1,438	16,588.25	A
Bensulide	Lettuce, leaf	142,128.24	4,733	38,467.15	A
Bensulide	Melon	2,343.62	32	511.94	A
Bensulide	Mizuna	677.46	113	146.38	A
Bensulide	Mustard	2,220.67	155	502.64	A
Bensulide	Mustard greens	2,642.08	277	669.52	A
Bensulide	N-grnhs flower	79.27	N/A	8.0	A
Bensulide	N-grnhs flower	52.09	N/A	280,000.0	S
Bensulide	N-outdr flower	780.25	33	201.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Bensulide	N-outdr plants in containers	26.38	7	7.55	A
Bensulide	Onion, dry	19,597.46	118	7,666.18	A
Bensulide	Parsley	834.51	36	142.61	A
Bensulide	Pepper, fruiting	1,053.17	13	204.25	A
Bensulide	Pepper, spice	59.49	1	10.0	A
Bensulide	Pumpkin	296.83	16	91.25	A
Bensulide	Radicchio	176.48	9	44.5	A
Bensulide	Rapini	869.72	19	292.6	A
Bensulide	Regulatory pest control	162.6	9	65.0	A
Bensulide	Regulatory pest control	178.47	N/A	N/A	N/A
Bensulide	Research commodity	4.58	4	0.89	A
Bensulide	Research commodity	40.15	N/A	N/A	N/A
Bensulide	Soil fumigation/preplant	79.32	1	36.0	A
Bensulide	Squash	480.69	20	99.96	A
Bensulide	Squash, summer	125.92	20	43.82	A
Bensulide	Squash, winter	24.79	3	10.0	A
Bensulide	Squash, zucchini	1.24	1	0.25	A
Bensulide	Structural pest control	11.9	1	3.0	A
Bensulide	Tomatillo	5.95	1	1.0	A
Bensulide	Tomato	19.83	2	8.0	A
Bensulide	Uncultivated ag	437.24	13	102.3	A
Bensulide	Upland cress	525.71	54	127.1	A
Bensulide	Vegetable	46.6	4	9.0	A
Bensulide	Vegetables, leafy	214.73	19	70.54	A
Bensulide	Watermelon	655.37	13	141.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bentazon, sodium salt</b>	Bean, dried	1,771.25	58	1,588.6	A
<b>Bentazon, sodium salt</b>	Bean, succulent	1,213.69	58	1,076.46	A
<b>Bentazon, sodium salt</b>	Bean, unspecified	374.32	37	343.55	A
<b>Bentazon, sodium salt</b>	Corn, human consumption	86.71	7	79.0	A
<b>Bentazon, sodium salt</b>	Fava bean	3.89	1	5.0	A
<b>Bentazon, sodium salt</b>	Mint	85.85	4	91.0	A
<b>Bentazon, sodium salt</b>	N-outdr flower	1.08	2	0.5	A
<b>Bentazon, sodium salt</b>	N-outdr plants in containers	0.57	2	0.34	A
<b>Bentazon, sodium salt</b>	Peas	3,229.85	310	2,589.04	A
<b>Bentazon, sodium salt</b>	Structural pest control	8.15	1	6.0	A
<b>Bentonite</b>	Almond	8.25	2	10.0	A
<b>Bentonite</b>	Avocado	22.2	4	23.0	A
<b>Bentonite</b>	Cannabis (all or unspecified)	1.08	20	31,065.0	S
<b>Bentonite</b>	Cherry	74.1	9	120.5	A
<b>Bentonite</b>	Citrus	256.5	9	158.0	A
<b>Bentonite</b>	Grape	12.6	7	82.5	A
<b>Bentonite</b>	Grape, wine	81.0	3	80.0	A
<b>Bentonite</b>	Grapefruit	1,034.89	52	649.37	A
<b>Bentonite</b>	Lemon	12,013.96	469	9,304.38	A
<b>Bentonite</b>	Lime	4.5	1	2.0	A
<b>Bentonite</b>	Mango	80.1	4	178.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Bentonite	Olive	234.15	13	127.5	A
Bentonite	Orange	53,020.52	1,751	34,861.19	A
Bentonite	Orchard floor	163.03	2	99.56	A
Bentonite	Peach	10.36	2	10.42	A
Bentonite	Persimmon	0.54	1	0.3	A
Bentonite	Pistachio	730.14	20	691.6	A
Bentonite	Plum	0.23	1	0.13	A
Bentonite	Pomelo	111.0	10	57.5	A
Bentonite	Quince	6.0	2	12.0	A
Bentonite	Tangelo	1,192.91	48	679.37	A
Bentonite	Tangerine	21,707.18	805	17,929.88	A
Bentonite	Unknown	30.0	1	20.0	A
Bentonite	Walnut	61.2	3	160.0	A
Benzenesulfonic acid, c10-16-alkyl derivatives	Alfalfa	11.65	33	1,077.0	A
Benzenesulfonic acid, c10-16-alkyl derivatives	Almond	191.77	74	3,834.0	A
Benzenesulfonic acid, c10-16-alkyl derivatives	Avocado	9.86	72	384.0	A
Benzenesulfonic acid, c10-16-alkyl derivatives	Basil, sweet	1.98	67	84.85	A
Benzenesulfonic acid, c10-16-alkyl derivatives	Bean, succulent	0.02	3	0.75	A
Benzenesulfonic acid, c10-16-alkyl derivatives	Cantaloupe	2.24	9	268.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Cilantro	0.08	1	4.8	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Cole crop	1.75	89	70.85	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Corn (forage - fodder)	17.71	22	1,392.0	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Cucumber	0.1	6	3.6	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Ditch bank	0.06	4	3.25	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Ginger	0.15	10	4.75	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Grape	142.2	369	16,943.2	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Grape, wine	3.21	11	85.2	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Herb, spice	1.98	73	77.7	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Landscape maintenance	16.8	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Lemon	3.75	38	212.8	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Lettuce, head	14.73	43	464.1	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Lettuce, leaf	17.03	48	538.1	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Melon	2.65	10	279.75	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Mint	0.15	6	5.5	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	N-grnhs flower	2.02	N/A	8.0	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	N-grnhs flower	0.81	6	50,000.0	S
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	N-grnhs plants in containers	10.72	193	154.11	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	N-grnhs plants in containers	0.27	5	74,000.0	S
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	N-grnhs transplants	0.1	14	9.64	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	N-outdr flower	5.48	7	32.89	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	N-outdr plants in containers	70.47	947	1,797.31	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Orange	19.93	43	540.77	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Pastureland	1.1	6	35.0	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Peach	0.14	12	10.11	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Peas	<0.01	1	0.25	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Pepper, fruiting	4.02	6	85.25	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Pistachio	25.41	15	759.5	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Quince	0.3	2	11.8	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Research commodity	0.14	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Rights of way	44.07	N/A	N/A	N/A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Root vegetable	1.27	28	49.75	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Squash	2.39	38	96.0	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Strawberry	268.27	231	2,921.06	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Structural pest control	1.8	N/A	N/A	N/A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Sweet potato	<0.01	1	0.1	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Tangerine	4.78	7	172.09	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Uncultivated ag	0.16	1	5.0	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Vegetables, fruiting	0.08	8	3.0	A
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Vegetables, leafy	14.26	345	537.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Benzenesulfonic acid, c10-16-alkyl derivatives</b>	Wheat (forage - fodder)	0.26	1	7.0	A
<b>Benzobicyclon</b>	Rice	28,533.87	1,636	124,391.86	A
<b>Benzoic acid</b>	Alfalfa	319.86	1,156	61,724.4	A
<b>Benzoic acid</b>	Almond	370.69	1,635	58,985.14	A
<b>Benzoic acid</b>	Artichoke, globe	7.24	136	2,021.7	A
<b>Benzoic acid</b>	Arugula	39.21	118	1,005.91	A
<b>Benzoic acid</b>	Barley	6.69	26	1,518.0	A
<b>Benzoic acid</b>	Barley (forage - fodder)	2.92	9	520.7	A
<b>Benzoic acid</b>	Basil, sweet	0.23	1	41.0	A
<b>Benzoic acid</b>	Bean, dried	10.05	29	1,251.5	A
<b>Benzoic acid</b>	Bean, succulent	1.11	9	192.95	A
<b>Benzoic acid</b>	Bean, unspecified	1.43	50	222.31	A
<b>Benzoic acid</b>	Bok choy (choy sum, pak choi)	0.22	11	29.85	A
<b>Benzoic acid</b>	Broccoli	63.95	999	8,259.56	A
<b>Benzoic acid</b>	Brussels sprout	13.39	133	1,974.34	A
<b>Benzoic acid</b>	Cabbage	2.95	65	568.9	A
<b>Benzoic acid</b>	Cantaloupe	0.52	1	91.0	A
<b>Benzoic acid</b>	Cardoon	0.14	4	24.0	A
<b>Benzoic acid</b>	Carrot	7.58	133	2,046.0	A
<b>Benzoic acid</b>	Cauliflower	23.94	642	5,081.55	A
<b>Benzoic acid</b>	Celery	25.25	607	4,471.85	A
<b>Benzoic acid</b>	Cherry	3.92	88	677.34	A
<b>Benzoic acid</b>	Cilantro	0.42	13	103.0	A
<b>Benzoic acid</b>	Corn (forage - fodder)	162.01	490	26,127.4	A
<b>Benzoic acid</b>	Corn, grain	23.9	41	3,691.51	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Benzoic acid	Corn, human consumption	38.81	364	5,135.59	A
Benzoic acid	Cotton	115.38	280	17,958.55	A
Benzoic acid	Cress, garden	0.1	1	2.4	A
Benzoic acid	Cucumber	0.28	7	49.84	A
Benzoic acid	Ditch bank	2.48	3	215.0	A
Benzoic acid	Eggplant	0.11	2	19.0	A
Benzoic acid	Endive (escarole)	1.61	37	39.3	A
Benzoic acid	Fennel	2.3	90	396.45	A
Benzoic acid	Forage hay/silage	22.42	86	4,287.64	A
Benzoic acid	Forest, timberland	6.31	62	1,591.0	A
Benzoic acid	Forest, timberland	0.34	3	6.0	U
Benzoic acid	Garbanzo bean	1.78	2	313.0	A
Benzoic acid	Garlic	14.78	30	2,687.76	A
Benzoic acid	Grape	2.52	34	485.56	A
Benzoic acid	Grape, wine	419.75	4,490	78,247.89	A
Benzoic acid	Grapefruit	0.16	2	27.5	A
Benzoic acid	Herb, spice	0.62	3	108.0	A
Benzoic acid	Horseradish	0.45	1	84.0	A
Benzoic acid	Kale	7.1	72	177.86	A
Benzoic acid	Landscape maintenance	15.33	N/A	N/A	N/A
Benzoic acid	Lemon	1.58	11	277.5	A
Benzoic acid	Lettuce, head	117.78	948	9,883.08	A
Benzoic acid	Lettuce, leaf	250.23	2,442	16,402.94	A
Benzoic acid	Melon	0.57	4	99.0	A
Benzoic acid	Mint	3.08	16	926.0	A
Benzoic acid	Mizuna	0.73	24	17.65	A
Benzoic acid	Mustard greens	<0.01	2	0.25	A
Benzoic acid	N-grnhs plants in containers	<0.01	1	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Benzoic acid	N-outdr plants in containers	7.05	46	2,494.33	A
Benzoic acid	N-outdr transplants	0.73	7	141.78	A
Benzoic acid	Oat	4.55	13	815.31	A
Benzoic acid	Oat (forage - fodder)	10.27	45	1,774.9	A
Benzoic acid	Olive	10.12	50	1,075.07	A
Benzoic acid	Onion, dry	29.47	80	5,420.39	A
Benzoic acid	Orange	1.28	14	224.4	A
Benzoic acid	Orchardgrass	6.88	13	881.0	A
Benzoic acid	Pastureland	2.73	10	492.0	A
Benzoic acid	Peach	1.09	20	192.25	A
Benzoic acid	Peas	11.58	253	2,068.23	A
Benzoic acid	Pecan	0.48	5	83.91	A
Benzoic acid	Pepper, fruiting	1.75	15	307.55	A
Benzoic acid	Pistachio	203.39	394	17,076.86	A
Benzoic acid	Potato	36.2	122	7,145.6	A
Benzoic acid	Prune	12.13	81	2,117.56	A
Benzoic acid	Public health	7.95	N/A	N/A	N/A
Benzoic acid	Pumpkin	0.87	4	141.0	A
Benzoic acid	Radicchio	1.14	11	200.0	A
Benzoic acid	Rangeland	0.74	10	177.79	A
Benzoic acid	Raspberry	0.87	2	160.0	A
Benzoic acid	Rice	309.3	573	26,309.48	A
Benzoic acid	Rights of way	12.12	37	1,660.9	A
Benzoic acid	Rights of way	171.27	N/A	N/A	N/A
Benzoic acid	Rye	1.87	15	534.0	A
Benzoic acid	Ryegrass	4.66	21	792.0	A
Benzoic acid	Safflower	1.03	7	182.5	A
Benzoic acid	Soil fumigation/preplant	1.25	1	219.6	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Benzoic acid	Sorghum (forage - fodder)	0.22	1	38.0	A
Benzoic acid	Sorghum/milo	1.93	6	317.68	A
Benzoic acid	Spinach	58.17	317	2,840.16	A
Benzoic acid	Squash	0.13	6	23.5	A
Benzoic acid	Strawberry	5.89	21	1,232.85	A
Benzoic acid	Sudangrass	14.26	45	2,508.3	A
Benzoic acid	Sunflower	17.26	79	2,675.13	A
Benzoic acid	Tangelo	0.18	1	30.7	A
Benzoic acid	Tangerine	1.65	15	326.6	A
Benzoic acid	Tomato	24.42	102	2,844.54	A
Benzoic acid	Tomato, processing	16.23	28	2,735.4	A
Benzoic acid	Triticale	10.68	38	1,941.04	A
Benzoic acid	Uncultivated ag	255.37	1,176	28,551.88	A
Benzoic acid	Uncultivated non-ag	11.67	20	694.0	A
Benzoic acid	Unknown	0.44	1	78.0	A
Benzoic acid	Upland cress	5.0	54	127.1	A
Benzoic acid	Vertebrate control	0.1	2	23.0	A
Benzoic acid	Walnut	70.24	505	11,116.89	A
Benzoic acid	Water area	0.85	28	42.2	A
Benzoic acid	Watermelon	0.33	6	58.4	A
Benzoic acid	Wheat	79.52	273	14,430.76	A
Benzoic acid	Wheat (forage - fodder)	77.19	228	12,429.57	A
Benzovindiflupyr	Garlic	569.45	145	10,293.44	A
Benzovindiflupyr	Golf course turf	14.72	N/A	233.14	A
Benzovindiflupyr	Golf course turf	0.72	N/A	470,000.0	S
Benzovindiflupyr	Grape	131.13	54	1,868.17	A
Benzovindiflupyr	Grape, wine	880.47	410	12,981.09	A
Benzovindiflupyr	Landscape maintenance	0.54	1	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Benzovindiflupyr</b>	Landscape maintenance	118.82	N/A	N/A	N/A
<b>Benzovindiflupyr</b>	N-grnhs flower	2.18	6	27.25	A
<b>Benzovindiflupyr</b>	N-grnhs flower	1.08	14	572,760.0	S
<b>Benzovindiflupyr</b>	N-grnhs plants in containers	33.17	303	306.16	A
<b>Benzovindiflupyr</b>	N-grnhs plants in containers	0.01	1	6,000.0	S
<b>Benzovindiflupyr</b>	N-grnhs transplants	0.87	3	72.67	A
<b>Benzovindiflupyr</b>	N-outdr flower	20.14	80	350.25	A
<b>Benzovindiflupyr</b>	N-outdr plants in containers	43.22	215	256.6	A
<b>Benzovindiflupyr</b>	N-outdr plants in containers	0.06	2	32,000.0	S
<b>Benzovindiflupyr</b>	Pepper, fruiting	3.29	2	46.0	A
<b>Benzovindiflupyr</b>	Potato	96.53	40	1,480.41	A
<b>Benzovindiflupyr</b>	Structural pest control	9.43	N/A	N/A	N/A
<b>Benzovindiflupyr</b>	Tomato, processing	5,860.28	38	3,944.14	A
<b>Benzovindiflupyr</b>	Turf/sod	0.27	N/A	4.0	A
<b>Benzovindiflupyr</b>	Watermelon	14.63	4	205.0	A
<b>Beta-conglutin</b>	Almond	41.12	4	58.04	A
<b>Beta-conglutin</b>	Cherry	0.06	3	0.12	A
<b>Beta-conglutin</b>	Grape	4,930.4	327	12,075.1	A
<b>Beta-conglutin</b>	Grape, wine	5,342.0	568	10,056.51	A
<b>Beta-conglutin</b>	Nectarine	5.04	1	10.0	A
<b>Beta-conglutin</b>	Research commodity	2.25	N/A	N/A	N/A
<b>Beta-conglutin</b>	Strawberry	1,437.3	122	2,704.42	A
<b>Beta-conglutin</b>	Strawberry	0.02	3	1,044.0	S
<b>Beta-conglutin</b>	Tomato	32.84	5	58.0	A
<b>Beta-conglutin</b>	Tomato, processing	25.2	1	50.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Beta-cyfluthrin	Alfalfa	1,109.8	845	48,799.24	A
Beta-cyfluthrin	Almond	322.12	207	15,139.07	A
Beta-cyfluthrin	Animal premise	2.11	N/A	1,540,000.0	S
Beta-cyfluthrin	Animal premise	208.24	N/A	188.0	U
Beta-cyfluthrin	Apple	7.2	6	282.0	A
Beta-cyfluthrin	Apricot	1.64	4	83.73	A
Beta-cyfluthrin	Arugula	15.56	105	589.47	A
Beta-cyfluthrin	Avocado	2.93	4	69.5	A
Beta-cyfluthrin	Bean, dried	73.73	48	3,317.0	A
Beta-cyfluthrin	Bean, succulent	2.07	3	89.4	A
Beta-cyfluthrin	Bean, unspecified	5.42	9	232.9	A
Beta-cyfluthrin	Bermudagrass	47.91	33	2,228.96	A
Beta-cyfluthrin	Bok choy (choy sum, pak choi)	51.32	591	1,974.96	A
Beta-cyfluthrin	Broccoli	184.11	638	7,178.79	A
Beta-cyfluthrin	Brussels sprout	62.89	174	2,439.77	A
Beta-cyfluthrin	Cabbage	151.41	977	5,831.8	A
Beta-cyfluthrin	Cabbage	1.19	9	48.0	U
Beta-cyfluthrin	Cantaloupe	5.95	7	257.7	A
Beta-cyfluthrin	Carrot	37.83	29	1,776.6	A
Beta-cyfluthrin	Cauliflower	127.52	519	4,953.77	A
Beta-cyfluthrin	Celery	48.83	173	1,869.82	A
Beta-cyfluthrin	Cherry	0.24	1	10.0	A
Beta-cyfluthrin	Chinese amaranth (chinese spinach, tampala, yin choy)	0.51	1	20.0	A
Beta-cyfluthrin	Chinese broccoli (gai lon)	16.52	263	657.1	A
Beta-cyfluthrin	Chinese cabbage (napa, wong bok, celery cabbage)	38.19	452	1,479.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Beta-cyfluthrin	Chrysanthemum, edible leaved	0.57	14	23.0	A
Beta-cyfluthrin	Citrus	6.57	65	194.74	A
Beta-cyfluthrin	Citrus	0.24	4	41,673.0	U
Beta-cyfluthrin	Collard	5.25	59	202.85	A
Beta-cyfluthrin	Commercial storages or warehouses (all or unspec)	0.12	N/A	14,000.0	S
Beta-cyfluthrin	Commercial, institutional or industrial areas	1.3	12	350.03	A
Beta-cyfluthrin	Commercial, institutional or industrial areas	0.02	N/A	3,000.0	S
Beta-cyfluthrin	Commodity fumigation	0.35	N/A	N/A	N/A
Beta-cyfluthrin	Corn (forage - fodder)	1.88	2	80.0	A
Beta-cyfluthrin	Corn, human consumption	186.26	193	8,091.13	A
Beta-cyfluthrin	Cotton	487.7	321	19,456.68	A
Beta-cyfluthrin	Cucumber	0.24	2	9.9	A
Beta-cyfluthrin	Dandelion green	0.19	5	7.5	A
Beta-cyfluthrin	Eggplant	0.27	1	12.5	A
Beta-cyfluthrin	Endive (escarole)	2.76	28	103.68	A
Beta-cyfluthrin	Forage hay/silage	1.2	1	52.0	A
Beta-cyfluthrin	Fumigation, other	0.23	N/A	N/A	N/A
Beta-cyfluthrin	Gai choy	1.57	21	77.0	A
Beta-cyfluthrin	Gai lon	7.38	69	299.7	A
Beta-cyfluthrin	Grape	686.49	688	28,421.79	A
Beta-cyfluthrin	Grape, wine	24.0	40	747.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Beta-cyfluthrin	Grape, wine	0.07	N/A	300,000.0	U
Beta-cyfluthrin	Grapefruit	29.63	67	976.27	A
Beta-cyfluthrin	Grass, seed	25.71	20	1,183.6	A
Beta-cyfluthrin	Kale	35.63	245	1,290.82	A
Beta-cyfluthrin	Kohlrabi	4.92	25	186.1	A
Beta-cyfluthrin	Landscape maintenance	126.13	N/A	N/A	N/A
Beta-cyfluthrin	Lemon	349.07	490	9,854.67	A
Beta-cyfluthrin	Lettuce, head	201.83	694	7,933.75	A
Beta-cyfluthrin	Lettuce, leaf	345.35	1,195	13,563.91	A
Beta-cyfluthrin	Melon	7.22	7	368.0	A
Beta-cyfluthrin	Mizuna	5.11	36	189.1	A
Beta-cyfluthrin	Mustard	19.08	310	772.5	A
Beta-cyfluthrin	Mustard greens	7.49	130	295.02	A
Beta-cyfluthrin	N-grnhs flower	0.12	N/A	2.4	A
Beta-cyfluthrin	N-grnhs flower	1.06	N/A	10.0	U
Beta-cyfluthrin	N-grnhs plants in containers	1.11	26	44.36	A
Beta-cyfluthrin	N-grnhs plants in containers	0.04	6	27,500.0	S
Beta-cyfluthrin	N-outdr plants in containers	8.2	322	356.16	A
Beta-cyfluthrin	N-outdr plants in containers	0.02	6	8,300.0	S
Beta-cyfluthrin	N-outdr plants in containers	0.57	32	20,410.0	U
Beta-cyfluthrin	N-outdr transplants	8.24	36	367.82	A
Beta-cyfluthrin	N-outdr transplants	0.02	N/A	900.0	U
Beta-cyfluthrin	Nectarine	7.28	24	309.38	A
Beta-cyfluthrin	Orange	1,908.26	2,166	51,369.36	A
Beta-cyfluthrin	Orchardgrass	15.45	9	605.0	A
Beta-cyfluthrin	Parsley	4.91	43	192.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Beta-cyfluthrin	Pastureland	12.67	18	550.0	A
Beta-cyfluthrin	Peach	64.01	204	2,887.12	A
Beta-cyfluthrin	Pecan	2.31	4	102.6	A
Beta-cyfluthrin	Pepper, fruiting	17.1	51	708.05	A
Beta-cyfluthrin	Pepper, spice	2.09	17	86.74	A
Beta-cyfluthrin	Pistachio	778.48	431	35,867.4	A
Beta-cyfluthrin	Plum	1.19	5	50.09	A
Beta-cyfluthrin	Pluot	0.03	1	1.66	A
Beta-cyfluthrin	Pomelo	2.6	14	66.5	A
Beta-cyfluthrin	Potato	273.21	335	12,183.61	A
Beta-cyfluthrin	Prune	15.95	14	711.5	A
Beta-cyfluthrin	Public health	6.18	N/A	N/A	N/A
Beta-cyfluthrin	Pumpkin	0.39	2	17.0	A
Beta-cyfluthrin	Quince	2.41	20	126.0	A
Beta-cyfluthrin	Radish	0.7	12	30.04	A
Beta-cyfluthrin	Rangeland	1.2	2	54.0	A
Beta-cyfluthrin	Rapini	69.88	99	2,824.9	A
Beta-cyfluthrin	Regulatory pest control	302.57	N/A	N/A	N/A
Beta-cyfluthrin	Research commodity	0.04	2	1.86	A
Beta-cyfluthrin	Research commodity	0.12	N/A	N/A	N/A
Beta-cyfluthrin	Rice	0.09	N/A	1,200.0	S
Beta-cyfluthrin	Rights of way	0.98	N/A	N/A	N/A
Beta-cyfluthrin	Spinach	68.53	223	2,554.11	A
Beta-cyfluthrin	Squash	0.58	2	25.2	A
Beta-cyfluthrin	Squash, summer	0.08	2	3.26	A
Beta-cyfluthrin	Structural pest control	7,094.26	N/A	N/A	N/A
Beta-cyfluthrin	Swiss chard	15.09	122	570.61	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Beta-cyfluthrin	Tangelo	37.4	63	928.26	A
Beta-cyfluthrin	Tangerine	586.35	758	15,864.59	A
Beta-cyfluthrin	Timothy	24.65	25	1,062.5	A
Beta-cyfluthrin	Tomato	44.87	54	1,813.57	A
Beta-cyfluthrin	Tomato, processing	252.91	159	8,698.87	A
Beta-cyfluthrin	Triticale	21.27	6	1,052.0	A
Beta-cyfluthrin	Turnip	0.02	2	1.0	A
Beta-cyfluthrin	Turnip greens	0.12	10	5.0	A
Beta-cyfluthrin	Uncultivated non-ag	0.13	1	1.0	A
Beta-cyfluthrin	Unknown	0.11	N/A	2.0	A
Beta-cyfluthrin	Unknown	0.2	N/A	190,000.0	S
Beta-cyfluthrin	Vertebrate control	0.06	N/A	N/A	N/A
Beta-cyfluthrin	Walnut	197.62	328	11,578.47	A
Beta-cyfluthrin	Watermelon	0.02	1	1.0	A
Beta-cyfluthrin	Wheat	2.59	1	128.0	A
Beta-cyfluthrin	Wheat (forage - fodder)	1.88	1	93.0	A
Beta-pinene polymer	N-outdr transplants	16.89	14	55.5	A
Beta-pinene polymer	Walnut	244.49	53	1,153.5	A
Bifenazate	Almond	165,575.91	4,121	244,895.21	A
Bifenazate	Apple	188.45	13	370.13	A
Bifenazate	Apricot	106.37	27	211.26	A
Bifenazate	Bean, dried	665.17	15	1,143.0	A
Bifenazate	Blackberry	787.66	207	1,576.61	A
Bifenazate	Blueberry	0.5	1	1.0	A
Bifenazate	Cherry	5,386.69	457	10,577.74	A
Bifenazate	Citrus	15.78	3	23.13	A
Bifenazate	Corn, human consumption	0.02	1	2,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bifenazate</b>	Cucumber	294.28	16	589.0	A
<b>Bifenazate</b>	Eggplant	90.24	11	185.0	A
<b>Bifenazate</b>	Grape	1,237.98	64	2,634.7	A
<b>Bifenazate</b>	Grape, wine	14,041.16	609	29,419.35	A
<b>Bifenazate</b>	Hops	11.25	2	18.0	A
<b>Bifenazate</b>	Landscape maintenance	6.54	N/A	N/A	N/A
<b>Bifenazate</b>	Melon	6.37	6	12.71	A
<b>Bifenazate</b>	Mint	55.12	4	131.6	A
<b>Bifenazate</b>	N-grnhs flower	66.6	58	78.07	A
<b>Bifenazate</b>	N-grnhs flower	9.63	88	1,655,290.0	S
<b>Bifenazate</b>	N-grnhs plants in containers	155.48	445	618.3	A
<b>Bifenazate</b>	N-grnhs plants in containers	36.04	251	10,470,973.0	S
<b>Bifenazate</b>	N-grnhs transplants	14.72	101	602.29	A
<b>Bifenazate</b>	N-grnhs transplants	1.53	19	170,762.0	S
<b>Bifenazate</b>	N-outdr flower	26.17	156	223.26	A
<b>Bifenazate</b>	N-outdr flower	0.09	3	3,000.0	S
<b>Bifenazate</b>	N-outdr plants in containers	198.68	284	710.57	A
<b>Bifenazate</b>	N-outdr plants in containers	8.27	44	1,534,896.0	S
<b>Bifenazate</b>	N-outdr plants in containers	15.76	27	555,133.0	U
<b>Bifenazate</b>	N-outdr transplants	950.15	173	2,266.32	A
<b>Bifenazate</b>	Nectarine	1,881.53	200	3,799.85	A
<b>Bifenazate</b>	Peach	4,411.79	504	9,107.4	A
<b>Bifenazate</b>	Pear	37.83	5	106.5	A
<b>Bifenazate</b>	Peas	0.38	1	12.0	A
<b>Bifenazate</b>	Pepper, fruiting	85.11	12	169.62	A
<b>Bifenazate</b>	Pepper, spice	4.15	2	8.3	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bifenazate	Pistachio	22.46	3	57.68	A
Bifenazate	Plum	632.67	140	1,258.12	A
Bifenazate	Potato	365.26	36	615.71	A
Bifenazate	Prune	500.0	25	1,015.29	A
Bifenazate	Pumpkin	151.01	6	305.0	A
Bifenazate	Raspberry	1,280.93	309	2,626.14	A
Bifenazate	Regulatory pest control	8.66	N/A	N/A	N/A
Bifenazate	Research commodity	18.87	36	38.67	A
Bifenazate	Research commodity	4.83	N/A	N/A	N/A
Bifenazate	Rights of way	0.22	2	2.0	A
Bifenazate	Rights of way	0.5	N/A	N/A	N/A
Bifenazate	Safflower	49.94	1	80.0	A
Bifenazate	Soil fumigation/preplant	6.0	1	16.0	A
Bifenazate	Squash	247.37	16	518.0	A
Bifenazate	Squash, summer	24.97	1	50.0	A
Bifenazate	Stone fruit	4.13	2	8.5	A
Bifenazate	Strawberry	24,885.36	1,655	50,198.69	A
Bifenazate	Strawberry	0.23	4	12,400.0	S
Bifenazate	Structural pest control	0.14	N/A	N/A	N/A
Bifenazate	Tomatillo	1.56	3	3.0	A
Bifenazate	Tomato	13.93	6	27.76	A
Bifenazate	Tomato, processing	1.76	1	3.5	A
Bifenazate	Uncultivated ag	8.53	9	14.4	A
Bifenazate	Uncultivated non-ag	0.05	1	0.5	A
Bifenazate	Vertebrate control	1.75	1	0.78	A
Bifenazate	Walnut	78,756.48	2,421	114,046.84	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bifenazate</b>	Watermelon	507.98	52	1,048.93	A
<b>Bifenthrin</b>	Alfalfa	4.71	3	143.0	A
<b>Bifenthrin</b>	Almond	89,535.31	8,097	508,700.38	A
<b>Bifenthrin</b>	Artichoke, globe	434.24	292	4,375.24	A
<b>Bifenthrin</b>	Avocado	0.01	3	2,224.0	U
<b>Bifenthrin</b>	Bean, dried	583.29	131	6,224.37	A
<b>Bifenthrin</b>	Bean, succulent	114.1	46	1,203.55	A
<b>Bifenthrin</b>	Bean, unspecified	26.47	15	279.2	A
<b>Bifenthrin</b>	Beet	0.73	2	8.93	A
<b>Bifenthrin</b>	Blackberry	158.14	159	1,635.6	A
<b>Bifenthrin</b>	Blueberry	103.35	24	1,073.91	A
<b>Bifenthrin</b>	Bok choy (choy sum, pak choi)	77.99	140	832.28	A
<b>Bifenthrin</b>	Broccoli	1,130.25	985	11,729.5	A
<b>Bifenthrin</b>	Brussels sprout	422.8	196	4,272.31	A
<b>Bifenthrin</b>	Buildings/non-ag outdoor	<0.01	1	0.01	U
<b>Bifenthrin</b>	Cabbage	259.15	258	2,661.77	A
<b>Bifenthrin</b>	Cannabis (all or unspecified)	25.16	83	249,644.0	S
<b>Bifenthrin</b>	Cantaloupe	1,252.17	165	12,964.03	A
<b>Bifenthrin</b>	Carrot	28.69	12	294.0	A
<b>Bifenthrin</b>	Cauliflower	407.59	456	4,121.99	A
<b>Bifenthrin</b>	Celeriac	0.26	1	2.63	A
<b>Bifenthrin</b>	Celery	676.67	694	6,976.54	A
<b>Bifenthrin</b>	Cherry	0.39	1	3.0	A
<b>Bifenthrin</b>	Chinese cabbage (napa, wong bok, celery cabbage)	15.64	41	235.6	A
<b>Bifenthrin</b>	Christmas tree	3.64	5	33.5	A
<b>Bifenthrin</b>	Cilantro	5.55	7	79.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bifenthrin	Citrus	1.5	1	6.0	A
Bifenthrin	Collard	2.78	13	65.6	A
Bifenthrin	Corn (forage - fodder)	723.66	202	8,481.7	A
Bifenthrin	Corn, human consumption	1,054.86	393	10,654.72	A
Bifenthrin	Cotton	6,465.14	555	69,098.28	A
Bifenthrin	Cucumber	125.22	66	1,443.69	A
Bifenthrin	Daikon	5.01	8	51.0	A
Bifenthrin	Date	0.02	2	2.0	A
Bifenthrin	Eggplant	26.3	21	343.0	A
Bifenthrin	Fennel	27.31	22	279.0	A
Bifenthrin	Garlic	4.0	2	100.0	A
Bifenthrin	Golf course turf	7.51	N/A	76.2	A
Bifenthrin	Grape	158.95	29	1,587.43	A
Bifenthrin	Grape, wine	55.2	7	549.5	A
Bifenthrin	Grapefruit	40.33	13	184.8	A
Bifenthrin	Kale	70.18	133	762.91	A
Bifenthrin	Kohlrabi	1.04	14	10.7	A
Bifenthrin	Landscape maintenance	1,873.41	N/A	N/A	N/A
Bifenthrin	Lemon	250.69	115	1,453.79	A
Bifenthrin	Lettuce, head	441.79	285	4,660.04	A
Bifenthrin	Lettuce, leaf	2.18	2	21.9	A
Bifenthrin	Lime	0.05	1	1.0	A
Bifenthrin	Melon	827.24	235	9,398.36	A
Bifenthrin	Mustard greens	2.19	37	23.5	A
Bifenthrin	N-grnhs flower	9.13	63	85.17	A
Bifenthrin	N-grnhs flower	1.15	33	356,592.0	S
Bifenthrin	N-grnhs flower	0.06	1	40,000.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bifenthrin	N-grnhs plants in containers	55.54	395	445.93	A
Bifenthrin	N-grnhs plants in containers	58.06	367	13,423,376.0	S
Bifenthrin	N-grnhs plants in containers	0.53	3	22,000.0	U
Bifenthrin	N-grnhs transplants	25.44	171	2,532.59	A
Bifenthrin	N-grnhs transplants	1.08	8	53,510.0	S
Bifenthrin	N-outdr flower	98.87	284	661.05	A
Bifenthrin	N-outdr plants in containers	629.08	3,260	5,180.77	A
Bifenthrin	N-outdr plants in containers	50.6	43	257,150.0	C
Bifenthrin	N-outdr plants in containers	34.86	148	5,543,924.5	S
Bifenthrin	N-outdr plants in containers	3.61	122	247,838.0	U
Bifenthrin	N-outdr transplants	224.18	222	2,250.02	A
Bifenthrin	N-outdr transplants	0.32	15	247,061.9	S
Bifenthrin	Nursery soil	0.68	N/A	4.5	A
Bifenthrin	Nursery soil	37.2	N/A	190,101.0	C
Bifenthrin	Okra	1.96	3	38.0	A
Bifenthrin	Olive	0.05	1	0.5	A
Bifenthrin	Orange	4,811.64	513	14,447.65	A
Bifenthrin	Parsley	16.27	3	165.4	A
Bifenthrin	Peach	5.84	26	79.34	A
Bifenthrin	Peas	80.46	87	954.1	A
Bifenthrin	Pecan	280.95	18	1,488.0	A
Bifenthrin	Pepper, fruiting	392.17	185	5,577.04	A
Bifenthrin	Pepper, spice	1.0	1	10.0	A
Bifenthrin	Pistachio	60,584.87	3,304	323,713.78	A
Bifenthrin	Pomegranate	1,195.56	121	10,152.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bifenthrin</b>	Pomelo	6.38	4	25.0	A
<b>Bifenthrin</b>	Potato	470.94	59	2,655.41	A
<b>Bifenthrin</b>	Prune	8.34	3	56.0	A
<b>Bifenthrin</b>	Public health	18.36	N/A	N/A	N/A
<b>Bifenthrin</b>	Pumpkin	359.74	172	3,789.45	A
<b>Bifenthrin</b>	Quince	1.0	2	10.0	A
<b>Bifenthrin</b>	Radish	35.2	62	351.91	A
<b>Bifenthrin</b>	Rapini	406.49	167	4,416.6	A
<b>Bifenthrin</b>	Raspberry	45.69	50	512.72	A
<b>Bifenthrin</b>	Regulatory pest control	1,567.49	N/A	N/A	N/A
<b>Bifenthrin</b>	Research commodity	11.52	52	121.52	A
<b>Bifenthrin</b>	Research commodity	0.06	4	26,532.0	S
<b>Bifenthrin</b>	Research commodity	5.83	N/A	N/A	N/A
<b>Bifenthrin</b>	Rights of way	2.12	5	15.5	A
<b>Bifenthrin</b>	Rights of way	8.06	N/A	N/A	N/A
<b>Bifenthrin</b>	Safflower	10.22	1	80.0	A
<b>Bifenthrin</b>	Sod farm (turf)	0.23	2	2.75	A
<b>Bifenthrin</b>	Soil fumigation/preplant	40.4	N/A	94,677.0	C
<b>Bifenthrin</b>	Soil fumigation/preplant	8.4	N/A	28,350.0	U
<b>Bifenthrin</b>	Spinach	0.06	1	2.0	A
<b>Bifenthrin</b>	Squash	148.23	79	1,875.47	A
<b>Bifenthrin</b>	Squash, summer	27.56	12	334.0	A
<b>Bifenthrin</b>	Squash, winter	22.15	8	240.0	A
<b>Bifenthrin</b>	Squash, zucchini	0.96	2	11.0	A
<b>Bifenthrin</b>	Strawberry	6,894.51	1,864	57,175.43	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bifenthrin</b>	Structural pest control	87,852.52	N/A	N/A	N/A
<b>Bifenthrin</b>	Sweet potato	240.09	41	1,734.24	A
<b>Bifenthrin</b>	Swiss chard	12.85	23	130.48	A
<b>Bifenthrin</b>	Tangelo	55.81	7	127.0	A
<b>Bifenthrin</b>	Tangerine	782.12	120	2,443.08	A
<b>Bifenthrin</b>	Tomatillo	0.22	7	1.72	A
<b>Bifenthrin</b>	Tomato	1,491.14	417	16,662.86	A
<b>Bifenthrin</b>	Tomato, processing	9,322.58	1,758	111,274.35	A
<b>Bifenthrin</b>	Turf/sod	61.77	14	403.5	A
<b>Bifenthrin</b>	Turnip	0.39	2	4.05	A
<b>Bifenthrin</b>	Uncultivated ag	16.46	6	235.5	A
<b>Bifenthrin</b>	Uncultivated ag	<0.01	1	500.0	S
<b>Bifenthrin</b>	Uncultivated non-ag	3.85	1	20.0	A
<b>Bifenthrin</b>	Unknown	4.72	3	47.0	A
<b>Bifenthrin</b>	Vegetable	1.0	2	5.0	A
<b>Bifenthrin</b>	Vegetables, fruiting	0.07	N/A	216.0	C
<b>Bifenthrin</b>	Vertebrate control	0.24	N/A	N/A	N/A
<b>Bifenthrin</b>	Walnut	18,723.14	2,430	104,497.72	A
<b>Bifenthrin</b>	Watermelon	287.36	89	3,062.64	A
<b>Bifenthrin</b>	Watermelon	<0.01	1	2,520.0	S
<b>Bis butenylene tetrahydro furfural</b>	Cannabis (all or unspecified)	0.08	1	8,640.0	S
<b>Bis butenylene tetrahydro furfural</b>	Structural pest control	0.03	N/A	N/A	N/A
<b>Bis(trichloromethyl) sulfone</b>	Landscape maintenance	0.06	N/A	N/A	N/A
<b>Bispyribac-sodium</b>	Landscape maintenance	0.2	N/A	N/A	N/A
<b>Bispyribac-sodium</b>	N-grnhs plants in containers	0.8	1	199,500.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bispyribac-sodium	Research commodity	0.02	N/A	N/A	N/A
Bispyribac-sodium	Rice	1,545.32	673	46,746.05	A
Borax	Almond	0.28	1	21.0	A
Borax	Blackberry	1.37	26	93.71	A
Borax	Blueberry	0.23	7	6.99	A
Borax	Bok choy (choy sum, pak choi)	0.21	1	6.4	A
Borax	Commercial, institutional or industrial areas	0.11	N/A	750,000.0	S
Borax	Cotton	45.76	90	7,043.99	A
Borax	Forest, timberland	759.8	19	1,716.94	A
Borax	Grape, wine	0.15	1	9.0	A
Borax	Landscape maintenance	4.56	N/A	N/A	N/A
Borax	Lemon	0.25	1	6.0	A
Borax	N-outdr flower	9.89	26	78.98	A
Borax	N-outdr transplants	0.16	1	2.5	A
Borax	Public health	0.03	N/A	N/A	N/A
Borax	Raspberry	5.97	29	206.75	A
Borax	Regulatory pest control	0.36	N/A	N/A	N/A
Borax	Research commodity	0.05	N/A	N/A	N/A
Borax	Rights of way	138,733.98	N/A	N/A	N/A
Borax	Strawberry	4,345.08	938	29,405.95	A
Borax	Structural pest control	1,161.28	N/A	N/A	N/A
Borax	Tomato, processing	6.99	7	1,107.5	A
Borax	Watermelon	0.19	1	4.5	A
Boric acid	Almond	231.04	4	88.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Boric acid	Animal premise	11,648.0	16	1,462,832.0	S
Boric acid	Animal premise	350,355.49	8	754,253.0	U
Boric acid	Apple	2.56	1	4.0	A
Boric acid	Grape, wine	73.39	5	31.94	A
Boric acid	Landscape maintenance	2,641.69	N/A	N/A	N/A
Boric acid	N-grnhs transplants	0.63	1	1.0	A
Boric acid	Regulatory pest control	2,151.22	N/A	N/A	N/A
Boric acid	Structural pest control	517,180.82	N/A	N/A	N/A
Boric acid	Vertebrate control	0.07	N/A	N/A	N/A
Boscalid	Alfalfa	203.02	13	716.1	A
Boscalid	Almond	9,747.71	1,210	51,097.68	A
Boscalid	Apple	10.07	7	42.28	A
Boscalid	Apricot	146.43	50	744.43	A
Boscalid	Bean, succulent	12.6	3	40.0	A
Boscalid	Bean, unspecified	18.18	5	36.0	A
Boscalid	Blackberry	395.64	190	1,135.69	A
Boscalid	Bok choy (choy sum, pak choi)	4.2	1	12.0	A
Boscalid	Broccoli	734.63	197	1,917.34	A
Boscalid	Brussels sprout	104.86	15	266.4	A
Boscalid	Cabbage	644.33	170	1,645.31	A
Boscalid	Cantaloupe	3.2	2	14.5	A
Boscalid	Carrot	1,670.72	128	7,101.77	A
Boscalid	Cauliflower	298.78	95	776.88	A
Boscalid	Celery	3,249.18	579	8,332.45	A
Boscalid	Cherry	1,377.98	369	7,027.41	A
Boscalid	Citrus	0.5	1	3.0	A
Boscalid	Collard	25.21	17	64.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Boscalid	Cucumber	13.09	10	57.41	A
Boscalid	Cucumber	2.49	11	363,000.0	S
Boscalid	Eggplant	14.35	5	96.0	A
Boscalid	Gai choy	3.85	2	11.0	A
Boscalid	Garlic	22.84	2	77.0	A
Boscalid	Golf course turf	12.6	N/A	51.0	A
Boscalid	Grape	10,222.89	1,134	42,784.51	A
Boscalid	Grape, wine	27,263.43	3,081	103,895.75	A
Boscalid	Grape, wine	0.09	1	600.0	U
Boscalid	Grapefruit	7.58	2	26.0	A
Boscalid	Hops	6.62	3	30.0	A
Boscalid	Kale	42.47	24	107.93	A
Boscalid	Kohlrabi	1.75	1	5.0	A
Boscalid	Landscape maintenance	218.81	N/A	N/A	N/A
Boscalid	Lemon	161.44	18	554.0	A
Boscalid	Lettuce, head	11,418.34	2,441	26,997.69	A
Boscalid	Lettuce, leaf	14,497.69	3,567	33,982.93	A
Boscalid	Melon	53.96	7	252.0	A
Boscalid	N-grnhs flower	53.38	120	285.3	A
Boscalid	N-grnhs flower	1.08	8	250,480.0	S
Boscalid	N-grnhs plants in containers	285.99	987	1,013.52	A
Boscalid	N-grnhs plants in containers	35.23	219	6,433,018.78	S
Boscalid	N-grnhs plants in containers	16.81	30	489,880.0	U
Boscalid	N-grnhs transplants	325.94	1,572	2,426.98	A
Boscalid	N-grnhs transplants	2.49	117	796,464.0	S
Boscalid	N-outdr flower	394.34	747	3,749.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Boscalid	N-outdr plants in containers	508.58	1,058	1,704.42	A
Boscalid	N-outdr plants in containers	8.69	69	2,113,291.0	S
Boscalid	N-outdr plants in containers	13.77	43	467,551.0	U
Boscalid	N-outdr transplants	238.79	149	840.37	A
Boscalid	Nectarine	354.08	105	1,621.19	A
Boscalid	Olive	0.63	1	10.0	A
Boscalid	Onion, dry	582.61	81	2,087.75	A
Boscalid	Orange	9.93	3	35.5	A
Boscalid	Peach	698.02	333	3,676.26	A
Boscalid	Pear	21.42	2	80.0	A
Boscalid	Pepper, fruiting	36.83	18	216.4	A
Boscalid	Pistachio	1,646.95	174	8,252.72	A
Boscalid	Plum	150.35	51	705.19	A
Boscalid	Pluot	0.94	1	5.0	A
Boscalid	Potato	2,336.1	97	7,705.2	A
Boscalid	Prune	10.33	3	55.0	A
Boscalid	Pumpkin	56.75	8	201.1	A
Boscalid	Radicchio	23.63	13	67.5	A
Boscalid	Raspberry	746.71	300	2,210.81	A
Boscalid	Research commodity	9.85	34	31.88	A
Boscalid	Research commodity	0.23	8	59,500.0	S
Boscalid	Research commodity	12.1	N/A	N/A	N/A
Boscalid	Squash, summer	7.51	1	45.0	A
Boscalid	Squash, zucchini	0.02	1	0.1	A
Boscalid	Stone fruit	1.07	4	12.15	A
Boscalid	Stone fruit	0.04	N/A	21,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Boscalid	Strawberry	7,120.58	500	20,219.59	A
Boscalid	Tangerine	508.53	124	1,804.23	A
Boscalid	Tomato	57.81	26	147.56	A
Boscalid	Tomato	3.1	11	221,000.0	S
Boscalid	Uncultivated ag	11.32	4	35.15	A
Boscalid	Uncultivated non-ag	0.08	1	0.5	A
Boscalid	Vegetable	0.33	1	1.0	A
Boscalid	Walnut	1,704.73	195	8,941.14	A
Boscalid	Watermelon	765.1	48	2,832.55	A
Brodifacoum	Buildings/non-ag outdoor	<0.01	N/A	357,864.0	S
Brodifacoum	Buildings/non-ag outdoor	0.09	N/A	133.0	U
Brodifacoum	Farm/ag building	<0.01	1	2.0	A
Brodifacoum	Farm/ag building	<0.01	N/A	9.0	U
Brodifacoum	Fumigation, other	<0.01	N/A	N/A	N/A
Brodifacoum	Landscape maintenance	<0.01	N/A	N/A	N/A
Brodifacoum	Regulatory pest control	<0.01	N/A	N/A	N/A
Brodifacoum	Structural pest control	0.44	N/A	N/A	N/A
Brodifacoum	Vertebrate control	<0.01	4	4.0	A
Brodifacoum	Vertebrate control	0.18	N/A	N/A	N/A
Bromacil	Citrus	358.4	24	357.6	A
Bromacil	Grapefruit	33.09	5	27.48	A
Bromacil	Landscape maintenance	517.17	N/A	N/A	N/A
Bromacil	Lemon	260.4	8	122.2	A
Bromacil	Orange	751.64	27	402.4	A
Bromacil	Rights of way	11,820.7	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bromacil	Structural pest control	21.3	N/A	N/A	N/A
Bromacil	Uncultivated non-ag	38.8	N/A	10.25	A
Bromadiolone	Almond	<0.01	1	36.0	A
Bromadiolone	Animal premise	0.01	23	401.0	A
Bromadiolone	Animal premise	0.01	109	4,355,000.0	S
Bromadiolone	Animal premise	<0.01	N/A	119,871.0	U
Bromadiolone	Avocado	<0.01	1	8.5	A
Bromadiolone	Buildings/non-ag outdoor	<0.01	N/A	477,152.0	S
Bromadiolone	Buildings/non-ag outdoor	0.12	N/A	148.12	U
Bromadiolone	Commodity fumigation	<0.01	N/A	N/A	N/A
Bromadiolone	Farm/ag building	0.02	44	164.4	A
Bromadiolone	Farm/ag building	<0.01	1	1,321,000.0	S
Bromadiolone	Farm/ag building	<0.01	N/A	4,094.0	U
Bromadiolone	Landscape maintenance	0.27	N/A	N/A	N/A
Bromadiolone	Lemon	0.06	25	2,304.0	A
Bromadiolone	N-grnhs flower	<0.01	1	540,960.0	S
Bromadiolone	N-grnhs plants in containers	<0.01	3	27.0	A
Bromadiolone	N-grnhs plants in containers	<0.01	15	231,612.0	S
Bromadiolone	N-outdr plants in containers	<0.01	6	122.0	S
Bromadiolone	Orange	<0.01	18	1,216.4	A
Bromadiolone	Pastureland	<0.01	2	18.0	A
Bromadiolone	Public health	0.07	N/A	N/A	N/A
Bromadiolone	Rangeland	<0.01	2	20,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bromadiolone</b>	Regulatory pest control	0.02	N/A	N/A	N/A
<b>Bromadiolone</b>	Rights of way	<0.01	22	110.0	A
<b>Bromadiolone</b>	Rights of way	0.04	N/A	N/A	N/A
<b>Bromadiolone</b>	Structural pest control	2.33	N/A	N/A	N/A
<b>Bromadiolone</b>	Tangelo	<0.01	2	100.0	A
<b>Bromadiolone</b>	Tangerine	<0.01	1	40.0	A
<b>Bromadiolone</b>	Uncultivated ag	<0.01	1	1.0	A
<b>Bromadiolone</b>	Vertebrate control	<0.01	1	5.0	A
<b>Bromadiolone</b>	Vertebrate control	0.39	N/A	N/A	N/A
<b>Bromethalin</b>	Animal premise	<0.01	N/A	891,000.0	C
<b>Bromethalin</b>	Animal premise	0.1	16	3,645,264.0	S
<b>Bromethalin</b>	Buildings/non-ag outdoor	0.02	N/A	9,522,864.0	S
<b>Bromethalin</b>	Buildings/non-ag outdoor	0.07	N/A	13.14	U
<b>Bromethalin</b>	Citrus	<0.01	1	0.25	A
<b>Bromethalin</b>	County ag comm	<0.01	N/A	N/A	N/A
<b>Bromethalin</b>	Golf course turf	<0.01	N/A	20,000.0	S
<b>Bromethalin</b>	Landscape maintenance	<0.01	4	18.2	A
<b>Bromethalin</b>	Landscape maintenance	1.15	N/A	N/A	N/A
<b>Bromethalin</b>	Lemon	<0.01	N/A	224.0	T
<b>Bromethalin</b>	N-outdr plants in containers	0.07	49	8.45	A
<b>Bromethalin</b>	N-outdr plants in containers	<0.01	1	8,145.0	S
<b>Bromethalin</b>	N-outdr plants in containers	<0.01	1	4.0	U
<b>Bromethalin</b>	Orange	<0.01	2	105.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bromethalin</b>	Pastureland	<0.01	8	72.0	A
<b>Bromethalin</b>	Public health	0.11	N/A	N/A	N/A
<b>Bromethalin</b>	Regulatory pest control	0.07	N/A	N/A	N/A
<b>Bromethalin</b>	Rights of way	<0.01	N/A	N/A	N/A
<b>Bromethalin</b>	Structural pest control	107.46	N/A	N/A	N/A
<b>Bromethalin</b>	Uncultivated ag	<0.01	1	3.0	A
<b>Bromethalin</b>	Uncultivated ag	<0.01	14	73.0	U
<b>Bromethalin</b>	Vertebrate control	1.0	N/A	N/A	N/A
<b>Bromoxynil heptanoate</b>	Alfalfa	1,434.69	194	6,685.08	A
<b>Bromoxynil heptanoate</b>	Barley	400.09	8	1,185.0	A
<b>Bromoxynil heptanoate</b>	Barley (forage - fodder)	28.58	2	88.1	A
<b>Bromoxynil heptanoate</b>	Corn (forage - fodder)	53.34	4	310.0	A
<b>Bromoxynil heptanoate</b>	Corn, grain	75.7	2	220.0	A
<b>Bromoxynil heptanoate</b>	Forage hay/silage	256.03	36	1,067.8	A
<b>Bromoxynil heptanoate</b>	Garlic	2,673.57	105	7,874.87	A
<b>Bromoxynil heptanoate</b>	Grass, seed	391.68	45	2,190.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bromoxynil heptanoate</b>	N-outdr flower	3.1	1	12.0	A
<b>Bromoxynil heptanoate</b>	Oat	320.84	35	1,204.8	A
<b>Bromoxynil heptanoate</b>	Oat (forage - fodder)	403.47	49	1,440.4	A
<b>Bromoxynil heptanoate</b>	Onion, dry	2,094.43	411	18,654.3	A
<b>Bromoxynil heptanoate</b>	Pastureland	7.57	3	36.0	A
<b>Bromoxynil heptanoate</b>	Rights of way	5.51	N/A	N/A	N/A
<b>Bromoxynil heptanoate</b>	Rye	14.5	10	42.2	A
<b>Bromoxynil heptanoate</b>	Ryegrass	79.35	29	289.0	A
<b>Bromoxynil heptanoate</b>	Sod farm (turf)	5.51	1	16.0	A
<b>Bromoxynil heptanoate</b>	Sorghum (forage - fodder)	352.43	13	1,285.3	A
<b>Bromoxynil heptanoate</b>	Sorghum/milo	46.03	4	178.2	A
<b>Bromoxynil heptanoate</b>	Sudangrass	133.6	23	559.0	A
<b>Bromoxynil heptanoate</b>	Triticale	136.82	18	627.0	A
<b>Bromoxynil heptanoate</b>	Turf/sod	62.19	10	180.5	A
<b>Bromoxynil heptanoate</b>	Uncultivated ag	8.05	3	25.1	A
<b>Bromoxynil heptanoate</b>	Uncultivated non-ag	6.88	1	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bromoxynil heptanoate</b>	Wheat	2,156.69	150	7,425.0	A
<b>Bromoxynil heptanoate</b>	Wheat (forage - fodder)	935.05	53	3,157.87	A
<b>Bromoxynil octanoate</b>	Alfalfa	9,000.57	452	22,908.48	A
<b>Bromoxynil octanoate</b>	Barley	540.03	16	1,429.0	A
<b>Bromoxynil octanoate</b>	Barley (forage - fodder)	381.29	9	1,079.1	A
<b>Bromoxynil octanoate</b>	Bermudagrass	1,243.52	21	1,733.0	A
<b>Bromoxynil octanoate</b>	Corn (forage - fodder)	77.48	5	360.0	A
<b>Bromoxynil octanoate</b>	Corn, grain	113.45	3	268.0	A
<b>Bromoxynil octanoate</b>	Forage hay/silage	548.05	55	1,847.33	A
<b>Bromoxynil octanoate</b>	Garlic	3,300.89	119	8,791.87	A
<b>Bromoxynil octanoate</b>	Grass, seed	406.19	45	2,190.3	A
<b>Bromoxynil octanoate</b>	N-outdr flower	3.21	1	12.0	A
<b>Bromoxynil octanoate</b>	Oat	613.02	55	1,855.9	A
<b>Bromoxynil octanoate</b>	Oat (forage - fodder)	621.5	62	1,756.9	A
<b>Bromoxynil octanoate</b>	Onion, dry	5,726.47	592	30,489.76	A
<b>Bromoxynil octanoate</b>	Pastureland	14.95	4	46.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Bromoxynil octanoate</b>	Research commodity	0.46	1	0.84	A
<b>Bromoxynil octanoate</b>	Rights of way	5.71	N/A	N/A	N/A
<b>Bromoxynil octanoate</b>	Rye	15.04	10	42.2	A
<b>Bromoxynil octanoate</b>	Ryegrass	869.08	45	1,435.0	A
<b>Bromoxynil octanoate</b>	Sod farm (turf)	5.71	1	16.0	A
<b>Bromoxynil octanoate</b>	Soil fumigation/preplant	22.71	1	32.0	A
<b>Bromoxynil octanoate</b>	Sorghum (forage - fodder)	368.14	15	1,290.3	A
<b>Bromoxynil octanoate</b>	Sorghum/milo	48.24	6	182.1	A
<b>Bromoxynil octanoate</b>	Sudangrass	394.11	34	1,084.0	A
<b>Bromoxynil octanoate</b>	Triticale	632.44	30	1,567.5	A
<b>Bromoxynil octanoate</b>	Turf/sod	115.67	16	311.5	A
<b>Bromoxynil octanoate</b>	Uncultivated ag	8.34	3	25.1	A
<b>Bromoxynil octanoate</b>	Uncultivated non-ag	9.32	2	23.0	A
<b>Bromoxynil octanoate</b>	Wheat	10,260.02	348	20,369.57	A
<b>Bromoxynil octanoate</b>	Wheat (forage - fodder)	1,916.79	79	4,836.87	A
<b>Bronopol</b>	Industrial processing water	1,311.67	N/A	1,775,424.0	C

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Bronopol	Industrial processing water	17.4	N/A	596,042.07	P
Bronopol	Industrial processing water	222.16	N/A	11,599,992.0	U
Bronopol	Water (industrial)	233.46	N/A	8.0	U
Buprofezin	Almond	10,177.77	61	6,427.55	A
Buprofezin	Apple	21.0	1	20.0	A
Buprofezin	Apricot	1,038.47	45	687.97	A
Buprofezin	Bean, unspecified	14.04	5	38.0	A
Buprofezin	Broccoli	37.07	9	133.78	A
Buprofezin	Brussels sprout	66.76	16	214.99	A
Buprofezin	Cantaloupe	1,629.49	48	4,364.86	A
Buprofezin	Cherry	544.89	12	361.0	A
Buprofezin	Citrus	96.21	3	51.25	A
Buprofezin	Cotton	22,772.57	556	64,732.75	A
Buprofezin	Grape	30,888.86	1,224	52,017.92	A
Buprofezin	Grape, wine	13,201.2	343	17,834.64	A
Buprofezin	Grape, wine	0.21	1	85,300.0	U
Buprofezin	Grapefruit	1,442.53	43	739.1	A
Buprofezin	Kale	14.59	12	37.59	A
Buprofezin	Landscape maintenance	0.03	1	15,000.0	S
Buprofezin	Landscape maintenance	0.56	N/A	N/A	N/A
Buprofezin	Lemon	5,566.46	152	2,999.09	A
Buprofezin	Lettuce, leaf	27.29	3	103.5	A
Buprofezin	Melon	1,677.33	90	4,387.17	A
Buprofezin	N-grnhs flower	35.26	44	40.13	A
Buprofezin	N-grnhs plants in containers	45.69	82	113.28	A
Buprofezin	N-grnhs plants in containers	111.54	93	4,626,426.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Buprofezin	N-grnhs plants in containers	0.26	N/A	84,304.0	U
Buprofezin	N-grnhs transplants	0.44	3	1.5	A
Buprofezin	N-outdr flower	5.42	10	13.0	A
Buprofezin	N-outdr plants in containers	189.63	102	241.45	A
Buprofezin	N-outdr plants in containers	21.41	18	1,487,400.0	S
Buprofezin	N-outdr plants in containers	2.23	N/A	335,878.0	U
Buprofezin	N-outdr transplants	13.16	13	29.74	A
Buprofezin	Nectarine	3,346.33	142	2,216.76	A
Buprofezin	Orange	35,647.44	835	18,007.46	A
Buprofezin	Peach	5,736.35	217	3,796.85	A
Buprofezin	Pear	427.49	8	330.0	A
Buprofezin	Persimmon	661.66	28	452.0	A
Buprofezin	Pistachio	102,503.98	574	61,506.58	A
Buprofezin	Plum	7,246.31	243	4,791.05	A
Buprofezin	Pomegranate	1,411.65	14	896.16	A
Buprofezin	Pomelo	284.31	14	141.26	A
Buprofezin	Pumpkin	25.62	4	69.0	A
Buprofezin	Regulatory pest control	0.1	N/A	N/A	N/A
Buprofezin	Research commodity	1.91	N/A	N/A	N/A
Buprofezin	Rights of way	0.53	N/A	N/A	N/A
Buprofezin	Strawberry	467.0	48	1,199.53	A
Buprofezin	Tangelo	147.77	5	73.42	A
Buprofezin	Tangerine	6,614.01	178	3,326.12	A
Buprofezin	Tomato	183.81	50	543.12	A
Buprofezin	Tomato, processing	1,771.64	34	4,711.5	A
Buprofezin	Vegetables, fruiting	0.18	1	0.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Buprofezin</b>	Vegetables, leafy	0.34	2	3.0	A
<b>Buprofezin</b>	Walnut	20,841.84	261	12,700.07	A
<b>Buprofezin</b>	Watermelon	797.06	40	2,073.58	A
<b>Burkholderia rinojensis strain a396</b>	Almond	153,839.39	417	35,303.19	A
<b>Burkholderia rinojensis strain a396</b>	Apple	733.2	20	134.73	A
<b>Burkholderia rinojensis strain a396</b>	Apricot	846.5	28	162.79	A
<b>Burkholderia rinojensis strain a396</b>	Artichoke, globe	2,109.05	43	361.7	A
<b>Burkholderia rinojensis strain a396</b>	Arugula	1,381.4	70	319.02	A
<b>Burkholderia rinojensis strain a396</b>	Avocado	51.93	1	8.0	A
<b>Burkholderia rinojensis strain a396</b>	Basil, sweet	145.9	14	15.49	A
<b>Burkholderia rinojensis strain a396</b>	Bean, unspecified	34.62	1	8.0	A
<b>Burkholderia rinojensis strain a396</b>	Beet	329.89	16	81.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Burkholderia rinojensis strain a396</b>	Blackberry	12,303.21	222	2,649.1	A
<b>Burkholderia rinojensis strain a396</b>	Blueberry	3,857.09	44	630.56	A
<b>Burkholderia rinojensis strain a396</b>	Bok choy (choy sum, pak choi)	49.77	8	22.5	A
<b>Burkholderia rinojensis strain a396</b>	Broccoli	13,882.83	352	2,516.77	A
<b>Burkholderia rinojensis strain a396</b>	Brussels sprout	470.34	18	89.0	A
<b>Burkholderia rinojensis strain a396</b>	Cabbage	1,309.13	75	437.03	A
<b>Burkholderia rinojensis strain a396</b>	Cannabis (all or unspecified)	9,249.53	551	1,006.48	A
<b>Burkholderia rinojensis strain a396</b>	Cannabis (all or unspecified)	3,466.54	1,179	6,391,949.0	S
<b>Burkholderia rinojensis strain a396</b>	Cannabis (all or unspecified)	96.7	17	230.0	U
<b>Burkholderia rinojensis strain a396</b>	Cantaloupe	155.56	5	64.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Burkholderia rinojensis strain a396</b>	Carrot	3.29	1	0.75	A
<b>Burkholderia rinojensis strain a396</b>	Cauliflower	7,220.93	330	1,277.58	A
<b>Burkholderia rinojensis strain a396</b>	Celery	8,497.26	327	1,423.39	A
<b>Burkholderia rinojensis strain a396</b>	Cherry	413.9	8	47.82	A
<b>Burkholderia rinojensis strain a396</b>	Chinese cabbage (napa, wong bok, celery cabbage)	2,975.46	101	494.91	A
<b>Burkholderia rinojensis strain a396</b>	Chive	28.56	6	4.4	A
<b>Burkholderia rinojensis strain a396</b>	Cilantro	277.57	20	88.63	A
<b>Burkholderia rinojensis strain a396</b>	Citrus	21.64	3	6.75	A
<b>Burkholderia rinojensis strain a396</b>	Collard	90.97	34	23.44	A
<b>Burkholderia rinojensis strain a396</b>	Cotton	729.21	2	168.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Burkholderia rinojensis strain a396</b>	Cotton	567.08	N/A	1,441.57	T
<b>Burkholderia rinojensis strain a396</b>	Cucumber	86.55	1	10.0	A
<b>Burkholderia rinojensis strain a396</b>	Eggplant	64.92	5	15.0	A
<b>Burkholderia rinojensis strain a396</b>	Endive (escarole)	8.66	1	1.7	A
<b>Burkholderia rinojensis strain a396</b>	Grape	3,674.55	38	748.46	A
<b>Burkholderia rinojensis strain a396</b>	Grape, wine	10,491.78	121	2,143.08	A
<b>Burkholderia rinojensis strain a396</b>	Grapefruit	440.64	7	111.82	A
<b>Burkholderia rinojensis strain a396</b>	Herb, spice	859.32	139	132.25	A
<b>Burkholderia rinojensis strain a396</b>	Kale	1,120.29	39	198.32	A
<b>Burkholderia rinojensis strain a396</b>	Leek	582.85	14	77.16	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Burkholderia rinojensis strain a396</b>	Lemon	2,544.68	8	294.0	A
<b>Burkholderia rinojensis strain a396</b>	Lettuce, head	1,594.69	45	301.46	A
<b>Burkholderia rinojensis strain a396</b>	Lettuce, leaf	23,126.57	626	4,253.38	A
<b>Burkholderia rinojensis strain a396</b>	Melon	4,000.35	20	928.0	A
<b>Burkholderia rinojensis strain a396</b>	Mint	64.67	10	9.9	A
<b>Burkholderia rinojensis strain a396</b>	Mizuna	396.5	25	87.61	A
<b>Burkholderia rinojensis strain a396</b>	Mustard greens	1,001.9	32	189.71	A
<b>Burkholderia rinojensis strain a396</b>	N-grnhs plants in containers	266.83	36	40.49	A
<b>Burkholderia rinojensis strain a396</b>	N-grnhs transplants	244.08	65	72.28	A
<b>Burkholderia rinojensis strain a396</b>	N-outdr plants in containers	8.12	4	4.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Burkholderia rinojensis strain a396</b>	N-outdr transplants	1,513.75	111	370.9	A
<b>Burkholderia rinojensis strain a396</b>	Nectarine	59,475.03	767	14,770.1	A
<b>Burkholderia rinojensis strain a396</b>	Oat (forage - fodder)	259.66	1	161.0	A
<b>Burkholderia rinojensis strain a396</b>	Onion, dry	3,207.68	11	613.1	A
<b>Burkholderia rinojensis strain a396</b>	Orange	35,715.43	242	4,485.52	A
<b>Burkholderia rinojensis strain a396</b>	Oregano	27.7	9	4.25	A
<b>Burkholderia rinojensis strain a396</b>	Parsley	160.82	14	40.8	A
<b>Burkholderia rinojensis strain a396</b>	Peach	44,846.23	530	9,718.06	A
<b>Burkholderia rinojensis strain a396</b>	Pear	1,895.53	19	395.0	A
<b>Burkholderia rinojensis strain a396</b>	Peas	32.89	1	7.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Burkholderia rinojensis strain a396</b>	Pepper, fruiting	902.86	16	261.07	A
<b>Burkholderia rinojensis strain a396</b>	Pistachio	40,063.63	55	9,256.45	A
<b>Burkholderia rinojensis strain a396</b>	Plum	11,671.59	167	1,952.03	A
<b>Burkholderia rinojensis strain a396</b>	Pomegranate	201.24	3	46.5	A
<b>Burkholderia rinojensis strain a396</b>	Potato	8,414.59	21	995.0	A
<b>Burkholderia rinojensis strain a396</b>	Pumpkin	43.28	2	8.5	A
<b>Burkholderia rinojensis strain a396</b>	Radicchio	662.14	4	148.0	A
<b>Burkholderia rinojensis strain a396</b>	Radish	80.67	2	21.29	A
<b>Burkholderia rinojensis strain a396</b>	Raspberry	3,565.1	68	704.34	A
<b>Burkholderia rinojensis strain a396</b>	Regulatory pest control	0.8	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Burkholderia rinojensis strain a396</b>	Research commodity	33.54	7	7.75	A
<b>Burkholderia rinojensis strain a396</b>	Research commodity	5.95	N/A	N/A	N/A
<b>Burkholderia rinojensis strain a396</b>	Rosemary	64.21	16	11.1	A
<b>Burkholderia rinojensis strain a396</b>	Spinach	3,003.24	117	688.25	A
<b>Burkholderia rinojensis strain a396</b>	Squash	4,349.72	23	392.0	A
<b>Burkholderia rinojensis strain a396</b>	Squash, winter	129.83	1	34.0	A
<b>Burkholderia rinojensis strain a396</b>	Stone fruit	127.67	3	29.5	A
<b>Burkholderia rinojensis strain a396</b>	Strawberry	19,477.08	229	3,619.13	A
<b>Burkholderia rinojensis strain a396</b>	Sweet potato	9,608.8	21	888.5	A
<b>Burkholderia rinojensis strain a396</b>	Swiss chard	956.66	109	257.81	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Burkholderia rinojensis strain a396</b>	Tangerine	42,819.24	222	5,550.93	A
<b>Burkholderia rinojensis strain a396</b>	Tat soi (spinach mustard)	1.3	1	0.3	A
<b>Burkholderia rinojensis strain a396</b>	Thyme	81.79	17	12.6	A
<b>Burkholderia rinojensis strain a396</b>	Tomato	669.03	12	197.38	A
<b>Burkholderia rinojensis strain a396</b>	Tomato, processing	8,151.71	26	1,866.34	A
<b>Burkholderia rinojensis strain a396</b>	Vegetable	16.23	4	7.0	A
<b>Burkholderia rinojensis strain a396</b>	Vegetables, fruiting	86.55	15	24.5	A
<b>Burkholderia rinojensis strain a396</b>	Walnut	7,860.89	40	1,089.58	A
<b>Burkholderia rinojensis strain a396</b>	Watermelon	1,476.87	12	386.9	A
<b>Butoxy polypropylene glycol</b>	Cannabis (all or unspecified)	0.8	1	8,640.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Butoxy polypropylene glycol</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>Butoxy polypropylene glycol</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Butyl alcohol</b>	Alfalfa	413.73	381	18,477.51	A
<b>Butyl alcohol</b>	Almond	8,988.35	1,379	103,991.13	A
<b>Butyl alcohol</b>	Apricot	2.91	7	87.5	A
<b>Butyl alcohol</b>	Asparagus	4.87	2	118.2	A
<b>Butyl alcohol</b>	Barley	11.81	7	526.0	A
<b>Butyl alcohol</b>	Basil, sweet	0.06	1	48.0	A
<b>Butyl alcohol</b>	Bean, dried	34.83	19	1,137.0	A
<b>Butyl alcohol</b>	Bean, succulent	0.74	2	48.0	A
<b>Butyl alcohol</b>	Bean, unspecified	2.64	4	170.0	A
<b>Butyl alcohol</b>	Broccoli	0.87	2	18.5	A
<b>Butyl alcohol</b>	Cantaloupe	11.66	8	215.92	A
<b>Butyl alcohol</b>	Cauliflower	0.05	1	4.0	A
<b>Butyl alcohol</b>	Cherry	60.22	111	1,283.71	A
<b>Butyl alcohol</b>	Citrus	50.25	3	25.0	A
<b>Butyl alcohol</b>	Corn (forage - fodder)	147.95	151	7,090.73	A
<b>Butyl alcohol</b>	Corn, grain	66.01	18	2,094.58	A
<b>Butyl alcohol</b>	Corn, human consumption	565.87	493	15,640.07	A
<b>Butyl alcohol</b>	Cotton	363.14	199	12,001.83	A
<b>Butyl alcohol</b>	Cucumber	2.92	8	158.1	A
<b>Butyl alcohol</b>	Ditch bank	32.98	4	265.0	A
<b>Butyl alcohol</b>	Forage hay/silage	19.6	42	1,277.64	A
<b>Butyl alcohol</b>	Garlic	131.76	60	3,082.26	A
<b>Butyl alcohol</b>	Grain	2.29	3	55.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Butyl alcohol	Grape	39.54	27	451.07	A
Butyl alcohol	Grape, wine	2,989.48	2,006	55,475.25	A
Butyl alcohol	Grapefruit	2.83	2	27.5	A
Butyl alcohol	Hops	0.63	2	12.0	A
Butyl alcohol	Kiwi fruit fuzzy	15.06	20	310.0	A
Butyl alcohol	Landscape maintenance	34.57	N/A	N/A	N/A
Butyl alcohol	Lemon	30.54	16	349.52	A
Butyl alcohol	Melon	18.04	9	144.25	A
Butyl alcohol	N-outdr plants in containers	0.02	1	1.0	A
Butyl alcohol	N-outdr transplants	0.77	8	38.67	A
Butyl alcohol	Oat	34.53	16	1,783.41	A
Butyl alcohol	Oat (forage - fodder)	34.84	33	1,109.5	A
Butyl alcohol	Olive	62.48	42	899.07	A
Butyl alcohol	Onion, dry	76.44	43	3,192.0	A
Butyl alcohol	Orange	36.86	24	415.12	A
Butyl alcohol	Orchardgrass	8.55	8	487.5	A
Butyl alcohol	Parsley	2.0	1	97.0	A
Butyl alcohol	Pasture (forage - fodder)	0.1	1	1.0	A
Butyl alcohol	Pastureland	5.39	26	172.0	A
Butyl alcohol	Peach	79.25	71	1,508.34	A
Butyl alcohol	Pear	2.61	3	84.0	A
Butyl alcohol	Pecan	57.71	24	537.94	A
Butyl alcohol	Pepper, fruiting	84.17	35	1,564.0	A
Butyl alcohol	Persimmon	1.8	2	35.0	A
Butyl alcohol	Pistachio	6,507.61	511	58,737.98	A
Butyl alcohol	Plum	3.13	9	85.4	A
Butyl alcohol	Potato	5.24	5	324.4	A
Butyl alcohol	Prune	280.79	105	3,040.41	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Butyl alcohol	Public health	24.65	N/A	N/A	N/A
Butyl alcohol	Pumpkin	4.88	13	335.0	A
Butyl alcohol	Rangeland	1.38	8	65.37	A
Butyl alcohol	Regulatory pest control	0.49	N/A	N/A	N/A
Butyl alcohol	Research commodity	1.76	18	12.19	A
Butyl alcohol	Research commodity	0.11	N/A	N/A	N/A
Butyl alcohol	Rice	259.59	168	11,113.8	A
Butyl alcohol	Rights of way	31.0	12	235.0	A
Butyl alcohol	Rights of way	1,093.41	N/A	N/A	N/A
Butyl alcohol	Rye	1.35	5	41.3	A
Butyl alcohol	Ryegrass	6.28	13	457.3	A
Butyl alcohol	Safflower	1.86	1	60.0	A
Butyl alcohol	Sorghum/milo	9.2	6	218.59	A
Butyl alcohol	Squash	82.47	19	433.0	A
Butyl alcohol	Squash, summer	0.83	1	27.0	A
Butyl alcohol	Squash, winter	1.26	2	20.39	A
Butyl alcohol	Sudangrass	15.07	18	961.5	A
Butyl alcohol	Sunflower	99.57	111	2,649.57	A
Butyl alcohol	Tangelo	3.34	1	30.7	A
Butyl alcohol	Tangerine	15.86	16	265.22	A
Butyl alcohol	Tomato	137.35	88	4,921.96	A
Butyl alcohol	Tomato, processing	419.52	321	18,594.71	A
Butyl alcohol	Triticale	12.35	22	1,280.3	A
Butyl alcohol	Uncultivated ag	150.61	86	3,571.64	A
Butyl alcohol	Uncultivated non-ag	3.72	5	1,008.0	A
Butyl alcohol	Walnut	1,088.42	385	11,769.19	A
Butyl alcohol	Water area	0.06	N/A	1.0	U
Butyl alcohol	Watermelon	68.81	27	1,167.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Butyl alcohol	Wheat	104.42	148	6,979.86	A
Butyl alcohol	Wheat (forage - fodder)	58.1	58	2,960.94	A
Butyl lactate	Alfalfa	670.75	574	37,921.32	A
Butyl lactate	Almond	497.01	14	1,515.6	A
Butyl lactate	Barley	16.81	19	1,160.0	A
Butyl lactate	Bean, dried	5.08	8	130.0	A
Butyl lactate	Bean, succulent	2.43	3	72.0	A
Butyl lactate	Bean, unspecified	2.38	22	83.55	A
Butyl lactate	Broccoli	7.32	16	525.96	A
Butyl lactate	Cherry	66.26	23	241.0	A
Butyl lactate	Forage hay/silage	22.78	24	1,493.0	A
Butyl lactate	Forest, timberland	0.47	2	25.0	A
Butyl lactate	Garlic	3.18	3	167.0	A
Butyl lactate	Golf course turf	1.27	N/A	7.0	A
Butyl lactate	Grape, wine	1,054.92	553	15,568.82	A
Butyl lactate	Hops	0.09	1	1.5	A
Butyl lactate	Horseradish	0.91	1	84.0	A
Butyl lactate	Landscape maintenance	268.94	N/A	N/A	N/A
Butyl lactate	Melon	0.07	3	5.43	A
Butyl lactate	Mint	5.69	4	201.0	A
Butyl lactate	N-grnhs plants in containers	41.59	147	5,214,786.5	S
Butyl lactate	N-outdr plants in containers	5.17	11	15.75	A
Butyl lactate	N-outdr plants in containers	18.68	67	3,615,731.5	S
Butyl lactate	N-outdr plants in containers	17.25	29	768,873.0	U
Butyl lactate	Oat	11.15	4	515.0	A
Butyl lactate	Onion, dry	54.65	35	2,749.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Butyl lactate	Orchardgrass	2.72	1	110.0	A
Butyl lactate	Pastureland	0.91	1	86.0	A
Butyl lactate	Peas	11.23	53	398.03	A
Butyl lactate	Pistachio	7.66	2	134.74	A
Butyl lactate	Potato	72.34	64	3,762.0	A
Butyl lactate	Prune	18.7	9	153.0	A
Butyl lactate	Rangeland	1.71	3	95.0	A
Butyl lactate	Raspberry	2.18	2	160.0	A
Butyl lactate	Research commodity	1.86	N/A	N/A	N/A
Butyl lactate	Rights of way	306.53	N/A	N/A	N/A
Butyl lactate	Rye	16.6	16	536.5	A
Butyl lactate	Strawberry	189.74	51	1,450.54	A
Butyl lactate	Tomato	0.5	2	22.0	A
Butyl lactate	Uncultivated ag	245.78	56	4,282.56	A
Butyl lactate	Unknown	2.73	1	78.0	A
Butyl lactate	Walnut	382.41	40	1,555.35	A
Butyl lactate	Water area	3.59	20	16.2	A
Butyl lactate	Water area	0.11	N/A	40,600.0	S
Butyl lactate	Wheat	85.21	57	3,758.6	A
Cacodylic acid	Golf course turf	0.02	N/A	10.0	A
Cacodylic acid	Landscape maintenance	0.5	N/A	N/A	N/A
Cacodylic acid	Rights of way	0.19	N/A	N/A	N/A
Cadmium chloride	Landscape maintenance	0.08	N/A	N/A	N/A
Cadmium chloride	N-outdr flower	0.02	1	1.0	A
Calcium carbonate	Regulatory pest control	5,488.0	N/A	N/A	N/A
Calcium carbonate	Water (industrial)	24,696.0	N/A	2,454.0	C
Calcium carbonate	Water (industrial)	123,480.08	N/A	19,212.01	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Calcium chloride	Alfalfa	64.13	111	6,127.28	A
Calcium chloride	Almond	4,994.85	1,134	74,702.63	A
Calcium chloride	Apple	238.58	56	1,361.11	A
Calcium chloride	Apricot	7.98	23	137.37	A
Calcium chloride	Artichoke, globe	8.78	57	403.92	A
Calcium chloride	Bean, dried	2.75	8	339.0	A
Calcium chloride	Bean, succulent	0.55	2	46.0	A
Calcium chloride	Broccoli	20.34	70	561.99	A
Calcium chloride	Brussels sprout	0.05	1	1.0	A
Calcium chloride	Cabbage	6.93	21	137.0	A
Calcium chloride	Cauliflower	18.05	78	372.44	A
Calcium chloride	Cherry	430.56	250	5,055.4	A
Calcium chloride	Chinese cabbage (napa, wong bok, celery cabbage)	0.1	1	2.0	A
Calcium chloride	Citrus	1.2	1	10.0	A
Calcium chloride	Corn (forage - fodder)	72.36	81	3,820.62	A
Calcium chloride	Corn, human consumption	297.89	497	15,230.55	A
Calcium chloride	Cotton	222.98	126	11,761.83	A
Calcium chloride	Cucumber	22.85	16	422.1	A
Calcium chloride	Garlic	9.17	4	627.0	A
Calcium chloride	Grape	162.03	62	2,345.06	A
Calcium chloride	Grape, wine	1,668.95	726	21,709.73	A
Calcium chloride	Grapefruit	21.81	13	207.34	A
Calcium chloride	Kale	0.73	3	18.5	A
Calcium chloride	Landscape maintenance	5.73	N/A	N/A	N/A
Calcium chloride	Lemon	71.78	54	1,091.5	A
Calcium chloride	Lettuce, head	11.18	52	378.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Calcium chloride	Lettuce, leaf	56.96	204	1,188.83	A
Calcium chloride	Nectarine	5.96	20	87.44	A
Calcium chloride	Olive	87.64	41	953.88	A
Calcium chloride	Onion, dry	25.47	17	1,434.0	A
Calcium chloride	Orange	431.02	192	3,618.11	A
Calcium chloride	Parsley	1.02	1	97.0	A
Calcium chloride	Peach	10.09	29	155.53	A
Calcium chloride	Pear	2.44	5	31.0	A
Calcium chloride	Pecan	166.34	32	2,265.5	A
Calcium chloride	Pepper, fruiting	34.41	32	1,354.7	A
Calcium chloride	Persimmon	6.38	2	48.0	A
Calcium chloride	Pistachio	1,874.19	706	38,144.18	A
Calcium chloride	Plum	6.67	15	91.5	A
Calcium chloride	Pumpkin	5.54	13	119.0	A
Calcium chloride	Quince	0.83	3	10.5	A
Calcium chloride	Radicchio	1.38	2	35.0	A
Calcium chloride	Rice	6.59	16	697.67	A
Calcium chloride	Rights of way	8.53	N/A	N/A	N/A
Calcium chloride	Shallot	2.02	3	32.0	A
Calcium chloride	Small fruits/berry	0.88	5	14.0	A
Calcium chloride	Sorghum/milo	0.21	5	9.9	A
Calcium chloride	Spinach	0.97	37	46.8	A
Calcium chloride	Squash	5.56	16	288.0	A
Calcium chloride	Strawberry	2.54	1	48.0	A
Calcium chloride	Sunflower	4.49	17	483.7	A
Calcium chloride	Tangelo	16.33	10	202.1	A
Calcium chloride	Tangerine	9.66	13	165.0	A
Calcium chloride	Tomato	120.79	96	5,870.79	A
Calcium chloride	Tomato, processing	186.89	163	9,591.03	A
Calcium chloride	Uncultivated ag	48.29	95	2,094.04	A
Calcium chloride	Walnut	3,660.82	594	23,975.18	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Calcium chloride	Watermelon	8.71	16	395.6	A
Calcium chloride	Wheat (forage - fodder)	32.95	34	1,772.34	A
Calcium hydroxide	Almond	333.0	2	37.0	A
Calcium hydroxide	Avocado	68.65	2	19.5	A
Calcium hydroxide	Cherry	11,603.25	27	551.1	A
Calcium hydroxide	Citrus	7,726.55	18	268.0	A
Calcium hydroxide	Grape	23,969.87	72	3,219.26	A
Calcium hydroxide	Grape, wine	4,602.75	11	354.69	A
Calcium hydroxide	Grapefruit	73,738.73	219	3,178.85	A
Calcium hydroxide	Lemon	484,415.27	1,163	24,389.73	A
Calcium hydroxide	Lime	146.66	6	15.75	A
Calcium hydroxide	N-outdr plants in containers	101.7	5	10.3	A
Calcium hydroxide	Nectarine	202.77	5	22.28	A
Calcium hydroxide	Olive	48,263.15	82	2,607.2	A
Calcium hydroxide	Orange	2,677,057.51	5,618	120,600.11	A
Calcium hydroxide	Orange	144.0	1	280.0	U
Calcium hydroxide	Orchard floor	244.54	2	99.56	A
Calcium hydroxide	Peach	70.2	2	7.8	A
Calcium hydroxide	Pomelo	9,221.49	59	507.95	A
Calcium hydroxide	Rice	792.6	17	868.42	A
Calcium hydroxide	Tangelo	69,546.22	182	2,822.44	A
Calcium hydroxide	Tangerine	679,335.66	1,794	49,705.32	A
Calcium hydroxide	Unknown	18.4	1	20.0	A
Calcium hydroxide	Walnut	2,007.0	4	183.0	A
Calcium hypochlorite	Citrus	448.8	N/A	49,798.08	T
Calcium hypochlorite	Commodity fumigation	4,610.4	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Calcium hypochlorite	Ditch bank	7,956.0	N/A	19.46	A
Calcium hypochlorite	Ditch bank	2,406.52	N/A	7.0	U
Calcium hypochlorite	Food processing plant	530.4	5	69,238.08	?
Calcium hypochlorite	Grape, wine	17.99	6	51.73	A
Calcium hypochlorite	Landscape maintenance	1,028.16	N/A	N/A	N/A
Calcium hypochlorite	Lettuce, leaf	1,131.35	N/A	575.0	A
Calcium hypochlorite	Mushroom	1,453.53	1,861	13,643,349.0	S
Calcium hypochlorite	Mushroom house	36.72	41	328,749.0	S
Calcium hypochlorite	Mushroom house	199.58	N/A	231.0	U
Calcium hypochlorite	Mushroom soil	1.53	6	34,500.0	S
Calcium hypochlorite	Structural pest control	0.89	N/A	N/A	N/A
Calcium hypochlorite	Tomato	3,918.51	N/A	11,720.0	T
Calcium hypochlorite	Uncultivated ag	0.08	1	0.5	A
Calcium hypochlorite	Water (industrial)	24.48	N/A	96.0	U
Calcium hypochlorite	Water area	364.44	N/A	71,646.0	K
Canola oil	Alfalfa	12.42	72	2,662.9	A
Canola oil	Almond	41.42	128	5,771.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Canola oil	Apple	6.07	2	16.0	U
Canola oil	Apricot	1.4	2	6.0	U
Canola oil	Basil, sweet	14.23	46	70.36	A
Canola oil	Beet	0.77	34	74.51	A
Canola oil	Blackberry	256.33	22	158.06	A
Canola oil	Blueberry	76.9	6	190.0	A
Canola oil	Bok choy (choy sum, pak choi)	0.46	39	43.95	A
Canola oil	Broccoli	8.46	1	8.7	A
Canola oil	Cabbage	3.16	48	173.27	A
Canola oil	Cannabis (all or unspecified)	2.16	2	2.0	A
Canola oil	Cannabis (all or unspecified)	13.66	70	398,928.0	S
Canola oil	Cantaloupe	0.22	1	35.0	A
Canola oil	Celeriac	0.12	13	11.8	A
Canola oil	Cherry	0.07	2	16.32	A
Canola oil	Cherry	1.18	2	4.0	U
Canola oil	Chinese cabbage (napa, wong bok, celery cabbage)	0.27	11	26.56	A
Canola oil	Cilantro	1.87	58	180.32	A
Canola oil	Collard	1.24	33	119.83	A
Canola oil	Corn (forage - fodder)	65.54	352	14,483.12	A
Canola oil	Cotton	0.69	8	216.0	A
Canola oil	Dandelion green	0.2	25	19.03	A
Canola oil	Dill	0.31	30	30.15	A
Canola oil	Forage hay/silage	1.3	5	332.9	A
Canola oil	Grape	2.97	17	349.67	A
Canola oil	Grape, wine	0.95	6	228.34	A
Canola oil	Industrial hemp	0.41	3	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Canola oil	Kale	1.15	46	111.12	A
Canola oil	Kohlrabi	0.14	16	13.61	A
Canola oil	Landscape maintenance	1.84	N/A	N/A	N/A
Canola oil	Leek	1.04	33	100.46	A
Canola oil	Lettuce, leaf	1.88	94	181.25	A
Canola oil	Melon	0.11	1	17.0	A
Canola oil	Mint	0.41	1	1.2	A
Canola oil	Mustard	0.54	26	52.0	A
Canola oil	Mustard greens	0.95	29	92.11	A
Canola oil	N-grnhs plants in containers	45.91	180	147.0	A
Canola oil	N-grnhs plants in containers	3.31	10	186,740.0	S
Canola oil	N-grnhs transplants	0.19	1	12,000.0	S
Canola oil	N-outdr flower	0.54	1	0.5	A
Canola oil	N-outdr plants in containers	25.75	24	77.71	A
Canola oil	N-outdr plants in containers	0.68	1	27,000.0	S
Canola oil	Nectarine	0.59	2	6.0	U
Canola oil	Oat (forage - fodder)	13.21	73	2,992.48	A
Canola oil	Olive	0.13	N/A	13.2	A
Canola oil	Orchardgrass	0.19	2	18.0	A
Canola oil	Oregano	2.97	6	1.65	A
Canola oil	Parsley	1.82	49	175.99	A
Canola oil	Pastureland	0.26	2	34.0	A
Canola oil	Peach	2.3	5	280.0	A
Canola oil	Peach	4.08	2	20.0	U
Canola oil	Pear	1.5	2	10.0	U
Canola oil	Pistachio	3.56	16	436.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Canola oil	Plum	0.86	2	4.0	U
Canola oil	Pome fruit	0.86	1	0.5	A
Canola oil	Prune	0.21	1	20.0	A
Canola oil	Raspberry	97.55	18	120.13	A
Canola oil	Research commodity	1.69	3	2.02	A
Canola oil	Research commodity	0.02	1	873.0	S
Canola oil	Rice	0.19	1	60.0	A
Canola oil	Rights of way	0.42	N/A	N/A	N/A
Canola oil	Rosemary	0.95	2	0.4	A
Canola oil	Ryegrass	0.81	4	128.0	A
Canola oil	Spinach	0.45	32	43.73	A
Canola oil	Strawberry	718.59	151	691.55	A
Canola oil	Structural pest control	0.87	N/A	N/A	N/A
Canola oil	Sudangrass	2.32	9	373.0	A
Canola oil	Swiss chard	1.48	102	143.4	A
Canola oil	Thyme	0.81	2	1.9	A
Canola oil	Tomato	0.68	2	0.4	A
Canola oil	Triticale	6.03	36	1,457.08	A
Canola oil	Turnip	0.64	34	61.69	A
Canola oil	Uncultivated ag	2.53	14	407.71	A
Canola oil	Walnut	1.28	19	218.33	A
Canola oil	Wheat	1.16	7	278.71	A
Canola oil	Wheat (forage - fodder)	12.29	56	2,632.85	A
Capric acid	Alfalfa	737.06	3	45.0	A
Capric acid	Almond	44,240.32	190	7,549.19	A
Capric acid	Apple	44.22	4	10.5	A
Capric acid	Apricot	594.07	14	94.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Capric acid	Artichoke, globe	3.91	2	0.98	A
Capric acid	Avocado	6,877.95	118	1,030.42	A
Capric acid	Basil, sweet	71.98	1	5.0	A
Capric acid	Beet	49.38	6	8.2	A
Capric acid	Blackberry	3,483.38	35	375.84	A
Capric acid	Blueberry	8,080.22	84	987.85	A
Capric acid	Bok choy (choy sum, pak choi)	143.07	30	39.9	A
Capric acid	Broccoli	436.2	22	105.73	A
Capric acid	Brussels sprout	5.04	1	1.0	A
Capric acid	Cabbage	2.98	2	4.5	A
Capric acid	Carrot	9,359.73	65	1,773.39	A
Capric acid	Cauliflower	5.47	1	3.03	A
Capric acid	Celery	992.93	11	116.7	A
Capric acid	Cherry	1,965.77	29	316.46	A
Capric acid	Cilantro	4,441.99	128	625.09	A
Capric acid	Citrus	898.39	17	257.0	A
Capric acid	Collard	75.06	13	26.6	A
Capric acid	Date	8,140.42	76	5,779.48	A
Capric acid	Dill	41.03	1	3.8	A
Capric acid	Ditch bank	100.77	2	7.0	A
Capric acid	Endive (escarole)	48.25	16	23.87	A
Capric acid	Fennel	2.16	2	1.0	A
Capric acid	Forage hay/silage	1,729.36	6	132.4	A
Capric acid	Garbanzo bean	2,755.56	3	465.0	A
Capric acid	Garlic	1,957.5	6	209.21	A
Capric acid	Grape	9,598.75	60	1,749.64	A
Capric acid	Grape, wine	7,892.38	238	1,772.44	A
Capric acid	Grapefruit	1,890.53	34	305.73	A
Capric acid	Kale	629.53	33	178.99	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Capric acid	Landscape maintenance	7,220.44	N/A	N/A	N/A
Capric acid	Lemon	9,340.23	84	1,517.2	A
Capric acid	Lettuce, head	634.47	83	296.8	A
Capric acid	Lettuce, leaf	4,618.08	303	1,400.78	A
Capric acid	Mango	2,928.65	27	738.0	A
Capric acid	Mustard	39.79	11	10.5	A
Capric acid	Mustard greens	105.54	3	20.78	A
Capric acid	N-grnhs flower	59.21	1	12.3	A
Capric acid	N-grnhs flower	21.59	N/A	23,750.0	S
Capric acid	N-grnhs plants in containers	19.06	6	136,920.0	S
Capric acid	N-grnhs transplants	35.99	2	3.1	A
Capric acid	N-outdr flower	160.63	12	19.66	A
Capric acid	N-outdr plants in containers	111.82	42	30.22	A
Capric acid	N-outdr transplants	7.64	2	1.4	A
Capric acid	Nectarine	3,630.23	112	1,444.7	A
Capric acid	Olive	2,292.99	9	425.71	A
Capric acid	Onion, dry	3,222.69	18	414.96	A
Capric acid	Orange	9,973.68	189	2,988.6	A
Capric acid	Parsley	724.56	24	97.21	A
Capric acid	Pastureland	0.71	2	0.75	A
Capric acid	Peach	4,842.06	141	1,946.16	A
Capric acid	Pear	249.58	8	34.75	A
Capric acid	Pepper, fruiting	141.08	4	29.0	A
Capric acid	Pistachio	4,737.75	33	1,928.59	A
Capric acid	Plum	2,362.69	65	929.52	A
Capric acid	Pluot	25.7	2	2.38	A
Capric acid	Pomegranate	84.66	1	8.0	A
Capric acid	Potato	7,698.34	26	1,086.91	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Capric acid	Prune	309.77	4	96.89	A
Capric acid	Pumpkin	28.79	3	3.29	A
Capric acid	Radish	28.14	2	3.91	A
Capric acid	Raspberry	10,714.56	109	1,013.68	A
Capric acid	Research commodity	11.25	N/A	N/A	N/A
Capric acid	Rights of way	2,228.51	27	165.18	A
Capric acid	Rights of way	1,519.15	N/A	N/A	N/A
Capric acid	Shallot	161.23	3	32.0	A
Capric acid	Small fruits/berry	35.99	4	5.0	A
Capric acid	Spinach	806.12	13	109.85	A
Capric acid	Squash	3.6	1	0.5	A
Capric acid	Stone fruit	23.99	1	12.0	A
Capric acid	Strawberry	4,216.81	38	516.99	A
Capric acid	Swiss chard	842.09	48	179.54	A
Capric acid	Tangelo	23.95	1	19.04	A
Capric acid	Tangerine	8,180.86	130	2,652.46	A
Capric acid	Tomato	143.96	1	10.0	A
Capric acid	Tomato, processing	481.08	7	132.7	A
Capric acid	Uncultivated ag	5,585.41	87	569.25	A
Capric acid	Uncultivated ag	5.64	6	17,400.0	S
Capric acid	Uncultivated non-ag	347.54	9	22.0	A
Capric acid	Unknown	71.98	1	40.0	A
Capric acid	Vegetable	1.5	3	12,200.0	S
Capric acid	Walnut	1,601.08	63	587.51	A
Capric acid	Watermelon	50.39	3	2.86	A
Caprylic acid	Alfalfa	935.63	3	45.0	A
Caprylic acid	Almond	60,997.56	190	7,549.19	A
Caprylic acid	Apple	64.95	4	10.5	A
Caprylic acid	Apricot	872.54	14	94.0	A
Caprylic acid	Artichoke, globe	5.74	2	0.98	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Caprylic acid	Avocado	10,102.0	118	1,030.42	A
Caprylic acid	Basil, sweet	105.72	1	5.0	A
Caprylic acid	Beet	72.52	6	8.2	A
Caprylic acid	Blackberry	4,668.33	35	375.84	A
Caprylic acid	Blueberry	11,867.82	84	987.85	A
Caprylic acid	Bok choy (choy sum, pak choi)	174.86	30	39.9	A
Caprylic acid	Broccoli	540.29	22	105.73	A
Caprylic acid	Brussels sprout	7.4	1	1.0	A
Caprylic acid	Cabbage	3.93	2	4.5	A
Caprylic acid	Carrot	13,690.88	65	1,773.39	A
Caprylic acid	Cauliflower	8.03	1	3.03	A
Caprylic acid	Celery	1,236.1	11	116.7	A
Caprylic acid	Cherry	2,559.54	29	316.46	A
Caprylic acid	Cilantro	5,918.43	128	625.09	A
Caprylic acid	Citrus	1,319.51	17	257.0	A
Caprylic acid	Collard	91.74	13	26.6	A
Caprylic acid	Date	11,956.24	76	5,779.48	A
Caprylic acid	Dill	60.26	1	3.8	A
Caprylic acid	Ditch bank	148.01	2	7.0	A
Caprylic acid	Endive (escarole)	70.87	16	23.87	A
Caprylic acid	Fennel	3.17	2	1.0	A
Caprylic acid	Forage hay/silage	2,400.86	6	132.4	A
Caprylic acid	Garbanzo bean	3,367.9	3	465.0	A
Caprylic acid	Garlic	2,875.08	6	209.21	A
Caprylic acid	Grape	13,964.6	60	1,749.64	A
Caprylic acid	Grape, wine	11,158.59	241	1,800.94	A
Caprylic acid	Grapefruit	2,776.72	34	305.73	A
Caprylic acid	Kale	769.43	33	178.99	A
Caprylic acid	Landscape maintenance	10,435.2	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Caprylic acid	Lemon	13,644.81	84	1,517.2	A
Caprylic acid	Lettuce, head	857.23	83	296.8	A
Caprylic acid	Lettuce, leaf	6,023.83	303	1,400.78	A
Caprylic acid	Mango	4,301.46	27	738.0	A
Caprylic acid	Mustard	48.63	11	10.5	A
Caprylic acid	Mustard greens	128.99	3	20.78	A
Caprylic acid	N-grnhs flower	86.97	1	12.3	A
Caprylic acid	N-grnhs flower	31.72	N/A	23,750.0	S
Caprylic acid	N-grnhs plants in containers	23.3	6	136,920.0	S
Caprylic acid	N-grnhs transplants	52.86	2	3.1	A
Caprylic acid	N-outdr flower	235.93	12	19.66	A
Caprylic acid	N-outdr plants in containers	157.24	42	30.22	A
Caprylic acid	N-outdr transplants	11.22	2	1.4	A
Caprylic acid	Nectarine	5,331.9	112	1,444.7	A
Caprylic acid	Olive	2,828.58	9	425.71	A
Caprylic acid	Onion, dry	4,699.73	18	414.96	A
Caprylic acid	Orange	14,412.04	189	2,988.6	A
Caprylic acid	Parsley	1,002.98	24	97.21	A
Caprylic acid	Pastureland	0.86	2	0.75	A
Caprylic acid	Peach	7,111.78	141	1,946.16	A
Caprylic acid	Pear	366.44	8	34.75	A
Caprylic acid	Pepper, fruiting	207.21	4	29.0	A
Caprylic acid	Pistachio	6,958.57	33	1,928.59	A
Caprylic acid	Plum	3,470.21	65	929.52	A
Caprylic acid	Pluot	37.74	2	2.38	A
Caprylic acid	Pomegranate	103.47	1	8.0	A
Caprylic acid	Potato	11,306.94	26	1,086.91	A
Caprylic acid	Prune	454.97	4	96.89	A
Caprylic acid	Pumpkin	42.29	3	3.29	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Caprylic acid	Radish	41.34	2	3.91	A
Caprylic acid	Raspberry	13,999.21	109	1,013.68	A
Caprylic acid	Research commodity	16.52	N/A	N/A	N/A
Caprylic acid	Rights of way	2,755.63	27	165.18	A
Caprylic acid	Rights of way	2,136.03	N/A	N/A	N/A
Caprylic acid	Shallot	236.81	3	32.0	A
Caprylic acid	Small fruits/berry	52.86	4	5.0	A
Caprylic acid	Spinach	985.26	13	109.85	A
Caprylic acid	Squash	5.29	1	0.5	A
Caprylic acid	Stone fruit	35.24	1	12.0	A
Caprylic acid	Strawberry	5,265.96	38	516.99	A
Caprylic acid	Swiss chard	1,029.22	48	179.54	A
Caprylic acid	Tangelo	35.17	1	19.04	A
Caprylic acid	Tangerine	11,488.98	130	2,652.46	A
Caprylic acid	Tomato	211.44	1	10.0	A
Caprylic acid	Tomato, processing	653.15	7	132.7	A
Caprylic acid	Uncultivated ag	7,299.92	87	569.25	A
Caprylic acid	Uncultivated ag	6.9	6	17,400.0	S
Caprylic acid	Uncultivated non-ag	447.84	9	22.0	A
Caprylic acid	Unknown	105.72	1	40.0	A
Caprylic acid	Vegetable	2.2	3	12,200.0	S
Caprylic acid	Walnut	2,211.44	63	587.51	A
Caprylic acid	Watermelon	74.0	3	2.86	A
Capsicum oleoresin	Almond	3.07	3	12.63	A
Capsicum oleoresin	Basil, sweet	2.47	17	19.14	A
Capsicum oleoresin	Blackberry	35.42	22	158.06	A
Capsicum oleoresin	Blueberry	10.63	6	190.0	A
Capsicum oleoresin	Broccoli	1.17	1	8.7	A
Capsicum oleoresin	Cabbage	1.04	3	26.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Capsicum oleoresin	Cannabis (all or unspecified)	9.1	140	6,293,079.0	S
Capsicum oleoresin	Cauliflower	0.1	1	7.0	A
Capsicum oleoresin	Cherry	1.56	1	12.0	A
Capsicum oleoresin	Ginger	0.07	1	0.5	A
Capsicum oleoresin	Grape, wine	1.68	3	64.83	A
Capsicum oleoresin	Herb, spice	1.0	3	4.25	A
Capsicum oleoresin	Industrial hemp	0.06	3	3.0	A
Capsicum oleoresin	Landscape maintenance	0.04	N/A	N/A	N/A
Capsicum oleoresin	Mint	0.06	1	1.2	A
Capsicum oleoresin	N-grnhs flower	0.11	7	2.81	A
Capsicum oleoresin	N-grnhs plants in containers	8.49	286	188.01	A
Capsicum oleoresin	N-grnhs plants in containers	8.17	75	5,435,713.0	S
Capsicum oleoresin	N-grnhs transplants	0.08	3	43,500.0	S
Capsicum oleoresin	N-outdr flower	0.18	9	8.5	A
Capsicum oleoresin	N-outdr plants in containers	17.09	230	249.98	A
Capsicum oleoresin	N-outdr plants in containers	2.62	21	2,192,000.0	S
Capsicum oleoresin	Oregano	0.43	7	1.8	A
Capsicum oleoresin	Parsley	0.07	1	1.2	A
Capsicum oleoresin	Pepper, fruiting	8.17	1	28.0	A
Capsicum oleoresin	Pistachio	23.39	5	458.0	A
Capsicum oleoresin	Prune	0.05	1	4.0	A
Capsicum oleoresin	Public health	<0.01	N/A	N/A	N/A
Capsicum oleoresin	Raspberry	13.48	18	120.13	A
Capsicum oleoresin	Regulatory pest control	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Capsicum oleoresin</b>	Research commodity	1.38	17	23.0	A
<b>Capsicum oleoresin</b>	Rosemary	0.26	4	1.4	A
<b>Capsicum oleoresin</b>	Strawberry	100.61	152	726.55	A
<b>Capsicum oleoresin</b>	Structural pest control	0.12	N/A	N/A	N/A
<b>Capsicum oleoresin</b>	Thyme	0.11	2	1.9	A
<b>Capsicum oleoresin</b>	Tomato	1.08	6	65.8	A
<b>Capsicum oleoresin</b>	Vegetables, fruiting	0.07	1	0.5	A
<b>Capsicum oleoresin</b>	Vegetables, leafy	0.99	5	6.75	A
<b>Capsicum oleoresin</b>	Vertebrate control	<0.01	N/A	N/A	N/A
<b>Capsicum oleoresin</b>	Walnut	1.03	25	42.69	A
<b>Captan</b>	Almond	1,463.61	8	444.0	A
<b>Captan</b>	Blackberry	902.91	48	464.34	A
<b>Captan</b>	Blueberry	1,951.13	36	787.3	A
<b>Captan</b>	County ag comm	10.49	N/A	N/A	N/A
<b>Captan</b>	Grape	356.23	13	317.0	A
<b>Captan</b>	Grape, wine	21.26	6	27.1	A
<b>Captan</b>	Landscape maintenance	14.08	N/A	N/A	N/A
<b>Captan</b>	N-grnhs flower	165.63	98	193.0	A
<b>Captan</b>	N-grnhs plants in containers	0.98	2	0.53	A
<b>Captan</b>	N-grnhs plants in containers	0.08	1	600.0	S
<b>Captan</b>	N-grnhs transplants	9.93	7	3.65	A
<b>Captan</b>	N-grnhs transplants	0.02	1	500.0	S
<b>Captan</b>	N-outdr flower	6.23	4	16.4	A
<b>Captan</b>	N-outdr plants in containers	832.06	20	302.48	A
<b>Captan</b>	N-outdr transplants	7,143.35	250	2,968.73	A
<b>Captan</b>	N-outdr transplants	<0.01	1	108.9	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Captan</b>	Plum	136.85	2	50.0	A
<b>Captan</b>	Prune	6,290.02	59	2,622.88	A
<b>Captan</b>	Raspberry	1,415.33	91	668.65	A
<b>Captan</b>	Raspberry	43.36	1	201.0	U
<b>Captan</b>	Research commodity	1.52	N/A	N/A	N/A
<b>Captan</b>	Rights of way	0.51	N/A	N/A	N/A
<b>Captan</b>	Soil fumigation/preplant	58.5	2	36.75	A
<b>Captan</b>	Strawberry	310,712.85	4,868	177,857.13	A
<b>Captan</b>	Strawberry	2.68	9	31,800.0	S
<b>Captan</b>	Tomato, processing	1,129.8	1	100.0	A
<b>Captan, other related</b>	Almond	67.01	5	331.0	A
<b>Captan, other related</b>	Blueberry	13.92	19	257.3	A
<b>Captan, other related</b>	Grape	0.06	2	120.0	A
<b>Captan, other related</b>	Grape, wine	<0.01	2	0.5	A
<b>Captan, other related</b>	Landscape maintenance	0.32	N/A	N/A	N/A
<b>Captan, other related</b>	N-grnhs flower	2.39	59	118.0	A
<b>Captan, other related</b>	N-grnhs plants in containers	0.01	2	0.53	A
<b>Captan, other related</b>	N-grnhs transplants	0.19	4	3.03	A
<b>Captan, other related</b>	N-outdr flower	0.25	2	12.4	A
<b>Captan, other related</b>	N-outdr transplants	88.96	96	1,639.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Captan, other related</b>	Plum	3.15	2	50.0	A
<b>Captan, other related</b>	Prune	22.37	7	375.5	A
<b>Captan, other related</b>	Raspberry	0.89	1	201.0	U
<b>Captan, other related</b>	Research commodity	0.01	N/A	N/A	N/A
<b>Captan, other related</b>	Rights of way	0.01	N/A	N/A	N/A
<b>Captan, other related</b>	Soil fumigation/preplant	1.35	2	36.75	A
<b>Captan, other related</b>	Strawberry	3,137.72	2,303	79,580.22	A
<b>Captan, other related</b>	Strawberry	0.14	8	28,200.0	S
<b>Captan, other related</b>	Tomato, processing	25.8	1	100.0	A
<b>Carbaryl</b>	Alfalfa	6.97	1	7.0	A
<b>Carbaryl</b>	Almond	450.01	5	256.55	A
<b>Carbaryl</b>	Apple	3,545.68	74	2,106.2	A
<b>Carbaryl</b>	Blackberry	448.74	18	255.51	A
<b>Carbaryl</b>	Broccoli	39.07	4	21.5	A
<b>Carbaryl</b>	Brussels sprout	110.21	6	112.7	A
<b>Carbaryl</b>	Cabbage	342.42	32	295.95	A
<b>Carbaryl</b>	Cantaloupe	1,298.02	38	1,932.98	A
<b>Carbaryl</b>	Cauliflower	16.04	1	8.0	A
<b>Carbaryl</b>	Celery	1,003.65	94	989.44	A
<b>Carbaryl</b>	Cherry	71.23	3	23.7	A
<b>Carbaryl</b>	Citrus	0.11	2	0.2	A
<b>Carbaryl</b>	Citrus	1.89	6	30,344.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Carbaryl	Corn (forage - fodder)	120.33	4	60.0	A
Carbaryl	Corn, grain	55.0	1	55.0	A
Carbaryl	Corn, human consumption	137.5	6	100.55	A
Carbaryl	Forest, timberland	18.45	N/A	32.0	U
Carbaryl	Golf course turf	55.16	N/A	17.0	A
Carbaryl	Grape, wine	6.13	5	77.8	A
Carbaryl	Grapefruit	199.12	3	23.0	A
Carbaryl	Landscape maintenance	2,471.77	N/A	N/A	N/A
Carbaryl	Lemon	1,327.59	20	333.4	A
Carbaryl	Lime	16.04	1	7.5	A
Carbaryl	Melon	1,217.07	45	1,951.85	A
Carbaryl	N-grnhs flower	248.2	1	64.0	A
Carbaryl	N-grnhs plants in containers	169.12	76	74.2	A
Carbaryl	N-grnhs plants in containers	33.86	17	1,133,067.0	S
Carbaryl	N-grnhs plants in containers	<0.01	1	600.0	U
Carbaryl	N-outdr flower	32.63	2	33.0	A
Carbaryl	N-outdr plants in containers	371.4	812	460.94	A
Carbaryl	N-outdr plants in containers	25.51	116	230,088.0	S
Carbaryl	N-outdr plants in containers	1.81	17	4,218.0	U
Carbaryl	Olive	2,361.39	30	823.88	A
Carbaryl	Orange	440.46	17	219.6	A
Carbaryl	Pastureland	16.0	1	10.0	A
Carbaryl	Peach	1.7	2	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Carbaryl	Pear	4,370.99	45	1,837.05	A
Carbaryl	Pepper, fruiting	182.05	11	503.5	A
Carbaryl	Pistachio	4,651.74	113	8,152.1	A
Carbaryl	Plum	18.45	1	4.6	A
Carbaryl	Pumpkin	856.07	13	872.0	A
Carbaryl	Radish	757.08	130	392.59	A
Carbaryl	Rangeland	5.0	1	5.0	A
Carbaryl	Raspberry	15.28	1	7.62	A
Carbaryl	Research commodity	21.96	22	25.91	A
Carbaryl	Research commodity	2.8	N/A	N/A	N/A
Carbaryl	Rights of way	20.0	N/A	N/A	N/A
Carbaryl	Safflower	180.0	2	602.0	A
Carbaryl	Strawberry	811.49	27	989.19	A
Carbaryl	Structural pest control	0.39	N/A	N/A	N/A
Carbaryl	Sugarbeet	5,126.25	61	4,093.9	A
Carbaryl	Sunflower	8.75	1	25.0	A
Carbaryl	Tangelo	44.12	1	10.0	A
Carbaryl	Tangerine	1,783.24	13	331.45	A
Carbaryl	Tomato	4,140.19	171	7,276.55	A
Carbaryl	Tomato, processing	43,672.38	841	69,152.62	A
Carbaryl	Turf/sod	20.0	N/A	2.0	A
Carbaryl	Uncultivated ag	68.11	5	147.85	A
Carbaryl	Uncultivated non-ag	2.0	1	2.0	A
Carbaryl	Watermelon	709.0	38	1,300.0	A
Carbo methoxy ether cellulose, sodium salt	Almond	0.24	3	43.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Carbo methoxy ether cellulose, sodium salt</b>	Apple	0.03	N/A	4.3	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Apricot	0.15	4	34.05	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Basil, sweet	0.14	16	19.97	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Cannabis (all or unspecified)	0.2	14	18.8	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Cannabis (all or unspecified)	0.01	1	4,000.0	S
<b>Carbo methoxy ether cellulose, sodium salt</b>	Chervil	<0.01	1	0.15	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Chive	0.05	8	5.51	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Grape	0.04	1	2.0	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Grape, wine	7.31	173	1,681.62	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Herb, spice	0.26	26	33.08	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Carbo methoxy ether cellulose, sodium salt</b>	Lemon	0.75	2	92.0	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Nectarine	6.2	133	2,052.07	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Olive	0.03	2	3.0	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Orange	0.59	3	54.0	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Peach	4.4	104	1,393.18	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Plum	1.27	23	388.97	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Research commodity	<0.01	1	1.95	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Rights of way	0.71	N/A	N/A	N/A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Sage	0.06	10	8.43	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Tangerine	1.56	9	136.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Carbo methoxy ether cellulose, sodium salt</b>	Tarragon	0.02	2	2.12	A
<b>Carbo methoxy ether cellulose, sodium salt</b>	Water area	0.02	2	7.0	A
<b>Carbon</b>	Almond	27.96	5	208.0	A
<b>Carbon</b>	Avocado	0.12	3	4.0	A
<b>Carbon</b>	Buildings/non-ag outdoor	0.45	N/A	0.01	U
<b>Carbon</b>	County ag comm	0.2	N/A	N/A	N/A
<b>Carbon</b>	Fig	0.04	1	1.5	A
<b>Carbon</b>	Landscape maintenance	306.29	N/A	N/A	N/A
<b>Carbon</b>	Olive	0.98	1	3.0	A
<b>Carbon</b>	Regulatory pest control	43.82	N/A	N/A	N/A
<b>Carbon</b>	Rights of way	206.24	N/A	N/A	N/A
<b>Carbon</b>	Structural pest control	2.9	N/A	N/A	N/A
<b>Carbon</b>	Uncultivated ag	0.98	N/A	0.01	U
<b>Carbon</b>	Uncultivated non-ag	0.55	N/A	0.02	U
<b>Carbon</b>	Vertebrate control	357.89	N/A	N/A	N/A
<b>Carbon</b>	Walnut	3.96	1	210.5	A
<b>Carbon dioxide</b>	Almond	5,706.29	N/A	1,209,470.0	P
<b>Carbon dioxide</b>	Commodity fumigation	26,589.0	N/A	N/A	N/A
<b>Carbon dioxide</b>	Grape	636.68	N/A	933.0	T
<b>Carbon dioxide</b>	Grape	4,482.76	N/A	127,362.0	U
<b>Carbon dioxide</b>	Landscape maintenance	3,275.95	N/A	N/A	N/A
<b>Carbon dioxide</b>	Orange	350.0	1	7.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Carbon dioxide	Structural pest control	0.75	N/A	N/A	N/A
Carbon dioxide	Vertebrate control	0.65	N/A	N/A	N/A
Carboxin	Onion, dry	13.13	N/A	21,235.73	P
Carfentrazone-ethyl	Alfalfa	253.33	250	12,589.16	A
Carfentrazone-ethyl	Almond	1,475.64	1,791	74,032.44	A
Carfentrazone-ethyl	Apple	3.79	7	138.35	A
Carfentrazone-ethyl	Apricot	0.73	1	24.76	A
Carfentrazone-ethyl	Arugula	0.09	10	2.9	A
Carfentrazone-ethyl	Asparagus	21.71	13	925.25	A
Carfentrazone-ethyl	Avocado	731.81	605	4,707.11	A
Carfentrazone-ethyl	Barley	32.74	40	2,478.85	A
Carfentrazone-ethyl	Barley (forage - fodder)	14.29	18	831.1	A
Carfentrazone-ethyl	Basil, sweet	1.84	2	63.0	A
Carfentrazone-ethyl	Bean, dried	11.14	10	1,009.0	A
Carfentrazone-ethyl	Bean, succulent	4.16	7	166.5	A
Carfentrazone-ethyl	Bermudagrass	170.21	137	9,190.48	A
Carfentrazone-ethyl	Beverage crop	0.02	1	1.4	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Carfentrazone-ethyl	Blackberry	20.58	37	631.9	A
Carfentrazone-ethyl	Blueberry	24.15	34	1,145.75	A
Carfentrazone-ethyl	Bok choy (choy sum, pak choi)	0.02	16	74.66	A
Carfentrazone-ethyl	Boysenberry	0.18	1	1.0	A
Carfentrazone-ethyl	Broccoli	2.06	28	96.62	A
Carfentrazone-ethyl	Cabbage	1.06	17	156.28	A
Carfentrazone-ethyl	Cantaloupe	9.2	6	791.0	A
Carfentrazone-ethyl	Carrot	1.88	4	103.0	A
Carfentrazone-ethyl	Cauliflower	1.53	5	52.0	A
Carfentrazone-ethyl	Celery	18.45	39	764.38	A
Carfentrazone-ethyl	Cherry	133.1	408	5,778.74	A
Carfentrazone-ethyl	Chinese cabbage (napa, wong bok, celery cabbage)	0.04	22	122.04	A
Carfentrazone-ethyl	Cilantro	0.54	52	17.78	A
Carfentrazone-ethyl	Citrus	0.49	3	36.0	A
Carfentrazone-ethyl	Commodity fumigation	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Carfentrazone-ethyl</b>	Corn (forage - fodder)	308.33	502	22,064.5	A
<b>Carfentrazone-ethyl</b>	Corn, grain	19.51	20	1,705.5	A
<b>Carfentrazone-ethyl</b>	Corn, human consumption	35.66	97	1,855.18	A
<b>Carfentrazone-ethyl</b>	Cotton	253.77	229	13,036.89	A
<b>Carfentrazone-ethyl</b>	County ag comm	1.54	N/A	N/A	N/A
<b>Carfentrazone-ethyl</b>	Cucumber	2.17	1	74.0	A
<b>Carfentrazone-ethyl</b>	Endive (escarole)	0.01	27	70.68	A
<b>Carfentrazone-ethyl</b>	Fennel	0.36	1	12.0	A
<b>Carfentrazone-ethyl</b>	Fig	8.0	5	244.0	A
<b>Carfentrazone-ethyl</b>	Forage hay/silage	162.22	190	9,695.69	A
<b>Carfentrazone-ethyl</b>	Fumigation, other	0.27	1	9.37	A
<b>Carfentrazone-ethyl</b>	Garbanzo bean	3.0	2	163.0	A
<b>Carfentrazone-ethyl</b>	Garlic	28.32	21	1,251.57	A
<b>Carfentrazone-ethyl</b>	Golf course turf	28.15	4	1,462.13	A
<b>Carfentrazone-ethyl</b>	Golf course turf	2.24	6	1,047,529.5	S
<b>Carfentrazone-ethyl</b>	Grain	2.67	10	212.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Carfentrazone-ethyl</b>	Grape	163.28	376	9,902.28	A
<b>Carfentrazone-ethyl</b>	Grape, wine	1,385.25	3,426	67,983.45	A
<b>Carfentrazone-ethyl</b>	Grapefruit	2.46	13	116.75	A
<b>Carfentrazone-ethyl</b>	Grass, seed	76.7	68	2,678.4	A
<b>Carfentrazone-ethyl</b>	Herb, spice	1.01	2	48.0	A
<b>Carfentrazone-ethyl</b>	Hops	0.66	11	33.5	A
<b>Carfentrazone-ethyl</b>	Kale	0.97	3	52.79	A
<b>Carfentrazone-ethyl</b>	Kiwi fruit fuzzy	0.04	1	1.4	A
<b>Carfentrazone-ethyl</b>	Landscape maintenance	0.81	9	154.75	A
<b>Carfentrazone-ethyl</b>	Landscape maintenance	0.22	3	184,077.0	S
<b>Carfentrazone-ethyl</b>	Landscape maintenance	507.21	N/A	N/A	N/A
<b>Carfentrazone-ethyl</b>	Lemon	92.44	259	4,130.49	A
<b>Carfentrazone-ethyl</b>	Lettuce, head	7.94	958	10,605.51	A
<b>Carfentrazone-ethyl</b>	Lettuce, leaf	12.31	2,147	17,240.05	A
<b>Carfentrazone-ethyl</b>	Melon	5.83	4	313.25	A
<b>Carfentrazone-ethyl</b>	Mint	16.45	10	646.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Carfentrazone-ethyl</b>	Mustard greens	0.75	3	50.55	A
<b>Carfentrazone-ethyl</b>	N-grnhs flower	5.62	N/A	220.95	A
<b>Carfentrazone-ethyl</b>	N-grnhs flower	0.94	N/A	1,277,125.0	S
<b>Carfentrazone-ethyl</b>	N-grnhs plants in containers	0.04	N/A	5.0	A
<b>Carfentrazone-ethyl</b>	N-grnhs transplants	0.8	N/A	32.32	A
<b>Carfentrazone-ethyl</b>	N-outdr flower	0.94	28	54.95	A
<b>Carfentrazone-ethyl</b>	N-outdr plants in containers	1.03	7	45.3	A
<b>Carfentrazone-ethyl</b>	N-outdr transplants	4.88	21	200.9	A
<b>Carfentrazone-ethyl</b>	Nectarine	2.19	2	99.5	A
<b>Carfentrazone-ethyl</b>	Oat	58.33	81	3,922.35	A
<b>Carfentrazone-ethyl</b>	Oat (forage - fodder)	424.98	640	27,419.38	A
<b>Carfentrazone-ethyl</b>	Olive	37.37	58	1,721.09	A
<b>Carfentrazone-ethyl</b>	Onion, dry	30.94	18	1,404.5	A
<b>Carfentrazone-ethyl</b>	Orange	49.36	121	2,924.45	A
<b>Carfentrazone-ethyl</b>	Orchardgrass	8.62	9	213.88	A
<b>Carfentrazone-ethyl</b>	Parsley	0.88	5	30.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Carfentrazone-ethyl	Pasture (forage - fodder)	0.37	1	18.0	A
Carfentrazone-ethyl	Pastureland	18.11	29	925.0	A
Carfentrazone-ethyl	Peach	10.43	51	468.76	A
Carfentrazone-ethyl	Pecan	9.29	19	354.58	A
Carfentrazone-ethyl	Pepper, fruiting	22.97	30	1,088.0	A
Carfentrazone-ethyl	Persimmon	2.68	9	130.31	A
Carfentrazone-ethyl	Pistachio	678.19	732	32,376.04	A
Carfentrazone-ethyl	Plum	1.47	6	51.5	A
Carfentrazone-ethyl	Pomegranate	71.74	59	2,497.8	A
Carfentrazone-ethyl	Potato	64.41	57	2,383.46	A
Carfentrazone-ethyl	Prune	48.15	104	2,354.04	A
Carfentrazone-ethyl	Pumpkin	0.98	5	65.5	A
Carfentrazone-ethyl	Radicchio	0.43	1	30.0	A
Carfentrazone-ethyl	Radish	0.51	5	17.5	A
Carfentrazone-ethyl	Rangeland	1.22	5	205.0	A
Carfentrazone-ethyl	Raspberry	135.9	142	2,220.12	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Carfentrazone-ethyl</b>	Recreation area	0.16	N/A	4.0	A
<b>Carfentrazone-ethyl</b>	Regulatory pest control	0.44	1	15.0	A
<b>Carfentrazone-ethyl</b>	Research commodity	1.94	25	86.95	A
<b>Carfentrazone-ethyl</b>	Research commodity	0.15	N/A	N/A	N/A
<b>Carfentrazone-ethyl</b>	Rice	1,209.81	191	11,678.82	A
<b>Carfentrazone-ethyl</b>	Rice, wild	63.88	5	386.41	A
<b>Carfentrazone-ethyl</b>	Rights of way	219.36	59	10,670.0	A
<b>Carfentrazone-ethyl</b>	Rights of way	0.12	2	0.02	U
<b>Carfentrazone-ethyl</b>	Rights of way	187.39	N/A	N/A	N/A
<b>Carfentrazone-ethyl</b>	Rye	6.97	21	474.6	A
<b>Carfentrazone-ethyl</b>	Ryegrass	118.67	162	7,500.46	A
<b>Carfentrazone-ethyl</b>	Safflower	1.72	1	73.3	A
<b>Carfentrazone-ethyl</b>	Small fruits/berry	2.44	3	106.22	A
<b>Carfentrazone-ethyl</b>	Sod farm (turf)	6.25	56	578.83	A
<b>Carfentrazone-ethyl</b>	Soil fumigation/preplant	155.76	68	8,214.94	A
<b>Carfentrazone-ethyl</b>	Sorghum (forage - fodder)	34.07	36	2,816.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Carfentrazone-ethyl	Sorghum/milo	5.18	11	664.18	A
Carfentrazone-ethyl	Spinach	0.4	25	13.65	A
Carfentrazone-ethyl	Stone fruit	0.16	4	17.0	A
Carfentrazone-ethyl	Strawberry	48.4	55	1,846.8	A
Carfentrazone-ethyl	Structural pest control	0.44	2	15.0	A
Carfentrazone-ethyl	Structural pest control	0.13	N/A	N/A	N/A
Carfentrazone-ethyl	Sudangrass	15.33	30	1,251.7	A
Carfentrazone-ethyl	Sunflower	3.37	6	381.5	A
Carfentrazone-ethyl	Sweet potato	0.67	1	64.0	A
Carfentrazone-ethyl	Tangerine	65.92	166	2,758.73	A
Carfentrazone-ethyl	Tomato	14.49	41	1,401.72	A
Carfentrazone-ethyl	Tomato, processing	154.52	126	7,936.1	A
Carfentrazone-ethyl	Triticale	166.81	235	11,834.68	A
Carfentrazone-ethyl	Turf/sod	26.95	76	1,678.22	A
Carfentrazone-ethyl	Turf/sod	0.15	N/A	145,000.0	S
Carfentrazone-ethyl	Turf/sod	<0.01	N/A	18.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Carfentrazone-ethyl</b>	Uncultivated ag	460.72	882	24,838.81	A
<b>Carfentrazone-ethyl</b>	Uncultivated non-ag	4.91	10	236.8	A
<b>Carfentrazone-ethyl</b>	Walnut	258.6	524	12,562.77	A
<b>Carfentrazone-ethyl</b>	Watermelon	40.06	24	2,290.5	A
<b>Carfentrazone-ethyl</b>	Wheat	276.53	285	19,162.76	A
<b>Carfentrazone-ethyl</b>	Wheat (forage - fodder)	925.23	1,289	71,337.16	A
<b>Casein</b>	Almond	0.62	2	10.0	A
<b>Casein</b>	Avocado	1.67	4	23.0	A
<b>Casein</b>	Cannabis (all or unspecified)	0.08	20	31,065.0	S
<b>Casein</b>	Cherry	5.56	9	120.5	A
<b>Casein</b>	Citrus	19.24	9	158.0	A
<b>Casein</b>	Grape	0.68	5	62.0	A
<b>Casein</b>	Grape, wine	6.08	3	80.0	A
<b>Casein</b>	Grapefruit	77.62	52	649.37	A
<b>Casein</b>	Lemon	891.47	469	9,304.38	A
<b>Casein</b>	Lime	0.34	1	2.0	A
<b>Casein</b>	Mango	6.01	4	178.0	A
<b>Casein</b>	Olive	17.56	13	127.5	A
<b>Casein</b>	Orange	3,948.42	1,749	34,778.19	A
<b>Casein</b>	Orchard floor	12.23	2	99.56	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Casein	Peach	0.78	2	10.42	A
Casein	Persimmon	0.04	1	0.3	A
Casein	Pistachio	54.76	20	691.6	A
Casein	Plum	0.02	1	0.13	A
Casein	Pomelo	8.32	10	57.5	A
Casein	Quince	0.45	2	12.0	A
Casein	Tangelo	86.1	48	679.37	A
Casein	Tangerine	1,622.76	804	17,917.88	A
Casein	Unknown	2.25	1	20.0	A
Casein	Walnut	4.59	3	160.0	A
Castor oil	Almond	7.5	1	4.5	A
Castor oil ethoxylate	Alfalfa	678.51	236	13,871.31	A
Castor oil ethoxylate	Almond	3,106.2	1,144	40,286.94	A
Castor oil ethoxylate	Apple	145.43	20	701.62	A
Castor oil ethoxylate	Apricot	15.71	15	166.59	A
Castor oil ethoxylate	Avocado	51.77	53	597.2	A
Castor oil ethoxylate	Bermudagrass	68.75	15	1,121.2	A
Castor oil ethoxylate	Broccoli	3.04	3	31.8	A
Castor oil ethoxylate	Cabbage	1.92	3	20.1	A
Castor oil ethoxylate	Cantaloupe	9.12	16	384.79	A
Castor oil ethoxylate	Cherimoya	1.68	11	47.9	A
Castor oil ethoxylate	Cherry	394.44	293	4,087.28	A
Castor oil ethoxylate	Chestnut	0.36	2	14.0	A
Castor oil ethoxylate	Corn (forage - fodder)	145.76	93	4,355.34	A
Castor oil ethoxylate	Corn, human consumption	36.38	27	683.0	A
Castor oil ethoxylate	Cotton	155.43	62	5,405.6	A
Castor oil ethoxylate	Forage hay/silage	7.97	3	163.0	A
Castor oil ethoxylate	Garbanzo bean	3.85	1	150.0	A
Castor oil ethoxylate	Garlic	129.38	57	5,369.0	A
Castor oil ethoxylate	Grape	178.05	170	6,099.94	A
Castor oil ethoxylate	Grape, wine	8,344.7	3,058	82,757.28	A
Castor oil ethoxylate	Grapefruit	30.66	19	236.96	A
Castor oil ethoxylate	Guava	6.07	15	106.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Castor oil ethoxylate	Hops	0.27	2	3.5	A
Castor oil ethoxylate	Lemon	39.56	13	271.53	A
Castor oil ethoxylate	Lime	1.28	5	36.5	A
Castor oil ethoxylate	N-outdr transplants	6.94	25	111.15	A
Castor oil ethoxylate	Nectarine	24.76	54	362.86	A
Castor oil ethoxylate	Oat (forage - fodder)	50.86	9	816.0	A
Castor oil ethoxylate	Olive	278.32	30	1,101.05	A
Castor oil ethoxylate	Onion, dry	78.71	21	2,064.0	A
Castor oil ethoxylate	Orange	138.79	87	1,196.57	A
Castor oil ethoxylate	Pastureland	4.1	1	100.0	A
Castor oil ethoxylate	Peach	113.3	129	1,325.52	A
Castor oil ethoxylate	Pecan	0.71	1	8.73	A
Castor oil ethoxylate	Pepper, fruiting	43.41	18	409.4	A
Castor oil ethoxylate	Pistachio	195.37	53	2,274.85	A
Castor oil ethoxylate	Plum	9.79	17	135.72	A
Castor oil ethoxylate	Prune	102.37	13	550.7	A
Castor oil ethoxylate	Rangeland	0.69	2	6.0	A
Castor oil ethoxylate	Regulatory pest control	0.92	N/A	N/A	N/A
Castor oil ethoxylate	Rice	1,164.65	241	15,982.05	A
Castor oil ethoxylate	Rights of way	22.93	7	416.0	A
Castor oil ethoxylate	Rights of way	8.74	N/A	N/A	N/A
Castor oil ethoxylate	Ryegrass	3.87	2	63.0	A
Castor oil ethoxylate	Soil fumigation/preplant	4.7	3	41.66	A
Castor oil ethoxylate	Sorghum (forage - fodder)	48.69	14	2,002.0	A
Castor oil ethoxylate	Soybean	2.05	1	70.0	A
Castor oil ethoxylate	Squash	1.15	1	28.0	A
Castor oil ethoxylate	Sudangrass	6.26	2	141.0	A
Castor oil ethoxylate	Sugarbeet	4.1	1	73.0	A
Castor oil ethoxylate	Tangelo	6.49	3	46.12	A
Castor oil ethoxylate	Tangerine	18.37	7	88.9	A
Castor oil ethoxylate	Tomato, processing	318.32	80	3,654.83	A
Castor oil ethoxylate	Triticale	6.15	3	179.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Castor oil ethoxylate	Tropical/subtropical fruit	1.17	8	45.8	A
Castor oil ethoxylate	Uncultivated ag	175.25	129	3,429.84	A
Castor oil ethoxylate	Uncultivated non-ag	4.57	3	79.3	A
Castor oil ethoxylate	Walnut	7,956.8	1,746	56,069.5	A
Castor oil ethoxylate	Water area	11.7	8	34.0	A
Castor oil ethoxylate	Wheat	35.56	8	737.0	A
Castor oil ethoxylate	Wheat (forage - fodder)	5.92	3	193.0	A
Chenopodium ambrosioides near ambrosioides	Grape, wine	3.51	3	5.49	A
Chenopodium ambrosioides near ambrosioides	N-grnhs plants in containers	0.1	1	0.16	A
Chenopodium ambrosioides near ambrosioides	Onion, dry	0.62	1	0.65	A
Chenopodium ambrosioides near ambrosioides	Research commodity	18.4	11	19.14	A
Chlorantraniliprole	Alfalfa	4,040.32	3,005	158,314.54	A
Chlorantraniliprole	Almond	79,915.97	14,627	950,459.55	A
Chlorantraniliprole	Apple	169.27	105	1,815.54	A
Chlorantraniliprole	Apricot	40.03	34	527.65	A
Chlorantraniliprole	Artichoke, globe	416.06	261	3,835.28	A
Chlorantraniliprole	Arugula	78.76	109	933.01	A
Chlorantraniliprole	Asparagus	22.91	4	191.0	A
Chlorantraniliprole	Barley	8.08	4	218.0	A
Chlorantraniliprole	Basil, sweet	10.57	6	151.45	A
Chlorantraniliprole	Bean, dried	45.2	20	1,077.0	A
Chlorantraniliprole	Bean, succulent	45.79	27	540.52	A
Chlorantraniliprole	Bean, unspecified	1.66	2	85.0	A
Chlorantraniliprole	Beet	2.27	8	28.31	A
Chlorantraniliprole	Bermudagrass	21.65	4	204.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorantraniliprole	Blackberry	20.16	27	240.9	A
Chlorantraniliprole	Blueberry	6.85	3	69.55	A
Chlorantraniliprole	Bok choy (choy sum, pak choi)	12.73	52	149.87	A
Chlorantraniliprole	Broccoli	1,093.84	1,061	12,690.02	A
Chlorantraniliprole	Brussels sprout	201.15	178	2,073.34	A
Chlorantraniliprole	Cabbage	486.55	521	4,709.91	A
Chlorantraniliprole	Cabbage	1.44	4	22.0	U
Chlorantraniliprole	Cantaloupe	544.93	115	8,672.04	A
Chlorantraniliprole	Cardoon	0.48	1	4.8	A
Chlorantraniliprole	Carrot	135.59	34	1,347.0	A
Chlorantraniliprole	Cauliflower	204.65	224	2,504.47	A
Chlorantraniliprole	Celery	2,164.32	2,098	22,144.31	A
Chlorantraniliprole	Cherry	290.03	197	3,917.95	A
Chlorantraniliprole	Chinese amaranth (chinese spinach, tampala, yin choy)	1.57	2	30.0	A
Chlorantraniliprole	Chinese broccoli (gai lon)	8.8	28	74.1	A
Chlorantraniliprole	Chinese cabbage (napa, wong bok, celery cabbage)	93.34	141	1,017.93	A
Chlorantraniliprole	Chinese greens	0.13	1	2.0	A
Chlorantraniliprole	Cilantro	5.89	6	73.1	A
Chlorantraniliprole	Cole crop	0.07	5	1.1	A
Chlorantraniliprole	Collard	9.53	31	114.75	A
Chlorantraniliprole	Corn (forage - fodder)	27.54	20	513.09	A
Chlorantraniliprole	Corn, grain	2.15	1	33.0	A
Chlorantraniliprole	Corn, human consumption	1,952.77	1,034	39,744.39	A
Chlorantraniliprole	Cotton	466.39	77	9,305.8	A
Chlorantraniliprole	Cucumber	15.93	16	184.22	A
Chlorantraniliprole	Daikon	5.38	6	77.0	A
Chlorantraniliprole	Eggplant	71.15	43	890.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorantraniliprole	Endive (escarole)	2.52	39	37.65	A
Chlorantraniliprole	Fava bean	1.08	2	10.74	A
Chlorantraniliprole	Fig	16.24	2	165.0	A
Chlorantraniliprole	Forage hay/silage	15.93	9	389.0	A
Chlorantraniliprole	Ginger	0.05	1	0.5	A
Chlorantraniliprole	Golf course turf	137.52	5	876.03	A
Chlorantraniliprole	Golf course turf	3.19	N/A	520,000.0	S
Chlorantraniliprole	Grape	2,092.93	702	28,494.96	A
Chlorantraniliprole	Grape, wine	2,626.96	650	35,718.85	A
Chlorantraniliprole	Grapefruit	15.77	10	167.0	A
Chlorantraniliprole	Grass, seed	81.93	35	2,004.8	A
Chlorantraniliprole	Herb, spice	5.7	14	67.0	A
Chlorantraniliprole	Jujube	0.04	1	0.5	A
Chlorantraniliprole	Kale	26.32	67	273.77	A
Chlorantraniliprole	Kohlrabi	0.68	5	6.3	A
Chlorantraniliprole	Landscape maintenance	0.34	1	1.7	A
Chlorantraniliprole	Landscape maintenance	841.01	N/A	N/A	N/A
Chlorantraniliprole	Lemon	87.69	47	921.63	A
Chlorantraniliprole	Lettuce, head	1,548.75	1,542	21,959.54	A
Chlorantraniliprole	Lettuce, leaf	1,696.35	1,696	20,226.99	A
Chlorantraniliprole	Melon	327.1	91	5,289.59	A
Chlorantraniliprole	Mint	1.73	3	26.0	A
Chlorantraniliprole	Mizuna	0.4	6	5.1	A
Chlorantraniliprole	Mustard	6.91	29	121.26	A
Chlorantraniliprole	Mustard greens	2.7	15	39.26	A
Chlorantraniliprole	N-grnhs flower	47.81	1	262.0	A
Chlorantraniliprole	N-grnhs flower	0.47	N/A	1.0	C
Chlorantraniliprole	N-grnhs plants in containers	0.1	1	178,500.0	S
Chlorantraniliprole	N-grnhs transplants	20.07	10	199.83	A
Chlorantraniliprole	N-outdr flower	5.77	13	31.63	A
Chlorantraniliprole	N-outdr plants in containers	18.72	25	210.44	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorantraniliprole	N-outdr plants in containers	0.05	6	14,545.0	S
Chlorantraniliprole	N-outdr transplants	21.6	18	512.95	A
Chlorantraniliprole	Nectarine	754.88	582	8,586.12	A
Chlorantraniliprole	Oat (forage - fodder)	5.86	1	100.0	A
Chlorantraniliprole	Okra	2.4	2	30.0	A
Chlorantraniliprole	Olive	73.25	24	842.49	A
Chlorantraniliprole	Onion, dry	2.06	1	20.6	A
Chlorantraniliprole	Onion, green	0.03	1	0.5	A
Chlorantraniliprole	Orange	685.81	288	7,263.28	A
Chlorantraniliprole	Parsley	1.05	2	10.5	A
Chlorantraniliprole	Peach	2,601.59	1,833	31,843.43	A
Chlorantraniliprole	Pear	278.65	87	2,715.3	A
Chlorantraniliprole	Pear, asian (oriental pear, ya, ya li, nashi)	9.55	8	99.0	A
Chlorantraniliprole	Peas	260.49	276	2,705.6	A
Chlorantraniliprole	Pepper, fruiting	1,152.78	486	12,269.42	A
Chlorantraniliprole	Pepper, spice	12.91	14	210.56	A
Chlorantraniliprole	Pimento	3.17	3	24.0	A
Chlorantraniliprole	Pistachio	28,555.3	3,410	342,701.31	A
Chlorantraniliprole	Plum	363.02	359	4,060.75	A
Chlorantraniliprole	Pluot	0.88	1	9.0	A
Chlorantraniliprole	Pomegranate	496.38	100	5,402.34	A
Chlorantraniliprole	Pomelo	2.29	2	33.25	A
Chlorantraniliprole	Potato	597.42	171	8,267.48	A
Chlorantraniliprole	Prune	16.25	9	207.0	A
Chlorantraniliprole	Pumpkin	52.07	25	749.25	A
Chlorantraniliprole	Quince	7.45	14	78.8	A
Chlorantraniliprole	Radish	14.4	48	144.35	A
Chlorantraniliprole	Raspberry	16.43	28	208.59	A
Chlorantraniliprole	Regulatory pest control	35.29	N/A	N/A	N/A
Chlorantraniliprole	Research commodity	5.77	28	63.52	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorantraniliprole	Research commodity	3.48	N/A	N/A	N/A
Chlorantraniliprole	Rights of way	8.61	N/A	N/A	N/A
Chlorantraniliprole	Root vegetable	0.14	1	1.5	A
Chlorantraniliprole	Sorghum (forage - fodder)	124.78	6	987.34	A
Chlorantraniliprole	Sorghum/milo	5.34	4	109.59	A
Chlorantraniliprole	Soybean	3.59	1	140.0	A
Chlorantraniliprole	Spinach	434.71	460	4,038.73	A
Chlorantraniliprole	Squash	23.63	14	234.3	A
Chlorantraniliprole	Squash, summer	8.58	4	115.0	A
Chlorantraniliprole	Squash, winter	7.66	4	115.0	A
Chlorantraniliprole	Stone fruit	0.2	1	2.0	A
Chlorantraniliprole	Strawberry	2,772.43	707	28,677.31	A
Chlorantraniliprole	Structural pest control	3,720.46	N/A	N/A	N/A
Chlorantraniliprole	Sudangrass	217.3	86	4,733.3	A
Chlorantraniliprole	Sugarbeet	1,547.7	257	19,001.5	A
Chlorantraniliprole	Sunflower	579.88	193	9,673.88	A
Chlorantraniliprole	Sweet potato	23.52	5	294.0	A
Chlorantraniliprole	Swiss chard	14.6	41	151.59	A
Chlorantraniliprole	Tangelo	27.82	18	286.62	A
Chlorantraniliprole	Tangerine	129.76	61	1,408.5	A
Chlorantraniliprole	Tomatillo	0.27	3	3.0	A
Chlorantraniliprole	Tomato	1,155.32	399	16,780.33	A
Chlorantraniliprole	Tomato, processing	8,898.68	1,521	122,264.53	A
Chlorantraniliprole	Turf/sod	10.13	4	83.5	A
Chlorantraniliprole	Turnip	0.07	1	1.1	A
Chlorantraniliprole	Uncultivated ag	14.03	6	301.5	A
Chlorantraniliprole	Unknown	1.66	7	16.4	A
Chlorantraniliprole	Upland cress	1.31	6	14.1	A
Chlorantraniliprole	Vegetable	0.31	1	3.0	A
Chlorantraniliprole	Vegetables, fruiting	0.23	7	3.85	A
Chlorantraniliprole	Vegetables, leafy	2.3	27	36.7	A
Chlorantraniliprole	Walnut	11,861.34	3,099	145,369.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorantraniliprole	Watermelon	834.78	216	9,237.23	A
Chlorantraniliprole	Wheat	21.47	5	374.0	A
Chlordane	Cannabis (all or unspecified)	0.28	2	2.0	A
Chlordecone	Structural pest control	0.09	N/A	N/A	N/A
Chlorfenapyr	Eggplant	0.93	4	5.0	A
Chlorfenapyr	Landscape maintenance	1.38	N/A	N/A	N/A
Chlorfenapyr	Melon	0.24	6	12,810.0	S
Chlorfenapyr	N-grnhs flower	7.08	21	44.5	A
Chlorfenapyr	N-grnhs flower	12.19	75	2,069,925.5	S
Chlorfenapyr	N-grnhs plants in containers	50.79	296	290.86	A
Chlorfenapyr	N-grnhs plants in containers	8.22	84	3,005,559.0	S
Chlorfenapyr	N-grnhs plants in containers	0.19	N/A	91,800.0	U
Chlorfenapyr	N-grnhs transplants	4.59	35	1,744.6	A
Chlorfenapyr	N-grnhs transplants	0.11	3	6,550.0	S
Chlorfenapyr	N-outdr flower	9.17	16	36.37	A
Chlorfenapyr	N-outdr flower	0.47	1	24,000.0	S
Chlorfenapyr	N-outdr plants in containers	6.61	60	57.52	A
Chlorfenapyr	N-outdr plants in containers	2.93	23	1,152,500.0	S
Chlorfenapyr	N-outdr plants in containers	1.21	1	12,896.0	U
Chlorfenapyr	N-outdr transplants	1.15	5	12.5	A
Chlorfenapyr	Onion, dry	<0.01	1	504.0	S
Chlorfenapyr	Pepper, fruiting	0.09	1	0.5	A
Chlorfenapyr	Pepper, fruiting	0.05	3	6,255.0	S
Chlorfenapyr	Regulatory pest control	74.06	N/A	N/A	N/A
Chlorfenapyr	Research commodity	0.01	3	0.04	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorfenapyr	Research commodity	0.29	6	52,000.0	S
Chlorfenapyr	Research commodity	0.7	N/A	N/A	N/A
Chlorfenapyr	Structural pest control	26,465.77	N/A	N/A	N/A
Chlorfenapyr	Tomato	20.97	26	116.59	A
Chlorfenapyr	Tomato	0.11	5	7,563.0	S
Chlorfenapyr	Vegetables, fruiting	0.05	1	0.5	A
Chlorflurenol, methyl ester	Landscape maintenance	48.47	N/A	N/A	N/A
Chlorflurenol, methyl ester	Olive	0.73	N/A	300.0	U
Chlorflurenol, methyl ester	Structural pest control	0.04	N/A	N/A	N/A
Chlorine	Regulatory pest control	9,950.0	N/A	N/A	N/A
Chlorine	Water (industrial)	1.1	N/A	6,135.0	C
Chlorine	Water (industrial)	492,917.32	N/A	117,144.01	U
Chlorine	Water area	7,960.0	N/A	24,849.0	T
Chlorine dioxide	Animal premise	1,687.04	N/A	285,277.0	U
Chlorine dioxide	Regulatory pest control	0.05	N/A	N/A	N/A
Chlorine dioxide	Structural pest control	11.13	N/A	N/A	N/A
Chlorine dioxide	Water (industrial)	1,914.88	N/A	14.0	U
Chlormequat chloride	N-grnhs flower	8.21	9	12.75	A
Chlormequat chloride	N-grnhs flower	0.15	35	67,235.0	S
Chlormequat chloride	N-grnhs plants in containers	441.41	982	760.23	A
Chlormequat chloride	N-grnhs plants in containers	14.65	70	907,594.0	S
Chlormequat chloride	N-grnhs transplants	20.93	81	3,282.8	A
Chlormequat chloride	N-grnhs transplants	20.82	238	3,082,750.0	S
Chlormequat chloride	N-outdr flower	0.99	2	0.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chloromequat chloride	N-outdr plants in containers	46.57	85	49.85	A
Chloromequat chloride	N-outdr plants in containers	5.82	19	269,600.0	S
Chloromequat chloride	N-outdr transplants	0.16	9	2.25	A
Chlorophacinone	Alfalfa	0.06	N/A	2,035.87	A
Chlorophacinone	Almond	0.34	112	8,919.4	A
Chlorophacinone	Artichoke, globe	0.29	13	161.2	A
Chlorophacinone	Avocado	<0.01	19	301.0	A
Chlorophacinone	Corn (forage - fodder)	0.02	3	90.0	A
Chlorophacinone	Corn, grain	<0.01	N/A	48.4	A
Chlorophacinone	Cotton	<0.01	N/A	175.83	A
Chlorophacinone	Golf course turf	0.01	N/A	30.0	A
Chlorophacinone	Grape, wine	<0.01	1	0.01	A
Chlorophacinone	Landscape maintenance	2.25	N/A	N/A	N/A
Chlorophacinone	Lemon	0.02	85	2,432.5	A
Chlorophacinone	Melon	<0.01	N/A	67.9	A
Chlorophacinone	N-outdr plants in containers	0.1	15	317.42	A
Chlorophacinone	Orange	0.03	23	329.7	A
Chlorophacinone	Pistachio	0.02	5	145.0	A
Chlorophacinone	Rangeland	0.05	10	470.0	A
Chlorophacinone	Regulatory pest control	0.04	N/A	N/A	N/A
Chlorophacinone	Rights of way	0.04	11	100.0	A
Chlorophacinone	Rights of way	<0.01	2	0.02	U
Chlorophacinone	Rights of way	0.57	N/A	N/A	N/A
Chlorophacinone	Structural pest control	2.1	N/A	N/A	N/A
Chlorophacinone	Sweet potato	<0.01	1	13.0	A
Chlorophacinone	Tangelo	<0.01	1	10.0	A
Chlorophacinone	Tangerine	0.02	3	38.5	A
Chlorophacinone	Tomato	<0.01	N/A	158.66	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorophacinone	Uncultivated ag	0.13	77	1,010.0	A
Chlorophacinone	Vertebrate control	0.01	4	101.2	A
Chlorophacinone	Vertebrate control	2.98	N/A	N/A	N/A
Chlorophacinone	Walnut	<0.01	3	21.0	A
Chloropicrin	Almond	251,959.67	106	3,059.35	A
Chloropicrin	Artichoke, globe	307.41	1	1.23	A
Chloropicrin	Blackberry	23,384.91	19	148.05	A
Chloropicrin	Cherry	22,690.03	19	396.12	A
Chloropicrin	Eggplant	43,115.74	53	224.0	A
Chloropicrin	Fumigation, other	38.61	N/A	N/A	N/A
Chloropicrin	Grape	390.34	1	2.1	A
Chloropicrin	Grape, wine	5,202.45	3	30.3	A
Chloropicrin	N-outdr flower	55,220.62	36	248.65	A
Chloropicrin	N-outdr plants in containers	31,975.52	20	239.0	A
Chloropicrin	N-outdr transplants	134,985.68	107	1,024.74	A
Chloropicrin	Nectarine	3,380.85	6	17.19	A
Chloropicrin	Olive	7,283.43	1	38.44	A
Chloropicrin	Onion, dry	1,687.78	3	9.0	A
Chloropicrin	Peach	13,810.5	16	93.65	A
Chloropicrin	Peas	376.0	1	4.0	A
Chloropicrin	Pepper, fruiting	35,628.17	20	350.63	A
Chloropicrin	Plum	2,115.83	5	10.74	A
Chloropicrin	Potato	69,412.13	7	614.17	A
Chloropicrin	Prune	594.0	4	37.29	A
Chloropicrin	Raspberry	208,118.02	44	739.83	A
Chloropicrin	Research commodity	17,761.26	14	71.4	A
Chloropicrin	Soil fumigation/preplant	572,952.03	288	4,219.95	A
Chloropicrin	Squash	40,803.57	24	334.4	A
Chloropicrin	Squash, summer	9,494.0	11	101.0	A
Chloropicrin	Strawberry	7,028,228.06	1,406	34,673.49	A
Chloropicrin	Structural pest control	2,300.91	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chloropicrin	Sweet potato	18,272.18	24	159.85	A
Chloropicrin	Tangerine	1,251.36	1	6.32	A
Chloropicrin	Tomato	69,028.88	74	653.43	A
Chloropicrin	Uncultivated ag	71,434.54	12	441.66	A
Chloropicrin	Walnut	20,335.54	29	1,077.45	A
Chloropicrin	Watermelon	6,429.6	1	50.0	A
Chlorothalonil	Almond	245,915.04	1,568	85,068.06	A
Chlorothalonil	Apricot	116.85	5	46.5	A
Chlorothalonil	Bean, succulent	135.8	4	67.0	A
Chlorothalonil	Bitter melon	4.49	1	3.0	A
Chlorothalonil	Bok choy (choy sum, pak choi)	79.67	9	132.0	A
Chlorothalonil	Broccoli	4,793.99	368	4,477.17	A
Chlorothalonil	Brussels sprout	3,657.09	178	3,056.49	A
Chlorothalonil	Cabbage	2,312.89	150	2,485.39	A
Chlorothalonil	Canola (rape)	52.22	9	103.0	A
Chlorothalonil	Carrot	7,456.2	112	5,587.27	A
Chlorothalonil	Cauliflower	1,601.21	143	1,388.8	A
Chlorothalonil	Celery	26,418.45	1,287	15,048.6	A
Chlorothalonil	Cherry	130.9	4	48.6	A
Chlorothalonil	Chinese cabbage (napa, wong bok, celery cabbage)	1,001.97	78	877.86	A
Chlorothalonil	Chive	1.27	1	16.0	A
Chlorothalonil	Christmas tree	19.48	6	25.0	A
Chlorothalonil	Corn, human consumption	1,309.36	33	952.4	A
Chlorothalonil	County ag comm	25.54	N/A	N/A	N/A
Chlorothalonil	Cucumber	3,743.31	80	2,489.16	A
Chlorothalonil	Gai lon	122.73	27	368.5	A
Chlorothalonil	Garlic	1,188.79	8	793.4	A
Chlorothalonil	Golf course turf	9,914.25	9	1,513.56	A
Chlorothalonil	Golf course turf	671.95	N/A	2,794,090.0	S
Chlorothalonil	Landscape maintenance	206.77	11	23.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorothalonil	Landscape maintenance	25.07	9	209,500.0	S
Chlorothalonil	Landscape maintenance	75,644.9	N/A	N/A	N/A
Chlorothalonil	Leek	92.83	11	44.45	A
Chlorothalonil	Melon	1,911.4	20	1,220.0	A
Chlorothalonil	N-grnhs flower	4,142.58	226	990.92	A
Chlorothalonil	N-grnhs flower	489.83	10	3,040,400.0	S
Chlorothalonil	N-grnhs plants in containers	717.98	815	521.45	A
Chlorothalonil	N-grnhs plants in containers	183.54	133	2,135,572.93	S
Chlorothalonil	N-grnhs plants in containers	0.66	1	6,300.0	U
Chlorothalonil	N-grnhs transplants	1,825.21	422	4,159.38	A
Chlorothalonil	N-grnhs transplants	50.1	114	2,436,150.0	S
Chlorothalonil	N-outdr flower	7,145.68	1,214	6,962.69	A
Chlorothalonil	N-outdr flower	1.32	2	36,880.0	S
Chlorothalonil	N-outdr plants in containers	3,393.46	1,062	2,268.35	A
Chlorothalonil	N-outdr plants in containers	95.33	64	3,078,276.0	S
Chlorothalonil	N-outdr plants in containers	21.63	5	134,280.0	U
Chlorothalonil	N-outdr transplants	2,599.8	277	1,923.73	A
Chlorothalonil	N-outdr transplants	435.13	82	10,580,775.0	S
Chlorothalonil	Nectarine	1,475.27	74	503.29	A
Chlorothalonil	Onion, dry	46,452.5	688	37,888.81	A
Chlorothalonil	Onion, green	1,333.97	14	914.3	A
Chlorothalonil	Peach	4,698.63	126	1,674.79	A
Chlorothalonil	Peas	0.37	1	0.1	A
Chlorothalonil	Pepper, fruiting	411.05	25	386.88	A
Chlorothalonil	Pistachio	668.6	3	162.0	A
Chlorothalonil	Plum	729.92	24	244.15	A
Chlorothalonil	Potato	18,593.39	223	14,630.22	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorothalonil	Prune	51,513.6	373	17,340.3	A
Chlorothalonil	Pumpkin	1,080.79	44	842.6	A
Chlorothalonil	Recreation area	24.17	N/A	4.0	A
Chlorothalonil	Recreation area	23.97	N/A	105,000.0	S
Chlorothalonil	Research commodity	2.03	10	1.83	A
Chlorothalonil	Research commodity	9.69	N/A	N/A	N/A
Chlorothalonil	Rights of way	4,462.1	N/A	N/A	N/A
Chlorothalonil	Sod farm (turf)	12.5	2	1.34	A
Chlorothalonil	Squash, winter	44.94	2	40.0	A
Chlorothalonil	Stone fruit	160.72	4	61.0	A
Chlorothalonil	Strawberry	3,401.72	70	3,023.36	A
Chlorothalonil	Structural pest control	44.48	N/A	N/A	N/A
Chlorothalonil	Tomatillo	0.3	2	0.24	A
Chlorothalonil	Tomato	26,645.09	535	15,823.53	A
Chlorothalonil	Tomato, processing	227,775.64	1,729	121,002.46	A
Chlorothalonil	Turf/sod	924.16	19	150.1	A
Chlorothalonil	Turf/sod	46.03	N/A	304,000.0	S
Chlorothalonil	Uncultivated non-ag	48.43	N/A	7.0	A
Chlorothalonil	Vegetables, leafy	1.5	1	1.0	A
Chlorothalonil	Walnut	29.96	1	10.0	A
Chlorothalonil	Watermelon	212.73	9	232.0	A
Chlorpropham	Potato	1,409.24	N/A	29,993.0	T
Chlorpropham	Regulatory pest control	119.35	N/A	N/A	N/A
Chlorpyrifos	Grape, wine	0.75	8	195.5	A
Chlorpyrifos	Landscape maintenance	25.51	N/A	N/A	N/A
Chlorpyrifos	Lemon	32.34	2	71.86	A
Chlorpyrifos	N-grnhs flower	0.7	6	6.0	A
Chlorpyrifos	N-grnhs plants in containers	2.13	4	262,880.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorpyrifos	N-outdr plants in containers	<0.01	2	500.0	S
Chlorpyrifos	Orange	42.66	4	94.81	A
Chlorpyrifos	Rights of way	1,720.47	N/A	N/A	N/A
Chlorpyrifos	Structural pest control	14.2	N/A	N/A	N/A
Chlorsulfuron	Barley	9.65	4	1,022.0	A
Chlorsulfuron	Commercial, institutional or industrial areas	14.43	N/A	297.1	A
Chlorsulfuron	Commercial, institutional or industrial areas	<0.01	N/A	8,100.0	C
Chlorsulfuron	Commercial, institutional or industrial areas	0.13	N/A	91,741.0	S
Chlorsulfuron	County ag comm	7.81	N/A	N/A	N/A
Chlorsulfuron	Ditch bank	0.12	N/A	1.0	A
Chlorsulfuron	Forage hay/silage	1.43	3	173.0	A
Chlorsulfuron	Industrial waste disposal systems, disposal water	0.09	1	5.0	A
Chlorsulfuron	Landscape maintenance	1,070.54	N/A	N/A	N/A
Chlorsulfuron	Oat	6.64	14	573.0	A
Chlorsulfuron	Oat (forage - fodder)	2.8	3	279.0	A
Chlorsulfuron	Pastureland	4.59	N/A	196.0	A
Chlorsulfuron	Rangeland	47.58	6	1,198.65	A
Chlorsulfuron	Regulatory pest control	10.85	N/A	N/A	N/A
Chlorsulfuron	Rights of way	1.5	2	30.0	A
Chlorsulfuron	Rights of way	960.11	N/A	N/A	N/A
Chlorsulfuron	Structural pest control	1.72	N/A	N/A	N/A
Chlorsulfuron	Uncultivated ag	3.22	7	11.5	A
Chlorsulfuron	Uncultivated non-ag	46.4	2	1,612.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorsulfuron	Uncultivated non-ag	<0.01	N/A	5,724.0	S
Chlorsulfuron	Vertebrate control	0.6	N/A	N/A	N/A
Chlorsulfuron	Wheat	0.59	3	60.0	A
Chlorthal-dimethyl	Bok choy (choy sum, pak choi)	8,751.86	673	1,885.0	A
Chlorthal-dimethyl	Broccoli	65,427.02	1,941	19,356.07	A
Chlorthal-dimethyl	Brussels sprout	11,925.06	304	2,747.26	A
Chlorthal-dimethyl	Cabbage	13,583.33	505	2,734.65	A
Chlorthal-dimethyl	Canola (rape)	579.6	23	95.5	A
Chlorthal-dimethyl	Cauliflower	4,749.04	229	1,516.15	A
Chlorthal-dimethyl	Celery	727.64	77	83.34	A
Chlorthal-dimethyl	Chinese broccoli (gai lon)	1,788.12	170	987.6	A
Chlorthal-dimethyl	Chinese cabbage (napa, wong bok, celery cabbage)	7,021.77	236	972.36	A
Chlorthal-dimethyl	Chinese greens	1,084.86	36	288.5	A
Chlorthal-dimethyl	Collard	1,354.95	56	193.39	A
Chlorthal-dimethyl	Daikon	53.58	5	14.0	A
Chlorthal-dimethyl	Gai choy	434.7	8	91.0	A
Chlorthal-dimethyl	Gai lon	1,295.31	147	364.46	A
Chlorthal-dimethyl	Kale	3,296.65	197	591.12	A
Chlorthal-dimethyl	Kohlrabi	711.49	125	193.55	A
Chlorthal-dimethyl	Landscape maintenance	30.19	1	10.0	A
Chlorthal-dimethyl	Leek	2,115.7	94	313.42	A
Chlorthal-dimethyl	Lettuce, leaf	138.35	7	35.72	A
Chlorthal-dimethyl	Mustard	1,908.07	151	470.77	A
Chlorthal-dimethyl	Mustard greens	1,103.35	76	168.21	A
Chlorthal-dimethyl	N-outdr flower	1,929.55	57	221.5	A
Chlorthal-dimethyl	N-outdr transplants	270.18	13	44.75	A
Chlorthal-dimethyl	Onion, dry	42,799.27	207	6,437.97	A
Chlorthal-dimethyl	Onion, green	7.55	1	1.0	A
Chlorthal-dimethyl	Peas	67.23	40	16.57	A
Chlorthal-dimethyl	Radish	7,839.3	402	1,240.23	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorthal-dimethyl	Rapini	10,428.33	181	2,868.6	A
Chlorthal-dimethyl	Regulatory pest control	356.21	14	130.0	A
Chlorthal-dimethyl	Research commodity	15.11	3	4.18	A
Chlorthal-dimethyl	Research commodity	3.77	N/A	N/A	N/A
Chlorthal-dimethyl	Spinach	10.57	3	1.97	A
Chlorthal-dimethyl	Structural pest control	30.19	1	10.0	A
Chlorthal-dimethyl	Turnip	687.42	102	145.71	A
Chlorthal-dimethyl	Turnip greens	9.48	5	1.26	A
Chlorthal-dimethyl	Uncultivated ag	38.57	4	36.3	A
Chlorthal-dimethyl	Vegetables, leafy	26.03	6	18.54	A
Cholecalciferol	Buildings/non-ag outdoor	<0.01	N/A	0.01	U
Cholecalciferol	Landscape maintenance	0.75	N/A	N/A	N/A
Cholecalciferol	Regulatory pest control	0.22	N/A	N/A	N/A
Cholecalciferol	Rights of way	<0.01	N/A	N/A	N/A
Cholecalciferol	Structural pest control	307.27	N/A	N/A	N/A
Cholecalciferol	Vertebrate control	1.71	N/A	N/A	N/A
Chromobacterium subtsugae strain praa4-1	Almond	2,653.38	31	3,028.2	A
Chromobacterium subtsugae strain praa4-1	Apple	244.54	27	278.18	A
Chromobacterium subtsugae strain praa4-1	Apricot	1.2	2	1.3	A
Chromobacterium subtsugae strain praa4-1	Artichoke, globe	167.79	28	208.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Chromobacterium subtsugae strain praa4-1</b>	Arugula	5.59	7	19.82	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Asparagus	3.3	1	5.5	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Basil, sweet	156.91	34	187.22	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Basil, sweet	0.12	5	5,004.0	S
<b>Chromobacterium subtsugae strain praa4-1</b>	Bean, unspecified	1.8	2	6.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Beet	54.75	29	91.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Blackberry	4,474.02	420	5,094.8	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Blueberry	535.29	66	777.19	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Bok choy (choy sum, pak choi)	8.24	3	9.14	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Bok choy (choy sum, pak choi)	<0.01	1	72.0	S
<b>Chromobacterium subtsugae strain praa4-1</b>	Broccoli	970.47	137	1,536.83	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Cabbage	625.15	115	860.01	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Chromobacterium subtsugae strain praa4-1</b>	Cannabis (all or unspecified)	565.31	395	699.36	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Cannabis (all or unspecified)	247.97	496	4,789,813.0	S
<b>Chromobacterium subtsugae strain praa4-1</b>	Cantaloupe	107.35	14	197.6	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Cauliflower	858.74	257	1,049.11	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Celery	308.34	52	489.72	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Cherry	13.5	5	15.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Chive	2.4	1	4.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Cilantro	69.33	22	125.87	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Citrus	3.6	2	5.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Collard	146.54	51	342.61	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Corn, grain	90.0	2	100.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Corn, human consumption	9.9	3	11.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Chromobacterium subtsugae strain praa4-1</b>	Cotton	209.16	3	232.4	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Cucumber	0.45	2	0.25	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Dill	0.6	1	1.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Fava bean	7.2	1	8.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Grape	12.0	1	20.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Grape, wine	1,197.44	82	1,505.99	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Grass, seed	2.25	4	2.5	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Herb, spice	16.74	15	16.92	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Kale	427.15	112	932.48	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Landscape maintenance	0.54	N/A	N/A	N/A
<b>Chromobacterium subtsugae strain praa4-1</b>	Lemon	30.6	5	34.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Lettuce, head	202.01	86	441.03	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Chromobacterium subtsugae strain praa4-1</b>	Lettuce, leaf	1,234.22	356	1,941.27	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Lettuce, leaf	181.96	21	7,112,813.0	S
<b>Chromobacterium subtsugae strain praa4-1</b>	Melon	146.76	7	292.76	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Mint	6.12	6	11.2	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Mustard greens	79.09	40	145.61	A
<b>Chromobacterium subtsugae strain praa4-1</b>	N-grnhs plants in containers	51.61	80	70.23	A
<b>Chromobacterium subtsugae strain praa4-1</b>	N-grnhs plants in containers	0.18	1	4,000.0	S
<b>Chromobacterium subtsugae strain praa4-1</b>	N-grnhs transplants	30.35	29	105.37	A
<b>Chromobacterium subtsugae strain praa4-1</b>	N-grnhs transplants	19.37	15	1,560,000.0	S
<b>Chromobacterium subtsugae strain praa4-1</b>	N-outdr flower	2.25	4	2.5	A
<b>Chromobacterium subtsugae strain praa4-1</b>	N-outdr plants in containers	15.22	9	18.5	A
<b>Chromobacterium subtsugae strain praa4-1</b>	N-outdr transplants	15.19	19	57.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Chromobacterium subtsugae strain praa4-1</b>	N-outdr transplants	244.59	171	19,716,000.0	S
<b>Chromobacterium subtsugae strain praa4-1</b>	Nectarine	27.3	10	36.5	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Onion, dry	232.27	20	335.06	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Orange	148.47	13	164.97	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Oregano	4.6	7	8.32	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Parsley	13.06	5	22.4	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Peach	341.11	31	408.1	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Pear	329.34	16	374.25	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Pepper, fruiting	180.0	24	306.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Plum	40.05	4	44.5	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Prune	199.95	3	305.5	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Raspberry	1,585.23	132	1,833.65	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Chromobacterium subtsugae strain praa4-1</b>	Regulatory pest control	0.11	N/A	N/A	N/A
<b>Chromobacterium subtsugae strain praa4-1</b>	Research commodity	9.44	16	12.04	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Research commodity	0.02	1	120.0	S
<b>Chromobacterium subtsugae strain praa4-1</b>	Research commodity	0.95	N/A	N/A	N/A
<b>Chromobacterium subtsugae strain praa4-1</b>	Rosemary	18.39	20	33.87	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Sage	2.72	2	4.53	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Shallot	5.02	2	11.16	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Spinach	287.97	49	419.17	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Squash	22.57	7	29.2	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Squash, winter	1.05	2	8.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Stone fruit	10.8	1	12.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Strawberry	11,216.71	810	13,650.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Chromobacterium subtsugae strain praa4-1</b>	Strawberry	<0.01	1	360.0	S
<b>Chromobacterium subtsugae strain praa4-1</b>	Sweet potato	157.68	4	175.2	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Swiss chard	32.57	29	58.16	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Tangerine	192.9	11	215.4	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Tarragon	0.3	1	0.5	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Thyme	7.79	4	11.7	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Tomatillo	62.64	4	96.0	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Tomato	30.81	18	80.86	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Tomato, processing	2,407.64	86	3,438.01	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Upland cress	1.84	8	1.23	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Vegetables, leafy	0.07	1	0.14	A
<b>Chromobacterium subtsugae strain praa4-1</b>	Walnut	529.93	24	698.22	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chromobacterium subtsugae strain praa4-1	Watermelon	8.93	12	11.9	A
Cinnamaldehyde	Almond	55.73	4	139.06	A
Cinnamaldehyde	Blackberry	22.42	2	30.59	A
Cinnamaldehyde	Cherry	232.74	9	635.0	A
Cinnamaldehyde	Corn (forage - fodder)	1.47	1	3.0	A
Cinnamaldehyde	Grape, wine	182.8	8	499.18	A
Cinnamaldehyde	N-grnhs plants in containers	1.06	8	1.76	A
Cinnamaldehyde	Pistachio	757.36	23	1,590.5	A
Cinnamaldehyde	Raspberry	31.75	4	54.13	A
Cinnamaldehyde	Research commodity	6.04	5	2.37	A
Cinnamaldehyde	Strawberry	194.98	8	328.62	A
Cinnamaldehyde	Tangerine	80.83	2	165.36	A
Citric acid	Alfalfa	3,919.21	3,791	180,612.29	A
Citric acid	Almond	74,781.31	14,198	661,123.93	A
Citric acid	Apple	1,746.44	162	3,742.51	A
Citric acid	Apricot	73.35	72	843.4	A
Citric acid	Artichoke, globe	83.64	220	2,884.02	A
Citric acid	Asparagus	16.03	15	1,221.0	A
Citric acid	Avocado	133.45	315	2,871.06	A
Citric acid	Barley	39.19	26	1,518.9	A
Citric acid	Barley (forage - fodder)	1.95	6	198.0	A
Citric acid	Basil, sweet	10.65	82	556.85	A
Citric acid	Bean, dried	131.27	30	1,926.6	A
Citric acid	Bean, succulent	16.24	10	242.75	A
Citric acid	Bean, unspecified	0.26	2	48.0	A
Citric acid	Bermudagrass	66.07	42	2,437.88	A
Citric acid	Blackberry	84.26	102	1,098.97	A
Citric acid	Blueberry	917.86	147	2,988.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Citric acid	Bok choy (choy sum, pak choi)	1.09	15	74.86	A
Citric acid	Broccoli	1,529.66	1,908	20,820.62	A
Citric acid	Brussels sprout	757.48	1,252	14,689.02	A
Citric acid	Cabbage	327.62	959	5,545.79	A
Citric acid	Cabbage	0.63	9	48.0	U
Citric acid	Cannabis (all or unspecified)	11.41	24	781.04	A
Citric acid	Cantaloupe	50.34	30	1,260.87	A
Citric acid	Carrot	1,959.31	67	4,680.76	A
Citric acid	Cauliflower	774.79	1,293	11,809.96	A
Citric acid	Celery	58.03	178	1,867.94	A
Citric acid	Cherry	4,701.87	1,716	29,351.96	A
Citric acid	Chinese broccoli (gai lon)	9.08	259	656.6	A
Citric acid	Chinese cabbage (napa, wong bok, celery cabbage)	0.33	2	3.0	A
Citric acid	Cilantro	12.22	12	189.4	A
Citric acid	Citrus	20.46	8	51.86	A
Citric acid	Cole crop	0.32	89	70.85	A
Citric acid	Commercial, institutional or industrial areas	4.83	1	64.2	A
Citric acid	Commodity fumigation	0.1	1	1.0	A
Citric acid	Corn (forage - fodder)	1,721.39	1,406	70,745.67	A
Citric acid	Corn, grain	51.29	20	1,270.6	A
Citric acid	Corn, human consumption	1,072.26	543	18,278.45	A
Citric acid	Cotton	3,314.23	2,005	132,485.37	A
Citric acid	Cotton	1.32	N/A	1,940.25	U
Citric acid	Cucumber	67.53	29	833.7	A
Citric acid	Date	2.09	17	599.0	A
Citric acid	Dill	6.33	13	404.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Citric acid	Ditch bank	45.33	58	667.85	A
Citric acid	Eggplant	26.99	18	340.0	A
Citric acid	Fig	65.24	25	1,122.2	A
Citric acid	Food processing plant	72.45	N/A	3.0	U
Citric acid	Forage hay/silage	31.6	74	3,242.9	A
Citric acid	Forest, timberland	50.47	191	3,724.25	A
Citric acid	Gai lon	0.1	10	8.51	A
Citric acid	Garbanzo bean	0.05	1	6.5	A
Citric acid	Garlic	218.83	44	5,275.44	A
Citric acid	Ginger	0.03	10	4.75	A
Citric acid	Grain	0.41	3	78.0	A
Citric acid	Grape	2,032.78	1,316	39,879.58	A
Citric acid	Grape, wine	13,339.39	5,184	113,681.83	A
Citric acid	Grapefruit	80.9	65	1,116.87	A
Citric acid	Grass, seed	19.03	56	2,115.6	A
Citric acid	Herb, spice	3.23	79	218.2	A
Citric acid	Industrial hemp	126.63	4	280.0	A
Citric acid	Kale	13.97	19	353.66	A
Citric acid	Kiwi fruit fuzzy	8.08	40	444.4	A
Citric acid	Kohlrabi	0.44	3	15.0	A
Citric acid	Landscape maintenance	742.0	N/A	N/A	N/A
Citric acid	Lemon	935.22	585	13,589.19	A
Citric acid	Lettuce, head	141.19	454	5,027.2	A
Citric acid	Lettuce, leaf	280.91	792	6,401.8	A
Citric acid	Lime	0.46	2	68.0	A
Citric acid	Melon	77.87	28	1,442.55	A
Citric acid	Mint	2.11	8	49.5	A
Citric acid	Mustard	12.35	299	822.3	A
Citric acid	N-grnhs flower	10.64	166	257.38	A
Citric acid	N-grnhs flower	0.15	6	50,000.0	S
Citric acid	N-grnhs plants in containers	171.85	512	671.77	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Citric acid	N-grnhs plants in containers	13.36	152	5,288,786.5	S
Citric acid	N-grnhs transplants	0.48	23	24.99	A
Citric acid	N-outdr flower	326.24	540	2,844.41	A
Citric acid	N-outdr plants in containers	25.86	1,012	1,975.44	A
Citric acid	N-outdr plants in containers	5.98	67	3,615,731.5	S
Citric acid	N-outdr plants in containers	5.52	29	768,873.0	U
Citric acid	N-outdr transplants	560.73	210	3,228.64	A
Citric acid	Nectarine	549.95	505	5,512.08	A
Citric acid	Oat	5.04	7	366.0	A
Citric acid	Oat (forage - fodder)	54.46	45	1,722.0	A
Citric acid	Olive	715.87	210	8,104.52	A
Citric acid	Onion, dry	165.57	118	5,995.4	A
Citric acid	Orange	4,170.47	1,575	31,068.54	A
Citric acid	Orchardgrass	1.7	3	125.0	A
Citric acid	Parsley	4.78	4	177.0	A
Citric acid	Pastureland	8.62	19	621.2	A
Citric acid	Peach	870.86	985	10,264.2	A
Citric acid	Pear	39.35	12	53.05	A
Citric acid	Pear, asian (oriental pear, ya, ya li, nashi)	149.45	6	40.0	A
Citric acid	Peas	<0.01	1	0.25	A
Citric acid	Pecan	834.62	105	4,614.49	A
Citric acid	Pepper, fruiting	149.96	57	2,033.45	A
Citric acid	Persimmon	45.19	40	384.42	A
Citric acid	Pistachio	24,020.43	3,892	254,078.97	A
Citric acid	Plum	439.15	836	6,616.19	A
Citric acid	Pluot	6.15	2	2.38	A
Citric acid	Pomegranate	14.26	17	710.79	A
Citric acid	Pomelo	7.07	25	206.6	A
Citric acid	Potato	206.59	31	436.21	A
Citric acid	Prune	415.47	230	7,370.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Citric acid	Pumpkin	73.0	57	1,660.5	A
Citric acid	Quince	2.27	5	22.3	A
Citric acid	Radicchio	3.83	2	35.0	A
Citric acid	Rangeland	8.15	4	481.5	A
Citric acid	Rapini	48.69	26	607.6	A
Citric acid	Raspberry	460.73	67	630.79	A
Citric acid	Research commodity	8.01	39	93.58	A
Citric acid	Research commodity	0.27	N/A	N/A	N/A
Citric acid	Rice	950.92	290	18,342.18	A
Citric acid	Rights of way	1,647.27	285	51,165.93	A
Citric acid	Rights of way	4,681.8	N/A	N/A	N/A
Citric acid	Root vegetable	0.23	28	49.75	A
Citric acid	Ryegrass	17.18	30	823.2	A
Citric acid	Safflower	81.89	48	10,764.9	A
Citric acid	Shallot	5.6	3	32.0	A
Citric acid	Small fruits/berry	11.96	7	76.22	A
Citric acid	Soil fumigation/preplant	316.25	107	14,501.9	A
Citric acid	Sorghum (forage - fodder)	5.87	12	657.54	A
Citric acid	Sorghum/milo	3.65	6	81.9	A
Citric acid	Soybean	1.96	1	140.0	A
Citric acid	Spinach	3.59	40	151.55	A
Citric acid	Squash	18.89	62	639.0	A
Citric acid	Stone fruit	3.49	5	94.0	A
Citric acid	Strawberry	16,082.75	2,560	76,640.42	A
Citric acid	Structural pest control	0.45	N/A	N/A	N/A
Citric acid	Sugarbeet	811.62	213	16,493.34	A
Citric acid	Sugarcane	0.02	1	2.5	A
Citric acid	Sunflower	63.74	33	1,735.9	A
Citric acid	Sweet potato	20.27	13	407.8	A
Citric acid	Tangelo	103.01	42	747.67	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Citric acid	Tangerine	2,857.07	1,270	32,737.67	A
Citric acid	Timothy	4.1	11	534.0	A
Citric acid	Tomato	497.42	168	7,728.87	A
Citric acid	Tomato, processing	1,750.44	547	39,128.79	A
Citric acid	Triticale	10.86	20	879.7	A
Citric acid	Uncultivated ag	2,058.14	1,409	61,035.91	A
Citric acid	Uncultivated ag	<0.01	3	4.0	S
Citric acid	Uncultivated non-ag	77.9	108	3,644.67	A
Citric acid	Unknown	54.18	4	73.76	A
Citric acid	Vegetables, fruiting	0.02	8	3.0	A
Citric acid	Vegetables, leafy	2.61	345	537.5	A
Citric acid	Vertebrate control	0.06	3	2.34	A
Citric acid	Walnut	28,078.72	5,361	180,786.42	A
Citric acid	Water (industrial)	1.36	N/A	25.45	A
Citric acid	Water area	3.09	3	90.09	A
Citric acid	Water area	0.04	N/A	40,600.0	S
Citric acid	Watermelon	80.91	45	2,175.3	A
Citric acid	Wheat	591.3	237	15,553.39	A
Citric acid	Wheat (forage - fodder)	536.41	217	11,476.4	A
Clarified hydrophobic extract of neem oil	Apple	0.6	1	0.5	A
Clarified hydrophobic extract of neem oil	Artichoke, globe	4,647.47	38	848.5	A
Clarified hydrophobic extract of neem oil	Arugula	0.49	13	4,750.0	S
Clarified hydrophobic extract of neem oil	Basil, sweet	101.28	17	13.21	A
Clarified hydrophobic extract of neem oil	Basil, sweet	0.12	2	1,200.0	S
Clarified hydrophobic extract of neem oil	Bean, succulent	0.22	1	0.25	A
Clarified hydrophobic extract of neem oil	Beet	307.21	10	171.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Clarified hydrophobic extract of neem oil	Blackberry	584.66	18	162.12	A
Clarified hydrophobic extract of neem oil	Blueberry	175.94	6	31.66	A
Clarified hydrophobic extract of neem oil	Bok choy (choy sum, pak choi)	50.7	12	45.2	A
Clarified hydrophobic extract of neem oil	Broccoli	1,120.87	25	126.75	A
Clarified hydrophobic extract of neem oil	Brussels sprout	2.66	2	0.5	A
Clarified hydrophobic extract of neem oil	Cabbage	1,096.07	49	508.62	A
Clarified hydrophobic extract of neem oil	Cannabis (all or unspecified)	3,591.35	526	1,546.52	A
Clarified hydrophobic extract of neem oil	Cannabis (all or unspecified)	3,251.8	1,192	9,331,499.0	S
Clarified hydrophobic extract of neem oil	Cannabis (all or unspecified)	2.99	4	8.0	U
Clarified hydrophobic extract of neem oil	Cauliflower	1,021.56	30	392.95	A
Clarified hydrophobic extract of neem oil	Celery	2,416.86	49	606.81	A
Clarified hydrophobic extract of neem oil	Chicory	0.7	10	6,800.0	S
Clarified hydrophobic extract of neem oil	Chinese amaranth (chinese spinach, tampala, yin choy)	0.07	3	700.0	S
Clarified hydrophobic extract of neem oil	Chrysanthemum, edible leaved	8.6	1	3.0	A
Clarified hydrophobic extract of neem oil	Collard	251.92	31	102.0	A
Clarified hydrophobic extract of neem oil	Cucumber	77.38	10	19.34	A
Clarified hydrophobic extract of neem oil	Cucumber	1.73	5	10,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Clarified hydrophobic extract of neem oil	Daikon	4.97	2	2.6	A
Clarified hydrophobic extract of neem oil	Dandelion green	8.6	2	3.0	A
Clarified hydrophobic extract of neem oil	Dandelion green	0.08	2	800.0	S
Clarified hydrophobic extract of neem oil	Dill	11.46	1	4.0	A
Clarified hydrophobic extract of neem oil	Eggplant	5.73	1	2.0	A
Clarified hydrophobic extract of neem oil	Fava bean	0.28	9	2,700.0	S
Clarified hydrophobic extract of neem oil	Grape	961.47	16	627.0	A
Clarified hydrophobic extract of neem oil	Grape, wine	0.6	1	1.0	A
Clarified hydrophobic extract of neem oil	Herb, spice	342.82	100	133.55	A
Clarified hydrophobic extract of neem oil	Herb, spice	2.91	22	28,200.0	S
Clarified hydrophobic extract of neem oil	Industrial hemp	176.68	32	56.0	A
Clarified hydrophobic extract of neem oil	Kale	1,524.83	39	481.05	A
Clarified hydrophobic extract of neem oil	Kale	0.2	10	2,000.0	S
Clarified hydrophobic extract of neem oil	Kiwi fruit fuzzy	15.28	1	4.0	A
Clarified hydrophobic extract of neem oil	Landscape maintenance	469.66	N/A	N/A	N/A
Clarified hydrophobic extract of neem oil	Lettuce, head	306.21	17	156.1	A
Clarified hydrophobic extract of neem oil	Lettuce, head	3.32	21	32,401.0	S
Clarified hydrophobic extract of neem oil	Lettuce, leaf	1,322.27	58	707.13	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Clarified hydrophobic extract of neem oil	Lettuce, leaf	0.12	1	1,500.0	S
Clarified hydrophobic extract of neem oil	Melon	36.3	2	38.0	A
Clarified hydrophobic extract of neem oil	Melon	2.39	4	10,440.0	S
Clarified hydrophobic extract of neem oil	Mint	188.23	28	78.89	A
Clarified hydrophobic extract of neem oil	Mustard	14.9	5	7.8	A
Clarified hydrophobic extract of neem oil	N-grnhs flower	16.19	5	4.0	A
Clarified hydrophobic extract of neem oil	N-grnhs flower	24.16	26	193,042.0	S
Clarified hydrophobic extract of neem oil	N-grnhs plants in containers	104.77	53	37.22	A
Clarified hydrophobic extract of neem oil	N-grnhs plants in containers	21.45	181	203,350.0	S
Clarified hydrophobic extract of neem oil	N-grnhs plants in containers	7.49	30	2,936.0	U
Clarified hydrophobic extract of neem oil	N-grnhs transplants	16.68	11	7.32	A
Clarified hydrophobic extract of neem oil	N-outdr flower	104.63	16	25.75	A
Clarified hydrophobic extract of neem oil	N-outdr flower	0.44	15	4,300.0	S
Clarified hydrophobic extract of neem oil	N-outdr plants in containers	97.22	152	133.36	A
Clarified hydrophobic extract of neem oil	N-outdr plants in containers	52.16	29	462,637.0	S
Clarified hydrophobic extract of neem oil	N-outdr plants in containers	27.13	21	70,121.0	U
Clarified hydrophobic extract of neem oil	N-outdr transplants	1.0	2	1.5	A
Clarified hydrophobic extract of neem oil	Olive	10.81	2	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Clarified hydrophobic extract of neem oil	Onion, green	25.13	4	22.75	A
Clarified hydrophobic extract of neem oil	Orange	77.19	3	20.2	A
Clarified hydrophobic extract of neem oil	Oregano	30.91	10	9.05	A
Clarified hydrophobic extract of neem oil	Parsley	7.99	2	3.0	A
Clarified hydrophobic extract of neem oil	Parsley	0.42	14	4,150.0	S
Clarified hydrophobic extract of neem oil	Peach	92.42	32	25.62	A
Clarified hydrophobic extract of neem oil	Peas	21.19	4	11.0	A
Clarified hydrophobic extract of neem oil	Pepper, fruiting	755.27	22	366.71	A
Clarified hydrophobic extract of neem oil	Pepper, fruiting	0.03	1	1,215.0	S
Clarified hydrophobic extract of neem oil	Persimmon	7.64	1	2.0	A
Clarified hydrophobic extract of neem oil	Pomegranate	33.74	1	2.0	A
Clarified hydrophobic extract of neem oil	Prune	123.19	3	189.0	A
Clarified hydrophobic extract of neem oil	Radish	37.83	3	23.4	A
Clarified hydrophobic extract of neem oil	Raspberry	120.55	7	43.71	A
Clarified hydrophobic extract of neem oil	Regulatory pest control	<0.01	N/A	N/A	N/A
Clarified hydrophobic extract of neem oil	Research commodity	63.0	26	16.11	A
Clarified hydrophobic extract of neem oil	Research commodity	49.93	32	272,162.0	S
Clarified hydrophobic extract of neem oil	Research commodity	2.26	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Clarified hydrophobic extract of neem oil	Rosemary	37.53	13	8.41	A
Clarified hydrophobic extract of neem oil	Spinach	167.63	17	114.7	A
Clarified hydrophobic extract of neem oil	Squash	25.27	8	17.75	A
Clarified hydrophobic extract of neem oil	Stone fruit	0.25	1	100.0	U
Clarified hydrophobic extract of neem oil	Strawberry	16,123.35	165	4,857.21	A
Clarified hydrophobic extract of neem oil	Structural pest control	1.2	N/A	N/A	N/A
Clarified hydrophobic extract of neem oil	Swiss chard	246.61	16	108.3	A
Clarified hydrophobic extract of neem oil	Thyme	11.82	4	6.75	A
Clarified hydrophobic extract of neem oil	Tomato	11.22	8	7.75	A
Clarified hydrophobic extract of neem oil	Tomato	4.11	10	24,000.0	S
Clarified hydrophobic extract of neem oil	Uncultivated ag	28.66	3	3.0	A
Clarified hydrophobic extract of neem oil	Vegetable	8.1	1	5.3	A
Clarified hydrophobic extract of neem oil	Vegetables, fruiting	0.45	1	0.5	A
Clarified hydrophobic extract of neem oil	Vegetables, leafy	1.81	3	1.75	A
Clarified hydrophobic extract of neem oil	Vegetables, leafy	3.75	2	26,000.0	S
Clarified hydrophobic extract of neem oil	Watercress	33.43	11	42.0	A
Clarified hydrophobic extract of neem oil	Watermelon	41.69	2	36.38	A
Clethodim	Alfalfa	55,778.81	4,413	234,885.17	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clethodim	Almond	64,073.31	12,384	509,201.6	A
Clethodim	Apple	34.44	13	261.45	A
Clethodim	Apricot	54.68	29	536.95	A
Clethodim	Artichoke, globe	8.26	9	68.25	A
Clethodim	Asparagus	26.22	3	187.0	A
Clethodim	Bean, dried	133.27	19	542.5	A
Clethodim	Bean, succulent	45.78	2	175.3	A
Clethodim	Bean, unspecified	21.25	4	81.0	A
Clethodim	Bermudagrass	3.34	1	12.6	A
Clethodim	Blackberry	53.64	27	496.7	A
Clethodim	Blueberry	138.84	48	1,058.42	A
Clethodim	Broccoli	511.1	117	3,927.4	A
Clethodim	Brussels sprout	21.37	4	166.0	A
Clethodim	Cabbage	54.91	20	427.3	A
Clethodim	Canola (rape)	1.32	1	5.0	A
Clethodim	Cantaloupe	26.21	8	279.04	A
Clethodim	Carrot	1,592.04	231	12,302.84	A
Clethodim	Cauliflower	55.95	12	437.5	A
Clethodim	Celery	91.4	59	745.68	A
Clethodim	Cherry	1,015.71	614	7,557.27	A
Clethodim	Chinese cabbage (napa, wong bok, celery cabbage)	3.61	3	29.8	A
Clethodim	Cilantro	54.64	12	425.8	A
Clethodim	Citrus	0.44	1	3.4	A
Clethodim	Clover	4.73	1	18.0	A
Clethodim	Corn (forage - fodder)	605.98	74	3,161.54	A
Clethodim	Corn, grain	10.5	1	77.0	A
Clethodim	Corn, human consumption	90.77	6	410.5	A
Clethodim	Cotton	3,913.99	400	20,200.38	A
Clethodim	Cucumber	125.45	21	920.68	A
Clethodim	Ditch bank	87.4	37	370.0	A
Clethodim	Eggplant	22.77	8	188.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clethodim	Forage hay/silage	7.27	16	35.65	A
Clethodim	Garbanzo bean	0.87	1	6.5	A
Clethodim	Garlic	454.38	45	3,682.27	A
Clethodim	Grape	111.6	36	860.5	A
Clethodim	Grape, wine	417.99	212	4,286.3	A
Clethodim	Grapefruit	8.24	13	75.88	A
Clethodim	Grass, seed	3.4	9	13.0	A
Clethodim	Herb, spice	2.9	1	22.0	A
Clethodim	Hops	2.73	6	23.52	A
Clethodim	Kale	1.52	2	11.6	A
Clethodim	Landscape maintenance	690.44	N/A	N/A	N/A
Clethodim	Lemon	58.51	10	220.39	A
Clethodim	Lettuce, head	138.25	58	1,149.38	A
Clethodim	Lettuce, leaf	179.89	104	1,537.65	A
Clethodim	Melon	22.22	5	205.0	A
Clethodim	Mint	192.59	14	715.6	A
Clethodim	Mizuna	0.97	1	3.6	A
Clethodim	N-grnhs flower	2.1	N/A	24.0	A
Clethodim	N-outdr flower	40.07	12	186.0	A
Clethodim	N-outdr plants in containers	1.94	13	27.3	A
Clethodim	N-outdr plants in containers	0.02	1	10,000.0	S
Clethodim	N-outdr transplants	0.97	3	8.5	A
Clethodim	Nectarine	89.99	86	873.44	A
Clethodim	Oat (forage - fodder)	17.32	3	73.5	A
Clethodim	Okra	2.61	1	10.0	A
Clethodim	Olive	423.33	91	2,317.6	A
Clethodim	Onion, dry	1,451.63	164	8,302.86	A
Clethodim	Onion, green	0.14	1	0.5	A
Clethodim	Orange	72.85	51	589.54	A
Clethodim	Parsley	0.07	1	0.75	A
Clethodim	Peach	576.16	301	4,052.98	A
Clethodim	Pear	256.99	78	1,989.07	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clethodim	Pear, asian (oriental pear, ya, ya li, nashi)	0.76	2	17.5	A
Clethodim	Peas	0.49	4	3.5	A
Clethodim	Pecan	110.07	51	806.63	A
Clethodim	Pepper, fruiting	58.79	13	474.5	A
Clethodim	Pistachio	15,480.08	2,773	120,256.44	A
Clethodim	Plum	119.72	101	1,064.11	A
Clethodim	Pluot	1.27	1	2.8	A
Clethodim	Pomegranate	0.53	1	2.25	A
Clethodim	Pomelo	1.47	3	12.0	A
Clethodim	Potato	648.05	99	2,532.17	A
Clethodim	Prune	811.83	188	6,283.25	A
Clethodim	Pumpkin	563.5	27	761.2	A
Clethodim	Radicchio	2.64	1	64.0	A
Clethodim	Rangeland	0.63	1	1.5	A
Clethodim	Rapini	95.47	21	1,193.7	A
Clethodim	Raspberry	45.1	29	423.3	A
Clethodim	Regulatory pest control	2.59	N/A	N/A	N/A
Clethodim	Research commodity	10.38	25	79.24	A
Clethodim	Research commodity	<0.01	2	500.0	S
Clethodim	Research commodity	0.67	N/A	N/A	N/A
Clethodim	Rice	117.66	9	748.0	A
Clethodim	Rights of way	2,249.97	150	13,994.2	A
Clethodim	Rights of way	4.23	1	0.01	U
Clethodim	Rights of way	2,709.31	N/A	N/A	N/A
Clethodim	Safflower	76.41	18	581.4	A
Clethodim	Sesame, seed	0.61	1	5.0	A
Clethodim	Small fruits/berry	8.15	2	62.22	A
Clethodim	Soil fumigation/preplant	396.5	26	2,025.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clethodim	Sorghum (forage - fodder)	36.76	3	204.0	A
Clethodim	Sorghum/milo	116.35	14	814.31	A
Clethodim	Soybean	15.94	1	70.0	A
Clethodim	Spinach	8.39	2	65.0	A
Clethodim	Squash	30.38	6	205.33	A
Clethodim	Squash, winter	13.73	5	110.39	A
Clethodim	Strawberry	55.68	10	459.6	A
Clethodim	Sugarbeet	114.32	7	490.8	A
Clethodim	Sugarbeet (forage - fodder)	33.51	2	126.2	A
Clethodim	Sunflower	847.69	69	3,565.9	A
Clethodim	Sweet potato	45.67	9	183.0	A
Clethodim	Swiss chard	1.83	3	13.8	A
Clethodim	Tangerine	111.09	43	836.42	A
Clethodim	Tomato	1,099.91	166	5,430.06	A
Clethodim	Tomato, processing	4,713.84	413	22,685.34	A
Clethodim	Triticale	44.21	10	353.95	A
Clethodim	Turf/sod	187.73	27	708.2	A
Clethodim	Uncultivated ag	3,900.41	487	19,504.12	A
Clethodim	Uncultivated non-ag	219.98	89	1,046.37	A
Clethodim	Vertebrate control	0.68	2	3.0	A
Clethodim	Walnut	13,416.32	3,826	101,039.76	A
Clethodim	Watermelon	208.19	33	1,529.5	A
Clethodim	Wheat	27.85	3	246.5	A
Clethodim	Wheat (forage - fodder)	195.59	12	916.35	A
Clofentezine	Almond	15,388.53	824	68,029.87	A
Clofentezine	Apricot	3.5	1	13.5	A
Clofentezine	Cherry	992.13	151	4,092.6	A
Clofentezine	Grape	111.62	15	450.5	A
Clofentezine	Grape, wine	1,377.47	108	6,105.14	A
Clofentezine	N-grnhs plants in containers	99.64	135	183.03	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clofentezine	N-grnhs plants in containers	<0.01	1	15,000.0	S
Clofentezine	N-grnhs transplants	3.61	32	16.32	A
Clofentezine	N-outdr plants in containers	0.78	9	8.52	A
Clofentezine	N-outdr plants in containers	0.02	1	500.0	S
Clofentezine	N-outdr transplants	69.51	19	413.82	A
Clofentezine	Peach	110.93	31	475.74	A
Clofentezine	Research commodity	0.03	3	0.17	A
Clofentezine	Walnut	4,080.27	428	17,997.62	A
Clomazone	Rice	18,390.25	602	44,166.92	A
Clomazone	Uncultivated ag	81.27	1	203.17	A
Clonostachys rosea strain j1446	Cannabis (all or unspecified)	93.67	28	244.18	A
Clonostachys rosea strain j1446	Cannabis (all or unspecified)	0.79	6	37,600.0	S
Clonostachys rosea strain j1446	Lettuce, head	0.37	1	2.0	A
Clopyralid	Landscape maintenance	0.06	N/A	N/A	N/A
Clopyralid, monoethanolamine salt	Barley	17.55	1	142.0	A
Clopyralid, monoethanolamine salt	Bermudagrass	193.11	13	741.0	A
Clopyralid, monoethanolamine salt	Broccoli	204.99	25	957.8	A
Clopyralid, monoethanolamine salt	Cabbage	0.09	1	1.0	A
Clopyralid, monoethanolamine salt	Cauliflower	6.88	6	30.0	A
Clopyralid, monoethanolamine salt	Chinese broccoli (gai lon)	0.09	1	1.0	A
Clopyralid, monoethanolamine salt	County ag comm	7.16	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Clopyralid, monoethanolamine salt</b>	Forest, timberland	2,946.18	325	17,561.52	A
<b>Clopyralid, monoethanolamine salt</b>	Golf course turf	57.86	1	348.1	A
<b>Clopyralid, monoethanolamine salt</b>	Golf course turf	1.07	1	328,075.0	S
<b>Clopyralid, monoethanolamine salt</b>	Grass, seed	10.25	13	54.6	A
<b>Clopyralid, monoethanolamine salt</b>	Landscape maintenance	0.49	1	0.25	A
<b>Clopyralid, monoethanolamine salt</b>	Landscape maintenance	1,636.04	N/A	N/A	N/A
<b>Clopyralid, monoethanolamine salt</b>	Mint	5.37	4	98.0	A
<b>Clopyralid, monoethanolamine salt</b>	Mustard	16.32	1	66.0	A
<b>Clopyralid, monoethanolamine salt</b>	N-grnhs flower	41.64	N/A	170.0	A
<b>Clopyralid, monoethanolamine salt</b>	N-grnhs flower	4.08	N/A	493,000.0	S
<b>Clopyralid, monoethanolamine salt</b>	N-grnhs transplants	0.25	N/A	2.5	A
<b>Clopyralid, monoethanolamine salt</b>	N-outdr flower	44.76	13	134.4	A
<b>Clopyralid, monoethanolamine salt</b>	N-outdr plants in containers	69.44	93	804.6	A
<b>Clopyralid, monoethanolamine salt</b>	Pastureland	144.34	10	570.0	A
<b>Clopyralid, monoethanolamine salt</b>	Rangeland	104.79	33	782.8	A
<b>Clopyralid, monoethanolamine salt</b>	Regulatory pest control	44.23	N/A	N/A	N/A
<b>Clopyralid, monoethanolamine salt</b>	Research commodity	0.3	1	1.5	A
<b>Clopyralid, monoethanolamine salt</b>	Rights of way	0.33	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Clopyralid, monoethanolamine salt</b>	Rights of way	1,614.23	N/A	N/A	N/A
<b>Clopyralid, monoethanolamine salt</b>	Sudangrass	0.3	1	1.0	A
<b>Clopyralid, monoethanolamine salt</b>	Sugarbeet	676.12	38	3,383.4	A
<b>Clopyralid, monoethanolamine salt</b>	Turf/sod	4.25	1	15.5	A
<b>Clopyralid, monoethanolamine salt</b>	Turf/sod	0.5	N/A	220,000.0	S
<b>Clopyralid, monoethanolamine salt</b>	Uncultivated ag	25.44	6	12.46	A
<b>Clopyralid, monoethanolamine salt</b>	Uncultivated non-ag	18.85	3	166.25	A
<b>Clopyralid, monoethanolamine salt</b>	Vertebrate control	24.08	N/A	N/A	N/A
<b>Clopyralid, monoethanolamine salt</b>	Wheat	43.7	6	278.3	A
<b>Clopyralid, triethylamine salt</b>	Golf course turf	15.96	N/A	60.5	A
<b>Clopyralid, triethylamine salt</b>	Golf course turf	0.17	N/A	25,500.0	S
<b>Clopyralid, triethylamine salt</b>	Landscape maintenance	66.38	N/A	N/A	N/A
<b>Clopyralid, triethylamine salt</b>	N-grnhs flower	14.08	N/A	49.0	A
<b>Clopyralid, triethylamine salt</b>	N-outdr flower	0.57	N/A	2.9	A
<b>Clopyralid, triethylamine salt</b>	Rights of way	2.93	5	5.0	A
<b>Clopyralid, triethylamine salt</b>	Turf/sod	2.3	1	8.0	A
<b>Clothianidin</b>	Almond	1,135.7	169	11,457.64	A
<b>Clothianidin</b>	Bok choy (choy sum, pak choi)	41.56	139	432.08	A
<b>Clothianidin</b>	Broccoli	1,060.99	678	7,293.23	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Clothianidin</b>	Broccoli	2,456.96	N/A	10,895.55	P
<b>Clothianidin</b>	Brussels sprout	101.27	61	825.2	A
<b>Clothianidin</b>	Cabbage	164.72	122	1,061.59	A
<b>Clothianidin</b>	Cauliflower	160.25	144	997.4	A
<b>Clothianidin</b>	Celery	251.0	245	3,275.99	A
<b>Clothianidin</b>	Chinese cabbage (napa, wong bok, celery cabbage)	100.35	251	1,076.97	A
<b>Clothianidin</b>	Collard	0.81	1	4.0	A
<b>Clothianidin</b>	Cotton	1,770.47	368	21,482.75	A
<b>Clothianidin</b>	Cucumber	1.3	3	7.7	A
<b>Clothianidin</b>	Endive (escarole)	3.81	12	57.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clothianidin	Gai choy	1.8	3	61.0	A
Clothianidin	Golf course turf	12.63	N/A	40.5	A
Clothianidin	Grape	1,157.29	304	11,327.23	A
Clothianidin	Grape, wine	3,852.76	528	24,240.63	A
Clothianidin	Kale	6.09	9	91.55	A
Clothianidin	Landscape maintenance	652.84	N/A	N/A	N/A
Clothianidin	Lettuce, head	206.65	146	1,621.53	A
Clothianidin	Lettuce, leaf	406.54	388	3,954.24	A
Clothianidin	Lettuce, leaf	1,581.38	N/A	7,400.88	P
Clothianidin	Melon	9.65	2	145.0	A
Clothianidin	Mustard greens	0.36	2	7.6	A
Clothianidin	N-grnhs flower	1.25	N/A	140,000.0	S
Clothianidin	N-grnhs plants in containers	8.75	115	84.65	A
Clothianidin	N-grnhs transplants	28.87	499	175.34	A
Clothianidin	N-outdr transplants	6.07	12	77.75	A
Clothianidin	N-outdr transplants	0.02	1	9,990.0	S
Clothianidin	Onion, dry	45.03	N/A	2,240.43	P
Clothianidin	Parsley	6.05	8	63.51	A
Clothianidin	Peach	11.83	8	118.5	A
Clothianidin	Pecan	52.49	8	529.0	A
Clothianidin	Pomegranate	349.76	42	3,512.45	A
Clothianidin	Potato	0.04	1	0.5	A
Clothianidin	Public health	0.01	N/A	N/A	N/A
Clothianidin	Pumpkin	18.21	2	91.2	A
Clothianidin	Quince	0.35	1	3.5	A
Clothianidin	Recreation area	0.94	N/A	105,000.0	S
Clothianidin	Regulatory pest control	0.6	1	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Clothianidin</b>	Regulatory pest control	0.55	N/A	N/A	N/A
<b>Clothianidin</b>	Research commodity	2.87	23	44.5	A
<b>Clothianidin</b>	Research commodity	0.06	N/A	N/A	N/A
<b>Clothianidin</b>	Rice	84.36	20	1,146.2	A
<b>Clothianidin</b>	Rights of way	0.57	N/A	N/A	N/A
<b>Clothianidin</b>	Spinach	48.0	38	359.7	A
<b>Clothianidin</b>	Squash	0.3	1	2.0	A
<b>Clothianidin</b>	Squash, winter	12.56	2	84.0	A
<b>Clothianidin</b>	Stone fruit	0.7	1	7.0	A
<b>Clothianidin</b>	Structural pest control	513.66	N/A	N/A	N/A
<b>Clothianidin</b>	Sweet potato	132.46	23	954.97	A
<b>Clothianidin</b>	Turf/sod	1.61	N/A	4.0	A
<b>Clothianidin</b>	Vertebrate control	<0.01	N/A	N/A	N/A
<b>Clothianidin</b>	Walnut	421.31	137	4,429.75	A
<b>Clothianidin</b>	Watermelon	119.48	10	598.5	A
<b>Coal tar neutral oils and coal tar acid combinations</b>	Grape, wine	27.45	2	11.0	A
<b>Coal tar neutral oils and coal tar acid combinations</b>	Landscape maintenance	0.81	N/A	N/A	N/A
<b>Coal tar neutral oils and coal tar acid combinations</b>	Structural pest control	0.07	N/A	N/A	N/A
<b>Coconut diethanolamide</b>	Alfalfa	2.53	19	558.3	A
<b>Coconut diethanolamide</b>	Almond	4,005.87	407	21,126.56	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Coconut diethanolamide	Apple	0.31	10	23.65	A
Coconut diethanolamide	Apricot	0.11	6	2.4	A
Coconut diethanolamide	Avocado	0.18	7	79.5	A
Coconut diethanolamide	Avocado	<0.01	4	24,400.0	U
Coconut diethanolamide	Bean, succulent	0.1	1	62.0	A
Coconut diethanolamide	Broccoli	0.4	3	49.3	A
Coconut diethanolamide	Cabbage	0.38	5	46.1	A
Coconut diethanolamide	Cantaloupe	5.75	41	2,848.5	A
Coconut diethanolamide	Cherry	97.6	17	288.89	A
Coconut diethanolamide	Citrus	0.06	1	20.0	A
Coconut diethanolamide	Cotton	1.5	9	241.7	A
Coconut diethanolamide	Date	0.03	1	37.0	A
Coconut diethanolamide	Ditch bank	<0.01	1	0.5	A
Coconut diethanolamide	Forage hay/silage	0.02	1	0.5	A
Coconut diethanolamide	Grape	591.32	299	12,879.81	A
Coconut diethanolamide	Grape, wine	236.57	43	889.33	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Coconut diethanolamide	Grapefruit	25.51	17	207.1	A
Coconut diethanolamide	Landscape maintenance	0.05	1	8.0	A
Coconut diethanolamide	Landscape maintenance	20.88	N/A	N/A	N/A
Coconut diethanolamide	Lemon	220.74	80	3,316.4	A
Coconut diethanolamide	Lettuce, head	1.48	18	187.0	A
Coconut diethanolamide	Lettuce, leaf	2.0	24	254.8	A
Coconut diethanolamide	Melon	9.1	84	4,386.9	A
Coconut diethanolamide	N-grnhs flower	9.82	111	318.35	A
Coconut diethanolamide	N-grnhs flower	2.44	52	240,775.0	S
Coconut diethanolamide	N-grnhs plants in containers	5.0	298	317.76	A
Coconut diethanolamide	N-grnhs plants in containers	0.42	56	1,120,200.0	S
Coconut diethanolamide	N-grnhs transplants	4.15	67	571.22	A
Coconut diethanolamide	N-grnhs transplants	1.07	25	4,868,340.0	S
Coconut diethanolamide	N-outdr flower	21.22	485	1,151.31	A
Coconut diethanolamide	N-outdr flower	0.1	1	3,000.0	S
Coconut diethanolamide	N-outdr plants in containers	22.14	744	1,084.57	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Coconut diethanolamide	N-outdr plants in containers	<0.01	1	2.0	S
Coconut diethanolamide	N-outdr plants in containers	0.03	4	872.0	U
Coconut diethanolamide	N-outdr transplants	0.16	13	32.0	A
Coconut diethanolamide	N-outdr transplants	12.64	323	55,811,310.0	S
Coconut diethanolamide	Nectarine	37.2	20	179.42	A
Coconut diethanolamide	Olive	150.39	18	550.5	A
Coconut diethanolamide	Onion, dry	4.49	1	17.0	A
Coconut diethanolamide	Orange	2,229.71	325	5,725.54	A
Coconut diethanolamide	Peach	32.68	29	222.55	A
Coconut diethanolamide	Peas	1.59	1	3.0	A
Coconut diethanolamide	Pistachio	11,009.32	435	39,334.26	A
Coconut diethanolamide	Plum	6.2	6	30.56	A
Coconut diethanolamide	Pomegranate	582.02	30	2,001.25	A
Coconut diethanolamide	Pomelo	15.66	6	29.6	A
Coconut diethanolamide	Prune	7.87	2	46.0	A
Coconut diethanolamide	Regulatory pest control	1.17	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Coconut diethanolamide	Research commodity	0.03	N/A	N/A	N/A
Coconut diethanolamide	Rights of way	0.56	14	9.0	A
Coconut diethanolamide	Rights of way	1.14	N/A	N/A	N/A
Coconut diethanolamide	Soil fumigation/preplant	0.06	1	40.0	A
Coconut diethanolamide	Squash, summer	1.45	7	5.5	A
Coconut diethanolamide	Stone fruit	1.75	1	4.0	A
Coconut diethanolamide	Strawberry	148.78	149	1,659.3	A
Coconut diethanolamide	Structural pest control	2.8	N/A	N/A	N/A
Coconut diethanolamide	Tangelo	1.55	6	285.0	A
Coconut diethanolamide	Tangerine	1,385.9	198	5,642.94	A
Coconut diethanolamide	Tomato, processing	4.45	35	1,982.5	A
Coconut diethanolamide	Uncultivated ag	6.03	2	76.8	A
Coconut diethanolamide	Walnut	157.79	38	1,707.28	A
Coconut diethanolamide	Watermelon	0.66	3	2.5	A
Coconut imidazoline sodium carboxylate	Rights of way	0.03	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Coconut oil amine acetate	Avocado	0.69	4	24.0	A
Coconut oil amine acetate	Guava	0.01	2	8.0	A
Coconut oil amine acetate	Lime	0.02	1	8.0	A
Coconut oil amine acetate	Orange	0.06	2	14.0	A
Coconut oil amine acetate	Tropical/subtropical fruit	<0.01	1	3.0	A
Codling moth granulosis virus	Apple	0.23	213	1,873.49	A
Codling moth granulosis virus	Pear	0.14	67	977.5	A
Codling moth granulosis virus	Pear, asian (oriental pear, ya, ya li, nashi)	<0.01	2	4.0	A
Codling moth granulosis virus	Stone fruit	<0.01	1	1.0	A
Complex carbohydrate polymer derivative	Almond	0.33	6	10.0	A
Complex carbohydrate polymer derivative	Pistachio	6.51	4	80.0	A
Coniothyrium minitans strain con/m/91-08	Arugula	0.31	1	4.46	A
Coniothyrium minitans strain con/m/91-08	Broccoli	27.43	21	222.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Coniothyrium minitans strain con/m/91-08</b>	Cabbage	1.75	3	16.5	A
<b>Coniothyrium minitans strain con/m/91-08</b>	Carrot	557.03	75	4,630.52	A
<b>Coniothyrium minitans strain con/m/91-08</b>	Cauliflower	10.32	8	73.7	A
<b>Coniothyrium minitans strain con/m/91-08</b>	Celery	3.84	10	36.75	A
<b>Coniothyrium minitans strain con/m/91-08</b>	Fennel	3.1	12	29.2	A
<b>Coniothyrium minitans strain con/m/91-08</b>	Kohlrabi	0.53	1	5.0	A
<b>Coniothyrium minitans strain con/m/91-08</b>	Lettuce, head	57.28	54	415.14	A
<b>Coniothyrium minitans strain con/m/91-08</b>	Lettuce, leaf	163.09	164	1,350.21	A
<b>Coniothyrium minitans strain con/m/91-08</b>	N-grnhs plants in containers	0.14	8	1.08	A
<b>Coniothyrium minitans strain con/m/91-08</b>	Peas	14.87	1	140.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Coniothyrium minitans strain con/m/91-08</b>	Spinach	4.48	2	27.88	A
<b>Coniothyrium minitans strain con/m/91-08</b>	Uncultivated ag	2.72	2	25.7	A
<b>Coniothyrium minitans strain con/m/91-08</b>	Unknown	24.15	3	227.8	A
<b>Copper</b>	Grapefruit	30.0	1	10.0	A
<b>Copper</b>	Landscape maintenance	521.34	N/A	N/A	N/A
<b>Copper</b>	Lemon	178.5	5	59.0	A
<b>Copper</b>	N-grnhs transplants	0.01	15	115,250.0	S
<b>Copper</b>	Orange	2,176.64	23	728.9	A
<b>Copper</b>	Soil fumigation/preplant	1.19	1	31.0	A
<b>Copper</b>	Structural pest control	0.01	N/A	N/A	N/A
<b>Copper</b>	Tangerine	366.0	6	122.0	A
<b>Copper</b>	Water area	7.71	N/A	8.0	A
<b>Copper 8-quinolinoleate</b>	Structural pest control	0.04	N/A	N/A	N/A
<b>Copper ammonium carbonate</b>	Landscape maintenance	167.54	N/A	N/A	N/A
<b>Copper ammonium complex</b>	Apple	0.51	2	1.0	A
<b>Copper ammonium complex</b>	Apple	0.86	2	16.0	U
<b>Copper ammonium complex</b>	Apricot	0.82	1	1.06	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper ammonium complex</b>	Apricot	0.25	2	6.0	U
<b>Copper ammonium complex</b>	Cherry	0.2	2	5.0	U
<b>Copper ammonium complex</b>	Citrus	4.59	2	9.0	A
<b>Copper ammonium complex</b>	Grape, wine	0.29	3	1.5	A
<b>Copper ammonium complex</b>	Landscape maintenance	65.53	N/A	N/A	N/A
<b>Copper ammonium complex</b>	Nectarine	0.26	2	0.5	A
<b>Copper ammonium complex</b>	Nectarine	0.1	2	6.0	U
<b>Copper ammonium complex</b>	Peach	0.26	2	0.5	A
<b>Copper ammonium complex</b>	Peach	0.47	2	19.0	U
<b>Copper ammonium complex</b>	Pear	0.27	2	10.0	U
<b>Copper ammonium complex</b>	Plum	0.18	2	4.0	U
<b>Copper carbonate, basic</b>	Rights of way	1,808.61	N/A	N/A	N/A
<b>Copper carbonate, basic</b>	Structural pest control	54.32	N/A	N/A	N/A
<b>Copper citrate chelate</b>	Rights of way	347.66	N/A	N/A	N/A
<b>Copper diammonium diacetate complex</b>	Grape, wine	0.12	2	0.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper diammonium diacetate complex</b>	Landscape maintenance	727.16	N/A	N/A	N/A
<b>Copper diammonium diacetate complex</b>	Lemon	101.83	38	40.52	A
<b>Copper diammonium diacetate complex</b>	N-grnhs plants in containers	36.79	6	17.5	A
<b>Copper diammonium diacetate complex</b>	N-outdr flower	121.81	19	148.3	A
<b>Copper diammonium diacetate complex</b>	N-outdr plants in containers	21.31	7	22.0	A
<b>Copper diammonium diacetate complex</b>	N-outdr plants in containers	0.06	2	2,000.0	S
<b>Copper diammonium diacetate complex</b>	Olive	8.41	4	6.4	A
<b>Copper diammonium diacetate complex</b>	Uncultivated ag	1.97	1	3.0	A
<b>Copper ethanolamine complexes, mixed</b>	Golf course turf	13.81	N/A	4.0	A
<b>Copper ethanolamine complexes, mixed</b>	Jujube	2.76	N/A	1.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper ethanolamine complexes, mixed</b>	Landscape maintenance	6,756.39	N/A	N/A	N/A
<b>Copper ethanolamine complexes, mixed</b>	Lumber, treated	1,079,572.53	N/A	7,592.7	K
<b>Copper ethanolamine complexes, mixed</b>	N-grnhs flower	4.63	N/A	8.0	A
<b>Copper ethanolamine complexes, mixed</b>	N-outdr plants in containers	11.13	2	1.75	A
<b>Copper ethanolamine complexes, mixed</b>	Public health	0.28	N/A	N/A	N/A
<b>Copper ethanolamine complexes, mixed</b>	Research commodity	172.69	N/A	N/A	N/A
<b>Copper ethanolamine complexes, mixed</b>	Rights of way	43,926.73	N/A	N/A	N/A
<b>Copper ethanolamine complexes, mixed</b>	Structural pest control	0.02	N/A	N/A	N/A
<b>Copper ethanolamine complexes, mixed</b>	Uncultivated ag	99.37	7	6.27	A
<b>Copper ethanolamine complexes, mixed</b>	Water (industrial)	2,157.14	N/A	975.95	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper ethanolamine complexes, mixed</b>	Water area	21,087.1	54	5,429.46	A
<b>Copper ethanolamine complexes, mixed</b>	Water area	21.07	N/A	138,598.61	C
<b>Copper ethanolamine complexes, mixed</b>	Water area	10,192.66	N/A	120,448.12	K
<b>Copper ethanolamine complexes, mixed</b>	Water area	16.81	N/A	122,300.0	S
<b>Copper ethanolamine complexes, mixed</b>	Water area	6,312.9	N/A	741.28	U
<b>Copper ethylenediamine complex</b>	Landscape maintenance	666.54	N/A	N/A	N/A
<b>Copper ethylenediamine complex</b>	Regulatory pest control	23.22	N/A	N/A	N/A
<b>Copper ethylenediamine complex</b>	Rights of way	362.87	2	115.0	A
<b>Copper ethylenediamine complex</b>	Rights of way	8,865.56	N/A	N/A	N/A
<b>Copper ethylenediamine complex</b>	Water area	2,837.78	1	531.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper ethylenediamine complex	Water area	427.93	N/A	255.0	C
Copper ethylenediamine complex	Water area	643.26	N/A	16,988.4	K
Copper ethylenediamine complex	Water area	20.94	N/A	4.0	U
Copper gluconate chelate	Rights of way	336.88	N/A	N/A	N/A
Copper hydroxide	Alfalfa	68.3	2	14.0	A
Copper hydroxide	Almond	383,914.87	2,938	149,909.03	A
Copper hydroxide	Apple	1,247.19	85	838.66	A
Copper hydroxide	Apple	0.21	N/A	6.0	U
Copper hydroxide	Apricot	3,009.94	102	1,153.93	A
Copper hydroxide	Apricot	0.09	1	450.0	S
Copper hydroxide	Apricot	0.07	N/A	2.0	U
Copper hydroxide	Arugula	32.69	4	43.54	A
Copper hydroxide	Avocado	110.2	7	49.95	A
Copper hydroxide	Beet	242.54	55	354.47	A
Copper hydroxide	Blackberry	466.01	44	397.21	A
Copper hydroxide	Blueberry	1,058.42	54	1,315.32	A
Copper hydroxide	Broccoli	667.12	117	1,487.21	A
Copper hydroxide	Brussels sprout	13.84	4	40.0	A
Copper hydroxide	Cabbage	31.09	11	94.75	A
Copper hydroxide	Cantaloupe	95.62	30	698.66	A
Copper hydroxide	Carrot	425.42	26	548.3	A
Copper hydroxide	Cauliflower	269.58	92	650.15	A
Copper hydroxide	Celeriac	55.74	17	80.6	A
Copper hydroxide	Celery	6,273.8	1,157	11,636.12	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper hydroxide	Cherry	7,897.24	139	2,317.55	A
Copper hydroxide	Cherry	0.14	N/A	3.0	U
Copper hydroxide	Chinese greens	4.65	2	4.0	A
Copper hydroxide	Chive	1.16	1	2.0	A
Copper hydroxide	Cilantro	169.58	95	528.18	A
Copper hydroxide	Citrus	869.58	24	375.48	A
Copper hydroxide	Corn, human consumption	229.38	8	381.0	A
Copper hydroxide	Cucumber	7.05	8	14.63	A
Copper hydroxide	Cucumber	69.07	N/A	9,974.77	P
Copper hydroxide	Eggplant	2.04	4	5.0	A
Copper hydroxide	Garlic	1,302.71	29	1,752.7	A
Copper hydroxide	Grape	77,644.74	3,306	138,925.39	A
Copper hydroxide	Grape, wine	0.86	1	1.0	?
Copper hydroxide	Grape, wine	105,174.14	4,911	214,016.13	A
Copper hydroxide	Grapefruit	9,030.41	179	3,914.29	A
Copper hydroxide	Kale	3.33	4	14.75	A
Copper hydroxide	Kohlrabi	16.87	7	48.77	A
Copper hydroxide	Kumquat	4.48	1	20.84	A
Copper hydroxide	Landscape maintenance	1,212.93	N/A	N/A	N/A
Copper hydroxide	Leek	37.14	17	71.41	A
Copper hydroxide	Lemon	24,444.57	664	15,407.46	A
Copper hydroxide	Lettuce, head	30.84	5	55.0	A
Copper hydroxide	Lettuce, leaf	352.47	117	1,030.45	A
Copper hydroxide	Lime	84.43	7	124.75	A
Copper hydroxide	Mustard greens	1.73	1	5.0	A
Copper hydroxide	N-grnhs flower	31.02	12	40.5	A
Copper hydroxide	N-grnhs plants in containers	68.95	168	133.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper hydroxide	N-grnhs plants in containers	15.57	65	468,878.0	S
Copper hydroxide	N-grnhs transplants	1,674.22	2,359	1,803.97	A
Copper hydroxide	N-grnhs transplants	1.34	1	75,617.0	S
Copper hydroxide	N-outdr flower	9,092.0	721	5,459.67	A
Copper hydroxide	N-outdr plants in containers	1,313.01	379	1,330.93	A
Copper hydroxide	N-outdr plants in containers	1.96	8	88,029.0	S
Copper hydroxide	N-outdr plants in containers	0.84	1	3,000.0	U
Copper hydroxide	N-outdr transplants	3,052.3	183	1,545.32	A
Copper hydroxide	N-outdr transplants	34.14	44	2,062,385.0	S
Copper hydroxide	Nectarine	15,868.68	552	7,148.87	A
Copper hydroxide	Nectarine	0.34	2	6,675.0	S
Copper hydroxide	Olive	154,058.84	766	36,639.36	A
Copper hydroxide	Olive	1.18	5	16,600.0	S
Copper hydroxide	Olive	0.64	1	100.0	U
Copper hydroxide	Onion, dry	19,272.21	437	22,043.22	A
Copper hydroxide	Onion, green	332.61	6	534.2	A
Copper hydroxide	Orange	82,765.15	1,325	25,690.1	A
Copper hydroxide	Orchard floor	146.36	2	99.56	A
Copper hydroxide	Parsley	376.05	88	595.22	A
Copper hydroxide	Peach	86,297.3	1,309	19,579.96	A
Copper hydroxide	Peach	0.36	2	6,800.0	S
Copper hydroxide	Peach	0.14	N/A	4.0	U
Copper hydroxide	Pear	6,964.49	354	7,741.53	A
Copper hydroxide	Pear, asian (oriental pear, ya, ya li, nashi)	575.21	38	387.91	A
Copper hydroxide	Peas	95.58	17	165.1	A
Copper hydroxide	Pecan	1,472.31	3	456.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Copper hydroxide	Pepper, fruiting	996.87	100	2,526.41	A
Copper hydroxide	Pepper, spice	3.81	2	6.6	A
Copper hydroxide	Persimmon	43.84	6	204.0	A
Copper hydroxide	Pistachio	1,088.01	21	883.47	A
Copper hydroxide	Plum	21,520.93	640	6,985.13	A
Copper hydroxide	Plum	0.07	N/A	2.0	U
Copper hydroxide	Pluot	14.53	2	11.27	A
Copper hydroxide	Pluot	0.12	1	5,000.0	S
Copper hydroxide	Pome fruit	0.21	N/A	2.0	A
Copper hydroxide	Pomelo	356.09	16	127.0	A
Copper hydroxide	Potato	5,822.13	166	6,808.68	A
Copper hydroxide	Prune	15,331.51	104	4,410.9	A
Copper hydroxide	Pumpkin	93.17	3	121.0	A
Copper hydroxide	Quince	412.59	44	278.0	A
Copper hydroxide	Radish	36.64	9	37.7	A
Copper hydroxide	Raspberry	42.86	7	99.72	A
Copper hydroxide	Research commodity	41.25	21	20.66	A
Copper hydroxide	Research commodity	0.03	4	4,600.0	S
Copper hydroxide	Research commodity	7.07	N/A	N/A	N/A
Copper hydroxide	Rights of way	6,644.95	N/A	N/A	N/A
Copper hydroxide	Spinach	85.34	8	98.33	A
Copper hydroxide	Spinach	1,104.39	N/A	156,262.55	P
Copper hydroxide	Squash, zucchini	0.12	1	0.25	A
Copper hydroxide	Stone fruit	842.1	25	180.51	A
Copper hydroxide	Stone fruit	0.21	1	14,400.0	S
Copper hydroxide	Strawberry	2,517.12	28	1,290.21	A
Copper hydroxide	Strawberry	0.05	1	1,500.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper hydroxide	Structural pest control	99.26	N/A	N/A	N/A
Copper hydroxide	Swiss chard	15.34	25	64.91	A
Copper hydroxide	Tangelo	1,522.93	41	595.53	A
Copper hydroxide	Tangerine	29,148.16	495	12,333.46	A
Copper hydroxide	Tomato	3,537.8	233	6,356.27	A
Copper hydroxide	Tomato, processing	2,903.65	155	4,356.98	A
Copper hydroxide	Uncultivated ag	2.13	2	1.05	A
Copper hydroxide	Unknown	32.27	1	20.0	A
Copper hydroxide	Walnut	996,267.38	7,106	264,774.17	A
Copper hydroxide	Walnut	110.64	1	60.0	U
Copper monoethanolamine complex	N-outdr plants in containers	0.03	1	0.01	A
Copper naphthenate	N-outdr plants in containers	2.32	1	2,000.0	S
Copper naphthenate	Rights of way	7,576.77	N/A	N/A	N/A
Copper naphthenate	Structural pest control	7.74	N/A	N/A	N/A
Copper octanoate	Almond	526.71	35	1,512.9	A
Copper octanoate	Apple	64.24	18	196.26	A
Copper octanoate	Apricot	0.1	2	0.5	A
Copper octanoate	Artichoke, globe	192.77	58	395.9	A
Copper octanoate	Basil, sweet	33.69	115	145.85	A
Copper octanoate	Beet	24.39	10	64.5	A
Copper octanoate	Blackberry	643.49	43	670.66	A
Copper octanoate	Blueberry	100.82	26	218.06	A
Copper octanoate	Blueberry	0.07	2	3,000.0	S
Copper octanoate	Broccoli	662.53	162	1,611.2	A
Copper octanoate	Brussels sprout	28.23	4	43.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Copper octanoate	Cabbage	65.59	28	145.56	A
Copper octanoate	Carrot	6.1	5	16.21	A
Copper octanoate	Cauliflower	52.02	22	103.2	A
Copper octanoate	Celery	5,060.88	590	5,673.1	A
Copper octanoate	Cherry	69.02	11	166.1	A
Copper octanoate	Chicory	44.4	9	106.5	A
Copper octanoate	Cilantro	479.75	212	723.75	A
Copper octanoate	Cole crop	9.0	80	58.85	A
Copper octanoate	Collard	1.88	3	3.0	A
Copper octanoate	Cucumber	0.47	4	0.56	A
Copper octanoate	Eggplant	5.0	2	24.0	A
Copper octanoate	Garlic	0.42	1	1.0	A
Copper octanoate	Ginger	0.49	2	1.0	A
Copper octanoate	Grape	45.25	4	51.06	A
Copper octanoate	Grape, wine	857.46	100	1,111.31	A
Copper octanoate	Herb, spice	8.13	47	40.42	A
Copper octanoate	Kale	18.81	14	24.23	A
Copper octanoate	Kale	0.18	1	25,350.0	S
Copper octanoate	Landscape maintenance	6.58	N/A	N/A	N/A
Copper octanoate	Leek	238.26	30	198.08	A
Copper octanoate	Lettuce, head	99.97	72	153.49	A
Copper octanoate	Lettuce, leaf	429.95	146	771.92	A
Copper octanoate	Mango	148.42	4	178.0	A
Copper octanoate	Mint	14.23	21	26.2	A
Copper octanoate	Mustard greens	7.75	2	9.3	A
Copper octanoate	N-grnhs flower	3.4	16	29,137.5	S
Copper octanoate	N-grnhs plants in containers	459.25	401	351.3	A
Copper octanoate	N-grnhs plants in containers	34.05	82	1,528,704.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper octanoate	N-grnhs plants in containers	0.82	2	96,000.0	U
Copper octanoate	N-grnhs transplants	370.54	744	869.08	A
Copper octanoate	N-grnhs transplants	33.33	66	2,195,940.0	S
Copper octanoate	N-outdr flower	0.89	1	400.0	S
Copper octanoate	N-outdr plants in containers	410.48	292	834.89	A
Copper octanoate	N-outdr plants in containers	23.02	45	1,671,416.0	S
Copper octanoate	N-outdr plants in containers	7.88	7	73,402.0	U
Copper octanoate	N-outdr transplants	226.56	167	346.92	A
Copper octanoate	N-outdr transplants	420.87	202	24,253,216.0	S
Copper octanoate	Nectarine	<0.01	1	3.0	U
Copper octanoate	Olive	0.26	1	0.5	A
Copper octanoate	Onion, dry	65.86	20	185.02	A
Copper octanoate	Onion, green	0.56	1	1.34	A
Copper octanoate	Orange	2.08	1	5.0	A
Copper octanoate	Oregano	0.1	1	1.0	A
Copper octanoate	Parsley	193.71	54	298.65	A
Copper octanoate	Peach	13.36	14	30.85	A
Copper octanoate	Peach	<0.01	1	13.0	U
Copper octanoate	Pear	37.11	8	49.0	A
Copper octanoate	Pear, asian (oriental pear, ya, ya li, nashi)	2.5	3	6.0	A
Copper octanoate	Peas	10.54	4	12.64	A
Copper octanoate	Pepper, fruiting	1,333.89	79	2,504.21	A
Copper octanoate	Pistachio	0.42	1	0.5	A
Copper octanoate	Plum	170.75	13	451.9	A
Copper octanoate	Pome fruit	0.4	1	1.0	A
Copper octanoate	Potato	5.42	5	7.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Copper octanoate	Raspberry	32.73	7	21.25	A
Copper octanoate	Regulatory pest control	0.42	N/A	N/A	N/A
Copper octanoate	Research commodity	1.72	10	3.89	A
Copper octanoate	Research commodity	0.05	5	830.0	S
Copper octanoate	Root vegetable	1.3	6	9.25	A
Copper octanoate	Shallot	15.94	6	39.62	A
Copper octanoate	Spinach	227.61	71	410.35	A
Copper octanoate	Squash	58.37	2	70.0	A
Copper octanoate	Squash, summer	6.67	1	4.0	A
Copper octanoate	Squash, zucchini	0.83	1	2.0	A
Copper octanoate	Stone fruit	2.17	1	40.25	A
Copper octanoate	Strawberry	805.5	84	1,635.97	A
Copper octanoate	Strawberry	0.03	1	800.0	S
Copper octanoate	Swiss chard	112.18	54	320.22	A
Copper octanoate	Tomato	117.87	37	159.9	A
Copper octanoate	Tomato, processing	112.86	6	270.7	A
Copper octanoate	Vegetable	0.28	3	1.4	A
Copper octanoate	Vegetable	0.02	1	200.0	S
Copper octanoate	Vegetables, leafy	40.6	178	244.9	A
Copper oxychloride	Almond	21,254.75	547	25,252.34	A
Copper oxychloride	Apple	276.22	44	359.88	A
Copper oxychloride	Apricot	441.14	31	400.73	A
Copper oxychloride	Beet	5.6	3	17.5	A
Copper oxychloride	Blueberry	70.97	7	69.5	A
Copper oxychloride	Broccoli	14.06	3	32.8	A
Copper oxychloride	Cabbage	42.5	15	85.0	A
Copper oxychloride	Carrot	4.25	3	5.0	A
Copper oxychloride	Cauliflower	3.56	1	8.3	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper oxychloride	Celery	3,409.14	595	7,106.9	A
Copper oxychloride	Cherry	1,078.19	68	839.3	A
Copper oxychloride	Cilantro	187.97	95	528.18	A
Copper oxychloride	Commercial, institutional or industrial areas	36.74	1	10.0	A
Copper oxychloride	Corn, human consumption	11.92	1	110.0	A
Copper oxychloride	Cucumber	2.12	4	6.65	A
Copper oxychloride	Eggplant	0.45	1	1.5	A
Copper oxychloride	Grape	249,826.74	2,928	117,610.42	A
Copper oxychloride	Grape, wine	0.95	1	1.0	?
Copper oxychloride	Grape, wine	49,245.31	2,958	101,382.02	A
Copper oxychloride	Grapefruit	71.95	11	247.19	A
Copper oxychloride	Kale	1.13	2	4.75	A
Copper oxychloride	Kumquat	4.96	1	20.84	A
Copper oxychloride	Landscape maintenance	804.97	N/A	N/A	N/A
Copper oxychloride	Leek	39.88	16	69.74	A
Copper oxychloride	Lemon	1,023.33	94	4,275.44	A
Copper oxychloride	Lettuce, leaf	125.41	48	490.45	A
Copper oxychloride	Lime	25.96	2	109.0	A
Copper oxychloride	Melon	1.0	1	0.4	A
Copper oxychloride	N-grnhs flower	28.57	N/A	24.0	A
Copper oxychloride	N-grnhs plants in containers	3.89	49	85,118.0	S
Copper oxychloride	N-grnhs transplants	28.89	183	125.1	A
Copper oxychloride	N-outdr flower	216.69	95	666.4	A
Copper oxychloride	N-outdr plants in containers	322.29	152	498.41	A
Copper oxychloride	N-outdr transplants	43.05	11	76.49	A
Copper oxychloride	Nectarine	3,196.67	145	2,152.77	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper oxychloride	Olive	3,014.55	72	1,796.58	A
Copper oxychloride	Olive	1.31	5	16,600.0	S
Copper oxychloride	Olive	0.71	1	100.0	U
Copper oxychloride	Onion, dry	289.5	20	816.41	A
Copper oxychloride	Orange	135.81	9	83.56	A
Copper oxychloride	Parsley	100.8	47	351.27	A
Copper oxychloride	Peach	4,420.82	251	3,351.85	A
Copper oxychloride	Pear	9,119.58	337	7,849.48	A
Copper oxychloride	Pear, asian (oriental pear, ya, ya li, nashi)	5.43	3	3.91	A
Copper oxychloride	Peas	3.67	2	7.7	A
Copper oxychloride	Pepper, fruiting	200.11	29	845.28	A
Copper oxychloride	Persimmon	48.59	6	204.0	A
Copper oxychloride	Pistachio	8.57	1	12.0	A
Copper oxychloride	Plum	563.59	60	550.57	A
Copper oxychloride	Pluot	16.11	2	11.27	A
Copper oxychloride	Pome fruit	0.24	N/A	2.0	A
Copper oxychloride	Pomelo	2.38	2	4.0	A
Copper oxychloride	Potato	111.0	3	132.5	A
Copper oxychloride	Prune	474.16	19	606.5	A
Copper oxychloride	Quince	0.48	1	2.0	A
Copper oxychloride	Radish	2.44	3	9.0	A
Copper oxychloride	Raspberry	47.51	7	99.72	A
Copper oxychloride	Regulatory pest control	5,194.8	N/A	N/A	N/A
Copper oxychloride	Research commodity	5.71	N/A	N/A	N/A
Copper oxychloride	Rights of way	50.0	N/A	N/A	N/A
Copper oxychloride	Stone fruit	1.14	10	5.51	A
Copper oxychloride	Stone fruit	0.23	1	14,400.0	S
Copper oxychloride	Strawberry	43.83	3	91.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper oxychloride</b>	Strawberry	0.06	1	1,500.0	S
<b>Copper oxychloride</b>	Structural pest control	46.46	N/A	N/A	N/A
<b>Copper oxychloride</b>	Swiss chard	14.45	24	59.91	A
<b>Copper oxychloride</b>	Tangelo	29.44	3	118.58	A
<b>Copper oxychloride</b>	Tangerine	1,156.13	44	1,145.97	A
<b>Copper oxychloride</b>	Tomato	17.36	13	40.5	A
<b>Copper oxychloride</b>	Tomato, processing	226.52	27	552.8	A
<b>Copper oxychloride</b>	Uncultivated ag	0.95	2	1.0	A
<b>Copper oxychloride</b>	Walnut	20,943.33	424	14,168.36	A
<b>Copper oxychloride</b>	Watermelon	1.25	1	1.0	A
<b>Copper oxychloride sulfate</b>	Almond	25.0	1	16.0	A
<b>Copper oxychloride sulfate</b>	Brussels sprout	<0.01	2	120.0	A
<b>Copper oxychloride sulfate</b>	Grape	367.02	10	210.54	A
<b>Copper salts of fatty and rosin acids</b>	Grape, wine	0.61	1	1.0	A
<b>Copper salts of fatty and rosin acids</b>	Landscape maintenance	29.8	N/A	N/A	N/A
<b>Copper salts of fatty and rosin acids</b>	N-grnhs plants in containers	6.68	2	60,850.0	S
<b>Copper salts of fatty and rosin acids</b>	N-grnhs transplants	9.74	1	87,120.0	S
<b>Copper salts of fatty and rosin acids</b>	N-outdr plants in containers	6.07	1	1.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper salts of fatty and rosin acids</b>	N-outdr plants in containers	85.52	6	653,100.0	S
<b>Copper sulfate (anhydrous)</b>	Landscape maintenance	1.48	N/A	N/A	N/A
<b>Copper sulfate (basic)</b>	Almond	92,286.75	399	20,948.86	A
<b>Copper sulfate (basic)</b>	Apple	1.24	1	30.0	U
<b>Copper sulfate (basic)</b>	Apricot	43.01	2	7.0	A
<b>Copper sulfate (basic)</b>	Apricot	1.59	1	40.0	U
<b>Copper sulfate (basic)</b>	Cherry	7,952.84	64	1,521.02	A
<b>Copper sulfate (basic)</b>	Citrus	1,206.2	15	251.0	A
<b>Copper sulfate (basic)</b>	Commercial, institutional or industrial areas	6.7	1	10.0	A
<b>Copper sulfate (basic)</b>	Grape	56,783.25	1,295	45,177.02	A
<b>Copper sulfate (basic)</b>	Grape	0.35	1	50.0	U
<b>Copper sulfate (basic)</b>	Grape, wine	8,816.24	164	7,900.78	A
<b>Copper sulfate (basic)</b>	Grapefruit	7,603.92	123	1,714.99	A
<b>Copper sulfate (basic)</b>	Guava	40.7	11	86.29	A
<b>Copper sulfate (basic)</b>	Landscape maintenance	8.07	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper sulfate (basic)</b>	Lemon	68,819.52	741	16,013.61	A
<b>Copper sulfate (basic)</b>	N-grnhs plants in containers	11.4	13	5.32	A
<b>Copper sulfate (basic)</b>	N-outdr flower	1.07	1	1.0	A
<b>Copper sulfate (basic)</b>	N-outdr plants in containers	230.0	19	41.21	A
<b>Copper sulfate (basic)</b>	N-outdr transplants	1,126.92	32	475.82	A
<b>Copper sulfate (basic)</b>	N-outdr transplants	16.1	13	824,263.0	S
<b>Copper sulfate (basic)</b>	Nectarine	105.65	2	14.0	A
<b>Copper sulfate (basic)</b>	Olive	3,650.12	27	529.5	A
<b>Copper sulfate (basic)</b>	Onion, dry	4,775.08	39	3,358.0	A
<b>Copper sulfate (basic)</b>	Orange	413,766.63	4,379	90,685.66	A
<b>Copper sulfate (basic)</b>	Orange	264.12	1	280.0	U
<b>Copper sulfate (basic)</b>	Peach	44,943.66	223	3,728.17	A
<b>Copper sulfate (basic)</b>	Peach	2.48	1	60.0	U
<b>Copper sulfate (basic)</b>	Pear	512.76	23	872.5	A
<b>Copper sulfate (basic)</b>	Plum	1,673.43	10	233.27	A
<b>Copper sulfate (basic)</b>	Pomelo	2,023.32	54	466.71	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper sulfate (basic)</b>	Prune	712.19	4	228.0	A
<b>Copper sulfate (basic)</b>	Regulatory pest control	2,024.64	N/A	N/A	N/A
<b>Copper sulfate (basic)</b>	Strawberry	3,647.68	44	2,145.86	A
<b>Copper sulfate (basic)</b>	Tangelo	10,464.51	145	2,355.84	A
<b>Copper sulfate (basic)</b>	Tangerine	141,745.66	1,193	33,708.82	A
<b>Copper sulfate (basic)</b>	Tomato	15.76	1	16.67	A
<b>Copper sulfate (basic)</b>	Vertebrate control	1.49	N/A	N/A	N/A
<b>Copper sulfate (basic)</b>	Walnut	16,695.76	147	3,934.97	A
<b>Copper sulfate (basic)</b>	Water area	4.96	N/A	5.0	A
<b>Copper sulfate (pentahydrate)</b>	Alfalfa	581.63	1	117.5	A
<b>Copper sulfate (pentahydrate)</b>	Almond	17,837.22	464	29,949.96	A
<b>Copper sulfate (pentahydrate)</b>	Apricot	69.36	3	137.0	A
<b>Copper sulfate (pentahydrate)</b>	Avocado	158.4	4	12.0	A
<b>Copper sulfate (pentahydrate)</b>	Blackberry	97.1	2	12.26	A
<b>Copper sulfate (pentahydrate)</b>	Blueberry	51.46	6	70.0	A
<b>Copper sulfate (pentahydrate)</b>	Celery	183.53	55	777.04	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper sulfate (pentahydrate)</b>	Cherry	16,007.5	70	1,209.7	A
<b>Copper sulfate (pentahydrate)</b>	Citrus	5.88	5	11.25	A
<b>Copper sulfate (pentahydrate)</b>	Ditch bank	7,687.71	N/A	14.0	U
<b>Copper sulfate (pentahydrate)</b>	Grape	1,299.23	52	2,045.94	A
<b>Copper sulfate (pentahydrate)</b>	Grape, wine	20,141.42	53	7,254.08	A
<b>Copper sulfate (pentahydrate)</b>	Landscape maintenance	47,755.7	N/A	N/A	N/A
<b>Copper sulfate (pentahydrate)</b>	N-grnhs flower	0.77	4	2.75	A
<b>Copper sulfate (pentahydrate)</b>	N-grnhs flower	0.77	5	67,800.0	S
<b>Copper sulfate (pentahydrate)</b>	N-grnhs plants in containers	128.38	190	174.1	A
<b>Copper sulfate (pentahydrate)</b>	N-grnhs plants in containers	63.15	105	2,411,669.0	S
<b>Copper sulfate (pentahydrate)</b>	N-grnhs transplants	2.72	6	39.78	A
<b>Copper sulfate (pentahydrate)</b>	N-grnhs transplants	0.96	49	406,275.0	S
<b>Copper sulfate (pentahydrate)</b>	N-outdr flower	6.55	14	22.0	A
<b>Copper sulfate (pentahydrate)</b>	N-outdr plants in containers	421.4	274	533.06	A
<b>Copper sulfate (pentahydrate)</b>	N-outdr plants in containers	47.27	64	3,420,312.0	S
<b>Copper sulfate (pentahydrate)</b>	N-outdr plants in containers	4.82	1	42,848.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper sulfate (pentahydrate)</b>	N-outdr transplants	46.39	32	298.1	A
<b>Copper sulfate (pentahydrate)</b>	Nectarine	17.7	2	11.0	A
<b>Copper sulfate (pentahydrate)</b>	Olive	34,765.7	48	2,223.9	A
<b>Copper sulfate (pentahydrate)</b>	Onion, dry	746.97	29	2,441.11	A
<b>Copper sulfate (pentahydrate)</b>	Orange	637.56	3	73.39	A
<b>Copper sulfate (pentahydrate)</b>	Peach	32.61	7	36.92	A
<b>Copper sulfate (pentahydrate)</b>	Pear, asian (oriental pear, ya, ya li, nashi)	8.04	2	5.0	A
<b>Copper sulfate (pentahydrate)</b>	Plum	21.25	11	22.5	A
<b>Copper sulfate (pentahydrate)</b>	Prune	38.44	3	83.0	A
<b>Copper sulfate (pentahydrate)</b>	Public health	5,148.0	N/A	N/A	N/A
<b>Copper sulfate (pentahydrate)</b>	Regulatory pest control	1,804.8	N/A	N/A	N/A
<b>Copper sulfate (pentahydrate)</b>	Rice	568,246.14	651	42,265.98	A
<b>Copper sulfate (pentahydrate)</b>	Rice, wild	32,200.99	39	2,407.19	A
<b>Copper sulfate (pentahydrate)</b>	Rights of way	3,341.74	7	239.0	A
<b>Copper sulfate (pentahydrate)</b>	Rights of way	178,149.35	N/A	N/A	N/A
<b>Copper sulfate (pentahydrate)</b>	Tangerine	4.63	1	1.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper sulfate (pentahydrate)</b>	Tomato	12.93	6	23.08	A
<b>Copper sulfate (pentahydrate)</b>	Tomato, processing	397.31	12	807.7	A
<b>Copper sulfate (pentahydrate)</b>	Uncultivated non-ag	1,039.5	3	21.0	A
<b>Copper sulfate (pentahydrate)</b>	Vertebrate control	9.8	1	1.0	A
<b>Copper sulfate (pentahydrate)</b>	Vertebrate control	2,451.87	N/A	N/A	N/A
<b>Copper sulfate (pentahydrate)</b>	Walnut	7,567.02	212	9,798.06	A
<b>Copper sulfate (pentahydrate)</b>	Water (industrial)	86.09	N/A	70.15	A
<b>Copper sulfate (pentahydrate)</b>	Water (industrial)	862.29	N/A	2.0	U
<b>Copper sulfate (pentahydrate)</b>	Water area	176,531.22	187	63,934.76	A
<b>Copper sulfate (pentahydrate)</b>	Water area	6,296.4	N/A	446,719.5	C
<b>Copper sulfate (pentahydrate)</b>	Water area	8,922.69	N/A	166,546.6	K
<b>Copper sulfate (pentahydrate)</b>	Water area	67.75	N/A	708,934.0	S
<b>Copper sulfate (pentahydrate)</b>	Water area	71,959.66	N/A	1,184,235.3	U
<b>Copper sulfate (pentahydrate)</b>	Watermelon	10.9	N/A	2.01	A
<b>Copper triethanolamine complex</b>	Landscape maintenance	1,986.04	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Copper triethanolamine complex</b>	Rights of way	409.6	2	115.0	A
<b>Copper triethanolamine complex</b>	Rights of way	10,072.2	N/A	N/A	N/A
<b>Copper triethanolamine complex</b>	Water area	2,453.45	6	135.0	A
<b>Copper triethanolamine complex</b>	Water area	483.04	N/A	255.0	C
<b>Copper triethanolamine complex</b>	Water area	23.64	N/A	4.0	U
<b>Copper-zinc sulfate complex</b>	Rangeland	1,458.0	1	400.0	A
<b>Corn gluten meal</b>	Landscape maintenance	6.31	N/A	N/A	N/A
<b>Corn product, hydrolyzed</b>	Almond	8.48	1	5.0	A
<b>Corn product, hydrolyzed</b>	Blackberry	69.26	3	40.95	A
<b>Corn product, hydrolyzed</b>	Citrus	28.61	9	91.0	A
<b>Corn product, hydrolyzed</b>	Olive	305.53	11	373.0	A
<b>Corn product, hydrolyzed</b>	Orange	191.16	37	586.44	A
<b>Corn product, hydrolyzed</b>	Stone fruit	23.53	7	21.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Corn product, hydrolyzed</b>	Strawberry	1,602.88	42	993.14	A
<b>Corn product, hydrolyzed</b>	Tangerine	4.74	3	19.0	A
<b>Corn product, hydrolyzed</b>	Uncultivated ag	67.63	1	40.0	A
<b>Corn product, hydrolyzed</b>	Walnut	78,026.91	3,145	70,781.3	A
<b>Corn steep liquor</b>	Almond	262.26	11	158.0	A
<b>Corn steep liquor</b>	Cherry	236.88	2	49.0	A
<b>Corn steep liquor</b>	Grape	345.66	5	143.0	A
<b>Corn steep liquor</b>	Landscape maintenance	18.13	N/A	N/A	N/A
<b>Corn steep liquor</b>	Olive	55.6	2	16.0	A
<b>Corn steep liquor</b>	Walnut	127,113.87	1,006	35,782.23	A
<b>Corn syrup</b>	Alfalfa	1,515.68	106	4,968.15	A
<b>Corn syrup</b>	Almond	5,218.15	483	13,207.45	A
<b>Corn syrup</b>	Cherry	39.32	7	91.32	A
<b>Corn syrup</b>	Corn (forage - fodder)	3,043.53	243	10,907.79	A
<b>Corn syrup</b>	Cotton	114.99	5	283.0	A
<b>Corn syrup</b>	Forage hay/silage	9.32	1	29.0	A
<b>Corn syrup</b>	Grape	365.6	35	633.81	A
<b>Corn syrup</b>	Grape, wine	491.87	25	1,351.44	A
<b>Corn syrup</b>	Oat (forage - fodder)	174.13	15	627.3	A
<b>Corn syrup</b>	Pastureland	189.28	3	815.0	A
<b>Corn syrup</b>	Peach	138.93	23	438.0	A
<b>Corn syrup</b>	Pepper, fruiting	31.08	2	80.0	A
<b>Corn syrup</b>	Persimmon	1.74	1	7.0	A
<b>Corn syrup</b>	Pistachio	5,772.55	140	6,212.61	A
<b>Corn syrup</b>	Pomelo	2.49	1	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Corn syrup	Potato	37.99	42	2,442.42	A
Corn syrup	Prune	89.51	11	164.0	A
Corn syrup	Rights of way	1.24	2	5.0	A
Corn syrup	Rights of way	38.54	N/A	N/A	N/A
Corn syrup	Ryegrass	11.81	2	76.0	A
Corn syrup	Soil fumigation/preplant	34.81	2	112.0	A
Corn syrup	Sorghum (forage - fodder)	37.3	4	136.0	A
Corn syrup	Sudangrass	80.66	11	446.0	A
Corn syrup	Sugarbeet	74.6	3	286.0	A
Corn syrup	Tomato, processing	27.97	1	75.0	A
Corn syrup	Uncultivated ag	163.77	11	717.2	A
Corn syrup	Walnut	1,768.26	201	3,874.84	A
Corn syrup	Wheat	21.76	3	232.0	A
Corn syrup	Wheat (forage - fodder)	68.01	10	729.0	A
Cottonseed oil	Alfalfa	1,084.34	27	959.4	A
Cottonseed oil	Almond	33.06	2	86.0	A
Cottonseed oil	Avocado	2.91	1	8.0	A
Cottonseed oil	Bermudagrass	67.03	3	94.0	A
Cottonseed oil	Corn (forage - fodder)	6,458.13	69	3,736.0	A
Cottonseed oil	Cotton	2,760.75	42	1,957.3	A
Cottonseed oil	Grape	96.41	19	719.0	A
Cottonseed oil	Grape, wine	2.71	1	20.0	A
Cottonseed oil	Lemon	2.91	1	8.0	A
Cottonseed oil	Mango	0.78	1	2.5	A
Cottonseed oil	Onion, dry	65.25	2	73.2	A
Cottonseed oil	Pistachio	267.41	1	150.0	A
Cottonseed oil	Rights of way	1.7	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Cottonseed oil</b>	Uncultivated ag	5.83	1	15.0	A
<b>Cottonseed oil</b>	Wheat	109.68	10	246.1	A
<b>Coyote urine</b>	Structural pest control	26.8	N/A	N/A	N/A
<b>Cryolite</b>	Brussels sprout	1,191.86	4	103.46	A
<b>Cryolite</b>	Grape	54,428.62	351	11,143.03	A
<b>Cryolite</b>	Grape, wine	326.4	4	60.0	A
<b>Cryolite</b>	Grapefruit	810.0	5	64.0	A
<b>Cryolite</b>	Kiwi fruit fuzzy	12,796.03	55	1,332.92	A
<b>Cryolite</b>	Lemon	676.8	4	45.0	A
<b>Cryolite</b>	N-outdr plants in containers	5.04	1	1.75	A
<b>Cryolite</b>	N-outdr plants in containers	0.96	1	6,000.0	S
<b>Cryolite</b>	Orange	99,968.24	286	7,824.23	A
<b>Cryolite</b>	Pepper, fruiting	31,622.33	186	3,475.55	A
<b>Cryolite</b>	Tangerine	3,371.4	23	280.2	A
<b>Cube extracts</b>	Landscape maintenance	0.07	N/A	N/A	N/A
<b>Cube extracts</b>	N-outdr flower	0.04	2	17.5	A
<b>Cube extracts</b>	Structural pest control	0.03	N/A	N/A	N/A
<b>Cuprous oxide</b>	Almond	51,284.75	293	10,766.91	A
<b>Cuprous oxide</b>	Apple	767.55	13	348.3	A
<b>Cuprous oxide</b>	Apricot	4,821.77	39	774.6	A
<b>Cuprous oxide</b>	Blackberry	103.2	8	48.0	A
<b>Cuprous oxide</b>	Blueberry	3,293.5	16	901.04	A
<b>Cuprous oxide</b>	Broccoli	99.67	4	134.0	A
<b>Cuprous oxide</b>	Cabbage	321.91	33	488.65	A
<b>Cuprous oxide</b>	Carrot	341.47	6	203.5	A
<b>Cuprous oxide</b>	Cauliflower	72.91	6	106.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cuprous oxide	Celery	2,968.0	218	1,761.7	A
Cuprous oxide	Cherry	3,388.87	29	654.69	A
Cuprous oxide	Citrus	60.83	3	36.0	A
Cuprous oxide	Cucumber	16.78	1	10.0	A
Cuprous oxide	Grape	4,925.73	142	4,811.02	A
Cuprous oxide	Grape, wine	19,638.5	1,119	21,588.27	A
Cuprous oxide	Grapefruit	2,197.95	30	828.92	A
Cuprous oxide	Landscape maintenance	58.73	1	7.0	A
Cuprous oxide	Landscape maintenance	80.26	N/A	N/A	N/A
Cuprous oxide	Lemon	8,417.01	134	3,789.53	A
Cuprous oxide	Lime	4.2	2	2.0	A
Cuprous oxide	N-grnhs plants in containers	46.15	11	35.5	A
Cuprous oxide	N-grnhs plants in containers	53.92	97	2,722,000.0	S
Cuprous oxide	N-grnhs transplants	845.52	254	2,307.79	A
Cuprous oxide	N-grnhs transplants	31.47	17	1,115,382.0	S
Cuprous oxide	N-outdr plants in containers	105.43	24	92.5	A
Cuprous oxide	N-outdr transplants	286.63	38	134.18	A
Cuprous oxide	N-outdr transplants	300.61	89	9,868,726.0	S
Cuprous oxide	Nectarine	5,482.92	131	821.46	A
Cuprous oxide	Olive	1,667.09	13	322.0	A
Cuprous oxide	Onion, dry	2,322.77	24	1,150.8	A
Cuprous oxide	Orange	23,802.59	328	9,622.81	A
Cuprous oxide	Parsley	26.01	5	15.5	A
Cuprous oxide	Peach	17,571.97	307	2,891.88	A
Cuprous oxide	Pear	5.11	5	1.6	A
Cuprous oxide	Pepper, fruiting	45.31	3	55.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cuprous oxide	Plum	6,434.25	59	964.11	A
Cuprous oxide	Pluot	16.78	2	2.25	A
Cuprous oxide	Pome fruit	0.1	1	11,000.0	S
Cuprous oxide	Pomelo	253.18	8	105.0	A
Cuprous oxide	Potato	704.09	10	419.6	A
Cuprous oxide	Prune	130.04	2	29.0	A
Cuprous oxide	Pumpkin	13.63	1	16.25	A
Cuprous oxide	Quince	46.15	2	11.0	A
Cuprous oxide	Raspberry	94.18	12	51.35	A
Cuprous oxide	Regulatory pest control	4.51	N/A	N/A	N/A
Cuprous oxide	Stone fruit	174.99	7	51.6	A
Cuprous oxide	Stone fruit	0.1	1	11,000.0	S
Cuprous oxide	Structural pest control	16.85	N/A	N/A	N/A
Cuprous oxide	Tangelo	340.83	12	146.0	A
Cuprous oxide	Tangerine	8,075.6	77	2,594.04	A
Cuprous oxide	Tomato	579.7	30	351.75	A
Cuprous oxide	Tomato, processing	528.51	18	424.17	A
Cuprous oxide	Walnut	23,960.54	156	5,718.28	A
Cyanazine	Structural pest control	0.82	N/A	N/A	N/A
Cyantraniliprole	Almond	5,459.83	867	52,938.48	A
Cyantraniliprole	Apple	21.81	8	177.0	A
Cyantraniliprole	Apricot	2.52	5	21.74	A
Cyantraniliprole	Arugula	0.57	7	8.0	A
Cyantraniliprole	Bean, succulent	0.27	6	2.95	A
Cyantraniliprole	Bean, unspecified	1.94	5	35.0	A
Cyantraniliprole	Blackberry	99.91	97	977.45	A
Cyantraniliprole	Blueberry	122.44	43	1,085.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyantraniliprole	Bok choy (choy sum, pak choi)	97.27	281	764.88	A
Cyantraniliprole	Broccoli	2,655.97	1,850	21,220.12	A
Cyantraniliprole	Brussels sprout	939.47	800	10,181.9	A
Cyantraniliprole	Cabbage	1,109.89	1,039	9,477.1	A
Cyantraniliprole	Cantaloupe	387.91	39	4,407.03	A
Cyantraniliprole	Cardoon	1.22	1	14.0	A
Cyantraniliprole	Cauliflower	1,069.62	908	9,575.53	A
Cyantraniliprole	Celery	783.82	802	8,751.57	A
Cyantraniliprole	Chinese broccoli (gai lon)	3.43	16	50.0	A
Cyantraniliprole	Chinese cabbage (napa, wong bok, celery cabbage)	159.11	185	1,139.29	A
Cyantraniliprole	Cilantro	2.12	1	19.4	A
Cyantraniliprole	Citrus	29.77	22	321.26	A
Cyantraniliprole	Collard	60.6	135	503.08	A
Cyantraniliprole	Cotton	2.65	1	30.2	A
Cyantraniliprole	Cucumber	2.34	4	15.49	A
Cyantraniliprole	Daikon	0.88	1	8.5	A
Cyantraniliprole	Eggplant	1.36	1	15.5	A
Cyantraniliprole	Endive (escarole)	17.72	70	198.54	A
Cyantraniliprole	Fennel	4.08	3	42.9	A
Cyantraniliprole	Gai lon	4.16	53	35.65	A
Cyantraniliprole	Garlic	30.52	6	347.6	A
Cyantraniliprole	Ginger	0.12	3	1.5	A
Cyantraniliprole	Grape	1.18	1	15.0	A
Cyantraniliprole	Grapefruit	453.81	224	4,494.71	A
Cyantraniliprole	Herb, spice	0.05	1	0.75	A
Cyantraniliprole	Kale	188.88	381	1,654.1	A
Cyantraniliprole	Kohlrabi	9.03	79	80.46	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyantraniliprole	Landscape maintenance	3.15	N/A	N/A	N/A
Cyantraniliprole	Leek	15.8	42	153.22	A
Cyantraniliprole	Lemon	1,526.33	820	14,804.17	A
Cyantraniliprole	Lettuce, head	1,427.38	1,496	16,829.71	A
Cyantraniliprole	Lettuce, leaf	3,764.99	3,690	39,760.47	A
Cyantraniliprole	Lime	8.83	10	93.33	A
Cyantraniliprole	Melon	136.89	22	1,663.69	A
Cyantraniliprole	Mizuna	5.25	8	44.3	A
Cyantraniliprole	Mustard	20.47	76	166.71	A
Cyantraniliprole	Mustard greens	34.21	83	239.2	A
Cyantraniliprole	N-grnhs flower	53.77	188	338.29	A
Cyantraniliprole	N-grnhs flower	13.9	129	2,778,218.0	S
Cyantraniliprole	N-grnhs plants in containers	2,276.17	1,020	882.22	A
Cyantraniliprole	N-grnhs plants in containers	142.25	237	11,245,993.0	S
Cyantraniliprole	N-grnhs plants in containers	1.27	7	257,294.0	U
Cyantraniliprole	N-grnhs transplants	7,612.18	752	3,335.99	A
Cyantraniliprole	N-grnhs transplants	89.28	51	440,644.0	S
Cyantraniliprole	N-outdr flower	105.06	201	844.83	A
Cyantraniliprole	N-outdr plants in containers	144.22	561	713.58	A
Cyantraniliprole	N-outdr plants in containers	13.83	53	3,261,423.0	S
Cyantraniliprole	N-outdr plants in containers	0.52	8	44,265.0	U
Cyantraniliprole	N-outdr transplants	3,833.37	683	767.57	A
Cyantraniliprole	N-outdr transplants	3,238.2	569	3,092,015.0	S
Cyantraniliprole	Nectarine	1.93	3	13.4	A
Cyantraniliprole	Olive	0.18	2	2.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyantraniliprole	Onion, dry	584.15	109	6,343.24	A
Cyantraniliprole	Onion, green	0.28	4	2.75	A
Cyantraniliprole	Orange	10,180.36	4,475	93,337.57	A
Cyantraniliprole	Parsley	8.12	28	107.4	A
Cyantraniliprole	Peach	69.77	38	686.18	A
Cyantraniliprole	Pear	71.91	17	801.5	A
Cyantraniliprole	Peas	93.17	129	941.39	A
Cyantraniliprole	Pepper, fruiting	604.75	320	6,991.68	A
Cyantraniliprole	Pepper, spice	0.5	1	3.3	A
Cyantraniliprole	Pistachio	36.58	7	359.1	A
Cyantraniliprole	Plum	8.71	8	77.26	A
Cyantraniliprole	Pomelo	20.27	29	179.25	A
Cyantraniliprole	Pumpkin	12.33	12	123.84	A
Cyantraniliprole	Radicchio	3.31	13	54.52	A
Cyantraniliprole	Radish	3.01	6	30.6	A
Cyantraniliprole	Rapini	61.13	98	608.3	A
Cyantraniliprole	Raspberry	89.35	94	890.42	A
Cyantraniliprole	Regulatory pest control	<0.01	N/A	N/A	N/A
Cyantraniliprole	Research commodity	3.05	23	29.83	A
Cyantraniliprole	Research commodity	1.4	N/A	N/A	N/A
Cyantraniliprole	Root vegetable	2.15	21	33.25	A
Cyantraniliprole	Spinach	272.68	230	2,856.33	A
Cyantraniliprole	Squash	1.15	3	13.0	A
Cyantraniliprole	Squash, winter	0.79	1	9.0	A
Cyantraniliprole	Strawberry	992.66	283	9,405.78	A
Cyantraniliprole	Structural pest control	0.09	N/A	N/A	N/A
Cyantraniliprole	Sunflower	2.11	1	26.67	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyantraniliprole	Swiss chard	4.12	15	40.55	A
Cyantraniliprole	Tangelo	276.73	160	2,683.73	A
Cyantraniliprole	Tangerine	4,523.45	1,471	31,322.11	A
Cyantraniliprole	Tomato	906.72	181	6,205.32	A
Cyantraniliprole	Tomato, processing	331.5	66	4,367.63	A
Cyantraniliprole	Turnip	9.42	37	64.64	A
Cyantraniliprole	Turnip greens	0.07	1	0.5	A
Cyantraniliprole	Uncultivated ag	0.72	4	4.8	A
Cyantraniliprole	Uncultivated ag	0.25	4	126,000.0	S
Cyantraniliprole	Vegetable	0.02	1	0.08	A
Cyantraniliprole	Vegetables, fruiting	0.11	4	1.05	A
Cyantraniliprole	Vegetables, leafy	1.55	18	22.85	A
Cyantraniliprole	Vertebrate control	0.17	1	0.78	A
Cyantraniliprole	Walnut	305.42	73	2,999.8	A
Cyantraniliprole	Watermelon	28.33	14	328.6	A
Cyanuric acid	Watermelon	N/A	1	29.0	A
Cyazofamid	Arugula	40.97	69	575.11	A
Cyazofamid	Basil, sweet	27.56	51	362.6	A
Cyazofamid	Bean, succulent	3.15	3	44.0	A
Cyazofamid	Bok choy (choy sum, pak choi)	0.07	3	1.0	A
Cyazofamid	Broccoli	184.19	35	397.6	A
Cyazofamid	Brussels sprout	67.19	4	164.0	A
Cyazofamid	Cabbage	23.99	8	48.0	A
Cyazofamid	Carrot	1,797.08	167	11,600.22	A
Cyazofamid	Cole crop	1.5	32	21.15	A
Cyazofamid	Collard	3.49	13	48.7	A
Cyazofamid	Cress, garden	0.33	2	4.6	A
Cyazofamid	Cucumber	44.7	29	605.7	A
Cyazofamid	Dill	12.24	5	172.0	A
Cyazofamid	Golf course turf	57.03	1	90.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyazofamid	Golf course turf	12.09	1	890,000.0	S
Cyazofamid	Herb, spice	5.26	14	73.25	A
Cyazofamid	Kale	5.88	26	82.3	A
Cyazofamid	Landscape maintenance	616.36	N/A	N/A	N/A
Cyazofamid	Leek	0.63	6	7.9	A
Cyazofamid	Lettuce, head	54.48	87	766.9	A
Cyazofamid	Lettuce, leaf	101.22	174	1,423.3	A
Cyazofamid	Melon	29.09	4	449.0	A
Cyazofamid	Mizuna	0.58	9	8.1	A
Cyazofamid	Mustard greens	0.54	2	7.59	A
Cyazofamid	N-grnhs flower	50.54	22	111.8	A
Cyazofamid	N-grnhs flower	6.05	9	566,600.0	S
Cyazofamid	N-grnhs plants in containers	7.55	10	14.37	A
Cyazofamid	N-grnhs plants in containers	5.26	56	2,903,105.0	S
Cyazofamid	N-grnhs transplants	71.35	1,624	661.96	A
Cyazofamid	N-grnhs transplants	0.73	2	630,000.0	S
Cyazofamid	N-outdr flower	7.84	19	60.57	A
Cyazofamid	N-outdr flower	2.59	N/A	100,000.0	S
Cyazofamid	N-outdr plants in containers	36.67	75	328.09	A
Cyazofamid	N-outdr plants in containers	0.07	2	126,500.0	S
Cyazofamid	N-outdr plants in containers	1.32	4	28,800.0	U
Cyazofamid	N-outdr transplants	1.66	16	37.94	A
Cyazofamid	N-outdr transplants	7.19	27	5,688,450.0	S
Cyazofamid	Onion, dry	70.74	18	920.0	A
Cyazofamid	Onion, green	0.02	1	0.25	A
Cyazofamid	Parsley	5.89	5	82.78	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyazofamid	Pepper, fruiting	29.58	17	413.27	A
Cyazofamid	Potato	14.33	2	201.0	A
Cyazofamid	Pumpkin	6.77	7	95.25	A
Cyazofamid	Research commodity	3.58	N/A	N/A	N/A
Cyazofamid	Spinach	126.57	249	1,777.3	A
Cyazofamid	Squash	1.92	6	29.5	A
Cyazofamid	Squash, winter	1.36	1	19.0	A
Cyazofamid	Tomato	35.46	45	525.46	A
Cyazofamid	Turf/sod	8.03	2	8.0	A
Cyazofamid	Turnip	0.8	1	11.0	A
Cyazofamid	Uncultivated ag	8.19	2	115.0	A
Cyazofamid	Upland cress	5.91	42	79.3	A
Cyazofamid	Vegetables, leafy	6.05	62	84.85	A
Cyazofamid	Watermelon	2.32	4	26.5	A
Cyclanilide	Cotton	1,429.86	495	20,595.23	A
Cyclaniliprole	Almond	<0.01	2	0.12	A
Cyclaniliprole	Bok choy (choy sum, pak choi)	11.25	33	264.92	A
Cyclaniliprole	Broccoli	218.66	394	4,297.19	A
Cyclaniliprole	Brussels sprout	156.21	199	2,959.22	A
Cyclaniliprole	Cabbage	213.76	439	4,096.01	A
Cyclaniliprole	Cauliflower	146.07	277	2,817.16	A
Cyclaniliprole	Chinese cabbage (napa, wong bok, celery cabbage)	35.84	126	695.8	A
Cyclaniliprole	Collard	1.32	10	25.2	A
Cyclaniliprole	Gai lon	3.86	16	108.24	A
Cyclaniliprole	Kale	3.65	15	69.4	A
Cyclaniliprole	Lettuce, head	12.31	30	310.1	A
Cyclaniliprole	Lettuce, leaf	30.04	72	824.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyclaniliprole	Mustard greens	0.03	1	0.5	A
Cyclaniliprole	N-outdr transplants	0.94	10	23.4	A
Cyclaniliprole	Peas	<0.01	1	0.11	A
Cyclaniliprole	Pepper, fruiting	0.05	1	1.0	A
Cyclaniliprole	Research commodity	1.86	23	44.5	A
Cyclaniliprole	Strawberry	40.77	36	685.74	A
Cyclaniliprole	Turnip	0.03	1	0.5	A
Cycloate	Beet	1,374.08	140	578.91	A
Cycloate	Radish	1.49	1	0.38	A
Cycloate	Regulatory pest control	2.24	1	2.0	A
Cycloate	Research commodity	6.08	N/A	N/A	N/A
Cycloate	Spinach	38,985.5	2,523	19,690.55	A
Cycloate	Turnip greens	1.49	1	0.38	A
Cycloate	Unknown	94.7	24	23.98	A
Cyflufenamid	Cantaloupe	68.76	58	3,192.67	A
Cyflufenamid	Cherry	7.94	11	202.03	A
Cyflufenamid	Cucumber	7.9	17	343.72	A
Cyflufenamid	Eggplant	0.58	2	27.5	A
Cyflufenamid	Grape	1,570.73	1,612	64,052.73	A
Cyflufenamid	Grape, wine	4,521.56	5,066	158,447.62	A
Cyflufenamid	Landscape maintenance	1.11	N/A	N/A	N/A
Cyflufenamid	Melon	41.58	40	1,828.5	A
Cyflufenamid	N-grnhs flower	0.31	3	3.0	A
Cyflufenamid	N-grnhs flower	<0.01	1	285.0	S
Cyflufenamid	N-grnhs plants in containers	29.21	242	494.06	A
Cyflufenamid	N-grnhs plants in containers	0.93	30	124,375.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyflufenamid	N-grnhs transplants	11.45	45	1,128.03	A
Cyflufenamid	N-grnhs transplants	0.2	37	414,150.0	S
Cyflufenamid	N-outdr flower	51.37	124	790.51	A
Cyflufenamid	N-outdr plants in containers	102.99	348	1,789.9	A
Cyflufenamid	N-outdr plants in containers	0.33	5	106,000.0	S
Cyflufenamid	N-outdr plants in containers	0.23	7	23,300.0	U
Cyflufenamid	N-outdr transplants	2.16	17	60.49	A
Cyflufenamid	Pepper, fruiting	39.42	76	1,730.87	A
Cyflufenamid	Pumpkin	29.82	53	1,287.15	A
Cyflufenamid	Regulatory pest control	0.76	N/A	N/A	N/A
Cyflufenamid	Research commodity	0.19	N/A	N/A	N/A
Cyflufenamid	Squash	27.75	43	1,223.1	A
Cyflufenamid	Squash, summer	3.46	4	158.0	A
Cyflufenamid	Squash, winter	4.72	5	205.0	A
Cyflufenamid	Strawberry	598.83	727	26,021.74	A
Cyflufenamid	Strawberry	<0.01	4	13,800.0	S
Cyflufenamid	Tomatillo	0.03	1	1.0	A
Cyflufenamid	Tomato	49.16	44	2,133.44	A
Cyflufenamid	Tomato, processing	163.17	169	7,120.17	A
Cyflufenamid	Vegetable	1.13	2	49.0	A
Cyflufenamid	Walnut	1.68	1	73.0	A
Cyflufenamid	Watermelon	185.26	163	8,083.6	A
Cyflumetofen	Almond	53,163.2	4,299	292,716.95	A
Cyflumetofen	Apple	34.66	16	189.5	A
Cyflumetofen	Apricot	14.85	18	81.47	A
Cyflumetofen	Cherry	874.41	197	4,844.34	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyflumetofen	Cucumber	1.79	3	10.0	A
Cyflumetofen	Grape	300.61	55	1,801.0	A
Cyflumetofen	Grape, wine	3,191.68	532	17,513.65	A
Cyflumetofen	Grapefruit	16.33	9	95.3	A
Cyflumetofen	Landscape maintenance	0.25	N/A	N/A	N/A
Cyflumetofen	Lemon	834.23	276	4,577.66	A
Cyflumetofen	N-grnhs flower	25.88	31	84.65	A
Cyflumetofen	N-grnhs flower	2.03	30	411,184.5	S
Cyflumetofen	N-grnhs plants in containers	94.96	246	331.16	A
Cyflumetofen	N-grnhs plants in containers	7.16	84	1,595,113.0	S
Cyflumetofen	N-grnhs plants in containers	0.08	5	6,383.0	U
Cyflumetofen	N-grnhs transplants	3.92	29	229.02	A
Cyflumetofen	N-grnhs transplants	0.28	14	41,775.0	S
Cyflumetofen	N-outdr flower	33.14	46	109.61	A
Cyflumetofen	N-outdr plants in containers	54.15	106	275.38	A
Cyflumetofen	N-outdr plants in containers	1.14	14	161,050.0	S
Cyflumetofen	N-outdr plants in containers	6.47	9	122,209.0	U
Cyflumetofen	N-outdr transplants	186.85	101	1,410.19	A
Cyflumetofen	Nectarine	294.85	57	1,611.64	A
Cyflumetofen	Orange	1,677.61	400	9,223.08	A
Cyflumetofen	Peach	844.28	208	4,621.85	A
Cyflumetofen	Pear	14.98	6	82.0	A
Cyflumetofen	Pecan	12.44	2	68.0	A
Cyflumetofen	Pepper, fruiting	5.0	4	28.0	A
Cyflumetofen	Pistachio	6.75	1	36.9	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyflumetofen	Plum	103.07	67	563.11	A
Cyflumetofen	Pomegranate	16.09	1	88.0	A
Cyflumetofen	Prune	6.22	2	34.0	A
Cyflumetofen	Quince	0.73	1	4.0	A
Cyflumetofen	Regulatory pest control	0.55	N/A	N/A	N/A
Cyflumetofen	Research commodity	0.08	5	0.15	A
Cyflumetofen	Research commodity	2.07	N/A	N/A	N/A
Cyflumetofen	Rights of way	0.21	2	2.0	A
Cyflumetofen	Strawberry	9,341.13	1,567	51,150.67	A
Cyflumetofen	Tangelo	19.02	6	103.94	A
Cyflumetofen	Tangerine	917.86	242	5,020.24	A
Cyflumetofen	Tomato	9.23	2	52.0	A
Cyflumetofen	Walnut	5,344.48	671	29,451.83	A
Cyfluthrin	Alfalfa	636.99	231	15,289.76	A
Cyfluthrin	Almond	957.56	415	24,080.62	A
Cyfluthrin	Apricot	0.19	4	4.3	A
Cyfluthrin	Bermudagrass	132.11	31	2,908.0	A
Cyfluthrin	Bok choy (choy sum, pak choi)	10.9	10	210.0	A
Cyfluthrin	Broccoli	106.89	204	2,082.89	A
Cyfluthrin	Brussels sprout	50.26	64	976.51	A
Cyfluthrin	Cabbage	41.97	85	526.04	A
Cyfluthrin	Cantaloupe	140.48	26	3,094.54	A
Cyfluthrin	Carrot	1.37	1	30.0	A
Cyfluthrin	Cauliflower	31.73	78	606.7	A
Cyfluthrin	Celery	30.68	47	609.0	A
Cyfluthrin	Cherry	0.05	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Cyfluthrin	Chinese amaranth (chinese spinach, tampala, yin choy)	5.45	6	84.0	A
Cyfluthrin	Chinese broccoli (gai lon)	3.17	2	50.0	A
Cyfluthrin	Chinese cabbage (napa, wong bok, celery cabbage)	1.56	2	30.0	A
Cyfluthrin	Citrus	20.38	25	490.48	A
Cyfluthrin	Commodity fumigation	2.99	N/A	N/A	N/A
Cyfluthrin	Corn (forage - fodder)	9.45	4	213.0	A
Cyfluthrin	Corn, human consumption	180.72	109	3,965.51	A
Cyfluthrin	Cotton	1,973.77	239	39,604.22	A
Cyfluthrin	Cucumber	0.05	1	1.5	A
Cyfluthrin	Eggplant	4.86	6	114.0	A
Cyfluthrin	Forage hay/silage	7.32	1	165.0	A
Cyfluthrin	Gai choy	2.65	4	51.0	A
Cyfluthrin	Garbanzo bean	2.06	6	42.5	A
Cyfluthrin	Grape	136.76	110	2,826.07	A
Cyfluthrin	Grape, wine	86.29	33	1,888.44	A
Cyfluthrin	Grapefruit	296.41	176	3,803.15	A
Cyfluthrin	Kohlrabi	0.16	1	3.0	A
Cyfluthrin	Landscape maintenance	8.85	N/A	N/A	N/A
Cyfluthrin	Lemon	568.61	461	10,794.77	A
Cyfluthrin	Lettuce, head	78.65	114	1,571.8	A
Cyfluthrin	Lettuce, leaf	286.91	307	5,221.28	A
Cyfluthrin	Lime	4.67	10	125.03	A
Cyfluthrin	Melon	48.21	12	1,058.79	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Cyfluthrin</b>	Mustard greens	44.62	132	872.62	A
<b>Cyfluthrin</b>	N-grnhs flower	0.67	16	36.0	A
<b>Cyfluthrin</b>	N-grnhs flower	0.34	36	329,741.5	S
<b>Cyfluthrin</b>	N-grnhs plants in containers	15.82	582	445.82	A
<b>Cyfluthrin</b>	N-grnhs plants in containers	4.4	176	4,297,568.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyfluthrin	N-grnhs plants in containers	0.95	1	5,200.0	U
Cyfluthrin	N-grnhs transplants	2.4	43	66.78	A
Cyfluthrin	N-grnhs transplants	0.02	1	12,000.0	S
Cyfluthrin	N-outdr flower	18.08	144	806.57	A
Cyfluthrin	N-outdr plants in containers	35.51	641	1,004.9	A
Cyfluthrin	N-outdr plants in containers	1.62	35	511,150.0	S
Cyfluthrin	N-outdr plants in containers	3.4	53	959,708.0	U
Cyfluthrin	N-outdr transplants	4.17	22	375.44	A
Cyfluthrin	Nectarine	0.39	3	8.5	A
Cyfluthrin	Olive	0.01	2	1.0	A
Cyfluthrin	Orange	2,294.31	1,431	27,627.35	A
Cyfluthrin	Orchardgrass	3.55	1	80.0	A
Cyfluthrin	Pastureland	88.66	6	1,952.38	A
Cyfluthrin	Peach	37.59	78	1,185.7	A
Cyfluthrin	Pear	2.37	3	61.5	A
Cyfluthrin	Pepper, fruiting	18.3	21	456.9	A
Cyfluthrin	Pistachio	2,114.21	557	50,098.92	A
Cyfluthrin	Plum	1.24	7	27.25	A
Cyfluthrin	Pomelo	13.93	16	142.75	A
Cyfluthrin	Public health	<0.01	N/A	N/A	N/A
Cyfluthrin	Radish	0.53	1	12.0	A
Cyfluthrin	Regulatory pest control	19.71	N/A	N/A	N/A
Cyfluthrin	Research commodity	0.19	N/A	N/A	N/A
Cyfluthrin	Rights of way	1.82	N/A	N/A	N/A
Cyfluthrin	Spinach	24.14	60	469.74	A
Cyfluthrin	Structural pest control	1,414.34	N/A	N/A	N/A
Cyfluthrin	Sunflower	0.08	1	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyfluthrin	Sweet potato	18.69	6	411.2	A
Cyfluthrin	Swiss chard	0.51	7	10.4	A
Cyfluthrin	Tangelo	56.78	49	1,018.0	A
Cyfluthrin	Tangerine	480.94	357	6,390.64	A
Cyfluthrin	Tomato	222.53	104	5,002.54	A
Cyfluthrin	Tomato, processing	248.25	52	6,002.34	A
Cyfluthrin	Walnut	31.38	24	782.5	A
Cyfluthrin	Watermelon	10.38	2	100.0	A
Cyfluthrin	Wheat	8.14	2	209.0	A
Cyhalofop-butyl	Landscape maintenance	0.02	N/A	N/A	N/A
Cyhalofop-butyl	Rice	8,747.34	491	27,505.47	A
Cymoxanil	Arugula	1.82	2	13.32	A
Cymoxanil	Cilantro	105.09	205	682.52	A
Cymoxanil	Cucumber	39.06	17	434.95	A
Cymoxanil	Lettuce, head	1,433.63	637	8,060.6	A
Cymoxanil	Lettuce, leaf	1,476.44	671	8,539.93	A
Cymoxanil	N-grnhs transplants	45.36	20	1,308.87	A
Cymoxanil	N-outdr transplants	3.38	4	27.0	A
Cymoxanil	Onion, dry	1,446.31	91	11,325.4	A
Cymoxanil	Onion, green	46.01	4	368.1	A
Cymoxanil	Parsley	28.48	22	196.3	A
Cymoxanil	Pepper, fruiting	20.44	2	131.0	A
Cymoxanil	Potato	466.89	57	3,941.0	A
Cymoxanil	Research commodity	0.82	6	6.56	A
Cymoxanil	Research commodity	0.68	N/A	N/A	N/A
Cymoxanil	Spinach	320.29	220	1,913.89	A
Cymoxanil	Tomato	388.85	115	3,128.82	A
Cymoxanil	Tomato, processing	128.63	23	1,112.75	A
Cypermethrin	Broccoli	408.17	279	4,446.69	A
Cypermethrin	Brussels sprout	0.6	2	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cypermethrin	Buildings/non-ag outdoor	9.69	N/A	0.01	U
Cypermethrin	Cabbage	43.71	51	449.5	A
Cypermethrin	Cannabis (all or unspecified)	0.02	1	8,640.0	S
Cypermethrin	Cauliflower	177.7	155	1,996.57	A
Cypermethrin	Garlic	61.31	4	630.0	A
Cypermethrin	Kale	11.31	4	117.74	A
Cypermethrin	Landscape maintenance	119.63	N/A	N/A	N/A
Cypermethrin	Lettuce, head	51.95	40	571.7	A
Cypermethrin	N-outdr transplants	<0.01	1	0.01	A
Cypermethrin	Onion, dry	259.83	26	2,774.5	A
Cypermethrin	Onion, green	0.23	1	5.0	A
Cypermethrin	Public health	1.04	N/A	N/A	N/A
Cypermethrin	Rapini	2.61	1	27.0	A
Cypermethrin	Regulatory pest control	27.09	N/A	N/A	N/A
Cypermethrin	Rights of way	2.23	N/A	N/A	N/A
Cypermethrin	Structural pest control	15,741.28	N/A	N/A	N/A
Cypermethrin	Vertebrate control	0.03	N/A	N/A	N/A
Cyprodinil	Almond	25,510.92	1,714	92,412.86	A
Cyprodinil	Apple	85.6	41	667.56	A
Cyprodinil	Apricot	130.89	51	562.82	A
Cyprodinil	Artichoke, globe	11.84	17	302.6	A
Cyprodinil	Basil, sweet	2.06	9	9.55	A
Cyprodinil	Blackberry	626.37	244	1,966.31	A
Cyprodinil	Blueberry	941.43	94	3,156.41	A
Cyprodinil	Bok choy (choy sum, pak choi)	1.41	1	5.0	A
Cyprodinil	Boysenberry	0.14	1	1.0	A
Cyprodinil	Broccoli	311.45	91	952.4	A
Cyprodinil	Brussels sprout	67.76	16	217.84	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyprodinil	Cabbage	2.19	1	6.7	A
Cyprodinil	Carrot	18.04	7	54.98	A
Cyprodinil	Cauliflower	8.32	5	29.6	A
Cyprodinil	Celeriac	14.27	9	44.77	A
Cyprodinil	Celery	4.14	1	12.6	A
Cyprodinil	Cherry	8.32	3	35.5	A
Cyprodinil	Chinese cabbage (napa, wong bok, celery cabbage)	13.73	7	75.0	A
Cyprodinil	Chive	0.23	2	1.0	A
Cyprodinil	Cilantro	6.5	1	19.8	A
Cyprodinil	Cole crop	1.23	10	6.3	A
Cyprodinil	Collard	2.06	2	8.0	A
Cyprodinil	Cucumber	14.88	17	48.5	A
Cyprodinil	Cucumber	<0.01	2	180.0	S
Cyprodinil	Eggplant	0.56	2	2.0	A
Cyprodinil	Endive (escarole)	91.89	10	280.0	A
Cyprodinil	Garlic	519.57	19	2,337.2	A
Cyprodinil	Grape	20,934.05	1,419	62,439.41	A
Cyprodinil	Grape, wine	28,071.75	4,220	97,570.53	A
Cyprodinil	Herb, spice	5.24	12	18.75	A
Cyprodinil	Kale	22.96	17	83.1	A
Cyprodinil	Kiwi fruit fuzzy	426.31	54	909.43	A
Cyprodinil	Landscape maintenance	2.69	N/A	N/A	N/A
Cyprodinil	Lemon	154.56	15	471.0	A
Cyprodinil	Lettuce, head	0.26	5	0.93	A
Cyprodinil	Lettuce, head	<0.01	1	11.89	S
Cyprodinil	Lettuce, leaf	116.41	54	366.9	A
Cyprodinil	N-grnhs flower	117.75	259	613.05	A
Cyprodinil	N-grnhs flower	3.53	34	1,086,128.0	S
Cyprodinil	N-grnhs plants in containers	61.07	357	288.67	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyprodinil	N-grnhs plants in containers	22.12	138	2,481,851.65	S
Cyprodinil	N-grnhs transplants	121.2	252	740.39	A
Cyprodinil	N-grnhs transplants	5.01	28	904,290.0	S
Cyprodinil	N-outdr flower	184.94	335	1,067.32	A
Cyprodinil	N-outdr flower	0.16	3	24,280.0	S
Cyprodinil	N-outdr plants in containers	155.8	241	521.96	A
Cyprodinil	N-outdr plants in containers	1.4	5	131,960.0	S
Cyprodinil	N-outdr transplants	524.78	100	1,170.02	A
Cyprodinil	N-outdr transplants	36.05	52	7,027,178.0	S
Cyprodinil	Nectarine	1,255.88	413	5,019.78	A
Cyprodinil	Onion, dry	1,057.25	29	3,701.3	A
Cyprodinil	Parsley	79.3	13	241.68	A
Cyprodinil	Peach	3,211.82	914	13,523.11	A
Cyprodinil	Pear	168.58	25	1,209.5	A
Cyprodinil	Pepper, fruiting	25.54	11	89.44	A
Cyprodinil	Pepper, fruiting	<0.01	1	36.0	S
Cyprodinil	Pistachio	7,328.07	415	28,277.28	A
Cyprodinil	Plum	377.2	174	1,573.86	A
Cyprodinil	Pluot	1.17	1	5.0	A
Cyprodinil	Prune	814.94	80	3,608.47	A
Cyprodinil	Quince	6.38	5	34.0	A
Cyprodinil	Raspberry	627.87	277	1,982.59	A
Cyprodinil	Research commodity	2.45	20	7.74	A
Cyprodinil	Research commodity	0.03	13	21,565.0	S
Cyprodinil	Research commodity	0.44	N/A	N/A	N/A
Cyprodinil	Root vegetable	2.37	5	9.0	A
Cyprodinil	Rosemary	0.66	3	2.85	A
Cyprodinil	Spinach	2.63	1	8.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyprodinil	Strawberry	19,527.39	1,655	60,492.1	A
Cyprodinil	Strawberry	0.32	13	30,519.0	S
Cyprodinil	Strawberry	108.07	4	5,763.0	U
Cyprodinil	Swiss chard	8.08	20	24.62	A
Cyprodinil	Tarragon	0.4	3	1.75	A
Cyprodinil	Tomato	28.18	33	100.36	A
Cyprodinil	Uncultivated ag	0.87	2	2.65	A
Cyprodinil	Vegetables, fruiting	0.34	5	1.2	A
Cyprodinil	Vegetables, leafy	57.79	132	249.0	A
Cyprodinil	Walnut	3.92	3	130.0	A
Cyprodinil	Watermelon	0.26	1	1.0	A
Cyromazine	Arugula	0.61	3	5.0	A
Cyromazine	Bean, dried	4.74	1	38.0	A
Cyromazine	Bok choy (choy sum, pak choi)	5.06	4	40.6	A
Cyromazine	Broccoli	0.82	2	6.6	A
Cyromazine	Cabbage	9.05	12	72.6	A
Cyromazine	Celery	1,232.81	933	9,898.95	A
Cyromazine	Chinese broccoli (gai lon)	1.43	5	11.5	A
Cyromazine	Chinese cabbage (napa, wong bok, celery cabbage)	5.78	9	46.25	A
Cyromazine	Eggplant	4.5	3	36.0	A
Cyromazine	Endive (escarole)	2.95	12	23.55	A
Cyromazine	Kale	0.49	3	4.0	A
Cyromazine	Lettuce, head	108.48	67	870.0	A
Cyromazine	Lettuce, leaf	43.0	38	345.01	A
Cyromazine	Mushroom	100.29	184	1,208,368.0	S
Cyromazine	Mustard	2.0	6	16.0	A
Cyromazine	Mustard greens	0.18	2	1.4	A
Cyromazine	N-grnhs flower	84.27	52	278.32	A
Cyromazine	N-grnhs plants in containers	349.89	384	337.18	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyromazine	N-grnhs plants in containers	12.13	18	153,960.0	S
Cyromazine	N-grnhs transplants	14.33	72	122.81	A
Cyromazine	N-grnhs transplants	52.94	221	19,264,805.2	S
Cyromazine	N-outdr flower	5.76	10	26.77	A
Cyromazine	N-outdr plants in containers	8.51	39	13.91	A
Cyromazine	N-outdr plants in containers	6.0	16	179,600.0	S
Cyromazine	N-outdr transplants	2.58	7	229,220.0	S
Cyromazine	Onion, dry	404.42	N/A	7,850.89	P
Cyromazine	Peas	146.09	106	1,172.34	A
Cyromazine	Pepper, fruiting	885.02	318	7,123.72	A
Cyromazine	Radish	4.27	7	34.21	A
Cyromazine	Research commodity	0.72	3	5.75	A
Cyromazine	Rights of way	0.41	N/A	N/A	N/A
Cyromazine	Spinach	283.11	315	2,276.97	A
Cyromazine	Swiss chard	12.83	23	102.91	A
Cyromazine	Tomato	112.33	26	938.67	A
Cytokinin (as kinetin)	Cotton	<0.01	1	38.0	A
D-allethrin	Landscape maintenance	<0.01	N/A	N/A	N/A
D-allethrin	Public health	<0.01	N/A	N/A	N/A
D-allethrin	Regulatory pest control	<0.01	N/A	N/A	N/A
D-allethrin	Structural pest control	3.82	N/A	N/A	N/A
D-allethrin, other related	Landscape maintenance	<0.01	N/A	N/A	N/A
D-allethrin, other related	Public health	<0.01	N/A	N/A	N/A
D-allethrin, other related	Regulatory pest control	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>D-allethrin, other related</b>	Structural pest control	0.25	N/A	N/A	N/A
<b>D-trans allethrin</b>	Landscape maintenance	0.31	N/A	N/A	N/A
<b>D-trans allethrin</b>	Public health	0.08	N/A	N/A	N/A
<b>D-trans allethrin</b>	Regulatory pest control	0.03	N/A	N/A	N/A
<b>D-trans allethrin</b>	Rights of way	0.11	N/A	N/A	N/A
<b>D-trans allethrin</b>	Structural pest control	7.94	N/A	N/A	N/A
<b>Daminozide</b>	Landscape maintenance	4.73	N/A	N/A	N/A
<b>Daminozide</b>	N-grnhs flower	31.24	20	20.02	A
<b>Daminozide</b>	N-grnhs flower	4.35	80	167,927.5	S
<b>Daminozide</b>	N-grnhs plants in containers	1,426.28	908	763.11	A
<b>Daminozide</b>	N-grnhs plants in containers	509.03	728	4,740,820.0	S
<b>Daminozide</b>	N-grnhs transplants	100.03	156	8,281.25	A
<b>Daminozide</b>	N-grnhs transplants	263.94	461	11,546,109.0	S
<b>Daminozide</b>	N-outdr flower	3.49	9	1.45	A
<b>Daminozide</b>	N-outdr plants in containers	2,156.6	443	449.55	A
<b>Daminozide</b>	N-outdr plants in containers	74.89	69	907,945.0	S
<b>Daminozide</b>	N-outdr transplants	34.37	50	24.75	A
<b>Daminozide</b>	Regulatory pest control	0.16	N/A	N/A	N/A
<b>Daminozide</b>	Rights of way	0.05	1	1.0	A
<b>Dazomet</b>	Landscape maintenance	1,171.7	N/A	N/A	N/A
<b>Dazomet</b>	Rights of way	26,520.08	N/A	N/A	N/A
<b>Dazomet</b>	Soil fumigation/preplant	2,970.0	3	10.0	A
<b>Ddvp</b>	Almond	5.33	N/A	1,750.0	K

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ddvp	Animal premise	1,657.09	N/A	2,182.0	A
Ddvp	Bean, dried	1.06	N/A	22,000.0	C
Ddvp	Commercial storages or warehouses (all or unspec)	5.33	N/A	1,750.0	K
Ddvp	Commercial, institutional or industrial areas	1.0	N/A	77,000.0	C
Ddvp	Commercial, institutional or industrial areas	7.2	N/A	0.02	U
Ddvp	Commodity fumigation	1.59	1	12,000.0	C
Ddvp	Commodity fumigation	812.65	N/A	N/A	N/A
Ddvp	Food processing plant	4.9	N/A	3,886.0	K
Ddvp	Fumigation, other	182.84	N/A	N/A	N/A
Ddvp	Grape	5.25	N/A	3,997,000.0	C
Ddvp	Landscape maintenance	32.44	N/A	N/A	N/A
Ddvp	Prune	1.06	N/A	12,000.0	C
Ddvp	Prune	2.11	N/A	12,000.0	S
Ddvp	Public health	4.93	N/A	N/A	N/A
Ddvp	Regulatory pest control	135.78	N/A	N/A	N/A
Ddvp	Research commodity	0.08	N/A	N/A	N/A
Ddvp	Rights of way	5.5	N/A	N/A	N/A
Ddvp	Storage area/box	5.73	N/A	145,000.0	S
Ddvp	Structural pest control	2,008.69	N/A	N/A	N/A
Ddvp	Walnut	17.45	N/A	123,744.0	C
Ddvp	Walnut	46.0	N/A	300,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Ddvp, other related</b>	Animal premise	32.64	N/A	1,784.0	A
<b>Ddvp, other related</b>	Bean, dried	0.03	N/A	22,000.0	C
<b>Ddvp, other related</b>	Commodity fumigation	0.04	1	12,000.0	C
<b>Ddvp, other related</b>	Commodity fumigation	6.39	N/A	N/A	N/A
<b>Ddvp, other related</b>	Fumigation, other	3.05	N/A	N/A	N/A
<b>Ddvp, other related</b>	Grape	0.03	N/A	500,000.0	C
<b>Ddvp, other related</b>	Landscape maintenance	0.87	N/A	N/A	N/A
<b>Ddvp, other related</b>	Prune	0.03	N/A	12,000.0	C
<b>Ddvp, other related</b>	Prune	0.05	N/A	12,000.0	S
<b>Ddvp, other related</b>	Public health	0.37	N/A	N/A	N/A
<b>Ddvp, other related</b>	Regulatory pest control	0.8	N/A	N/A	N/A
<b>Ddvp, other related</b>	Research commodity	<0.01	N/A	N/A	N/A
<b>Ddvp, other related</b>	Storage area/box	0.2	N/A	145,000.0	S
<b>Ddvp, other related</b>	Structural pest control	48.91	N/A	N/A	N/A
<b>Ddvp, other related</b>	Walnut	0.45	N/A	123,744.0	C
<b>Ddvp, other related</b>	Walnut	1.18	N/A	300,000.0	S
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Alfalfa	76.99	146	10,612.18	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Almond	512.18	232	12,020.6	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Corn (forage - fodder)	84.11	45	2,635.12	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Corn, human consumption	3.21	1	76.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Cotton	48.81	23	2,805.1	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Grape	0.47	1	6.0	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Grape, wine	76.28	101	2,053.55	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Lemon	2.13	3	49.9	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Onion, dry	4.07	4	256.18	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Pecan	62.91	39	1,051.44	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Pistachio	462.25	228	6,849.28	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Plum	0.21	1	4.4	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Pumpkin	28.94	25	1,016.5	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Rice	9.28	9	586.1	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Rights of way	13.09	12	935.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Rights of way	1.77	N/A	N/A	N/A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Tangerine	0.54	2	17.0	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Uncultivated ag	31.63	38	1,349.3	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Uncultivated non-ag	0.69	N/A	135.07	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Walnut	99.39	141	3,456.83	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Watermelon	12.36	7	454.2	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Wheat	0.21	1	50.0	A
<b>Decyl phenoxy benzene disulfonic acid, disodium salt</b>	Wheat (forage - fodder)	1.81	4	209.88	A
<b>Deet</b>	Landscape maintenance	2.58	N/A	N/A	N/A
<b>Deet</b>	Mushroom	0.12	1	5,750.0	S
<b>Deet</b>	N-grnhs flower	4.18	6	11.25	A
<b>Deet</b>	N-grnhs plants in containers	5.44	3	1.36	A
<b>Deet</b>	N-grnhs transplants	0.09	1	12,000.0	S
<b>Deet</b>	N-outdr plants in containers	0.77	1	2.0	A
<b>Deet</b>	Structural pest control	0.03	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Deet, other related	Landscape maintenance	0.14	N/A	N/A	N/A
Deet, other related	Mushroom	<0.01	1	5,750.0	S
Deet, other related	N-grnhs flower	0.22	6	11.25	A
Deet, other related	N-grnhs plants in containers	0.29	3	1.36	A
Deet, other related	N-grnhs transplants	<0.01	1	12,000.0	S
Deet, other related	N-outdr plants in containers	0.04	1	2.0	A
Deet, other related	Structural pest control	<0.01	N/A	N/A	N/A
Deltamethrin	Almond	0.24	2	25.75	A
Deltamethrin	Barley	0.66	N/A	272,447.0	P
Deltamethrin	Barley	4.31	N/A	893.0	T
Deltamethrin	Buildings/non-ag outdoor	4.43	N/A	41.14	U
Deltamethrin	Commercial, institutional or industrial areas	0.06	N/A	0.01	U
Deltamethrin	Commodity fumigation	5.79	N/A	N/A	N/A
Deltamethrin	Corn, grain	120.17	N/A	24,920.0	T
Deltamethrin	Fumigation, other	1.12	N/A	N/A	N/A
Deltamethrin	Landscape maintenance	107.03	N/A	N/A	N/A
Deltamethrin	N-grnhs plants in containers	0.04	5	60,000.0	S
Deltamethrin	Public health	164.55	N/A	N/A	N/A
Deltamethrin	Regulatory pest control	159.76	N/A	N/A	N/A
Deltamethrin	Residential	<0.01	N/A	5,800.0	S
Deltamethrin	Rights of way	0.68	N/A	N/A	N/A
Deltamethrin	Rye	0.24	N/A	97,894.0	P
Deltamethrin	Rye	0.37	N/A	77.0	T
Deltamethrin	Sorghum/milo	2.72	N/A	566.0	T



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Deltamethrin	Structural pest control	24,288.81	N/A	N/A	N/A
Deltamethrin	Wheat	1.0	N/A	415,510.0	P
Deltamethrin	Wheat	97.93	N/A	21,879.0	T
Deltamethrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
Dextrin	Landscape maintenance	0.36	N/A	N/A	N/A
Dextrin	Structural pest control	<0.01	N/A	N/A	N/A
Dialkyl phthalate	Orange	0.97	1	7.5	A
Diatomaceous earth	Almond	22,017.76	65	2,094.7	A
Diatomaceous earth	Apple	34.0	2	4.0	A
Diatomaceous earth	Arugula	2,115.62	65	145.83	A
Diatomaceous earth	Bean, succulent	34.42	4	8.1	A
Diatomaceous earth	Bean, unspecified	78.2	4	18.4	A
Diatomaceous earth	Beet	4,072.35	16	222.4	A
Diatomaceous earth	Blackberry	242.16	1	28.49	A
Diatomaceous earth	Blueberry	64,584.84	73	3,208.85	A
Diatomaceous earth	Bok choy (choy sum, pak choi)	275.06	6	19.93	A
Diatomaceous earth	Broccoli	114,258.54	902	7,713.2	A
Diatomaceous earth	Brussels sprout	5,987.23	18	266.1	A
Diatomaceous earth	Cabbage	45,273.25	555	2,504.24	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Diatomaceous earth	Cannabis (all or unspecified)	55.28	34	259.21	A
Diatomaceous earth	Cannabis (all or unspecified)	5.17	39	247,400.0	S
Diatomaceous earth	Carrot	3,407.77	18	466.0	A
Diatomaceous earth	Cauliflower	50,941.18	512	3,145.48	A
Diatomaceous earth	Celery	8,967.33	97	595.49	A
Diatomaceous earth	Cilantro	3,642.63	41	227.2	A
Diatomaceous earth	Citrus	0.07	5	1,490.0	S
Diatomaceous earth	Collard	374.48	19	25.78	A
Diatomaceous earth	Cucumber	3.4	1	0.25	A
Diatomaceous earth	Daikon	347.31	11	32.4	A
Diatomaceous earth	Dairy equipment	233.75	1	11.0	A
Diatomaceous earth	Endive (escarole)	68.0	1	2.0	A
Diatomaceous earth	Fennel	33.83	2	1.99	A
Diatomaceous earth	Grape	86,693.68	122	4,880.67	A
Diatomaceous earth	Grape, wine	1,856.55	10	110.7	A
Diatomaceous earth	Grapefruit	1,434.8	1	42.2	A
Diatomaceous earth	Kale	5,660.22	141	424.65	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Diatomaceous earth	Landscape maintenance	5.46	N/A	N/A	N/A
Diatomaceous earth	Leek	4,979.51	45	260.94	A
Diatomaceous earth	Lemon	2,468.4	2	48.4	A
Diatomaceous earth	Lettuce, head	6,174.38	93	522.48	A
Diatomaceous earth	Lettuce, leaf	173,195.77	1,751	13,090.86	A
Diatomaceous earth	Melon	2.4	1	113.0	A
Diatomaceous earth	Mizuna	1,304.75	22	77.1	A
Diatomaceous earth	Mustard	244.97	8	20.9	A
Diatomaceous earth	Mustard greens	927.3	39	102.97	A
Diatomaceous earth	Nectarine	637.5	3	15.0	A
Diatomaceous earth	Oat (forage - fodder)	1,753.13	1	161.0	A
Diatomaceous earth	Onion, dry	79.39	4	10.4	A
Diatomaceous earth	Orange	9,624.43	18	335.36	A
Diatomaceous earth	Parsley	998.75	22	66.9	A
Diatomaceous earth	Peach	1,360.0	6	32.0	A
Diatomaceous earth	Pear	221.0	4	26.0	A
Diatomaceous earth	Peas	2,144.55	26	130.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Diatomaceous earth	Pepper, fruiting	306.0	1	24.0	A
Diatomaceous earth	Pistachio	58,594.27	35	3,440.17	A
Diatomaceous earth	Plum	4,053.65	36	95.38	A
Diatomaceous earth	Public health	2.24	N/A	N/A	N/A
Diatomaceous earth	Radish	22.44	1	1.32	A
Diatomaceous earth	Raspberry	52.19	1	3.07	A
Diatomaceous earth	Regulatory pest control	19.72	N/A	N/A	N/A
Diatomaceous earth	Spinach	9,550.64	213	1,214.06	A
Diatomaceous earth	Squash	501.5	5	44.0	A
Diatomaceous earth	Squash, winter	289.0	1	34.0	A
Diatomaceous earth	Strawberry	1,190.11	2	55.0	A
Diatomaceous earth	Structural pest control	912.78	N/A	N/A	N/A
Diatomaceous earth	Swiss chard	2,215.4	100	328.47	A
Diatomaceous earth	Tangelo	127.5	1	15.0	A
Diatomaceous earth	Tangerine	7,431.62	15	305.19	A
Diatomaceous earth	Tomato, processing	61,217.0	36	4,620.0	A
Diatomaceous earth	Vegetable	469.71	3	25.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Diatomaceous earth</b>	Watermelon	2,992.0	7	277.87	A
<b>Diatomaceous earth, other related</b>	Almond	712.12	42	789.74	A
<b>Diatomaceous earth, other related</b>	Blueberry	102.5	2	41.0	A
<b>Diatomaceous earth, other related</b>	Grape	1,241.2	12	568.1	A
<b>Diatomaceous earth, other related</b>	Nectarine	25.0	1	5.0	A
<b>Diatomaceous earth, other related</b>	Peach	80.0	3	16.0	A
<b>Diatomaceous earth, other related</b>	Pistachio	5,143.2	13	1,839.8	A
<b>Diatomaceous earth, other related</b>	Plum	464.4	35	92.88	A
<b>Diatomaceous earth, other related</b>	Structural pest control	0.04	N/A	N/A	N/A
<b>Diazinon</b>	Apple	2,110.25	43	1,148.22	A
<b>Diazinon</b>	Apricot	11.92	2	6.0	A
<b>Diazinon</b>	Bean, unspecified	18.53	2	9.32	A
<b>Diazinon</b>	Blackberry	177.07	18	176.75	A
<b>Diazinon</b>	Bok choy (choy sum, pak choi)	1,082.1	78	545.3	A
<b>Diazinon</b>	Broccoli	114.1	27	57.5	A
<b>Diazinon</b>	Brussels sprout	121.3	4	82.0	A
<b>Diazinon</b>	Cabbage	22.39	5	18.0	A
<b>Diazinon</b>	Cantaloupe	66.48	3	22.32	A
<b>Diazinon</b>	Cherry	12.29	4	20.0	A
<b>Diazinon</b>	Chinese cabbage (napa, wong bok, celery cabbage)	1.98	1	2.5	A
<b>Diazinon</b>	Daikon	7.94	4	4.0	A
<b>Diazinon</b>	Fig	3.81	3	429.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diazinon	Grape	1.98	2	0.6	A
Diazinon	Grape, wine	3.5	1	1.5	A
Diazinon	Landscape maintenance	289.02	N/A	N/A	N/A
Diazinon	Melon	50.4	9	20.26	A
Diazinon	Mustard greens	10.32	7	5.2	A
Diazinon	N-grnhs transplants	0.24	5	5.0	A
Diazinon	N-outdr flower	2.04	2	7.0	A
Diazinon	N-outdr plants in containers	37.35	26	44.8	A
Diazinon	N-outdr plants in containers	<0.01	1	300.0	S
Diazinon	N-outdr transplants	5.95	3	26.0	A
Diazinon	Nectarine	27.81	2	14.0	A
Diazinon	Onion, dry	2,097.32	18	719.9	A
Diazinon	Orange	0.59	1	3.0	A
Diazinon	Peach	607.3	21	306.54	A
Diazinon	Pear	2,515.29	38	1,772.3	A
Diazinon	Pepper, fruiting	79.42	2	40.0	A
Diazinon	Plum	15.15	4	7.4	A
Diazinon	Prune	6.97	1	13.0	A
Diazinon	Raspberry	45.92	7	46.27	A
Diazinon	Research commodity	36.12	11	11.85	A
Diazinon	Rights of way	0.5	N/A	N/A	N/A
Diazinon	Spinach	17.86	1	9.0	A
Diazinon	Strawberry	915.79	48	939.5	A
Diazinon	Structural pest control	18.29	N/A	N/A	N/A
Diazinon	Tomato	5,571.75	38	1,826.32	A
Diazinon	Tomato, processing	25,274.6	200	7,841.48	A
Diazinon	Uncultivated ag	198.44	1	50.0	A
Diazinon	Watermelon	973.34	39	899.66	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dicamba	Commodity fumigation	<0.01	N/A	N/A	N/A
Dicamba	County ag comm	0.16	N/A	N/A	N/A
Dicamba	Forage hay/silage	13.69	1	110.0	A
Dicamba	Golf course turf	25.42	4	1,342.83	A
Dicamba	Golf course turf	1.22	5	448,179.5	S
Dicamba	Landscape maintenance	3.84	16	161.75	A
Dicamba	Landscape maintenance	0.17	1	120,077.0	S
Dicamba	Landscape maintenance	1,208.9	N/A	N/A	N/A
Dicamba	N-grnhs flower	10.72	N/A	263.52	A
Dicamba	N-grnhs flower	0.86	N/A	639,125.0	S
Dicamba	N-grnhs plants in containers	0.05	N/A	5.0	A
Dicamba	N-grnhs transplants	3.03	N/A	78.32	A
Dicamba	N-outdr flower	0.19	3	5.25	A
Dicamba	N-outdr transplants	1.79	2	12.5	A
Dicamba	Recreation area	0.2	N/A	4.0	A
Dicamba	Rights of way	0.03	1	1.0	A
Dicamba	Rights of way	21.14	N/A	N/A	N/A
Dicamba	Sod farm (turf)	7.79	56	578.83	A
Dicamba	Structural pest control	0.16	N/A	N/A	N/A
Dicamba	Turf/sod	28.16	48	1,153.95	A
Dicamba	Turf/sod	<0.01	N/A	18.0	U
Dicamba	Uncultivated ag	8.21	1	66.0	A
Dicamba, dimethylamine salt	Alfalfa	4.97	1	22.0	A
Dicamba, dimethylamine salt	Barley	29.8	4	223.0	A
Dicamba, dimethylamine salt	Barley (forage - fodder)	2.41	1	16.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dicamba, dimethylamine salt</b>	Cannabis (all or unspecified)	7.7	117	1,170,000.0	S
<b>Dicamba, dimethylamine salt</b>	Corn (forage - fodder)	163.32	14	587.5	A
<b>Dicamba, dimethylamine salt</b>	Forage hay/silage	1,447.68	93	6,280.5	A
<b>Dicamba, dimethylamine salt</b>	Golf course turf	27.45	4	358.85	A
<b>Dicamba, dimethylamine salt</b>	Golf course turf	0.85	1	350.0	S
<b>Dicamba, dimethylamine salt</b>	Grain	11.87	1	63.0	A
<b>Dicamba, dimethylamine salt</b>	Landscape maintenance	0.06	4	4.0	A
<b>Dicamba, dimethylamine salt</b>	Landscape maintenance	0.11	1	43,200.0	S
<b>Dicamba, dimethylamine salt</b>	Landscape maintenance	437.55	N/A	N/A	N/A
<b>Dicamba, dimethylamine salt</b>	N-grnhs flower	6.56	4	66.0	A
<b>Dicamba, dimethylamine salt</b>	N-grnhs flower	0.64	N/A	420,000.0	S
<b>Dicamba, dimethylamine salt</b>	N-outdr plants in containers	3.67	3	6.25	A
<b>Dicamba, dimethylamine salt</b>	Oat	73.15	9	643.0	A
<b>Dicamba, dimethylamine salt</b>	Oat (forage - fodder)	157.18	26	1,161.91	A
<b>Dicamba, dimethylamine salt</b>	Orchardgrass	289.07	17	1,051.0	A
<b>Dicamba, dimethylamine salt</b>	Pastureland	200.68	10	435.5	A
<b>Dicamba, dimethylamine salt</b>	Public health	0.04	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dicamba, dimethylamine salt</b>	Rangeland	4.82	1	1,000.0	A
<b>Dicamba, dimethylamine salt</b>	Regulatory pest control	28.18	N/A	N/A	N/A
<b>Dicamba, dimethylamine salt</b>	Rights of way	489.44	N/A	N/A	N/A
<b>Dicamba, dimethylamine salt</b>	Ryegrass	93.76	6	372.0	A
<b>Dicamba, dimethylamine salt</b>	Sod farm (turf)	21.71	1	10.0	A
<b>Dicamba, dimethylamine salt</b>	Sorghum (forage - fodder)	18.09	1	60.0	A
<b>Dicamba, dimethylamine salt</b>	Structural pest control	2.19	N/A	N/A	N/A
<b>Dicamba, dimethylamine salt</b>	Sudangrass	107.91	6	172.0	A
<b>Dicamba, dimethylamine salt</b>	Timothy	131.05	8	448.0	A
<b>Dicamba, dimethylamine salt</b>	Turf/sod	54.14	16	258.0	A
<b>Dicamba, dimethylamine salt</b>	Uncultivated ag	85.93	10	605.7	A
<b>Dicamba, dimethylamine salt</b>	Wheat	264.78	31	1,717.75	A
<b>Dicamba, dimethylamine salt</b>	Wheat (forage - fodder)	51.79	9	343.68	A
<b>Dicamba, dimethylamine salt, other related</b>	Forage hay/silage	<0.01	1	0.01	A
<b>Dicamba, dimethylamine salt, other related</b>	Landscape maintenance	0.04	N/A	N/A	N/A
<b>Dicamba, dimethylamine salt, other related</b>	N-outdr plants in containers	0.59	1	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dicamba, dimethylamine salt, other related	Regulatory pest control	1.77	N/A	N/A	N/A
Dicamba, sodium salt	Bermudagrass	41.25	1	152.0	A
Dicamba, sodium salt	Corn (forage - fodder)	3,815.82	541	28,864.78	A
Dicamba, sodium salt	Corn, grain	85.47	9	444.0	A
Dicamba, sodium salt	Forage hay/silage	10.2	1	37.1	A
Dicamba, sodium salt	Triticale	7.22	1	35.0	A
Dicamba, sodium salt	Turf/sod	12.79	5	93.0	A
Dichlobenil	Grape, wine	4.0	1	1.0	A
Dichlobenil	Industrial waste disposal systems, disposal water	4.83	N/A	240.0	U
Dichlobenil	Landscape maintenance	0.01	N/A	N/A	N/A
Dichlobenil	Public health	1.98	N/A	N/A	N/A
Dichlobenil	Rights of way	46,789.22	N/A	N/A	N/A
Dichlobenil	Sewage system	560.73	N/A	8,345.2	C
Dichlobenil	Sewage system	2,397.61	N/A	99,070.0	U
Dichlobenil	Structural pest control	29.5	N/A	N/A	N/A
Dichlobenil	Water (industrial)	5,154.0	N/A	66,212.18	C
Dicloran	Cannabis (all or unspecified)	11.88	42	1,804,695.0	S
Dicloran	Celery	6,084.25	221	2,623.09	A
Dicloran	Endive (escarole)	27.62	35	29.53	A
Dicloran	Grape, wine	2.16	1	13.2	A
Dicloran	Lettuce, head	1,897.36	287	2,748.58	A
Dicloran	Lettuce, leaf	2,530.02	414	3,827.26	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dicloran	N-grnhs plants in containers	0.62	1	0.16	A
Dicloran	N-grnhs transplants	1.25	1	0.5	A
Dicloran	N-outdr transplants	7.65	13	9.96	A
Dicloran	Onion, dry	174.96	4	89.8	A
Dicloran	Research commodity	0.51	1	0.26	A
Dicloran	Research commodity	1.17	N/A	N/A	N/A
Didecyl dimethyl ammonium chloride	Animal premise	1.27	N/A	238,576.0	S
Didecyl dimethyl ammonium chloride	Animal premise	137.78	29	675,109.02	U
Didecyl dimethyl ammonium chloride	Cannabis (all or unspecified)	0.81	2	0.2	A
Didecyl dimethyl ammonium chloride	Cannabis (all or unspecified)	0.72	1	5,000.0	S
Didecyl dimethyl ammonium chloride	Farm/ag building	73.03	N/A	319.0	U
Didecyl dimethyl ammonium chloride	Fumigation, other	<0.01	N/A	N/A	N/A
Didecyl dimethyl ammonium chloride	Grape, wine	0.16	5	11.8	A
Didecyl dimethyl ammonium chloride	Landscape maintenance	4.74	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Didecyl dimethyl ammonium chloride</b>	N-grnhs flower	8.91	14	18.55	A
<b>Didecyl dimethyl ammonium chloride</b>	N-grnhs flower	3.02	20	138,220.0	S
<b>Didecyl dimethyl ammonium chloride</b>	N-grnhs plants in containers	61.65	83	226.88	A
<b>Didecyl dimethyl ammonium chloride</b>	N-grnhs plants in containers	4.38	12	161,500.0	S
<b>Didecyl dimethyl ammonium chloride</b>	N-grnhs transplants	0.03	8	8.0	A
<b>Didecyl dimethyl ammonium chloride</b>	N-grnhs transplants	4.64	3	62,250.0	S
<b>Didecyl dimethyl ammonium chloride</b>	N-outdr flower	22.52	13	24.22	A
<b>Didecyl dimethyl ammonium chloride</b>	N-outdr plants in containers	24.93	52	291.17	A
<b>Didecyl dimethyl ammonium chloride</b>	N-outdr plants in containers	3.98	7	369,500.0	S
<b>Didecyl dimethyl ammonium chloride</b>	N-outdr plants in containers	0.02	2	7,000.0	U
<b>Didecyl dimethyl ammonium chloride</b>	Prune	2.28	1	20.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Didecyl dimethyl ammonium chloride	Public health	0.68	N/A	N/A	N/A
Didecyl dimethyl ammonium chloride	Regulatory pest control	0.03	N/A	N/A	N/A
Didecyl dimethyl ammonium chloride	Rights of way	55.3	N/A	N/A	N/A
Didecyl dimethyl ammonium chloride	Structural pest control	84.95	N/A	N/A	N/A
Didecyl dimethyl ammonium chloride	Vertebrate control	<0.01	N/A	N/A	N/A
Diethanolamine	Almond	1.45	3	129.13	A
Diethanolamine	Rice	47.15	46	3,585.19	A
Diethanolamine	Rights of way	0.58	N/A	N/A	N/A
Diethylene glycol	Alfalfa	2,872.99	1,188	71,361.65	A
Diethylene glycol	Almond	32,361.21	2,986	210,079.96	A
Diethylene glycol	Apricot	616.89	60	2,198.44	A
Diethylene glycol	Artichoke, globe	55.9	57	719.77	A
Diethylene glycol	Avocado	0.47	4	18.5	A
Diethylene glycol	Barley	212.36	19	2,275.5	A
Diethylene glycol	Basil, sweet	6.3	5	247.75	A
Diethylene glycol	Bean, dried	248.9	36	2,350.0	A
Diethylene glycol	Bean, succulent	11.16	7	123.0	A
Diethylene glycol	Bermudagrass	770.08	59	6,160.6	A
Diethylene glycol	Blueberry	130.97	36	2,988.47	A
Diethylene glycol	Bok choy (choy sum, pak choi)	1.17	1	40.0	A
Diethylene glycol	Broccoli	14.06	19	473.13	A
Diethylene glycol	Brussels sprout	327.1	64	1,229.33	A
Diethylene glycol	Cabbage	0.92	4	20.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diethylene glycol	Cantaloupe	141.55	28	1,882.47	A
Diethylene glycol	Carrot	4.58	2	79.0	A
Diethylene glycol	Cauliflower	1.41	6	33.6	A
Diethylene glycol	Celery	421.84	413	5,897.84	A
Diethylene glycol	Cherry	1,268.83	280	6,919.86	A
Diethylene glycol	Cilantro	15.8	19	228.5	A
Diethylene glycol	Corn (forage - fodder)	1,896.07	964	50,369.77	A
Diethylene glycol	Corn, grain	171.84	13	1,160.1	A
Diethylene glycol	Corn, human consumption	194.37	34	1,337.1	A
Diethylene glycol	Cotton	2,123.96	852	93,043.61	A
Diethylene glycol	Cucumber	1.24	4	26.0	A
Diethylene glycol	Endive (escarole)	2.1	37	27.46	A
Diethylene glycol	Forage hay/silage	259.46	60	3,740.29	A
Diethylene glycol	Forest, timberland	1.88	3	44.0	A
Diethylene glycol	Garlic	231.41	50	4,980.26	A
Diethylene glycol	Golf course turf	14.88	N/A	198.22	A
Diethylene glycol	Golf course turf	0.96	N/A	142,225.0	S
Diethylene glycol	Grape	1,716.1	444	12,895.47	A
Diethylene glycol	Grape	<0.01	2	18,000.0	S
Diethylene glycol	Grape, wine	46,206.62	4,384	140,414.0	A
Diethylene glycol	Grapefruit	164.78	21	319.9	A
Diethylene glycol	Grass, seed	4.72	20	96.2	A
Diethylene glycol	Herb, spice	3.18	1	22.0	A
Diethylene glycol	Hops	2.81	2	24.0	A
Diethylene glycol	Kiwi fruit fuzzy	171.93	52	754.43	A
Diethylene glycol	Landscape maintenance	911.67	N/A	N/A	N/A
Diethylene glycol	Leek	0.96	10	14.5	A
Diethylene glycol	Lemon	609.98	123	2,029.21	A
Diethylene glycol	Lettuce, head	377.93	595	7,930.82	A
Diethylene glycol	Lettuce, leaf	262.15	964	8,740.76	A
Diethylene glycol	Melon	125.58	24	1,590.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diethylene glycol	N-grnhs flower	0.7	30	129,500.0	S
Diethylene glycol	N-grnhs plants in containers	6.37	58	92.71	A
Diethylene glycol	N-grnhs plants in containers	14.97	7	113,995.0	S
Diethylene glycol	N-grnhs transplants	0.03	1	0.8	A
Diethylene glycol	N-outdr flower	3.97	18	56.8	A
Diethylene glycol	N-outdr plants in containers	3.32	59	64.57	A
Diethylene glycol	N-outdr plants in containers	4.26	16	155,600.0	S
Diethylene glycol	N-outdr plants in containers	0.05	2	165.0	U
Diethylene glycol	N-outdr transplants	228.92	282	678.94	A
Diethylene glycol	Nectarine	1,440.16	208	3,566.84	A
Diethylene glycol	Oat	14.99	8	362.0	A
Diethylene glycol	Oat (forage - fodder)	164.4	55	3,223.16	A
Diethylene glycol	Olive	103.87	16	650.45	A
Diethylene glycol	Onion, dry	376.14	104	6,532.0	A
Diethylene glycol	Orange	8,069.32	1,060	20,669.95	A
Diethylene glycol	Orchardgrass	8.35	6	142.0	A
Diethylene glycol	Parsley	27.31	102	309.5	A
Diethylene glycol	Pastureland	22.86	12	556.45	A
Diethylene glycol	Peach	1,586.41	237	4,135.42	A
Diethylene glycol	Pear	26.25	4	133.0	A
Diethylene glycol	Pecan	53.56	11	228.25	A
Diethylene glycol	Pepper, fruiting	1,098.42	529	11,671.98	A
Diethylene glycol	Persimmon	130.91	21	852.5	A
Diethylene glycol	Pistachio	50,308.49	2,853	299,617.9	A
Diethylene glycol	Plum	780.77	119	1,696.83	A
Diethylene glycol	Pomegranate	974.74	54	4,610.93	A
Diethylene glycol	Pomelo	15.57	3	37.0	A
Diethylene glycol	Potato	90.81	11	1,178.3	A
Diethylene glycol	Prune	48.75	32	694.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diethylene glycol	Pumpkin	28.08	9	351.0	A
Diethylene glycol	Radish	0.89	6	17.35	A
Diethylene glycol	Rangeland	0.72	8	40.0	A
Diethylene glycol	Recreation area	0.52	N/A	6.87	A
Diethylene glycol	Regulatory pest control	91.43	N/A	N/A	N/A
Diethylene glycol	Research commodity	0.75	2	1.64	A
Diethylene glycol	Research commodity	0.33	N/A	N/A	N/A
Diethylene glycol	Rice	53.93	19	671.2	A
Diethylene glycol	Rights of way	904.88	46	2,055.5	A
Diethylene glycol	Rights of way	0.23	1	40,000.0	S
Diethylene glycol	Rights of way	0.14	1	0.01	U
Diethylene glycol	Rights of way	2,989.21	N/A	N/A	N/A
Diethylene glycol	Ryegrass	100.99	63	4,145.06	A
Diethylene glycol	Safflower	3.53	2	300.0	A
Diethylene glycol	Soil fumigation/preplant	475.24	132	24,473.03	A
Diethylene glycol	Sorghum (forage - fodder)	77.09	56	3,195.68	A
Diethylene glycol	Sorghum/milo	32.55	31	1,564.7	A
Diethylene glycol	Squash	4.52	9	55.94	A
Diethylene glycol	Squash, winter	0.1	1	9.0	A
Diethylene glycol	Squash, zucchini	<0.01	1	0.1	A
Diethylene glycol	Strawberry	13.51	15	242.0	A
Diethylene glycol	Structural pest control	0.26	N/A	N/A	N/A
Diethylene glycol	Sudangrass	24.57	15	601.48	A
Diethylene glycol	Sugarbeet	347.68	91	6,345.1	A
Diethylene glycol	Sunflower	75.39	14	774.0	A
Diethylene glycol	Sweet potato	14.07	14	327.25	A
Diethylene glycol	Tangelo	23.74	7	61.48	A
Diethylene glycol	Tangerine	746.26	129	2,772.47	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diethylene glycol	Tomato	613.18	167	7,179.81	A
Diethylene glycol	Tomato, processing	3,219.66	839	67,608.36	A
Diethylene glycol	Triticale	323.61	50	2,329.5	A
Diethylene glycol	Uncultivated ag	349.5	65	3,347.55	A
Diethylene glycol	Uncultivated non-ag	54.41	8	332.0	A
Diethylene glycol	Walnut	1,598.21	331	10,941.18	A
Diethylene glycol	Water area	174.45	4	254.2	A
Diethylene glycol	Watermelon	134.15	49	2,085.0	A
Diethylene glycol	Wheat	577.36	108	8,336.65	A
Diethylene glycol	Wheat (forage - fodder)	1,025.3	736	43,384.69	A
Difenoconazole	Almond	31,675.08	4,432	289,103.95	A
Difenoconazole	Apple	2.75	20	336.0	A
Difenoconazole	Apricot	25.33	16	230.4	A
Difenoconazole	Artichoke, globe	92.83	63	1,104.8	A
Difenoconazole	Bean, succulent	4.23	2	37.02	A
Difenoconazole	Blueberry	4.68	5	50.21	A
Difenoconazole	Broccoli	67.6	17	619.8	A
Difenoconazole	Brussels sprout	36.18	8	316.5	A
Difenoconazole	Cabbage	0.76	1	6.7	A
Difenoconazole	Cantaloupe	30.59	4	286.8	A
Difenoconazole	Carrot	32.23	6	289.5	A
Difenoconazole	Cherry	307.45	162	2,807.54	A
Difenoconazole	Chinese cabbage (napa, wong bok, celery cabbage)	17.54	10	178.0	A
Difenoconazole	Citrus	6.54	3	58.0	A
Difenoconazole	Cucumber	11.36	4	99.0	A
Difenoconazole	Eggplant	40.24	16	353.0	A
Difenoconazole	Garlic	1,030.61	166	11,927.24	A
Difenoconazole	Golf course turf	68.77	1	299.54	A
Difenoconazole	Golf course turf	3.42	N/A	640,000.0	S
Difenoconazole	Grape	859.78	314	11,991.32	A
Difenoconazole	Grape, wine	6,655.77	3,309	79,915.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Difenoconazole	Grapefruit	64.16	37	579.28	A
Difenoconazole	Jujube	0.06	1	0.5	A
Difenoconazole	Kale	0.02	1	2.0	A
Difenoconazole	Kale	0.03	1	6,000.0	S
Difenoconazole	Landscape maintenance	1.79	1	8.0	A
Difenoconazole	Landscape maintenance	562.1	N/A	N/A	N/A
Difenoconazole	Lemon	335.66	146	2,904.69	A
Difenoconazole	Melon	1.76	3	18.0	A
Difenoconazole	N-grnhs flower	3.96	N/A	17.65	A
Difenoconazole	N-grnhs flower	2.61	N/A	490,000.0	S
Difenoconazole	N-grnhs transplants	3.61	1	27.0	A
Difenoconazole	N-outdr plants in containers	23.43	15	159.0	A
Difenoconazole	N-outdr transplants	84.22	59	875.79	A
Difenoconazole	Nectarine	28.6	12	284.6	A
Difenoconazole	Onion, dry	266.56	31	3,528.8	A
Difenoconazole	Orange	3,029.88	1,321	26,728.4	A
Difenoconazole	Peach	132.62	67	1,490.77	A
Difenoconazole	Pear	8.55	5	422.0	A
Difenoconazole	Pecan	2.86	1	25.0	A
Difenoconazole	Pepper, fruiting	557.8	221	5,466.93	A
Difenoconazole	Pepper, spice	7.42	4	64.8	A
Difenoconazole	Pistachio	2,803.78	423	29,768.33	A
Difenoconazole	Plum	57.69	34	571.75	A
Difenoconazole	Pluot	0.16	1	1.66	A
Difenoconazole	Pomelo	1.76	2	13.5	A
Difenoconazole	Potato	879.43	139	7,763.4	A
Difenoconazole	Prune	82.22	23	740.2	A
Difenoconazole	Pumpkin	28.18	18	256.19	A
Difenoconazole	Regulatory pest control	0.1	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Difenoconazole	Research commodity	2.78	16	28.06	A
Difenoconazole	Research commodity	0.18	6	47,700.0	S
Difenoconazole	Research commodity	0.61	N/A	N/A	N/A
Difenoconazole	Squash	25.27	10	338.25	A
Difenoconazole	Squash, summer	7.44	3	135.0	A
Difenoconazole	Squash, winter	12.28	3	112.0	A
Difenoconazole	Strawberry	226.26	71	2,072.68	A
Difenoconazole	Structural pest control	1.05	N/A	N/A	N/A
Difenoconazole	Tangelo	68.98	47	596.86	A
Difenoconazole	Tangerine	1,782.07	660	14,563.21	A
Difenoconazole	Tomato	904.55	300	12,504.25	A
Difenoconazole	Tomato	0.04	5	13,320.0	S
Difenoconazole	Tomato, processing	13,665.75	1,122	79,836.81	A
Difenoconazole	Turf/sod	1.94	N/A	7.0	A
Difenoconazole	Uncultivated ag	27.16	4	323.0	A
Difenoconazole	Unknown	0.91	1	7.4	A
Difenoconazole	Walnut	985.3	166	8,875.07	A
Difenoconazole	Watermelon	82.33	21	763.99	A
Difenoconazole	Wheat	2.42	N/A	20,120.0	P
Difenoconazole	Wheat	181.13	N/A	875.07	T
Difethialone	Animal premise	<0.01	11	6.5	A
Difethialone	Animal premise	<0.01	N/A	583.0	U
Difethialone	Commodity fumigation	<0.01	N/A	N/A	N/A
Difethialone	Farm/ag building	<0.01	1	5.0	A
Difethialone	Farm/ag building	<0.01	1	8,000.0	S
Difethialone	Food processing plant	<0.01	N/A	135.0	A
Difethialone	Fumigation, other	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Difethialone	Landscape maintenance	<0.01	N/A	N/A	N/A
Difethialone	Peach	<0.01	1	1.0	A
Difethialone	Regulatory pest control	0.01	N/A	N/A	N/A
Difethialone	Rights of way	<0.01	N/A	N/A	N/A
Difethialone	Structural pest control	1.27	N/A	N/A	N/A
Difethialone	Vertebrate control	0.01	N/A	N/A	N/A
Diflubenzuron	Alfalfa	7.49	6	220.0	A
Diflubenzuron	Almond	2,090.25	182	9,729.08	A
Diflubenzuron	Apricot	135.44	81	1,009.65	A
Diflubenzuron	Artichoke, globe	1,241.26	466	5,582.61	A
Diflubenzuron	Christmas tree	2.58	5	7.5	A
Diflubenzuron	Citrus	21.08	4	105.72	A
Diflubenzuron	Grape, wine	9.29	8	109.25	A
Diflubenzuron	Grapefruit	230.52	95	1,049.98	A
Diflubenzuron	Landscape maintenance	0.04	N/A	N/A	N/A
Diflubenzuron	Lemon	738.77	239	3,664.63	A
Diflubenzuron	N-grnhs plants in containers	2.23	27	23.19	A
Diflubenzuron	N-grnhs plants in containers	0.12	4	27,640.0	S
Diflubenzuron	N-grnhs transplants	0.02	1	14,250.0	S
Diflubenzuron	N-outdr flower	1.26	37	39.25	A
Diflubenzuron	N-outdr plants in containers	2.69	6	8.5	A
Diflubenzuron	N-outdr transplants	0.14	6	11,320.0	S
Diflubenzuron	Nectarine	960.67	374	5,057.59	A
Diflubenzuron	Orange	13,059.97	2,625	60,916.84	A
Diflubenzuron	Pastureland	19.27	21	774.76	A
Diflubenzuron	Peach	1,461.36	474	8,202.87	A
Diflubenzuron	Pear	11.13	2	44.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Diflubenzuron	Pepper, fruiting	155.54	70	1,245.38	A
Diflubenzuron	Plum	1,018.53	496	7,727.64	A
Diflubenzuron	Pomelo	36.9	16	176.26	A
Diflubenzuron	Prune	4.05	2	25.0	A
Diflubenzuron	Rangeland	2.34	4	94.0	A
Diflubenzuron	Regulatory pest control	<0.01	N/A	N/A	N/A
Diflubenzuron	Rice	1,228.5	137	13,553.97	A
Diflubenzuron	Structural pest control	1.53	N/A	N/A	N/A
Diflubenzuron	Tangelo	329.05	78	1,369.21	A
Diflubenzuron	Tangerine	2,526.96	511	11,028.36	A
Diflubenzuron	Uncultivated ag	25.7	1	203.17	A
Diflubenzuron	Walnut	177.7	22	991.0	A
Diflufenopyr, sodium salt	Corn (forage - fodder)	1,096.7	444	24,194.28	A
Diflufenopyr, sodium salt	Corn, grain	33.22	9	444.0	A
Diglycerides of fatty acids	Golf course turf	7.21	N/A	23.2	A
Diglycerides of fatty acids	Landscape maintenance	29.09	N/A	N/A	N/A
Diglycerides of fatty acids	N-grnhs flower	3.78	N/A	20.0	A
Diglycerides of fatty acids	Residential	1.44	N/A	4.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Alfalfa	463.97	21	804.2	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Barley	462.41	20	2,917.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Barley (forage - fodder)	21.24	5	125.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Bean, unspecified	51.42	1	68.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Bermudagrass	4,808.01	110	8,415.1	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Corn (forage - fodder)	5,926.7	347	13,785.5	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Corn, grain	140.65	1	496.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Cotton	231.4	7	527.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Ditch bank	15.12	1	20.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Forage hay/silage	1,487.35	85	4,613.9	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Forage hay/silage	11.53	4	79.0	U
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Grass, seed	179.25	14	301.9	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Landscape maintenance	678.72	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Oat	534.06	56	2,912.13	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Oat (forage - fodder)	1,360.39	191	7,508.46	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Orchardgrass	51.13	3	145.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Pasture (forage - fodder)	15.0	1	18.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Pastureland	339.51	22	886.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Rangeland	142.93	3	320.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Regulatory pest control	18.33	N/A	N/A	N/A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Rights of way	178.09	5	224.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Rights of way	527.43	N/A	N/A	N/A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Rye	30.25	1	135.7	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Ryegrass	385.27	20	1,026.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Soil fumigation/preplant	458.02	8	720.6	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Sorghum (forage - fodder)	2,072.39	76	5,561.86	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Sorghum/milo	1,307.51	49	3,681.21	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Structural pest control	2.27	N/A	N/A	N/A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Sudangrass	1,613.09	57	2,373.4	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Sugarcane	211.74	2	140.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Tomato, processing	353.18	3	467.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Triticale	385.15	47	2,057.65	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Turf/sod	202.66	5	143.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Uncultivated ag	6,742.76	123	9,909.2	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Unknown	27.18	1	78.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Wheat	3,475.08	221	15,894.54	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Wheat (forage - fodder)	6,096.46	531	28,364.69	A
Diiodomethyl p-tolyl sulfone	Lumber, treated	571.07	N/A	7,779.02	K
Dikegulac sodium	Golf course turf	0.04	N/A	2.0	A
Dikegulac sodium	Landscape maintenance	3,950.13	N/A	N/A	N/A
Dikegulac sodium	N-grnhs plants in containers	117.42	96	124.79	A
Dikegulac sodium	N-outdr flower	16.64	11	9.12	A
Dikegulac sodium	N-outdr plants in containers	4.38	36	40.03	A
Dikegulac sodium	N-outdr plants in containers	0.03	1	12.0	U
Dikegulac sodium	Rights of way	32.91	N/A	N/A	N/A
Dimethenamid-p	Garlic	4,083.07	80	5,823.4	A
Dimethenamid-p	Grass, seed	71.24	7	95.0	A
Dimethenamid-p	Landscape maintenance	633.79	N/A	N/A	N/A
Dimethenamid-p	N-grnhs flower	7.5	N/A	13.33	A
Dimethenamid-p	N-grnhs plants in containers	0.41	6	1.99	A
Dimethenamid-p	N-outdr flower	3.75	6	5.0	A
Dimethenamid-p	N-outdr plants in containers	1,112.5	655	813.38	A
Dimethenamid-p	N-outdr plants in containers	0.08	2	3.0	K
Dimethenamid-p	N-outdr plants in containers	0.18	8	8,674.6	S
Dimethenamid-p	N-outdr transplants	2.25	3	3.0	A
Dimethenamid-p	Onion, dry	5,464.99	221	9,699.34	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethenamid-p	Potato	3,611.82	64	4,731.5	A
Dimethenamid-p	Research commodity	1.41	2	3.65	A
Dimethenamid-p	Research commodity	2.11	N/A	N/A	N/A
Dimethenamid-p	Rights of way	29.25	N/A	N/A	N/A
Dimethenamid-p	Structural pest control	1.17	N/A	N/A	N/A
Dimethoate	Alfalfa	21,788.64	1,480	78,557.04	A
Dimethoate	Almond	3.29	1	112.0	A
Dimethoate	Bean, dried	2,798.69	109	6,963.95	A
Dimethoate	Bean, succulent	899.73	55	2,003.58	A
Dimethoate	Bean, unspecified	75.41	12	295.3	A
Dimethoate	Broccoli	1,029.94	147	3,006.47	A
Dimethoate	Brussels sprout	96.38	22	349.6	A
Dimethoate	Cauliflower	108.69	35	248.04	A
Dimethoate	Celery	1,139.36	444	3,023.0	A
Dimethoate	Citrus	19.12	1	19.35	A
Dimethoate	Corn (forage - fodder)	1,914.79	89	4,646.2	A
Dimethoate	Corn, human consumption	13.15	5	109.5	A
Dimethoate	Cotton	14,013.43	198	32,439.33	A
Dimethoate	Endive (escarole)	15.15	14	62.04	A
Dimethoate	Grapefruit	77.96	5	86.0	A
Dimethoate	Kale	13.54	6	55.35	A
Dimethoate	Lemon	379.95	25	356.46	A
Dimethoate	Lettuce, leaf	1,267.83	504	5,163.22	A
Dimethoate	Mustard	0.15	2	0.6	A
Dimethoate	Mustard greens	1.23	1	5.0	A
Dimethoate	N-grnhs plants in containers	1.48	5	4.85	A
Dimethoate	N-outdr flower	57.27	25	52.19	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethoate	N-outdr plants in containers	15.8	5	4.38	A
Dimethoate	N-outdr transplants	0.49	1	2.6	A
Dimethoate	Orange	3,596.33	235	5,381.92	A
Dimethoate	Peas	237.66	140	1,346.95	A
Dimethoate	Pecan	6.18	4	53.0	A
Dimethoate	Pepper, fruiting	280.31	44	1,565.25	A
Dimethoate	Safflower	14,031.4	237	61,461.4	A
Dimethoate	Sorghum (forage - fodder)	75.4	2	152.7	A
Dimethoate	Sorghum/milo	117.86	7	238.5	A
Dimethoate	Structural pest control	<0.01	N/A	N/A	N/A
Dimethoate	Sudangrass	129.98	4	351.0	A
Dimethoate	Tangelo	3.91	1	8.0	A
Dimethoate	Tangerine	556.06	60	1,212.16	A
Dimethoate	Tomato	970.77	79	2,812.41	A
Dimethoate	Tomato, processing	19,944.75	611	57,679.36	A
Dimethoate	Uncultivated ag	193.05	9	388.03	A
Dimethoate	Wheat	364.01	22	1,267.0	A
Dimethoate	Wheat (forage - fodder)	398.0	13	1,075.2	A
Dimethomorph	Arugula	86.41	172	422.23	A
Dimethomorph	Bok choy (choy sum, pak choi)	0.63	2	3.09	A
Dimethomorph	Broccoli	104.79	36	522.3	A
Dimethomorph	Brussels sprout	75.25	22	378.8	A
Dimethomorph	Cabbage	180.56	77	966.25	A
Dimethomorph	Cauliflower	26.15	9	147.5	A
Dimethomorph	Chinese broccoli (gai lon)	45.72	118	314.0	A
Dimethomorph	Collard	19.56	24	95.4	A
Dimethomorph	Corn (forage - fodder)	3.54	2	18.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethomorph	Cucumber	294.44	46	1,438.05	A
Dimethomorph	Dandelion green	0.56	3	2.73	A
Dimethomorph	Endive (escarole)	2.47	8	13.04	A
Dimethomorph	Kale	88.16	162	440.54	A
Dimethomorph	Kohlrabi	0.23	1	1.1	A
Dimethomorph	Landscape maintenance	1.53	N/A	N/A	N/A
Dimethomorph	Lettuce, head	7,681.15	3,649	39,039.13	A
Dimethomorph	Lettuce, leaf	8,170.8	4,567	41,353.82	A
Dimethomorph	Melon	7.38	2	36.0	A
Dimethomorph	Mizuna	14.64	17	71.3	A
Dimethomorph	Mustard	13.58	27	79.33	A
Dimethomorph	Mustard greens	15.51	60	76.48	A
Dimethomorph	N-grnhs flower	45.41	63	127.84	A
Dimethomorph	N-grnhs flower	6.2	13	1,008,000.0	S
Dimethomorph	N-grnhs plants in containers	30.83	81	123.81	A
Dimethomorph	N-grnhs plants in containers	5.53	34	1,062,310.0	S
Dimethomorph	N-grnhs plants in containers	0.1	1	2,400.0	U
Dimethomorph	N-grnhs transplants	8.21	21	475.5	A
Dimethomorph	N-grnhs transplants	1.7	52	501,500.0	S
Dimethomorph	N-outdr flower	390.23	217	1,805.09	A
Dimethomorph	N-outdr plants in containers	103.63	280	416.81	A
Dimethomorph	N-outdr plants in containers	1.6	14	229,772.0	S
Dimethomorph	N-outdr transplants	6.17	24	26.5	A
Dimethomorph	N-outdr transplants	0.12	3	22,400.0	U
Dimethomorph	Onion, dry	1,574.52	141	7,832.49	A
Dimethomorph	Onion, green	75.39	4	368.1	A
Dimethomorph	Parsley	14.01	15	68.44	A
Dimethomorph	Pepper, fruiting	18.8	5	91.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dimethomorph</b>	Research commodity	0.89	2	4.35	A
<b>Dimethomorph</b>	Research commodity	4.53	N/A	N/A	N/A
<b>Dimethomorph</b>	Spinach	1,615.61	1,013	7,927.21	A
<b>Dimethomorph</b>	Squash	1.65	1	8.0	A
<b>Dimethomorph</b>	Swiss chard	38.37	77	187.34	A
<b>Dimethomorph</b>	Tomato	93.85	26	474.75	A
<b>Dimethomorph</b>	Upland cress	14.93	32	72.9	A
<b>Dimethomorph</b>	Vegetables, leafy	0.59	2	4.5	A
<b>Dimethomorph</b>	Watermelon	27.11	8	133.2	A
<b>Dimethyl alkyl tertiary amines</b>	Alfalfa	349.43	1,156	61,724.4	A
<b>Dimethyl alkyl tertiary amines</b>	Almond	404.79	1,635	58,985.14	A
<b>Dimethyl alkyl tertiary amines</b>	Artichoke, globe	7.9	136	2,021.7	A
<b>Dimethyl alkyl tertiary amines</b>	Arugula	42.7	118	1,005.91	A
<b>Dimethyl alkyl tertiary amines</b>	Barley	7.31	26	1,518.0	A
<b>Dimethyl alkyl tertiary amines</b>	Barley (forage - fodder)	3.2	9	520.7	A
<b>Dimethyl alkyl tertiary amines</b>	Basil, sweet	0.25	1	41.0	A
<b>Dimethyl alkyl tertiary amines</b>	Bean, dried	10.96	29	1,251.5	A
<b>Dimethyl alkyl tertiary amines</b>	Bean, succulent	1.22	9	192.95	A
<b>Dimethyl alkyl tertiary amines</b>	Bean, unspecified	1.56	50	222.31	A
<b>Dimethyl alkyl tertiary amines</b>	Bok choy (choy sum, pak choi)	0.24	11	29.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dimethyl alkyl tertiary amines</b>	Broccoli	69.72	999	8,259.56	A
<b>Dimethyl alkyl tertiary amines</b>	Brussels sprout	14.62	133	1,974.34	A
<b>Dimethyl alkyl tertiary amines</b>	Cabbage	3.22	65	568.9	A
<b>Dimethyl alkyl tertiary amines</b>	Cantaloupe	0.56	1	91.0	A
<b>Dimethyl alkyl tertiary amines</b>	Cardoon	0.15	4	24.0	A
<b>Dimethyl alkyl tertiary amines</b>	Carrot	8.26	133	2,046.0	A
<b>Dimethyl alkyl tertiary amines</b>	Cauliflower	26.14	642	5,081.55	A
<b>Dimethyl alkyl tertiary amines</b>	Celery	27.59	607	4,471.85	A
<b>Dimethyl alkyl tertiary amines</b>	Cherry	4.28	88	677.34	A
<b>Dimethyl alkyl tertiary amines</b>	Cilantro	0.45	13	103.0	A
<b>Dimethyl alkyl tertiary amines</b>	Corn (forage - fodder)	176.88	490	26,127.4	A
<b>Dimethyl alkyl tertiary amines</b>	Corn, grain	26.09	41	3,691.51	A
<b>Dimethyl alkyl tertiary amines</b>	Corn, human consumption	42.4	364	5,135.59	A
<b>Dimethyl alkyl tertiary amines</b>	Cotton	125.89	280	17,958.55	A
<b>Dimethyl alkyl tertiary amines</b>	Cress, garden	0.11	1	2.4	A
<b>Dimethyl alkyl tertiary amines</b>	Cucumber	0.31	7	49.84	A
<b>Dimethyl alkyl tertiary amines</b>	Ditch bank	2.7	3	215.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dimethyl alkyl tertiary amines	Eggplant	0.12	2	19.0	A
Dimethyl alkyl tertiary amines	Endive (escarole)	1.76	37	39.3	A
Dimethyl alkyl tertiary amines	Fennel	2.51	90	396.45	A
Dimethyl alkyl tertiary amines	Forage hay/silage	24.5	86	4,287.64	A
Dimethyl alkyl tertiary amines	Forest, timberland	6.9	62	1,591.0	A
Dimethyl alkyl tertiary amines	Forest, timberland	0.37	3	6.0	U
Dimethyl alkyl tertiary amines	Garbanzo bean	1.94	2	313.0	A
Dimethyl alkyl tertiary amines	Garlic	16.15	30	2,687.76	A
Dimethyl alkyl tertiary amines	Grape	2.76	34	485.56	A
Dimethyl alkyl tertiary amines	Grape, wine	458.57	4,490	78,247.89	A
Dimethyl alkyl tertiary amines	Grapefruit	0.17	2	27.5	A
Dimethyl alkyl tertiary amines	Herb, spice	0.67	3	108.0	A
Dimethyl alkyl tertiary amines	Horseradish	0.5	1	84.0	A
Dimethyl alkyl tertiary amines	Kale	7.73	72	177.86	A
Dimethyl alkyl tertiary amines	Landscape maintenance	16.21	N/A	N/A	N/A
Dimethyl alkyl tertiary amines	Lemon	1.72	11	277.5	A
Dimethyl alkyl tertiary amines	Lettuce, head	128.39	948	9,883.08	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dimethyl alkyl tertiary amines</b>	Lettuce, leaf	272.71	2,442	16,402.94	A
<b>Dimethyl alkyl tertiary amines</b>	Melon	0.62	4	99.0	A
<b>Dimethyl alkyl tertiary amines</b>	Mint	3.36	16	926.0	A
<b>Dimethyl alkyl tertiary amines</b>	Mizuna	0.8	24	17.65	A
<b>Dimethyl alkyl tertiary amines</b>	Mustard greens	<0.01	2	0.25	A
<b>Dimethyl alkyl tertiary amines</b>	N-grnhs plants in containers	<0.01	1	3.0	A
<b>Dimethyl alkyl tertiary amines</b>	N-outdr plants in containers	7.68	46	2,494.33	A
<b>Dimethyl alkyl tertiary amines</b>	N-outdr transplants	0.8	7	141.78	A
<b>Dimethyl alkyl tertiary amines</b>	Oat	4.97	13	815.31	A
<b>Dimethyl alkyl tertiary amines</b>	Oat (forage - fodder)	11.22	45	1,774.9	A
<b>Dimethyl alkyl tertiary amines</b>	Olive	11.03	50	1,075.07	A
<b>Dimethyl alkyl tertiary amines</b>	Onion, dry	32.19	80	5,420.39	A
<b>Dimethyl alkyl tertiary amines</b>	Orange	1.4	14	224.4	A
<b>Dimethyl alkyl tertiary amines</b>	Orchardgrass	7.51	13	881.0	A
<b>Dimethyl alkyl tertiary amines</b>	Pastureland	2.98	10	492.0	A
<b>Dimethyl alkyl tertiary amines</b>	Peach	1.19	20	192.25	A
<b>Dimethyl alkyl tertiary amines</b>	Peas	12.65	253	2,068.23	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dimethyl alkyl tertiary amines	Pecan	0.52	5	83.91	A
Dimethyl alkyl tertiary amines	Pepper, fruiting	1.91	15	307.55	A
Dimethyl alkyl tertiary amines	Pistachio	221.7	394	17,076.86	A
Dimethyl alkyl tertiary amines	Potato	39.55	122	7,145.6	A
Dimethyl alkyl tertiary amines	Prune	13.25	81	2,117.56	A
Dimethyl alkyl tertiary amines	Public health	8.65	N/A	N/A	N/A
Dimethyl alkyl tertiary amines	Pumpkin	0.94	4	141.0	A
Dimethyl alkyl tertiary amines	Radicchio	1.24	11	200.0	A
Dimethyl alkyl tertiary amines	Rangeland	0.81	10	177.79	A
Dimethyl alkyl tertiary amines	Raspberry	0.95	2	160.0	A
Dimethyl alkyl tertiary amines	Rice	337.73	573	26,309.48	A
Dimethyl alkyl tertiary amines	Rights of way	13.2	37	1,660.9	A
Dimethyl alkyl tertiary amines	Rights of way	186.86	N/A	N/A	N/A
Dimethyl alkyl tertiary amines	Rye	2.04	15	534.0	A
Dimethyl alkyl tertiary amines	Ryegrass	5.09	21	792.0	A
Dimethyl alkyl tertiary amines	Safflower	1.12	7	182.5	A
Dimethyl alkyl tertiary amines	Soil fumigation/preplant	1.36	1	219.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dimethyl alkyl tertiary amines</b>	Sorghum (forage - fodder)	0.24	1	38.0	A
<b>Dimethyl alkyl tertiary amines</b>	Sorghum/milo	2.1	6	317.68	A
<b>Dimethyl alkyl tertiary amines</b>	Spinach	63.34	317	2,840.16	A
<b>Dimethyl alkyl tertiary amines</b>	Squash	0.15	6	23.5	A
<b>Dimethyl alkyl tertiary amines</b>	Strawberry	6.44	21	1,232.85	A
<b>Dimethyl alkyl tertiary amines</b>	Sudangrass	15.59	45	2,508.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dimethyl alkyl tertiary amines	Sunflower	18.85	79	2,675.13	A
Dimethyl alkyl tertiary amines	Tangelo	0.2	1	30.7	A
Dimethyl alkyl tertiary amines	Tangerine	1.8	15	326.6	A
Dimethyl alkyl tertiary amines	Tomato	26.62	102	2,844.54	A
Dimethyl alkyl tertiary amines	Tomato, processing	17.73	28	2,735.4	A
Dimethyl alkyl tertiary amines	Triticale	11.67	38	1,941.04	A
Dimethyl alkyl tertiary amines	Uncultivated ag	278.66	1,176	28,551.88	A
Dimethyl alkyl tertiary amines	Uncultivated non-ag	12.72	20	694.0	A
Dimethyl alkyl tertiary amines	Unknown	0.49	1	78.0	A
Dimethyl alkyl tertiary amines	Upland cress	5.44	54	127.1	A
Dimethyl alkyl tertiary amines	Vertebrate control	0.11	2	23.0	A
Dimethyl alkyl tertiary amines	Walnut	76.7	505	11,116.89	A
Dimethyl alkyl tertiary amines	Water area	0.93	28	42.2	A
Dimethyl alkyl tertiary amines	Watermelon	0.36	6	58.4	A
Dimethyl alkyl tertiary amines	Wheat	86.85	273	14,430.76	A
Dimethyl alkyl tertiary amines	Wheat (forage - fodder)	84.27	228	12,429.57	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dimethyl and methyl naphthalene sulfonic acid, sodium salt</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>Dimethyl dicocoalkyl ammonium chloride</b>	Orange	0.06	1	10.0	A
<b>Dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate</b>	Alfalfa	278.4	86	7,634.18	A
<b>Dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate</b>	Corn (forage - fodder)	18.0	7	407.0	A
<b>Dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate</b>	Forage hay/silage	12.71	10	656.0	A
<b>Dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate</b>	Lettuce, head	6.16	6	63.6	A
<b>Dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate</b>	Lettuce, leaf	15.26	19	157.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Melon	1.54	2	75.0	A
Dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Orchardgrass	3.58	2	185.0	A
Dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Timothy	7.18	11	370.0	A
Dimethyl silicone fluid emulsion	Alfalfa	0.56	16	797.0	A
Dimethyl silicone fluid emulsion	Almond	98.77	254	28,349.33	A
Dimethyl silicone fluid emulsion	Apricot	0.85	10	69.22	A
Dimethyl silicone fluid emulsion	Artichoke, globe	4.14	96	823.5	A
Dimethyl silicone fluid emulsion	Arugula	9.31	593	2,075.28	A
Dimethyl silicone fluid emulsion	Bean, dried	0.11	2	32.8	A
Dimethyl silicone fluid emulsion	Bean, succulent	0.7	39	161.93	A
Dimethyl silicone fluid emulsion	Bean, unspecified	1.51	35	332.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dimethyl silicone fluid emulsion	Beet	0.81	68	215.57	A
Dimethyl silicone fluid emulsion	Blackberry	0.02	2	5.35	A
Dimethyl silicone fluid emulsion	Bok choy (choy sum, pak choi)	1.94	104	436.91	A
Dimethyl silicone fluid emulsion	Broccoli	44.47	1,015	9,478.87	A
Dimethyl silicone fluid emulsion	Brussels sprout	8.6	113	1,517.6	A
Dimethyl silicone fluid emulsion	Cabbage	7.42	282	1,601.32	A
Dimethyl silicone fluid emulsion	Carrot	2.18	52	568.4	A
Dimethyl silicone fluid emulsion	Cauliflower	7.67	217	1,539.54	A
Dimethyl silicone fluid emulsion	Celery	9.04	283	1,869.1	A
Dimethyl silicone fluid emulsion	Chinese cabbage (napa, wong bok, celery cabbage)	3.68	141	814.98	A
Dimethyl silicone fluid emulsion	Cilantro	14.28	1,234	3,636.86	A
Dimethyl silicone fluid emulsion	Corn (forage - fodder)	4.54	48	2,951.5	A
Dimethyl silicone fluid emulsion	Corn, human consumption	0.02	1	9.0	A
Dimethyl silicone fluid emulsion	Cucumber	0.89	34	321.3	A
Dimethyl silicone fluid emulsion	Endive (escarole)	3.09	191	730.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dimethyl silicone fluid emulsion	Fennel	0.18	16	53.53	A
Dimethyl silicone fluid emulsion	Forage hay/silage	1.04	12	674.0	A
Dimethyl silicone fluid emulsion	Garlic	1.52	19	350.7	A
Dimethyl silicone fluid emulsion	Grape	0.02	2	3.0	A
Dimethyl silicone fluid emulsion	Grape, wine	87.56	800	14,704.36	A
Dimethyl silicone fluid emulsion	Grapefruit	0.13	4	26.0	A
Dimethyl silicone fluid emulsion	Kale	8.16	264	1,403.85	A
Dimethyl silicone fluid emulsion	Landscape maintenance	9.44	N/A	N/A	N/A
Dimethyl silicone fluid emulsion	Leek	3.96	177	778.17	A
Dimethyl silicone fluid emulsion	Lemon	4.32	9	285.5	A
Dimethyl silicone fluid emulsion	Lettuce, head	32.57	700	7,332.01	A
Dimethyl silicone fluid emulsion	Lettuce, leaf	108.31	3,265	24,574.72	A
Dimethyl silicone fluid emulsion	Melon	<0.01	1	0.57	A
Dimethyl silicone fluid emulsion	Mizuna	0.1	23	18.47	A
Dimethyl silicone fluid emulsion	Mustard greens	3.75	240	867.94	A
Dimethyl silicone fluid emulsion	N-grnhs plants in containers	0.16	20	15.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dimethyl silicone fluid emulsion	Nectarine	0.05	1	8.0	A
Dimethyl silicone fluid emulsion	Olive	0.31	1	16.0	A
Dimethyl silicone fluid emulsion	Onion, dry	4.97	80	1,052.3	A
Dimethyl silicone fluid emulsion	Orange	8.18	35	456.25	A
Dimethyl silicone fluid emulsion	Parsley	4.11	165	909.89	A
Dimethyl silicone fluid emulsion	Pastureland	<0.01	1	6.0	A
Dimethyl silicone fluid emulsion	Peach	1.0	25	219.72	A
Dimethyl silicone fluid emulsion	Peas	5.87	173	1,403.53	A
Dimethyl silicone fluid emulsion	Pepper, fruiting	1.35	22	359.92	A
Dimethyl silicone fluid emulsion	Pistachio	3.75	8	672.33	A
Dimethyl silicone fluid emulsion	Plum	0.65	11	83.56	A
Dimethyl silicone fluid emulsion	Pumpkin	0.05	6	10.89	A
Dimethyl silicone fluid emulsion	Radish	10.28	713	1,969.32	A
Dimethyl silicone fluid emulsion	Rights of way	5.13	N/A	N/A	N/A
Dimethyl silicone fluid emulsion	Rye	0.2	7	61.7	A
Dimethyl silicone fluid emulsion	Ryegrass	<0.01	1	1.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dimethyl silicone fluid emulsion	Spinach	61.91	2,243	13,309.83	A
Dimethyl silicone fluid emulsion	Squash	0.31	17	79.22	A
Dimethyl silicone fluid emulsion	Squash, summer	0.35	45	112.78	A
Dimethyl silicone fluid emulsion	Strawberry	4.52	25	343.45	A
Dimethyl silicone fluid emulsion	Structural pest control	<0.01	1	1.5	A
Dimethyl silicone fluid emulsion	Sunflower	0.49	15	127.28	A
Dimethyl silicone fluid emulsion	Swiss chard	2.55	252	513.38	A
Dimethyl silicone fluid emulsion	Tangelo	0.03	1	9.0	A
Dimethyl silicone fluid emulsion	Tangerine	2.08	14	168.5	A
Dimethyl silicone fluid emulsion	Tomato	5.65	69	949.29	A
Dimethyl silicone fluid emulsion	Tomato, processing	1.6	14	453.5	A
Dimethyl silicone fluid emulsion	Uncultivated ag	13.69	278	2,913.13	A
Dimethyl silicone fluid emulsion	Uncultivated non-ag	4.85	126	763.15	A
Dimethyl silicone fluid emulsion	Walnut	662.34	2,080	53,205.02	A
Dimethyl silicone fluid emulsion	Watermelon	0.05	6	11.57	A
Dimethylpolysiloxane	Alfalfa	339.66	3,775	204,310.8	A
Dimethylpolysiloxane	Almond	23,842.8	19,883	1,036,722.54	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	Apple	21.43	86	1,109.88	A
Dimethylpolysiloxane	Apricot	26.57	262	3,799.15	A
Dimethylpolysiloxane	Artichoke, globe	7.44	94	950.77	A
Dimethylpolysiloxane	Arugula	0.03	17	32.9	A
Dimethylpolysiloxane	Asparagus	0.05	2	118.2	A
Dimethylpolysiloxane	Avocado	2,097.61	639	10,206.71	A
Dimethylpolysiloxane	Avocado	3.12	14	2,163,050.0	U
Dimethylpolysiloxane	Barley	1.2	47	3,650.0	A
Dimethylpolysiloxane	Basil, sweet	24.08	11	495.75	A
Dimethylpolysiloxane	Basil, sweet	0.07	1	1,166.0	S
Dimethylpolysiloxane	Bean, dried	13.15	77	4,732.32	A
Dimethylpolysiloxane	Bean, succulent	1.66	33	413.2	A
Dimethylpolysiloxane	Bean, unspecified	3.7	15	433.0	A
Dimethylpolysiloxane	Beet	30.66	101	1,911.9	A
Dimethylpolysiloxane	Bermudagrass	6.04	88	8,783.6	A
Dimethylpolysiloxane	Blackberry	866.55	542	6,924.14	A
Dimethylpolysiloxane	Blueberry	190.24	319	11,474.18	A
Dimethylpolysiloxane	Bok choy (choy sum, pak choi)	51.08	134	584.26	A
Dimethylpolysiloxane	Boysenberry	0.33	3	3.0	A
Dimethylpolysiloxane	Broccoli	3,050.13	2,449	27,830.25	A
Dimethylpolysiloxane	Brussels sprout	340.78	121	2,682.9	A
Dimethylpolysiloxane	Cabbage	541.45	518	5,341.52	A
Dimethylpolysiloxane	Cactus pear	0.05	1	8.8	A
Dimethylpolysiloxane	Cannabis (all or unspecified)	126.9	95	514.16	A
Dimethylpolysiloxane	Cannabis (all or unspecified)	27.06	184	1,709,615.0	S
Dimethylpolysiloxane	Cantaloupe	9.11	79	6,759.12	A
Dimethylpolysiloxane	Carrot	82.52	105	3,984.32	A
Dimethylpolysiloxane	Cauliflower	818.05	1,153	10,364.94	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	Celery	1,445.46	2,143	24,827.91	A
Dimethylpolysiloxane	Cherry	359.01	1,395	24,857.89	A
Dimethylpolysiloxane	Chinese cabbage (napa, wong bok, celery cabbage)	0.69	42	68.9	A
Dimethylpolysiloxane	Chinese greens	<0.01	3	3.5	A
Dimethylpolysiloxane	Christmas tree	0.07	7	13.5	A
Dimethylpolysiloxane	Cilantro	5.29	87	834.38	A
Dimethylpolysiloxane	Citrus	5.18	43	478.76	A
Dimethylpolysiloxane	Citrus	0.73	5	1,490.0	S
Dimethylpolysiloxane	Citrus	0.38	2	58,538.0	U
Dimethylpolysiloxane	Cole crop	0.16	1	0.3	A
Dimethylpolysiloxane	Collard	51.49	165	899.32	A
Dimethylpolysiloxane	Commercial, institutional or industrial areas	<0.01	2	18.5	A
Dimethylpolysiloxane	Commodity fumigation	<0.01	N/A	N/A	N/A
Dimethylpolysiloxane	Corn (forage - fodder)	520.5	3,360	165,656.9	A
Dimethylpolysiloxane	Corn, grain	16.47	397	15,055.98	A
Dimethylpolysiloxane	Corn, human consumption	57.76	1,419	36,216.51	A
Dimethylpolysiloxane	Corn, human consumption	0.1	2	4,000.0	S
Dimethylpolysiloxane	Cotton	441.19	2,207	182,748.01	A
Dimethylpolysiloxane	Cucumber	116.17	76	1,159.09	A
Dimethylpolysiloxane	Daikon	0.98	17	53.3	A
Dimethylpolysiloxane	Date	5.35	5	124.0	A
Dimethylpolysiloxane	Dill	0.45	1	33.0	A
Dimethylpolysiloxane	Ditch bank	16.54	66	752.77	A
Dimethylpolysiloxane	Eggplant	4.24	25	321.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	Endive (escarole)	0.05	37	27.46	A
Dimethylpolysiloxane	Fava bean	<0.01	1	4.55	A
Dimethylpolysiloxane	Fennel	0.88	4	39.1	A
Dimethylpolysiloxane	Fig	3.73	28	861.94	A
Dimethylpolysiloxane	Forage hay/silage	9.56	177	9,896.43	A
Dimethylpolysiloxane	Forest, timberland	0.05	13	55.75	A
Dimethylpolysiloxane	Fumigation, other	126.42	N/A	N/A	N/A
Dimethylpolysiloxane	Gai lon	0.02	24	20.03	A
Dimethylpolysiloxane	Garlic	392.53	265	19,175.6	A
Dimethylpolysiloxane	Golf course turf	0.05	N/A	21.47	A
Dimethylpolysiloxane	Grain	0.03	5	73.5	A
Dimethylpolysiloxane	Grape	6,604.8	6,628	220,934.6	A
Dimethylpolysiloxane	Grape	<0.01	2	18,000.0	S
Dimethylpolysiloxane	Grape, wine	6,444.13	15,682	488,401.58	A
Dimethylpolysiloxane	Grapefruit	181.57	230	3,386.42	A
Dimethylpolysiloxane	Grass, seed	0.11	20	96.2	A
Dimethylpolysiloxane	Guava	45.78	11	86.29	A
Dimethylpolysiloxane	Herb, spice	0.4	66	214.5	A
Dimethylpolysiloxane	Hops	0.1	7	54.25	A
Dimethylpolysiloxane	Industrial hemp	0.17	8	125.5	A
Dimethylpolysiloxane	Kale	166.46	250	3,224.24	A
Dimethylpolysiloxane	Kiwi fruit fuzzy	165.72	531	7,366.28	A
Dimethylpolysiloxane	Kohlrabi	18.83	51	72.7	A
Dimethylpolysiloxane	Kumquat	1.54	8	36.52	A
Dimethylpolysiloxane	Landscape maintenance	1.6	8	184.4	A
Dimethylpolysiloxane	Landscape maintenance	166.64	N/A	N/A	N/A
Dimethylpolysiloxane	Leek	10.99	63	432.61	A
Dimethylpolysiloxane	Lemon	4,100.25	1,451	27,083.17	A
Dimethylpolysiloxane	Lettuce, head	3,446.18	2,950	34,894.54	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	Lettuce, head	2.97	11	124,034.0	S
Dimethylpolysiloxane	Lettuce, leaf	3,517.56	4,971	43,463.05	A
Dimethylpolysiloxane	Lime	13.11	37	312.65	A
Dimethylpolysiloxane	Melon	4.99	60	3,115.45	A
Dimethylpolysiloxane	Mizuna	0.01	7	13.98	A
Dimethylpolysiloxane	Mustard	0.59	13	28.5	A
Dimethylpolysiloxane	Mustard greens	6.41	86	368.97	A
Dimethylpolysiloxane	N-grnhs flower	53.23	665	1,882.46	A
Dimethylpolysiloxane	N-grnhs flower	2.93	53	458,669.2	S
Dimethylpolysiloxane	N-grnhs plants in containers	1,602.77	2,260	2,541.3	A
Dimethylpolysiloxane	N-grnhs plants in containers	9.89	109	2,700,295.0	S
Dimethylpolysiloxane	N-grnhs transplants	121.08	225	291.78	A
Dimethylpolysiloxane	N-grnhs transplants	0.36	3	71,712.0	S
Dimethylpolysiloxane	N-outdr flower	8.32	1,251	6,128.87	A
Dimethylpolysiloxane	N-outdr plants in containers	1,546.53	1,586	3,339.89	A
Dimethylpolysiloxane	N-outdr plants in containers	0.23	23	175,604.62	S
Dimethylpolysiloxane	N-outdr plants in containers	2.44	9	44,558.0	U
Dimethylpolysiloxane	N-outdr transplants	773.3	1,200	4,827.93	A
Dimethylpolysiloxane	N-outdr transplants	<0.01	1	180,000.0	S
Dimethylpolysiloxane	Nectarine	829.23	939	9,427.97	A
Dimethylpolysiloxane	Oat	2.56	59	3,100.91	A
Dimethylpolysiloxane	Oat (forage - fodder)	10.54	515	20,926.99	A
Dimethylpolysiloxane	Olive	38.45	158	3,604.15	A
Dimethylpolysiloxane	Onion, dry	371.53	390	22,503.33	A
Dimethylpolysiloxane	Onion, green	4.29	16	230.2	A
Dimethylpolysiloxane	Orange	15,588.87	3,967	75,234.58	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	Orchardgrass	0.17	15	774.5	A
Dimethylpolysiloxane	Parsley	16.22	130	541.63	A
Dimethylpolysiloxane	Pasture (forage - fodder)	0.03	3	16.0	A
Dimethylpolysiloxane	Pastureland	2.14	76	5,290.95	A
Dimethylpolysiloxane	Peach	2,234.47	1,945	25,085.77	A
Dimethylpolysiloxane	Pear	14.76	65	1,143.94	A
Dimethylpolysiloxane	Pear, asian (oriental pear, ya, ya li, nashi)	0.07	13	88.5	A
Dimethylpolysiloxane	Peas	4.4	5	53.8	A
Dimethylpolysiloxane	Pecan	953.58	92	4,290.77	A
Dimethylpolysiloxane	Pepper, fruiting	225.27	1,111	25,747.56	A
Dimethylpolysiloxane	Persimmon	5.48	47	1,056.52	A
Dimethylpolysiloxane	Pistachio	19,552.63	7,756	613,449.21	A
Dimethylpolysiloxane	Pistachio	<0.01	7	39,844.0	S
Dimethylpolysiloxane	Pistachio	<0.01	9	85.0	U
Dimethylpolysiloxane	Plum	122.3	991	8,343.46	A
Dimethylpolysiloxane	Pluot	<0.01	1	1.0	A
Dimethylpolysiloxane	Pomegranate	290.78	217	13,820.7	A
Dimethylpolysiloxane	Pomelo	18.31	17	163.75	A
Dimethylpolysiloxane	Potato	1.14	43	2,621.24	A
Dimethylpolysiloxane	Prune	45.12	523	18,659.44	A
Dimethylpolysiloxane	Public health	0.42	N/A	N/A	N/A
Dimethylpolysiloxane	Pumpkin	33.53	86	2,073.75	A
Dimethylpolysiloxane	Quince	0.26	7	28.0	A
Dimethylpolysiloxane	Radicchio	0.24	5	6.0	A
Dimethylpolysiloxane	Radish	3.05	29	121.85	A
Dimethylpolysiloxane	Rangeland	7.82	32	940.77	A
Dimethylpolysiloxane	Rape (leafy vegetable)	<0.01	1	3.0	A
Dimethylpolysiloxane	Rapini	252.36	24	583.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	Raspberry	1,283.13	642	7,373.09	A
Dimethylpolysiloxane	Recreation area	0.01	N/A	6.87	A
Dimethylpolysiloxane	Regulatory pest control	0.31	N/A	N/A	N/A
Dimethylpolysiloxane	Research commodity	23.59	128	275.12	A
Dimethylpolysiloxane	Research commodity	17.83	N/A	N/A	N/A
Dimethylpolysiloxane	Rice	332.47	1,569	119,189.31	A
Dimethylpolysiloxane	Rights of way	34.88	268	6,082.9	A
Dimethylpolysiloxane	Rights of way	<0.01	1	40,000.0	S
Dimethylpolysiloxane	Rights of way	0.17	10	0.1	U
Dimethylpolysiloxane	Rights of way	651.49	N/A	N/A	N/A
Dimethylpolysiloxane	Rosemary	0.12	2	4.0	A
Dimethylpolysiloxane	Rye	0.16	15	596.3	A
Dimethylpolysiloxane	Ryegrass	4.64	107	5,576.66	A
Dimethylpolysiloxane	Safflower	0.24	28	920.9	A
Dimethylpolysiloxane	Small fruits/berry	0.07	3	106.22	A
Dimethylpolysiloxane	Sod farm (turf)	16.54	8	129.01	A
Dimethylpolysiloxane	Soil fumigation/preplant	257.67	148	25,276.98	A
Dimethylpolysiloxane	Sorghum (forage - fodder)	5.71	98	6,965.68	A
Dimethylpolysiloxane	Sorghum/milo	8.61	83	4,813.89	A
Dimethylpolysiloxane	Spinach	5.19	56	400.77	A
Dimethylpolysiloxane	Squash	26.4	74	978.74	A
Dimethylpolysiloxane	Squash, summer	0.35	11	312.0	A
Dimethylpolysiloxane	Squash, winter	3.02	6	85.39	A
Dimethylpolysiloxane	Squash, zucchini	<0.01	1	0.1	A
Dimethylpolysiloxane	Stone fruit	0.38	8	9.29	A
Dimethylpolysiloxane	Strawberry	52,204.34	6,796	242,041.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	Structural pest control	0.41	N/A	N/A	N/A
Dimethylpolysiloxane	Sudangrass	1.35	84	3,988.08	A
Dimethylpolysiloxane	Sugarbeet	2.25	83	6,405.0	A
Dimethylpolysiloxane	Sugarbeet (forage - fodder)	0.07	3	156.2	A
Dimethylpolysiloxane	Sunflower	44.96	205	7,040.97	A
Dimethylpolysiloxane	Sweet potato	3,309.79	76	1,787.33	A
Dimethylpolysiloxane	Swiss chard	19.56	73	857.33	A
Dimethylpolysiloxane	Tangelo	608.51	111	1,530.79	A
Dimethylpolysiloxane	Tangerine	5,772.3	1,716	52,165.01	A
Dimethylpolysiloxane	Thyme	<0.01	1	1.0	A
Dimethylpolysiloxane	Tomatillo	0.14	4	96.0	A
Dimethylpolysiloxane	Tomato	982.19	797	26,230.55	A
Dimethylpolysiloxane	Tomato, processing	3,880.14	2,335	164,043.92	A
Dimethylpolysiloxane	Triticale	3.5	211	10,408.07	A
Dimethylpolysiloxane	Turf/sod	228.91	247	3,126.9	A
Dimethylpolysiloxane	Uncultivated ag	419.7	2,113	46,726.65	A
Dimethylpolysiloxane	Uncultivated non-ag	50.22	82	2,308.5	A
Dimethylpolysiloxane	Unknown	0.02	4	35.57	A
Dimethylpolysiloxane	Vegetable	0.53	6	3.0	A
Dimethylpolysiloxane	Vegetables, fruiting	0.32	3	1.85	A
Dimethylpolysiloxane	Vegetables, leafy	9.15	7	14.0	A
Dimethylpolysiloxane	Vertebrate control	1.72	N/A	N/A	N/A
Dimethylpolysiloxane	Walnut	6,892.49	7,990	228,770.02	A
Dimethylpolysiloxane	Water area	0.43	7	314.37	A
Dimethylpolysiloxane	Water area	<0.01	N/A	1.0	U
Dimethylpolysiloxane	Watermelon	202.74	120	5,284.05	A
Dimethylpolysiloxane	Wheat	21.76	440	25,738.16	A
Dimethylpolysiloxane	Wheat (forage - fodder)	37.37	1,277	73,554.18	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dinotefuran	Animal premise	1.82	N/A	844,016.0	S
Dinotefuran	Animal premise	25.86	9	161.0	U
Dinotefuran	Basil, sweet	0.8	1	2.0	A
Dinotefuran	Broccoli	236.76	168	1,596.96	A
Dinotefuran	Brussels sprout	68.81	28	471.18	A
Dinotefuran	Buildings/non-ag outdoor	0.23	N/A	1.01	U
Dinotefuran	Cabbage	4.79	5	30.5	A
Dinotefuran	Cantaloupe	1,074.45	124	6,046.35	A
Dinotefuran	Cauliflower	29.51	27	226.66	A
Dinotefuran	Celery	3.13	2	35.2	A
Dinotefuran	Chinese cabbage (napa, wong bok, celery cabbage)	1.11	2	8.5	A
Dinotefuran	Citrus	0.05	N/A	100.0	S
Dinotefuran	Commercial, institutional or industrial areas	2.33	N/A	0.04	U
Dinotefuran	Cotton	3,040.25	101	23,659.4	A
Dinotefuran	Cucumber	2.63	6	15.0	A
Dinotefuran	Eggplant	9.7	11	66.5	A
Dinotefuran	Endive (escarole)	1.4	9	5.2	A
Dinotefuran	Fumigation, other	<0.01	N/A	N/A	N/A
Dinotefuran	Grape	37.72	6	197.28	A
Dinotefuran	Grape, wine	643.77	233	5,874.56	A
Dinotefuran	Landscape maintenance	0.7	3	4.0	A
Dinotefuran	Landscape maintenance	1,531.55	N/A	N/A	N/A
Dinotefuran	Lettuce, head	690.86	345	3,793.32	A
Dinotefuran	Lettuce, leaf	554.04	259	2,386.46	A
Dinotefuran	Melon	554.98	79	3,306.49	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dinotefuran	Melon	<0.01	2	5,040.0	S
Dinotefuran	N-grnhs flower	13.88	51	74.92	A
Dinotefuran	N-grnhs flower	5.87	150	1,217,091.0	S
Dinotefuran	N-grnhs flower	0.1	3	33,834.0	U
Dinotefuran	N-grnhs plants in containers	270.41	674	596.93	A
Dinotefuran	N-grnhs plants in containers	265.68	597	15,110,087.0	S
Dinotefuran	N-grnhs plants in containers	11.51	17	254,568.0	U
Dinotefuran	N-grnhs transplants	13.1	77	88.4	A
Dinotefuran	N-grnhs transplants	9.27	37	2,535,460.0	S
Dinotefuran	N-outdr flower	89.21	274	697.27	A
Dinotefuran	N-outdr flower	<0.01	1	200.0	S
Dinotefuran	N-outdr plants in containers	512.19	771	2,262.8	A
Dinotefuran	N-outdr plants in containers	39.81	201	4,673,964.5	S
Dinotefuran	N-outdr plants in containers	52.94	147	1,376,631.0	U
Dinotefuran	N-outdr transplants	11.22	61	86.1	A
Dinotefuran	N-outdr transplants	65.08	108	20,638,600.0	S
Dinotefuran	N-outdr transplants	0.81	N/A	61.0	U
Dinotefuran	Nursery soil	0.2	1	54.0	C
Dinotefuran	Olive	0.1	1	15,908.0	S
Dinotefuran	Pepper, fruiting	184.59	62	1,242.65	A
Dinotefuran	Pepper, fruiting	0.01	2	6,400.0	S
Dinotefuran	Potato	4.76	2	72.5	A
Dinotefuran	Pumpkin	30.73	8	232.0	A
Dinotefuran	Regulatory pest control	68.98	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dinotefuran	Research commodity	0.89	7	6.24	A
Dinotefuran	Research commodity	0.19	10	41,000.0	S
Dinotefuran	Research commodity	1.31	N/A	N/A	N/A
Dinotefuran	Rights of way	44.72	N/A	N/A	N/A
Dinotefuran	Spinach	37.11	36	280.05	A
Dinotefuran	Squash	0.61	2	14.47	A
Dinotefuran	Squash, winter	8.75	1	40.0	A
Dinotefuran	Stone fruit	0.53	1	4.0	A
Dinotefuran	Structural pest control	0.28	1	34,848.0	S
Dinotefuran	Structural pest control	53,669.18	N/A	N/A	N/A
Dinotefuran	Tomato	775.07	97	4,359.6	A
Dinotefuran	Tomato, processing	2,828.47	156	14,518.29	A
Dinotefuran	Tropical/subtropical fruit	<0.01	1	1.0	A
Dinotefuran	Vegetables, fruiting	0.04	2	1.0	A
Dinotefuran	Vegetables, leafy	0.21	5	4.75	A
Dinotefuran	Watermelon	221.84	36	1,010.46	A
Diocetyl dimethyl ammonium chloride	Fumigation, other	<0.01	N/A	N/A	N/A
Diocetyl dimethyl ammonium chloride	Grape, wine	0.1	4	9.0	A
Diocetyl dimethyl ammonium chloride	Landscape maintenance	4.74	N/A	N/A	N/A
Diocetyl dimethyl ammonium chloride	N-grnhs transplants	<0.01	3	3.0	A
Diocetyl dimethyl ammonium chloride	Prune	1.52	1	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Diocetyl dimethyl ammonium chloride</b>	Public health	<0.01	N/A	N/A	N/A
<b>Diocetyl dimethyl ammonium chloride</b>	Regulatory pest control	0.03	N/A	N/A	N/A
<b>Diocetyl dimethyl ammonium chloride</b>	Structural pest control	58.27	N/A	N/A	N/A
<b>Diocetyl dimethyl ammonium chloride</b>	Vertebrate control	<0.01	N/A	N/A	N/A
<b>Diocetyl dimethyl ammonium chloride</b>	Water (industrial)	7,030.22	N/A	44.0	U
<b>Diocetyl phthalate</b>	Garlic	2.62	1	150.0	A
<b>Diocetyl phthalate</b>	Grape	12.18	1	35.0	A
<b>Diocetyl phthalate</b>	N-outdr flower	0.06	1	5.0	A
<b>Diocetyl phthalate</b>	Strawberry	1.96	1	30.0	A
<b>Diphacinone</b>	Alfalfa	<0.01	3	323.7	A
<b>Diphacinone</b>	Almond	<0.01	1	1.5	?
<b>Diphacinone</b>	Almond	1.63	496	38,550.6	A
<b>Diphacinone</b>	Animal burrows	<0.01	N/A	159.0	S
<b>Diphacinone</b>	Apple	0.02	11	91.0	A
<b>Diphacinone</b>	Apricot	<0.01	2	92.0	A
<b>Diphacinone</b>	Asparagus	<0.01	2	2.0	A
<b>Diphacinone</b>	Avocado	0.21	332	4,620.09	A
<b>Diphacinone</b>	Bean, dried	0.01	5	110.0	A
<b>Diphacinone</b>	Bitter melon	<0.01	3	15.0	A
<b>Diphacinone</b>	Blueberry	0.01	1	18.0	A
<b>Diphacinone</b>	Buildings/non-ag outdoor	0.02	N/A	715,728.0	S
<b>Diphacinone</b>	Buildings/non-ag outdoor	<0.01	N/A	1.0	U
<b>Diphacinone</b>	Cherry	<0.01	3	10.0	A
<b>Diphacinone</b>	Chestnut	<0.01	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diphacinone	Cilantro	<0.01	1	14.0	A
Diphacinone	Citrus	<0.01	5	16.0	A
Diphacinone	Corn (forage - fodder)	0.08	7	457.0	A
Diphacinone	Date	<0.01	1	55.0	A
Diphacinone	Ditch bank	0.04	10	1,171.0	A
Diphacinone	Farm/ag building	<0.01	1	51.34	A
Diphacinone	Fig	0.03	1	322.0	A
Diphacinone	Forage hay/silage	0.09	16	1,483.8	A
Diphacinone	Forage hay/silage	<0.01	2	10.0	U
Diphacinone	Fumigation, other	<0.01	N/A	N/A	N/A
Diphacinone	Golf course turf	0.01	N/A	503.25	A
Diphacinone	Grape	0.09	17	448.0	A
Diphacinone	Grape, wine	0.71	334	5,098.98	A
Diphacinone	Grapefruit	0.12	56	631.1	A
Diphacinone	Landscape maintenance	12.83	N/A	N/A	N/A
Diphacinone	Lemon	0.09	71	1,611.54	A
Diphacinone	Lettuce, head	0.01	1	169.7	A
Diphacinone	Lettuce, leaf	0.03	7	608.8	A
Diphacinone	Lime	<0.01	1	10.0	A
Diphacinone	Mushroom	<0.01	4	18.0	A
Diphacinone	N-grnhs flower	<0.01	3	82.23	A
Diphacinone	N-grnhs plants in containers	<0.01	35	98.56	A
Diphacinone	N-grnhs plants in containers	<0.01	16	2,123,430.0	S
Diphacinone	N-grnhs transplants	<0.01	11	135.46	A
Diphacinone	N-outdr flower	0.01	20	57.0	A
Diphacinone	N-outdr plants in containers	0.13	79	356.24	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diphacinone	N-outdr plants in containers	<0.01	11	33,409.3	S
Diphacinone	N-outdr plants in containers	<0.01	4	31.0	U
Diphacinone	N-outdr transplants	<0.01	7	27.98	A
Diphacinone	Nectarine	0.02	4	68.0	A
Diphacinone	Oat	0.04	9	1,064.0	A
Diphacinone	Oat (forage - fodder)	0.02	3	229.0	A
Diphacinone	Olive	0.28	26	3,822.94	A
Diphacinone	Orange	0.9	347	9,480.61	A
Diphacinone	Orchard floor	<0.01	2	37.0	A
Diphacinone	Pasture (forage - fodder)	<0.01	N/A	5.0	A
Diphacinone	Pastureland	0.04	141	11,762.75	A
Diphacinone	Peach	0.25	9	270.25	A
Diphacinone	Pecan	<0.01	3	15.0	A
Diphacinone	Persimmon	<0.01	3	3.0	A
Diphacinone	Pistachio	1.71	471	30,620.3	A
Diphacinone	Pomegranate	<0.01	6	19.0	A
Diphacinone	Pomelo	0.02	1	8.0	A
Diphacinone	Public health	<0.01	N/A	N/A	N/A
Diphacinone	Pumpkin	0.06	15	148.1	A
Diphacinone	Rangeland	0.23	58	8,827.8	A
Diphacinone	Regulatory pest control	0.63	N/A	N/A	N/A
Diphacinone	Research commodity	<0.01	4	3.74	A
Diphacinone	Research commodity	<0.01	N/A	N/A	N/A
Diphacinone	Residential	<0.01	N/A	11,300.0	S
Diphacinone	Rights of way	0.13	55	689.11	A
Diphacinone	Rights of way	<0.01	2	11,520.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Diphacinone	Rights of way	<0.01	3	72.0	U
Diphacinone	Rights of way	4.35	N/A	N/A	N/A
Diphacinone	Squash, zucchini	<0.01	1	15.0	A
Diphacinone	Strawberry	<0.01	1	2.0	A
Diphacinone	Structural pest control	<0.01	2	3,000.0	S
Diphacinone	Structural pest control	45.56	N/A	N/A	N/A
Diphacinone	Tangelo	<0.01	4	47.4	A
Diphacinone	Tangerine	0.12	53	2,162.43	A
Diphacinone	Tomato	<0.01	1	14.0	A
Diphacinone	Tropical/subtropical fruit	<0.01	1	5.0	A
Diphacinone	Uncultivated ag	0.84	280	5,062.77	A
Diphacinone	Uncultivated ag	<0.01	1	15.0	S
Diphacinone	Uncultivated ag	0.01	29	194.0	U
Diphacinone	Uncultivated non-ag	0.08	19	1,401.75	A
Diphacinone	Vegetable	<0.01	1	5.0	A
Diphacinone	Vertebrate control	0.16	77	5,939.54	A
Diphacinone	Vertebrate control	<0.01	1	700.0	S
Diphacinone	Vertebrate control	11.95	N/A	N/A	N/A
Diphacinone	Walnut	0.25	116	5,559.82	A
Diphacinone	Watermelon	0.02	6	720.0	A
Diphacinone	Watermelon	<0.01	1	6,400.0	S
Diphacinone	Wheat	0.02	4	1,108.3	A
Diphacinone, sodium salt	Animal premise	<0.01	N/A	891,000.0	C
Diphacinone, sodium salt	Animal premise	0.09	N/A	1,136,100.0	S
Diphacinone, sodium salt	Buildings/non-ag outdoor	0.01	N/A	954,304.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Diphacinone, sodium salt</b>	Grape, wine	<0.01	2	0.66	A
<b>Diphacinone, sodium salt</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>Diphacinone, sodium salt</b>	Regulatory pest control	<0.01	N/A	N/A	N/A
<b>Diphacinone, sodium salt</b>	Structural pest control	1.29	N/A	N/A	N/A
<b>Diphacinone, sodium salt</b>	Vertebrate control	0.07	N/A	N/A	N/A
<b>Dipropyl isocinchomeronate</b>	Cannabis (all or unspecified)	0.08	1	8,640.0	S
<b>Dipropyl isocinchomeronate</b>	Structural pest control	0.04	N/A	N/A	N/A
<b>Dipropylene glycol</b>	Commodity fumigation	1.58	1	94,188.0	C
<b>Dipropylene glycol</b>	Structural pest control	0.02	N/A	N/A	N/A
<b>Dipropylene glycol methyl ether</b>	Alfalfa	45.72	174	7,843.08	A
<b>Dipropylene glycol methyl ether</b>	Corn (forage - fodder)	0.23	1	36.0	A
<b>Dipropylene glycol methyl ether</b>	Forage hay/silage	0.51	2	80.0	A
<b>Dipropylene glycol methyl ether</b>	Onion, dry	2.84	2	296.0	A
<b>Dipropylene glycol methyl ether</b>	Pastureland	0.6	6	186.0	A
<b>Dipropylene glycol methyl ether</b>	Rangeland	0.05	1	16.0	A
<b>Dipropylene glycol methyl ether</b>	Tomato, processing	0.95	4	298.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Diquat dibromide	Alfalfa	1,939.24	40	2,336.19	A
Diquat dibromide	Almond	1,127.99	66	1,217.54	A
Diquat dibromide	Avocado	351.7	27	107.0	A
Diquat dibromide	Buildings/non-ag outdoor	0.33	N/A	1.1	A
Diquat dibromide	Commercial, institutional or industrial areas	3.74	N/A	4.0	A
Diquat dibromide	Commodity fumigation	0.94	N/A	N/A	N/A
Diquat dibromide	Ditch bank	10.51	4	5.1	A
Diquat dibromide	Forage hay/silage	1.87	4	4.0	A
Diquat dibromide	Golf course turf	782.13	1	989.0	A
Diquat dibromide	Golf course turf	0.18	N/A	9,000.0	S
Diquat dibromide	Golf course turf	0.43	N/A	129.0	U
Diquat dibromide	Grape	19.76	6	21.21	A
Diquat dibromide	Grape, wine	25.66	3	26.82	A
Diquat dibromide	Landscape maintenance	31.99	30	63.75	A
Diquat dibromide	Landscape maintenance	34,656.22	N/A	N/A	N/A
Diquat dibromide	N-grnhs flower	190.28	72	329.14	A
Diquat dibromide	N-grnhs flower	5.93	9	144,522.0	S
Diquat dibromide	N-grnhs plants in containers	778.18	549	717.98	A
Diquat dibromide	N-grnhs plants in containers	53.81	53	1,107,199.0	S
Diquat dibromide	N-grnhs transplants	22.55	30	1,501.61	A
Diquat dibromide	N-grnhs transplants	3.23	26	142,000.0	S
Diquat dibromide	N-outdr flower	2,120.56	550	1,235.87	A
Diquat dibromide	N-outdr plants in containers	6,725.09	2,737	5,589.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diquat dibromide	N-outdr plants in containers	94.15	172	1,203,063.0	S
Diquat dibromide	N-outdr plants in containers	<0.01	1	1.0	U
Diquat dibromide	N-outdr transplants	1.05	3	7.4	A
Diquat dibromide	Olive	74.58	2	69.0	A
Diquat dibromide	Orange	9.32	7	20.0	A
Diquat dibromide	Pastureland	22.37	2	6.0	A
Diquat dibromide	Pistachio	1,371.79	88	1,171.0	A
Diquat dibromide	Potato	8,968.25	528	10,197.41	A
Diquat dibromide	Public health	223.77	N/A	N/A	N/A
Diquat dibromide	Regulatory pest control	15.1	N/A	N/A	N/A
Diquat dibromide	Research commodity	0.03	1	6,500.0	S
Diquat dibromide	Rights of way	1,308.23	37	4,429.5	A
Diquat dibromide	Rights of way	0.79	2	0.02	U
Diquat dibromide	Rights of way	18,420.33	N/A	N/A	N/A
Diquat dibromide	Structural pest control	6.62	N/A	N/A	N/A
Diquat dibromide	Turf/sod	14.11	1	6.5	A
Diquat dibromide	Turf/sod	52.85	N/A	1,388,000.0	S
Diquat dibromide	Uncultivated ag	3,284.69	420	3,404.44	A
Diquat dibromide	Uncultivated ag	2.33	N/A	204,000.0	S
Diquat dibromide	Uncultivated non-ag	157.74	40	143.1	A
Diquat dibromide	Walnut	12.01	1	12.86	A
Diquat dibromide	Water (industrial)	5,547.9	N/A	1,037.14	A
Diquat dibromide	Water area	14,142.16	47	2,370.75	A
Diquat dibromide	Water area	0.94	N/A	10,800.0	C
Diquat dibromide	Water area	1.66	N/A	10,300.0	S
Diquat dibromide	Water area	654.11	N/A	227.25	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Diquat dibromide</b>	Watermelon	3.73	N/A	2.0	A
<b>Disodium lauryl sulfosuccinate</b>	Regulatory pest control	<0.01	N/A	N/A	N/A
<b>Disodium lauryl sulfosuccinate</b>	Structural pest control	2.24	N/A	N/A	N/A
<b>Disodium octaborate anhydrous</b>	Regulatory pest control	11.6	N/A	N/A	N/A
<b>Disodium octaborate anhydrous</b>	Rights of way	11,518.09	N/A	N/A	N/A
<b>Disodium octaborate anhydrous</b>	Structural pest control	6.58	N/A	N/A	N/A
<b>Disodium octaborate tetrahydrate</b>	Avocado	0.01	1	3,600.0	S
<b>Disodium octaborate tetrahydrate</b>	Forest, timberland	50.07	10	1,028.75	A
<b>Disodium octaborate tetrahydrate</b>	Landscape maintenance	27,041.19	N/A	N/A	N/A
<b>Disodium octaborate tetrahydrate</b>	N-grnhs flower	0.46	N/A	1.0	C
<b>Disodium octaborate tetrahydrate</b>	Regulatory pest control	61.24	N/A	N/A	N/A
<b>Disodium octaborate tetrahydrate</b>	Rights of way	29,031.1	N/A	N/A	N/A
<b>Disodium octaborate tetrahydrate</b>	Structural pest control	230,776.39	N/A	N/A	N/A
<b>Disodium phosphate</b>	Apple	453.64	34	236.3	A
<b>Disodium phosphate</b>	Pear	12.09	5	6.6	A
<b>Disodium phosphate</b>	Pear, asian (oriental pear, ya, ya li, nashi)	79.45	6	40.0	A
<b>Disulfoton</b>	Landscape maintenance	1.09	N/A	N/A	N/A
<b>Dithiopyr</b>	Golf course turf	263.5	N/A	426.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dithiopyr</b>	Golf course turf	0.56	N/A	43,000.0	S
<b>Dithiopyr</b>	Landscape maintenance	11.56	2	100.0	A
<b>Dithiopyr</b>	Landscape maintenance	25,895.11	N/A	N/A	N/A
<b>Dithiopyr</b>	N-grnhs flower	74.19	1	176.93	A
<b>Dithiopyr</b>	N-grnhs plants in containers	3.95	7	7.0	A
<b>Dithiopyr</b>	N-grnhs plants in containers	1.43	14	801,160.0	S
<b>Dithiopyr</b>	N-grnhs transplants	39.47	N/A	40.5	A
<b>Dithiopyr</b>	N-outdr flower	10.08	4	10.0	A
<b>Dithiopyr</b>	N-outdr plants in containers	1,846.31	1,246	2,559.34	A
<b>Dithiopyr</b>	N-outdr plants in containers	14.86	151	4,847,041.75	S
<b>Dithiopyr</b>	Rights of way	63.76	9	58.0	A
<b>Dithiopyr</b>	Rights of way	24,713.02	N/A	N/A	N/A
<b>Dithiopyr</b>	Structural pest control	24.32	N/A	N/A	N/A
<b>Dithiopyr</b>	Turf/sod	232.23	3	301.1	A
<b>Dithiopyr</b>	Uncultivated ag	6.52	1	6.5	A
<b>Dithiopyr</b>	Uncultivated non-ag	12.77	N/A	27.6	A
<b>Diuron</b>	Alfalfa	18,526.18	229	12,489.93	A
<b>Diuron</b>	Asparagus	150.01	4	50.0	A
<b>Diuron</b>	Citrus	494.4	31	1,624.6	A
<b>Diuron</b>	Commercial, institutional or industrial areas	8.8	N/A	4.0	A
<b>Diuron</b>	Corn (forage - fodder)	0.5	1	40.0	A
<b>Diuron</b>	Cotton	4,303.96	2,443	157,322.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Diuron	Grape	266.38	14	175.75	A
Diuron	Grape, wine	7,794.1	216	5,590.81	A
Diuron	Grapefruit	232.95	16	169.78	A
Diuron	Landscape maintenance	5,067.71	N/A	N/A	N/A
Diuron	Lemon	809.96	73	465.05	A
Diuron	Mint	85.08	3	59.0	A
Diuron	N-grnhs flower	2.16	2	5.25	A
Diuron	N-grnhs flower	8.7	9	40,005.0	S
Diuron	N-grnhs plants in containers	3.5	2	5.0	A
Diuron	N-outdr flower	969.38	100	726.75	A
Diuron	N-outdr plants in containers	8.0	1	2.0	A
Diuron	Olive	3,418.08	68	1,759.71	A
Diuron	Orange	2,299.39	69	1,070.9	A
Diuron	Pear	867.84	22	368.6	A
Diuron	Pomelo	9.01	1	4.5	A
Diuron	Rights of way	4,278.97	34	1,663.01	A
Diuron	Rights of way	36.0	2	0.02	U
Diuron	Rights of way	35,102.68	N/A	N/A	N/A
Diuron	Structural pest control	21.97	N/A	N/A	N/A
Diuron	Tangerine	72.96	6	45.6	A
Diuron	Uncultivated ag	1,421.38	60	403.71	A
Diuron	Uncultivated non-ag	367.01	9	156.29	A
Diuron	Uncultivated non-ag	1.97	N/A	10,250.0	S
Diuron	Walnut	6,087.27	138	3,993.23	A
<b>Dodecyl dimethyl benzyl ammonium naphthenate</b>	N-grnhs plants in containers	0.06	1	3,500.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dodecyl guanidine hydrochloride</b>	Industrial processing water	5.77	N/A	52,692.5	P
<b>Dodecylbenzene sulfonic acid</b>	Alfalfa	10.98	19	558.3	A
<b>Dodecylbenzene sulfonic acid</b>	Almond	185.65	82	5,577.8	A
<b>Dodecylbenzene sulfonic acid</b>	Apple	0.62	9	22.65	A
<b>Dodecylbenzene sulfonic acid</b>	Apricot	0.47	6	2.4	A
<b>Dodecylbenzene sulfonic acid</b>	Avocado	0.79	7	79.5	A
<b>Dodecylbenzene sulfonic acid</b>	Avocado	<0.01	4	24,400.0	U
<b>Dodecylbenzene sulfonic acid</b>	Bean, succulent	0.44	1	62.0	A
<b>Dodecylbenzene sulfonic acid</b>	Broccoli	1.75	3	49.3	A
<b>Dodecylbenzene sulfonic acid</b>	Cabbage	1.64	5	46.1	A
<b>Dodecylbenzene sulfonic acid</b>	Cantaloupe	24.94	41	2,848.5	A
<b>Dodecylbenzene sulfonic acid</b>	Cherry	5.12	1	18.0	A
<b>Dodecylbenzene sulfonic acid</b>	Citrus	0.25	1	20.0	A
<b>Dodecylbenzene sulfonic acid</b>	Cotton	6.52	9	241.7	A
<b>Dodecylbenzene sulfonic acid</b>	Date	0.14	1	37.0	A
<b>Dodecylbenzene sulfonic acid</b>	Ditch bank	<0.01	1	0.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dodecylbenzene sulfonic acid	Forage hay/silage	0.07	1	0.5	A
Dodecylbenzene sulfonic acid	Grape	252.3	268	12,095.81	A
Dodecylbenzene sulfonic acid	Grape, wine	1.18	23	66.25	A
Dodecylbenzene sulfonic acid	Grapefruit	1.07	4	100.0	A
Dodecylbenzene sulfonic acid	Landscape maintenance	0.23	1	8.0	A
Dodecylbenzene sulfonic acid	Landscape maintenance	90.52	N/A	N/A	N/A
Dodecylbenzene sulfonic acid	Lemon	21.65	38	2,804.0	A
Dodecylbenzene sulfonic acid	Lettuce, head	6.4	18	187.0	A
Dodecylbenzene sulfonic acid	Lettuce, leaf	8.65	24	254.8	A
Dodecylbenzene sulfonic acid	Melon	39.44	84	4,386.9	A
Dodecylbenzene sulfonic acid	N-grnhs flower	11.46	85	287.0	A
Dodecylbenzene sulfonic acid	N-grnhs flower	0.24	35	107,775.0	S
Dodecylbenzene sulfonic acid	N-grnhs plants in containers	21.65	298	317.76	A
Dodecylbenzene sulfonic acid	N-grnhs plants in containers	1.8	56	1,120,200.0	S
Dodecylbenzene sulfonic acid	N-grnhs transplants	17.56	66	569.82	A
Dodecylbenzene sulfonic acid	N-grnhs transplants	4.65	25	4,868,340.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dodecylbenzene sulfonic acid	N-outdr flower	45.12	460	1,075.31	A
Dodecylbenzene sulfonic acid	N-outdr plants in containers	79.04	735	1,069.89	A
Dodecylbenzene sulfonic acid	N-outdr plants in containers	<0.01	1	2.0	S
Dodecylbenzene sulfonic acid	N-outdr plants in containers	0.13	4	872.0	U
Dodecylbenzene sulfonic acid	N-outdr transplants	0.71	13	32.0	A
Dodecylbenzene sulfonic acid	N-outdr transplants	54.77	323	55,811,310.0	S
Dodecylbenzene sulfonic acid	Orange	10.61	14	373.0	A
Dodecylbenzene sulfonic acid	Peach	0.67	9	4.75	A
Dodecylbenzene sulfonic acid	Plum	0.45	4	1.7	A
Dodecylbenzene sulfonic acid	Pomegranate	0.18	2	1.25	A
Dodecylbenzene sulfonic acid	Regulatory pest control	5.09	N/A	N/A	N/A
Dodecylbenzene sulfonic acid	Research commodity	0.11	N/A	N/A	N/A
Dodecylbenzene sulfonic acid	Rights of way	2.42	14	9.0	A
Dodecylbenzene sulfonic acid	Rights of way	5.25	N/A	N/A	N/A
Dodecylbenzene sulfonic acid	Soil fumigation/preplant	0.27	1	40.0	A
Dodecylbenzene sulfonic acid	Strawberry	109.11	140	1,424.3	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dodecylbenzene sulfonic acid	Structural pest control	12.14	N/A	N/A	N/A
Dodecylbenzene sulfonic acid	Tangelo	2.12	5	275.0	A
Dodecylbenzene sulfonic acid	Tangerine	5.12	3	109.0	A
Dodecylbenzene sulfonic acid	Tomato, processing	19.28	35	1,982.5	A
Dodecylbenzene sulfonic acid	Uncultivated ag	0.27	1	1.8	A
Dodecylbenzene sulfonic acid	Walnut	0.43	6	79.0	A
Dodecylbenzene sulfonic acid, calcium salt	Alfalfa	6.21	72	2,662.9	A
Dodecylbenzene sulfonic acid, calcium salt	Almond	20.71	128	5,771.7	A
Dodecylbenzene sulfonic acid, calcium salt	Basil, sweet	0.29	33	56.38	A
Dodecylbenzene sulfonic acid, calcium salt	Beet	0.39	34	74.51	A
Dodecylbenzene sulfonic acid, calcium salt	Bok choy (choy sum, pak choi)	0.23	39	43.95	A
Dodecylbenzene sulfonic acid, calcium salt	Cabbage	0.89	47	171.57	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Cantaloupe	0.11	1	35.0	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Celeriac	0.06	13	11.8	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Cherry	0.03	2	16.32	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Chinese cabbage (napa, wong bok, celery cabbage)	0.14	11	26.56	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Cilantro	0.93	58	180.32	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Collard	0.62	33	119.83	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Corn (forage - fodder)	32.77	352	14,483.12	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Cotton	0.34	8	216.0	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Dandelion green	0.1	25	19.03	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Dill	0.16	30	30.15	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dodecylbenzene sulfonic acid, calcium salt	Forage hay/silage	0.65	5	332.9	A
Dodecylbenzene sulfonic acid, calcium salt	Grape	1.48	17	349.67	A
Dodecylbenzene sulfonic acid, calcium salt	Grape, wine	0.47	6	228.34	A
Dodecylbenzene sulfonic acid, calcium salt	Kale	0.57	46	111.12	A
Dodecylbenzene sulfonic acid, calcium salt	Kohlrabi	0.07	16	13.61	A
Dodecylbenzene sulfonic acid, calcium salt	Leek	0.52	33	100.46	A
Dodecylbenzene sulfonic acid, calcium salt	Lettuce, leaf	0.94	94	181.25	A
Dodecylbenzene sulfonic acid, calcium salt	Melon	0.05	1	17.0	A
Dodecylbenzene sulfonic acid, calcium salt	Mustard	0.27	26	52.0	A
Dodecylbenzene sulfonic acid, calcium salt	Mustard greens	0.48	29	92.11	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Oat (forage - fodder)	6.6	73	2,992.48	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Olive	0.07	N/A	13.2	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Orchardgrass	0.09	2	18.0	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Parsley	0.91	49	175.99	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Pastureland	0.13	2	34.0	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Peach	1.15	5	280.0	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Pistachio	1.78	16	436.38	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Prune	0.1	1	20.0	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Rice	0.09	1	60.0	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Rights of way	0.21	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Ryegrass	0.4	4	128.0	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Spinach	0.23	32	43.73	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Sudangrass	1.16	9	373.0	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Swiss chard	0.74	102	143.4	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Triticale	3.02	36	1,457.08	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Turnip	0.32	34	61.69	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Uncultivated ag	1.27	14	407.71	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Walnut	0.64	19	218.33	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Wheat	0.58	7	278.71	A
<b>Dodecylbenzene sulfonic acid, calcium salt</b>	Wheat (forage - fodder)	6.14	56	2,632.85	A
<b>Dodine</b>	Almond	78.0	2	80.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Dodine	Commercial, institutional or industrial areas	13.0	1	10.0	A
Dodine	Peach	32.17	1	33.0	A
Dodine	Pear	1,722.51	48	1,333.51	A
Dodine	Regulatory pest control	0.97	N/A	N/A	N/A
Dsma	Landscape maintenance	0.67	N/A	N/A	N/A
E,e-8,10-dodecadien-1-ol	Apple	472.1	99	1,269.85	A
E,e-8,10-dodecadien-1-ol	Grape	0.19	1	10.0	A
E,e-8,10-dodecadien-1-ol	Grape, wine	1.47	18	139.75	A
E,e-8,10-dodecadien-1-ol	Landscape maintenance	0.06	N/A	N/A	N/A
E,e-8,10-dodecadien-1-ol	Peach	22.6	1	75.0	A
E,e-8,10-dodecadien-1-ol	Pear	573.15	150	5,064.35	A
E,e-8,10-dodecadien-1-ol	Pear, asian (oriental pear, ya, ya li, nashi)	24.86	20	245.5	A
E,e-8,10-dodecadien-1-ol	Plum	0.33	3	6.5	A
E,e-8,10-dodecadien-1-ol	Pluot	0.33	3	6.5	A
E,e-8,10-dodecadien-1-ol	Quince	0.02	3	0.6	A
E,e-8,10-dodecadien-1-ol	Stone fruit	0.1	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>E,e-8,10-dodecadien-1-ol</b>	Walnut	232.07	194	7,038.26	A
<b>E,e-8,10-dodecadien-1-ol</b>	Walnut	<0.01	3	9.0	U
<b>E-11-tetradecen-1-yl acetate</b>	Blackberry	0.02	2	5.0	A
<b>E-11-tetradecen-1-yl acetate</b>	Grape	0.99	15	428.5	A
<b>E-11-tetradecen-1-yl acetate</b>	Kiwi fruit fuzzy	1.65	140	2,295.65	A
<b>E-11-tetradecen-1-yl acetate</b>	Loganberry	<0.01	1	0.5	A
<b>E-11-tetradecen-1-yl acetate</b>	Olallieberry	<0.01	1	0.5	A
<b>E-11-tetradecen-1-yl acetate</b>	Raspberry	1.84	3	15.2	A
<b>E-8-dodecenyl acetate</b>	Almond	0.02	2	22.0	A
<b>E-8-dodecenyl acetate</b>	Apple	8.66	23	411.85	A
<b>E-8-dodecenyl acetate</b>	Apricot	6.64	111	1,471.1	A
<b>E-8-dodecenyl acetate</b>	Cherry	<0.01	3	14.25	A
<b>E-8-dodecenyl acetate</b>	N-outdr plants in containers	<0.01	4	28.0	A
<b>E-8-dodecenyl acetate</b>	Nectarine	47.77	694	8,168.5	A
<b>E-8-dodecenyl acetate</b>	Peach	89.34	1,266	17,674.26	A
<b>E-8-dodecenyl acetate</b>	Pear	11.5	56	1,943.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
E-8-dodecenyl acetate	Pear, asian (oriental pear, ya, ya li, nashi)	1.69	25	341.5	A
E-8-dodecenyl acetate	Plum	56.8	725	8,988.96	A
E-8-dodecenyl acetate	Pluot	0.26	10	59.3	A
E-8-dodecenyl acetate	Prune	0.03	1	12.0	A
E-8-dodecenyl acetate	Quince	0.09	2	10.0	A
E-8-dodecenyl acetate	Research commodity	0.04	1	6.0	A
E-8-dodecenyl acetate	Stone fruit	0.92	8	240.5	A
Edta	Alfalfa	103.62	152	7,239.1	A
Edta	Almond	772.83	602	30,094.25	A
Edta	Apricot	0.02	1	0.89	A
Edta	Barley	6.03	11	472.0	A
Edta	Bean, dried	0.65	3	64.0	A
Edta	Bean, succulent	1.51	4	120.0	A
Edta	Broccoli	3.87	22	155.2	A
Edta	Cantaloupe	1.56	3	130.0	A
Edta	Cauliflower	0.18	1	7.5	A
Edta	Cherry	27.5	58	701.66	A
Edta	Cilantro	0.07	1	2.0	A
Edta	Corn (forage - fodder)	22.32	40	2,064.9	A
Edta	Corn, grain	4.1	8	304.0	A
Edta	Cotton	99.35	75	19,141.01	A
Edta	Ditch bank	0.72	37	370.0	A
Edta	Garlic	10.05	6	828.33	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Edta	Grape	19.15	54	1,059.9	A
Edta	Grape, wine	34.19	176	1,664.79	A
Edta	Grapefruit	0.61	4	50.0	A
Edta	Landscape maintenance	0.24	N/A	N/A	N/A
Edta	Lemon	1.08	14	56.1	A
Edta	Melon	1.19	1	157.0	A
Edta	N-grnhs plants in containers	2.36	22	47.5	A
Edta	N-outdr flower	0.24	5	2.77	A
Edta	N-outdr plants in containers	0.09	4	4.0	A
Edta	N-outdr transplants	0.78	4	9.5	A
Edta	Nectarine	0.74	8	59.4	A
Edta	Oat (forage - fodder)	1.73	4	89.0	A
Edta	Olive	1.66	3	95.0	A
Edta	Onion, dry	5.68	3	456.0	A
Edta	Orange	5.22	52	317.82	A
Edta	Peach	0.95	12	58.88	A
Edta	Persimmon	1.8	9	65.39	A
Edta	Pistachio	58.82	69	4,430.05	A
Edta	Plum	0.11	1	4.44	A
Edta	Prune	0.26	2	13.0	A
Edta	Pumpkin	8.72	19	525.0	A
Edta	Rangeland	0.97	1	200.0	A
Edta	Rights of way	140.82	53	22,797.0	A
Edta	Rights of way	2.61	N/A	N/A	N/A
Edta	Safflower	8.58	41	10,033.0	A
Edta	Soil fumigation/preplant	0.16	2	700.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Edta	Structural pest control	<0.01	N/A	N/A	N/A
Edta	Tangelo	0.1	1	8.0	A
Edta	Tangerine	6.43	39	490.6	A
Edta	Tomato, processing	97.22	100	5,984.5	A
Edta	Triticale	0.23	1	24.0	A
Edta	Uncultivated ag	100.68	157	4,758.8	A
Edta	Uncultivated non-ag	1.03	5	34.0	A
Edta	Walnut	224.51	215	7,377.07	A
Edta	Watermelon	4.46	4	288.0	A
Edta	Wheat	4.92	11	726.0	A
Edta	Wheat (forage - fodder)	12.76	5	656.6	A
Edta, tetrasodium salt	Alfalfa	0.68	19	558.3	A
Edta, tetrasodium salt	Almond	11.42	82	5,577.8	A
Edta, tetrasodium salt	Apple	0.04	9	22.65	A
Edta, tetrasodium salt	Apricot	0.03	6	2.4	A
Edta, tetrasodium salt	Avocado	0.05	7	79.5	A
Edta, tetrasodium salt	Avocado	<0.01	4	24,400.0	U
Edta, tetrasodium salt	Bean, succulent	0.03	1	62.0	A
Edta, tetrasodium salt	Broccoli	0.11	3	49.3	A
Edta, tetrasodium salt	Cabbage	0.1	5	46.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Edta, tetrasodium salt	Cantaloupe	1.53	41	2,848.5	A
Edta, tetrasodium salt	Cherry	0.31	1	18.0	A
Edta, tetrasodium salt	Citrus	0.02	1	20.0	A
Edta, tetrasodium salt	Cotton	0.4	9	241.7	A
Edta, tetrasodium salt	Date	<0.01	1	37.0	A
Edta, tetrasodium salt	Ditch bank	<0.01	1	0.5	A
Edta, tetrasodium salt	Forage hay/silage	<0.01	1	0.5	A
Edta, tetrasodium salt	Golf course turf	0.18	N/A	4.0	A
Edta, tetrasodium salt	Grape	15.53	268	12,095.81	A
Edta, tetrasodium salt	Grape, wine	0.21	34	160.76	A
Edta, tetrasodium salt	Grapefruit	0.07	4	100.0	A
Edta, tetrasodium salt	Landscape maintenance	0.01	1	8.0	A
Edta, tetrasodium salt	Landscape maintenance	6.76	N/A	N/A	N/A
Edta, tetrasodium salt	Lemon	1.33	38	2,804.0	A
Edta, tetrasodium salt	Lettuce, head	0.39	18	187.0	A
Edta, tetrasodium salt	Lettuce, leaf	0.53	24	254.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Edta, tetrasodium salt</b>	Melon	2.43	84	4,386.9	A
<b>Edta, tetrasodium salt</b>	N-grnhs flower	0.83	102	304.0	A
<b>Edta, tetrasodium salt</b>	N-grnhs flower	0.01	35	107,775.0	S
<b>Edta, tetrasodium salt</b>	N-grnhs plants in containers	1.33	298	317.76	A
<b>Edta, tetrasodium salt</b>	N-grnhs plants in containers	0.16	57	1,140,200.0	S
<b>Edta, tetrasodium salt</b>	N-grnhs transplants	1.22	84	590.82	A
<b>Edta, tetrasodium salt</b>	N-grnhs transplants	0.29	25	4,868,340.0	S
<b>Edta, tetrasodium salt</b>	N-outdr flower	2.78	460	1,075.31	A
<b>Edta, tetrasodium salt</b>	N-outdr plants in containers	4.86	735	1,069.89	A
<b>Edta, tetrasodium salt</b>	N-outdr plants in containers	<0.01	1	2.0	S
<b>Edta, tetrasodium salt</b>	N-outdr plants in containers	<0.01	4	872.0	U
<b>Edta, tetrasodium salt</b>	N-outdr transplants	0.04	13	32.0	A
<b>Edta, tetrasodium salt</b>	N-outdr transplants	3.37	323	55,811,310.0	S
<b>Edta, tetrasodium salt</b>	Orange	0.65	14	373.0	A
<b>Edta, tetrasodium salt</b>	Peach	0.04	9	4.75	A
<b>Edta, tetrasodium salt</b>	Plum	0.03	4	1.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Edta, tetrasodium salt</b>	Pomegranate	0.01	2	1.25	A
<b>Edta, tetrasodium salt</b>	Regulatory pest control	0.31	N/A	N/A	N/A
<b>Edta, tetrasodium salt</b>	Research commodity	<0.01	N/A	N/A	N/A
<b>Edta, tetrasodium salt</b>	Rights of way	0.15	14	9.0	A
<b>Edta, tetrasodium salt</b>	Rights of way	0.3	N/A	N/A	N/A
<b>Edta, tetrasodium salt</b>	Soil fumigation/preplant	0.02	1	40.0	A
<b>Edta, tetrasodium salt</b>	Strawberry	6.71	140	1,424.3	A
<b>Edta, tetrasodium salt</b>	Structural pest control	0.83	N/A	N/A	N/A
<b>Edta, tetrasodium salt</b>	Tangelo	0.13	5	275.0	A
<b>Edta, tetrasodium salt</b>	Tangerine	0.31	3	109.0	A
<b>Edta, tetrasodium salt</b>	Tomato, processing	1.19	35	1,982.5	A
<b>Edta, tetrasodium salt</b>	Uncultivated ag	0.02	1	1.8	A
<b>Edta, tetrasodium salt</b>	Uncultivated ag	<0.01	3	4.0	S
<b>Edta, tetrasodium salt</b>	Walnut	0.03	6	79.0	A
<b>Emamectin benzoate</b>	Alfalfa	0.32	1	34.0	A
<b>Emamectin benzoate</b>	Almond	308.96	435	22,001.53	A
<b>Emamectin benzoate</b>	Artichoke, globe	2.46	22	168.9	A
<b>Emamectin benzoate</b>	Arugula	0.1	2	6.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Emamectin benzoate	Bok choy (choy sum, pak choi)	4.54	93	361.14	A
Emamectin benzoate	Broccoli	723.55	4,531	50,266.87	A
Emamectin benzoate	Brussels sprout	340.77	1,741	23,253.08	A
Emamectin benzoate	Cabbage	229.9	1,675	16,661.17	A
Emamectin benzoate	Cauliflower	378.08	2,627	25,702.3	A
Emamectin benzoate	Celery	34.88	259	2,660.87	A
Emamectin benzoate	Chinese cabbage (napa, wong bok, celery cabbage)	13.92	164	930.46	A
Emamectin benzoate	Collard	2.5	53	181.84	A
Emamectin benzoate	Cotton	61.69	15	4,600.0	A
Emamectin benzoate	Eggplant	1.23	7	105.5	A
Emamectin benzoate	Endive (escarole)	0.18	13	19.57	A
Emamectin benzoate	Gai choy	0.05	2	3.5	A
Emamectin benzoate	Gai lon	1.55	19	160.67	A
Emamectin benzoate	Grape	0.23	1	18.0	A
Emamectin benzoate	Kale	15.66	180	1,060.44	A
Emamectin benzoate	Kohlrabi	0.22	11	14.39	A
Emamectin benzoate	Landscape maintenance	352.88	N/A	N/A	N/A
Emamectin benzoate	Lettuce, head	171.63	846	14,369.85	A
Emamectin benzoate	Lettuce, leaf	96.12	422	7,734.8	A
Emamectin benzoate	Mustard	0.27	9	17.85	A
Emamectin benzoate	Mustard greens	0.84	17	55.88	A
Emamectin benzoate	N-grnhs flower	0.06	1	2.0	A
Emamectin benzoate	N-grnhs flower	0.14	N/A	28.0	U
Emamectin benzoate	N-grnhs transplants	<0.01	1	5.0	A
Emamectin benzoate	N-outdr transplants	0.84	N/A	133.0	U
Emamectin benzoate	Peas	<0.01	1	0.11	A
Emamectin benzoate	Pepper, fruiting	23.36	62	1,889.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Emamectin benzoate	Pistachio	16.2	9	1,082.03	A
Emamectin benzoate	Rapini	4.19	16	279.1	A
Emamectin benzoate	Regulatory pest control	<0.01	N/A	N/A	N/A
Emamectin benzoate	Research commodity	0.37	6	24.5	A
Emamectin benzoate	Rights of way	7.32	N/A	N/A	N/A
Emamectin benzoate	Spinach	0.06	3	7.0	A
Emamectin benzoate	Structural pest control	2.07	N/A	N/A	N/A
Emamectin benzoate	Swiss chard	0.25	4	20.12	A
Emamectin benzoate	Tomato	12.4	35	1,080.28	A
Emamectin benzoate	Tomato, processing	209.81	153	15,111.44	A
Emamectin benzoate	Turnip greens	0.03	4	2.0	A
Emamectin benzoate	Walnut	65.63	94	4,494.79	A
Emamectin benzoate	Watermelon	6.99	15	522.15	A
Emulsifiable methylated vegetable oil	Alfalfa	3,516.44	245	11,349.99	A
Emulsifiable methylated vegetable oil	Almond	54,493.26	2,257	101,122.5	A
Emulsifiable methylated vegetable oil	Apple	1,247.72	26	639.39	A
Emulsifiable methylated vegetable oil	Apricot	39.11	8	109.85	A
Emulsifiable methylated vegetable oil	Artichoke, globe	49.33	15	181.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Emulsifiable methylated vegetable oil	Arugula	18.88	15	66.45	A
Emulsifiable methylated vegetable oil	Bean, dried	416.38	27	940.0	A
Emulsifiable methylated vegetable oil	Bean, succulent	807.81	51	1,434.15	A
Emulsifiable methylated vegetable oil	Bean, unspecified	57.38	19	196.7	A
Emulsifiable methylated vegetable oil	Beet	350.64	97	567.86	A
Emulsifiable methylated vegetable oil	Bermudagrass	41.5	4	304.0	A
Emulsifiable methylated vegetable oil	Bok choy (choy sum, pak choi)	568.45	202	947.06	A
Emulsifiable methylated vegetable oil	Broccoli	10,453.37	1,904	19,502.09	A
Emulsifiable methylated vegetable oil	Brussels sprout	3,761.84	424	6,160.4	A
Emulsifiable methylated vegetable oil	Cabbage	8,451.37	1,150	10,941.99	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Emulsifiable methylated vegetable oil	Cantaloupe	88.86	5	358.0	A
Emulsifiable methylated vegetable oil	Carrot	345.4	78	752.52	A
Emulsifiable methylated vegetable oil	Cauliflower	3,950.96	879	6,630.42	A
Emulsifiable methylated vegetable oil	Celeriac	88.25	18	82.58	A
Emulsifiable methylated vegetable oil	Celery	7,268.13	1,011	9,464.51	A
Emulsifiable methylated vegetable oil	Cherry	2,102.53	174	2,112.4	A
Emulsifiable methylated vegetable oil	Chinese cabbage (napa, wong bok, celery cabbage)	338.3	115	680.14	A
Emulsifiable methylated vegetable oil	Cilantro	290.63	296	1,021.6	A
Emulsifiable methylated vegetable oil	Citrus	24.9	2	28.0	A
Emulsifiable methylated vegetable oil	Commodity fumigation	14.02	4	25.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Emulsifiable methylated vegetable oil</b>	Corn (forage - fodder)	9,376.01	369	14,219.4	A
<b>Emulsifiable methylated vegetable oil</b>	Corn, human consumption	2,412.46	256	10,728.4	A
<b>Emulsifiable methylated vegetable oil</b>	Cucumber	10.4	4	47.6	A
<b>Emulsifiable methylated vegetable oil</b>	Endive (escarole)	263.06	166	573.71	A
<b>Emulsifiable methylated vegetable oil</b>	Fennel	7.52	3	13.5	A
<b>Emulsifiable methylated vegetable oil</b>	Forage hay/silage	108.68	5	489.0	A
<b>Emulsifiable methylated vegetable oil</b>	Gai lon	9.55	18	16.91	A
<b>Emulsifiable methylated vegetable oil</b>	Garlic	784.16	80	1,323.2	A
<b>Emulsifiable methylated vegetable oil</b>	Grape	35.97	5	62.63	A
<b>Emulsifiable methylated vegetable oil</b>	Grape, wine	7,468.12	363	7,482.09	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Emulsifiable methylated vegetable oil	Grapefruit	9.02	1	6.0	A
Emulsifiable methylated vegetable oil	Kale	1,023.74	257	1,725.26	A
Emulsifiable methylated vegetable oil	Kohlrabi	192.49	34	286.08	A
Emulsifiable methylated vegetable oil	Landscape maintenance	6.58	2	12.0	A
Emulsifiable methylated vegetable oil	Leek	233.98	112	470.78	A
Emulsifiable methylated vegetable oil	Lemon	30.67	2	40.65	A
Emulsifiable methylated vegetable oil	Lettuce, head	11,480.79	2,189	23,709.85	A
Emulsifiable methylated vegetable oil	Lettuce, leaf	14,343.8	3,717	31,667.05	A
Emulsifiable methylated vegetable oil	Melon	14.66	3	69.97	A
Emulsifiable methylated vegetable oil	Mustard greens	27.68	30	96.51	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Emulsifiable methylated vegetable oil	N-grnhs flower	33.55	N/A	72.0	A
Emulsifiable methylated vegetable oil	N-outdr plants in containers	12.58	1	30.0	A
Emulsifiable methylated vegetable oil	Nectarine	0.7	1	2.0	A
Emulsifiable methylated vegetable oil	Oat (forage - fodder)	25.73	4	154.0	A
Emulsifiable methylated vegetable oil	Olive	454.44	3	260.0	A
Emulsifiable methylated vegetable oil	Onion, dry	876.41	91	4,788.57	A
Emulsifiable methylated vegetable oil	Orange	43.91	5	50.3	A
Emulsifiable methylated vegetable oil	Orchardgrass	15.58	1	70.0	A
Emulsifiable methylated vegetable oil	Parsley	536.85	91	1,047.13	A
Emulsifiable methylated vegetable oil	Peach	951.77	156	2,797.43	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Emulsifiable methylated vegetable oil	Peas	89.52	91	615.66	A
Emulsifiable methylated vegetable oil	Pecan	573.96	14	728.6	A
Emulsifiable methylated vegetable oil	Pepper, fruiting	1,036.33	57	1,533.6	A
Emulsifiable methylated vegetable oil	Pepper, spice	52.27	6	93.9	A
Emulsifiable methylated vegetable oil	Pistachio	1,785.52	46	1,708.28	A
Emulsifiable methylated vegetable oil	Potato	779.78	43	1,944.25	A
Emulsifiable methylated vegetable oil	Prune	187.6	11	555.0	A
Emulsifiable methylated vegetable oil	Pumpkin	9.58	5	36.7	A
Emulsifiable methylated vegetable oil	Radicchio	107.06	36	154.76	A
Emulsifiable methylated vegetable oil	Radish	586.0	371	1,074.65	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Emulsifiable methylated vegetable oil</b>	Rangeland	4.82	2	10.5	A
<b>Emulsifiable methylated vegetable oil</b>	Raspberry	3.61	3	8.0	A
<b>Emulsifiable methylated vegetable oil</b>	Rice	745.64	39	2,591.0	A
<b>Emulsifiable methylated vegetable oil</b>	Rights of way	449.8	43	548.25	A
<b>Emulsifiable methylated vegetable oil</b>	Rights of way	600.08	N/A	N/A	N/A
<b>Emulsifiable methylated vegetable oil</b>	Spinach	16.65	4	27.43	A
<b>Emulsifiable methylated vegetable oil</b>	Squash	5.09	3	17.37	A
<b>Emulsifiable methylated vegetable oil</b>	Squash, summer	15.22	3	44.0	A
<b>Emulsifiable methylated vegetable oil</b>	Strawberry	169.95	8	258.0	A
<b>Emulsifiable methylated vegetable oil</b>	Sugarbeet	77.46	7	389.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Emulsifiable methylated vegetable oil	Sunflower	10.18	4	39.74	A
Emulsifiable methylated vegetable oil	Swiss chard	14.03	28	45.04	A
Emulsifiable methylated vegetable oil	Tangerine	129.73	2	86.3	A
Emulsifiable methylated vegetable oil	Tomato	110.26	16	271.0	A
Emulsifiable methylated vegetable oil	Tomato, processing	249.48	31	465.36	A
Emulsifiable methylated vegetable oil	Triticale	30.32	3	43.8	A
Emulsifiable methylated vegetable oil	Turnip	16.82	14	49.37	A
Emulsifiable methylated vegetable oil	Uncultivated ag	1,321.82	249	1,637.07	A
Emulsifiable methylated vegetable oil	Uncultivated non-ag	45.53	9	152.5	A
Emulsifiable methylated vegetable oil	Walnut	18,971.47	818	31,776.86	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Emulsifiable methylated vegetable oil</b>	Watermelon	553.08	12	541.71	A
<b>Emulsifiable methylated vegetable oil</b>	Wheat (forage - fodder)	26.0	6	171.0	A
<b>Emulsifiable polyethylene</b>	Golf course turf	0.73	N/A	28.0	A
<b>Emulsifiable polyethylene</b>	Grape, wine	0.08	3	6.0	A
<b>Emulsifiable polyethylene</b>	Landscape maintenance	6.73	N/A	N/A	N/A
<b>Emulsifiable polyethylene</b>	N-outdr flower	0.27	13	12.25	A
<b>Endosulfan</b>	Rights of way	58.81	N/A	N/A	N/A
<b>Endothall, dipotassium salt</b>	Ditch bank	3,701.67	N/A	277.5	A
<b>Endothall, dipotassium salt</b>	Landscape maintenance	7,434.66	N/A	N/A	N/A
<b>Endothall, dipotassium salt</b>	Rights of way	12,497.34	N/A	N/A	N/A
<b>Endothall, dipotassium salt</b>	Water (industrial)	426.22	N/A	135.39	A
<b>Endothall, dipotassium salt</b>	Water area	17,894.06	N/A	1,792.7	A
<b>Endothall, dipotassium salt</b>	Water area	3,723.88	N/A	375.0	C
<b>Endothall, dipotassium salt</b>	Water area	4,217.79	N/A	67,858.64	K
<b>Endothall, dipotassium salt</b>	Water area	1.26	N/A	10,400.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Endothall, dipotassium salt	Water area	3,172.86	N/A	405.0	U
Endothall, disodium salt	Rights of way	14,400.87	N/A	N/A	N/A
Endothall, mono [n,n-dimethyl alkylamine] salt	Landscape maintenance	578.04	N/A	N/A	N/A
Endothall, mono [n,n-dimethyl alkylamine] salt	Rights of way	43.6	1	100.0	A
Endothall, mono [n,n-dimethyl alkylamine] salt	Rights of way	46,989.4	N/A	N/A	N/A
Endothall, mono [n,n-dimethyl alkylamine] salt	Water area	8,732.46	N/A	607.06	A
Endothall, mono [n,n-dimethyl alkylamine] salt	Water area	10,365.58	N/A	4,300.0	C
Endothall, mono [n,n-dimethyl alkylamine] salt	Water area	5,549.31	N/A	39,724.98	K
Endothall, mono [n,n-dimethyl alkylamine] salt	Water area	17,061.16	N/A	6,795.05	U
Epn	Landscape maintenance	10.85	N/A	N/A	N/A
Epn	Structural pest control	0.02	N/A	N/A	N/A
Eptc	Alfalfa	82,713.22	568	36,649.55	A
Eptc	Almond	609.87	4	200.0	A
Eptc	Bean, dried	458.13	17	215.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Eptc</b>	Bean, succulent	328.5	15	189.8	A
<b>Eptc</b>	Bean, unspecified	443.27	14	240.0	A
<b>Eptc</b>	Carrot	13,859.8	93	4,610.65	A
<b>Eptc</b>	Fava bean	0.05	1	5.0	A
<b>Eptc</b>	Oat (forage - fodder)	104.55	2	41.0	A
<b>Eptc</b>	Potato	11,500.8	49	3,387.35	A
<b>Eptc</b>	Research commodity	0.42	N/A	N/A	N/A
<b>Eptc</b>	Sugarbeet	1,438.21	10	620.0	A
<b>Eptc</b>	Sunflower	238.34	8	136.55	A
<b>Eptc</b>	Tomato	0.87	1	1.0	A
<b>Eptc</b>	Tomato, processing	1,182.24	12	401.35	A
<b>Eptc</b>	Uncultivated ag	40,700.41	164	10,659.72	A
<b>Eptc</b>	Watercress	1.74	2	4.0	A
<b>Esbiothrin</b>	Structural pest control	0.02	N/A	N/A	N/A
<b>Esfenvalerate</b>	Almond	14,643.82	3,477	206,343.55	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Esfenvalerate	Apple	8.06	19	141.3	A
Esfenvalerate	Apricot	114.55	106	2,220.49	A
Esfenvalerate	Artichoke, globe	410.31	717	8,666.56	A
Esfenvalerate	Bean, dried	23.28	12	483.3	A
Esfenvalerate	Bean, succulent	3.92	4	56.52	A
Esfenvalerate	Bean, unspecified	3.93	2	79.0	A
Esfenvalerate	Broccoli	401.94	765	9,062.63	A
Esfenvalerate	Buildings/non-ag outdoor	<0.01	N/A	70,000.0	C
Esfenvalerate	Buildings/non-ag outdoor	0.09	N/A	1,669.0	K
Esfenvalerate	Buildings/non-ag outdoor	3.89	N/A	64.14	U
Esfenvalerate	Cabbage	92.33	330	2,015.01	A
Esfenvalerate	Cantaloupe	117.56	28	2,657.72	A
Esfenvalerate	Carrot	414.93	162	9,383.8	A
Esfenvalerate	Cauliflower	92.84	247	2,153.05	A
Esfenvalerate	Cherry	94.17	119	1,763.48	A
Esfenvalerate	Chinese broccoli (gai lon)	1.25	2	60.0	A
Esfenvalerate	Chinese cabbage (napa, wong bok, celery cabbage)	13.47	52	271.15	A
Esfenvalerate	Christmas tree	0.28	2	60.0	A
Esfenvalerate	Collard	7.52	8	150.9	A
Esfenvalerate	Commodity fumigation	1.9	N/A	N/A	N/A
Esfenvalerate	Corn (forage - fodder)	18.87	18	386.0	A
Esfenvalerate	Corn, grain	1.54	1	33.0	A
Esfenvalerate	Corn, human consumption	3,411.39	2,399	70,930.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Esfenvalerate	Cotton	51.44	10	1,268.43	A
Esfenvalerate	Cucumber	15.1	15	328.15	A
Esfenvalerate	Eggplant	34.72	143	842.0	A
Esfenvalerate	Food processing plant	<0.01	N/A	875.0	K
Esfenvalerate	Fumigation, other	0.89	N/A	N/A	N/A
Esfenvalerate	Gai lon	0.16	3	4.5	A
Esfenvalerate	Grape	2.35	2	116.0	A
Esfenvalerate	Kale	0.06	3	14,750.0	S
Esfenvalerate	Kiwi fruit fuzzy	33.24	14	666.0	A
Esfenvalerate	Kohlrabi	0.23	4	6.0	A
Esfenvalerate	Landscape maintenance	0.97	N/A	N/A	N/A
Esfenvalerate	Lettuce, head	270.14	407	6,249.85	A
Esfenvalerate	Melon	55.22	16	1,244.44	A
Esfenvalerate	Mustard	0.84	14	18.5	A
Esfenvalerate	Mustard greens	0.79	7	17.36	A
Esfenvalerate	N-grnhs transplants	1.75	35	52.59	A
Esfenvalerate	N-outdr plants in containers	4.88	38	92.5	A
Esfenvalerate	N-outdr transplants	207.49	151	3,348.94	A
Esfenvalerate	Nectarine	544.27	734	9,520.01	A
Esfenvalerate	Okra	0.09	N/A	1.0	A
Esfenvalerate	Peach	2,271.11	2,277	36,712.66	A
Esfenvalerate	Pear	42.56	25	804.5	A
Esfenvalerate	Pear, asian (oriental pear, ya, ya li, nashi)	6.74	9	99.0	A
Esfenvalerate	Peas	54.67	118	1,265.6	A
Esfenvalerate	Pecan	6.59	1	132.0	A
Esfenvalerate	Pepper, fruiting	76.12	65	1,567.17	A
Esfenvalerate	Pepper, spice	1.52	2	32.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Esfenvalerate	Plum	284.18	362	4,864.14	A
Esfenvalerate	Pluot	2.51	5	42.1	A
Esfenvalerate	Potato	289.42	272	6,595.6	A
Esfenvalerate	Prune	1,428.64	502	23,744.78	A
Esfenvalerate	Public health	<0.01	N/A	N/A	N/A
Esfenvalerate	Pumpkin	8.41	9	171.2	A
Esfenvalerate	Radish	36.4	266	767.47	A
Esfenvalerate	Regulatory pest control	47.26	N/A	N/A	N/A
Esfenvalerate	Research commodity	0.35	8	7.15	A
Esfenvalerate	Research commodity	0.01	2	400.0	S
Esfenvalerate	Research commodity	0.82	N/A	N/A	N/A
Esfenvalerate	Rights of way	1.86	N/A	N/A	N/A
Esfenvalerate	Soil fumigation/preplant	2.0	1	60.0	A
Esfenvalerate	Squash	30.12	78	763.8	A
Esfenvalerate	Squash, summer	2.81	8	59.28	A
Esfenvalerate	Structural pest control	7,635.0	N/A	N/A	N/A
Esfenvalerate	Sugarbeet	1,098.83	372	25,264.1	A
Esfenvalerate	Sunflower	119.08	68	2,584.84	A
Esfenvalerate	Tangerine	0.53	1	8.38	A
Esfenvalerate	Tomato	360.0	172	7,743.16	A
Esfenvalerate	Tomato, processing	625.4	247	13,198.54	A
Esfenvalerate	Uncultivated ag	31.84	11	643.03	A
Esfenvalerate	Walnut	1,184.76	391	16,150.85	A
Esfenvalerate	Watermelon	5.75	6	117.6	A
Essential oils	Apricot	0.04	3	61.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Essential oils	Commodity fumigation	0.39	1	94,188.0	C
Essential oils	Landscape maintenance	1.45	N/A	N/A	N/A
Essential oils	N-outdr transplants	0.17	1	16.0	A
Essential oils	Structural pest control	0.02	N/A	N/A	N/A
Essential oils	Uncultivated ag	0.31	5	57.0	A
Ethaboxam	Landscape maintenance	1.6	N/A	N/A	N/A
Ethalfuralin	Bean, dried	4,535.31	90	3,514.28	A
Ethalfuralin	Bean, succulent	174.49	5	133.0	A
Ethalfuralin	Bean, unspecified	59.63	6	46.69	A
Ethalfuralin	Cucumber	782.91	30	526.2	A
Ethalfuralin	Melon	176.08	18	145.23	A
Ethalfuralin	N-outdr plants in containers	9.25	7	7.55	A
Ethalfuralin	Pumpkin	37.11	11	31.05	A
Ethalfuralin	Research commodity	0.35	2	0.53	A
Ethalfuralin	Safflower	239.41	5	269.3	A
Ethalfuralin	Squash	82.57	19	65.81	A
Ethalfuralin	Squash, summer	66.14	22	52.82	A
Ethalfuralin	Sunflower	13,917.01	172	11,114.48	A
Ethalfuralin	Tomato, processing	379.75	4	501.1	A
Ethalfuralin	Uncultivated ag	404.21	5	378.5	A
Ethalfuralin	Walnut	13.54	1	12.0	A
Ethanolamine	Alfalfa	43.33	94	3,880.34	A
Ethanolamine	Almond	2,375.9	720	37,671.96	A
Ethanolamine	Apricot	3.13	9	40.42	A
Ethanolamine	Avocado	1.79	72	384.0	A
Ethanolamine	Basil, sweet	0.36	67	84.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ethanolamine	Bean, succulent	<0.01	3	0.75	A
Ethanolamine	Blueberry	11.91	12	171.24	A
Ethanolamine	Cantaloupe	0.41	9	268.5	A
Ethanolamine	Cherry	117.47	43	1,577.46	A
Ethanolamine	Cilantro	0.01	1	4.8	A
Ethanolamine	Cole crop	0.32	89	70.85	A
Ethanolamine	Corn (forage - fodder)	26.24	40	2,297.0	A
Ethanolamine	Cotton	25.13	18	1,292.7	A
Ethanolamine	Cucumber	0.02	6	3.6	A
Ethanolamine	Ditch bank	<0.01	4	3.25	A
Ethanolamine	Ginger	0.03	10	4.75	A
Ethanolamine	Grape	249.16	495	19,451.77	A
Ethanolamine	Grape, wine	28.43	27	462.06	A
Ethanolamine	Herb, spice	0.36	73	77.7	A
Ethanolamine	Landscape maintenance	3.04	N/A	N/A	N/A
Ethanolamine	Lemon	3.71	43	275.1	A
Ethanolamine	Lettuce, head	2.67	43	464.1	A
Ethanolamine	Lettuce, leaf	3.08	48	538.1	A
Ethanolamine	Melon	0.48	10	279.75	A
Ethanolamine	Mint	0.03	6	5.5	A
Ethanolamine	N-grnhs flower	0.36	N/A	8.0	A
Ethanolamine	N-grnhs flower	0.15	6	50,000.0	S
Ethanolamine	N-grnhs plants in containers	1.94	193	154.11	A
Ethanolamine	N-grnhs plants in containers	0.05	5	74,000.0	S
Ethanolamine	N-grnhs transplants	0.02	14	9.64	A
Ethanolamine	N-outdr flower	0.99	7	32.89	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ethanolamine	N-outdr plants in containers	12.76	947	1,797.31	A
Ethanolamine	Nectarine	7.17	25	119.16	A
Ethanolamine	Orange	7.75	45	570.79	A
Ethanolamine	Pastureland	0.2	6	35.0	A
Ethanolamine	Peach	34.33	76	412.33	A
Ethanolamine	Peas	<0.01	1	0.25	A
Ethanolamine	Pepper, fruiting	3.48	7	111.25	A
Ethanolamine	Persimmon	1.39	4	10.5	A
Ethanolamine	Pistachio	2,952.14	699	35,596.97	A
Ethanolamine	Plum	15.2	39	195.93	A
Ethanolamine	Quince	0.05	2	11.8	A
Ethanolamine	Research commodity	0.03	N/A	N/A	N/A
Ethanolamine	Rights of way	5.83	1	66.0	A
Ethanolamine	Rights of way	149.21	N/A	N/A	N/A
Ethanolamine	Root vegetable	0.23	28	49.75	A
Ethanolamine	Squash	0.43	38	96.0	A
Ethanolamine	Strawberry	48.57	231	2,921.06	A
Ethanolamine	Structural pest control	0.33	N/A	N/A	N/A
Ethanolamine	Sweet potato	<0.01	1	0.1	A
Ethanolamine	Tangerine	7.44	21	261.27	A
Ethanolamine	Tomato	7.5	3	140.0	A
Ethanolamine	Tomato, processing	6.29	3	67.6	A
Ethanolamine	Uncultivated ag	38.45	93	445.0	A
Ethanolamine	Uncultivated non-ag	0.43	1	40.0	A
Ethanolamine	Unknown	0.35	1	7.11	A
Ethanolamine	Vegetables, fruiting	0.02	8	3.0	A
Ethanolamine	Vegetables, leafy	2.58	345	537.5	A
Ethanolamine	Walnut	27.11	31	670.42	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Ethanolamine</b>	Wheat (forage - fodder)	0.05	1	7.0	A
<b>Ethephon</b>	Apple	23.18	1	30.0	A
<b>Ethephon</b>	Corn (forage - fodder)	571.9	8	201.8	A
<b>Ethephon</b>	Cotton	161,620.16	2,542	160,058.97	A
<b>Ethephon</b>	County ag comm	39.93	N/A	N/A	N/A
<b>Ethephon</b>	Cucumber	125.88	73	843.9	A
<b>Ethephon</b>	Golf course turf	1,670.04	10	463.19	A
<b>Ethephon</b>	Golf course turf	186.7	2	2,915,175.0	S
<b>Ethephon</b>	Grape	6,967.93	669	23,587.53	A
<b>Ethephon</b>	Grape, wine	2.74	1	11.0	A
<b>Ethephon</b>	Landscape maintenance	4.99	1	1.65	A
<b>Ethephon</b>	Landscape maintenance	13.57	1	200,000.0	S
<b>Ethephon</b>	Landscape maintenance	21,232.54	N/A	N/A	N/A
<b>Ethephon</b>	N-grnhs flower	415.76	4	131.85	A
<b>Ethephon</b>	N-grnhs flower	193.07	46	2,271,178.25	S
<b>Ethephon</b>	N-grnhs plants in containers	147.21	814	510.12	A
<b>Ethephon</b>	N-grnhs plants in containers	17.5	132	1,818,967.59	S
<b>Ethephon</b>	N-grnhs plants in containers	1.24	19	118,367.0	U
<b>Ethephon</b>	N-grnhs transplants	733.66	17	871.87	A
<b>Ethephon</b>	N-grnhs transplants	0.31	5	173,000.0	S
<b>Ethephon</b>	N-outdr flower	58.63	70	90.7	A
<b>Ethephon</b>	N-outdr plants in containers	137.56	237	174.58	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ethephon	N-outdr plants in containers	14.56	103	1,733,157.0	S
Ethephon	Olive	9.94	2	14.0	A
Ethephon	Pear	20.09	1	20.0	A
Ethephon	Pepper, fruiting	18.88	1	25.36	A
Ethephon	Pumpkin	39.44	18	260.5	A
Ethephon	Rights of way	26.21	N/A	N/A	N/A
Ethephon	Squash	224.79	116	917.52	A
Ethephon	Squash, summer	31.28	55	191.25	A
Ethephon	Structural pest control	0.14	2	4,875.0	S
Ethephon	Structural pest control	78.27	N/A	N/A	N/A
Ethephon	Tomato	3,043.83	90	4,489.28	A
Ethephon	Tomato, processing	29,221.47	752	46,656.08	A
Ethephon	Turf/sod	236.5	4	74.9	A
Ethephon	Uncultivated ag	0.33	1	8.0	A
Ethephon	Walnut	106,231.79	2,831	142,084.9	A
Ethion	Grape, wine	0.5	1	0.5	A
Ethofumesate	Garlic	2.42	1	5.0	A
Ethofumesate	Golf course turf	2,270.57	3	1,043.06	A
Ethofumesate	Golf course turf	9.5	1	80,000.0	S
Ethofumesate	Landscape maintenance	3,595.72	N/A	N/A	N/A
Ethofumesate	Onion, dry	3,753.96	135	6,977.49	A
Ethofumesate	Rights of way	2.16	N/A	N/A	N/A
Ethofumesate	Sod farm (turf)	39.45	6	34.92	A
Ethofumesate	Sugarbeet	149.09	4	184.0	A
Ethofumesate	Turf/sod	168.49	15	203.6	A
Ethoprop	Bean, dried	46.73	1	11.5	A
Ethoprop	Cabbage	529.05	62	550.33	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ethoprop	N-outdr flower	790.01	94	211.5	A
Ethoprop	Potato	5,598.21	15	742.0	A
Ethoprop	Sweet potato	7,236.11	58	1,912.25	A
Ethyl alcohol	Animal premise	64.46	N/A	93.0	U
Ethyl alcohol	Apricot	7.44	3	61.5	A
Ethyl alcohol	Commodity fumigation	12.62	1	94,188.0	C
Ethyl alcohol	Household	5.5	N/A	9.0	U
Ethyl alcohol	Landscape maintenance	263.53	N/A	N/A	N/A
Ethyl alcohol	N-grnhs transplants	1.16	N/A	3.0	A
Ethyl alcohol	N-outdr flower	0.79	1	2.9	A
Ethyl alcohol	N-outdr transplants	31.1	1	16.0	A
Ethyl alcohol	Structural pest control	0.06	N/A	N/A	N/A
Ethyl alcohol	Uncultivated ag	55.4	5	57.0	A
Ethylene	N-grnhs plants in containers	1,216.97	147	671,610.0	S
Ethylene	N-grnhs plants in containers	92.49	11	217,837.0	U
Ethylene	Structural pest control	221.63	5	95,000.0	S
Ethylene glycol	Alfalfa	252.11	37	2,846.2	A
Ethylene glycol	Almond	3,640.31	333	11,582.46	A
Ethylene glycol	Apricot	66.22	12	140.5	A
Ethylene glycol	Avocado	0.85	44	372.0	A
Ethylene glycol	Bean, dried	1.84	1	15.0	A
Ethylene glycol	Bok choy (choy sum, pak choi)	12.9	16	74.66	A
Ethylene glycol	Broccoli	5.48	2	27.72	A
Ethylene glycol	Cabbage	42.24	15	121.78	A
Ethylene glycol	Cherry	178.19	12	216.78	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ethylene glycol	Chinese cabbage (napa, wong bok, celery cabbage)	22.88	22	122.04	A
Ethylene glycol	Corn (forage - fodder)	64.97	21	832.2	A
Ethylene glycol	Cucumber	33.91	2	112.0	A
Ethylene glycol	Endive (escarole)	23.26	34	94.84	A
Ethylene glycol	Forage hay/silage	18.48	6	210.0	A
Ethylene glycol	Grape	413.68	37	1,543.88	A
Ethylene glycol	Grape, wine	11,394.16	1,046	31,339.13	A
Ethylene glycol	Kale	4.89	1	20.79	A
Ethylene glycol	Landscape maintenance	34.32	N/A	N/A	N/A
Ethylene glycol	Lemon	10.46	14	118.75	A
Ethylene glycol	Lettuce, head	3,180.84	1,144	12,743.01	A
Ethylene glycol	Lettuce, leaf	5,785.88	2,519	20,623.34	A
Ethylene glycol	Orange	70.7	17	149.52	A
Ethylene glycol	Peach	2.42	2	4.0	A
Ethylene glycol	Pecan	4.55	1	15.0	A
Ethylene glycol	Pistachio	697.41	36	1,912.92	A
Ethylene glycol	Pomegranate	47.46	6	211.08	A
Ethylene glycol	Prune	87.09	3	164.0	A
Ethylene glycol	Rice	125.31	13	296.5	A
Ethylene glycol	Rights of way	18.6	N/A	N/A	N/A
Ethylene glycol	Ryegrass	1.84	1	30.0	A
Ethylene glycol	Structural pest control	72.22	N/A	N/A	N/A
Ethylene glycol	Sunflower	498.42	28	1,688.2	A
Ethylene glycol	Tangerine	46.74	10	141.51	A
Ethylene glycol	Tomato	58.3	22	364.47	A
Ethylene glycol	Tomato, processing	3,077.98	193	14,437.48	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Ethylene glycol	Triticale	215.97	12	892.5	A
Ethylene glycol	Uncultivated ag	97.66	9	319.7	A
Ethylene glycol	Uncultivated non-ag	12.1	N/A	9.5	A
Ethylene glycol	Walnut	1,694.26	240	6,473.56	A
Ethylene glycol	Water area	52.58	1	150.0	A
Ethylene glycol	Wheat	337.21	49	2,510.81	A
Ethylene glycol	Wheat (forage - fodder)	24.24	7	354.5	A
Ethylene glycol monomethyl ether	Basil, sweet	4.02	37	48.75	A
Ethylene glycol monomethyl ether	Bean, succulent	0.09	5	1.0	A
Ethylene glycol monomethyl ether	Cherry	0.31	2	29.0	A
Ethylene glycol monomethyl ether	Cole crop	0.96	30	11.6	A
Ethylene glycol monomethyl ether	Cucumber	0.82	16	8.7	A
Ethylene glycol monomethyl ether	Ginger	0.09	2	1.0	A
Ethylene glycol monomethyl ether	Grape, wine	10.14	16	235.0	A
Ethylene glycol monomethyl ether	Grapefruit	1.97	4	10.5	A
Ethylene glycol monomethyl ether	Herb, spice	6.62	61	75.4	A
Ethylene glycol monomethyl ether	Landscape maintenance	0.32	N/A	N/A	N/A
Ethylene glycol monomethyl ether	Lemon	31.98	14	140.0	A
Ethylene glycol monomethyl ether	Mint	1.34	18	14.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Ethylene glycol monomethyl ether	Olive	7.36	3	39.0	A
Ethylene glycol monomethyl ether	Onion, green	0.22	4	2.25	A
Ethylene glycol monomethyl ether	Orange	230.16	84	1,218.45	A
Ethylene glycol monomethyl ether	Peas	0.24	7	2.9	A
Ethylene glycol monomethyl ether	Plum	5.39	2	63.0	A
Ethylene glycol monomethyl ether	Pomelo	7.96	4	19.0	A
Ethylene glycol monomethyl ether	Quince	14.7	25	165.0	A
Ethylene glycol monomethyl ether	Root vegetable	3.0	24	36.7	A
Ethylene glycol monomethyl ether	Squash	6.71	29	72.5	A
Ethylene glycol monomethyl ether	Tangelo	5.05	6	17.5	A
Ethylene glycol monomethyl ether	Tangerine	13.55	12	199.5	A
Ethylene glycol monomethyl ether	Vegetables, fruiting	0.86	30	9.5	A
Ethylene glycol monomethyl ether	Vegetables, leafy	45.69	314	522.9	A
Ethylene glycol monomethyl ether	Walnut	94.24	20	553.0	A
Etofenprox	Commercial, institutional or industrial areas	3.4	N/A	0.04	U
Etofenprox	Fumigation, other	0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Etofenprox	Landscape maintenance	0.26	N/A	N/A	N/A
Etofenprox	Public health	892.76	N/A	N/A	N/A
Etofenprox	Regulatory pest control	3.0	N/A	N/A	N/A
Etofenprox	Structural pest control	341.66	N/A	N/A	N/A
Etoxazole	Alfalfa	0.68	1	5.0	A
Etoxazole	Almond	39,777.77	5,459	305,045.32	A
Etoxazole	Apple	47.0	16	361.5	A
Etoxazole	Apricot	8.74	12	65.77	A
Etoxazole	Avocado	91.84	29	681.26	A
Etoxazole	Blackberry	51.84	41	383.46	A
Etoxazole	Cantaloupe	34.56	4	256.0	A
Etoxazole	Cherry	804.14	239	6,105.26	A
Etoxazole	Citrus	0.07	1	0.75	A
Etoxazole	Corn (forage - fodder)	10,589.48	1,970	91,653.93	A
Etoxazole	Corn, grain	605.59	181	6,028.8	A
Etoxazole	Corn, human consumption	157.23	27	1,695.83	A
Etoxazole	Cotton	223.66	63	4,990.4	A
Etoxazole	Cucumber	2.9	2	32.1	A
Etoxazole	Eggplant	20.25	8	152.0	A
Etoxazole	Grape	1,394.5	245	11,581.65	A
Etoxazole	Grape, wine	4,488.25	727	33,966.49	A
Etoxazole	Hops	0.18	1	1.0	A
Etoxazole	Landscape maintenance	0.34	N/A	N/A	N/A
Etoxazole	Melon	42.34	8	289.0	A
Etoxazole	Mint	10.5	3	116.6	A
Etoxazole	N-grnhs flower	5.09	27	54.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Etoxazole	N-grnhs flower	1.13	63	934,348.0	S
Etoxazole	N-grnhs plants in containers	18.49	282	309.62	A
Etoxazole	N-grnhs plants in containers	2.08	47	1,399,804.0	S
Etoxazole	N-grnhs transplants	2.96	41	33.84	A
Etoxazole	N-grnhs transplants	0.04	1	12,000.0	S
Etoxazole	N-outdr flower	4.33	33	74.64	A
Etoxazole	N-outdr plants in containers	31.4	97	587.41	A
Etoxazole	N-outdr plants in containers	1.34	13	825,500.0	S
Etoxazole	N-outdr plants in containers	0.7	3	52,202.0	U
Etoxazole	N-outdr transplants	195.73	105	1,815.38	A
Etoxazole	Nectarine	218.75	167	1,564.94	A
Etoxazole	Oat (forage - fodder)	32.72	6	287.0	A
Etoxazole	Orange	0.99	1	11.0	A
Etoxazole	Peach	627.86	393	4,756.18	A
Etoxazole	Pear	136.81	31	1,015.3	A
Etoxazole	Pear, asian (oriental pear, ya, ya li, nashi)	2.36	2	17.5	A
Etoxazole	Pecan	17.82	1	132.0	A
Etoxazole	Pepper, fruiting	14.77	6	160.0	A
Etoxazole	Pistachio	7.26	3	57.53	A
Etoxazole	Plum	71.32	67	562.34	A
Etoxazole	Prune	89.64	7	664.0	A
Etoxazole	Pumpkin	9.72	5	96.3	A
Etoxazole	Quince	1.35	2	10.0	A
Etoxazole	Raspberry	49.86	45	414.36	A
Etoxazole	Regulatory pest control	0.21	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Etoazole	Research commodity	0.9	7	6.25	A
Etoazole	Research commodity	0.86	N/A	N/A	N/A
Etoazole	Rights of way	0.05	1	1.0	A
Etoazole	Rights of way	11.81	N/A	N/A	N/A
Etoazole	Squash	3.15	1	35.0	A
Etoazole	Strawberry	994.67	277	6,592.55	A
Etoazole	Sudangrass	1.4	1	13.0	A
Etoazole	Tangerine	0.54	1	6.0	A
Etoazole	Tomato	1.54	3	14.35	A
Etoazole	Uncultivated ag	3.46	1	38.4	A
Etoazole	Vegetables, fruiting	0.34	1	2.5	A
Etoazole	Walnut	2,685.7	494	20,955.47	A
Etoazole	Watermelon	289.61	46	2,095.35	A
Etoazole	Wheat (forage - fodder)	9.55	3	106.0	A
Eugenol	Structural pest control	0.02	N/A	N/A	N/A
Famoxadone	Arugula	1.82	2	13.32	A
Famoxadone	Cilantro	105.09	205	682.52	A
Famoxadone	Cucumber	39.06	17	434.95	A
Famoxadone	Lettuce, head	111.73	21	729.04	A
Famoxadone	Lettuce, leaf	188.62	70	1,291.15	A
Famoxadone	N-grnhs transplants	45.36	20	1,308.87	A
Famoxadone	N-outdr transplants	3.38	4	27.0	A
Famoxadone	Onion, dry	1,446.31	91	11,325.4	A
Famoxadone	Onion, green	46.01	4	368.1	A
Famoxadone	Parsley	28.48	22	196.3	A
Famoxadone	Pepper, fruiting	20.44	2	131.0	A
Famoxadone	Potato	227.98	33	1,946.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Famoxadone	Research commodity	0.82	6	6.56	A
Famoxadone	Research commodity	0.42	N/A	N/A	N/A
Famoxadone	Spinach	118.5	40	835.81	A
Famoxadone	Tomato	388.85	115	3,128.82	A
Famoxadone	Tomato, processing	106.59	18	995.25	A
Farnesol	Almond	2.12	7	244.1	A
Farnesol	Grape	2.7	6	349.0	A
Farnesol	Grape, wine	1.39	14	221.44	A
Farnesol	Nectarine	4.04	41	547.66	A
Farnesol	Peach	5.51	63	762.56	A
Farnesol	Squash	0.18	1	70.0	A
Farnesol	Walnut	0.88	4	133.0	A
Fatty acids derived from tallow	Alfalfa	842.95	654	35,417.92	A
Fatty acids derived from tallow	Almond	3,604.01	1,017	51,469.8	A
Fatty acids derived from tallow	Apple	7.95	8	74.0	A
Fatty acids derived from tallow	Apricot	2.22	1	18.0	A
Fatty acids derived from tallow	Asparagus	115.54	20	1,081.0	A
Fatty acids derived from tallow	Barley	9.15	8	401.9	A
Fatty acids derived from tallow	Barley (forage - fodder)	4.9	5	124.0	A
Fatty acids derived from tallow	Bean, dried	8.25	6	430.5	A
Fatty acids derived from tallow	Bermudagrass	38.5	13	787.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids derived from tallow</b>	Blackberry	1.31	11	8.5	A
<b>Fatty acids derived from tallow</b>	Blueberry	2.71	8	47.5	A
<b>Fatty acids derived from tallow</b>	Bok choy (choy sum, pak choi)	4.52	16	117.02	A
<b>Fatty acids derived from tallow</b>	Broccoli	1.25	6	64.0	A
<b>Fatty acids derived from tallow</b>	Cabbage	2.7	1	35.0	A
<b>Fatty acids derived from tallow</b>	Cabbage, savoy	2.96	1	20.0	A
<b>Fatty acids derived from tallow</b>	Canola (rape)	0.23	1	5.0	A
<b>Fatty acids derived from tallow</b>	Cantaloupe	52.9	32	1,464.52	A
<b>Fatty acids derived from tallow</b>	Celery	1.22	2	15.8	A
<b>Fatty acids derived from tallow</b>	Cherry	5.75	8	90.2	A
<b>Fatty acids derived from tallow</b>	Corn (forage - fodder)	698.42	321	17,856.32	A
<b>Fatty acids derived from tallow</b>	Corn, grain	12.41	8	268.0	A
<b>Fatty acids derived from tallow</b>	Corn, human consumption	22.57	91	772.65	A
<b>Fatty acids derived from tallow</b>	Cotton	970.09	545	31,335.56	A
<b>Fatty acids derived from tallow</b>	Dill	21.54	8	233.0	A
<b>Fatty acids derived from tallow</b>	Ditch bank	4.28	10	53.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids derived from tallow</b>	Fig	8.48	10	603.93	A
<b>Fatty acids derived from tallow</b>	Forage hay/silage	53.47	61	2,570.91	A
<b>Fatty acids derived from tallow</b>	Gai lon	0.42	16	11.25	A
<b>Fatty acids derived from tallow</b>	Garbanzo bean	0.3	1	6.5	A
<b>Fatty acids derived from tallow</b>	Garlic	233.61	71	8,332.9	A
<b>Fatty acids derived from tallow</b>	Grain	3.75	3	78.0	A
<b>Fatty acids derived from tallow</b>	Grape	76.03	73	2,710.92	A
<b>Fatty acids derived from tallow</b>	Grape, wine	343.7	68	3,359.67	A
<b>Fatty acids derived from tallow</b>	Grapefruit	66.01	8	311.0	A
<b>Fatty acids derived from tallow</b>	Grass, seed	78.18	87	4,840.9	A
<b>Fatty acids derived from tallow</b>	Herb, spice	3.1	2	100.4	A
<b>Fatty acids derived from tallow</b>	Landscape maintenance	130.98	N/A	N/A	N/A
<b>Fatty acids derived from tallow</b>	Lemon	310.72	29	2,183.0	A
<b>Fatty acids derived from tallow</b>	Lettuce, head	28.2	36	709.4	A
<b>Fatty acids derived from tallow</b>	Lettuce, leaf	23.6	27	841.15	A
<b>Fatty acids derived from tallow</b>	Melon	14.78	14	366.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids derived from tallow</b>	N-grnhs flower	4.31	12	47.93	A
<b>Fatty acids derived from tallow</b>	N-grnhs transplants	1.59	11	10.35	A
<b>Fatty acids derived from tallow</b>	N-outdr transplants	109.34	61	837.69	A
<b>Fatty acids derived from tallow</b>	Nectarine	0.04	2	0.5	A
<b>Fatty acids derived from tallow</b>	Oat	10.45	4	265.27	A
<b>Fatty acids derived from tallow</b>	Oat (forage - fodder)	13.14	13	467.0	A
<b>Fatty acids derived from tallow</b>	Olive	16.89	3	202.7	A
<b>Fatty acids derived from tallow</b>	Onion, dry	66.0	35	1,929.9	A
<b>Fatty acids derived from tallow</b>	Onion, green	83.99	22	2,006.6	A
<b>Fatty acids derived from tallow</b>	Orange	50.25	9	282.5	A
<b>Fatty acids derived from tallow</b>	Orchardgrass	8.96	6	321.0	A
<b>Fatty acids derived from tallow</b>	Parsley	6.85	2	74.0	A
<b>Fatty acids derived from tallow</b>	Pastureland	7.94	9	377.0	A
<b>Fatty acids derived from tallow</b>	Peach	31.96	32	545.33	A
<b>Fatty acids derived from tallow</b>	Pecan	1.4	2	25.0	A
<b>Fatty acids derived from tallow</b>	Pepper, fruiting	4.89	15	180.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids derived from tallow</b>	Pistachio	3,114.14	281	24,048.66	A
<b>Fatty acids derived from tallow</b>	Pomegranate	32.18	4	161.11	A
<b>Fatty acids derived from tallow</b>	Prune	17.24	34	899.21	A
<b>Fatty acids derived from tallow</b>	Pumpkin	1.17	3	31.44	A
<b>Fatty acids derived from tallow</b>	Rangeland	12.17	5	740.0	A
<b>Fatty acids derived from tallow</b>	Raspberry	7.52	3	48.76	A
<b>Fatty acids derived from tallow</b>	Regulatory pest control	10.76	N/A	N/A	N/A
<b>Fatty acids derived from tallow</b>	Rice	24.87	19	859.0	A
<b>Fatty acids derived from tallow</b>	Rights of way	53.62	16	705.25	A
<b>Fatty acids derived from tallow</b>	Rights of way	105.37	N/A	N/A	N/A
<b>Fatty acids derived from tallow</b>	Ryegrass	47.91	27	834.7	A
<b>Fatty acids derived from tallow</b>	Safflower	16.46	15	4,274.0	A
<b>Fatty acids derived from tallow</b>	Soil fumigation/preplant	3.4	1	220.7	A
<b>Fatty acids derived from tallow</b>	Sorghum (forage - fodder)	20.02	12	493.0	A
<b>Fatty acids derived from tallow</b>	Squash	0.31	1	20.0	A
<b>Fatty acids derived from tallow</b>	Strawberry	1,685.25	439	9,999.39	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids derived from tallow</b>	Structural pest control	4.08	N/A	N/A	N/A
<b>Fatty acids derived from tallow</b>	Sudangrass	7.93	10	423.0	A
<b>Fatty acids derived from tallow</b>	Sugarbeet	19.81	17	857.1	A
<b>Fatty acids derived from tallow</b>	Sunflower	1.22	2	73.0	A
<b>Fatty acids derived from tallow</b>	Tangelo	15.4	2	80.0	A
<b>Fatty acids derived from tallow</b>	Tangerine	95.68	18	606.0	A
<b>Fatty acids derived from tallow</b>	Timothy	30.09	31	1,342.0	A
<b>Fatty acids derived from tallow</b>	Tomato	312.09	192	4,955.83	A
<b>Fatty acids derived from tallow</b>	Tomato, processing	1,088.13	432	26,329.72	A
<b>Fatty acids derived from tallow</b>	Triticale	120.29	69	4,235.58	A
<b>Fatty acids derived from tallow</b>	Uncultivated ag	32.57	20	569.4	A
<b>Fatty acids derived from tallow</b>	Uncultivated non-ag	8.39	9	92.0	A
<b>Fatty acids derived from tallow</b>	Walnut	1,071.59	384	15,960.51	A
<b>Fatty acids derived from tallow</b>	Watermelon	35.09	22	887.3	A
<b>Fatty acids derived from tallow</b>	Wheat	249.46	138	7,466.72	A
<b>Fatty acids derived from tallow</b>	Wheat (forage - fodder)	351.52	328	16,374.09	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Alfalfa	161.13	373	21,752.48	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Almond	444.52	845	25,635.91	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Bean, dried	0.1	1	20.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Bermudagrass	5.18	12	682.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Blueberry	0.11	3	6.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Broccoli	0.57	2	102.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Cabbage	0.15	2	17.8	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Cantaloupe	1.2	2	241.7	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Cherry	6.0	10	195.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Corn (forage - fodder)	7.31	31	1,119.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Forage hay/silage	0.59	3	108.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Grape, wine	1.72	11	114.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Landscape maintenance	14.74	N/A	N/A	N/A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Lettuce, leaf	0.6	2	80.6	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Melon	0.63	3	126.5	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	N-outdr plants in containers	0.08	3	3.5	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Nectarine	0.93	10	50.5	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Oat (forage - fodder)	4.51	24	1,201.12	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Olive	0.75	1	44.2	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Onion, dry	11.94	57	3,751.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Pasture (forage - fodder)	0.08	1	18.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Pastureland	3.61	13	461.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Peach	12.04	59	690.91	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Pistachio	6.43	10	382.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Pumpkin	<0.01	1	4.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Rights of way	0.27	3	17.5	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Rights of way	3.86	N/A	N/A	N/A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Rye	0.5	1	62.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Sorghum (forage - fodder)	1.69	3	340.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Stone fruit	3.91	13	401.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Stone fruit	0.02	N/A	33,900.0	S
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Sudangrass	0.17	1	60.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Sugarbeet	21.0	36	1,955.2	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Uncultivated ag	9.66	6	352.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Uncultivated non-ag	0.27	1	27.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Walnut	80.91	146	3,730.22	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Wheat	7.31	13	728.0	A
<b>Fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Wheat (forage - fodder)	3.01	8	528.5	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Alfalfa	9,130.83	952	56,620.81	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Almond	123,299.9	4,567	233,964.1	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Apple	301.4	26	707.8	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Apricot	285.63	44	1,273.6	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Artichoke, globe	697.38	149	2,370.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Arugula	94.48	60	801.67	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Asparagus	13.2	5	55.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Basil, sweet	30.87	33	56.38	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Bean, dried	631.44	34	2,989.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Bean, succulent	30.23	3	214.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Bean, unspecified	4.86	2	34.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Beet	41.12	35	76.47	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Bermudagrass	266.31	33	1,634.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Blackberry	7.09	6	51.38	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Blueberry	443.97	49	1,443.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Bok choy (choy sum, pak choi)	404.7	466	974.99	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Broccoli	6,717.28	1,580	15,889.84	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Brussels sprout	2,627.79	351	3,875.12	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cabbage	2,982.69	908	9,334.86	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cantaloupe	475.4	70	3,165.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Carrot	6,288.81	221	14,121.43	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cauliflower	2,813.13	612	6,614.26	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Celeriac	6.46	13	11.8	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Celery	3,148.13	650	8,566.55	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cherry	4,002.25	476	10,585.49	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Chinese cabbage (napa, wong bok, celery cabbage)	2,098.9	688	3,596.26	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cilantro	191.94	79	517.81	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Citrus	0.71	3	5.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Collard	175.98	118	442.03	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Corn (forage - fodder)	4,872.74	501	21,390.33	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Corn, human consumption	25.81	6	102.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cotton	1,966.4	239	12,749.17	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Dandelion green	10.44	25	19.03	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Dill	16.48	30	30.15	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Eggplant	78.28	22	369.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Endive (escarole)	12.4	47	90.51	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Fennel	4.96	4	17.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Fig	20.6	4	143.4	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Forage hay/silage	89.78	6	402.9	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Garlic	565.82	21	1,779.9	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Grape	5,050.93	833	21,808.45	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Grape, wine	9,282.32	945	27,342.91	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Grapefruit	434.03	32	470.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Kale	310.48	287	1,152.33	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Kohlrabi	7.45	16	13.61	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Landscape maintenance	53.09	N/A	N/A	N/A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Leek	74.13	50	144.71	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Lemon	1,359.73	160	3,600.02	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Lettuce, head	7,003.45	1,975	24,250.64	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Lettuce, leaf	10,016.78	2,883	34,120.42	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Melon	137.79	22	987.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Melon	<0.01	2	5,220.0	S
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Mizuna	58.91	77	446.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Mustard	35.57	37	92.91	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Mustard greens	52.73	33	96.61	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	N-grnhs plants in containers	2.28	3	5.5	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	N-outdr flower	5.56	11	14.5	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	N-outdr plants in containers	10.03	3	72.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	N-outdr transplants	434.14	165	1,592.5	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Nectarine	1,935.41	420	2,756.92	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Oat	18.1	4	477.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Oat (forage - fodder)	723.51	79	3,212.48	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Olive	316.86	11	750.2	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Onion, dry	66.64	17	462.98	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Orange	14,484.18	1,251	27,340.94	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Orchardgrass	9.85	2	18.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Parsley	139.93	96	256.84	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pastureland	13.69	2	34.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Peach	3,395.76	688	7,822.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pear	2.14	6	10.6	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pear, asian (oriental pear, ya, ya li, nashi)	7.18	5	35.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pecan	187.73	23	321.46	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pepper, fruiting	477.59	157	5,599.48	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pepper, fruiting	<0.01	1	1,215.0	S
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pepper, spice	41.77	24	185.54	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Persimmon	25.45	14	66.55	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pistachio	29,014.25	976	70,465.56	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Plum	437.8	138	1,375.97	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pomegranate	163.33	35	608.03	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pomelo	73.37	9	72.5	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Potato	6.97	2	75.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Prune	90.01	9	556.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pumpkin	21.44	5	93.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Quince	4.12	4	20.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Radish	2.74	1	18.63	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Raspberry	243.12	24	651.31	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Research commodity	15.5	21	35.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Research commodity	2.28	N/A	N/A	N/A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Rice	521.22	38	2,864.34	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Rights of way	17.92	3	111.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Rights of way	176.0	N/A	N/A	N/A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Rye	41.25	1	135.7	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Ryegrass	42.58	4	128.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sesame, seed	2.66	1	5.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sod farm (turf)	1.19	2	16.5	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Soil fumigation/preplant	0.33	1	2.5	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Spinach	306.76	135	1,988.67	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Squash, summer	1.53	3	54.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Squash, winter	1.42	1	15.4	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Squash, zucchini	0.13	3	0.6	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Strawberry	4,709.54	500	13,014.64	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sudangrass	122.47	9	373.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sugarbeet	682.27	89	5,233.26	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sunflower	0.3	1	0.5	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sweet potato	18.07	6	119.0	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Swiss chard	155.93	158	749.8	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Tangelo	324.38	18	477.94	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Tangerine	5,864.88	645	13,677.65	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Tomato	0.11	1	0.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Tomato	0.01	2	5,040.0	S
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Tomato, processing	686.59	48	4,132.1	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Triticale	389.03	46	1,930.48	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Turf/sod	5.72	3	79.6	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Turnip	33.76	34	61.69	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Uncultivated ag	330.6	41	904.56	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Walnut	15,299.91	952	30,754.41	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Water area	1.69	N/A	26.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Water area	2.16	N/A	12.5	U
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Watermelon	285.31	45	2,247.5	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Wheat	1,452.36	116	6,678.49	A
<b>Fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Wheat (forage - fodder)	954.54	124	5,801.45	A
<b>Fatty acids, methyl esters</b>	Alfalfa	22,292.28	481	23,788.84	A
<b>Fatty acids, methyl esters</b>	Almond	99,000.78	1,965	80,878.08	A
<b>Fatty acids, methyl esters</b>	Apple	3.27	1	2.08	A
<b>Fatty acids, methyl esters</b>	Apricot	60.92	2	70.0	A
<b>Fatty acids, methyl esters</b>	Bean, dried	366.61	18	455.2	A
<b>Fatty acids, methyl esters</b>	Bushberry	1.74	1	4.75	A
<b>Fatty acids, methyl esters</b>	Carrot	1,105.23	68	1,143.4	A
<b>Fatty acids, methyl esters</b>	Celery	618.79	105	760.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fatty acids, methyl esters	Cherry	204.13	20	157.05	A
Fatty acids, methyl esters	Chestnut	0.87	1	5.0	A
Fatty acids, methyl esters	Cilantro	261.99	290	836.77	A
Fatty acids, methyl esters	Clover	229.25	4	228.0	A
Fatty acids, methyl esters	Corn (forage - fodder)	16,907.89	357	17,473.58	A
Fatty acids, methyl esters	Corn, grain	393.3	16	765.0	A
Fatty acids, methyl esters	Cotton	2,105.11	59	2,429.34	A
Fatty acids, methyl esters	Cucumber	283.72	7	408.0	A
Fatty acids, methyl esters	Fig	378.3	12	187.5	A
Fatty acids, methyl esters	Forage hay/silage	150.42	3	173.0	A
Fatty acids, methyl esters	Forest, timberland	33,618.43	326	7,440.6	A
Fatty acids, methyl esters	Garlic	350.55	5	603.4	A
Fatty acids, methyl esters	Grape	505.56	37	611.17	A
Fatty acids, methyl esters	Grape, wine	28,438.11	874	33,685.2	A
Fatty acids, methyl esters	Grapefruit	138.02	11	110.0	A
Fatty acids, methyl esters	Landscape maintenance	462.56	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fatty acids, methyl esters	Lemon	812.09	66	780.9	A
Fatty acids, methyl esters	N-grnhs plants in containers	0.81	N/A	1.5	A
Fatty acids, methyl esters	N-grnhs plants in containers	0.4	1	18,000.0	S
Fatty acids, methyl esters	Nectarine	1,530.93	64	1,064.52	A
Fatty acids, methyl esters	Oat	41.79	3	48.0	A
Fatty acids, methyl esters	Oat (forage - fodder)	17.4	2	61.0	A
Fatty acids, methyl esters	Olive	3,192.72	50	2,122.52	A
Fatty acids, methyl esters	Onion, dry	121.88	11	844.61	A
Fatty acids, methyl esters	Orange	4,091.01	272	4,581.02	A
Fatty acids, methyl esters	Orchardgrass	36.51	1	70.0	A
Fatty acids, methyl esters	Parsley	102.4	28	208.01	A
Fatty acids, methyl esters	Pastureland	6.06	2	28.5	A
Fatty acids, methyl esters	Peach	6,249.05	220	5,339.35	A
Fatty acids, methyl esters	Pear	163.21	6	150.12	A
Fatty acids, methyl esters	Peas	87.76	5	73.6	A
Fatty acids, methyl esters	Pecan	362.84	19	302.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fatty acids, methyl esters	Pepper, fruiting	467.66	3	134.5	A
Fatty acids, methyl esters	Pistachio	9,468.29	266	7,693.68	A
Fatty acids, methyl esters	Plum	137.18	12	99.5	A
Fatty acids, methyl esters	Pomelo	21.98	3	30.0	A
Fatty acids, methyl esters	Prune	467.73	7	258.5	A
Fatty acids, methyl esters	Research commodity	18.32	5	17.95	A
Fatty acids, methyl esters	Rice	59,782.41	612	43,191.48	A
Fatty acids, methyl esters	Rights of way	508.54	16	566.0	A
Fatty acids, methyl esters	Rights of way	861.97	N/A	N/A	N/A
Fatty acids, methyl esters	Ryegrass	21.68	2	76.0	A
Fatty acids, methyl esters	Safflower	301.8	2	163.3	A
Fatty acids, methyl esters	Soil fumigation/preplant	260.77	3	188.0	A
Fatty acids, methyl esters	Squash	86.92	6	125.0	A
Fatty acids, methyl esters	Sunflower	1,630.5	30	2,117.6	A
Fatty acids, methyl esters	Tangelo	234.8	17	183.07	A
Fatty acids, methyl esters	Tangerine	1,027.13	92	1,109.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fatty acids, methyl esters	Tomato	137.41	3	167.2	A
Fatty acids, methyl esters	Tomato, processing	15,488.96	563	16,451.7	A
Fatty acids, methyl esters	Triticale	6.6	1	6.0	A
Fatty acids, methyl esters	Uncultivated ag	28,433.12	696	28,781.27	A
Fatty acids, methyl esters	Uncultivated non-ag	337.27	39	577.0	A
Fatty acids, methyl esters	Walnut	13,283.31	361	11,328.76	A
Fatty acids, methyl esters	Water (industrial)	1.3	N/A	0.75	A
Fatty acids, methyl esters	Watermelon	200.97	6	289.0	A
Fatty acids, methyl esters	Wheat	730.68	16	1,127.6	A
Fatty acids, methyl esters	Wheat (forage - fodder)	396.38	2	285.0	A
Fatty acids, mixed	Alfalfa	5,420.03	1,463	74,028.57	A
Fatty acids, mixed	Almond	39,551.45	5,070	315,121.25	A
Fatty acids, mixed	Apple	0.52	1	14.0	A
Fatty acids, mixed	Apricot	183.35	177	2,522.96	A
Fatty acids, mixed	Artichoke, globe	111.72	171	2,271.97	A
Fatty acids, mixed	Avocado	2.76	85	460.68	A
Fatty acids, mixed	Barley	38.78	16	812.0	A
Fatty acids, mixed	Barley (forage - fodder)	1.24	24	383.5	A
Fatty acids, mixed	Basil, sweet	11.22	5	247.75	A
Fatty acids, mixed	Bean, dried	71.91	38	1,568.0	A
Fatty acids, mixed	Bean, succulent	19.9	8	142.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fatty acids, mixed	Bermudagrass	305.65	50	2,624.6	A
Fatty acids, mixed	Blackberry	0.29	2	9.0	A
Fatty acids, mixed	Blueberry	251.75	112	4,877.53	A
Fatty acids, mixed	Bok choy (choy sum, pak choi)	2.09	1	40.0	A
Fatty acids, mixed	Broccoli	127.61	1,012	11,613.13	A
Fatty acids, mixed	Brussels sprout	142.37	99	1,791.7	A
Fatty acids, mixed	Cabbage	31.11	291	2,962.4	A
Fatty acids, mixed	Cantaloupe	51.99	25	1,427.19	A
Fatty acids, mixed	Carrot	9.19	6	199.3	A
Fatty acids, mixed	Cauliflower	43.96	295	3,288.17	A
Fatty acids, mixed	Celery	773.17	707	9,146.48	A
Fatty acids, mixed	Cherry	1,444.47	314	7,596.66	A
Fatty acids, mixed	Chicory	<0.01	1	0.9	A
Fatty acids, mixed	Christmas tree	0.36	10	31.0	A
Fatty acids, mixed	Cilantro	29.4	23	268.5	A
Fatty acids, mixed	Citrus	1.57	4	176.0	A
Fatty acids, mixed	Collard	0.11	6	25.75	A
Fatty acids, mixed	Corn (forage - fodder)	2,875.35	1,416	73,073.32	A
Fatty acids, mixed	Corn, grain	9.63	10	322.0	A
Fatty acids, mixed	Corn, human consumption	19.45	86	1,381.3	A
Fatty acids, mixed	Cotton	4,233.49	2,711	328,379.45	A
Fatty acids, mixed	Cucumber	2.89	7	126.0	A
Fatty acids, mixed	Ditch bank	1.43	7	22.1	A
Fatty acids, mixed	Endive (escarole)	3.82	47	46.21	A
Fatty acids, mixed	Fava bean	0.04	2	5.0	A
Fatty acids, mixed	Fennel	1.02	9	98.28	A
Fatty acids, mixed	Forage hay/silage	153.24	39	2,084.29	A
Fatty acids, mixed	Forest, timberland	3.34	3	44.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fatty acids, mixed	Garbanzo bean	0.83	1	171.0	A
Fatty acids, mixed	Garlic	401.89	230	9,315.56	A
Fatty acids, mixed	Grain	0.31	1	63.0	A
Fatty acids, mixed	Grape	1,476.03	486	15,542.94	A
Fatty acids, mixed	Grape	0.01	2	18,000.0	S
Fatty acids, mixed	Grape, wine	1,045.61	614	19,374.06	A
Fatty acids, mixed	Grapefruit	31.32	4	72.0	A
Fatty acids, mixed	Grass, seed	8.4	20	96.2	A
Fatty acids, mixed	Hops	5.01	2	24.0	A
Fatty acids, mixed	Jujube	0.01	2	1.0	A
Fatty acids, mixed	Kale	1.83	45	330.82	A
Fatty acids, mixed	Kiwi fruit fuzzy	306.2	52	754.43	A
Fatty acids, mixed	Landscape maintenance	1,036.14	N/A	N/A	N/A
Fatty acids, mixed	Leek	2.19	17	59.3	A
Fatty acids, mixed	Lemon	103.96	85	1,449.97	A
Fatty acids, mixed	Lettuce, head	276.56	1,596	19,852.8	A
Fatty acids, mixed	Lettuce, leaf	497.12	3,764	36,725.59	A
Fatty acids, mixed	Lime	0.08	1	10.0	A
Fatty acids, mixed	Melon	35.39	18	723.8	A
Fatty acids, mixed	Mustard greens	0.06	3	23.75	A
Fatty acids, mixed	N-grnhs flower	2.52	114	139.75	A
Fatty acids, mixed	N-grnhs flower	1.25	30	129,500.0	S
Fatty acids, mixed	N-grnhs plants in containers	26.63	290	527.6	A
Fatty acids, mixed	N-grnhs plants in containers	43.16	950	67,043,685.0	S
Fatty acids, mixed	N-grnhs transplants	0.48	81	151.75	A
Fatty acids, mixed	N-outdr flower	24.53	842	2,679.93	A
Fatty acids, mixed	N-outdr plants in containers	28.72	895	1,746.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fatty acids, mixed	N-outdr plants in containers	17.61	404	32,480,103.0	S
Fatty acids, mixed	N-outdr plants in containers	0.09	2	165.0	U
Fatty acids, mixed	N-outdr transplants	396.09	356	747.7	A
Fatty acids, mixed	Nectarine	67.57	336	4,111.22	A
Fatty acids, mixed	Oat	14.63	18	697.4	A
Fatty acids, mixed	Oat (forage - fodder)	126.51	57	2,642.16	A
Fatty acids, mixed	Olive	173.97	19	704.55	A
Fatty acids, mixed	Onion, dry	427.2	114	5,737.1	A
Fatty acids, mixed	Orange	538.54	127	3,004.4	A
Fatty acids, mixed	Orchardgrass	4.56	4	70.0	A
Fatty acids, mixed	Parsley	50.03	110	698.7	A
Fatty acids, mixed	Pastureland	9.79	10	2,117.13	A
Fatty acids, mixed	Peach	160.6	566	7,272.0	A
Fatty acids, mixed	Pear	20.9	22	376.5	A
Fatty acids, mixed	Peas	18.26	180	2,046.8	A
Fatty acids, mixed	Pecan	6.67	9	93.88	A
Fatty acids, mixed	Pepper, fruiting	1,296.44	497	10,408.28	A
Fatty acids, mixed	Persimmon	128.15	23	779.13	A
Fatty acids, mixed	Pistachio	74,955.69	3,613	340,238.03	A
Fatty acids, mixed	Plum	41.64	543	3,722.21	A
Fatty acids, mixed	Pomegranate	1,748.16	68	5,314.23	A
Fatty acids, mixed	Potato	38.54	107	2,427.77	A
Fatty acids, mixed	Prune	44.67	60	929.87	A
Fatty acids, mixed	Pumpkin	4.55	23	557.0	A
Fatty acids, mixed	Radicchio	0.29	15	76.74	A
Fatty acids, mixed	Radish	1.59	6	17.35	A
Fatty acids, mixed	Rangeland	0.23	6	18.0	A
Fatty acids, mixed	Rapini	17.45	171	1,597.3	A
Fatty acids, mixed	Recreation area	0.96	N/A	7.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fatty acids, mixed	Rice	104.59	115	3,154.6	A
Fatty acids, mixed	Rights of way	105.15	76	10,989.0	A
Fatty acids, mixed	Rights of way	0.42	1	40,000.0	S
Fatty acids, mixed	Rights of way	0.25	1	0.01	U
Fatty acids, mixed	Rights of way	2,198.78	N/A	N/A	N/A
Fatty acids, mixed	Ryegrass	181.06	69	4,517.06	A
Fatty acids, mixed	Safflower	133.21	295	77,058.0	A
Fatty acids, mixed	Sod farm (turf)	0.75	7	93.0	A
Fatty acids, mixed	Soil fumigation/preplant	667.16	213	39,775.81	A
Fatty acids, mixed	Sorghum (forage - fodder)	136.91	58	3,327.68	A
Fatty acids, mixed	Sorghum/milo	57.97	31	1,564.7	A
Fatty acids, mixed	Spinach	0.27	10	39.9	A
Fatty acids, mixed	Squash	2.3	6	37.0	A
Fatty acids, mixed	Squash, summer	0.19	4	23.64	A
Fatty acids, mixed	Squash, winter	0.18	1	9.0	A
Fatty acids, mixed	Squash, zucchini	0.02	1	0.1	A
Fatty acids, mixed	Strawberry	151.08	397	17,460.16	A
Fatty acids, mixed	Sudangrass	20.4	14	714.48	A
Fatty acids, mixed	Sugarbeet	45.92	6	693.0	A
Fatty acids, mixed	Sunflower	48.27	6	672.0	A
Fatty acids, mixed	Sweet potato	25.67	22	537.75	A
Fatty acids, mixed	Swiss chard	<0.01	1	1.25	A
Fatty acids, mixed	Tangelo	0.06	1	15.0	A
Fatty acids, mixed	Tangerine	444.92	119	2,596.01	A
Fatty acids, mixed	Tomato	276.39	129	6,145.1	A
Fatty acids, mixed	Tomato, processing	3,917.57	1,254	117,810.55	A
Fatty acids, mixed	Triticale	77.83	60	2,948.7	A
Fatty acids, mixed	Turf/sod	12.46	91	1,872.76	A
Fatty acids, mixed	Turnip	0.06	1	20.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fatty acids, mixed	Uncultivated ag	199.89	276	9,632.42	A
Fatty acids, mixed	Uncultivated non-ag	3.32	3	147.0	A
Fatty acids, mixed	Walnut	1,627.61	656	22,090.23	A
Fatty acids, mixed	Water area	0.73	N/A	3.2	A
Fatty acids, mixed	Watermelon	25.75	40	1,015.9	A
Fatty acids, mixed	Wheat	220.0	138	7,951.65	A
Fatty acids, mixed	Wheat (forage - fodder)	1,504.11	753	44,209.47	A
Fenamidone	Arugula	359.33	271	1,408.06	A
Fenamidone	Basil, sweet	9.29	1	48.0	A
Fenamidone	Beet	6.65	3	25.8	A
Fenamidone	Bok choy (choy sum, pak choi)	37.08	19	141.97	A
Fenamidone	Broccoli	619.54	114	2,511.95	A
Fenamidone	Brussels sprout	11.89	10	45.75	A
Fenamidone	Cabbage	441.55	149	1,773.39	A
Fenamidone	Carrot	1,120.27	67	4,273.07	A
Fenamidone	Cauliflower	271.77	71	1,079.21	A
Fenamidone	Celery	18.37	9	73.6	A
Fenamidone	Chinese cabbage (napa, wong bok, celery cabbage)	40.39	23	152.79	A
Fenamidone	Cilantro	2.64	1	10.0	A
Fenamidone	Collard	23.28	6	89.1	A
Fenamidone	Cucumber	36.48	7	205.6	A
Fenamidone	Endive (escarole)	16.17	54	63.51	A
Fenamidone	Fennel	8.67	3	32.76	A
Fenamidone	Gai choy	8.51	3	33.0	A
Fenamidone	Gai lon	0.41	2	1.68	A
Fenamidone	Kale	76.86	110	309.46	A
Fenamidone	Leek	3.51	11	19.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenamidone	Lettuce, head	2,826.65	875	11,720.12	A
Fenamidone	Lettuce, leaf	5,627.59	2,065	22,436.84	A
Fenamidone	Mizuna	46.67	42	183.55	A
Fenamidone	Mustard	20.47	12	80.91	A
Fenamidone	Mustard greens	88.63	88	350.69	A
Fenamidone	N-grnhs flower	0.37	2	2.0	A
Fenamidone	N-grnhs plants in containers	33.84	122	106.79	A
Fenamidone	N-grnhs plants in containers	0.06	1	10,000.0	S
Fenamidone	N-grnhs transplants	5.97	16	30.84	A
Fenamidone	N-grnhs transplants	3.16	52	720,500.0	S
Fenamidone	N-outdr flower	6.78	15	20.0	A
Fenamidone	N-outdr plants in containers	5.55	22	16.6	A
Fenamidone	N-outdr plants in containers	0.67	12	65,616.0	S
Fenamidone	N-outdr transplants	3.93	12	24.34	A
Fenamidone	N-outdr transplants	24.22	26	5,292,000.0	S
Fenamidone	Onion, dry	2,336.62	187	13,514.75	A
Fenamidone	Parsley	5.16	8	19.5	A
Fenamidone	Pumpkin	6.56	4	36.75	A
Fenamidone	Radicchio	23.24	21	88.14	A
Fenamidone	Radish	5.53	4	21.89	A
Fenamidone	Rapini	77.47	20	300.2	A
Fenamidone	Research commodity	1.42	6	7.3	A
Fenamidone	Research commodity	0.85	N/A	N/A	N/A
Fenamidone	Soil fumigation/preplant	9.53	1	36.0	A
Fenamidone	Spinach	2,200.0	1,011	8,612.91	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenamidone	Swiss chard	95.55	120	375.29	A
Fenamidone	Turnip	0.99	1	3.8	A
Fenarimol	Almond	2.17	1	17.0	A
Fenarimol	Grape, wine	0.04	2	1.5	A
Fenarimol	N-outdr plants in containers	0.02	1	0.25	A
Fenarimol	Research commodity	<0.01	1	0.06	A
Fenazaquin	Almond	65,530.74	1,508	98,183.74	A
Fenazaquin	Bean, dried	11.75	1	25.0	A
Fenazaquin	Bitter melon	2.11	1	3.0	A
Fenazaquin	Blackberry	20.6	6	29.21	A
Fenazaquin	Cherry	1,564.74	99	2,376.63	A
Fenazaquin	Citrus	16.28	1	26.0	A
Fenazaquin	Eggplant	31.46	5	54.0	A
Fenazaquin	Gourds (edible)	2.82	1	4.0	A
Fenazaquin	Grape	63.13	4	120.65	A
Fenazaquin	Grape, wine	1,910.35	58	3,010.47	A
Fenazaquin	Grapefruit	23.59	1	36.0	A
Fenazaquin	Hops	8.46	1	12.0	A
Fenazaquin	Lemon	389.8	21	580.2	A
Fenazaquin	N-grnhs flower	0.82	1	2.0	A
Fenazaquin	N-grnhs plants in containers	27.31	33	55.25	A
Fenazaquin	N-grnhs plants in containers	5.54	22	336,760.0	S
Fenazaquin	N-grnhs transplants	0.87	4	1.23	A
Fenazaquin	N-grnhs transplants	0.99	3	39,750.0	S
Fenazaquin	N-outdr flower	38.7	19	55.97	A
Fenazaquin	N-outdr plants in containers	50.74	34	109.12	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenazaquin	N-outdr plants in containers	0.02	1	1,000.0	S
Fenazaquin	N-outdr transplants	175.28	54	256.0	A
Fenazaquin	Nectarine	72.78	6	114.44	A
Fenazaquin	Orange	97.17	4	144.0	A
Fenazaquin	Peach	349.26	28	523.33	A
Fenazaquin	Pear	46.96	2	75.0	A
Fenazaquin	Pepper, fruiting	695.37	42	1,096.41	A
Fenazaquin	Pistachio	0.9	4	1.91	A
Fenazaquin	Plum	94.54	15	150.25	A
Fenazaquin	Prune	15.65	1	25.0	A
Fenazaquin	Raspberry	1.76	1	2.5	A
Fenazaquin	Research commodity	1.37	1	1.95	A
Fenazaquin	Strawberry	436.29	13	663.7	A
Fenazaquin	Tangerine	139.79	7	198.0	A
Fenazaquin	Uncultivated ag	1.25	1	2.0	A
Fenazaquin	Vegetables, fruiting	1.76	1	2.5	A
Fenazaquin	Walnut	13,025.37	469	20,424.57	A
Fenbuconazole	Almond	1,140.92	329	13,194.58	A
Fenbuconazole	Apricot	109.1	25	1,121.49	A
Fenbuconazole	Blueberry	59.35	23	609.3	A
Fenbuconazole	Cherry	80.32	38	826.14	A
Fenbuconazole	Nectarine	273.8	153	2,810.14	A
Fenbuconazole	Peach	541.1	243	5,563.81	A
Fenbuconazole	Plum	27.06	26	277.47	A
Fenbuconazole	Prune	77.62	17	797.75	A
Fenbutatin-oxide	Almond	1,932.01	36	2,112.42	A
Fenbutatin-oxide	Apple	12.0	2	12.0	A
Fenbutatin-oxide	Cherry	857.56	34	713.8	A
Fenbutatin-oxide	Citrus	<0.01	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenbutatin-oxide	Grapefruit	62.0	2	31.0	A
Fenbutatin-oxide	Lemon	42.0	2	23.0	A
Fenbutatin-oxide	N-grnhs plants in containers	0.5	1	2.0	A
Fenbutatin-oxide	N-outdr flower	209.25	79	220.34	A
Fenbutatin-oxide	N-outdr plants in containers	66.69	29	82.19	A
Fenbutatin-oxide	N-outdr transplants	11.0	5	17.0	A
Fenbutatin-oxide	Orange	432.2	7	391.35	A
Fenbutatin-oxide	Peach	64.43	11	128.86	A
Fenbutatin-oxide	Strawberry	3,338.49	127	2,771.17	A
Fenbutatin-oxide	Tangerine	398.25	21	268.0	A
Fenbutatin-oxide	Walnut	529.0	6	516.0	A
Fenhexamid	Almond	39.75	9	365.0	A
Fenhexamid	Apricot	42.2	2	56.27	A
Fenhexamid	Blackberry	131.06	24	199.0	A
Fenhexamid	Blueberry	672.17	44	1,227.37	A
Fenhexamid	Cherry	1,578.49	102	2,584.96	A
Fenhexamid	Grape	20,095.47	908	38,170.54	A
Fenhexamid	Grape, wine	18,503.86	1,492	37,400.28	A
Fenhexamid	Grape, wine	60.0	1	3,601,246.0	U
Fenhexamid	Lettuce, head	0.31	4	0.95	A
Fenhexamid	Lettuce, leaf	2.5	20	5.0	A
Fenhexamid	N-grnhs flower	152.41	161	391.85	A
Fenhexamid	N-grnhs flower	7.72	30	594,636.0	S
Fenhexamid	N-grnhs plants in containers	235.17	384	265.86	A
Fenhexamid	N-grnhs plants in containers	25.4	132	1,562,290.6	S
Fenhexamid	N-grnhs plants in containers	0.25	N/A	84,304.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenhexamid	N-grnhs transplants	265.2	82	2,207.84	A
Fenhexamid	N-grnhs transplants	10.02	44	953,166.0	S
Fenhexamid	N-outdr flower	140.13	131	520.99	A
Fenhexamid	N-outdr plants in containers	146.89	118	205.26	A
Fenhexamid	N-outdr plants in containers	4.14	8	176,000.0	S
Fenhexamid	N-outdr transplants	166.34	42	223.01	A
Fenhexamid	Nectarine	4.75	2	9.5	A
Fenhexamid	Peach	1.61	4	1.61	A
Fenhexamid	Pistachio	113.86	10	189.2	A
Fenhexamid	Raspberry	41.8	14	64.82	A
Fenhexamid	Research commodity	0.02	N/A	N/A	N/A
Fenhexamid	Strawberry	14,185.81	694	20,742.65	A
Fenhexamid	Strawberry	0.03	1	680.0	C
Fenhexamid	Strawberry	<0.01	1	1.5	S
Fenoxaprop-p-ethyl	Barley (forage - fodder)	19.01	27	462.2	A
Fenoxaprop-p-ethyl	Landscape maintenance	<0.01	N/A	N/A	N/A
Fenoxaprop-p-ethyl	Turf/sod	1.12	1	18.0	A
Fenoxaprop-p-ethyl	Wheat	47.56	24	603.1	A
Fenoxycarb	N-outdr plants in containers	0.61	3	54.34	A
Fenoxycarb	Structural pest control	0.06	N/A	N/A	N/A
Fenpropathrin	Almond	816.93	55	2,342.0	A
Fenpropathrin	Apple	96.59	27	288.89	A
Fenpropathrin	Apricot	16.42	5	77.73	A
Fenpropathrin	Avocado	105.35	14	274.68	A
Fenpropathrin	Avocado	0.87	49	118,588.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenpropathrin	Blackberry	206.65	56	683.89	A
Fenpropathrin	Blueberry	148.97	25	476.16	A
Fenpropathrin	Broccoli	0.78	1	2.5	A
Fenpropathrin	Brussels sprout	120.26	9	424.7	A
Fenpropathrin	Cantaloupe	120.69	4	440.99	A
Fenpropathrin	Cauliflower	0.44	1	1.4	A
Fenpropathrin	Cherry	4,858.89	712	14,263.56	A
Fenpropathrin	Chinese cabbage (napa, wong bok, celery cabbage)	40.27	10	128.75	A
Fenpropathrin	Citrus	167.83	41	482.23	A
Fenpropathrin	Citrus	<0.01	N/A	1,000.0	S
Fenpropathrin	Citrus	0.43	5	39,190.0	U
Fenpropathrin	Commodity fumigation	0.79	N/A	N/A	N/A
Fenpropathrin	Cotton	4,748.56	136	14,684.45	A
Fenpropathrin	Grape	736.51	120	2,653.08	A
Fenpropathrin	Grape, wine	320.33	46	1,293.65	A
Fenpropathrin	Grapefruit	1,277.79	132	3,938.2	A
Fenpropathrin	Landscape maintenance	48.96	N/A	N/A	N/A
Fenpropathrin	Lemon	2,991.48	444	8,324.82	A
Fenpropathrin	Lime	12.2	3	37.0	A
Fenpropathrin	Melon	42.12	1	153.85	A
Fenpropathrin	N-grnhs flower	<0.01	2	1.1	A
Fenpropathrin	N-grnhs flower	0.02	2	2,000.0	S
Fenpropathrin	N-grnhs plants in containers	10.11	23	29.34	A
Fenpropathrin	N-grnhs plants in containers	23.06	122	1,894,428.0	S
Fenpropathrin	N-grnhs plants in containers	0.7	42	9,119.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fenpropathrin</b>	N-grnhs transplants	1.59	9	5.14	A
<b>Fenpropathrin</b>	N-outdr flower	80.15	94	280.23	A
<b>Fenpropathrin</b>	N-outdr plants in containers	123.95	390	458.0	A
<b>Fenpropathrin</b>	N-outdr plants in containers	17.19	53	984,404.5	S
<b>Fenpropathrin</b>	N-outdr plants in containers	4.2	8	351,177.0	U
<b>Fenpropathrin</b>	N-outdr transplants	149.55	40	731.94	A
<b>Fenpropathrin</b>	N-outdr transplants	0.02	N/A	300.0	U
<b>Fenpropathrin</b>	Nectarine	1,079.7	222	3,356.62	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenpropathrin	Olive	352.47	38	1,296.74	A
Fenpropathrin	Olive	1.25	2	1,800.0	U
Fenpropathrin	Orange	10,793.07	1,289	29,005.38	A
Fenpropathrin	Peach	1,431.78	229	4,565.95	A
Fenpropathrin	Pear	2.75	2	7.0	A
Fenpropathrin	Pistachio	8,775.87	203	21,773.27	A
Fenpropathrin	Plum	65.89	20	195.16	A
Fenpropathrin	Pome fruit	0.4	4	2.0	A
Fenpropathrin	Pomelo	1.38	2	5.75	A
Fenpropathrin	Quince	13.56	8	42.0	A
Fenpropathrin	Raspberry	42.08	17	141.84	A
Fenpropathrin	Research commodity	4.53	11	13.38	A
Fenpropathrin	Research commodity	0.3	N/A	N/A	N/A
Fenpropathrin	Rights of way	0.25	2	4,800.0	S
Fenpropathrin	Rights of way	0.8	N/A	N/A	N/A
Fenpropathrin	Squash, summer	0.16	2	0.5	A
Fenpropathrin	Stone fruit	15.41	17	49.0	A
Fenpropathrin	Strawberry	7,213.71	799	23,245.97	A
Fenpropathrin	Tangelo	327.64	50	821.98	A
Fenpropathrin	Tangerine	3,269.45	250	8,403.82	A
Fenpropathrin	Tomato	357.07	42	1,841.98	A
Fenpropathrin	Tomato, processing	1,146.28	45	5,823.06	A
Fenpropathrin	Uncultivated ag	2.85	7	8.2	A
Fenpropathrin	Unknown	3.13	2	20.0	A
Fenpropathrin	Walnut	344.19	41	1,379.9	A
Fenpropathrin	Watermelon	0.96	2	3.08	A
Fenpyroximate	Almond	14,967.88	1,554	106,341.73	A
Fenpyroximate	Apple	0.18	2	1.7	A
Fenpyroximate	Apricot	13.27	15	124.62	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fenpyroximate	Avocado	13.55	5	130.0	A
Fenpyroximate	Blackberry	28.37	61	265.88	A
Fenpyroximate	Cantaloupe	56.9	4	533.15	A
Fenpyroximate	Cherry	137.0	44	1,286.1	A
Fenpyroximate	Citrus	4.53	4	41.3	A
Fenpyroximate	Corn (forage - fodder)	4,217.16	916	46,154.07	A
Fenpyroximate	Corn, grain	34.21	13	469.0	A
Fenpyroximate	Cotton	148.31	11	1,389.64	A
Fenpyroximate	Cucumber	24.34	9	257.0	A
Fenpyroximate	Eggplant	23.16	19	313.0	A
Fenpyroximate	Grape	195.75	47	1,964.0	A
Fenpyroximate	Grape, wine	403.92	53	3,906.35	A
Fenpyroximate	Grapefruit	55.81	31	421.0	A
Fenpyroximate	Lemon	1,176.22	386	8,149.09	A
Fenpyroximate	Melon	49.42	10	462.96	A
Fenpyroximate	Mint	1.56	19	17.35	A
Fenpyroximate	N-grnhs flower	1.14	3	11.0	A
Fenpyroximate	N-grnhs flower	1.26	38	693,588.0	S
Fenpyroximate	N-grnhs plants in containers	44.81	239	321.23	A
Fenpyroximate	N-grnhs plants in containers	3.33	21	752,206.0	S
Fenpyroximate	N-grnhs transplants	10.9	113	371.57	A
Fenpyroximate	N-grnhs transplants	0.26	2	89,000.0	S
Fenpyroximate	N-outdr flower	1.97	17	35.3	A
Fenpyroximate	N-outdr plants in containers	26.49	66	333.46	A
Fenpyroximate	N-outdr plants in containers	1.56	10	635,750.0	S
Fenpyroximate	N-outdr transplants	174.78	151	2,336.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenpyroximate	Nectarine	279.47	109	2,610.36	A
Fenpyroximate	Oat (forage - fodder)	14.39	1	135.0	A
Fenpyroximate	Orange	1,708.43	531	12,208.36	A
Fenpyroximate	Peach	432.85	216	4,035.26	A
Fenpyroximate	Pear	0.11	1	1.0	A
Fenpyroximate	Pear, asian (oriental pear, ya, ya li, nashi)	1.88	3	17.5	A
Fenpyroximate	Pepper, fruiting	304.94	92	2,852.69	A
Fenpyroximate	Pepper, spice	1.07	1	10.0	A
Fenpyroximate	Pistachio	3,001.5	231	26,585.19	A
Fenpyroximate	Plum	132.59	79	1,246.43	A
Fenpyroximate	Pomegranate	1,076.82	71	10,019.0	A
Fenpyroximate	Pomelo	7.36	7	66.75	A
Fenpyroximate	Quince	1.72	3	16.0	A
Fenpyroximate	Raspberry	3.3	60	30.7	A
Fenpyroximate	Regulatory pest control	3.6	N/A	N/A	N/A
Fenpyroximate	Research commodity	0.56	5	5.09	A
Fenpyroximate	Research commodity	1.12	N/A	N/A	N/A
Fenpyroximate	Squash	1.28	2	16.0	A
Fenpyroximate	Strawberry	870.21	368	8,347.67	A
Fenpyroximate	Tangelo	51.72	19	404.04	A
Fenpyroximate	Tangerine	945.55	233	5,779.97	A
Fenpyroximate	Tomatillo	0.11	1	1.0	A
Fenpyroximate	Tomato	35.0	15	296.8	A
Fenpyroximate	Tomato	0.03	6	15,300.0	S
Fenpyroximate	Vegetables, fruiting	0.18	5	2.0	A
Fenpyroximate	Walnut	473.28	103	3,385.78	A
Fenpyroximate	Watermelon	451.99	86	4,310.96	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenpyroximate	Watermelon	<0.01	3	5,040.0	S
Fenthion	Structural pest control	0.11	N/A	N/A	N/A
Fenugreek	Rights of way	0.29	N/A	N/A	N/A
Fenvalerate	Landscape maintenance	1.95	N/A	N/A	N/A
Fenvalerate	N-grnhs plants in containers	<0.01	1	0.5	A
Fenvalerate	Structural pest control	1.3	N/A	N/A	N/A
Ferric sodium edta	Almond	69.7	4	139.4	A
Ferric sodium edta	Artichoke, globe	268.75	13	141.0	A
Ferric sodium edta	Avocado	14.2	4	50.6	A
Ferric sodium edta	Landscape maintenance	7.0	6	8.04	A
Ferric sodium edta	Landscape maintenance	466.22	N/A	N/A	N/A
Ferric sodium edta	Lemon	2,934.93	161	5,027.17	A
Ferric sodium edta	N-grnhs flower	3.23	9	16.0	A
Ferric sodium edta	N-grnhs plants in containers	33.76	22	42.5	A
Ferric sodium edta	N-grnhs plants in containers	4.53	8	349,044.0	S
Ferric sodium edta	N-grnhs transplants	0.5	1	30,000.0	S
Ferric sodium edta	N-outdr flower	102.75	13	103.29	A
Ferric sodium edta	N-outdr plants in containers	61.59	26	56.07	A
Ferric sodium edta	N-outdr plants in containers	2.93	9	11,000.0	S
Ferric sodium edta	N-outdr transplants	0.38	1	0.5	A
Ferric sodium edta	Orange	137.25	12	297.0	A
Ferric sodium edta	Public health	1.4	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Ferric sodium edta</b>	Regulatory pest control	3.19	N/A	N/A	N/A
<b>Ferric sodium edta</b>	Rights of way	12.5	N/A	N/A	N/A
<b>Ferric sodium edta</b>	Structural pest control	16.31	N/A	N/A	N/A
<b>Ferric sodium edta</b>	Tangerine	12.0	4	31.0	A
<b>Ferric sodium edta</b>	Vertebrate control	0.04	N/A	N/A	N/A
<b>Ferric sulfate (anhydrous)</b>	Landscape maintenance	6.61	N/A	N/A	N/A
<b>Ferrous sulfate</b>	Rights of way	0.17	N/A	N/A	N/A
<b>Fipronil</b>	Carrot	0.25	1	25.0	A
<b>Fipronil</b>	Fumigation, other	0.89	N/A	N/A	N/A
<b>Fipronil</b>	Golf course turf	0.06	N/A	4.59	A
<b>Fipronil</b>	Landscape maintenance	33.33	N/A	N/A	N/A
<b>Fipronil</b>	N-grnhs flower	<0.01	N/A	100.0	C
<b>Fipronil</b>	N-outdr flower	0.08	1	1.0	A
<b>Fipronil</b>	Peach	0.99	1	5.0	A
<b>Fipronil</b>	Public health	<0.01	N/A	N/A	N/A
<b>Fipronil</b>	Regulatory pest control	47.87	N/A	N/A	N/A
<b>Fipronil</b>	Residential	0.02	N/A	17,200.0	S
<b>Fipronil</b>	Rights of way	0.33	N/A	N/A	N/A
<b>Fipronil</b>	Structural pest control	20,657.6	N/A	N/A	N/A
<b>Fipronil</b>	Vertebrate control	0.01	N/A	N/A	N/A
<b>Flazasulfuron</b>	Almond	145.77	104	5,315.45	A
<b>Flazasulfuron</b>	Citrus	<0.01	2	0.08	A
<b>Flazasulfuron</b>	Golf course turf	0.5	N/A	131.5	A
<b>Flazasulfuron</b>	Grape	45.93	80	1,721.34	A
<b>Flazasulfuron</b>	Grape, wine	987.28	2,102	31,182.06	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flazasulfuron	Landscape maintenance	6.27	N/A	N/A	N/A
Flazasulfuron	Lemon	1.05	5	43.8	A
Flazasulfuron	N-outdr transplants	0.06	1	1.8	A
Flazasulfuron	Olive	5.92	11	181.28	A
Flazasulfuron	Orange	43.41	25	1,490.0	A
Flazasulfuron	Pecan	0.36	3	10.83	A
Flazasulfuron	Pistachio	269.05	139	8,449.09	A
Flazasulfuron	Recreation area	0.05	N/A	2.0	A
Flazasulfuron	Tangerine	0.35	1	9.99	A
Flazasulfuron	Walnut	97.36	109	4,133.83	A
Flonicamid	Alfalfa	2,687.34	456	30,998.97	A
Flonicamid	Almond	91.48	34	1,072.45	A
Flonicamid	Apple	2.55	5	33.39	A
Flonicamid	Apricot	3.84	9	52.14	A
Flonicamid	Arugula	94.72	210	1,091.24	A
Flonicamid	Bean, dried	20.14	6	224.8	A
Flonicamid	Bean, succulent	16.24	9	185.7	A
Flonicamid	Bean, unspecified	1.46	4	16.66	A
Flonicamid	Beet	32.97	69	378.14	A
Flonicamid	Bok choy (choy sum, pak choi)	19.71	100	233.68	A
Flonicamid	Broccoli	135.62	92	1,605.45	A
Flonicamid	Brussels sprout	200.36	156	2,409.66	A
Flonicamid	Cabbage	136.9	234	1,599.8	A
Flonicamid	Cantaloupe	80.11	25	915.37	A
Flonicamid	Carrot	18.07	23	215.0	A
Flonicamid	Cauliflower	66.06	55	790.79	A
Flonicamid	Celeriac	4.14	11	48.64	A
Flonicamid	Celery	738.93	716	8,613.14	A
Flonicamid	Cherry	3.19	4	49.31	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flonicamid	Chinese cabbage (napa, wong bok, celery cabbage)	30.9	58	354.05	A
Flonicamid	Cilantro	11.34	18	131.61	A
Flonicamid	Cole crop	0.62	17	7.05	A
Flonicamid	Collard	18.5	67	211.51	A
Flonicamid	Cotton	14,301.75	1,811	164,257.79	A
Flonicamid	Cress, garden	0.4	2	4.6	A
Flonicamid	Cucumber	57.11	59	613.85	A
Flonicamid	Daikon	4.75	7	57.5	A
Flonicamid	Eggplant	9.93	15	97.5	A
Flonicamid	Endive (escarole)	0.45	5	5.14	A
Flonicamid	Fava bean	0.47	1	5.37	A
Flonicamid	Fennel	3.15	12	35.7	A
Flonicamid	Gai lon	0.28	3	3.19	A
Flonicamid	Ginger	0.04	1	0.5	A
Flonicamid	Herb, spice	0.31	3	3.55	A
Flonicamid	Kale	99.15	324	1,140.34	A
Flonicamid	Kohlrabi	3.4	33	38.83	A
Flonicamid	Landscape maintenance	0.09	N/A	N/A	N/A
Flonicamid	Lemon	2.19	1	25.0	A
Flonicamid	Lettuce, head	711.26	741	8,975.71	A
Flonicamid	Lettuce, leaf	1,202.6	1,854	15,126.62	A
Flonicamid	Melon	67.53	30	786.84	A
Flonicamid	Melon	<0.01	1	2,700.0	S
Flonicamid	Mint	1.01	17	11.35	A
Flonicamid	Mizuna	11.79	47	133.88	A
Flonicamid	Mustard	8.83	38	98.87	A
Flonicamid	Mustard greens	39.72	163	454.17	A
Flonicamid	N-grnhs flower	27.45	121	219.79	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Flonicamid	N-grnhs flower	1.91	50	625,668.0	S
Flonicamid	N-grnhs plants in containers	62.51	516	528.69	A
Flonicamid	N-grnhs plants in containers	3.73	21	1,039,800.0	S
Flonicamid	N-grnhs transplants	9.51	39	532.26	A
Flonicamid	N-grnhs transplants	0.06	1	15,000.0	S
Flonicamid	N-outdr flower	21.24	84	186.48	A
Flonicamid	N-outdr plants in containers	23.5	132	211.83	A
Flonicamid	N-outdr plants in containers	0.26	5	96,500.0	S
Flonicamid	N-outdr transplants	17.45	32	224.77	A
Flonicamid	Nectarine	17.16	20	224.58	A
Flonicamid	Parsley	47.42	50	545.14	A
Flonicamid	Peach	46.94	48	602.98	A
Flonicamid	Peas	33.85	28	386.85	A
Flonicamid	Pecan	62.92	29	732.0	A
Flonicamid	Pepper, fruiting	506.11	169	4,629.57	A
Flonicamid	Pistachio	32.88	7	375.7	A
Flonicamid	Plum	46.62	83	614.13	A
Flonicamid	Prune	2.63	2	35.0	A
Flonicamid	Pumpkin	185.97	57	2,177.34	A
Flonicamid	Radicchio	1.59	2	25.5	A
Flonicamid	Radish	34.25	115	392.02	A
Flonicamid	Rapini	39.02	51	446.7	A
Flonicamid	Regulatory pest control	4.81	N/A	N/A	N/A
Flonicamid	Research commodity	7.3	43	86.06	A
Flonicamid	Research commodity	1.11	54	340,620.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Flonicamid	Research commodity	1.26	N/A	N/A	N/A
Flonicamid	Root vegetable	0.13	1	1.5	A
Flonicamid	Safflower	2,632.2	122	30,081.3	A
Flonicamid	Spinach	505.09	617	5,950.81	A
Flonicamid	Squash	19.93	43	236.83	A
Flonicamid	Strawberry	5,860.46	2,080	67,382.08	A
Flonicamid	Sunflower	46.27	31	541.9	A
Flonicamid	Sweet potato	<0.01	1	0.1	A
Flonicamid	Swiss chard	32.93	118	379.63	A
Flonicamid	Tomatillo	0.11	3	1.24	A
Flonicamid	Tomato	357.8	125	2,997.7	A
Flonicamid	Tomato, processing	63.88	14	609.7	A
Flonicamid	Turnip	0.23	1	3.76	A
Flonicamid	Uncultivated ag	0.32	3	3.7	A
Flonicamid	Unknown	3.08	20	35.1	A
Flonicamid	Upland cress	5.75	29	68.0	A
Flonicamid	Vegetables, fruiting	0.6	20	6.6	A
Flonicamid	Vegetables, leafy	16.77	124	192.65	A
Flonicamid	Vertebrate control	0.14	1	0.78	A
Flonicamid	Walnut	3.38	5	44.5	A
Flonicamid	Watermelon	124.08	39	1,457.5	A
Florasulam	Landscape maintenance	1.65	N/A	N/A	N/A
Florasulam	Rights of way	40.54	N/A	N/A	N/A
Florasulam	Turf/sod	0.02	N/A	30.0	A
Fluazifop-butyl	Golf course turf	1.12	2	5.0	A
Fluazifop-butyl	Grape, wine	6.47	4	23.0	A
Fluazifop-butyl	Landscape maintenance	60.3	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluazifop-butyl	N-outdr plants in containers	0.16	1	6.0	A
Fluazifop-butyl	Rights of way	9.71	N/A	N/A	N/A
Fluazifop-butyl	Walnut	1.31	2	11.0	A
Fluazifop-p-butyl	Almond	1,097.9	74	3,475.88	A
Fluazifop-p-butyl	Apricot	6.05	4	23.97	A
Fluazifop-p-butyl	Bermudagrass	0.16	N/A	1,900.0	S
Fluazifop-p-butyl	Blueberry	0.38	1	1.0	A
Fluazifop-p-butyl	Carrot	4,217.18	334	15,503.73	A
Fluazifop-p-butyl	Cherry	55.59	22	232.66	A
Fluazifop-p-butyl	Citrus	4.9	2	13.0	A
Fluazifop-p-butyl	Cotton	240.27	6	638.0	A
Fluazifop-p-butyl	Garlic	572.65	31	2,043.83	A
Fluazifop-p-butyl	Grape	1,474.64	211	5,570.36	A
Fluazifop-p-butyl	Grape, wine	12,255.9	1,805	43,521.43	A
Fluazifop-p-butyl	Grapefruit	4.28	2	14.0	A
Fluazifop-p-butyl	Landscape maintenance	5.16	21	70.48	A
Fluazifop-p-butyl	Landscape maintenance	1,070.15	N/A	N/A	N/A
Fluazifop-p-butyl	Lemon	48.51	20	583.59	A
Fluazifop-p-butyl	Lettuce, leaf	37.77	11	115.8	A
Fluazifop-p-butyl	N-grnhs flower	16.07	N/A	72.0	A
Fluazifop-p-butyl	N-grnhs flower	0.07	N/A	3,750.0	S
Fluazifop-p-butyl	N-grnhs plants in containers	<0.01	N/A	50.0	S
Fluazifop-p-butyl	N-grnhs transplants	7.78	N/A	31.0	A
Fluazifop-p-butyl	N-outdr flower	43.52	53	63.13	A
Fluazifop-p-butyl	N-outdr plants in containers	6.73	12	28.25	A
Fluazifop-p-butyl	N-outdr plants in containers	0.04	2	1,500.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluazifop-p-butyl	Nectarine	18.2	13	103.56	A
Fluazifop-p-butyl	Oat	18.55	2	71.0	A
Fluazifop-p-butyl	Onion, dry	2,142.25	82	5,685.15	A
Fluazifop-p-butyl	Orange	178.82	45	990.48	A
Fluazifop-p-butyl	Peach	124.97	26	450.27	A
Fluazifop-p-butyl	Pecan	7.2	1	19.0	A
Fluazifop-p-butyl	Pistachio	908.95	51	2,861.95	A
Fluazifop-p-butyl	Plum	62.41	14	228.59	A
Fluazifop-p-butyl	Pomelo	6.03	1	20.0	A
Fluazifop-p-butyl	Prune	149.66	54	749.08	A
Fluazifop-p-butyl	Regulatory pest control	<0.01	N/A	N/A	N/A
Fluazifop-p-butyl	Rights of way	0.42	1	0.5	A
Fluazifop-p-butyl	Rights of way	1,729.81	N/A	N/A	N/A
Fluazifop-p-butyl	Structural pest control	4.66	N/A	N/A	N/A
Fluazifop-p-butyl	Tangerine	200.6	35	616.59	A
Fluazifop-p-butyl	Turf/sod	8.78	6	46.65	A
Fluazifop-p-butyl	Uncultivated ag	28.54	20	97.85	A
Fluazifop-p-butyl	Uncultivated non-ag	2.21	1	137.69	A
Fluazifop-p-butyl	Walnut	69.6	10	228.75	A
Fluazinam	Broccoli	2,190.74	142	1,604.75	A
Fluazinam	Brussels sprout	322.16	23	233.65	A
Fluazinam	Cabbage	50.47	3	37.0	A
Fluazinam	Cauliflower	500.9	44	368.5	A
Fluazinam	Chinese cabbage (napa, wong bok, celery cabbage)	14.33	1	10.4	A
Fluazinam	Golf course turf	226.04	1	379.43	A
Fluazinam	Golf course turf	33.03	N/A	1,890,000.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluazinam	Landscape maintenance	0.65	1	100,000.0	S
Fluazinam	Landscape maintenance	1,653.25	N/A	N/A	N/A
Fluazinam	N-grnhs flower	54.45	N/A	99.75	A
Fluazinam	N-grnhs flower	9.42	N/A	580,000.0	S
Fluazinam	N-outdr flower	95.94	31	183.7	A
Fluazinam	N-outdr plants in containers	1.03	N/A	2.5	A
Fluazinam	Potato	101.08	6	417.0	A
Fluazinam	Recreation area	4.89	N/A	8.0	A
Fluazinam	Strawberry	2.29	1	4.37	A
Fluazinam	Turf/sod	11.63	2	22.0	A
Flubendiamide	Alfalfa	144.52	63	2,420.1	A
Flubendiamide	Cabbage	2.1	3	30.5	A
Flubendiamide	Kale	4.56	4	73.4	A
Flubendiamide	Melon	20.4	20	656.3	A
Flubendiamide	Research commodity	0.14	2	3.15	A
Flubendiamide	Research commodity	2.04	N/A	N/A	N/A
Flubendiamide	Tomato, processing	2.34	1	50.0	A
Fludioxonil	Almond	<0.01	1	0.03	A
Fludioxonil	Apricot	1.78	N/A	1,533.5	T
Fludioxonil	Basil, sweet	1.38	9	9.55	A
Fludioxonil	Bean, dried	0.64	N/A	44,000.0	P
Fludioxonil	Beet	0.01	N/A	568.39	P
Fludioxonil	Blackberry	417.58	244	1,966.31	A
Fludioxonil	Blueberry	627.46	93	3,146.41	A
Fludioxonil	Bok choy (choy sum, pak choi)	0.94	1	5.0	A
Fludioxonil	Boysenberry	0.09	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fludioxonil	Broccoli	459.55	215	2,335.29	A
Fludioxonil	Broccoli	<0.01	N/A	137.29	P
Fludioxonil	Brussels sprout	61.11	25	304.94	A
Fludioxonil	Cabbage	83.17	53	447.2	A
Fludioxonil	Cabbage	<0.01	N/A	6.82	P
Fludioxonil	Canola (rape)	<0.01	N/A	84.0	P
Fludioxonil	Carrot	20.87	11	134.98	A
Fludioxonil	Carrot	0.15	N/A	5,956.81	P
Fludioxonil	Cauliflower	49.49	40	267.07	A
Fludioxonil	Cauliflower	<0.01	N/A	0.8	P
Fludioxonil	Celeriac	9.51	9	44.77	A
Fludioxonil	Celery	204.56	77	970.7	A
Fludioxonil	Cherry	19.1	N/A	1.0	U
Fludioxonil	Chinese cabbage (napa, wong bok, celery cabbage)	8.44	5	45.0	A
Fludioxonil	Chive	0.16	2	1.0	A
Fludioxonil	Cilantro	4.33	1	19.8	A
Fludioxonil	Citrus	80.36	N/A	92,691.58	T
Fludioxonil	Cole crop	0.82	10	6.3	A
Fludioxonil	Collard	1.38	2	8.0	A
Fludioxonil	Commodity fumigation	464.98	N/A	N/A	N/A
Fludioxonil	Cotton	282.36	N/A	5,918.14	T
Fludioxonil	Cucumber	9.92	17	48.5	A
Fludioxonil	Cucumber	6.6	N/A	273,537.0	P
Fludioxonil	Cucumber	<0.01	2	180.0	S
Fludioxonil	Eggplant	0.38	2	2.0	A
Fludioxonil	Endive (escarole)	64.53	14	295.0	A
Fludioxonil	Fennel	0.01	N/A	492.82	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fludioxonil	Food processing plant	24.91	5	39,191.2	?
Fludioxonil	Food processing plant	239.61	N/A	218,989.0	T
Fludioxonil	Garlic	346.57	20	2,338.2	A
Fludioxonil	Golf course turf	114.9	N/A	291.05	A
Fludioxonil	Golf course turf	18.2	N/A	1,215,000.0	S
Fludioxonil	Grape	10,857.69	1,069	47,464.61	A
Fludioxonil	Grape, wine	3,471.24	875	17,473.33	A
Fludioxonil	Grapefruit	23.57	N/A	21,226.87	T
Fludioxonil	Herb, spice	3.49	12	18.75	A
Fludioxonil	Kale	15.26	16	81.1	A
Fludioxonil	Landscape maintenance	0.6	2	3.0	A
Fludioxonil	Landscape maintenance	0.15	1	32,000.0	S
Fludioxonil	Landscape maintenance	1,066.52	N/A	N/A	N/A
Fludioxonil	Lemon	103.04	15	471.0	A
Fludioxonil	Lemon	1.49	N/A	977.0	K
Fludioxonil	Lemon	2,749.67	N/A	1,128,637.38	T
Fludioxonil	Lettuce, head	410.65	190	1,913.72	A
Fludioxonil	Lettuce, head	<0.01	1	11.89	S
Fludioxonil	Lettuce, leaf	1,190.73	573	5,506.96	A
Fludioxonil	Lettuce, leaf	<0.01	N/A	188.8	P
Fludioxonil	Lime	0.75	N/A	70.34	T
Fludioxonil	Melon	0.02	N/A	643.06	P
Fludioxonil	N-grnhs flower	162.06	271	763.66	A
Fludioxonil	N-grnhs flower	9.65	67	1,668,970.5	S
Fludioxonil	N-grnhs plants in containers	352.17	1,151	932.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fludioxonil	N-grnhs plants in containers	86.02	376	12,192,650.65	S
Fludioxonil	N-grnhs plants in containers	0.27	3	48,292.0	U
Fludioxonil	N-grnhs transplants	109.1	332	3,152.35	A
Fludioxonil	N-grnhs transplants	9.07	82	1,815,665.0	S
Fludioxonil	N-outdr flower	417.78	684	2,088.02	A
Fludioxonil	N-outdr flower	2.75	4	238,280.0	S
Fludioxonil	N-outdr plants in containers	357.73	900	2,467.34	A
Fludioxonil	N-outdr plants in containers	45.32	95	2,350,766.0	S
Fludioxonil	N-outdr plants in containers	13.17	42	644,123.0	U
Fludioxonil	N-outdr transplants	347.59	98	1,145.85	A
Fludioxonil	N-outdr transplants	25.41	60	7,043,618.0	S
Fludioxonil	N-outdr transplants	0.31	1	30,000.0	U
Fludioxonil	Nectarine	40.35	N/A	35,222.71	T
Fludioxonil	Onion, dry	785.79	31	4,051.0	A
Fludioxonil	Onion, dry	7.16	N/A	70,860.94	P
Fludioxonil	Orange	2,330.63	N/A	1,537,587.97	T
Fludioxonil	Parsley	111.41	28	511.06	A
Fludioxonil	Parsnip	<0.01	N/A	33.3	P
Fludioxonil	Peach	60.21	N/A	40,914.66	T
Fludioxonil	Pear	47.01	N/A	16,511.5	T
Fludioxonil	Pepper, fruiting	33.51	16	189.44	A
Fludioxonil	Pepper, fruiting	0.04	N/A	1,762.54	P
Fludioxonil	Pepper, fruiting	<0.01	1	36.0	S
Fludioxonil	Pepper, spice	0.03	N/A	1,004.78	P
Fludioxonil	Pistachio	505.16	38	3,814.29	A
Fludioxonil	Plum	39.21	N/A	33,925.5	T

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fludioxonil	Pomegranate	553.75	N/A	138,357.0	T
Fludioxonil	Potato	108.44	4	228.5	A
Fludioxonil	Pumpkin	0.05	N/A	1,885.2	P
Fludioxonil	Raspberry	418.58	277	1,982.59	A
Fludioxonil	Research commodity	1.96	32	9.26	A
Fludioxonil	Research commodity	0.02	13	21,565.0	S
Fludioxonil	Research commodity	0.29	N/A	N/A	N/A
Fludioxonil	Rights of way	<0.01	N/A	N/A	N/A
Fludioxonil	Root vegetable	1.58	5	9.0	A
Fludioxonil	Rosemary	0.44	3	2.85	A
Fludioxonil	Safflower	5.05	N/A	131,350.0	P
Fludioxonil	Safflower	6.47	N/A	84.05	T
Fludioxonil	Spinach	1.75	1	8.0	A
Fludioxonil	Spinach	0.39	N/A	16,280.65	P
Fludioxonil	Squash	4.68	11	27.0	A
Fludioxonil	Squash	0.76	N/A	31,121.12	P
Fludioxonil	Stone fruit	384.97	N/A	128,455.64	T
Fludioxonil	Strawberry	14,320.07	1,811	66,382.39	A
Fludioxonil	Strawberry	0.21	13	30,519.0	S
Fludioxonil	Strawberry	72.04	4	5,763.0	U
Fludioxonil	Structural pest control	1.23	N/A	N/A	N/A
Fludioxonil	Sunflower	0.71	N/A	22,473.9	P
Fludioxonil	Swiss chard	5.39	20	24.62	A
Fludioxonil	Tangelo	6.08	N/A	11,872.47	T
Fludioxonil	Tangerine	86.65	N/A	75,670.95	T
Fludioxonil	Tarragon	0.27	3	1.75	A
Fludioxonil	Tomato	313.68	66	1,846.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fludioxonil	Tomato	0.07	N/A	2,953.55	P
Fludioxonil	Tomato, processing	1,717.81	192	12,450.95	A
Fludioxonil	Turf/sod	14.96	4	30.3	A
Fludioxonil	Turf/sod	0.04	N/A	4,000.0	S
Fludioxonil	Uncultivated ag	0.58	2	2.65	A
Fludioxonil	Vegetables, fruiting	0.23	5	1.2	A
Fludioxonil	Vegetables, leafy	38.82	133	250.5	A
Fludioxonil	Watermelon	49.05	6	264.0	A
Fludioxonil	Watermelon	0.32	N/A	13,273.35	P
Fluensulfone	Pepper, fruiting	139.22	4	85.6	A
Fluensulfone	Pumpkin	0.88	1	0.5	A
Fluensulfone	Research commodity	15.14	8	8.65	A
Fluensulfone	Squash	0.88	1	0.5	A
Fluensulfone	Sweet potato	564.63	7	222.0	A
Fluensulfone	Tomato	177.56	3	166.88	A
Fluensulfone	Tomato, processing	2,450.65	20	1,564.25	A
Fluensulfone	Watermelon	0.88	1	0.5	A
Flumioxazin	Alfalfa	7,136.52	1,076	57,838.9	A
Flumioxazin	Almond	27,787.04	2,757	100,024.48	A
Flumioxazin	Apple	79.33	13	405.09	A
Flumioxazin	Apricot	157.23	31	659.82	A
Flumioxazin	Artichoke, globe	107.07	108	1,157.9	A
Flumioxazin	Asparagus	126.83	8	681.0	A
Flumioxazin	Bean, dried	39.82	24	776.2	A
Flumioxazin	Bean, succulent	11.6	5	249.87	A
Flumioxazin	Blackberry	29.05	9	143.89	A
Flumioxazin	Blueberry	237.35	32	1,041.67	A
Flumioxazin	Boysenberry	0.19	1	1.0	A
Flumioxazin	Cabbage	2.34	1	25.2	A
Flumioxazin	Celery	440.33	327	5,181.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flumioxazin	Cherry	1,034.46	293	3,962.44	A
Flumioxazin	Christmas tree	2.12	2	6.0	A
Flumioxazin	Citrus	0.62	3	1.96	A
Flumioxazin	Commercial, institutional or industrial areas	22.82	N/A	100.0	A
Flumioxazin	Corn (forage - fodder)	409.39	82	4,359.83	A
Flumioxazin	Corn, grain	4.49	1	48.0	A
Flumioxazin	Corn, human consumption	2.33	1	25.0	A
Flumioxazin	Cotton	1,024.93	138	13,421.77	A
Flumioxazin	Fig	6.64	1	33.33	A
Flumioxazin	Garbanzo bean	133.28	24	2,235.7	A
Flumioxazin	Garlic	1,897.7	198	13,802.42	A
Flumioxazin	Golf course turf	1.47	N/A	5.0	A
Flumioxazin	Golf course turf	0.21	N/A	30,000.0	S
Flumioxazin	Grape	2,927.28	531	10,717.26	A
Flumioxazin	Grape, wine	22,027.66	4,284	88,117.65	A
Flumioxazin	Grapefruit	3.54	1	19.0	A
Flumioxazin	Landscape maintenance	51.06	7	151.0	A
Flumioxazin	Landscape maintenance	1,480.65	N/A	N/A	N/A
Flumioxazin	Lemon	70.31	20	548.69	A
Flumioxazin	Mint	1.91	1	15.0	A
Flumioxazin	N-grnhs flower	22.1	N/A	66.5	A
Flumioxazin	N-grnhs flower	0.2	N/A	12,500.0	S
Flumioxazin	N-grnhs plants in containers	12.29	35	3.48	A
Flumioxazin	N-outdr flower	1.38	1	10.86	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flumioxazin	N-outdr plants in containers	2,072.12	917	2,017.85	A
Flumioxazin	N-outdr plants in containers	<0.01	1	145.2	S
Flumioxazin	N-outdr transplants	1.26	2	4.8	A
Flumioxazin	Nectarine	55.87	18	185.35	A
Flumioxazin	Olive	331.68	43	1,284.83	A
Flumioxazin	Orange	1,090.02	120	3,602.69	A
Flumioxazin	Pastureland	1.6	2	5.7	A
Flumioxazin	Peach	373.56	113	1,327.66	A
Flumioxazin	Pear	51.27	10	212.46	A
Flumioxazin	Pecan	130.46	25	504.66	A
Flumioxazin	Pepper, fruiting	46.7	15	418.5	A
Flumioxazin	Persimmon	1.11	4	3.5	A
Flumioxazin	Pistachio	9,886.64	778	30,793.55	A
Flumioxazin	Plum	62.57	28	244.94	A
Flumioxazin	Pomegranate	535.54	39	1,434.93	A
Flumioxazin	Pomelo	6.2	1	20.0	A
Flumioxazin	Potato	128.26	41	3,933.0	A
Flumioxazin	Prune	351.75	59	1,146.84	A
Flumioxazin	Public health	3.3	N/A	N/A	N/A
Flumioxazin	Raspberry	2.75	2	16.56	A
Flumioxazin	Regulatory pest control	1.88	N/A	N/A	N/A
Flumioxazin	Research commodity	5.67	13	30.25	A
Flumioxazin	Research commodity	0.25	N/A	N/A	N/A
Flumioxazin	Rights of way	190.7	31	1,027.0	A
Flumioxazin	Rights of way	16,278.29	N/A	N/A	N/A
Flumioxazin	Soil fumigation/preplant	98.7	20	890.05	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flumioxazin	Sorghum (forage - fodder)	13.67	4	221.0	A
Flumioxazin	Stone fruit	2.74	4	17.0	A
Flumioxazin	Strawberry	1,154.78	380	16,408.24	A
Flumioxazin	Structural pest control	2.88	N/A	N/A	N/A
Flumioxazin	Sweet potato	47.82	12	593.2	A
Flumioxazin	Tangerine	416.76	49	1,327.24	A
Flumioxazin	Tomato, processing	361.6	46	2,859.5	A
Flumioxazin	Turf/sod	0.03	N/A	6,000.0	S
Flumioxazin	Uncultivated ag	810.58	280	5,509.89	A
Flumioxazin	Uncultivated non-ag	31.15	11	158.9	A
Flumioxazin	Walnut	5,351.14	908	21,862.65	A
Flumioxazin	Water area	83.6	1	201.7	A
Flumioxazin	Water area	0.51	N/A	1.0	P
Flumioxazin	Water area	1.27	N/A	427,704.0	S
Flumioxazin	Water area	5.65	N/A	33.25	U
Flumioxazin	Wheat (forage - fodder)	12.78	2	95.0	A
Fluopicolide	Arugula	154.33	186	1,250.58	A
Fluopicolide	Basil, sweet	18.51	4	150.0	A
Fluopicolide	Beet	28.24	14	231.61	A
Fluopicolide	Bok choy (choy sum, pak choi)	38.19	56	265.06	A
Fluopicolide	Broccoli	3.92	2	33.0	A
Fluopicolide	Cabbage	0.24	1	2.0	A
Fluopicolide	Carrot	4.23	2	34.3	A
Fluopicolide	Cauliflower	0.12	1	1.0	A
Fluopicolide	Cress, garden	0.3	1	2.4	A
Fluopicolide	Cucumber	126.05	27	1,021.35	A
Fluopicolide	Gai lon	3.97	35	27.53	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fluopicolide	Kale	32.62	103	290.49	A
Fluopicolide	Landscape maintenance	0.68	N/A	N/A	N/A
Fluopicolide	Lettuce, head	973.25	805	8,455.46	A
Fluopicolide	Lettuce, leaf	1,166.15	1,137	9,642.8	A
Fluopicolide	Melon	31.83	3	258.0	A
Fluopicolide	Mizuna	0.77	9	6.2	A
Fluopicolide	Mustard greens	5.18	11	42.18	A
Fluopicolide	N-grnhs plants in containers	27.53	104	145.6	A
Fluopicolide	N-grnhs plants in containers	0.53	16	157,200.0	S
Fluopicolide	N-grnhs plants in containers	0.33	N/A	35,914.0	U
Fluopicolide	N-grnhs transplants	2.43	17	205.68	A
Fluopicolide	N-grnhs transplants	2.37	46	1,222,000.0	S
Fluopicolide	N-outdr flower	14.66	70	104.6	A
Fluopicolide	N-outdr plants in containers	42.6	154	312.82	A
Fluopicolide	N-outdr plants in containers	0.59	30	198,250.0	S
Fluopicolide	N-outdr plants in containers	40.19	19	131,800.0	U
Fluopicolide	N-outdr transplants	12.49	30	90.4	A
Fluopicolide	N-outdr transplants	15.83	43	7,200,000.0	S
Fluopicolide	Onion, dry	46.0	11	372.7	A
Fluopicolide	Peas	0.03	2	0.22	A
Fluopicolide	Pistachio	0.44	3	3.52	A
Fluopicolide	Pumpkin	3.92	3	31.75	A
Fluopicolide	Radish	13.07	34	106.19	A
Fluopicolide	Research commodity	0.17	5	1.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluopicolide	Research commodity	0.99	N/A	N/A	N/A
Fluopicolide	Root vegetable	0.49	3	4.0	A
Fluopicolide	Spinach	1,112.95	1,112	9,192.06	A
Fluopicolide	Swiss chard	16.58	64	143.61	A
Fluopicolide	Upland cress	7.07	22	57.3	A
Fluopyram	Almond	13,335.32	2,949	168,413.91	A
Fluopyram	Apple	44.55	37	570.05	A
Fluopyram	Apricot	81.89	64	827.35	A
Fluopyram	Artichoke, globe	434.61	251	3,573.42	A
Fluopyram	Avocado	0.16	1	2.0	A
Fluopyram	Basil, sweet	0.25	1	2.0	A
Fluopyram	Bean, dried	4.08	1	45.0	A
Fluopyram	Beet	2.49	10	27.02	A
Fluopyram	Blackberry	57.1	33	324.48	A
Fluopyram	Blueberry	160.55	28	1,104.01	A
Fluopyram	Bok choy (choy sum, pak choi)	2.69	8	21.88	A
Fluopyram	Broccoli	40.94	98	577.69	A
Fluopyram	Brussels sprout	839.54	444	6,888.05	A
Fluopyram	Cabbage	75.77	74	797.48	A
Fluopyram	Cantaloupe	136.26	56	5,243.92	A
Fluopyram	Carrot	46.1	15	376.35	A
Fluopyram	Cauliflower	25.95	39	233.85	A
Fluopyram	Celery	95.04	128	1,076.51	A
Fluopyram	Cherry	1,268.58	604	12,994.27	A
Fluopyram	Chinese cabbage (napa, wong bok, celery cabbage)	30.02	24	242.24	A
Fluopyram	Chive	0.33	1	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluopyram	Chrysanthemum, edible leaved	1.43	9	12.5	A
Fluopyram	Cilantro	5.66	17	50.59	A
Fluopyram	Citrus	4.78	3	78.0	A
Fluopyram	Collard	6.64	15	53.75	A
Fluopyram	Cucumber	10.3	9	83.52	A
Fluopyram	Cucumber	<0.01	2	108.0	S
Fluopyram	Endive (escarole)	1.34	9	10.78	A
Fluopyram	Fennel	14.83	18	157.0	A
Fluopyram	Garlic	21.57	2	224.4	A
Fluopyram	Golf course turf	19.15	2	45.18	A
Fluopyram	Grape	7,722.58	2,112	75,879.29	A
Fluopyram	Grape, wine	23,665.56	6,238	240,718.82	A
Fluopyram	Grapefruit	3.42	7	58.8	A
Fluopyram	Herb, spice	1.15	4	10.0	A
Fluopyram	Kale	55.83	91	466.82	A
Fluopyram	Landscape maintenance	0.45	1	3.0	A
Fluopyram	Landscape maintenance	138.42	N/A	N/A	N/A
Fluopyram	Leek	5.42	9	33.09	A
Fluopyram	Lemon	108.75	63	1,278.67	A
Fluopyram	Lettuce, head	782.04	671	6,662.71	A
Fluopyram	Lettuce, leaf	1,465.02	1,539	12,277.12	A
Fluopyram	Melon	36.92	34	1,568.22	A
Fluopyram	Mustard greens	2.58	11	21.22	A
Fluopyram	N-grnhs flower	11.38	16	45.5	A
Fluopyram	N-grnhs plants in containers	9.46	77	85.93	A
Fluopyram	N-grnhs plants in containers	0.68	12	672,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluopyram	N-grnhs transplants	15.71	96	191.2	A
Fluopyram	N-grnhs transplants	1.99	4	911,340.0	S
Fluopyram	N-outdr flower	30.28	58	178.44	A
Fluopyram	N-outdr plants in containers	29.85	112	281.52	A
Fluopyram	N-outdr transplants	98.21	80	775.6	A
Fluopyram	N-outdr transplants	19.83	43	8,807,910.0	S
Fluopyram	Nectarine	932.37	474	9,056.77	A
Fluopyram	Onion, dry	746.87	43	4,437.4	A
Fluopyram	Orange	433.86	196	5,286.68	A
Fluopyram	Parsley	66.12	40	532.32	A
Fluopyram	Peach	1,721.55	807	16,831.51	A
Fluopyram	Pear	3.36	2	35.5	A
Fluopyram	Pecan	2.35	2	24.0	A
Fluopyram	Pepper, fruiting	402.44	163	3,720.77	A
Fluopyram	Pepper, spice	3.99	7	32.18	A
Fluopyram	Pepper, spice	<0.01	1	72.0	S
Fluopyram	Pistachio	4,313.72	543	40,961.39	A
Fluopyram	Plum	301.73	287	3,031.93	A
Fluopyram	Pluot	3.12	3	30.66	A
Fluopyram	Pome fruit	0.15	3	1.5	A
Fluopyram	Potato	336.96	67	3,931.2	A
Fluopyram	Prune	31.5	12	492.7	A
Fluopyram	Pumpkin	122.54	31	1,116.3	A
Fluopyram	Radish	0.31	2	3.25	A
Fluopyram	Raspberry	28.17	28	179.54	A
Fluopyram	Regulatory pest control	1.36	N/A	N/A	N/A
Fluopyram	Research commodity	10.3	58	84.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fluopyram</b>	Research commodity	2.21	36	361,000.0	S
<b>Fluopyram</b>	Research commodity	0.21	N/A	N/A	N/A
<b>Fluopyram</b>	Soil fumigation/preplant	1.94	1	25.0	A
<b>Fluopyram</b>	Spinach	0.07	2	0.63	A
<b>Fluopyram</b>	Squash	5.46	10	55.62	A
<b>Fluopyram</b>	Squash, winter	1.86	1	19.0	A
<b>Fluopyram</b>	Squash, zucchini	0.39	1	15.0	A
<b>Fluopyram</b>	Stone fruit	8.82	10	86.5	A
<b>Fluopyram</b>	Strawberry	6,800.65	1,630	55,142.84	A
<b>Fluopyram</b>	Strawberry	<0.01	3	900.0	S
<b>Fluopyram</b>	Sunflower	13.31	12	91.04	A
<b>Fluopyram</b>	Sweet potato	9.48	11	364.1	A
<b>Fluopyram</b>	Swiss chard	2.78	21	29.37	A
<b>Fluopyram</b>	Tangelo	3.66	7	65.44	A
<b>Fluopyram</b>	Tangerine	460.4	176	4,599.0	A
<b>Fluopyram</b>	Tomatillo	0.39	5	3.24	A
<b>Fluopyram</b>	Tomato	522.71	176	4,817.62	A
<b>Fluopyram</b>	Tomato, processing	657.81	117	11,340.3	A
<b>Fluopyram</b>	Uncultivated ag	4.94	9	37.2	A
<b>Fluopyram</b>	Vegetable	0.24	1	2.0	A
<b>Fluopyram</b>	Walnut	586.44	222	8,657.33	A
<b>Fluopyram</b>	Watermelon	271.43	82	3,017.47	A
<b>Fluoxastrobin</b>	Landscape maintenance	18.46	N/A	N/A	N/A
<b>Fluoxastrobin</b>	N-grnhs plants in containers	0.63	3	1.99	A
<b>Fluoxastrobin</b>	N-grnhs plants in containers	5.04	4	171,100.0	S
<b>Fluoxastrobin</b>	N-grnhs transplants	0.16	2	0.66	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluoxastrobin	N-outdr plants in containers	8.77	36	76.2	A
Fluoxastrobin	N-outdr transplants	0.1	1	0.33	A
Flupyradifurone	Alfalfa	15,703.83	2,813	150,199.06	A
Flupyradifurone	Almond	3.34	1	38.0	A
Flupyradifurone	Apple	77.84	22	554.85	A
Flupyradifurone	Arugula	85.72	74	506.04	A
Flupyradifurone	Asparagus	0.92	1	5.0	A
Flupyradifurone	Avocado	0.47	N/A	3.0	A
Flupyradifurone	Barley	47.57	4	365.0	A
Flupyradifurone	Barley (forage - fodder)	9.91	1	76.0	A
Flupyradifurone	Bean, dried	241.62	32	1,428.3	A
Flupyradifurone	Bean, succulent	11.41	3	64.81	A
Flupyradifurone	Bean, unspecified	0.93	1	6.0	A
Flupyradifurone	Beet	24.26	22	139.71	A
Flupyradifurone	Blackberry	216.89	163	1,192.22	A
Flupyradifurone	Blueberry	66.31	25	364.84	A
Flupyradifurone	Bok choy (choy sum, pak choi)	54.18	79	326.07	A
Flupyradifurone	Broccoli	1,329.37	678	8,498.18	A
Flupyradifurone	Brussels sprout	765.1	353	4,571.18	A
Flupyradifurone	Cabbage	690.31	361	4,356.53	A
Flupyradifurone	Canola (rape)	12.84	8	98.5	A
Flupyradifurone	Cantaloupe	167.63	19	584.29	A
Flupyradifurone	Cardoon	2.55	1	14.0	A
Flupyradifurone	Carrot	12.82	6	70.2	A
Flupyradifurone	Cauliflower	436.82	325	2,824.2	A
Flupyradifurone	Celery	730.88	552	4,621.99	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flupyradifurone	Chinese cabbage (napa, wong bok, celery cabbage)	170.43	160	963.41	A
Flupyradifurone	Cilantro	122.77	122	724.15	A
Flupyradifurone	Citrus	51.95	17	329.01	A
Flupyradifurone	Cole crop	0.05	1	0.3	A
Flupyradifurone	Collard	10.94	9	63.25	A
Flupyradifurone	Corn (forage - fodder)	231.56	31	1,357.53	A
Flupyradifurone	Corn, human consumption	1,248.99	280	7,983.0	A
Flupyradifurone	Cotton	7,587.99	356	42,594.81	A
Flupyradifurone	Cucumber	107.16	43	613.48	A
Flupyradifurone	Eggplant	3.89	2	24.0	A
Flupyradifurone	Endive (escarole)	7.48	33	43.37	A
Flupyradifurone	Fava bean	0.98	1	5.37	A
Flupyradifurone	Fennel	22.35	27	158.15	A
Flupyradifurone	Forage hay/silage	2.22	1	15.0	A
Flupyradifurone	Gai lon	8.6	5	66.0	A
Flupyradifurone	Ginger	0.09	1	0.5	A
Flupyradifurone	Grape	1,273.62	225	7,418.45	A
Flupyradifurone	Grape, wine	1,631.39	424	11,154.27	A
Flupyradifurone	Grapefruit	143.37	56	942.2	A
Flupyradifurone	Guava	<0.01	1	300.0	S
Flupyradifurone	Kale	134.81	155	810.63	A
Flupyradifurone	Kumquat	0.87	3	6.34	A
Flupyradifurone	Landscape maintenance	55.38	N/A	N/A	N/A
Flupyradifurone	Lemon	1,595.72	546	10,149.56	A
Flupyradifurone	Lettuce, head	3,059.64	1,627	19,162.39	A
Flupyradifurone	Lettuce, leaf	5,075.44	3,133	32,289.69	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flupyradifurone	Lime	6.8	6	48.0	A
Flupyradifurone	Melon	5.0	3	27.35	A
Flupyradifurone	Mizuna	35.37	37	195.38	A
Flupyradifurone	Mustard greens	17.27	40	129.3	A
Flupyradifurone	N-grnhs flower	28.13	115	288.7	A
Flupyradifurone	N-grnhs flower	4.46	27	849,275.0	S
Flupyradifurone	N-grnhs plants in containers	102.51	357	345.43	A
Flupyradifurone	N-grnhs plants in containers	63.32	145	5,580,240.0	S
Flupyradifurone	N-grnhs plants in containers	0.13	1	800.0	U
Flupyradifurone	N-grnhs transplants	20.79	133	181.0	A
Flupyradifurone	N-grnhs transplants	4.2	33	305,000.0	S
Flupyradifurone	N-outdr flower	41.34	141	239.12	A
Flupyradifurone	N-outdr plants in containers	258.9	496	1,436.05	A
Flupyradifurone	N-outdr plants in containers	20.61	45	2,174,000.0	S
Flupyradifurone	N-outdr plants in containers	24.6	37	462,107.0	U
Flupyradifurone	N-outdr transplants	19.96	26	166.07	A
Flupyradifurone	Oat (forage - fodder)	29.21	9	224.1	A
Flupyradifurone	Orange	3,509.79	920	22,708.79	A
Flupyradifurone	Parsley	8.78	12	67.0	A
Flupyradifurone	Peas	43.19	28	316.13	A
Flupyradifurone	Pecan	285.66	41	1,636.76	A
Flupyradifurone	Pepper, fruiting	762.9	190	4,392.26	A
Flupyradifurone	Pepper, fruiting	<0.01	2	64.0	S
Flupyradifurone	Pepper, spice	11.78	9	78.78	A
Flupyradifurone	Pistachio	2,078.1	107	11,483.95	A
Flupyradifurone	Pomegranate	92.37	19	511.86	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flupyradifurone	Pomelo	2.2	2	14.0	A
Flupyradifurone	Potato	94.62	10	518.5	A
Flupyradifurone	Prune	3.47	3	32.0	A
Flupyradifurone	Pumpkin	116.41	19	660.68	A
Flupyradifurone	Radicchio	9.07	11	67.5	A
Flupyradifurone	Radish	3.9	2	25.0	A
Flupyradifurone	Rapini	135.87	42	929.0	A
Flupyradifurone	Raspberry	66.17	81	377.04	A
Flupyradifurone	Regulatory pest control	1.76	N/A	N/A	N/A
Flupyradifurone	Research commodity	11.15	45	77.27	A
Flupyradifurone	Research commodity	2.73	N/A	N/A	N/A
Flupyradifurone	Sorghum (forage - fodder)	1,483.51	153	9,928.49	A
Flupyradifurone	Sorghum/milo	658.63	73	4,603.84	A
Flupyradifurone	Spinach	724.72	425	4,695.05	A
Flupyradifurone	Squash	82.48	14	470.96	A
Flupyradifurone	Squash, summer	18.43	6	125.0	A
Flupyradifurone	Squash, winter	13.16	4	88.0	A
Flupyradifurone	Squash, zucchini	0.02	1	0.1	A
Flupyradifurone	Strawberry	7,367.28	1,375	41,069.7	A
Flupyradifurone	Structural pest control	1.94	N/A	N/A	N/A
Flupyradifurone	Sudangrass	50.2	6	321.0	A
Flupyradifurone	Swiss chard	40.33	30	229.54	A
Flupyradifurone	Tangelo	65.61	24	394.24	A
Flupyradifurone	Tangerine	1,692.93	397	10,709.52	A
Flupyradifurone	Tomatillo	0.05	2	0.24	A
Flupyradifurone	Tomato	558.61	135	3,173.56	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flupyradifurone	Tomato	0.03	2	5,040.0	S
Flupyradifurone	Tomato, processing	2,828.78	152	15,574.3	A
Flupyradifurone	Uncultivated ag	0.95	3	5.2	A
Flupyradifurone	Unknown	16.42	2	90.0	A
Flupyradifurone	Upland cress	1.57	5	11.6	A
Flupyradifurone	Vegetables, fruiting	0.12	2	1.0	A
Flupyradifurone	Vegetables, leafy	1.43	7	13.2	A
Flupyradifurone	Walnut	21.69	5	125.0	A
Flupyradifurone	Watermelon	176.82	33	1,419.61	A
Flupyradifurone	Wheat	180.09	34	1,805.5	A
Flupyradifurone	Wheat (forage - fodder)	104.84	15	738.54	A
Flurecol-methyl	Landscape maintenance	11.57	N/A	N/A	N/A
Flurecol-methyl	Olive	0.17	N/A	300.0	U
Flurecol-methyl	Structural pest control	<0.01	N/A	N/A	N/A
Fluridone	Landscape maintenance	18.98	3	0.03	U
Fluridone	Landscape maintenance	154.62	N/A	N/A	N/A
Fluridone	Regulatory pest control	147.1	N/A	N/A	N/A
Fluridone	Rights of way	160.97	N/A	N/A	N/A
Fluridone	Uncultivated ag	1.0	1	13.33	A
Fluridone	Uncultivated non-ag	0.4	N/A	0.25	A
Fluridone	Water (industrial)	28.5	N/A	71.0	A
Fluridone	Water area	1,796.46	2	3,227.59	A
Fluridone	Water area	134.11	N/A	696,025.28	C
Fluridone	Water area	4.57	N/A	1,045.0	K
Fluridone	Water area	0.37	N/A	23,000.0	S
Fluridone	Water area	29.88	N/A	70.78	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Fluroxypyr, 1-methylheptyl ester</b>	Forest, timberland	6.01	1	10.0	A
<b>Fluroxypyr, 1-methylheptyl ester</b>	Landscape maintenance	608.28	N/A	N/A	N/A
<b>Fluroxypyr, 1-methylheptyl ester</b>	N-grnhs flower	0.57	N/A	9.0	A
<b>Fluroxypyr, 1-methylheptyl ester</b>	N-grnhs flower	0.33	N/A	25,000.0	S
<b>Fluroxypyr, 1-methylheptyl ester</b>	Rights of way	169.9	N/A	N/A	N/A
<b>Fluroxypyr, 1-methylheptyl ester</b>	Structural pest control	0.06	N/A	N/A	N/A
<b>Fluroxypyr, 1-methylheptyl ester</b>	Turf/sod	26.4	13	184.6	A
<b>Fluroxypyr, 1-methylheptyl ester</b>	Wheat	3.0	1	25.0	A
<b>Flurprimidol</b>	Golf course turf	165.37	N/A	1,608.56	A
<b>Flurprimidol</b>	Golf course turf	0.25	N/A	164,225.0	S
<b>Flurprimidol</b>	Landscape maintenance	1,299.2	N/A	N/A	N/A
<b>Flurprimidol</b>	N-grnhs flower	96.42	N/A	704.0	A
<b>Flurprimidol</b>	N-grnhs flower	<0.01	3	112.5	S
<b>Flurprimidol</b>	N-grnhs plants in containers	0.65	188	35.57	A
<b>Flurprimidol</b>	N-grnhs plants in containers	0.08	21	744,885.52	S
<b>Flurprimidol</b>	N-grnhs transplants	20.02	2	260.0	A
<b>Flurprimidol</b>	N-grnhs transplants	<0.01	13	50,000.0	S
<b>Flurprimidol</b>	N-outdr flower	<0.01	1	0.03	A
<b>Flurprimidol</b>	N-outdr plants in containers	0.65	146	41.03	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flurprimidol	N-outdr plants in containers	0.09	13	131,950.0	S
Flurprimidol	N-outdr transplants	<0.01	1	0.5	A
Flurprimidol	Turf/sod	1.22	N/A	18.0	A
Flurprimidol	Uncultivated non-ag	1.47	N/A	21.0	A
Flutianil	Grape	479.71	465	22,856.34	A
Flutianil	Grape, wine	163.75	308	7,771.77	A
Flutolanil	Golf course turf	237.81	N/A	45.77	A
Flutolanil	Golf course turf	18.97	N/A	192,500.0	S
Flutolanil	Landscape maintenance	4.2	1	1.5	A
Flutolanil	Landscape maintenance	4.9	1	74,000.0	S
Flutolanil	Landscape maintenance	2,713.86	N/A	N/A	N/A
Flutolanil	N-grnhs flower	245.03	N/A	39.0	A
Flutolanil	N-grnhs flower	27.22	N/A	140,000.0	S
Flutolanil	N-grnhs plants in containers	5.47	5	0.84	A
Flutolanil	N-outdr plants in containers	2.01	6	3.32	A
Flutolanil	N-outdr transplants	201.95	4	71.5	A
Flutolanil	Potato	415.64	16	839.0	A
Flutriafol	Almond	1,040.02	147	9,350.11	A
Flutriafol	Apple	1.62	1	20.0	A
Flutriafol	Brussels sprout	11.01	9	101.24	A
Flutriafol	Cabbage	20.54	22	180.7	A
Flutriafol	Cantaloupe	122.72	34	1,078.86	A
Flutriafol	Celery	3.06	1	26.9	A
Flutriafol	Cherry	62.71	27	551.61	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flutriafol	Chinese cabbage (napa, wong bok, celery cabbage)	6.14	3	54.0	A
Flutriafol	Collard	2.85	7	26.0	A
Flutriafol	Cotton	143.3	16	632.0	A
Flutriafol	Cucumber	11.65	6	102.45	A
Flutriafol	Eggplant	12.89	6	113.4	A
Flutriafol	Grape	5,466.7	752	35,141.88	A
Flutriafol	Grape, wine	12,897.59	3,829	159,379.63	A
Flutriafol	Kale	4.89	7	43.0	A
Flutriafol	Landscape maintenance	0.48	N/A	N/A	N/A
Flutriafol	Melon	44.68	18	392.66	A
Flutriafol	N-outdr plants in containers	22.26	8	274.0	A
Flutriafol	N-outdr transplants	101.62	46	927.0	A
Flutriafol	Nectarine	22.05	15	193.9	A
Flutriafol	Parsley	1.13	2	10.0	A
Flutriafol	Peach	36.69	28	323.1	A
Flutriafol	Pepper, fruiting	724.34	285	6,427.41	A
Flutriafol	Plum	1.71	1	15.0	A
Flutriafol	Prune	3.41	1	30.0	A
Flutriafol	Pumpkin	42.17	18	371.5	A
Flutriafol	Research commodity	0.75	3	6.63	A
Flutriafol	Squash	11.58	5	132.0	A
Flutriafol	Squash, summer	4.2	1	37.0	A
Flutriafol	Squash, winter	3.97	1	35.0	A
Flutriafol	Strawberry	4,323.39	1,009	38,920.42	A
Flutriafol	Tomato	371.78	66	3,651.62	A
Flutriafol	Tomato, processing	857.81	135	7,634.17	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flutriafol	Walnut	546.47	136	4,803.25	A
Flutriafol	Watermelon	50.22	16	426.08	A
Fluxapyroxad	Alfalfa	59.51	35	1,249.5	A
Fluxapyroxad	Almond	28,381.44	4,531	297,018.02	A
Fluxapyroxad	Apple	0.08	1	1.0	A
Fluxapyroxad	Apricot	68.25	14	748.4	A
Fluxapyroxad	Bermudagrass	9.73	2	142.0	A
Fluxapyroxad	Bok choy (choy sum, pak choi)	0.6	2	6.7	A
Fluxapyroxad	Broccoli	226.71	248	2,602.93	A
Fluxapyroxad	Brussels sprout	312.08	207	3,554.52	A
Fluxapyroxad	Cabbage	109.72	119	1,270.3	A
Fluxapyroxad	Carrot	528.48	152	5,838.71	A
Fluxapyroxad	Cauliflower	64.18	76	735.2	A
Fluxapyroxad	Celery	72.63	44	576.55	A
Fluxapyroxad	Cherry	920.23	432	10,172.85	A
Fluxapyroxad	Chinese cabbage (napa, wong bok, celery cabbage)	0.39	2	4.5	A
Fluxapyroxad	Citrus	1.04	1	8.72	A
Fluxapyroxad	Cotton	153.7	11	2,342.0	A
Fluxapyroxad	Eggplant	2.08	2	24.0	A
Fluxapyroxad	Endive (escarole)	54.0	24	304.0	A
Fluxapyroxad	Fennel	1.73	3	9.6	A
Fluxapyroxad	Golf course turf	39.79	N/A	163.74	A
Fluxapyroxad	Golf course turf	4.33	N/A	952,000.0	S
Fluxapyroxad	Grape	11.28	5	124.5	A
Fluxapyroxad	Grape, wine	126.23	17	1,414.68	A
Fluxapyroxad	Grapefruit	13.94	8	125.0	A
Fluxapyroxad	Kale	2.02	2	23.15	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluxapyroxad	Landscape maintenance	523.87	N/A	N/A	N/A
Fluxapyroxad	Lemon	117.6	53	1,038.27	A
Fluxapyroxad	Lettuce, head	640.41	297	4,154.64	A
Fluxapyroxad	Lettuce, leaf	828.64	416	5,182.88	A
Fluxapyroxad	N-grnhs flower	6.29	1	30.0	A
Fluxapyroxad	N-grnhs flower	2.99	N/A	620,000.0	S
Fluxapyroxad	N-grnhs plants in containers	7.04	43	27.54	A
Fluxapyroxad	N-grnhs plants in containers	0.04	3	1,750.0	S
Fluxapyroxad	N-grnhs transplants	16.22	34	1,400.8	A
Fluxapyroxad	N-outdr flower	48.15	68	233.69	A
Fluxapyroxad	N-outdr plants in containers	140.54	317	806.41	A
Fluxapyroxad	N-outdr plants in containers	<0.01	2	500.0	S
Fluxapyroxad	N-outdr transplants	48.46	70	636.02	A
Fluxapyroxad	Nectarine	134.3	126	1,362.84	A
Fluxapyroxad	Onion, dry	90.9	17	558.0	A
Fluxapyroxad	Orange	512.91	225	4,706.64	A
Fluxapyroxad	Parsley	40.23	13	222.41	A
Fluxapyroxad	Peach	301.66	237	3,147.38	A
Fluxapyroxad	Pecan	0.17	2	1.64	A
Fluxapyroxad	Pepper, fruiting	364.17	184	4,263.79	A
Fluxapyroxad	Pistachio	6,090.45	753	59,344.94	A
Fluxapyroxad	Plum	97.91	79	995.71	A
Fluxapyroxad	Potato	105.08	63	1,462.08	A
Fluxapyroxad	Prune	57.9	11	553.0	A
Fluxapyroxad	Radicchio	102.17	11	549.6	A
Fluxapyroxad	Recreation area	1.15	N/A	6.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluxapyroxad	Research commodity	0.37	3	3.77	A
Fluxapyroxad	Research commodity	2.38	N/A	N/A	N/A
Fluxapyroxad	Rights of way	0.46	N/A	N/A	N/A
Fluxapyroxad	Strawberry	3,573.81	619	20,540.2	A
Fluxapyroxad	Sunflower	9.32	11	142.7	A
Fluxapyroxad	Swiss chard	4.68	18	25.9	A
Fluxapyroxad	Tangelo	3.02	2	28.62	A
Fluxapyroxad	Tangerine	692.63	302	6,195.8	A
Fluxapyroxad	Tomato	448.04	140	5,487.85	A
Fluxapyroxad	Tomato, processing	3,162.67	531	37,979.75	A
Fluxapyroxad	Walnut	2,207.44	513	22,061.67	A
Foramsulfuron	Bermudagrass	0.99	7	49.5	A
Foramsulfuron	Golf course turf	15.23	N/A	324.99	A
Foramsulfuron	Golf course turf	0.4	1	486,000.0	S
Foramsulfuron	Landscape maintenance	1.69	12	41.35	A
Foramsulfuron	Landscape maintenance	163.78	N/A	N/A	N/A
Foramsulfuron	N-grnhs flower	9.57	N/A	183.5	A
Foramsulfuron	N-grnhs flower	0.28	N/A	65,000.0	S
Foramsulfuron	N-grnhs transplants	1.04	N/A	111.0	A
Foramsulfuron	Rights of way	1.96	N/A	N/A	N/A
Foramsulfuron	Structural pest control	0.08	N/A	N/A	N/A
Foramsulfuron	Turf/sod	12.53	30	353.89	A
Forchlorfenuron	Almond	34.31	152	9,722.9	A
Forchlorfenuron	Grape	96.24	731	33,850.06	A
Forchlorfenuron	Grape, wine	5.63	24	1,290.48	A
Forchlorfenuron	Kiwi fruit fuzzy	18.49	105	2,040.02	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Forchlorfenuron</b>	N-outdr plants in containers	0.1	1	60.0	A
<b>Formaldehyde</b>	Public health	5,137.8	N/A	N/A	N/A
<b>Formetanate hydrochloride</b>	Alfalfa	456.5	11	681.0	A
<b>Formetanate hydrochloride</b>	Citrus	63.71	2	63.0	A
<b>Formetanate hydrochloride</b>	Grapefruit	380.08	15	330.5	A
<b>Formetanate hydrochloride</b>	Lemon	2,236.16	93	2,056.73	A
<b>Formetanate hydrochloride</b>	Nectarine	3,619.21	315	3,609.89	A
<b>Formetanate hydrochloride</b>	Orange	36,983.09	1,509	33,253.01	A
<b>Formetanate hydrochloride</b>	Tangelo	753.9	37	679.03	A
<b>Formetanate hydrochloride</b>	Tangerine	11,226.15	474	10,104.22	A
<b>Formic acid</b>	Beehive	8.76	1	300.0	A
<b>Formic acid</b>	Beehive	227.73	18	7,857.0	U
<b>Fosetyl-al</b>	Almond	32.0	1	34.0	A
<b>Fosetyl-al</b>	Apple	477.6	9	199.0	A
<b>Fosetyl-al</b>	Arugula	409.54	46	184.49	A
<b>Fosetyl-al</b>	Avocado	9.61	2	18.4	A
<b>Fosetyl-al</b>	Blackberry	184.96	6	46.24	A
<b>Fosetyl-al</b>	Bok choy (choy sum, pak choi)	4.0	1	0.5	A
<b>Fosetyl-al</b>	Cabbage	16.0	16	4.0	A
<b>Fosetyl-al</b>	Cauliflower	31.68	1	13.2	A
<b>Fosetyl-al</b>	Celery	18.36	7	4.7	A
<b>Fosetyl-al</b>	Gai choy	8.0	2	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fosetyl-al	Golf course turf	609.3	N/A	84.19	A
Fosetyl-al	Golf course turf	278.1	N/A	1,180,000.0	S
Fosetyl-al	Kale	792.35	63	318.5	A
Fosetyl-al	Landscape maintenance	5,334.8	N/A	N/A	N/A
Fosetyl-al	Lettuce, head	37,189.74	1,152	13,197.51	A
Fosetyl-al	Lettuce, leaf	49,698.16	1,794	18,017.13	A
Fosetyl-al	N-grnhs flower	638.65	103	252.25	A
Fosetyl-al	N-grnhs flower	106.94	17	1,361,560.0	S
Fosetyl-al	N-grnhs flower	1.6	1	14,816.0	U
Fosetyl-al	N-grnhs plants in containers	898.99	328	292.32	A
Fosetyl-al	N-grnhs plants in containers	304.27	175	8,413,366.0	S
Fosetyl-al	N-grnhs plants in containers	2.88	2	21,045.0	U
Fosetyl-al	N-grnhs transplants	3,985.0	1,481	2,141.0	A
Fosetyl-al	N-grnhs transplants	25.93	9	243,400.0	S
Fosetyl-al	N-outdr flower	564.76	275	834.36	A
Fosetyl-al	N-outdr plants in containers	0.91	1	4.55	?
Fosetyl-al	N-outdr plants in containers	1,827.67	572	681.7	A
Fosetyl-al	N-outdr plants in containers	93.94	34	1,310,504.3	S
Fosetyl-al	N-outdr plants in containers	42.4	6	91,054.0	U
Fosetyl-al	N-outdr transplants	2,489.53	164	734.89	A
Fosetyl-al	N-outdr transplants	467.62	48	5,983,504.0	S
Fosetyl-al	Nectarine	3,122.0	12	798.0	A
Fosetyl-al	Onion, green	2.0	1	2.0	A
Fosetyl-al	Orange	16.0	1	18.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Fosetyl-al	Peach	4,017.68	21	1,197.34	A
Fosetyl-al	Pear	105.62	5	52.81	A
Fosetyl-al	Peas	0.9	3	1.5	A
Fosetyl-al	Quince	5.6	1	3.5	A
Fosetyl-al	Research commodity	4.24	6	3.64	A
Fosetyl-al	Research commodity	56.0	N/A	N/A	N/A
Fosetyl-al	Soil fumigation/preplant	5.2	2	1.31	A
Fosetyl-al	Spinach	4,752.13	248	1,944.53	A
Fosetyl-al	Strawberry	16,712.9	175	4,838.36	A
Fosetyl-al	Strawberry	1.2	3	10,800.0	S
Fosetyl-al	Structural pest control	0.07	N/A	N/A	N/A
Fosetyl-al	Swiss chard	3.6	1	1.5	A
Fosetyl-al	Tangerine	5,866.96	37	1,491.94	A
Fosetyl-al	Tomato	8.0	2	4.0	A
Fosetyl-al	Uncultivated ag	0.6	1	0.15	A
Fox urine	Structural pest control	7.73	N/A	N/A	N/A
Free fatty acids and/or amine salts	Landscape maintenance	177.99	N/A	N/A	N/A
Free fatty acids and/or amine salts	N-outdr plants in containers	15.27	6	1.52	A
Free fatty acids and/or amine salts	N-outdr plants in containers	0.1	1	500.0	S
Free fatty acids and/or amine salts	Structural pest control	0.8	N/A	N/A	N/A
Freon 12	Landscape maintenance	5.74	N/A	N/A	N/A
Freon 12	Public health	0.26	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Freon 12</b>	Structural pest control	6.51	N/A	N/A	N/A
<b>Gamma-cyhalothrin</b>	Landscape maintenance	0.04	N/A	N/A	N/A
<b>Gamma-cyhalothrin</b>	Regulatory pest control	9.98	N/A	N/A	N/A
<b>Gamma-cyhalothrin</b>	Rights of way	0.01	N/A	N/A	N/A
<b>Gamma-cyhalothrin</b>	Structural pest control	1,087.88	N/A	N/A	N/A
<b>Garlic</b>	Almond	26.22	6	159.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Garlic	Basil, sweet	7.59	17	19.14	A
Garlic	Blackberry	109.06	22	158.06	A
Garlic	Blueberry	32.72	6	190.0	A
Garlic	Broccoli	3.6	1	8.7	A
Garlic	Cabbage	2.87	3	15.85	A
Garlic	Cannabis (all or unspecified)	28.03	140	6,293,079.0	S
Garlic	Ginger	0.22	1	0.5	A
Garlic	Grape	20.78	11	285.0	A
Garlic	Grape, wine	12.04	19	108.22	A
Garlic	Herb, spice	3.06	3	4.25	A
Garlic	Industrial hemp	0.17	3	3.0	A
Garlic	Landscape maintenance	0.45	N/A	N/A	N/A
Garlic	Mint	0.17	1	1.2	A
Garlic	N-grnhs flower	0.34	7	2.81	A
Garlic	N-grnhs plants in containers	25.76	284	186.51	A
Garlic	N-grnhs plants in containers	25.16	75	5,435,713.0	S
Garlic	N-grnhs transplants	0.24	3	43,500.0	S
Garlic	N-outdr flower	0.55	9	8.5	A
Garlic	N-outdr plants in containers	52.01	215	244.83	A
Garlic	N-outdr plants in containers	8.07	21	2,192,000.0	S
Garlic	Oregano	1.32	7	1.8	A
Garlic	Parsley	0.23	1	1.2	A
Garlic	Pistachio	8.58	1	39.0	A
Garlic	Raspberry	41.5	18	120.13	A
Garlic	Research commodity	4.24	17	23.0	A
Garlic	Rights of way	2.64	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Garlic	Rosemary	0.81	4	1.4	A
Garlic	Strawberry	309.77	152	726.55	A
Garlic	Thyme	0.34	2	1.9	A
Garlic	Tomato	0.29	2	0.4	A
Garlic	Vegetables, fruiting	0.22	1	0.5	A
Garlic	Vegetables, leafy	3.04	5	6.75	A
Garlic	Walnut	4.29	1	26.0	A
Geraniol	Almond	5.29	7	244.1	A
Geraniol	Grape	6.74	6	349.0	A
Geraniol	Grape, wine	3.47	14	221.44	A
Geraniol	Nectarine	10.09	41	547.66	A
Geraniol	Peach	13.75	63	762.56	A
Geraniol	Squash	0.45	1	70.0	A
Geraniol	Structural pest control	<0.01	N/A	N/A	N/A
Geraniol	Walnut	2.2	4	133.0	A
Gibberellins	Apple	8.86	15	287.0	A
Gibberellins	Apricot	1.07	1	15.8	A
Gibberellins	Artichoke, globe	93.08	440	5,029.33	A
Gibberellins	Avocado	327.52	285	6,250.22	A
Gibberellins	Carrot	0.04	2	3.03	A
Gibberellins	Celery	3.18	27	225.35	A
Gibberellins	Cherry	1,291.05	1,224	25,829.97	A
Gibberellins	Citrus	0.84	5	25.75	A
Gibberellins	Citrus	2.98	N/A	25,944.78	T
Gibberellins	Commodity fumigation	6.44	N/A	N/A	N/A
Gibberellins	Cucumber	0.1	5	5.0	A
Gibberellins	Food processing plant	0.85	4	292.93	?
Gibberellins	Food processing plant	4.66	N/A	27,986.0	T
Gibberellins	Grape	7,475.44	7,394	293,507.57	A
Gibberellins	Grape, wine	68.81	224	7,083.67	A
Gibberellins	Grapefruit	15.3	12	176.15	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Gibberellins	Grapefruit	2.82	N/A	22,794.54	T
Gibberellins	Landscape maintenance	0.21	N/A	N/A	N/A
Gibberellins	Lemon	1,207.12	1,105	21,728.52	A
Gibberellins	Lemon	94.39	N/A	760,813.83	T
Gibberellins	Lime	3.02	5	48.5	A
Gibberellins	Lime	0.11	N/A	44.1	T
Gibberellins	N-grnhs flower	0.95	54	65,205.0	S
Gibberellins	N-grnhs plants in containers	4.97	516	349.42	A
Gibberellins	N-grnhs plants in containers	1.76	94	1,043,096.43	S
Gibberellins	N-grnhs transplants	0.27	36	1,444.6	A
Gibberellins	N-grnhs transplants	<0.01	47	245,000.0	S
Gibberellins	N-outdr flower	36.45	92	146.19	A
Gibberellins	N-outdr plants in containers	3.1	177	78.14	A
Gibberellins	N-outdr plants in containers	0.46	25	211,542.5	S
Gibberellins	N-outdr transplants	3.06	2	104.0	A
Gibberellins	Nectarine	17.29	25	302.16	A
Gibberellins	Orange	4,134.85	2,768	48,081.34	A
Gibberellins	Orange	54.64	N/A	716,451.84	T
Gibberellins	Peach	12.98	24	303.36	A
Gibberellins	Pear	0.45	3	26.0	A
Gibberellins	Pepper, fruiting	3.9	69	1,521.17	A
Gibberellins	Pomegranate	255.36	45	6,280.3	A
Gibberellins	Pomelo	3.55	3	42.0	A
Gibberellins	Research commodity	<0.01	2	98.0	S
Gibberellins	Research commodity	0.4	N/A	N/A	N/A
Gibberellins	Strawberry	0.04	6	10,360.0	S
Gibberellins	Tangelo	217.21	168	2,772.17	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Gibberellins	Tangelo	0.69	N/A	4,896.03	T
Gibberellins	Tangerine	1,998.1	1,339	45,123.76	A
Gibberellins	Tangerine	0.21	N/A	966.32	T
Gibberellins	Uncultivated ag	0.07	1	2.0	A
Gibberellins	Walnut	0.5	1	7.0	A
Gliocladium virens gl-21 (spores)	N-grnhs plants in containers	0.06	5	0.8	A
Gliocladium virens gl-21 (spores)	N-outdr plants in containers	0.21	5	1.35	A
Glufosinate-ammonium	Airport	13.79	N/A	18.0	A
Glufosinate-ammonium	Almond	660,066.17	16,542	676,418.89	A
Glufosinate-ammonium	Apple	906.26	65	907.74	A
Glufosinate-ammonium	Apple	0.07	1	30.0	U
Glufosinate-ammonium	Apricot	1,374.68	128	1,489.59	A
Glufosinate-ammonium	Apricot	0.11	1	40.0	U
Glufosinate-ammonium	Avocado	545.1	178	962.52	A
Glufosinate-ammonium	Bean, dried	52.81	1	45.0	A
Glufosinate-ammonium	Bean, succulent	35.89	2	84.0	A
Glufosinate-ammonium	Blackberry	71.79	4	65.35	A
Glufosinate-ammonium	Blueberry	5,262.18	193	4,951.65	A
Glufosinate-ammonium	Broccoli	5.59	1	10.5	A
Glufosinate-ammonium	Buildings/non-ag outdoor	0.42	N/A	14,000.0	S
Glufosinate-ammonium	Bushberry	0.39	2	1.0	A
Glufosinate-ammonium	Cabbage	13.18	1	25.0	A
Glufosinate-ammonium	Cauliflower	2.2	1	5.0	A
Glufosinate-ammonium	Celery	3.7	1	7.0	A
Glufosinate-ammonium	Cherry	15,271.93	1,190	14,808.11	A
Glufosinate-ammonium	Chestnut	3.25	2	5.52	A
Glufosinate-ammonium	Chinese cabbage (napa, wong bok, celery cabbage)	2.93	1	4.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glufosinate-ammonium	Christmas tree	2.41	2	16.0	A
Glufosinate-ammonium	Citrus	203.2	51	273.14	A
Glufosinate-ammonium	Corn (forage - fodder)	30,054.08	1,198	63,728.07	A
Glufosinate-ammonium	Corn, grain	142.77	12	355.59	A
Glufosinate-ammonium	Corn, human consumption	44.42	4	100.9	A
Glufosinate-ammonium	Cotton	2,355.18	107	4,416.0	A
Glufosinate-ammonium	Date	1.28	1	3.0	A
Glufosinate-ammonium	Ditch bank	407.66	116	1,187.75	A
Glufosinate-ammonium	Fig	6.69	2	10.0	A
Glufosinate-ammonium	Golf course turf	12.32	N/A	17.0	A
Glufosinate-ammonium	Golf course turf	0.21	N/A	6,000.0	S
Glufosinate-ammonium	Grape	92,356.3	4,186	102,747.43	A
Glufosinate-ammonium	Grape	0.06	1	50.0	U
Glufosinate-ammonium	Grape, wine	318,526.21	14,556	329,622.69	A
Glufosinate-ammonium	Grapefruit	1,188.54	131	1,434.79	A
Glufosinate-ammonium	Grapefruit	<0.01	1	200.0	S
Glufosinate-ammonium	Landscape maintenance	304.25	55	289.59	A
Glufosinate-ammonium	Landscape maintenance	29,816.45	N/A	N/A	N/A
Glufosinate-ammonium	Lemon	20,041.59	2,077	32,134.99	A
Glufosinate-ammonium	Lime	28.66	7	33.89	A
Glufosinate-ammonium	Mango	0.73	1	2.5	A
Glufosinate-ammonium	Mushroom	11.48	3	24.0	A
Glufosinate-ammonium	N-grnhs flower	43.91	2	70.25	A
Glufosinate-ammonium	N-grnhs flower	0.92	N/A	22,002.0	S
Glufosinate-ammonium	N-grnhs plants in containers	1.82	2	1.5	A
Glufosinate-ammonium	N-grnhs transplants	54.83	4	124.5	A
Glufosinate-ammonium	N-outdr flower	26.17	24	46.2	A
Glufosinate-ammonium	N-outdr plants in containers	1,297.75	408	569.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glufosinate-ammonium	N-outdr plants in containers	1.97	6	60,000.0	S
Glufosinate-ammonium	N-outdr plants in containers	0.43	1	150.0	U
Glufosinate-ammonium	N-outdr transplants	422.0	63	350.34	A
Glufosinate-ammonium	Nectarine	12,699.45	1,238	14,073.22	A
Glufosinate-ammonium	Oat	132.03	6	173.5	A
Glufosinate-ammonium	Oat (forage - fodder)	20.0	1	20.0	A
Glufosinate-ammonium	Olive	11,647.48	408	11,302.94	A
Glufosinate-ammonium	Orange	20,060.12	1,752	30,792.49	A
Glufosinate-ammonium	Orange	0.05	1	0.06	K
Glufosinate-ammonium	Pastureland	34.74	6	125.0	A
Glufosinate-ammonium	Peach	26,921.57	2,180	28,275.45	A
Glufosinate-ammonium	Peach	0.15	1	60.0	U
Glufosinate-ammonium	Pear	2,485.91	108	2,469.08	A
Glufosinate-ammonium	Pear, asian (oriental pear, ya, ya li, nashi)	59.03	17	146.0	A
Glufosinate-ammonium	Pecan	2,019.85	121	2,124.12	A
Glufosinate-ammonium	Pepper, fruiting	84.56	6	197.0	A
Glufosinate-ammonium	Persimmon	1.18	2	8.0	A
Glufosinate-ammonium	Pistachio	241,474.34	5,252	237,596.95	A
Glufosinate-ammonium	Pistachio	6.39	7	39,844.0	S
Glufosinate-ammonium	Pistachio	14.72	11	130.0	U
Glufosinate-ammonium	Plum	9,724.88	1,394	10,520.05	A
Glufosinate-ammonium	Pluot	2.82	1	2.8	A
Glufosinate-ammonium	Pomelo	145.29	29	260.85	A
Glufosinate-ammonium	Potato	898.54	42	2,331.8	A
Glufosinate-ammonium	Prune	11,517.75	476	11,306.54	A
Glufosinate-ammonium	Public health	394.4	N/A	N/A	N/A
Glufosinate-ammonium	Quince	21.13	5	18.0	A
Glufosinate-ammonium	Regulatory pest control	0.21	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glufosinate-ammonium	Research commodity	79.57	54	97.66	A
Glufosinate-ammonium	Research commodity	0.26	2	14,400.0	S
Glufosinate-ammonium	Research commodity	34.65	N/A	N/A	N/A
Glufosinate-ammonium	Rice	47.0	7	62.6	A
Glufosinate-ammonium	Rights of way	25,647.55	355	35,615.79	A
Glufosinate-ammonium	Rights of way	118.48	7	0.07	U
Glufosinate-ammonium	Rights of way	72,003.1	N/A	N/A	N/A
Glufosinate-ammonium	Ryegrass	7.94	1	18.0	A
Glufosinate-ammonium	Safflower	40.2	3	36.0	A
Glufosinate-ammonium	Soil fumigation/preplant	520.2	13	979.43	A
Glufosinate-ammonium	Sorghum/milo	55.06	1	75.0	A
Glufosinate-ammonium	Stone fruit	96.92	13	98.13	A
Glufosinate-ammonium	Strawberry	72.23	4	137.75	A
Glufosinate-ammonium	Structural pest control	332.33	N/A	N/A	N/A
Glufosinate-ammonium	Sweet potato	8.57	1	15.0	A
Glufosinate-ammonium	Tangelo	594.77	42	593.55	A
Glufosinate-ammonium	Tangerine	18,769.85	1,083	19,652.6	A
Glufosinate-ammonium	Tomato	45.56	11	92.0	A
Glufosinate-ammonium	Tomato, processing	22.12	3	50.0	A
Glufosinate-ammonium	Tropical/subtropical fruit	1.93	1	5.0	A
Glufosinate-ammonium	Uncultivated ag	19,010.17	2,151	28,766.14	A
Glufosinate-ammonium	Uncultivated non-ag	752.35	115	957.22	A
Glufosinate-ammonium	Uncultivated non-ag	0.96	N/A	30,500.0	S
Glufosinate-ammonium	Unknown	8.36	1	7.11	A
Glufosinate-ammonium	Vertebrate control	4.82	5	22.0	A
Glufosinate-ammonium	Vertebrate control	23.16	N/A	N/A	N/A
Glufosinate-ammonium	Walnut	121,966.31	5,702	123,127.79	A
Glufosinate-ammonium	Walnut	0.29	1	9,600.0	S
Glufosinate-ammonium	Water area	11.89	3	56.0	A
Glufosinate-ammonium	Wheat	3.23	4	7.0	A
Glufosinate-ammonium	Wheat (forage - fodder)	59.16	1	69.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Glutaraldehyde	Animal premise	1.75	N/A	238,576.0	S
Glutaraldehyde	Animal premise	189.45	29	675,109.02	U
Glutaraldehyde	Farm/ag building	182.42	N/A	647.0	U
Glutaraldehyde	Industrial processing water	12,348.5	N/A	1,184.0	U
Glutaraldehyde	Landscape maintenance	2.42	N/A	N/A	N/A
Glutaraldehyde	Public health	0.93	N/A	N/A	N/A
Glutaraldehyde	Rights of way	76.04	N/A	N/A	N/A
Glutaraldehyde	Structural pest control	2.6	N/A	N/A	N/A
Glutaraldehyde	Water (industrial)	6.7	N/A	8.0	A
Glutaraldehyde	Water (industrial)	73,794.38	N/A	1,966.0	U
Glutaraldehyde	Water washer/cooler/condenser systems	74.5	N/A	115.0	A
Glycerine	Almond	163.67	18	938.4	A
Glycerine	Pistachio	50.28	11	321.63	A
Glycerol	Alfalfa	6,887.01	728	39,986.43	A
Glycerol	Almond	40,392.7	4,634	165,852.81	A
Glycerol	Apple	42.95	20	437.88	A
Glycerol	Apricot	5.52	12	48.53	A
Glycerol	Artichoke, globe	0.01	2	0.98	A
Glycerol	Avocado	0.44	1	1.0	A
Glycerol	Barley	18.71	5	361.0	A
Glycerol	Barley (forage - fodder)	7.53	1	80.0	A
Glycerol	Bean, dried	24.29	11	265.9	A
Glycerol	Beet	0.4	4	6.48	A
Glycerol	Bermudagrass	262.46	20	1,349.0	A
Glycerol	Blackberry	7.36	3	42.26	A
Glycerol	Blueberry	215.96	51	1,410.07	A
Glycerol	Broccoli	18.58	8	115.72	A
Glycerol	Cabbage	4.76	4	22.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glycerol	Cannabis (all or unspecified)	0.91	3	24,960.0	S
Glycerol	Cantaloupe	72.21	8	468.45	A
Glycerol	Cauliflower	0.94	2	12.0	A
Glycerol	Celery	4.06	6	58.83	A
Glycerol	Cherry	1,134.43	464	6,091.27	A
Glycerol	Chinese broccoli (gai lon)	0.06	1	2.0	A
Glycerol	Cilantro	26.89	87	426.03	A
Glycerol	Citrus	0.84	2	5.62	A
Glycerol	Corn (forage - fodder)	3,187.47	420	19,170.17	A
Glycerol	Corn, grain	33.44	9	444.0	A
Glycerol	Corn, human consumption	88.73	13	1,127.0	A
Glycerol	Cotton	669.49	146	7,068.47	A
Glycerol	Cucumber	22.09	7	408.0	A
Glycerol	Endive (escarole)	0.56	16	23.87	A
Glycerol	Fennel	0.02	2	1.0	A
Glycerol	Forage hay/silage	126.65	34	2,006.5	A
Glycerol	Forest, timberland	0.5	1	5.0	A
Glycerol	Garlic	396.85	31	2,842.2	A
Glycerol	Golf course turf	52.18	N/A	178.5	A
Glycerol	Golf course turf	7.17	N/A	142,225.0	S
Glycerol	Grape	3,657.28	442	11,525.44	A
Glycerol	Grape, wine	16,834.94	1,978	54,514.66	A
Glycerol	Grapefruit	15.27	2	76.0	A
Glycerol	Kale	0.05	2	2.12	A
Glycerol	Kiwi fruit fuzzy	42.56	38	382.4	A
Glycerol	Landscape maintenance	1,902.54	N/A	N/A	N/A
Glycerol	Lemon	26.43	16	302.52	A
Glycerol	Lettuce, head	177.57	93	594.36	A
Glycerol	Lettuce, leaf	208.41	292	1,778.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glycerol	Melon	241.81	42	1,772.66	A
Glycerol	Mustard	0.11	1	3.5	A
Glycerol	Mustard greens	1.38	3	20.78	A
Glycerol	N-outdr plants in containers	2.59	3	3.5	A
Glycerol	N-outdr transplants	41.89	31	143.95	A
Glycerol	Nectarine	94.56	73	428.82	A
Glycerol	Oat	10.42	2	107.0	A
Glycerol	Oat (forage - fodder)	530.72	74	4,101.28	A
Glycerol	Olive	335.43	79	2,294.59	A
Glycerol	Onion, dry	605.02	81	5,071.3	A
Glycerol	Orange	207.68	158	3,192.54	A
Glycerol	Orchardgrass	9.29	3	125.0	A
Glycerol	Parsley	0.73	4	16.57	A
Glycerol	Pasture (forage - fodder)	2.4	1	18.0	A
Glycerol	Pastureland	161.13	20	968.0	A
Glycerol	Peach	993.9	319	3,324.08	A
Glycerol	Pear	0.64	3	6.25	A
Glycerol	Pecan	169.93	17	908.7	A
Glycerol	Pepper, fruiting	104.0	12	521.5	A
Glycerol	Persimmon	4.84	12	40.5	A
Glycerol	Pistachio	10,034.92	1,079	56,542.37	A
Glycerol	Plum	201.41	134	1,148.7	A
Glycerol	Prune	440.29	104	2,819.23	A
Glycerol	Pumpkin	0.31	1	4.0	A
Glycerol	Rangeland	5.09	7	17.5	A
Glycerol	Rice	842.57	151	9,843.21	A
Glycerol	Rights of way	133.36	46	899.5	A
Glycerol	Rights of way	689.46	N/A	N/A	N/A
Glycerol	Rye	15.49	2	79.5	A
Glycerol	Ryegrass	9.45	7	251.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Glycerol	Safflower	25.18	2	163.3	A
Glycerol	Soil fumigation/preplant	180.67	11	840.85	A
Glycerol	Sorghum (forage - fodder)	69.29	5	416.0	A
Glycerol	Soybean	10.73	1	140.0	A
Glycerol	Spinach	7.82	13	109.85	A
Glycerol	Squash	16.87	8	255.0	A
Glycerol	Stone fruit	121.35	13	401.0	A
Glycerol	Stone fruit	0.61	N/A	33,900.0	S
Glycerol	Strawberry	131.67	50	1,375.78	A
Glycerol	Structural pest control	2.28	N/A	N/A	N/A
Glycerol	Sudangrass	33.75	5	253.0	A
Glycerol	Sugarbeet	738.74	44	2,580.2	A
Glycerol	Sunflower	187.74	12	1,180.2	A
Glycerol	Sweet potato	1,474.12	49	1,152.08	A
Glycerol	Swiss chard	0.26	4	3.7	A
Glycerol	Tangerine	151.89	58	1,103.45	A
Glycerol	Tomato	249.81	23	1,092.72	A
Glycerol	Tomato, processing	4,678.97	281	18,593.52	A
Glycerol	Triticale	114.06	28	1,078.08	A
Glycerol	Uncultivated ag	2,735.02	667	32,458.1	A
Glycerol	Uncultivated non-ag	61.86	57	1,366.6	A
Glycerol	Vertebrate control	45.58	N/A	N/A	N/A
Glycerol	Walnut	9,466.57	1,557	42,257.29	A
Glycerol	Water area	4.22	2	28.0	A
Glycerol	Watermelon	125.89	10	597.5	A
Glycerol	Wheat	633.75	99	5,606.77	A
Glycerol	Wheat (forage - fodder)	572.77	90	5,240.08	A
Glyphosate	Corn (forage - fodder)	448.31	5	307.0	A
Glyphosate, diammonium salt	Alfalfa	19.59	1	14.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, diammonium salt</b>	Almond	5,078.32	78	2,282.72	A
<b>Glyphosate, diammonium salt</b>	Corn (forage - fodder)	1,096.61	9	802.5	A
<b>Glyphosate, diammonium salt</b>	Corn, human consumption	308.09	1	76.0	A
<b>Glyphosate, diammonium salt</b>	Cotton	299.17	2	154.0	A
<b>Glyphosate, diammonium salt</b>	Grape	9.29	1	20.0	A
<b>Glyphosate, diammonium salt</b>	Landscape maintenance	6.93	N/A	N/A	N/A
<b>Glyphosate, diammonium salt</b>	Lemon	114.15	2	56.3	A
<b>Glyphosate, diammonium salt</b>	N-grnhs transplants	0.65	1	1.0	A
<b>Glyphosate, diammonium salt</b>	Olive	9.8	1	6.58	A
<b>Glyphosate, diammonium salt</b>	Orange	393.33	9	184.66	A
<b>Glyphosate, diammonium salt</b>	Pistachio	1,888.85	19	846.69	A
<b>Glyphosate, diammonium salt</b>	Prune	259.96	7	110.93	A
<b>Glyphosate, diammonium salt</b>	Rights of way	54.05	2	40.0	A
<b>Glyphosate, diammonium salt</b>	Rights of way	257.08	N/A	N/A	N/A
<b>Glyphosate, diammonium salt</b>	Tangerine	81.08	3	40.0	A
<b>Glyphosate, diammonium salt</b>	Uncultivated non-ag	16.81	N/A	16.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, diammonium salt</b>	Walnut	4,599.71	93	2,098.23	A
<b>Glyphosate, dimethylamine salt</b>	Almond	6,575.24	26	3,425.0	A
<b>Glyphosate, dimethylamine salt</b>	Forest, timberland	153,459.35	2,030	67,309.91	A
<b>Glyphosate, dimethylamine salt</b>	Forest, timberland	550.31	1	200.0	U
<b>Glyphosate, dimethylamine salt</b>	Landscape maintenance	433.34	N/A	N/A	N/A
<b>Glyphosate, dimethylamine salt</b>	Mint	1.28	1	2.0	A
<b>Glyphosate, dimethylamine salt</b>	N-outdr plants in containers	2.87	6	12.0	A
<b>Glyphosate, dimethylamine salt</b>	N-outdr transplants	38.39	1	7.51	A
<b>Glyphosate, dimethylamine salt</b>	Rangeland	1.51	2	2.0	A
<b>Glyphosate, dimethylamine salt</b>	Research commodity	0.35	N/A	N/A	N/A
<b>Glyphosate, dimethylamine salt</b>	Rights of way	30,429.01	N/A	N/A	N/A
<b>Glyphosate, dimethylamine salt</b>	Structural pest control	425.25	N/A	N/A	N/A
<b>Glyphosate, dimethylamine salt</b>	Uncultivated ag	8.28	3	7.75	A
<b>Glyphosate, dimethylamine salt</b>	Uncultivated non-ag	2.56	1	2.0	A
<b>Glyphosate, dimethylamine salt</b>	Unknown	12.29	1	3.0	A
<b>Glyphosate, isopropylamine salt</b>	Airport	325.49	3	94.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Alfalfa	134,285.29	2,152	94,329.55	A
<b>Glyphosate, isopropylamine salt</b>	Almond	1,327,394.72	17,212	739,840.22	A
<b>Glyphosate, isopropylamine salt</b>	Almond	0.39	4	16,000.0	S
<b>Glyphosate, isopropylamine salt</b>	Apple	1,276.4	57	811.61	A
<b>Glyphosate, isopropylamine salt</b>	Apple	0.21	2	38.0	U
<b>Glyphosate, isopropylamine salt</b>	Apricot	2,727.68	141	1,820.63	A
<b>Glyphosate, isopropylamine salt</b>	Apricot	0.45	5	8,600.0	S
<b>Glyphosate, isopropylamine salt</b>	Apricot	0.26	2	43.0	U
<b>Glyphosate, isopropylamine salt</b>	Artichoke, globe	30.23	3	16.0	A
<b>Glyphosate, isopropylamine salt</b>	Asparagus	396.13	11	334.19	A
<b>Glyphosate, isopropylamine salt</b>	Avocado	32,681.46	3,267	25,081.74	A
<b>Glyphosate, isopropylamine salt</b>	Avocado	396.07	28	1,670,500.0	U
<b>Glyphosate, isopropylamine salt</b>	Barley	1,270.37	3	344.0	A
<b>Glyphosate, isopropylamine salt</b>	Barley (forage - fodder)	1,057.6	26	413.5	A
<b>Glyphosate, isopropylamine salt</b>	Basil, sweet	207.2	4	186.5	A
<b>Glyphosate, isopropylamine salt</b>	Bean, dried	3,142.97	21	1,678.32	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Bean, succulent	513.96	10	286.78	A
<b>Glyphosate, isopropylamine salt</b>	Bean, unspecified	68.01	1	68.0	A
<b>Glyphosate, isopropylamine salt</b>	Bermudagrass	809.75	6	288.9	A
<b>Glyphosate, isopropylamine salt</b>	Bitter melon	2.16	2	3.0	A
<b>Glyphosate, isopropylamine salt</b>	Blackberry	33.46	4	19.82	A
<b>Glyphosate, isopropylamine salt</b>	Blueberry	4,195.39	96	2,393.03	A
<b>Glyphosate, isopropylamine salt</b>	Bok choy (choy sum, pak choi)	15.23	1	4.75	A
<b>Glyphosate, isopropylamine salt</b>	Broccoli	310.64	15	156.15	A
<b>Glyphosate, isopropylamine salt</b>	Brussels sprout	17.26	4	34.9	A
<b>Glyphosate, isopropylamine salt</b>	Buildings/non-ag outdoor	8.04	N/A	1.1	A
<b>Glyphosate, isopropylamine salt</b>	Cabbage	695.76	24	444.89	A
<b>Glyphosate, isopropylamine salt</b>	Cantaloupe	5,625.22	21	2,072.5	A
<b>Glyphosate, isopropylamine salt</b>	Carrot	102.02	1	68.0	A
<b>Glyphosate, isopropylamine salt</b>	Cauliflower	113.24	8	79.3	A
<b>Glyphosate, isopropylamine salt</b>	Celery	2,553.07	47	945.39	A
<b>Glyphosate, isopropylamine salt</b>	Cherimoya	35.97	5	22.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Cherry	17,323.04	653	9,612.23	A
<b>Glyphosate, isopropylamine salt</b>	Cherry	0.8	5	23,800.0	S
<b>Glyphosate, isopropylamine salt</b>	Cherry	<0.01	1	2.0	U
<b>Glyphosate, isopropylamine salt</b>	Chestnut	47.65	5	24.44	A
<b>Glyphosate, isopropylamine salt</b>	Chinese cabbage (napa, wong bok, celery cabbage)	22.92	1	7.15	A
<b>Glyphosate, isopropylamine salt</b>	Christmas tree	204.98	27	154.0	A
<b>Glyphosate, isopropylamine salt</b>	Cilantro	335.71	5	58.0	A
<b>Glyphosate, isopropylamine salt</b>	Citrus	965.85	141	1,993.88	A
<b>Glyphosate, isopropylamine salt</b>	Citrus	28.0	2	50,000.0	U
<b>Glyphosate, isopropylamine salt</b>	Clover	209.82	2	140.0	A
<b>Glyphosate, isopropylamine salt</b>	Commercial, institutional or industrial areas	102.94	2	648.23	A
<b>Glyphosate, isopropylamine salt</b>	Commercial, institutional or industrial areas	63.49	N/A	30,028.88	K
<b>Glyphosate, isopropylamine salt</b>	Commercial, institutional or industrial areas	12.71	N/A	1,981,972.0	S
<b>Glyphosate, isopropylamine salt</b>	Commodity fumigation	1.21	1	1.0	A
<b>Glyphosate, isopropylamine salt</b>	Commodity fumigation	9.97	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Corn (forage - fodder)	179,100.06	2,505	128,023.52	A
<b>Glyphosate, isopropylamine salt</b>	Corn, grain	6,210.47	95	4,434.02	A
<b>Glyphosate, isopropylamine salt</b>	Corn, human consumption	3,832.28	55	2,330.4	A
<b>Glyphosate, isopropylamine salt</b>	Cotton	114,604.34	1,003	66,445.34	A
<b>Glyphosate, isopropylamine salt</b>	Cucumber	567.16	8	240.75	A
<b>Glyphosate, isopropylamine salt</b>	Date	5,537.16	211	3,259.17	A
<b>Glyphosate, isopropylamine salt</b>	Ditch bank	5,000.27	201	1,916.57	A
<b>Glyphosate, isopropylamine salt</b>	Ditch bank	13.42	N/A	7,200.0	S
<b>Glyphosate, isopropylamine salt</b>	Ditch bank	20.9	N/A	20.0	U
<b>Glyphosate, isopropylamine salt</b>	Eggplant	32.33	5	18.0	A
<b>Glyphosate, isopropylamine salt</b>	Farm/ag building	8.1	6	4.5	A
<b>Glyphosate, isopropylamine salt</b>	Fennel	24.74	1	12.0	A
<b>Glyphosate, isopropylamine salt</b>	Fig	4,521.19	127	2,569.42	A
<b>Glyphosate, isopropylamine salt</b>	Fig	<0.01	1	2.0	U
<b>Glyphosate, isopropylamine salt</b>	Forage hay/silage	1,344.8	18	857.3	A
<b>Glyphosate, isopropylamine salt</b>	Forest, timberland	63,530.08	736	19,055.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Forest, timberland	4.07	N/A	208.0	U
<b>Glyphosate, isopropylamine salt</b>	Garbanzo bean	974.79	2	329.0	A
<b>Glyphosate, isopropylamine salt</b>	Garlic	9,914.07	42	4,360.11	A
<b>Glyphosate, isopropylamine salt</b>	Golf course turf	342.67	2	373.75	A
<b>Glyphosate, isopropylamine salt</b>	Golf course turf	25.93	N/A	173,000.0	S
<b>Glyphosate, isopropylamine salt</b>	Golf course turf	10.99	N/A	129.0	U
<b>Glyphosate, isopropylamine salt</b>	Grain	17.98	2	18.0	A
<b>Glyphosate, isopropylamine salt</b>	Grape	74,837.53	2,112	48,908.04	A
<b>Glyphosate, isopropylamine salt</b>	Grape	0.43	1	1,400.0	S
<b>Glyphosate, isopropylamine salt</b>	Grape	0.12	1	50.0	U
<b>Glyphosate, isopropylamine salt</b>	Grape, wine	221,315.08	6,391	125,655.5	A
<b>Glyphosate, isopropylamine salt</b>	Grape, wine	2.25	1	53,100.0	S
<b>Glyphosate, isopropylamine salt</b>	Grapefruit	3,695.52	242	2,745.85	A
<b>Glyphosate, isopropylamine salt</b>	Grapefruit	0.4	1	200.0	S
<b>Glyphosate, isopropylamine salt</b>	Grass, seed	603.29	21	324.6	A
<b>Glyphosate, isopropylamine salt</b>	Herb, spice	180.03	3	108.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Hops	10.01	2	10.0	A
<b>Glyphosate, isopropylamine salt</b>	Industrial waste disposal systems, disposal water	2.08	1	5.0	A
<b>Glyphosate, isopropylamine salt</b>	Jicama	20.16	2	32.0	A
<b>Glyphosate, isopropylamine salt</b>	Kiwi fruit fuzzy	4,891.32	163	2,201.85	A
<b>Glyphosate, isopropylamine salt</b>	Landscape maintenance	1,515.15	123	1,264.95	A
<b>Glyphosate, isopropylamine salt</b>	Landscape maintenance	2.12	4	2,700.0	S
<b>Glyphosate, isopropylamine salt</b>	Landscape maintenance	115.49	1	0.01	U
<b>Glyphosate, isopropylamine salt</b>	Landscape maintenance	267,709.21	N/A	N/A	N/A
<b>Glyphosate, isopropylamine salt</b>	Lemon	48,215.42	2,818	35,386.86	A
<b>Glyphosate, isopropylamine salt</b>	Lettuce, head	13.92	2	4.0	A
<b>Glyphosate, isopropylamine salt</b>	Lettuce, leaf	236.05	11	107.25	A
<b>Glyphosate, isopropylamine salt</b>	Lime	136.55	26	137.48	A
<b>Glyphosate, isopropylamine salt</b>	Mango	19.98	1	2.5	A
<b>Glyphosate, isopropylamine salt</b>	Melon	4,599.89	28	1,291.55	A
<b>Glyphosate, isopropylamine salt</b>	Mustard greens	208.14	2	51.0	A
<b>Glyphosate, isopropylamine salt</b>	N-grnhs flower	198.75	46	317.87	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	N-grnhs flower	28.71	3	257,775.0	S
<b>Glyphosate, isopropylamine salt</b>	N-grnhs plants in containers	627.21	204	200.56	A
<b>Glyphosate, isopropylamine salt</b>	N-grnhs plants in containers	75.94	72	2,404,144.0	S
<b>Glyphosate, isopropylamine salt</b>	N-grnhs transplants	181.92	37	493.46	A
<b>Glyphosate, isopropylamine salt</b>	N-grnhs transplants	5.91	6	121,500.0	S
<b>Glyphosate, isopropylamine salt</b>	N-outdr flower	4,878.79	550	1,413.9	A
<b>Glyphosate, isopropylamine salt</b>	N-outdr plants in containers	58,335.58	7,284	14,809.39	A
<b>Glyphosate, isopropylamine salt</b>	N-outdr plants in containers	5.99	1	1.0	C
<b>Glyphosate, isopropylamine salt</b>	N-outdr plants in containers	300.72	281	3,222,898.88	S
<b>Glyphosate, isopropylamine salt</b>	N-outdr plants in containers	738.27	47	393,862.25	U
<b>Glyphosate, isopropylamine salt</b>	N-outdr transplants	1,074.46	188	606.62	A
<b>Glyphosate, isopropylamine salt</b>	N-outdr transplants	1.86	9	19,100.0	S
<b>Glyphosate, isopropylamine salt</b>	Nectarine	12,435.3	631	7,905.35	A
<b>Glyphosate, isopropylamine salt</b>	Nectarine	0.82	5	24,800.0	S
<b>Glyphosate, isopropylamine salt</b>	Nectarine	<0.01	1	3.0	U
<b>Glyphosate, isopropylamine salt</b>	Nursery soil	116.02	7	12.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Oat	18.45	2	22.0	A
<b>Glyphosate, isopropylamine salt</b>	Oat (forage - fodder)	672.76	20	534.0	A
<b>Glyphosate, isopropylamine salt</b>	Olive	20,924.06	476	13,128.35	A
<b>Glyphosate, isopropylamine salt</b>	Onion, dry	4,148.42	45	2,069.37	A
<b>Glyphosate, isopropylamine salt</b>	Onion, green	54.71	1	54.2	A
<b>Glyphosate, isopropylamine salt</b>	Orange	48,685.16	2,161	39,787.31	A
<b>Glyphosate, isopropylamine salt</b>	Orchard floor	0.52	3	15.0	A
<b>Glyphosate, isopropylamine salt</b>	Orchardgrass	181.27	1	145.0	A
<b>Glyphosate, isopropylamine salt</b>	Parsley	35.97	4	24.0	A
<b>Glyphosate, isopropylamine salt</b>	Pastureland	2,853.63	124	2,014.31	A
<b>Glyphosate, isopropylamine salt</b>	Pastureland	6.07	5	33,060.0	S
<b>Glyphosate, isopropylamine salt</b>	Peach	29,420.76	1,387	17,240.47	A
<b>Glyphosate, isopropylamine salt</b>	Peach	0.7	4	18,800.0	S
<b>Glyphosate, isopropylamine salt</b>	Peach	0.4	2	69.0	U
<b>Glyphosate, isopropylamine salt</b>	Pear	2,979.77	97	1,880.38	A
<b>Glyphosate, isopropylamine salt</b>	Pear	0.01	1	4.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Pear, asian (oriental pear, ya, ya li, nashi)	51.87	12	58.5	A
<b>Glyphosate, isopropylamine salt</b>	Pecan	5,068.05	91	2,670.56	A
<b>Glyphosate, isopropylamine salt</b>	Pepper, fruiting	3,208.95	47	1,576.25	A
<b>Glyphosate, isopropylamine salt</b>	Peppermint	1.0	1	1.0	A
<b>Glyphosate, isopropylamine salt</b>	Persimmon	717.97	92	692.78	A
<b>Glyphosate, isopropylamine salt</b>	Persimmon	<0.01	1	1.0	U
<b>Glyphosate, isopropylamine salt</b>	Pistachio	398,504.03	4,493	219,104.56	A
<b>Glyphosate, isopropylamine salt</b>	Pistachio	6.96	7	39,844.0	S
<b>Glyphosate, isopropylamine salt</b>	Pistachio	15.89	11	130.0	U
<b>Glyphosate, isopropylamine salt</b>	Plum	11,411.13	883	7,041.79	A
<b>Glyphosate, isopropylamine salt</b>	Plum	0.3	2	4,800.0	S
<b>Glyphosate, isopropylamine salt</b>	Plum	<0.01	1	2.0	U
<b>Glyphosate, isopropylamine salt</b>	Pluot	6.13	3	5.8	A
<b>Glyphosate, isopropylamine salt</b>	Pluot	0.26	2	8,000.0	S
<b>Glyphosate, isopropylamine salt</b>	Pomegranate	9,753.62	130	5,231.45	A
<b>Glyphosate, isopropylamine salt</b>	Pomelo	542.25	38	325.61	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Potato	2,363.25	81	1,766.26	A
<b>Glyphosate, isopropylamine salt</b>	Prune	20,431.94	508	12,185.91	A
<b>Glyphosate, isopropylamine salt</b>	Public health	4,914.88	N/A	N/A	N/A
<b>Glyphosate, isopropylamine salt</b>	Pumpkin	4,663.01	35	1,252.65	A
<b>Glyphosate, isopropylamine salt</b>	Quince	15.06	4	16.0	A
<b>Glyphosate, isopropylamine salt</b>	Rangeland	890.48	158	6,379.31	A
<b>Glyphosate, isopropylamine salt</b>	Raspberry	139.22	1	34.0	A
<b>Glyphosate, isopropylamine salt</b>	Recreation area	37.08	2	22.46	A
<b>Glyphosate, isopropylamine salt</b>	Regulatory pest control	9.99	1	10.0	A
<b>Glyphosate, isopropylamine salt</b>	Regulatory pest control	1,689.72	N/A	N/A	N/A
<b>Glyphosate, isopropylamine salt</b>	Research commodity	237.93	18	64.18	A
<b>Glyphosate, isopropylamine salt</b>	Research commodity	7.47	2	31,500.0	S
<b>Glyphosate, isopropylamine salt</b>	Research commodity	281.06	N/A	N/A	N/A
<b>Glyphosate, isopropylamine salt</b>	Rice	6,966.42	100	6,232.0	A
<b>Glyphosate, isopropylamine salt</b>	Rights of way	80,298.66	851	46,142.6	A
<b>Glyphosate, isopropylamine salt</b>	Rights of way	4.69	8	59,900.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Rights of way	710.4	33	114.03	U
<b>Glyphosate, isopropylamine salt</b>	Rights of way	1,076,811.92	N/A	N/A	N/A
<b>Glyphosate, isopropylamine salt</b>	Ryegrass	392.31	11	453.0	A
<b>Glyphosate, isopropylamine salt</b>	Safflower	1,384.87	30	2,647.3	A
<b>Glyphosate, isopropylamine salt</b>	Sod farm (turf)	547.35	14	104.0	A
<b>Glyphosate, isopropylamine salt</b>	Soil fumigation/preplant	26,685.88	156	19,929.38	A
<b>Glyphosate, isopropylamine salt</b>	Sorghum (forage - fodder)	134.98	2	130.0	A
<b>Glyphosate, isopropylamine salt</b>	Sorghum/milo	93.68	1	75.0	A
<b>Glyphosate, isopropylamine salt</b>	Soybean	230.04	1	140.0	A
<b>Glyphosate, isopropylamine salt</b>	Squash	1.38	1	0.6	A
<b>Glyphosate, isopropylamine salt</b>	Squash, winter	23.12	1	15.4	A
<b>Glyphosate, isopropylamine salt</b>	Stone fruit	10.5	7	4.93	A
<b>Glyphosate, isopropylamine salt</b>	Strawberry	1,488.96	18	275.4	A
<b>Glyphosate, isopropylamine salt</b>	Structural pest control	898.64	N/A	N/A	N/A
<b>Glyphosate, isopropylamine salt</b>	Sudangrass	451.12	5	356.0	A
<b>Glyphosate, isopropylamine salt</b>	Sugarbeet	17,460.55	203	14,296.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Sunflower	2,523.82	23	1,442.14	A
<b>Glyphosate, isopropylamine salt</b>	Sweet potato	22.55	1	15.0	A
<b>Glyphosate, isopropylamine salt</b>	Tangelo	580.69	38	444.64	A
<b>Glyphosate, isopropylamine salt</b>	Tangerine	38,739.33	1,144	20,202.28	A
<b>Glyphosate, isopropylamine salt</b>	Thyme	0.38	1	0.63	A
<b>Glyphosate, isopropylamine salt</b>	Tomato	7,483.22	84	4,230.58	A
<b>Glyphosate, isopropylamine salt</b>	Tomato, processing	58,721.82	402	32,176.4	A
<b>Glyphosate, isopropylamine salt</b>	Triticale	803.55	23	406.88	A
<b>Glyphosate, isopropylamine salt</b>	Tropical/subtropical fruit	5.12	2	6.0	A
<b>Glyphosate, isopropylamine salt</b>	Turf/sod	2,817.98	82	1,523.71	A
<b>Glyphosate, isopropylamine salt</b>	Turf/sod	8.72	N/A	280,000.0	S
<b>Glyphosate, isopropylamine salt</b>	Uncultivated ag	263,320.94	4,957	122,772.2	A
<b>Glyphosate, isopropylamine salt</b>	Uncultivated ag	19.33	28	136,969.8	S
<b>Glyphosate, isopropylamine salt</b>	Uncultivated ag	33.24	1	0.07	U
<b>Glyphosate, isopropylamine salt</b>	Uncultivated non-ag	11,627.29	301	52,641.34	A
<b>Glyphosate, isopropylamine salt</b>	Uncultivated non-ag	0.88	N/A	26,374.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, isopropylamine salt</b>	Uncultivated non-ag	24.14	N/A	0.03	U
<b>Glyphosate, isopropylamine salt</b>	Unknown	643.4	15	477.41	A
<b>Glyphosate, isopropylamine salt</b>	Vegetable	7.31	5	12.0	A
<b>Glyphosate, isopropylamine salt</b>	Vegetables, fruiting	1.5	1	1.5	A
<b>Glyphosate, isopropylamine salt</b>	Vertebrate control	1.6	1	2.0	A
<b>Glyphosate, isopropylamine salt</b>	Vertebrate control	1.17	N/A	N/A	N/A
<b>Glyphosate, isopropylamine salt</b>	Walnut	286,403.98	5,913	165,075.21	A
<b>Glyphosate, isopropylamine salt</b>	Walnut	0.31	3	12,000.0	S
<b>Glyphosate, isopropylamine salt</b>	Water (industrial)	183.61	2	115.46	A
<b>Glyphosate, isopropylamine salt</b>	Water area	19,195.02	65	2,653.53	A
<b>Glyphosate, isopropylamine salt</b>	Water area	46.56	2	1,231,821.0	S
<b>Glyphosate, isopropylamine salt</b>	Water area	81.98	N/A	88.0	U
<b>Glyphosate, isopropylamine salt</b>	Watercress	2.0	2	3.0	A
<b>Glyphosate, isopropylamine salt</b>	Watermelon	11,065.96	47	3,772.7	A
<b>Glyphosate, isopropylamine salt</b>	Wheat	3,489.2	44	2,257.4	A
<b>Glyphosate, isopropylamine salt</b>	Wheat (forage - fodder)	1,183.29	10	804.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, monoammonium salt</b>	Almond	11.15	2	16.5	A
<b>Glyphosate, monoammonium salt</b>	Golf course turf	145.68	N/A	24.0	A
<b>Glyphosate, monoammonium salt</b>	Landscape maintenance	13,294.81	N/A	N/A	N/A
<b>Glyphosate, monoammonium salt</b>	Lemon	0.93	2	16.9	A
<b>Glyphosate, monoammonium salt</b>	N-grnhs flower	5.36	N/A	3.0	A
<b>Glyphosate, monoammonium salt</b>	N-outdr plants in containers	0.55	1	1,500.0	S
<b>Glyphosate, monoammonium salt</b>	N-outdr transplants	5.86	1	4.0	A
<b>Glyphosate, monoammonium salt</b>	Public health	6.96	N/A	N/A	N/A
<b>Glyphosate, monoammonium salt</b>	Research commodity	0.39	N/A	N/A	N/A
<b>Glyphosate, monoammonium salt</b>	Rights of way	2,894.86	N/A	N/A	N/A
<b>Glyphosate, monoammonium salt</b>	Structural pest control	26.39	N/A	N/A	N/A
<b>Glyphosate, monoammonium salt</b>	Uncultivated non-ag	34.02	N/A	61.0	A
<b>Glyphosate, monoammonium salt</b>	Walnut	4.88	2	11.0	A
<b>Glyphosate, potassium salt</b>	Airport	114.47	N/A	32.0	A
<b>Glyphosate, potassium salt</b>	Alfalfa	216,941.42	2,941	138,613.7	A
<b>Glyphosate, potassium salt</b>	Almond	1,484,346.9	17,853	746,003.08	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	Animal premise	193.09	N/A	8.0	U
<b>Glyphosate, potassium salt</b>	Apple	1,245.32	54	790.35	A
<b>Glyphosate, potassium salt</b>	Apricot	1,031.07	58	516.63	A
<b>Glyphosate, potassium salt</b>	Arugula	8.84	1	8.0	A
<b>Glyphosate, potassium salt</b>	Asparagus	1,561.15	10	581.7	A
<b>Glyphosate, potassium salt</b>	Avocado	35,608.26	3,066	24,935.76	A
<b>Glyphosate, potassium salt</b>	Barley	22.07	1	16.5	A
<b>Glyphosate, potassium salt</b>	Barley (forage - fodder)	43.47	1	45.9	A
<b>Glyphosate, potassium salt</b>	Bean, dried	1,019.21	9	383.4	A
<b>Glyphosate, potassium salt</b>	Bean, succulent	81.72	9	54.0	A
<b>Glyphosate, potassium salt</b>	Bermudagrass	7,404.07	39	2,226.0	A
<b>Glyphosate, potassium salt</b>	Beverage crop	0.66	3	4.2	A
<b>Glyphosate, potassium salt</b>	Blackberry	25.48	5	17.36	A
<b>Glyphosate, potassium salt</b>	Blueberry	797.65	21	300.37	A
<b>Glyphosate, potassium salt</b>	Bok choy (choy sum, pak choi)	0.26	3	3.0	A
<b>Glyphosate, potassium salt</b>	Broccoli	226.3	8	72.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	Bushberry	5.52	1	4.75	A
<b>Glyphosate, potassium salt</b>	Cabbage	131.29	8	51.1	A
<b>Glyphosate, potassium salt</b>	Cantaloupe	698.72	11	287.0	A
<b>Glyphosate, potassium salt</b>	Carrot	175.76	3	101.8	A
<b>Glyphosate, potassium salt</b>	Celery	3.48	1	5.0	A
<b>Glyphosate, potassium salt</b>	Cherimoya	133.44	15	72.88	A
<b>Glyphosate, potassium salt</b>	Cherry	20,364.87	724	9,018.16	A
<b>Glyphosate, potassium salt</b>	Chestnut	37.19	3	18.66	A
<b>Glyphosate, potassium salt</b>	Chinese cabbage (napa, wong bok, celery cabbage)	25.1	2	11.6	A
<b>Glyphosate, potassium salt</b>	Citrus	116.38	10	275.22	A
<b>Glyphosate, potassium salt</b>	Clover	37.24	1	18.0	A
<b>Glyphosate, potassium salt</b>	Commodity fumigation	2.76	N/A	N/A	N/A
<b>Glyphosate, potassium salt</b>	Corn (forage - fodder)	260,051.68	3,428	172,857.9	A
<b>Glyphosate, potassium salt</b>	Corn, grain	14,495.83	246	9,670.68	A
<b>Glyphosate, potassium salt</b>	Corn, human consumption	4,061.44	30	1,480.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	Cotton	230,539.5	2,212	157,845.02	A
<b>Glyphosate, potassium salt</b>	County ag comm	167.1	N/A	N/A	N/A
<b>Glyphosate, potassium salt</b>	Cucumber	2,224.07	13	790.38	A
<b>Glyphosate, potassium salt</b>	Daikon	26.89	4	16.0	A
<b>Glyphosate, potassium salt</b>	Date	563.36	23	721.0	A
<b>Glyphosate, potassium salt</b>	Ditch bank	920.11	51	535.26	A
<b>Glyphosate, potassium salt</b>	Eggplant	4.83	4	3.5	A
<b>Glyphosate, potassium salt</b>	Endive (escarole)	81.26	4	40.1	A
<b>Glyphosate, potassium salt</b>	Farm/ag building	355.83	26	27.7	A
<b>Glyphosate, potassium salt</b>	Fennel	18.39	1	22.0	A
<b>Glyphosate, potassium salt</b>	Fig	7,187.14	87	3,155.6	A
<b>Glyphosate, potassium salt</b>	Forage hay/silage	844.08	8	400.0	A
<b>Glyphosate, potassium salt</b>	Forest, timberland	33.1	3	30.9	A
<b>Glyphosate, potassium salt</b>	Garbanzo bean	22.51	2	12.0	A
<b>Glyphosate, potassium salt</b>	Garlic	16,810.36	54	7,146.2	A
<b>Glyphosate, potassium salt</b>	Golf course turf	31.2	N/A	15.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	Golf course turf	7.88	N/A	11,000.0	S
<b>Glyphosate, potassium salt</b>	Grain	67.69	1	35.0	A
<b>Glyphosate, potassium salt</b>	Grape	71,962.36	1,697	38,698.35	A
<b>Glyphosate, potassium salt</b>	Grape, wine	249,922.98	6,676	144,184.25	A
<b>Glyphosate, potassium salt</b>	Grapefruit	4,671.3	240	3,556.8	A
<b>Glyphosate, potassium salt</b>	Grass, seed	46.81	14	12.5	A
<b>Glyphosate, potassium salt</b>	Guava	383.15	34	189.7	A
<b>Glyphosate, potassium salt</b>	Herb, spice	68.3	1	36.0	A
<b>Glyphosate, potassium salt</b>	Hops	12.91	3	4.67	A
<b>Glyphosate, potassium salt</b>	Jicama	0.69	2	34.0	A
<b>Glyphosate, potassium salt</b>	Kale	150.33	3	50.0	A
<b>Glyphosate, potassium salt</b>	Kiwi fruit fuzzy	11,439.87	480	4,353.8	A
<b>Glyphosate, potassium salt</b>	Kiwi fruit hardy	13.79	1	4.0	A
<b>Glyphosate, potassium salt</b>	Kohlrabi	5.52	1	3.0	A
<b>Glyphosate, potassium salt</b>	Kumquat	15.17	2	6.0	A
<b>Glyphosate, potassium salt</b>	Landscape maintenance	747.73	162	437.17	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	Landscape maintenance	11.53	8	50,000.0	S
<b>Glyphosate, potassium salt</b>	Landscape maintenance	115,901.81	N/A	N/A	N/A
<b>Glyphosate, potassium salt</b>	Lemon	65,333.19	2,271	45,226.16	A
<b>Glyphosate, potassium salt</b>	Lettuce, head	2,760.24	42	892.3	A
<b>Glyphosate, potassium salt</b>	Lettuce, leaf	2,436.01	36	982.91	A
<b>Glyphosate, potassium salt</b>	Lime	429.78	46	326.77	A
<b>Glyphosate, potassium salt</b>	Melon	1,166.57	18	706.46	A
<b>Glyphosate, potassium salt</b>	Mint	176.54	1	73.0	A
<b>Glyphosate, potassium salt</b>	Mushroom	11.03	1	8.0	A
<b>Glyphosate, potassium salt</b>	Mustard greens	1.1	1	0.4	A
<b>Glyphosate, potassium salt</b>	N-grnhs flower	63.78	9	11.25	A
<b>Glyphosate, potassium salt</b>	N-grnhs flower	73.32	8	325,075.0	S
<b>Glyphosate, potassium salt</b>	N-grnhs plants in containers	131.15	17	58.15	A
<b>Glyphosate, potassium salt</b>	N-grnhs plants in containers	10.65	11	205,618.0	S
<b>Glyphosate, potassium salt</b>	N-grnhs transplants	1.89	1	2.5	A
<b>Glyphosate, potassium salt</b>	N-grnhs transplants	22.07	N/A	999,999.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	N-outdr flower	575.48	106	483.15	A
<b>Glyphosate, potassium salt</b>	N-outdr flower	3.1	N/A	9,000.0	S
<b>Glyphosate, potassium salt</b>	N-outdr plants in containers	3,952.69	850	2,548.23	A
<b>Glyphosate, potassium salt</b>	N-outdr plants in containers	217.11	224	2,550,036.0	S
<b>Glyphosate, potassium salt</b>	N-outdr plants in containers	120.23	34	10,146.0	U
<b>Glyphosate, potassium salt</b>	N-outdr transplants	400.9	18	215.25	A
<b>Glyphosate, potassium salt</b>	Nectarine	14,133.61	630	7,195.54	A
<b>Glyphosate, potassium salt</b>	Nuts	3.79	2	3.0	A
<b>Glyphosate, potassium salt</b>	Oat	899.64	12	845.2	A
<b>Glyphosate, potassium salt</b>	Oat (forage - fodder)	164.59	5	103.0	A
<b>Glyphosate, potassium salt</b>	Olive	9,938.58	263	5,388.77	A
<b>Glyphosate, potassium salt</b>	Onion, dry	9,352.44	72	5,587.01	A
<b>Glyphosate, potassium salt</b>	Onion, green	8.84	1	8.0	A
<b>Glyphosate, potassium salt</b>	Orange	89,621.02	3,144	67,809.82	A
<b>Glyphosate, potassium salt</b>	Orchard floor	312.99	21	230.92	A
<b>Glyphosate, potassium salt</b>	Orchardgrass	3.45	1	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	Parsley	940.6	3	341.0	A
<b>Glyphosate, potassium salt</b>	Pasture (forage - fodder)	2.76	1	1.0	A
<b>Glyphosate, potassium salt</b>	Pastureland	1,100.58	52	619.67	A
<b>Glyphosate, potassium salt</b>	Peach	30,463.42	1,424	15,469.3	A
<b>Glyphosate, potassium salt</b>	Pear	826.21	26	585.82	A
<b>Glyphosate, potassium salt</b>	Pear, asian (oriental pear, ya, ya li, nashi)	119.65	7	88.5	A
<b>Glyphosate, potassium salt</b>	Peas	13.68	1	3.3	A
<b>Glyphosate, potassium salt</b>	Pecan	4,467.31	92	1,856.51	A
<b>Glyphosate, potassium salt</b>	Pepper, fruiting	779.96	7	374.0	A
<b>Glyphosate, potassium salt</b>	Persimmon	1,660.8	123	939.4	A
<b>Glyphosate, potassium salt</b>	Pistachio	466,202.15	5,108	226,508.71	A
<b>Glyphosate, potassium salt</b>	Pistachio	5.17	7	39,844.0	S
<b>Glyphosate, potassium salt</b>	Pistachio	11.8	11	130.0	U
<b>Glyphosate, potassium salt</b>	Plum	6,204.24	372	3,122.99	A
<b>Glyphosate, potassium salt</b>	Pluot	14.62	2	9.2	A
<b>Glyphosate, potassium salt</b>	Pomegranate	18,596.96	171	9,491.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	Pomelo	703.44	34	487.5	A
<b>Glyphosate, potassium salt</b>	Potato	410.64	7	274.5	A
<b>Glyphosate, potassium salt</b>	Prune	30,624.2	486	14,947.87	A
<b>Glyphosate, potassium salt</b>	Public health	3.62	N/A	N/A	N/A
<b>Glyphosate, potassium salt</b>	Pumpkin	<0.01	1	1.0	A
<b>Glyphosate, potassium salt</b>	Quince	8.28	1	4.0	A
<b>Glyphosate, potassium salt</b>	Radicchio	410.57	6	323.0	A
<b>Glyphosate, potassium salt</b>	Radish	77.36	24	24.54	A
<b>Glyphosate, potassium salt</b>	Rangeland	1,389.28	33	1,118.5	A
<b>Glyphosate, potassium salt</b>	Rape (leafy vegetable)	8.84	1	8.0	A
<b>Glyphosate, potassium salt</b>	Raspberry	200.12	5	91.14	A
<b>Glyphosate, potassium salt</b>	Regulatory pest control	0.09	1	0.01	U
<b>Glyphosate, potassium salt</b>	Regulatory pest control	94.15	N/A	N/A	N/A
<b>Glyphosate, potassium salt</b>	Research commodity	774.07	154	346.93	A
<b>Glyphosate, potassium salt</b>	Research commodity	0.68	4	15,100.0	S
<b>Glyphosate, potassium salt</b>	Research commodity	223.5	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	Rice	2,057.06	29	1,217.8	A
<b>Glyphosate, potassium salt</b>	Rights of way	31,187.07	311	17,424.21	A
<b>Glyphosate, potassium salt</b>	Rights of way	545.03	32	1,945,200.0	S
<b>Glyphosate, potassium salt</b>	Rights of way	68.27	6	0.06	U
<b>Glyphosate, potassium salt</b>	Rights of way	158,950.77	N/A	N/A	N/A
<b>Glyphosate, potassium salt</b>	Rye	583.39	8	337.5	A
<b>Glyphosate, potassium salt</b>	Ryegrass	444.81	7	212.5	A
<b>Glyphosate, potassium salt</b>	Safflower	6,461.39	62	10,873.5	A
<b>Glyphosate, potassium salt</b>	Sod farm (turf)	61.81	1	28.0	A
<b>Glyphosate, potassium salt</b>	Soil fumigation/preplant	8,301.22	43	4,837.12	A
<b>Glyphosate, potassium salt</b>	Sorghum (forage - fodder)	548.89	7	363.75	A
<b>Glyphosate, potassium salt</b>	Sorghum/milo	1,683.68	16	857.81	A
<b>Glyphosate, potassium salt</b>	Spinach	11.03	1	2.0	A
<b>Glyphosate, potassium salt</b>	Squash	384.13	6	115.0	A
<b>Glyphosate, potassium salt</b>	Squash, winter	70.12	1	15.4	A
<b>Glyphosate, potassium salt</b>	Stone fruit	47.69	8	43.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	Strawberry	1,936.15	36	608.12	A
<b>Glyphosate, potassium salt</b>	Structural pest control	57.93	3	16.5	A
<b>Glyphosate, potassium salt</b>	Structural pest control	147.13	N/A	N/A	N/A
<b>Glyphosate, potassium salt</b>	Sudangrass	114.14	2	60.2	A
<b>Glyphosate, potassium salt</b>	Sugarbeet	34,950.76	312	23,859.59	A
<b>Glyphosate, potassium salt</b>	Sugarbeet (forage - fodder)	389.59	5	282.4	A
<b>Glyphosate, potassium salt</b>	Sunflower	1,525.66	22	688.2	A
<b>Glyphosate, potassium salt</b>	Sweet potato	1,066.98	21	529.5	A
<b>Glyphosate, potassium salt</b>	Tangelo	1,451.58	53	1,253.52	A
<b>Glyphosate, potassium salt</b>	Tangerine	86,360.74	1,911	47,660.29	A
<b>Glyphosate, potassium salt</b>	Tomato	6,155.57	52	2,605.76	A
<b>Glyphosate, potassium salt</b>	Tomato, processing	46,378.49	267	19,041.54	A
<b>Glyphosate, potassium salt</b>	Triticale	768.9	21	687.89	A
<b>Glyphosate, potassium salt</b>	Tropical/subtropical fruit	156.08	17	69.34	A
<b>Glyphosate, potassium salt</b>	Turf/sod	214.73	4	78.04	A
<b>Glyphosate, potassium salt</b>	Turf/sod	1.03	N/A	6,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Glyphosate, potassium salt</b>	Uncultivated ag	146,089.94	2,035	62,437.84	A
<b>Glyphosate, potassium salt</b>	Uncultivated ag	2.59	2	14,457.0	S
<b>Glyphosate, potassium salt</b>	Uncultivated non-ag	10,088.41	182	3,288.19	A
<b>Glyphosate, potassium salt</b>	Uncultivated non-ag	9.83	4	146,000.0	S
<b>Glyphosate, potassium salt</b>	Uncultivated non-ag	2.11	N/A	6.0	U
<b>Glyphosate, potassium salt</b>	Unknown	236.36	5	115.57	A
<b>Glyphosate, potassium salt</b>	Vegetable	0.08	1	0.15	A
<b>Glyphosate, potassium salt</b>	Vertebrate control	8.27	N/A	N/A	N/A
<b>Glyphosate, potassium salt</b>	Walnut	303,938.99	5,040	144,316.1	A
<b>Glyphosate, potassium salt</b>	Water area	521.55	4	391.0	A
<b>Glyphosate, potassium salt</b>	Watermelon	3,126.59	24	1,278.4	A
<b>Glyphosate, potassium salt</b>	Wheat	4,760.28	40	2,389.3	A
<b>Glyphosate, potassium salt</b>	Wheat (forage - fodder)	2,650.39	27	1,703.86	A
<b>Glyphosate-trimesium</b>	Almond	59.98	1	40.0	A
<b>Gs-omega/kappa-hxtx-hv1a (versitide peptide)</b>	Almond	1,719.84	706	40,281.69	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Apple	6.3	21	165.7	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Apricot	0.09	4	2.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Artichoke, globe	32.91	62	767.64	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Bean, succulent	0.86	2	25.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Bok choy (choy sum, pak choi)	1.25	6	29.2	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Broccoli	423.28	708	9,973.57	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Brussels sprout	108.9	303	2,559.83	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Cabbage	267.88	688	6,540.95	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Cannabis (all or unspecified)	0.29	13	22,327.0	S
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Cauliflower	201.07	429	4,695.67	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Chinese cabbage (napa, wong bok, celery cabbage)	27.9	126	647.68	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Collard	7.78	47	353.1	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Corn, human consumption	3.95	6	92.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Eggplant	15.04	19	360.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Grape	1.72	2	40.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Kale	15.59	58	725.56	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Kiwi fruit fuzzy	1.29	1	30.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Kohlrabi	1.12	7	26.1	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Lettuce, head	13.38	6	315.2	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Mustard greens	0.17	1	7.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Gs-omega/kappa-hctx-hv1a (versitide peptide)	N-grnhs plants in containers	5.93	16	37.31	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	N-grnhs plants in containers	0.12	5	50,600.0	S
Gs-omega/kappa-hctx-hv1a (versitide peptide)	N-grnhs transplants	0.21	1	0.32	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	N-outdr transplants	1.24	29	75.4	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Orange	4.82	1	9.35	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Peach	2.79	6	65.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Pepper, fruiting	1.18	2	55.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Pistachio	8,833.9	597	56,131.03	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Plum	4.85	12	154.85	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Pomegranate	88.18	19	2,052.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Rapini	92.14	97	2,157.7	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Research commodity	1.18	9	27.5	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Spinach	2.42	6	56.3	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Structural pest control	0.49	N/A	N/A	N/A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Sunflower	0.69	4	16.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Tangerine	0.21	1	5.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Tomato	<0.01	2	0.09	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Walnut	95.45	49	2,221.32	A
Guar gum	Landscape maintenance	10.65	N/A	N/A	N/A
Halosulfuron-methyl	Alfalfa	74.35	50	1,677.46	A
Halosulfuron-methyl	Artichoke, globe	9.76	30	173.5	A
Halosulfuron-methyl	Asparagus	1.0	6	14.19	A
Halosulfuron-methyl	Bean, succulent	12.98	19	369.3	A
Halosulfuron-methyl	Bermudagrass	17.16	11	345.5	A
Halosulfuron-methyl	Blueberry	6.64	10	228.96	A
Halosulfuron-methyl	Cantaloupe	0.87	2	18.51	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Halosulfuron-methyl	Christmas tree	0.12	2	8.0	A
Halosulfuron-methyl	Corn (forage - fodder)	412.31	186	8,827.84	A
Halosulfuron-methyl	Corn, grain	7.58	5	161.5	A
Halosulfuron-methyl	Corn, human consumption	0.32	1	10.0	A
Halosulfuron-methyl	Cucumber	19.31	7	411.8	A
Halosulfuron-methyl	Eggplant	4.41	5	101.0	A
Halosulfuron-methyl	Forage hay/silage	2.32	1	37.1	A
Halosulfuron-methyl	Golf course turf	3.86	N/A	69.98	A
Halosulfuron-methyl	Landscape maintenance	2.82	8	75.1	A
Halosulfuron-methyl	Landscape maintenance	381.84	N/A	N/A	N/A
Halosulfuron-methyl	Melon	1.75	2	74.42	A
Halosulfuron-methyl	N-grnhs flower	1.67	N/A	37.5	A
Halosulfuron-methyl	N-grnhs flower	<0.01	N/A	1,250.0	S
Halosulfuron-methyl	N-grnhs plants in containers	0.01	1	0.04	A
Halosulfuron-methyl	N-grnhs transplants	0.73	N/A	18.0	A
Halosulfuron-methyl	N-outdr flower	3.33	37	43.74	A
Halosulfuron-methyl	N-outdr plants in containers	5.38	31	127.0	A
Halosulfuron-methyl	N-outdr plants in containers	0.45	41	244,000.0	S
Halosulfuron-methyl	N-outdr transplants	4.97	10	93.5	A
Halosulfuron-methyl	Pepper, fruiting	18.7	24	399.5	A
Halosulfuron-methyl	Pistachio	97.26	56	2,473.98	A
Halosulfuron-methyl	Pumpkin	12.02	8	256.9	A
Halosulfuron-methyl	Research commodity	0.04	2	0.9	A
Halosulfuron-methyl	Rice	6,943.14	1,882	140,428.47	A
Halosulfuron-methyl	Rights of way	0.47	3	3.0	A
Halosulfuron-methyl	Rights of way	13.81	N/A	N/A	N/A
Halosulfuron-methyl	Sod farm (turf)	6.77	15	149.24	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Halosulfuron-methyl	Squash	0.94	1	30.0	A
Halosulfuron-methyl	Squash, winter	1.88	1	40.0	A
Halosulfuron-methyl	Structural pest control	<0.01	N/A	N/A	N/A
Halosulfuron-methyl	Tomato	28.13	17	651.42	A
Halosulfuron-methyl	Tomato, processing	245.5	252	7,184.49	A
Halosulfuron-methyl	Triticale	1.64	1	35.0	A
Halosulfuron-methyl	Turf/sod	40.03	51	804.53	A
Halosulfuron-methyl	Uncultivated ag	16.51	11	183.4	A
Halosulfuron-methyl	Uncultivated ag	<0.01	2	5,000.0	S
Halosulfuron-methyl	Uncultivated non-ag	<0.01	N/A	1,000.0	S
Halosulfuron-methyl	Walnut	82.85	62	2,428.45	A
Halosulfuron-methyl	Watermelon	25.01	12	608.6	A
Harpin protein	Grape, wine	0.36	7	295.74	A
Harpin protein	Safflower	0.16	1	80.0	A
Heptamethyltrisiloxane ethoxylated	Alfalfa	606.99	302	17,805.0	A
Heptamethyltrisiloxane ethoxylated	Almond	21,968.21	3,649	200,105.05	A
Heptamethyltrisiloxane ethoxylated	Apple	10.58	5	63.0	A
Heptamethyltrisiloxane ethoxylated	Apricot	13.39	5	338.67	A
Heptamethyltrisiloxane ethoxylated	Artichoke, globe	36.49	11	301.1	A
Heptamethyltrisiloxane ethoxylated	Avocado	69.7	69	1,750.2	A
Heptamethyltrisiloxane ethoxylated	Barley	1.27	2	60.0	A
Heptamethyltrisiloxane ethoxylated	Bean, dried	1.16	7	51.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Heptamethyltrisiloxane ethoxylated	Bean, succulent	31.57	11	233.31	A
Heptamethyltrisiloxane ethoxylated	Beet	38.63	25	338.1	A
Heptamethyltrisiloxane ethoxylated	Bermudagrass	37.64	29	2,994.0	A
Heptamethyltrisiloxane ethoxylated	Blackberry	555.15	490	4,412.47	A
Heptamethyltrisiloxane ethoxylated	Blueberry	0.85	14	7.69	A
Heptamethyltrisiloxane ethoxylated	Bok choy (choy sum, pak choi)	4.97	25	124.16	A
Heptamethyltrisiloxane ethoxylated	Broccoli	5.67	4	98.5	A
Heptamethyltrisiloxane ethoxylated	Brussels sprout	65.72	20	551.7	A
Heptamethyltrisiloxane ethoxylated	Cabbage	1,328.87	598	5,808.07	A
Heptamethyltrisiloxane ethoxylated	Cabbage, savoy	15.12	18	133.76	A
Heptamethyltrisiloxane ethoxylated	Cantaloupe	125.93	21	1,991.76	A
Heptamethyltrisiloxane ethoxylated	Carrot	10.96	5	275.8	A
Heptamethyltrisiloxane ethoxylated	Cauliflower	0.8	1	6.0	A
Heptamethyltrisiloxane ethoxylated	Celery	197.39	124	1,675.73	A
Heptamethyltrisiloxane ethoxylated	Cherry	336.16	78	2,366.38	A
Heptamethyltrisiloxane ethoxylated	Citrus	48.65	25	592.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Heptamethyltrisiloxane ethoxylated	Citrus	6.75	N/A	3,338.0	U
Heptamethyltrisiloxane ethoxylated	Collard	12.14	15	92.95	A
Heptamethyltrisiloxane ethoxylated	Corn (forage - fodder)	1,168.26	529	30,799.36	A
Heptamethyltrisiloxane ethoxylated	Corn, grain	5.06	4	185.0	A
Heptamethyltrisiloxane ethoxylated	Corn, human consumption	134.74	24	1,297.56	A
Heptamethyltrisiloxane ethoxylated	Cotton	222.45	63	3,994.9	A
Heptamethyltrisiloxane ethoxylated	Eggplant	12.84	11	175.0	A
Heptamethyltrisiloxane ethoxylated	Fava bean	0.88	1	5.0	A
Heptamethyltrisiloxane ethoxylated	Forage hay/silage	2.33	2	111.0	A
Heptamethyltrisiloxane ethoxylated	Gai lon	0.77	24	20.03	A
Heptamethyltrisiloxane ethoxylated	Garlic	2.23	2	99.0	A
Heptamethyltrisiloxane ethoxylated	Grape	448.63	223	6,619.33	A
Heptamethyltrisiloxane ethoxylated	Grape, wine	3,337.41	536	28,488.17	A
Heptamethyltrisiloxane ethoxylated	Grapefruit	230.12	68	1,747.0	A
Heptamethyltrisiloxane ethoxylated	Hops	1.43	3	18.25	A
Heptamethyltrisiloxane ethoxylated	Kale	17.22	18	141.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Heptamethyltrisiloxane ethoxylated	Kumquat	0.25	4	9.34	A
Heptamethyltrisiloxane ethoxylated	Landscape maintenance	12.51	N/A	N/A	N/A
Heptamethyltrisiloxane ethoxylated	Lemon	107.5	50	1,102.0	A
Heptamethyltrisiloxane ethoxylated	Lettuce, head	15.62	24	1,189.83	A
Heptamethyltrisiloxane ethoxylated	Lettuce, leaf	113.27	127	800.34	A
Heptamethyltrisiloxane ethoxylated	Lime	2.51	9	61.23	A
Heptamethyltrisiloxane ethoxylated	Melon	50.18	6	689.65	A
Heptamethyltrisiloxane ethoxylated	N-outdr plants in containers	0.83	4	5.9	A
Heptamethyltrisiloxane ethoxylated	Nectarine	5.88	9	98.5	A
Heptamethyltrisiloxane ethoxylated	Oat	5.42	2	60.2	A
Heptamethyltrisiloxane ethoxylated	Olive	233.87	60	1,633.33	A
Heptamethyltrisiloxane ethoxylated	Onion, dry	863.36	54	3,304.4	A
Heptamethyltrisiloxane ethoxylated	Orange	85.64	87	1,445.65	A
Heptamethyltrisiloxane ethoxylated	Parsley	36.57	58	294.94	A
Heptamethyltrisiloxane ethoxylated	Peach	34.09	48	853.18	A
Heptamethyltrisiloxane ethoxylated	Pear	170.71	64	1,304.95	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Heptamethyltrisiloxane ethoxylated	Pecan	19.83	16	217.72	A
Heptamethyltrisiloxane ethoxylated	Pepper, fruiting	173.68	69	1,263.31	A
Heptamethyltrisiloxane ethoxylated	Persimmon	7.76	6	41.0	A
Heptamethyltrisiloxane ethoxylated	Pistachio	6,453.28	902	60,567.3	A
Heptamethyltrisiloxane ethoxylated	Pomegranate	3,718.33	220	26,565.55	A
Heptamethyltrisiloxane ethoxylated	Prune	69.51	24	855.37	A
Heptamethyltrisiloxane ethoxylated	Pumpkin	240.81	53	1,937.38	A
Heptamethyltrisiloxane ethoxylated	Radicchio	2.72	11	571.2	A
Heptamethyltrisiloxane ethoxylated	Raspberry	359.77	608	3,008.55	A
Heptamethyltrisiloxane ethoxylated	Rice	976.37	258	22,339.08	A
Heptamethyltrisiloxane ethoxylated	Rights of way	25.79	16	527.8	A
Heptamethyltrisiloxane ethoxylated	Rights of way	17.67	N/A	N/A	N/A
Heptamethyltrisiloxane ethoxylated	Ryegrass	1.57	1	35.0	A
Heptamethyltrisiloxane ethoxylated	Sorghum (forage - fodder)	144.12	48	4,110.68	A
Heptamethyltrisiloxane ethoxylated	Sorghum/milo	44.03	19	1,238.21	A
Heptamethyltrisiloxane ethoxylated	Spinach	0.42	1	2.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Heptamethyltrisiloxane ethoxylated	Squash	11.78	4	223.0	A
Heptamethyltrisiloxane ethoxylated	Strawberry	9,415.01	1,040	44,671.39	A
Heptamethyltrisiloxane ethoxylated	Sunflower	161.93	27	2,055.5	A
Heptamethyltrisiloxane ethoxylated	Swiss chard	3.15	13	27.5	A
Heptamethyltrisiloxane ethoxylated	Tangerine	152.17	29	1,050.34	A
Heptamethyltrisiloxane ethoxylated	Tomato	1,722.59	499	20,770.01	A
Heptamethyltrisiloxane ethoxylated	Tomato, processing	275.5	100	4,536.63	A
Heptamethyltrisiloxane ethoxylated	Turf/sod	11.61	12	169.48	A
Heptamethyltrisiloxane ethoxylated	Uncultivated ag	272.46	56	3,722.45	A
Heptamethyltrisiloxane ethoxylated	Uncultivated non-ag	2.76	2	35.0	A
Heptamethyltrisiloxane ethoxylated	Walnut	2,716.71	607	28,550.7	A
Heptamethyltrisiloxane ethoxylated	Watermelon	824.37	103	7,346.55	A
Heptamethyltrisiloxane ethoxylated	Wheat	23.54	12	714.2	A
Heptamethyltrisiloxane ethoxylated	Wheat (forage - fodder)	123.88	73	5,255.28	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Alfalfa	2,645.96	766	30,112.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Almond	28,362.43	4,391	194,306.51	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Apple	48.78	44	641.03	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Apricot	12.99	9	110.81	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Artichoke, globe	105.01	290	4,209.9	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Arugula	2.42	10	25.21	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Avocado	21.28	114	1,718.05	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Basil, sweet	0.6	3	8.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Bean, dried	0.97	7	51.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Bean, succulent	5.65	2	44.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Beet	5.01	7	42.23	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Bermudagrass	2.28	1	40.4	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Blackberry	323.16	120	918.65	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Blueberry	508.05	13	392.64	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Bok choy (choy sum, pak choi)	0.17	4	6.3	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Broccoli	1,534.06	2,151	22,315.52	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Brussels sprout	606.19	1,254	14,428.37	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Cabbage	314.92	565	3,689.01	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Cannabis (all or unspecified)	163.27	228	188.1	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Cannabis (all or unspecified)	281.74	215	8,837,888.0	S
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Cantaloupe	7.69	2	214.5	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Carrot	3.09	8	102.8	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Cauliflower	812.59	1,485	12,689.19	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Celery	172.81	448	2,652.8	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Cherry	507.2	337	3,552.97	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Chinese broccoli (gai lon)	0.28	1	4.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Chinese cabbage (napa, wong bok, celery cabbage)	0.03	1	1.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Cilantro	13.22	45	220.67	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Collard	1.41	8	73.3	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Corn (forage - fodder)	1,943.23	506	25,587.55	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Corn, grain	33.81	157	4,828.1	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Corn, human consumption	355.5	135	4,212.15	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Cotton	389.94	188	11,432.38	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Cucumber	0.26	2	3.25	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Fig	171.01	54	1,046.25	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Forage hay/silage	20.51	7	201.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Garlic	6.99	4	403.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Grape	1,833.85	420	12,480.2	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Grape, wine	1,692.15	569	18,917.93	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Grapefruit	28.15	11	63.79	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Herb, spice	0.63	1	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Kale	29.88	79	258.34	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Kiwi fruit fuzzy	1.63	2	14.5	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Kohlrabi	0.29	3	15.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Landscape maintenance	238.04	N/A	N/A	N/A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Leek	0.64	3	22.6	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Lemon	161.05	140	2,187.08	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Lettuce, head	161.53	384	3,846.46	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Lettuce, leaf	1,033.23	1,607	12,445.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Mustard greens	4.74	6	41.8	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	N-grnhs flower	2,247.71	730	1,507.13	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	N-grnhs flower	3.72	4	166,000.0	S
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	N-grnhs plants in containers	52.75	112	107.56	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	N-grnhs plants in containers	1.26	2	9,000.0	S
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	N-grnhs transplants	0.25	6	11.85	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	N-outdr plants in containers	70.14	38	42.29	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	N-outdr transplants	13.31	20	56.56	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Nectarine	17.73	17	216.36	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Oat	4.51	2	60.2	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Olive	553.65	89	3,456.17	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Onion, dry	15.92	34	641.2	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Orange	575.86	105	2,942.35	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Oregano	0.49	1	1.5	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Parsley	8.33	8	49.56	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Peach	131.21	122	957.16	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Pear	142.4	66	1,306.15	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Peas	41.52	107	1,029.52	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Pecan	40.07	18	378.72	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Pepper, fruiting	34.52	41	580.5	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Persimmon	6.47	6	41.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Pistachio	6,196.28	777	52,530.14	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Plum	5.91	26	76.1	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Pomegranate	9.48	5	52.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Potato	23.0	6	420.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Prune	158.22	43	1,093.44	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Pumpkin	7.01	2	69.6	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Radish	0.33	2	2.64	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Rapini	32.46	26	607.6	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Raspberry	123.72	100	450.46	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Research commodity	0.49	2	3.5	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Research commodity	0.16	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Rice	2,304.52	426	34,048.36	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Rights of way	100.06	42	1,167.8	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Rights of way	1,548.85	N/A	N/A	N/A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Ryegrass	6.77	4	62.3	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Sage	6.1	2	18.5	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Soil fumigation/preplant	1.35	1	10.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Spinach	9.1	14	95.82	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Squash	7.73	3	136.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Squash, summer	0.28	1	4.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Strawberry	16,485.82	1,034	23,899.3	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Structural pest control	0.22	N/A	N/A	N/A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Sunflower	128.99	27	2,256.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Swiss chard	5.01	24	51.03	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Tangelo	0.9	1	9.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Tangerine	615.58	140	2,972.72	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Tomato	58.03	49	1,206.3	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Tomato, processing	97.34	35	2,157.4	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Turnip	0.04	1	3.8	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Uncultivated ag	346.76	184	4,780.95	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Uncultivated non-ag	0.87	3	11.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Unknown	0.14	4	104.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Walnut	4,197.55	1,062	32,914.84	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Watermelon	2.81	1	75.0	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Wheat	26.16	15	839.2	A
<b>Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Wheat (forage - fodder)	8.9	8	379.0	A
<b>Heptyl butyrate</b>	Landscape maintenance	2.18	N/A	N/A	N/A
<b>Heptyl butyrate</b>	Structural pest control	6.79	N/A	N/A	N/A
<b>Hexaflumuron</b>	Structural pest control	0.04	N/A	N/A	N/A
<b>Hexazinone</b>	Alfalfa	20,745.53	831	44,653.23	A
<b>Hexazinone</b>	Forest, timberland	42,143.16	361	23,982.22	A
<b>Hexazinone</b>	Landscape maintenance	0.25	N/A	N/A	N/A
<b>Hexazinone</b>	Rights of way	2.31	3	4.01	A
<b>Hexylene glycol</b>	Rights of way	3,220.02	N/A	N/A	N/A
<b>Hexythiazox</b>	Alfalfa	3,089.22	310	19,629.71	A
<b>Hexythiazox</b>	Almond	35,483.77	3,032	201,632.13	A
<b>Hexythiazox</b>	Apple	2.25	2	12.0	A
<b>Hexythiazox</b>	Apricot	64.8	27	407.89	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hexythiazox	Bean, dried	69.56	11	514.0	A
Hexythiazox	Bean, unspecified	14.37	1	75.0	A
Hexythiazox	Bermudagrass	1,449.43	118	9,754.46	A
Hexythiazox	Blackberry	59.01	55	284.8	A
Hexythiazox	Cherry	696.17	157	3,766.96	A
Hexythiazox	Christmas tree	1.13	1	10.0	A
Hexythiazox	Citrus	11.84	2	75.0	A
Hexythiazox	Corn (forage - fodder)	10,780.53	1,112	63,601.69	A
Hexythiazox	Corn, grain	149.03	18	1,055.0	A
Hexythiazox	Corn, human consumption	1,046.26	199	6,935.14	A
Hexythiazox	Cotton	591.11	27	3,729.0	A
Hexythiazox	Date	257.92	138	853.38	A
Hexythiazox	Eggplant	33.78	10	183.0	A
Hexythiazox	Grape	943.61	88	5,883.17	A
Hexythiazox	Grape, wine	2,694.31	412	14,979.1	A
Hexythiazox	Grapefruit	6.95	4	36.5	A
Hexythiazox	Hops	3.42	4	20.25	A
Hexythiazox	Landscape maintenance	0.95	N/A	N/A	N/A
Hexythiazox	Lemon	147.18	51	812.03	A
Hexythiazox	N-grnhs flower	8.66	42	72.03	A
Hexythiazox	N-grnhs flower	2.03	43	598,806.0	S
Hexythiazox	N-grnhs plants in containers	44.98	329	349.59	A
Hexythiazox	N-grnhs plants in containers	0.97	36	453,090.0	S
Hexythiazox	N-grnhs plants in containers	0.13	N/A	91,800.0	U
Hexythiazox	N-grnhs transplants	10.08	74	57.75	A
Hexythiazox	N-grnhs transplants	0.29	12	35,275.0	S
Hexythiazox	N-outdr flower	14.21	46	126.56	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hexythiazox	N-outdr plants in containers	71.94	184	607.17	A
Hexythiazox	N-outdr plants in containers	0.25	2	84,000.0	S
Hexythiazox	N-outdr plants in containers	10.65	30	810,564.0	U
Hexythiazox	N-outdr transplants	162.29	76	1,385.07	A
Hexythiazox	Nectarine	423.08	154	2,333.38	A
Hexythiazox	Orange	599.12	215	3,542.76	A
Hexythiazox	Peach	783.42	390	4,454.19	A
Hexythiazox	Pear	0.66	1	3.5	A
Hexythiazox	Pepper, fruiting	54.88	12	308.25	A
Hexythiazox	Pistachio	53.35	5	283.4	A
Hexythiazox	Plum	399.81	185	2,282.93	A
Hexythiazox	Prune	33.13	6	207.5	A
Hexythiazox	Raspberry	184.78	131	979.21	A
Hexythiazox	Regulatory pest control	1.92	N/A	N/A	N/A
Hexythiazox	Research commodity	1.02	12	6.23	A
Hexythiazox	Research commodity	0.46	N/A	N/A	N/A
Hexythiazox	Soil fumigation/preplant	6.91	2	40.0	A
Hexythiazox	Sorghum (forage - fodder)	277.44	23	2,038.36	A
Hexythiazox	Strawberry	4,087.3	571	20,009.47	A
Hexythiazox	Structural pest control	0.03	N/A	N/A	N/A
Hexythiazox	Tangelo	21.59	16	150.21	A
Hexythiazox	Tangerine	494.55	120	2,709.02	A
Hexythiazox	Timothy	8.37	3	89.0	A
Hexythiazox	Tomato	6.93	7	37.55	A
Hexythiazox	Uncultivated ag	36.79	2	195.5	A
Hexythiazox	Walnut	4,321.08	577	23,628.02	A
Hexythiazox	Wheat (forage - fodder)	48.87	4	255.0	A
Humic acid	Alfalfa	205.17	152	7,239.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Humic acid	Almond	1,530.21	602	30,094.25	A
Humic acid	Apricot	0.04	1	0.89	A
Humic acid	Barley	11.94	11	472.0	A
Humic acid	Bean, dried	1.29	3	64.0	A
Humic acid	Bean, succulent	2.98	4	120.0	A
Humic acid	Broccoli	7.67	22	155.2	A
Humic acid	Cantaloupe	3.08	3	130.0	A
Humic acid	Cauliflower	0.36	1	7.5	A
Humic acid	Cherry	54.45	58	701.66	A
Humic acid	Cilantro	0.15	1	2.0	A
Humic acid	Corn (forage - fodder)	44.19	40	2,064.9	A
Humic acid	Corn, grain	8.12	8	304.0	A
Humic acid	Cotton	196.71	75	19,141.01	A
Humic acid	Ditch bank	1.42	37	370.0	A
Humic acid	Garlic	19.9	6	828.33	A
Humic acid	Grape	37.92	54	1,059.9	A
Humic acid	Grape, wine	67.7	176	1,664.79	A
Humic acid	Grapefruit	1.21	4	50.0	A
Humic acid	Landscape maintenance	0.48	N/A	N/A	N/A
Humic acid	Lemon	2.14	14	56.1	A
Humic acid	Melon	2.36	1	157.0	A
Humic acid	N-grnhs plants in containers	4.67	22	47.5	A
Humic acid	N-outdr flower	0.48	5	2.77	A
Humic acid	N-outdr plants in containers	0.17	4	4.0	A
Humic acid	N-outdr transplants	1.55	4	9.5	A
Humic acid	Nectarine	1.47	8	59.4	A
Humic acid	Oat (forage - fodder)	3.42	4	89.0	A
Humic acid	Olive	3.29	3	95.0	A
Humic acid	Onion, dry	11.24	3	456.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Humic acid	Orange	10.34	52	317.82	A
Humic acid	Peach	1.88	12	58.88	A
Humic acid	Persimmon	3.56	9	65.39	A
Humic acid	Pistachio	116.46	69	4,430.05	A
Humic acid	Plum	0.22	1	4.44	A
Humic acid	Prune	0.51	2	13.0	A
Humic acid	Pumpkin	17.27	19	525.0	A
Humic acid	Rangeland	1.92	1	200.0	A
Humic acid	Rights of way	278.82	53	22,797.0	A
Humic acid	Rights of way	5.17	N/A	N/A	N/A
Humic acid	Safflower	17.0	41	10,033.0	A
Humic acid	Soil fumigation/preplant	0.31	2	700.0	A
Humic acid	Tangelo	0.19	1	8.0	A
Humic acid	Tangerine	12.73	39	490.6	A
Humic acid	Tomato, processing	192.5	100	5,984.5	A
Humic acid	Triticale	0.46	1	24.0	A
Humic acid	Uncultivated ag	199.35	157	4,758.8	A
Humic acid	Uncultivated non-ag	2.04	5	34.0	A
Humic acid	Walnut	444.54	215	7,377.07	A
Humic acid	Watermelon	8.82	4	288.0	A
Humic acid	Wheat	9.75	11	726.0	A
Humic acid	Wheat (forage - fodder)	25.27	5	656.6	A
Hydramethylnon	Almond	7.55	22	1,904.46	A
Hydramethylnon	Avocado	0.02	1	1.0	A
Hydramethylnon	Landscape maintenance	47.89	N/A	N/A	N/A
Hydramethylnon	N-grnhs plants in containers	7.52	111	302.8	A
Hydramethylnon	N-grnhs plants in containers	<0.01	3	94,000.0	S
Hydramethylnon	N-grnhs plants in containers	<0.01	N/A	705.0	U



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hydramethylnon	N-outdr flower	0.05	2	2.0	A
Hydramethylnon	N-outdr plants in containers	31.65	244	1,531.27	A
Hydramethylnon	N-outdr plants in containers	0.02	5	132,005.0	S
Hydramethylnon	N-outdr transplants	<0.01	3	0.12	A
Hydramethylnon	Orange	<0.01	4	19.9	A
Hydramethylnon	Public health	122.6	N/A	N/A	N/A
Hydramethylnon	Regulatory pest control	0.18	N/A	N/A	N/A
Hydramethylnon	Rights of way	<0.01	N/A	N/A	N/A
Hydramethylnon	Structural pest control	231.02	N/A	N/A	N/A
Hydramethylnon	Turf/sod	0.62	3	114.0	A
Hydramethylnon	Uncultivated ag	<0.01	1	1.0	A
Hydrogen chloride	Landscape maintenance	218.59	N/A	N/A	N/A
Hydrogen chloride	N-grnhs plants in containers	0.22	1	3.05	A
Hydrogen chloride	N-outdr flower	0.1	4	15.5	A
Hydrogen chloride	Regulatory pest control	635.75	N/A	N/A	N/A
Hydrogen chloride	Uncultivated ag	<0.01	3	4.0	S
Hydrogen cyanamide	Almond	1,103.72	2	65.0	A
Hydrogen cyanamide	Apple	1,808.45	13	316.5	A
Hydrogen cyanamide	Cherry	192,956.58	564	13,497.97	A
Hydrogen cyanamide	Grape	303,149.56	558	22,744.76	A
Hydrogen cyanamide	Grape, wine	783.56	2	44.37	A
Hydrogen cyanamide	Kiwi fruit fuzzy	26,923.67	77	1,532.3	A
Hydrogen cyanamide	N-outdr plants in containers	26.49	1	1.5	A
Hydrogen cyanamide	Pistachio	3,837.43	14	217.3	A
Hydrogen cyanamide	Walnut	1,412.77	2	80.0	A
Hydrogen peroxide	Alfalfa	34.27	2	114.0	A
Hydrogen peroxide	Almond	22,129.67	131	13,435.98	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hydrogen peroxide	Animal premise	914.77	N/A	76.16	A
Hydrogen peroxide	Animal premise	377.88	N/A	1,667,108.0	S
Hydrogen peroxide	Animal premise	6,042.43	N/A	400,521.0	U
Hydrogen peroxide	Apple	205.47	28	181.1	A
Hydrogen peroxide	Apricot	8.93	2	13.5	A
Hydrogen peroxide	Arugula	2,671.25	145	1,307.01	A
Hydrogen peroxide	Avocado	326.35	7	9.4	A
Hydrogen peroxide	Avocado	3.23	3	25,700.0	U
Hydrogen peroxide	Basil, sweet	60.0	39	75.07	A
Hydrogen peroxide	Bean, succulent	11.8	3	21.2	A
Hydrogen peroxide	Bean, unspecified	72.58	9	33.96	A
Hydrogen peroxide	Beet	0.55	10	16.45	A
Hydrogen peroxide	Blackberry	3,282.53	172	1,527.78	A
Hydrogen peroxide	Blueberry	4,507.82	93	2,742.77	A
Hydrogen peroxide	Broccoli	205.12	182	2,647.16	A
Hydrogen peroxide	Brussels sprout	47.11	1	18.93	A
Hydrogen peroxide	Buildings/non-ag outdoor	1.56	N/A	31.0	U
Hydrogen peroxide	Cabbage	2,084.37	50	1,633.48	A
Hydrogen peroxide	Cannabis (all or unspecified)	437.26	311	115.53	A
Hydrogen peroxide	Cannabis (all or unspecified)	2,304.0	3,464	12,983,427.5	S
Hydrogen peroxide	Carrot	2,302.76	13	925.6	A
Hydrogen peroxide	Cauliflower	295.78	98	1,383.33	A
Hydrogen peroxide	Celery	2,542.84	104	1,699.59	A
Hydrogen peroxide	Cherry	1,126.23	33	949.7	A
Hydrogen peroxide	Chive	1.06	2	2.5	A
Hydrogen peroxide	Cilantro	346.06	20	134.58	A
Hydrogen peroxide	Citrus	1,440.71	N/A	153,498.6	T
Hydrogen peroxide	Cole crop	0.9	3	1.25	A
Hydrogen peroxide	Collard	137.98	11	41.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hydrogen peroxide	Commercial storages or warehouses (all or unspec)	0.18	N/A	25,000.0	S
Hydrogen peroxide	Commercial, institutional or industrial areas	2.33	N/A	318,050.0	S
Hydrogen peroxide	Commodity fumigation	3,273.84	N/A	N/A	N/A
Hydrogen peroxide	Corn, human consumption	31.67	7	203.5	A
Hydrogen peroxide	Cucumber	278.05	18	244.3	A
Hydrogen peroxide	Cucumber	1.68	4	5,072.0	S
Hydrogen peroxide	Daikon	7.47	1	6.0	A
Hydrogen peroxide	Dill	7.0	11	18.0	A
Hydrogen peroxide	Ditch bank	6,854.16	N/A	1,072.0	A
Hydrogen peroxide	Ditch bank	100,636.04	N/A	1,436,063.0	U
Hydrogen peroxide	Endive (escarole)	1.15	40	45.3	A
Hydrogen peroxide	Farm/ag building	0.04	N/A	0.05	A
Hydrogen peroxide	Farm/ag building	264.58	N/A	24,192.0	S
Hydrogen peroxide	Fennel	2.17	3	3.0	A
Hydrogen peroxide	Food processing plant	333.32	17	88,009.77	?
Hydrogen peroxide	Food processing plant	28.12	N/A	3,400.0	K
Hydrogen peroxide	Food processing plant	427.42	N/A	215,751.0	T
Hydrogen peroxide	Food processing plant	150.16	N/A	1.0	U
Hydrogen peroxide	Fumigation, other	224.9	N/A	N/A	N/A
Hydrogen peroxide	Garlic	224.59	4	203.0	A
Hydrogen peroxide	Grape	48,792.56	508	21,990.24	A
Hydrogen peroxide	Grape, wine	35,293.67	950	24,145.61	A
Hydrogen peroxide	Grapefruit	334.48	N/A	20,392.88	T
Hydrogen peroxide	Herb, spice	24.58	21	22.83	A
Hydrogen peroxide	Household	0.42	N/A	5,500.0	S
Hydrogen peroxide	Industrial hemp	9.96	37	157,800.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hydrogen peroxide	Industrial processing water	44.59	N/A	108.0	U
Hydrogen peroxide	Kale	1,283.69	133	717.06	A
Hydrogen peroxide	Landscape maintenance	15.48	3	7.5	A
Hydrogen peroxide	Landscape maintenance	9,932.09	N/A	N/A	N/A
Hydrogen peroxide	Leek	21.26	2	8.6	A
Hydrogen peroxide	Lemon	134.46	7	27.0	A
Hydrogen peroxide	Lemon	5,183.52	N/A	183,605.42	T
Hydrogen peroxide	Lettuce, head	5,097.51	1,185	26,969.94	A
Hydrogen peroxide	Lettuce, head	12.29	12	142,790.0	S
Hydrogen peroxide	Lettuce, leaf	32,522.48	2,196	36,333.03	A
Hydrogen peroxide	Lettuce, leaf	0.44	4	1,600.0	S
Hydrogen peroxide	Melon	8.96	1	18.0	A
Hydrogen peroxide	Mint	14.63	7	8.0	A
Hydrogen peroxide	Mizuna	686.24	27	135.43	A
Hydrogen peroxide	Mustard	68.09	40	159.92	A
Hydrogen peroxide	Mustard greens	99.75	23	94.0	A
Hydrogen peroxide	N-grnhs flower	8.84	3	2.0	A
Hydrogen peroxide	N-grnhs plants in containers	1,054.56	499	752.26	A
Hydrogen peroxide	N-grnhs plants in containers	21.75	32	358,685.88	S
Hydrogen peroxide	N-grnhs transplants	765.52	95	559.12	A
Hydrogen peroxide	N-grnhs transplants	181.54	141	2,433,426.0	S
Hydrogen peroxide	N-grnhs transplants	4.64	18	66.0	U
Hydrogen peroxide	N-outdr flower	7,939.52	181	674.1	A
Hydrogen peroxide	N-outdr plants in containers	689.13	181	523.08	A
Hydrogen peroxide	N-outdr plants in containers	5.46	3	62,000.0	S
Hydrogen peroxide	N-outdr plants in containers	12.37	N/A	339,810.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hydrogen peroxide	N-outdr transplants	213.72	48	296.29	A
Hydrogen peroxide	N-outdr transplants	1,508.48	111	15,859,447.0	S
Hydrogen peroxide	Nectarine	1,766.94	139	4,642.96	A
Hydrogen peroxide	Oat (forage - fodder)	150.76	6	360.0	A
Hydrogen peroxide	Olive	0.93	1	0.99	A
Hydrogen peroxide	Onion, dry	846.6	19	368.51	A
Hydrogen peroxide	Onion, dry	61.52	N/A	6,620.0	T
Hydrogen peroxide	Orange	1.24	1	2.0	A
Hydrogen peroxide	Orange	10,559.26	N/A	735,253.9	T
Hydrogen peroxide	Oregano	0.39	1	1.0	A
Hydrogen peroxide	Parsley	94.38	22	71.4	A
Hydrogen peroxide	Peach	4,375.33	355	16,384.95	A
Hydrogen peroxide	Pear	442.29	20	202.6	A
Hydrogen peroxide	Pear, asian (oriental pear, ya, ya li, nashi)	182.22	12	132.5	A
Hydrogen peroxide	Pepper, fruiting	1,511.55	56	1,294.49	A
Hydrogen peroxide	Pistachio	3,044.83	26	2,490.39	A
Hydrogen peroxide	Plum	92.64	48	326.2	A
Hydrogen peroxide	Pome fruit	2.46	1	1.0	A
Hydrogen peroxide	Potato	1,351.78	16	623.23	A
Hydrogen peroxide	Potato	277.98	N/A	84,003.0	T
Hydrogen peroxide	Pumpkin	54.81	3	20.34	A
Hydrogen peroxide	Quince	24.9	2	10.0	A
Hydrogen peroxide	Radish	76.02	9	84.35	A
Hydrogen peroxide	Raspberry	1,447.02	136	1,092.43	A
Hydrogen peroxide	Regulatory pest control	1,491.42	N/A	N/A	N/A
Hydrogen peroxide	Research commodity	63.64	69	11.14	A
Hydrogen peroxide	Research commodity	7.59	50	132,620.0	S
Hydrogen peroxide	Research commodity	23.4	N/A	N/A	N/A
Hydrogen peroxide	Rights of way	1,886.45	N/A	N/A	N/A
Hydrogen peroxide	Root vegetable	15.78	8	10.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hydrogen peroxide	Rosemary	3.89	4	2.0	A
Hydrogen peroxide	Sage	36.49	6	17.0	A
Hydrogen peroxide	Spinach	9,762.43	545	6,639.09	A
Hydrogen peroxide	Squash	161.19	17	147.0	A
Hydrogen peroxide	Strawberry	28,751.09	545	11,635.58	A
Hydrogen peroxide	Strawberry	5.52	28	28,326.0	S
Hydrogen peroxide	Structural pest control	2,130.57	N/A	N/A	N/A
Hydrogen peroxide	Sweet potato	89.6	2	36.0	A
Hydrogen peroxide	Swiss chard	837.27	79	494.37	A
Hydrogen peroxide	Tangelo	254.66	N/A	10,329.56	T
Hydrogen peroxide	Tangerine	3,699.55	45	811.27	A
Hydrogen peroxide	Tangerine	486.09	N/A	40,921.76	T
Hydrogen peroxide	Tarragon	0.39	2	1.0	A
Hydrogen peroxide	Tomatillo	1.79	2	0.24	A
Hydrogen peroxide	Tomato	973.12	64	1,057.79	A
Hydrogen peroxide	Tomato	0.14	1	2,520.0	S
Hydrogen peroxide	Tomato, processing	1,875.55	77	5,062.71	A
Hydrogen peroxide	Uncultivated ag	635.52	20	173.35	A
Hydrogen peroxide	Uncultivated ag	1.06	3	6,000.0	S
Hydrogen peroxide	Uncultivated non-ag	0.47	1	1.5	A
Hydrogen peroxide	Uncultivated non-ag	0.4	N/A	3,622.0	S
Hydrogen peroxide	Unknown	3.44	1	1.38	A
Hydrogen peroxide	Vegetable	0.58	1	0.2	A
Hydrogen peroxide	Vegetable	16.3	74	730,400.0	S
Hydrogen peroxide	Vegetables, leafy	6.75	5	5.9	A
Hydrogen peroxide	Walnut	58.26	1	78.0	A
Hydrogen peroxide	Water (industrial)	252.33	N/A	27.1	A
Hydrogen peroxide	Water (industrial)	9,985.25	N/A	126.8	U
Hydrogen peroxide	Water area	555.75	1	179.5	A
Hydrogen peroxide	Water area	681.23	N/A	24,849.0	T
Hydrogen peroxide	Water area	20,994.17	N/A	17,662.29	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Hydrogen peroxide	Water washer/cooler/condenser systems	136.25	N/A	0.01	U
Hydrogen peroxide	Watermelon	86.64	9	279.25	A
Hydroprene	Landscape maintenance	0.56	N/A	N/A	N/A
Hydroprene	N-grnhs plants in containers	0.05	2	2.0	A
Hydroprene	N-grnhs plants in containers	0.11	6	80,400.0	S
Hydroprene	N-outdr plants in containers	0.01	1	400.0	S
Hydroprene	Regulatory pest control	51.8	N/A	N/A	N/A
Hydroprene	Structural pest control	8,437.41	N/A	N/A	N/A
Hydrotreated paraffinic solvent	Alfalfa	45.3	16	1,460.7	A
Hydrotreated paraffinic solvent	Almond	39.33	38	1,502.83	A
Hydrotreated paraffinic solvent	Broccoli	3.92	3	40.83	A
Hydrotreated paraffinic solvent	Cauliflower	2.0	2	26.0	A
Hydrotreated paraffinic solvent	Celery	18.44	17	197.2	A
Hydrotreated paraffinic solvent	Cherry	0.44	4	23.45	A
Hydrotreated paraffinic solvent	Corn (forage - fodder)	61.7	46	1,992.25	A
Hydrotreated paraffinic solvent	Cotton	3.17	4	165.0	A
Hydrotreated paraffinic solvent	Garbanzo bean	0.38	1	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Hydrotreated paraffinic solvent	Garlic	14.34	2	78.0	A
Hydrotreated paraffinic solvent	Grape, wine	233.06	2	264.44	A
Hydrotreated paraffinic solvent	Lettuce, leaf	0.99	1	13.0	A
Hydrotreated paraffinic solvent	Oat (forage - fodder)	31.76	12	662.3	A
Hydrotreated paraffinic solvent	Onion, dry	2.19	1	115.0	A
Hydrotreated paraffinic solvent	Orange	54.33	15	354.5	A
Hydrotreated paraffinic solvent	Peach	3.1	4	161.2	A
Hydrotreated paraffinic solvent	Pistachio	23.64	33	2,010.28	A
Hydrotreated paraffinic solvent	Rice	1,931.14	12	1,251.7	A
Hydrotreated paraffinic solvent	Sorghum (forage - fodder)	16.68	10	760.8	A
Hydrotreated paraffinic solvent	Spinach	2.06	10	30.8	A
Hydrotreated paraffinic solvent	Squash	3.06	1	30.0	A
Hydrotreated paraffinic solvent	Strawberry	0.49	2	26.03	A
Hydrotreated paraffinic solvent	Structural pest control	3.6	N/A	N/A	N/A
Hydrotreated paraffinic solvent	Tangelo	6.69	2	43.6	A
Hydrotreated paraffinic solvent	Tangerine	3.75	1	24.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Hydrotreated paraffinic solvent</b>	Tomato, processing	251.51	6	590.4	A
<b>Hydrotreated paraffinic solvent</b>	Triticale	54.18	15	884.3	A
<b>Hydrotreated paraffinic solvent</b>	Uncultivated ag	3.95	9	128.5	A
<b>Hydrotreated paraffinic solvent</b>	Walnut	34.36	3	161.0	A
<b>Hydrotreated paraffinic solvent</b>	Wheat (forage - fodder)	139.86	71	5,087.55	A
<b>Hypochlorous acid</b>	Landscape maintenance	0.01	N/A	N/A	N/A
<b>Iba</b>	Cannabis (all or unspecified)	2.23	43	64.5	A
<b>Iba</b>	Cannabis (all or unspecified)	0.24	288	219,913.0	S
<b>Iba</b>	Cannabis (all or unspecified)	0.51	326	733,151.0	U
<b>Iba</b>	N-grnhs flower	<0.01	4	4.0	A
<b>Iba</b>	N-grnhs flower	0.03	14	39,832.0	S
<b>Iba</b>	N-grnhs flower	0.3	95	160,713.0	U
<b>Iba</b>	N-grnhs plants in containers	2.55	101	316.87	A
<b>Iba</b>	N-grnhs plants in containers	15.63	152	2,226,504.28	S
<b>Iba</b>	N-grnhs plants in containers	0.04	16	484,919.0	U
<b>Iba</b>	N-grnhs transplants	5.51	48	1,504.06	A
<b>Iba</b>	N-grnhs transplants	0.91	102	738,250.0	S
<b>Iba</b>	N-outdr plants in containers	0.03	2	6.0	A
<b>Iba</b>	N-outdr plants in containers	6.25	249	536,262.02	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Iba	N-outdr plants in containers	0.24	26	47,413.0	U
Iba	N-outdr transplants	0.21	67	201.0	A
Imazalil	Citrus	1,049.86	N/A	176,829.73	T
Imazalil	Commodity fumigation	1,071.19	N/A	N/A	N/A
Imazalil	Food processing plant	201.01	11	49,750.62	?
Imazalil	Food processing plant	700.09	N/A	221,252.0	T
Imazalil	Fumigation, other	57.89	N/A	N/A	N/A
Imazalil	Grapefruit	384.56	N/A	43,471.51	T
Imazalil	Landscape maintenance	60.33	N/A	N/A	N/A
Imazalil	Lemon	4.16	N/A	977.0	K
Imazalil	Lemon	4,193.55	N/A	1,435,539.15	T
Imazalil	Lime	1.26	N/A	172.84	T
Imazalil	N-grnhs transplants	6.24	N/A	1,554.0	T
Imazalil	Orange	13,083.98	N/A	1,872,028.98	T
Imazalil	Tangelo	77.11	N/A	10,556.82	T
Imazalil	Tangerine	12.09	N/A	1,500,760.0	P
Imazalil	Tangerine	275.65	N/A	40,765.38	T
Imazalil sulfate	Citrus	6,705.91	N/A	167,280.55	T
Imazalil sulfate	Commodity fumigation	2,389.0	N/A	N/A	N/A
Imazalil sulfate	Food processing plant	815.01	10	99,358.74	?
Imazalil sulfate	Food processing plant	2,227.0	N/A	90,284.0	T
Imazalil sulfate	Fumigation, other	451.0	N/A	N/A	N/A
Imazalil sulfate	Landscape maintenance	11.0	N/A	N/A	N/A
Imazalil sulfate	Lemon	20.0	N/A	691.0	K
Imazalil sulfate	Lemon	677.0	N/A	88,105.0	T
Imazalil sulfate	Orange	6,797.5	N/A	570,463.0	T
Imazamox, ammonium salt	Alfalfa	3,280.04	1,442	82,172.08	A
Imazamox, ammonium salt	Canola (rape)	0.17	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Imazamox, ammonium salt	Golf course turf	1.06	N/A	5.0	A
Imazamox, ammonium salt	Landscape maintenance	63.52	N/A	N/A	N/A
Imazamox, ammonium salt	N-grnhs transplants	0.26	N/A	0.5	A
Imazamox, ammonium salt	Rights of way	5.0	3	9.5	A
Imazamox, ammonium salt	Rights of way	1,234.11	N/A	N/A	N/A
Imazamox, ammonium salt	Sunflower	29.16	24	807.2	A
Imazamox, ammonium salt	Uncultivated ag	0.47	1	14.0	A
Imazamox, ammonium salt	Uncultivated non-ag	1.0	1	20.0	A
Imazamox, ammonium salt	Water (industrial)	5.82	N/A	4.5	A
Imazamox, ammonium salt	Water area	2,139.03	1	2,168.51	A
Imazamox, ammonium salt	Water area	0.2	N/A	62,100.0	S
Imazapic, ammonium salt	Landscape maintenance	3.5	N/A	N/A	N/A
Imazapic, ammonium salt	N-outdr flower	0.22	1	3.0	A
Imazapyr, isopropylamine salt	Commercial, institutional or industrial areas	66.57	N/A	60.0	A
Imazapyr, isopropylamine salt	Commercial, institutional or industrial areas	0.03	N/A	8,100.0	C
Imazapyr, isopropylamine salt	Commercial, institutional or industrial areas	0.58	N/A	407,393.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Imazapyr, isopropylamine salt</b>	Ditch bank	3.21	N/A	1.29	A
<b>Imazapyr, isopropylamine salt</b>	Ditch bank	0.02	N/A	1,750.0	S
<b>Imazapyr, isopropylamine salt</b>	Forest, timberland	41,725.42	1,836	65,071.03	A
<b>Imazapyr, isopropylamine salt</b>	Forest, timberland	503.39	5	6,556.0	U
<b>Imazapyr, isopropylamine salt</b>	Landscape maintenance	2,184.33	N/A	N/A	N/A
<b>Imazapyr, isopropylamine salt</b>	N-outdr plants in containers	0.02	13	12.5	A
<b>Imazapyr, isopropylamine salt</b>	N-outdr plants in containers	<0.01	1	2,000.0	S
<b>Imazapyr, isopropylamine salt</b>	Pastureland	0.03	3	0.37	A
<b>Imazapyr, isopropylamine salt</b>	Rangeland	0.2	1	0.05	A
<b>Imazapyr, isopropylamine salt</b>	Recreation area	0.77	N/A	0.25	A
<b>Imazapyr, isopropylamine salt</b>	Regulatory pest control	24.45	N/A	N/A	N/A
<b>Imazapyr, isopropylamine salt</b>	Rights of way	80.16	13	163.0	A
<b>Imazapyr, isopropylamine salt</b>	Rights of way	8,933.56	N/A	N/A	N/A
<b>Imazapyr, isopropylamine salt</b>	Structural pest control	16.98	N/A	N/A	N/A
<b>Imazapyr, isopropylamine salt</b>	Uncultivated ag	100.08	10	89.0	A
<b>Imazapyr, isopropylamine salt</b>	Uncultivated ag	0.02	1	21,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imazapyr, isopropylamine salt	Uncultivated non-ag	121.35	4	395.51	A
Imazapyr, isopropylamine salt	Vertebrate control	5.68	N/A	N/A	N/A
Imazapyr, isopropylamine salt	Water (industrial)	5.05	N/A	8.0	A
Imazapyr, isopropylamine salt	Water area	69.42	N/A	21.87	A
Imazapyr, isopropylamine salt	Water area	0.91	N/A	5,736.0	S
Imazethapyr	Alfalfa	16.84	2	70.0	A
Imazethapyr, ammonium salt	Alfalfa	4,119.23	932	56,087.41	A
Imazethapyr, ammonium salt	Bean, succulent	0.99	1	20.0	A
Imazethapyr, ammonium salt	Clover	29.95	6	323.0	A
Imazethapyr, ammonium salt	Forage hay/silage	10.27	2	155.0	A
Imazosulfuron	Golf course turf	9.64	N/A	17.14	A
Imazosulfuron	Golf course turf	0.07	N/A	5,000.0	S
Imazosulfuron	Landscape maintenance	330.58	N/A	N/A	N/A
Imazosulfuron	N-grnhs flower	17.29	N/A	46.6	A
Imazosulfuron	N-grnhs flower	0.19	N/A	10,000.0	S
Imazosulfuron	Research commodity	<0.01	N/A	N/A	N/A
Imazosulfuron	Rice	987.2	103	7,672.57	A
Imazosulfuron	Sod farm (turf)	2.25	1	6.0	A
Imazosulfuron	Structural pest control	4.5	N/A	N/A	N/A
Imazosulfuron	Turf/sod	28.31	4	73.0	A
Imazosulfuron	Turf/sod	0.03	N/A	2,000.0	S
Imidacloprid	Almond	12.88	6	251.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Animal premise	1,199.8	N/A	60.0	U
Imidacloprid	Apple	100.98	45	861.13	A
Imidacloprid	Apricot	9.18	10	139.09	A
Imidacloprid	Artichoke, globe	327.02	199	2,514.31	A
Imidacloprid	Arugula	79.33	149	749.62	A
Imidacloprid	Avocado	20.14	38	207.0	A
Imidacloprid	Avocado	0.74	3	25,700.0	U
Imidacloprid	Basil, sweet	58.74	22	582.28	A
Imidacloprid	Bean, dried	311.01	121	6,672.21	A
Imidacloprid	Bean, succulent	164.42	38	728.16	A
Imidacloprid	Bean, unspecified	27.54	40	544.41	A
Imidacloprid	Beet	49.54	69	434.16	A
Imidacloprid	Bitter melon	0.14	1	3.0	A
Imidacloprid	Blackberry	95.81	41	398.75	A
Imidacloprid	Blueberry	416.45	71	2,023.97	A
Imidacloprid	Bok choy (choy sum, pak choi)	284.97	562	1,824.45	A
Imidacloprid	Broccoli	8,513.28	3,556	40,760.58	A
Imidacloprid	Brussels sprout	1,851.41	780	9,579.25	A
Imidacloprid	Cabbage	1,369.6	1,040	7,160.62	A
Imidacloprid	Cabbage	0.81	3	17.5	U
Imidacloprid	Cabbage, savoy	1.43	4	32.65	A
Imidacloprid	Canola (rape)	22.58	14	62.5	A
Imidacloprid	Cantaloupe	1,893.59	89	5,348.98	A
Imidacloprid	Carrot	1,063.08	97	4,929.8	A
Imidacloprid	Cauliflower	4,328.77	1,760	17,506.14	A
Imidacloprid	Celeriac	8.53	18	23.84	A
Imidacloprid	Celery	1,297.87	352	3,706.27	A
Imidacloprid	Cherry	1,112.05	508	10,585.23	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Chinese amaranth (chinese spinach, tampala, yin choy)	0.38	1	0.25	A
Imidacloprid	Chinese broccoli (gai lon)	64.15	134	895.1	A
Imidacloprid	Chinese cabbage (napa, wong bok, celery cabbage)	172.35	463	2,189.74	A
Imidacloprid	Chinese greens	51.23	45	150.0	A
Imidacloprid	Chive	1.47	5	22.0	A
Imidacloprid	Christmas tree	1.61	4	13.0	A
Imidacloprid	Christmas tree	<0.01	1	400.0	S
Imidacloprid	Cilantro	451.75	500	2,122.0	A
Imidacloprid	Citrus	150.42	47	221.82	A
Imidacloprid	Citrus	4.65	12	33,035.6	S
Imidacloprid	Citrus	18.59	10	58,312.0	U
Imidacloprid	Collard	75.64	81	294.33	A
Imidacloprid	Commercial, institutional or industrial areas	0.02	N/A	1,000.0	S
Imidacloprid	Commercial, institutional or industrial areas	0.13	N/A	0.03	U
Imidacloprid	Cotton	4,423.43	477	48,983.06	A
Imidacloprid	Cotton	968.8	N/A	6,084.78	T
Imidacloprid	Cucumber	81.91	23	267.52	A
Imidacloprid	Daikon	17.25	18	123.0	A
Imidacloprid	Dandelion green	5.27	19	14.55	A
Imidacloprid	Dill	37.92	3	103.0	A
Imidacloprid	Eggplant	54.01	51	757.03	A
Imidacloprid	Endive (escarole)	34.83	59	514.78	A
Imidacloprid	Fava bean	5.26	15	93.0	A
Imidacloprid	Fennel	5.95	5	18.2	A
Imidacloprid	Fumigation, other	91.65	N/A	N/A	N/A
Imidacloprid	Gai choy	4.33	35	103.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Gai lon	47.88	142	476.28	A
Imidacloprid	Garlic	937.1	37	2,236.9	A
Imidacloprid	Golf course turf	169.88	2	548.03	A
Imidacloprid	Gourds (edible)	0.09	1	2.0	A
Imidacloprid	Grape	31,868.77	2,579	101,951.59	A
Imidacloprid	Grape, wine	68,338.32	3,599	167,035.25	A
Imidacloprid	Grape, wine	0.56	1	300,006.0	U
Imidacloprid	Grapefruit	1,087.68	106	2,445.82	A
Imidacloprid	Herb, spice	27.25	7	132.95	A
Imidacloprid	Kale	133.01	229	969.96	A
Imidacloprid	Kohlrabi	7.88	27	28.77	A
Imidacloprid	Kumquat	13.64	16	48.51	A
Imidacloprid	Landscape maintenance	16.96	11	23.32	A
Imidacloprid	Landscape maintenance	13,780.78	N/A	N/A	N/A
Imidacloprid	Lemon	8,204.35	795	21,972.02	A
Imidacloprid	Lettuce, head	6,896.71	3,914	45,518.95	A
Imidacloprid	Lettuce, leaf	7,977.49	6,431	60,830.46	A
Imidacloprid	Lime	38.36	6	122.6	A
Imidacloprid	Melon	812.95	58	2,762.07	A
Imidacloprid	Mizuna	25.97	12	86.0	A
Imidacloprid	Mustard	38.82	175	430.58	A
Imidacloprid	Mustard greens	44.34	68	250.65	A
Imidacloprid	N-grnhs flower	143.55	64	211.18	A
Imidacloprid	N-grnhs flower	4.37	39	848,526.0	S
Imidacloprid	N-grnhs flower	0.82	2	3,037.0	U
Imidacloprid	N-grnhs plants in containers	<0.01	1	5,000.0	?
Imidacloprid	N-grnhs plants in containers	154.66	637	614.98	A
Imidacloprid	N-grnhs plants in containers	0.18	2	200.0	C



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	N-grnhs plants in containers	99.38	788	39,801,531.0	S
Imidacloprid	N-grnhs plants in containers	268.68	50	5,460,479.0	U
Imidacloprid	N-grnhs transplants	279.82	91	1,971.27	A
Imidacloprid	N-grnhs transplants	11.15	52	1,570,970.0	S
Imidacloprid	N-grnhs transplants	<0.01	N/A	1.0	U
Imidacloprid	N-outdr flower	154.04	302	1,515.67	A
Imidacloprid	N-outdr flower	0.05	1	3,000.0	S
Imidacloprid	N-outdr plants in containers	2,522.23	2,226	7,374.05	A
Imidacloprid	N-outdr plants in containers	17.1	2	40,400.0	C
Imidacloprid	N-outdr plants in containers	18.38	185	2,178,178.8	S
Imidacloprid	N-outdr plants in containers	138.54	67	1,000,524.0	U
Imidacloprid	N-outdr transplants	308.6	128	1,371.41	A
Imidacloprid	N-outdr transplants	11.49	90	10,080,056.0	S
Imidacloprid	N-outdr transplants	1.46	N/A	301.0	U
Imidacloprid	Nectarine	42.96	41	422.29	A
Imidacloprid	Okra	1.52	1	21.0	A
Imidacloprid	Olive	1.0	3	11.0	A
Imidacloprid	Onion, dry	411.76	19	943.87	A
Imidacloprid	Onion, dry	15.01	N/A	2,240.43	P
Imidacloprid	Onion, green	3.23	3	9.0	A
Imidacloprid	Orange	40,954.33	1,089	28,245.07	A
Imidacloprid	Parsley	134.44	89	656.91	A
Imidacloprid	Peach	239.95	211	2,716.11	A
Imidacloprid	Peas	101.06	306	2,200.72	A
Imidacloprid	Pecan	510.58	42	2,786.92	A
Imidacloprid	Pepper, fruiting	2,655.81	365	8,904.03	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Pepper, spice	81.02	10	196.98	A
Imidacloprid	Persimmon	24.45	12	146.6	A
Imidacloprid	Pimento	8.74	3	24.0	A
Imidacloprid	Pistachio	4,203.8	126	13,970.88	A
Imidacloprid	Plum	92.79	84	961.22	A
Imidacloprid	Pluot	0.07	1	1.66	A
Imidacloprid	Pomegranate	5,341.39	118	11,717.41	A
Imidacloprid	Pomelo	39.72	9	87.0	A
Imidacloprid	Potato	1,978.58	390	15,488.85	A
Imidacloprid	Prune	350.56	57	3,112.4	A
Imidacloprid	Public health	537.23	N/A	N/A	N/A
Imidacloprid	Pumpkin	144.32	38	494.59	A
Imidacloprid	Radicchio	46.63	36	311.12	A
Imidacloprid	Radish	10.19	41	139.63	A
Imidacloprid	Rangeland	<0.01	1	100.0	A
Imidacloprid	Rape (leafy vegetable)	2.0	2	16.0	A
Imidacloprid	Rapini	66.75	127	2,282.4	A
Imidacloprid	Raspberry	47.3	56	346.34	A
Imidacloprid	Regulatory pest control	773.91	N/A	N/A	N/A
Imidacloprid	Research commodity	15.42	91	85.61	A
Imidacloprid	Research commodity	13.02	53	353,649.0	S
Imidacloprid	Research commodity	6.21	N/A	N/A	N/A
Imidacloprid	Rights of way	0.33	27	333.5	A
Imidacloprid	Rights of way	<0.01	3	72.0	U
Imidacloprid	Rights of way	273.8	N/A	N/A	N/A
Imidacloprid	Rosemary	0.4	3	3.25	A
Imidacloprid	Soil fumigation/preplant	410.27	16	1,778.2	A
Imidacloprid	Spinach	916.74	1,346	9,329.29	A
Imidacloprid	Squash	88.25	23	311.71	A
Imidacloprid	Squash, summer	68.88	5	96.0	A
Imidacloprid	Squash, winter	22.36	5	64.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Squash, zucchini	3.69	4	15.25	A
Imidacloprid	Stone fruit	0.01	N/A	21,000.0	S
Imidacloprid	Strawberry	4,818.64	265	11,317.46	A
Imidacloprid	Structural pest control	21,394.69	N/A	N/A	N/A
Imidacloprid	Sugarbeet	5,551.11	190	13,939.46	A
Imidacloprid	Sweet potato	64.32	5	355.49	A
Imidacloprid	Swiss chard	80.1	77	234.82	A
Imidacloprid	Tangelo	429.97	43	1,017.04	A
Imidacloprid	Tangerine	6,242.09	525	13,739.59	A
Imidacloprid	Tarragon	0.02	1	0.4	A
Imidacloprid	Tomatillo	0.13	1	1.5	A
Imidacloprid	Tomato	3,682.85	404	17,950.01	A
Imidacloprid	Tomato, processing	33,433.89	1,809	148,584.63	A
Imidacloprid	Tropical/subtropical fruit	4.66	20	32.23	A
Imidacloprid	Turf/sod	51.28	4	139.5	A
Imidacloprid	Turf/sod	0.45	N/A	180,000.0	S
Imidacloprid	Turnip	23.89	41	69.04	A
Imidacloprid	Uncultivated ag	19.05	5	60.34	A
Imidacloprid	Uncultivated non-ag	<0.01	1	0.25	A
Imidacloprid	Vegetables, fruiting	0.05	2	0.7	A
Imidacloprid	Vegetables, leafy	5.44	18	42.8	A
Imidacloprid	Vertebrate control	18.25	N/A	N/A	N/A
Imidacloprid	Walnut	5,455.85	1,453	64,092.29	A
Imidacloprid	Watercress	5.79	11	50.0	A
Imidacloprid	Watermelon	1,122.56	122	3,384.08	A
Imidacloprid	Yam	2.15	4	9.0	A
Imiprothrin	Structural pest control	<0.01	N/A	N/A	N/A
Indaziflam	Airport	0.36	N/A	6.0	A
Indaziflam	Alfalfa	3.33	1	80.0	A
Indaziflam	Almond	11,266.52	6,218	250,167.36	A
Indaziflam	Apple	0.11	2	7.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Indaziflam	Apricot	14.97	49	359.31	A
Indaziflam	Avocado	0.13	1	6.0	A
Indaziflam	Blueberry	20.49	12	601.39	A
Indaziflam	Cherry	104.45	234	2,333.68	A
Indaziflam	Chestnut	0.46	1	7.0	A
Indaziflam	Citrus	1.78	13	31.66	A
Indaziflam	Commercial, institutional or industrial areas	11.92	N/A	294.0	A
Indaziflam	Commercial, institutional or industrial areas	0.27	N/A	139,781.0	S
Indaziflam	Commodity fumigation	0.21	N/A	N/A	N/A
Indaziflam	Fig	14.15	4	309.8	A
Indaziflam	Forest, timberland	825.16	224	7,789.91	A
Indaziflam	Golf course turf	9.9	N/A	340.56	A
Indaziflam	Golf course turf	<0.01	N/A	3,000.0	S
Indaziflam	Grape	738.08	776	20,279.88	A
Indaziflam	Grape, wine	2,883.42	3,991	74,777.85	A
Indaziflam	Grapefruit	196.17	160	3,427.62	A
Indaziflam	Landscape maintenance	8.67	9	84.0	A
Indaziflam	Landscape maintenance	1,971.11	N/A	N/A	N/A
Indaziflam	Lemon	830.3	713	14,487.47	A
Indaziflam	Lime	1.26	6	20.33	A
Indaziflam	N-grnhs flower	3.57	4	91.0	A
Indaziflam	N-grnhs flower	0.04	8	234,520.0	S
Indaziflam	N-grnhs plants in containers	4.67	118	220.5	A
Indaziflam	N-grnhs plants in containers	0.14	14	224,870.0	S
Indaziflam	N-grnhs transplants	3.39	2	100.2	A
Indaziflam	N-outdr plants in containers	<0.01	45	10.24	?

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Indaziflam	N-outdr plants in containers	233.64	1,318	3,358.12	A
Indaziflam	N-outdr plants in containers	0.39	21	214,911.92	S
Indaziflam	N-outdr plants in containers	0.17	15	107,378.25	U
Indaziflam	N-outdr transplants	1.04	10	25.2	A
Indaziflam	Nectarine	205.73	354	4,408.44	A
Indaziflam	Olive	118.9	118	2,934.81	A
Indaziflam	Orange	4,292.71	3,214	71,898.18	A
Indaziflam	Orchard floor	0.23	1	4.5	A
Indaziflam	Pastureland	1.31	2	20.14	A
Indaziflam	Peach	377.25	655	7,890.48	A
Indaziflam	Pear	26.81	39	524.51	A
Indaziflam	Pear, asian (oriental pear, ya, ya li, nashi)	0.17	3	17.5	A
Indaziflam	Pecan	9.65	17	175.37	A
Indaziflam	Pistachio	3,957.99	1,640	81,483.46	A
Indaziflam	Plum	145.64	265	3,087.5	A
Indaziflam	Pomegranate	1.12	2	24.5	A
Indaziflam	Pomelo	22.94	45	417.26	A
Indaziflam	Prune	239.73	173	5,172.22	A
Indaziflam	Public health	3.15	N/A	N/A	N/A
Indaziflam	Quince	2.18	6	36.0	A
Indaziflam	Rangeland	0.02	1	0.25	A
Indaziflam	Recreation area	0.19	N/A	6.0	A
Indaziflam	Regulatory pest control	3.41	N/A	N/A	N/A
Indaziflam	Research commodity	0.64	12	15.0	A
Indaziflam	Research commodity	0.01	2	16,180.0	S
Indaziflam	Research commodity	0.19	N/A	N/A	N/A
Indaziflam	Rights of way	125.07	72	2,461.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Indaziflam	Rights of way	0.1	1	0.01	U
Indaziflam	Rights of way	5,281.12	N/A	N/A	N/A
Indaziflam	Stone fruit	0.09	2	2.33	A
Indaziflam	Structural pest control	12.91	N/A	N/A	N/A
Indaziflam	Tangelo	90.86	97	1,479.12	A
Indaziflam	Tangerine	2,258.67	1,390	38,717.7	A
Indaziflam	Uncultivated ag	27.92	78	794.3	A
Indaziflam	Uncultivated non-ag	78.49	5	1,283.28	A
Indaziflam	Uncultivated non-ag	0.03	N/A	16,124.0	S
Indaziflam	Unknown	2.37	1	26.0	A
Indaziflam	Walnut	2,797.51	2,486	62,639.02	A
Indole	Animal premise	<0.01	N/A	39.0	U
Indole	Landscape maintenance	<0.01	N/A	N/A	N/A
Indole	Structural pest control	<0.01	N/A	N/A	N/A
Indoxacarb	Alfalfa	14,424.35	2,659	142,064.5	A
Indoxacarb	Almond	4.16	1	37.0	A
Indoxacarb	Apple	0.01	1	0.1	A
Indoxacarb	Apricot	19.12	19	169.82	A
Indoxacarb	Arugula	6.6	28	100.4	A
Indoxacarb	Bean, dried	6.44	5	76.3	A
Indoxacarb	Bok choy (choy sum, pak choy)	18.91	91	289.6	A
Indoxacarb	Broccoli	1,489.13	2,009	22,825.61	A
Indoxacarb	Brussels sprout	650.4	695	9,986.61	A
Indoxacarb	Cabbage	595.89	1,010	8,750.15	A
Indoxacarb	Cabbage, savoy	0.13	1	2.0	A
Indoxacarb	Cantaloupe	52.79	5	569.14	A
Indoxacarb	Cauliflower	751.12	1,120	11,512.1	A
Indoxacarb	Celery	285.55	180	3,488.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Indoxacarb	Chinese amaranth (chinese spinach, tampala, yin choy)	10.78	11	160.0	A
Indoxacarb	Chinese cabbage (napa, wong bok, celery cabbage)	27.85	97	426.81	A
Indoxacarb	Chinese greens	2.53	9	41.0	A
Indoxacarb	Collard	18.66	63	284.19	A
Indoxacarb	Commercial, institutional or industrial areas	<0.01	N/A	1,000,000.0	S
Indoxacarb	Commercial, institutional or industrial areas	0.03	N/A	0.02	U
Indoxacarb	Corn (forage - fodder)	3.22	1	40.0	A
Indoxacarb	Corn, human consumption	178.78	61	2,902.29	A
Indoxacarb	Cotton	3,421.03	159	25,467.48	A
Indoxacarb	County ag comm	0.34	N/A	N/A	N/A
Indoxacarb	Eggplant	2.9	3	39.0	A
Indoxacarb	Endive (escarole)	0.36	2	5.46	A
Indoxacarb	Forage hay/silage	5.47	2	80.0	A
Indoxacarb	Gai lon	0.4	5	6.0	A
Indoxacarb	Golf course turf	7.87	N/A	43.29	A
Indoxacarb	Golf course turf	0.32	N/A	186,000.0	S
Indoxacarb	Grape	25.18	4	228.82	A
Indoxacarb	Grape, wine	334.44	46	2,972.4	A
Indoxacarb	Kale	85.67	232	1,305.2	A
Indoxacarb	Kohlrabi	0.31	5	4.66	A
Indoxacarb	Landscape maintenance	37.22	N/A	N/A	N/A
Indoxacarb	Lettuce, head	65.44	75	918.88	A
Indoxacarb	Lettuce, leaf	61.62	65	752.57	A
Indoxacarb	Mustard	1.23	7	18.73	A
Indoxacarb	Mustard greens	10.91	34	166.14	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Indoxacarb	N-grnhs flower	0.12	2	9.25	A
Indoxacarb	N-grnhs flower	1.57	N/A	720,000.0	S
Indoxacarb	N-grnhs plants in containers	<0.01	3	10.25	A
Indoxacarb	N-grnhs plants in containers	0.01	5	27,995.0	S
Indoxacarb	N-grnhs transplants	16.18	542	190.66	A
Indoxacarb	N-outdr flower	1.78	1	8.9	A
Indoxacarb	N-outdr plants in containers	0.01	4	17.34	A
Indoxacarb	N-outdr plants in containers	0.01	4	60,000.0	S
Indoxacarb	N-outdr transplants	0.76	5	11.7	A
Indoxacarb	Nectarine	588.25	398	5,045.12	A
Indoxacarb	Peach	787.53	436	6,777.71	A
Indoxacarb	Pear	3.21	2	28.5	A
Indoxacarb	Pepper, fruiting	183.2	82	2,502.22	A
Indoxacarb	Pistachio	<0.01	1	0.03	A
Indoxacarb	Plum	118.15	135	1,016.83	A
Indoxacarb	Potato	115.52	34	1,286.81	A
Indoxacarb	Public health	1.82	N/A	N/A	N/A
Indoxacarb	Pumpkin	9.07	3	121.0	A
Indoxacarb	Radicchio	12.88	4	196.2	A
Indoxacarb	Rapini	11.63	16	177.1	A
Indoxacarb	Recreation area	0.45	N/A	4.0	A
Indoxacarb	Regulatory pest control	11.76	N/A	N/A	N/A
Indoxacarb	Research commodity	1.74	14	20.08	A
Indoxacarb	Rights of way	0.23	N/A	N/A	N/A
Indoxacarb	Spinach	10.68	14	182.2	A
Indoxacarb	Squash	2.59	2	25.0	A
Indoxacarb	Structural pest control	3,413.24	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Indoxacarb	Swiss chard	0.43	5	6.5	A
Indoxacarb	Tangerine	0.44	1	3.95	A
Indoxacarb	Tomato	42.68	40	1,133.8	A
Indoxacarb	Tomato, processing	2,193.08	270	27,652.94	A
Indoxacarb	Turnip greens	0.03	1	0.5	A
Indoxacarb	Vegetables, leafy	1.35	5	22.0	A
Indoxacarb	Watermelon	191.69	26	1,854.0	A
Iodine	Landscape maintenance	0.42	N/A	N/A	N/A
Iodine	Structural pest control	2.08	N/A	N/A	N/A
Iodosulfuron-methyl-sodium	Golf course turf	0.03	N/A	7.35	A
Iodosulfuron-methyl-sodium	Landscape maintenance	0.1	8	32.0	A
Iodosulfuron-methyl-sodium	Landscape maintenance	1.0	N/A	N/A	N/A
Iodosulfuron-methyl-sodium	N-grnhs flower	0.03	N/A	7.0	A
Iodosulfuron-methyl-sodium	N-outdr transplants	0.06	2	12.5	A
Iodosulfuron-methyl-sodium	Rights of way	<0.01	N/A	N/A	N/A
Iprodione	Almond	689.75	25	1,419.0	A
Iprodione	Apricot	241.01	36	352.2	A
Iprodione	Blackberry	1,144.16	133	1,203.73	A
Iprodione	Broccoli	461.27	42	457.6	A
Iprodione	Carrot	1,840.01	45	2,653.6	A
Iprodione	Carrot	569.09	N/A	116,044.96	P
Iprodione	Cauliflower	50.0	10	49.7	A
Iprodione	Cherry	3,929.72	234	5,202.44	A
Iprodione	Fumigation, other	321.02	N/A	N/A	N/A
Iprodione	Golf course turf	270.74	5	87.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Iprodione	Golf course turf	145.77	N/A	1,439,000.0	S
Iprodione	Grape	195.72	14	508.8	A
Iprodione	Grape, wine	150.25	13	154.47	A
Iprodione	Grape, wine	9.48	N/A	317,826.0	U
Iprodione	Landscape maintenance	38.2	6	12.5	A
Iprodione	Landscape maintenance	2.14	1	32,000.0	S
Iprodione	Landscape maintenance	8,326.26	N/A	N/A	N/A
Iprodione	Lettuce, head	498.2	50	531.98	A
Iprodione	Lettuce, leaf	1,429.05	188	1,451.95	A
Iprodione	N-grnhs flower	443.95	246	573.82	A
Iprodione	N-grnhs flower	34.82	59	2,615,452.0	S
Iprodione	N-grnhs plants in containers	638.98	536	456.81	A
Iprodione	N-grnhs plants in containers	393.53	407	20,998,002.0	S
Iprodione	N-grnhs plants in containers	113.87	1	4,342,584.0	U
Iprodione	N-grnhs transplants	134.44	68	1,168.34	A
Iprodione	N-grnhs transplants	88.33	211	4,400,000.0	S
Iprodione	N-outdr flower	1,919.99	923	3,321.59	A
Iprodione	N-outdr flower	0.14	2	7,580.0	S
Iprodione	N-outdr plants in containers	815.2	571	778.28	A
Iprodione	N-outdr plants in containers	38.82	54	1,139,540.3	S
Iprodione	N-outdr plants in containers	461.61	22	5,300,542.0	U
Iprodione	N-outdr transplants	361.99	115	558.54	A
Iprodione	N-outdr transplants	<0.01	2	110.65	S
Iprodione	Nectarine	551.26	140	951.19	A
Iprodione	Onion, dry	3,145.39	56	4,674.52	A
Iprodione	Peach	1,923.82	272	2,968.63	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Iprodione	Plum	381.2	132	668.02	A
Iprodione	Potato	101.81	1	102.0	A
Iprodione	Prune	14.1	2	23.0	A
Iprodione	Raspberry	785.49	129	792.13	A
Iprodione	Research commodity	0.97	2	1.3	A
Iprodione	Research commodity	0.15	2	4,500.0	S
Iprodione	Research commodity	6.17	N/A	N/A	N/A
Iprodione	Sod farm (turf)	11.87	4	4.75	A
Iprodione	Sod farm (turf)	0.37	1	6,000.0	S
Iprodione	Strawberry	19.45	4	98.0	A
Iprodione	Strawberry	5,812.56	3	202,671.0	U
Iprodione	Structural pest control	0.82	N/A	N/A	N/A
Iprodione	Turf/sod	36.57	1	16.0	A
Iprodione	Turf/sod	2.41	N/A	75,000.0	S
Iron hedta	Landscape maintenance	185.27	N/A	N/A	N/A
Iron hedta	Structural pest control	0.03	N/A	N/A	N/A
Iron phosphate	Almond	62.29	5	254.0	A
Iron phosphate	Apple	3.1	2	30.25	A
Iron phosphate	Apricot	0.79	1	4.05	A
Iron phosphate	Artichoke, globe	0.32	3	20.25	A
Iron phosphate	Asparagus	0.13	2	10.0	A
Iron phosphate	Avocado	83.42	15	411.18	A
Iron phosphate	Beet	0.18	2	18,450.0	S
Iron phosphate	Blackberry	1.8	2	9.0	A
Iron phosphate	Bok choy (choy sum, pak choi)	0.04	1	0.14	A
Iron phosphate	Broccoli	0.03	1	3,150.0	S
Iron phosphate	Cabbage	7.2	9	28.1	A
Iron phosphate	Cabbage	0.01	1	3,900.0	S
Iron phosphate	Celery	36.23	35	216.44	A
Iron phosphate	Cherimoya	0.9	2	9.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Iron phosphate	Citrus	0.1	1	0.25	A
Iron phosphate	Cucumber	0.64	3	2.55	A
Iron phosphate	Fig	0.2	1	0.25	A
Iron phosphate	Grape	5.92	12	21.48	A
Iron phosphate	Grape, wine	54.34	10	1,020.69	A
Iron phosphate	Grape, wine	0.02	1	4,300.0	S
Iron phosphate	Grapefruit	1.2	1	8.0	A
Iron phosphate	Kale	0.21	8	38,700.0	S
Iron phosphate	Kiwi fruit fuzzy	22.35	2	43.0	A
Iron phosphate	Landscape maintenance	29.5	8	45.75	A
Iron phosphate	Landscape maintenance	377.31	N/A	N/A	N/A
Iron phosphate	Lemon	442.36	168	2,189.4	A
Iron phosphate	Lettuce, head	0.25	5	25,650.0	S
Iron phosphate	Lettuce, leaf	0.03	1	7,800.0	S
Iron phosphate	Melon	0.12	1	1.0	A
Iron phosphate	N-grnhs flower	<0.01	1	0.01	A
Iron phosphate	N-grnhs flower	0.03	1	6,000.0	S
Iron phosphate	N-grnhs plants in containers	12.94	34	42.78	A
Iron phosphate	N-grnhs plants in containers	402.91	41	383,850.0	S
Iron phosphate	N-grnhs transplants	21.17	47	231.28	A
Iron phosphate	N-grnhs transplants	2.75	10	362,783.0	S
Iron phosphate	N-outdr flower	2.4	5	11.25	A
Iron phosphate	N-outdr flower	<0.01	1	300.0	S
Iron phosphate	N-outdr plants in containers	143.31	112	345.22	A
Iron phosphate	N-outdr plants in containers	1.85	12	180,615.0	S
Iron phosphate	N-outdr transplants	33.46	29	199.9	A
Iron phosphate	Olive	0.17	1	0.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Iron phosphate	Orange	694.92	153	3,054.43	A
Iron phosphate	Peach	36.6	109	89.7	A
Iron phosphate	Peas	0.11	3	12,150.0	S
Iron phosphate	Pepper, fruiting	0.9	1	9.0	A
Iron phosphate	Pistachio	0.78	2	4.0	A
Iron phosphate	Plum	11.83	8	54.15	A
Iron phosphate	Pomelo	3.3	2	11.0	A
Iron phosphate	Public health	0.02	N/A	N/A	N/A
Iron phosphate	Radish	0.1	1	0.4	A
Iron phosphate	Radish	0.04	1	4,500.0	S
Iron phosphate	Raspberry	3.0	4	20.0	A
Iron phosphate	Regulatory pest control	<0.01	N/A	N/A	N/A
Iron phosphate	Research commodity	0.45	1	1.5	A
Iron phosphate	Rights of way	1.0	2	4.0	A
Iron phosphate	Rights of way	67.53	N/A	N/A	N/A
Iron phosphate	Squash, summer	0.1	2	10,350.0	S
Iron phosphate	Strawberry	149.36	38	674.85	A
Iron phosphate	Structural pest control	35.3	N/A	N/A	N/A
Iron phosphate	Tangelo	34.12	5	108.0	A
Iron phosphate	Tangerine	831.72	148	3,110.48	A
Iron phosphate	Tomato	0.07	1	7,200.0	S
Iron phosphate	Tomato, processing	12.19	3	120.18	A
Iron phosphate	Uncultivated ag	2.96	13	58.0	A
Iron phosphate	Vegetable	0.03	1	0.25	A
Iron phosphate	Vegetables, fruiting	0.03	1	0.25	A
Iron phosphate	Walnut	0.24	1	5.0	A
Isaria fumosorosea strain fe 9901	Cabbage	117.73	32	338.3	A
Isaria fumosorosea strain fe 9901	Cannabis (all or unspecified)	153.79	551	1,720,550.3	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Isaria fumosorosea strain fe 9901	Cucumber	16.93	10	50.0	A
Isaria fumosorosea strain fe 9901	Grape, wine	0.27	2	1.25	A
Isaria fumosorosea strain fe 9901	Herb, spice	0.04	1	0.25	A
Isaria fumosorosea strain fe 9901	Landscape maintenance	1.0	N/A	N/A	N/A
Isaria fumosorosea strain fe 9901	N-grnhs flower	0.63	2	2.0	A
Isaria fumosorosea strain fe 9901	N-grnhs flower	0.28	3	26,000.0	S
Isaria fumosorosea strain fe 9901	N-grnhs transplants	1.26	7	3.65	A
Isaria fumosorosea strain fe 9901	N-outdr transplants	116.17	48	436.3	A
Isaria fumosorosea strain fe 9901	Orange	9.86	8	54.8	A
Isaria fumosorosea strain fe 9901	Raspberry	15.12	2	49.0	A
Isaria fumosorosea strain fe 9901	Strawberry	21.42	5	59.5	A
Isaria fumosorosea strain fe 9901	Tangerine	0.18	1	1.0	A
Isaria fumosorosea strain fe 9901	Vegetables, leafy	0.27	1	1.5	A
Isodecyl alcohol	Alfalfa	10.22	4	199.0	A
Isodecyl alcohol	Almond	91.46	18	938.4	A
Isodecyl alcohol	Bermudagrass	46.0	6	840.0	A
Isodecyl alcohol	Corn (forage - fodder)	1.7	1	70.0	A
Isodecyl alcohol	Corn, human consumption	0.85	1	65.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isoodecyl alcohol	Grapefruit	5.77	1	36.0	A
Isoodecyl alcohol	Lemon	23.06	2	144.0	A
Isoodecyl alcohol	Orange	5.77	1	36.0	A
Isoodecyl alcohol	Pistachio	28.1	11	321.63	A
Isofetamid	Almond	4,633.36	390	19,517.4	A
Isofetamid	Blackberry	6.66	2	16.34	A
Isofetamid	Golf course turf	0.67	N/A	65,000.0	S
Isofetamid	Grape	1,905.88	331	12,538.05	A
Isofetamid	Grape, wine	1,224.09	129	6,057.73	A
Isofetamid	Landscape maintenance	27.72	N/A	N/A	N/A
Isofetamid	Lettuce, head	378.8	104	1,180.2	A
Isofetamid	Lettuce, leaf	345.61	110	1,074.0	A
Isofetamid	N-grnhs plants in containers	3.57	7	8.4	A
Isofetamid	N-grnhs plants in containers	6.18	52	506,000.0	S
Isofetamid	N-grnhs transplants	0.14	1	0.35	A
Isofetamid	N-grnhs transplants	2.25	55	1,131,250.0	S
Isofetamid	N-outdr plants in containers	2.21	16	8.54	A
Isofetamid	N-outdr plants in containers	4.32	11	288,500.0	S
Isofetamid	N-outdr transplants	6.45	6	16.15	A
Isofetamid	N-outdr transplants	10.5	15	2,710,800.0	S
Isofetamid	Raspberry	3.06	1	7.5	A
Isofetamid	Research commodity	0.4	1	1.25	A
Isofetamid	Strawberry	2,531.79	175	6,365.06	A
Isofetamid	Structural pest control	0.02	N/A	N/A	N/A
Isooctyl phthalate	Basil, sweet	4.08	37	48.75	A
Isooctyl phthalate	Bean, succulent	0.09	5	1.0	A
Isooctyl phthalate	Cherry	0.32	2	29.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Isooctyl phthalate	Cole crop	0.97	30	11.6	A
Isooctyl phthalate	Cucumber	0.83	16	8.7	A
Isooctyl phthalate	Ginger	0.09	2	1.0	A
Isooctyl phthalate	Grape, wine	10.28	16	235.0	A
Isooctyl phthalate	Grapefruit	2.0	4	10.5	A
Isooctyl phthalate	Herb, spice	6.71	61	75.4	A
Isooctyl phthalate	Landscape maintenance	0.33	N/A	N/A	N/A
Isooctyl phthalate	Lemon	32.43	14	140.0	A
Isooctyl phthalate	Mint	1.36	18	14.7	A
Isooctyl phthalate	Olive	7.46	3	39.0	A
Isooctyl phthalate	Onion, green	0.22	4	2.25	A
Isooctyl phthalate	Orange	233.4	84	1,218.45	A
Isooctyl phthalate	Peas	0.24	7	2.9	A
Isooctyl phthalate	Plum	5.46	2	63.0	A
Isooctyl phthalate	Pomelo	8.07	4	19.0	A
Isooctyl phthalate	Quince	14.91	25	165.0	A
Isooctyl phthalate	Root vegetable	3.04	24	36.7	A
Isooctyl phthalate	Squash	6.8	29	72.5	A
Isooctyl phthalate	Tangelo	5.12	6	17.5	A
Isooctyl phthalate	Tangerine	13.74	12	199.5	A
Isooctyl phthalate	Vegetables, fruiting	0.87	30	9.5	A
Isooctyl phthalate	Vegetables, leafy	46.33	314	522.9	A
Isooctyl phthalate	Walnut	95.57	20	553.0	A
Isoparaffinic hydrocarbons	Alfalfa	5.39	3	41.5	A
Isoparaffinic hydrocarbons	Almond	9,008.57	325	13,997.57	A
Isoparaffinic hydrocarbons	Apricot	32.85	6	54.94	A
Isoparaffinic hydrocarbons	Blueberry	88.63	8	158.09	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Isoparaffinic hydrocarbons	Cherry	51.98	6	120.28	A
Isoparaffinic hydrocarbons	Corn (forage - fodder)	171.01	9	750.0	A
Isoparaffinic hydrocarbons	Ditch bank	19.43	1	75.0	A
Isoparaffinic hydrocarbons	Grape	139.65	37	419.6	A
Isoparaffinic hydrocarbons	Grape, wine	1,309.16	15	1,102.25	A
Isoparaffinic hydrocarbons	Grapefruit	45.21	9	73.0	A
Isoparaffinic hydrocarbons	Landscape maintenance	168.61	N/A	N/A	N/A
Isoparaffinic hydrocarbons	N-outdr plants in containers	43.45	5	153.0	A
Isoparaffinic hydrocarbons	Nectarine	93.22	17	145.72	A
Isoparaffinic hydrocarbons	Onion, dry	77.27	1	176.0	A
Isoparaffinic hydrocarbons	Orange	11.26	2	15.4	A
Isoparaffinic hydrocarbons	Peach	152.53	42	357.79	A
Isoparaffinic hydrocarbons	Pecan	34.54	4	40.0	A
Isoparaffinic hydrocarbons	Pistachio	232.56	12	323.6	A
Isoparaffinic hydrocarbons	Plum	142.24	22	243.99	A
Isoparaffinic hydrocarbons	Pomegranate	0.21	1	0.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isoparaffinic hydrocarbons	Potato	71.5	4	207.0	A
Isoparaffinic hydrocarbons	Rights of way	17.27	5	25.0	A
Isoparaffinic hydrocarbons	Rights of way	175.42	N/A	N/A	N/A
Isoparaffinic hydrocarbons	Stone fruit	25.47	2	43.0	A
Isoparaffinic hydrocarbons	Tangerine	11.71	5	26.76	A
Isoparaffinic hydrocarbons	Uncultivated ag	56.82	4	655.0	A
Isoparaffinic hydrocarbons	Walnut	947.68	97	1,765.14	A
Isopropyl alcohol	Alfalfa	685.16	1,073	60,591.67	A
Isopropyl alcohol	Almond	11,502.84	4,877	233,971.08	A
Isopropyl alcohol	Apple	46.94	39	410.31	A
Isopropyl alcohol	Apricot	20.98	56	557.55	A
Isopropyl alcohol	Artichoke, globe	0.32	2	20.0	A
Isopropyl alcohol	Avocado	4.13	124	843.5	A
Isopropyl alcohol	Avocado	<0.01	4	24,400.0	U
Isopropyl alcohol	Barley	1.4	5	145.0	A
Isopropyl alcohol	Basil, sweet	3.95	107	135.91	A
Isopropyl alcohol	Bean, dried	37.05	67	2,668.05	A
Isopropyl alcohol	Bean, succulent	0.3	10	73.75	A
Isopropyl alcohol	Bean, unspecified	0.67	2	40.5	A
Isopropyl alcohol	Beet	0.34	3	23.49	A
Isopropyl alcohol	Bermudagrass	9.43	11	798.0	A
Isopropyl alcohol	Blackberry	0.3	1	30.0	A
Isopropyl alcohol	Blueberry	6.62	29	718.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Isopropyl alcohol	Bok choy (choy sum, pak choi)	2.42	24	86.55	A
Isopropyl alcohol	Broccoli	7.54	14	551.22	A
Isopropyl alcohol	Cabbage	8.47	37	216.98	A
Isopropyl alcohol	Cannabis (all or unspecified)	5.77	5	18,000.0	S
Isopropyl alcohol	Cantaloupe	9.28	52	3,342.7	A
Isopropyl alcohol	Carrot	4.71	10	382.0	A
Isopropyl alcohol	Celery	1.32	2	31.5	A
Isopropyl alcohol	Cherry	1,549.88	694	10,318.33	A
Isopropyl alcohol	Chinese cabbage (napa, wong bok, celery cabbage)	4.23	25	133.27	A
Isopropyl alcohol	Chinese greens	0.18	1	1.5	A
Isopropyl alcohol	Chive	0.24	1	2.0	A
Isopropyl alcohol	Christmas tree	0.54	5	7.5	A
Isopropyl alcohol	Cilantro	0.21	12	36.53	A
Isopropyl alcohol	Citrus	0.39	4	26.37	A
Isopropyl alcohol	Cole crop	1.37	119	82.45	A
Isopropyl alcohol	Collard	0.34	16	56.49	A
Isopropyl alcohol	Corn (forage - fodder)	522.53	609	29,545.09	A
Isopropyl alcohol	Corn, human consumption	251.08	650	17,294.47	A
Isopropyl alcohol	Cotton	118.05	107	7,615.31	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isopropyl alcohol	Cucumber	10.14	31	448.1	A
Isopropyl alcohol	Dandelion green	<0.01	1	1.37	A
Isopropyl alcohol	Date	0.52	4	82.0	A
Isopropyl alcohol	Ditch bank	20.26	6	95.75	A
Isopropyl alcohol	Eggplant	1.05	2	50.0	A
Isopropyl alcohol	Endive (escarole)	4.23	34	94.84	A
Isopropyl alcohol	Forage hay/silage	25.46	40	2,200.6	A
Isopropyl alcohol	Forest, timberland	0.15	10	11.75	A
Isopropyl alcohol	Garlic	20.44	8	1,060.0	A
Isopropyl alcohol	Ginger	0.12	12	5.75	A
Isopropyl alcohol	Grain	0.24	2	18.0	A
Isopropyl alcohol	Grape	1,084.5	1,532	54,518.99	A
Isopropyl alcohol	Grape, wine	3,260.93	2,380	72,926.08	A
Isopropyl alcohol	Grapefruit	9.44	21	388.82	A
Isopropyl alcohol	Herb, spice	6.05	134	153.1	A
Isopropyl alcohol	Kale	1.34	17	86.74	A
Isopropyl alcohol	Kumquat	0.41	1	20.84	A
Isopropyl alcohol	Landscape maintenance	0.07	1	8.0	A
Isopropyl alcohol	Landscape maintenance	330.68	N/A	N/A	N/A
Isopropyl alcohol	Lemon	115.23	203	6,388.37	A
Isopropyl alcohol	Lettuce, head	587.63	1,243	14,277.61	A
Isopropyl alcohol	Lettuce, leaf	1,069.43	2,675	22,228.22	A
Isopropyl alcohol	Lime	2.21	3	111.0	A
Isopropyl alcohol	Mango	0.03	1	2.5	A
Isopropyl alcohol	Melon	13.57	96	4,812.65	A
Isopropyl alcohol	Mint	1.14	24	20.2	A
Isopropyl alcohol	Mustard	0.11	7	18.24	A
Isopropyl alcohol	Mustard greens	0.35	15	58.58	A
Isopropyl alcohol	N-grnhs flower	5.01	85	319.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isopropyl alcohol	N-grnhs flower	0.35	41	157,775.0	S
Isopropyl alcohol	N-grnhs plants in containers	11.42	501	477.87	A
Isopropyl alcohol	N-grnhs plants in containers	0.64	61	1,194,200.0	S
Isopropyl alcohol	N-grnhs transplants	12.55	139	731.46	A
Isopropyl alcohol	N-grnhs transplants	1.42	25	4,868,340.0	S
Isopropyl alcohol	N-outdr flower	15.66	468	1,113.2	A
Isopropyl alcohol	N-outdr plants in containers	55.07	1,784	3,099.3	A
Isopropyl alcohol	N-outdr plants in containers	<0.01	1	2.0	S
Isopropyl alcohol	N-outdr plants in containers	0.04	4	872.0	U
Isopropyl alcohol	N-outdr transplants	11.54	49	368.22	A
Isopropyl alcohol	N-outdr transplants	16.68	323	55,811,310.0	S
Isopropyl alcohol	Nectarine	90.23	310	1,881.89	A
Isopropyl alcohol	Oat	12.96	22	672.1	A
Isopropyl alcohol	Oat (forage - fodder)	104.83	238	9,141.44	A
Isopropyl alcohol	Olive	18.5	13	278.42	A
Isopropyl alcohol	Onion, dry	86.92	83	6,295.61	A
Isopropyl alcohol	Onion, green	0.18	4	2.25	A
Isopropyl alcohol	Orange	331.06	344	5,692.67	A
Isopropyl alcohol	Parsley	3.87	12	469.77	A
Isopropyl alcohol	Pastureland	28.67	11	1,398.0	A
Isopropyl alcohol	Peach	346.02	653	7,103.19	A
Isopropyl alcohol	Pear	8.14	16	204.83	A
Isopropyl alcohol	Pear, asian (oriental pear, ya, ya li, nashi)	1.23	7	52.5	A
Isopropyl alcohol	Peas	0.19	8	3.15	A
Isopropyl alcohol	Pecan	50.87	19	554.0	A
Isopropyl alcohol	Pepper, fruiting	18.24	29	653.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isopropyl alcohol	Persimmon	1.62	12	45.27	A
Isopropyl alcohol	Pistachio	822.65	341	16,569.57	A
Isopropyl alcohol	Plum	60.88	195	2,008.84	A
Isopropyl alcohol	Pomegranate	47.07	50	2,000.78	A
Isopropyl alcohol	Pomelo	8.91	6	40.5	A
Isopropyl alcohol	Prune	557.01	163	6,659.58	A
Isopropyl alcohol	Public health	173.92	N/A	N/A	N/A
Isopropyl alcohol	Pumpkin	12.49	17	644.0	A
Isopropyl alcohol	Quince	12.73	31	191.8	A
Isopropyl alcohol	Radish	0.42	2	25.0	A
Isopropyl alcohol	Rangeland	2.32	5	122.8	A
Isopropyl alcohol	Rape (leafy vegetable)	0.05	1	3.0	A
Isopropyl alcohol	Regulatory pest control	12.16	N/A	N/A	N/A
Isopropyl alcohol	Research commodity	0.34	3	15.0	A
Isopropyl alcohol	Research commodity	0.08	51	229,500.0	S
Isopropyl alcohol	Research commodity	0.08	N/A	N/A	N/A
Isopropyl alcohol	Rice	329.07	537	42,899.54	A
Isopropyl alcohol	Rights of way	19.42	37	825.1	A
Isopropyl alcohol	Rights of way	2,241.67	N/A	N/A	N/A
Isopropyl alcohol	Root vegetable	2.87	52	86.45	A
Isopropyl alcohol	Ryegrass	5.45	13	402.0	A
Isopropyl alcohol	Safflower	1.91	3	36.0	A
Isopropyl alcohol	Soil fumigation/preplant	3.67	4	205.0	A
Isopropyl alcohol	Sorghum (forage - fodder)	46.55	38	2,689.0	A
Isopropyl alcohol	Sorghum/milo	24.44	11	970.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isopropyl alcohol	Spinach	0.03	4	5.39	A
Isopropyl alcohol	Squash	6.26	67	168.5	A
Isopropyl alcohol	Squash, summer	1.26	4	60.0	A
Isopropyl alcohol	Strawberry	378.51	501	7,828.5	A
Isopropyl alcohol	Structural pest control	6,104.06	N/A	N/A	N/A
Isopropyl alcohol	Sudangrass	10.92	19	855.5	A
Isopropyl alcohol	Sugarbeet	12.57	70	4,242.0	A
Isopropyl alcohol	Sunflower	103.1	43	2,669.1	A
Isopropyl alcohol	Sweet potato	2.6	6	62.1	A
Isopropyl alcohol	Swiss chard	0.12	16	19.92	A
Isopropyl alcohol	Tangelo	9.43	21	442.16	A
Isopropyl alcohol	Tangerine	82.09	149	2,591.66	A
Isopropyl alcohol	Tomato	39.65	45	2,071.39	A
Isopropyl alcohol	Tomato, processing	1,489.62	885	62,478.56	A
Isopropyl alcohol	Triticale	76.81	29	1,964.9	A
Isopropyl alcohol	Turf/sod	0.06	1	3.0	A
Isopropyl alcohol	Turf/sod	0.1	N/A	70,000.0	S
Isopropyl alcohol	Turnip	0.08	6	13.78	A
Isopropyl alcohol	Uncultivated ag	78.27	163	5,101.57	A
Isopropyl alcohol	Uncultivated non-ag	5.01	4	116.7	A
Isopropyl alcohol	Unknown	0.92	2	61.0	A
Isopropyl alcohol	Vegetable	1.39	1	1.3	A
Isopropyl alcohol	Vegetables, fruiting	0.72	38	12.5	A
Isopropyl alcohol	Vegetables, leafy	41.97	659	1,060.4	A
Isopropyl alcohol	Walnut	2,155.4	1,347	38,715.95	A
Isopropyl alcohol	Water area	9.56	1	150.0	A
Isopropyl alcohol	Watermelon	26.76	18	522.5	A
Isopropyl alcohol	Wheat	124.14	94	5,653.91	A
Isopropyl alcohol	Wheat (forage - fodder)	449.67	352	18,481.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Isopropylamine dodecylbenzene sulfonate	Alfalfa	27.59	185	6,612.6	A
Isopropylamine dodecylbenzene sulfonate	Almond	688.63	1,050	50,499.31	A
Isopropylamine dodecylbenzene sulfonate	Apricot	1.32	7	55.44	A
Isopropylamine dodecylbenzene sulfonate	Bermudagrass	0.52	9	119.88	A
Isopropylamine dodecylbenzene sulfonate	Blackberry	0.03	N/A	5.0	A
Isopropylamine dodecylbenzene sulfonate	Blueberry	3.55	8	158.09	A
Isopropylamine dodecylbenzene sulfonate	Brussels sprout	43.83	26	1,411.2	A
Isopropylamine dodecylbenzene sulfonate	Cherry	12.76	43	1,405.66	A
Isopropylamine dodecylbenzene sulfonate	Corn (forage - fodder)	27.86	113	6,417.6	A
Isopropylamine dodecylbenzene sulfonate	Corn, grain	0.94	8	268.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Isopropylamine dodecylbenzene sulfonate</b>	Corn, human consumption	9.6	21	1,361.0	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Cotton	54.54	319	19,463.34	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Ditch bank	0.98	13	129.65	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Fig	0.09	1	8.0	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Forage hay/silage	1.69	18	729.8	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Grape	85.16	317	9,082.94	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Grape, wine	24.09	10	697.32	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Grapefruit	1.81	9	73.0	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Grass, seed	1.0	12	574.1	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Kiwi fruit fuzzy	0.58	2	62.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Isopropylamine dodecylbenzene sulfonate</b>	Landscape maintenance	23.82	N/A	N/A	N/A
<b>Isopropylamine dodecylbenzene sulfonate</b>	N-outdr plants in containers	1.74	5	153.0	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Nectarine	3.74	18	147.12	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Oat (forage - fodder)	0.14	1	60.0	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Onion, dry	4.42	10	591.0	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Orange	0.45	2	15.4	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Pastureland	0.04	1	10.0	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Peach	23.55	128	1,400.01	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Pecan	1.38	4	40.0	A
<b>Isopropylamine dodecylbenzene sulfonate</b>	Pepper, fruiting	0.05	2	52.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Isopropylamine dodecylbenzene sulfonate	Persimmon	0.26	2	23.2	A
Isopropylamine dodecylbenzene sulfonate	Pistachio	15.83	53	1,381.56	A
Isopropylamine dodecylbenzene sulfonate	Plum	18.9	112	951.38	A
Isopropylamine dodecylbenzene sulfonate	Pluot	0.03	1	2.8	A
Isopropylamine dodecylbenzene sulfonate	Pomegranate	0.04	2	7.23	A
Isopropylamine dodecylbenzene sulfonate	Potato	2.86	4	207.0	A
Isopropylamine dodecylbenzene sulfonate	Prune	8.65	31	563.5	A
Isopropylamine dodecylbenzene sulfonate	Regulatory pest control	<0.01	N/A	N/A	N/A
Isopropylamine dodecylbenzene sulfonate	Rice	178.62	225	19,009.58	A
Isopropylamine dodecylbenzene sulfonate	Rights of way	3.27	7	718.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Isopropylamine dodecylbenzene sulfonate	Rights of way	71.48	N/A	N/A	N/A
Isopropylamine dodecylbenzene sulfonate	Soil fumigation/preplant	0.13	1	28.0	A
Isopropylamine dodecylbenzene sulfonate	Stone fruit	1.02	2	43.0	A
Isopropylamine dodecylbenzene sulfonate	Sudangrass	1.68	2	219.0	A
Isopropylamine dodecylbenzene sulfonate	Tangerine	0.66	10	46.76	A
Isopropylamine dodecylbenzene sulfonate	Tomato	0.68	2	105.0	A
Isopropylamine dodecylbenzene sulfonate	Tomato, processing	22.34	11	839.1	A
Isopropylamine dodecylbenzene sulfonate	Uncultivated ag	9.68	48	2,334.15	A
Isopropylamine dodecylbenzene sulfonate	Uncultivated non-ag	0.44	1	243.0	A
Isopropylamine dodecylbenzene sulfonate	Walnut	63.88	208	4,989.84	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isopropylamine dodecylbenzene sulfonate	Water area	28.59	1	1,455.2	A
Isopropylamine dodecylbenzene sulfonate	Wheat	5.64	12	777.0	A
Isoxaben	Airport	10.5	N/A	8.0	A
Isoxaben	Almond	1,693.15	95	2,368.11	A
Isoxaben	Apricot	3.34	1	6.1	A
Isoxaben	Avocado	3.0	1	6.0	A
Isoxaben	Buildings/non-ag outdoor	0.18	N/A	14,000.0	S
Isoxaben	Cherry	2.1	2	3.72	A
Isoxaben	County ag comm	11.96	N/A	N/A	N/A
Isoxaben	Grape	675.54	92	977.51	A
Isoxaben	Grape, wine	514.0	53	1,222.93	A
Isoxaben	Kiwi fruit fuzzy	34.62	3	62.7	A
Isoxaben	Landscape maintenance	3.1	3	8.0	A
Isoxaben	Landscape maintenance	3,778.76	N/A	N/A	N/A
Isoxaben	Lemon	21.05	3	28.39	A
Isoxaben	N-grnhs flower	58.5	1	67.5	A
Isoxaben	N-grnhs flower	0.47	7	54,000.0	S
Isoxaben	N-grnhs flower	0.06	7	4,293.0	U
Isoxaben	N-grnhs plants in containers	20.43	35	35.99	A
Isoxaben	N-grnhs plants in containers	11.2	26	1,246,060.0	S
Isoxaben	N-outdr flower	63.11	77	114.08	A
Isoxaben	N-outdr plants in containers	3,141.32	2,380	4,369.51	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isoxaben	N-outdr plants in containers	0.15	4	8.4	K
Isoxaben	N-outdr plants in containers	83.35	246	7,156,224.69	S
Isoxaben	N-outdr plants in containers	54.93	36	251,852.0	U
Isoxaben	N-outdr transplants	197.8	17	214.69	A
Isoxaben	Nectarine	143.24	13	184.98	A
Isoxaben	Olive	16.51	1	26.0	A
Isoxaben	Orange	9.66	1	10.0	A
Isoxaben	Peach	1,377.63	75	2,434.56	A
Isoxaben	Pistachio	1,092.74	52	1,649.86	A
Isoxaben	Plum	147.12	29	179.09	A
Isoxaben	Regulatory pest control	4.49	N/A	N/A	N/A
Isoxaben	Research commodity	1.53	6	1.87	A
Isoxaben	Rights of way	11.7	6	6.0	A
Isoxaben	Rights of way	11,985.26	N/A	N/A	N/A
Isoxaben	Structural pest control	16.28	N/A	N/A	N/A
Isoxaben	Tangerine	9.66	1	10.0	A
Isoxaben	Tomato, processing	0.36	3	218.6	A
Isoxaben	Uncultivated non-ag	0.83	N/A	14.6	A
Isoxaben	Uncultivated non-ag	0.39	N/A	28,000.0	S
Isoxaben	Walnut	92.24	8	106.02	A
Kaolin	Almond	12,371.66	21	449.04	A
Kaolin	Apple	15,051.8	54	543.7	A
Kaolin	Apricot	47.5	1	1.0	A
Kaolin	Artichoke, globe	532.48	4	46.7	A
Kaolin	Avocado	3,760.1	17	153.8	A
Kaolin	Bean, unspecified	20.9	2	1.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Kaolin	Beet	332.5	2	14.0	A
Kaolin	Blackberry	7,615.2	9	212.2	A
Kaolin	Blueberry	3,594.42	5	153.18	A
Kaolin	Broccoli	17.57	2	1.5	A
Kaolin	Brussels sprout	13.3	1	1.0	A
Kaolin	Cabbage	1,494.83	11	76.0	A
Kaolin	Cantaloupe	12,663.5	17	406.75	A
Kaolin	Cauliflower	42.75	1	3.6	A
Kaolin	Cherry	70,400.6	87	2,270.08	A
Kaolin	Christmas tree	71.25	2	3.0	A
Kaolin	Citrus	997.5	4	14.0	A
Kaolin	Cotton	7,202.9	2	379.1	A
Kaolin	Cucumber	771.88	7	32.03	A
Kaolin	Garlic	6,650.0	2	140.0	A
Kaolin	Grape	4,393.75	7	155.5	A
Kaolin	Grape, wine	111,649.31	299	5,254.77	A
Kaolin	Grapefruit	73,285.94	106	1,826.89	A
Kaolin	Lemon	178,517.83	108	3,408.77	A
Kaolin	Mango	8,455.0	4	178.0	A
Kaolin	Melon	79,737.3	76	3,975.0	A
Kaolin	N-grnhs plants in containers	85.5	9	2.86	A
Kaolin	N-outdr plants in containers	665.0	1	20.0	A
Kaolin	N-outdr transplants	1,900.0	5	40.0	A
Kaolin	Nectarine	403.75	3	8.5	A
Kaolin	Olive	12,261.25	85	344.31	A
Kaolin	Olive	205.44	5	1,132.0	U
Kaolin	Onion, dry	165,327.62	157	3,949.58	A
Kaolin	Orange	216,297.1	216	4,255.7	A
Kaolin	Peach	447.45	4	9.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Kaolin</b>	Pepper, fruiting	33,766.38	41	796.25	A
<b>Kaolin</b>	Persimmon	631.75	3	15.3	A
<b>Kaolin</b>	Pistachio	41,129.87	19	1,175.62	A
<b>Kaolin</b>	Plum	9,973.95	37	354.94	A
<b>Kaolin</b>	Pomegranate	59,893.22	26	1,834.36	A
<b>Kaolin</b>	Pomelo	594.94	5	15.5	A
<b>Kaolin</b>	Prune	665.0	2	14.0	A
<b>Kaolin</b>	Pumpkin	869.25	1	45.75	A
<b>Kaolin</b>	Quince	2,660.0	11	62.0	A
<b>Kaolin</b>	Raspberry	15,811.51	15	434.01	A
<b>Kaolin</b>	Research commodity	1.43	1	3.25	A
<b>Kaolin</b>	Research commodity	0.47	N/A	N/A	N/A
<b>Kaolin</b>	Squash	5,474.85	15	232.2	A
<b>Kaolin</b>	Squash, summer	533.75	12	11.08	A
<b>Kaolin</b>	Squash, winter	249.38	4	10.5	A
<b>Kaolin</b>	Stone fruit	5.7	N/A	0.05	A
<b>Kaolin</b>	Tangelo	8,979.4	10	167.44	A
<b>Kaolin</b>	Tangerine	943,989.81	961	20,357.65	A
<b>Kaolin</b>	Tomato	132,279.71	202	5,573.32	A
<b>Kaolin</b>	Tomato, processing	290,675.78	115	8,750.15	A
<b>Kaolin</b>	Unknown	760.0	1	16.0	A
<b>Kaolin</b>	Vegetable	386.65	9	56.0	A
<b>Kaolin</b>	Vegetables, fruiting	144.5	8	31.5	A
<b>Kaolin</b>	Walnut	312,837.27	346	9,425.04	A
<b>Kaolin</b>	Watermelon	3,325.0	4	107.0	A
<b>Kasugamycin hydrochloride</b>	Almond	942.92	194	9,632.85	A
<b>Kasugamycin hydrochloride</b>	Apple	56.36	45	625.89	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Kasugamycin hydrochloride</b>	Cherry	207.06	95	2,110.45	A
<b>Kasugamycin hydrochloride</b>	N-grnhs plants in containers	0.78	4	8.8	A
<b>Kasugamycin hydrochloride</b>	N-outdr plants in containers	0.89	8	11.2	A
<b>Kasugamycin hydrochloride</b>	N-outdr transplants	14.68	24	162.77	A
<b>Kasugamycin hydrochloride</b>	Pear	648.93	160	6,589.68	A
<b>Kasugamycin hydrochloride</b>	Pear, asian (oriental pear, ya, ya li, nashi)	3.5	4	35.0	A
<b>Kasugamycin hydrochloride</b>	Quince	14.19	24	142.6	A
<b>Kasugamycin hydrochloride</b>	Rights of way	1.0	1	10.0	A
<b>Kasugamycin hydrochloride</b>	Walnut	462.24	152	5,254.0	A
<b>Kerosene</b>	Landscape maintenance	19.55	N/A	N/A	N/A
<b>Kinoprene</b>	N-grnhs flower	0.28	2	8,050.0	S
<b>Kinoprene</b>	N-grnhs plants in containers	0.47	1	0.22	A
<b>Kinoprene</b>	N-grnhs plants in containers	2.67	3	55,460.0	S
<b>Kresoxim-methyl</b>	Almond	394.43	2	70.0	A
<b>Kresoxim-methyl</b>	Apple	34.24	15	175.0	A
<b>Kresoxim-methyl</b>	Grape	21,863.4	1,197	54,086.33	A
<b>Kresoxim-methyl</b>	Grape, wine	4,472.88	784	32,610.59	A
<b>Kresoxim-methyl</b>	N-outdr plants in containers	1.13	3	4.25	A
<b>Kresoxim-methyl</b>	Pear	113.77	15	568.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lactic acid	Golf course turf	0.08	N/A	200,000.0	S
Lactic acid	Grape, wine	0.28	1	9.0	A
Lactic acid	Landscape maintenance	8.67	N/A	N/A	N/A
Lactic acid	Structural pest control	6.1	N/A	N/A	N/A
Lactose	Almond	0.62	2	10.0	A
Lactose	Avocado	1.67	4	23.0	A
Lactose	Cannabis (all or unspecified)	0.08	20	31,065.0	S
Lactose	Cherry	5.56	9	120.5	A
Lactose	Citrus	19.24	9	158.0	A
Lactose	Grape	1.22	7	82.5	A
Lactose	Grape, wine	6.08	3	80.0	A
Lactose	Grapefruit	77.62	52	649.37	A
Lactose	Lemon	898.53	469	9,304.38	A
Lactose	Lime	0.34	1	2.0	A
Lactose	Mango	6.01	4	178.0	A
Lactose	Olive	17.56	13	127.5	A
Lactose	Orange	3,979.51	1,751	34,861.19	A
Lactose	Orchard floor	12.23	2	99.56	A
Lactose	Peach	0.78	2	10.42	A
Lactose	Persimmon	0.04	1	0.3	A
Lactose	Pistachio	54.76	20	691.6	A
Lactose	Plum	0.02	1	0.13	A
Lactose	Pomelo	8.32	10	57.5	A
Lactose	Quince	0.45	2	12.0	A
Lactose	Tangelo	88.58	48	679.37	A
Lactose	Tangerine	1,628.36	805	17,929.88	A
Lactose	Unknown	2.25	1	20.0	A
Lactose	Walnut	4.59	3	160.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lambda-cyhalothrin	Alfalfa	9,359.8	5,594	316,426.99	A
Lambda-cyhalothrin	Almond	21,329.58	9,089	551,499.13	A
Lambda-cyhalothrin	Apple	46.25	55	1,144.5	A
Lambda-cyhalothrin	Apricot	82.73	157	2,195.14	A
Lambda-cyhalothrin	Asparagus	31.77	18	1,008.2	A
Lambda-cyhalothrin	Barley	19.15	8	624.0	A
Lambda-cyhalothrin	Bean, dried	197.9	114	6,539.6	A
Lambda-cyhalothrin	Bean, succulent	13.73	45	472.0	A
Lambda-cyhalothrin	Bean, unspecified	8.88	35	300.99	A
Lambda-cyhalothrin	Bermudagrass	163.84	79	5,843.3	A
Lambda-cyhalothrin	Bok choy (choy sum, pak choi)	0.7	2	22.7	A
Lambda-cyhalothrin	Broccoli	1,464.05	3,786	48,059.15	A
Lambda-cyhalothrin	Brussels sprout	497.5	1,300	16,389.49	A
Lambda-cyhalothrin	Buildings/non-ag outdoor	<0.01	N/A	0.06	A
Lambda-cyhalothrin	Buildings/non-ag outdoor	0.13	N/A	48,000.0	S
Lambda-cyhalothrin	Buildings/non-ag outdoor	8.82	N/A	0.06	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lambda-cyhalothrin	Cabbage	243.14	793	8,283.87	A
Lambda-cyhalothrin	Cannabis (all or unspecified)	<0.01	1	3,840.0	S
Lambda-cyhalothrin	Canola (rape)	0.15	1	5.0	A
Lambda-cyhalothrin	Cantaloupe	212.12	88	7,991.95	A
Lambda-cyhalothrin	Cauliflower	502.32	1,607	16,749.23	A
Lambda-cyhalothrin	Cherry	1,198.72	1,425	30,678.64	A
Lambda-cyhalothrin	Chinese broccoli (gai lon)	3.7	3	100.0	A
Lambda-cyhalothrin	Chinese cabbage (napa, wong bok, celery cabbage)	67.8	358	2,263.71	A
Lambda-cyhalothrin	Chive	0.5	1	16.0	A
Lambda-cyhalothrin	Corn (forage - fodder)	223.64	166	7,686.69	A
Lambda-cyhalothrin	Corn, grain	13.46	13	510.0	A
Lambda-cyhalothrin	Corn, human consumption	2,048.56	1,771	69,977.18	A
Lambda-cyhalothrin	Cotton	1,591.67	370	42,568.43	A
Lambda-cyhalothrin	Cucumber	11.33	21	380.2	A
Lambda-cyhalothrin	Eggplant	4.04	13	155.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lambda-cyhalothrin	Fava bean	0.79	4	22.0	A
Lambda-cyhalothrin	Forage hay/silage	80.96	38	2,597.0	A
Lambda-cyhalothrin	Gai choy	2.12	31	64.0	A
Lambda-cyhalothrin	Gai lon	12.5	29	393.0	A
Lambda-cyhalothrin	Garbanzo bean	4.72	1	150.0	A
Lambda-cyhalothrin	Garlic	158.23	71	5,310.55	A
Lambda-cyhalothrin	Golf course turf	1.71	N/A	28.67	A
Lambda-cyhalothrin	Golf course turf	0.22	N/A	150,000.0	S
Lambda-cyhalothrin	Grass, seed	1.86	1	82.0	A
Lambda-cyhalothrin	Kale	0.65	1	21.5	A
Lambda-cyhalothrin	Landscape maintenance	161.33	N/A	N/A	N/A
Lambda-cyhalothrin	Lettuce, head	3,429.15	9,698	118,587.76	A
Lambda-cyhalothrin	Lettuce, leaf	4,115.31	14,242	140,432.73	A
Lambda-cyhalothrin	Melon	120.03	62	4,406.4	A
Lambda-cyhalothrin	N-grnhs flower	1.64	11	31.5	A
Lambda-cyhalothrin	N-grnhs flower	0.05	1	28,400.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lambda-cyhalothrin	N-grnhs plants in containers	2.27	22	42.88	A
Lambda-cyhalothrin	N-grnhs plants in containers	0.2	16	203,680.0	S
Lambda-cyhalothrin	N-grnhs transplants	0.27	4	33.67	A
Lambda-cyhalothrin	N-grnhs transplants	<0.01	1	90,000.0	S
Lambda-cyhalothrin	N-outdr flower	0.54	9	14.0	A
Lambda-cyhalothrin	N-outdr plants in containers	19.08	177	585.13	A
Lambda-cyhalothrin	N-outdr plants in containers	0.13	1	90,000.0	S
Lambda-cyhalothrin	N-outdr transplants	55.37	130	2,412.21	A
Lambda-cyhalothrin	Nectarine	287.33	604	7,367.93	A
Lambda-cyhalothrin	Oat	1.67	2	53.0	A
Lambda-cyhalothrin	Oat (forage - fodder)	4.6	2	160.0	A
Lambda-cyhalothrin	Onion, dry	656.27	447	22,493.34	A
Lambda-cyhalothrin	Onion, green	9.44	4	360.3	A
Lambda-cyhalothrin	Orchardgrass	9.44	4	326.0	A
Lambda-cyhalothrin	Pastureland	122.05	23	4,202.77	A
Lambda-cyhalothrin	Peach	976.11	1,725	25,723.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lambda-cyhalothrin	Pear	183.07	116	4,686.55	A
Lambda-cyhalothrin	Pear, asian (oriental pear, ya, ya li, nashi)	0.93	4	22.5	A
Lambda-cyhalothrin	Peas	80.61	283	2,627.32	A
Lambda-cyhalothrin	Pepper, fruiting	219.38	284	7,361.46	A
Lambda-cyhalothrin	Pepper, spice	0.24	2	8.3	A
Lambda-cyhalothrin	Pistachio	20,798.16	5,153	519,982.88	A
Lambda-cyhalothrin	Plum	403.09	812	10,184.92	A
Lambda-cyhalothrin	Potato	245.79	108	8,558.9	A
Lambda-cyhalothrin	Prune	43.25	25	963.5	A
Lambda-cyhalothrin	Public health	14.81	N/A	N/A	N/A
Lambda-cyhalothrin	Pumpkin	20.89	37	720.64	A
Lambda-cyhalothrin	Quince	2.41	11	60.5	A
Lambda-cyhalothrin	Rangeland	22.53	6	741.0	A
Lambda-cyhalothrin	Regulatory pest control	176.51	N/A	N/A	N/A
Lambda-cyhalothrin	Research commodity	3.25	51	112.12	A
Lambda-cyhalothrin	Research commodity	0.27	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lambda-cyhalothrin	Rice	3,252.34	1,813	95,006.85	A
Lambda-cyhalothrin	Rice, wild	28.44	8	732.6	A
Lambda-cyhalothrin	Rights of way	5.31	3	150.0	A
Lambda-cyhalothrin	Rights of way	0.58	N/A	N/A	N/A
Lambda-cyhalothrin	Rye	1.86	1	62.0	A
Lambda-cyhalothrin	Soil fumigation/preplant	91.65	11	2,210.0	A
Lambda-cyhalothrin	Sorghum/milo	9.08	8	347.59	A
Lambda-cyhalothrin	Squash	8.93	28	324.8	A
Lambda-cyhalothrin	Squash, summer	2.77	3	93.0	A
Lambda-cyhalothrin	Squash, winter	1.35	2	45.19	A
Lambda-cyhalothrin	Structural pest control	24,182.1	N/A	N/A	N/A
Lambda-cyhalothrin	Sudangrass	97.44	74	4,024.0	A
Lambda-cyhalothrin	Sunflower	35.6	43	1,202.4	A
Lambda-cyhalothrin	Sweet potato	3.0	3	118.0	A
Lambda-cyhalothrin	Timothy	7.97	9	332.0	A
Lambda-cyhalothrin	Tomatillo	0.06	2	2.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lambda-cyhalothrin	Tomato	717.78	797	24,889.99	A
Lambda-cyhalothrin	Tomato, processing	3,619.66	1,675	126,073.36	A
Lambda-cyhalothrin	Triticale	6.67	3	319.46	A
Lambda-cyhalothrin	Turf/sod	10.4	17	150.82	A
Lambda-cyhalothrin	Turnip	0.1	1	3.8	A
Lambda-cyhalothrin	Uncultivated ag	103.27	30	2,437.5	A
Lambda-cyhalothrin	Vegetable	2.08	9	87.5	A
Lambda-cyhalothrin	Vegetables, fruiting	0.07	1	2.5	A
Lambda-cyhalothrin	Vegetables, leafy	4.17	6	45.0	A
Lambda-cyhalothrin	Walnut	3,559.37	1,941	90,847.24	A
Lambda-cyhalothrin	Watermelon	70.69	44	1,743.19	A
Lambda-cyhalothrin	Wheat	198.82	102	6,741.9	A
Lambda-cyhalothrin	Wheat (forage - fodder)	198.23	96	6,449.14	A
Laminarin	Grape	134.97	109	3,900.43	A
Laminarin	Grape, wine	6.38	15	169.33	A
Laminarin	Lettuce, head	44.52	94	965.7	A
Laminarin	Lettuce, leaf	41.67	101	925.45	A
Lauric acid	Almond	792.61	325	15,548.76	A
Lauric acid	Apple	0.03	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lauric acid	Cherry	19.28	16	270.89	A
Lauric acid	Grape	106.62	31	784.0	A
Lauric acid	Grape, wine	47.26	20	823.08	A
Lauric acid	Grapefruit	5.05	13	107.1	A
Lauric acid	Lemon	43.15	42	512.4	A
Lauric acid	N-grnhs flower	1.43	26	31.35	A
Lauric acid	N-grnhs flower	0.48	17	133,000.0	S
Lauric acid	N-grnhs transplants	0.02	1	1.4	A
Lauric acid	N-outdr flower	2.16	25	76.0	A
Lauric acid	N-outdr flower	0.02	1	3,000.0	S
Lauric acid	N-outdr plants in containers	0.78	9	14.68	A
Lauric acid	Nectarine	7.44	20	179.42	A
Lauric acid	Olive	30.08	18	550.5	A
Lauric acid	Onion, dry	0.9	1	17.0	A
Lauric acid	Orange	445.45	311	5,352.54	A
Lauric acid	Peach	6.51	20	217.8	A
Lauric acid	Peas	0.32	1	3.0	A
Lauric acid	Pistachio	2,201.86	435	39,334.26	A
Lauric acid	Plum	1.22	2	28.86	A
Lauric acid	Pomegranate	116.4	28	2,000.0	A
Lauric acid	Pomelo	3.13	6	29.6	A
Lauric acid	Prune	1.57	2	46.0	A
Lauric acid	Squash, summer	0.29	7	5.5	A
Lauric acid	Stone fruit	0.35	1	4.0	A
Lauric acid	Strawberry	24.72	9	235.0	A
Lauric acid	Tangelo	0.21	1	10.0	A
Lauric acid	Tangerine	276.94	195	5,533.94	A
Lauric acid	Uncultivated ag	1.19	1	75.0	A
Lauric acid	Walnut	31.54	32	1,628.28	A
Lauric acid	Watermelon	0.13	3	2.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lauryl alcohol	Apple	141.2	73	842.32	A
Lauryl alcohol	Pear	195.83	109	3,528.85	A
Lauryl alcohol	Pear, asian (oriental pear, ya, ya li, nashi)	13.95	20	245.5	A
Lauryl alcohol	Plum	0.19	3	6.5	A
Lauryl alcohol	Pluot	0.19	3	6.5	A
Lauryl alcohol	Quince	0.01	3	0.6	A
Lauryl alcohol	Walnut	6.08	22	98.5	A
Lauryl alcohol	Walnut	<0.01	3	9.0	U
Lauryl dimethylamine oxide	Alfalfa	3.21	3	68.0	A
Lauryl dimethylamine oxide	Almond	17.64	6	197.4	A
Lauryl dimethylamine oxide	Cherry	3.65	21	63.25	A
Lauryl dimethylamine oxide	Corn (forage - fodder)	12.23	9	327.0	A
Lauryl dimethylamine oxide	Forage hay/silage	1.18	1	20.0	A
Lauryl dimethylamine oxide	Grape	141.85	105	2,699.25	A
Lauryl dimethylamine oxide	Grape, wine	42.52	29	470.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lauryl dimethylamine oxide	Oat (forage - fodder)	3.12	1	88.0	A
Lauryl dimethylamine oxide	Olive	11.22	1	190.0	A
Lauryl dimethylamine oxide	Pistachio	0.44	1	150.0	A
Lauryl dimethylamine oxide	Walnut	294.6	16	384.0	A
Lavandulyl senecioate	Grape	1,213.43	1,971	87,496.75	A
Lavandulyl senecioate	Grape, wine	1,942.46	4,048	134,426.49	A
Lavandulyl senecioate	N-outdr plants in containers	2.78	2	42.0	A
Lavandulyl senecioate	Walnut	0.09	1	13.0	A
Lecithin	Alfalfa	11,295.66	1,937	99,547.17	A
Lecithin	Almond	262,681.85	13,585	785,913.31	A
Lecithin	Apple	123.26	10	408.52	A
Lecithin	Apricot	925.7	301	3,346.92	A
Lecithin	Artichoke, globe	1,668.14	543	7,349.45	A
Lecithin	Avocado	1,375.56	341	4,423.48	A
Lecithin	Barley	131.47	28	1,432.5	A
Lecithin	Barley (forage - fodder)	28.99	24	383.5	A
Lecithin	Bean, dried	591.82	76	2,710.42	A
Lecithin	Bean, succulent	41.34	9	213.5	A
Lecithin	Bean, unspecified	11.31	5	22.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lecithin	Beet	4.72	4	58.97	A
Lecithin	Bermudagrass	57.39	19	296.3	A
Lecithin	Blackberry	173.68	46	272.59	A
Lecithin	Blueberry	1,528.67	196	5,502.4	A
Lecithin	Bok choy (choy sum, pak choi)	33.61	120	142.92	A
Lecithin	Broccoli	10,328.93	3,007	36,506.81	A
Lecithin	Brussels sprout	3,887.29	1,376	16,278.14	A
Lecithin	Cabbage	3,214.78	1,383	11,007.19	A
Lecithin	Cabbage, savoy	2.4	2	33.0	A
Lecithin	Cantaloupe	372.33	55	2,609.2	A
Lecithin	Carrot	456.29	88	1,204.3	A
Lecithin	Cauliflower	4,522.34	1,594	16,284.64	A
Lecithin	Celery	2,848.92	877	8,914.57	A
Lecithin	Cherry	3,803.51	691	11,467.96	A
Lecithin	Chicory	0.06	1	0.9	A
Lecithin	Chinese broccoli (gai lon)	11.44	1	15.0	A
Lecithin	Chinese cabbage (napa, wong bok, celery cabbage)	34.79	61	148.15	A
Lecithin	Christmas tree	8.5	10	31.0	A
Lecithin	Cilantro	73.54	22	240.3	A
Lecithin	Citrus	33.59	19	277.0	A
Lecithin	Collard	101.03	131	430.42	A
Lecithin	Commercial, institutional or industrial areas	100.22	N/A	671.53	A
Lecithin	Commercial, institutional or industrial areas	29.82	N/A	30,028.88	K

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lecithin	Commercial, institutional or industrial areas	34.25	N/A	1,981,972.0	S
Lecithin	Corn (forage - fodder)	11,186.28	1,816	89,266.36	A
Lecithin	Corn, grain	657.96	271	7,961.69	A
Lecithin	Corn, human consumption	1,847.77	362	14,741.3	A
Lecithin	Cotton	24,281.86	2,447	307,381.91	A
Lecithin	Cucumber	20.76	5	141.13	A
Lecithin	Daikon	2.28	2	22.0	A
Lecithin	Dandelion green	0.69	3	2.73	A
Lecithin	Date	0.16	1	3.0	A
Lecithin	Ditch bank	405.1	69	203.1	A
Lecithin	Ditch bank	5.47	N/A	7,750.0	S
Lecithin	Eggplant	45.82	11	188.0	A
Lecithin	Endive (escarole)	1.6	10	18.75	A
Lecithin	Fava bean	0.97	2	5.0	A
Lecithin	Fennel	226.03	49	492.68	A
Lecithin	Fig	225.69	67	1,292.29	A
Lecithin	Forage hay/silage	170.85	22	1,278.7	A
Lecithin	Forest, timberland	0.07	1	11.0	A
Lecithin	Garbanzo bean	63.29	15	272.2	A
Lecithin	Garlic	2,786.19	280	10,766.41	A
Lecithin	Golf course turf	15.8	1	30.0	A
Lecithin	Grain	7.16	1	63.0	A
Lecithin	Grape	13,336.3	1,554	37,686.56	A
Lecithin	Grape, wine	33,144.43	2,938	91,922.65	A
Lecithin	Grapefruit	806.89	129	1,440.76	A
Lecithin	Herb, spice	0.94	2	2.9	A
Lecithin	Hops	3.02	4	17.39	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lecithin	Industrial waste disposal systems, disposal water	0.21	1	5.0	A
Lecithin	Jujube	0.24	2	1.0	A
Lecithin	Kale	194.89	235	1,093.95	A
Lecithin	Kiwi fruit fuzzy	448.79	81	920.22	A
Lecithin	Kohlrabi	10.51	41	51.61	A
Lecithin	Landscape maintenance	33.55	3	20.0	A
Lecithin	Landscape maintenance	4,148.99	N/A	N/A	N/A
Lecithin	Leek	14.48	14	56.41	A
Lecithin	Lemon	5,324.35	807	13,182.85	A
Lecithin	Lettuce, head	9,171.39	2,792	32,582.08	A
Lecithin	Lettuce, leaf	24,236.8	6,933	76,289.72	A
Lecithin	Lime	5.73	4	22.5	A
Lecithin	Melon	132.55	13	1,239.0	A
Lecithin	Mustard	40.61	71	160.76	A
Lecithin	Mustard greens	115.35	106	465.29	A
Lecithin	N-grnhs flower	66.51	155	218.0	A
Lecithin	N-grnhs flower	0.28	N/A	13,000.0	S
Lecithin	N-grnhs plants in containers	175.55	359	591.96	A
Lecithin	N-grnhs plants in containers	364.55	958	67,680,725.0	S
Lecithin	N-grnhs transplants	705.79	149	396.71	A
Lecithin	N-outdr flower	1,424.24	1,845	7,663.03	A
Lecithin	N-outdr plants in containers	2,715.46	5,410	7,487.49	A
Lecithin	N-outdr plants in containers	217.57	471	33,504,553.0	S
Lecithin	N-outdr transplants	16.44	141	214.98	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lecithin	N-outdr transplants	0.01	2	16,000.0	U
Lecithin	Nectarine	1,670.53	683	8,183.08	A
Lecithin	Oat	122.88	16	744.9	A
Lecithin	Oat (forage - fodder)	642.81	140	5,882.63	A
Lecithin	Olive	744.39	109	2,980.15	A
Lecithin	Onion, dry	1,956.56	220	13,228.03	A
Lecithin	Orange	22,498.92	2,929	58,721.6	A
Lecithin	Parsley	154.37	83	922.37	A
Lecithin	Pastureland	172.76	40	3,483.88	A
Lecithin	Peach	4,188.11	1,395	17,612.9	A
Lecithin	Pear	97.11	25	380.2	A
Lecithin	Peas	848.57	254	3,109.9	A
Lecithin	Pecan	261.91	27	665.38	A
Lecithin	Pepper, fruiting	1,516.68	194	6,407.77	A
Lecithin	Persimmon	198.0	38	481.78	A
Lecithin	Pistachio	105,871.26	5,719	331,925.64	A
Lecithin	Plum	1,667.71	852	6,472.57	A
Lecithin	Pomegranate	2,541.96	233	10,351.38	A
Lecithin	Pomelo	110.71	29	185.51	A
Lecithin	Potato	1,302.07	238	5,711.94	A
Lecithin	Prune	855.44	132	4,508.98	A
Lecithin	Pumpkin	225.79	60	1,123.7	A
Lecithin	Quince	101.24	47	272.0	A
Lecithin	Radicchio	8.58	18	187.54	A
Lecithin	Radish	80.09	53	288.3	A
Lecithin	Rangeland	4.23	4	168.0	A
Lecithin	Rapini	2,183.79	375	8,286.7	A
Lecithin	Raspberry	678.17	110	1,252.29	A
Lecithin	Regulatory pest control	1.3	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Lecithin	Research commodity	18.11	30	118.5	A
Lecithin	Research commodity	9.6	N/A	N/A	N/A
Lecithin	Rice	4,973.49	370	22,885.29	A
Lecithin	Rights of way	4,832.03	337	24,981.6	A
Lecithin	Rights of way	4.96	3	1.02	U
Lecithin	Rights of way	30,108.2	N/A	N/A	N/A
Lecithin	Ryegrass	73.21	22	838.3	A
Lecithin	Safflower	3,320.62	339	84,872.0	A
Lecithin	Small fruits/berry	41.54	3	106.22	A
Lecithin	Sod farm (turf)	69.6	45	442.98	A
Lecithin	Soil fumigation/preplant	6,115.19	225	44,198.78	A
Lecithin	Sorghum (forage - fodder)	220.89	27	1,716.91	A
Lecithin	Sorghum/milo	21.69	3	195.0	A
Lecithin	Spinach	14.71	35	101.82	A
Lecithin	Squash	21.37	7	145.0	A
Lecithin	Squash, summer	4.47	4	23.64	A
Lecithin	Strawberry	26,046.25	1,959	88,872.22	A
Lecithin	Structural pest control	36.36	N/A	N/A	N/A
Lecithin	Sudangrass	268.04	36	1,562.6	A
Lecithin	Sugarbeet	25.64	3	360.0	A
Lecithin	Sunflower	353.59	65	2,494.5	A
Lecithin	Sweet potato	14.18	8	210.5	A
Lecithin	Swiss chard	27.68	90	126.29	A
Lecithin	Tangelo	491.94	87	1,272.82	A
Lecithin	Tangerine	18,127.68	2,018	53,620.44	A
Lecithin	Tomato	376.83	62	2,460.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lecithin	Tomato, processing	9,241.78	947	87,309.64	A
Lecithin	Triticale	402.99	95	5,238.38	A
Lecithin	Turf/sod	1,690.6	284	4,716.56	A
Lecithin	Turnip	40.87	81	174.77	A
Lecithin	Uncultivated ag	8,648.86	1,533	34,766.28	A
Lecithin	Uncultivated non-ag	734.15	19	2,000.75	A
Lecithin	Uncultivated non-ag	0.67	N/A	26,374.0	S
Lecithin	Unknown	2.68	1	9.5	A
Lecithin	Vegetable	2.65	3	8.0	A
Lecithin	Vertebrate control	0.23	1	1.0	A
Lecithin	Walnut	16,522.74	1,904	53,517.0	A
Lecithin	Water (industrial)	1.5	N/A	4.0	A
Lecithin	Water area	124.85	1	424.66	A
Lecithin	Water area	1.21	N/A	1,701.0	S
Lecithin	Watermelon	912.43	86	3,973.85	A
Lecithin	Wheat	1,318.72	199	11,738.85	A
Lecithin	Wheat (forage - fodder)	1,020.71	139	9,744.7	A
Lignin sulfonic acid, calcium salt	Almond	19.22	1	16.0	A
Lignin sulfonic acid, calcium salt	Plum	6.01	1	7.0	A
Lignin sulfonic acid, magnesium salt	Grape, wine	7.63	2	10.0	A
Lignin sulfonic acid, zinc salt	Nectarine	15.01	4	12.0	A
Lignin sulfonic acid, zinc salt	Plum	45.04	2	15.5	A
Lime-sulfur	Almond	154,144.16	322	20,313.9	A
Lime-sulfur	Apple	26,721.52	216	1,975.66	A
Lime-sulfur	Apple	0.2	1	1,008.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lime-sulfur	Apple	0.48	1	10.0	U
Lime-sulfur	Blackberry	40,502.58	261	2,130.89	A
Lime-sulfur	Blueberry	4,912.4	33	635.7	A
Lime-sulfur	Blueberry	1.15	1	3,000.0	S
Lime-sulfur	Boysenberry	24.59	1	1.0	A
Lime-sulfur	Cherry	27,188.84	77	1,478.56	A
Lime-sulfur	Cherry	0.2	1	1,008.0	S
Lime-sulfur	Grape	421,332.28	1,069	40,293.54	A
Lime-sulfur	Grape, wine	301,622.8	582	19,505.81	A
Lime-sulfur	Grapefruit	346.39	3	90.0	A
Lime-sulfur	Landscape maintenance	15.95	N/A	N/A	N/A
Lime-sulfur	Lemon	3,427.11	17	485.06	A
Lime-sulfur	N-outdr plants in containers	1,543.54	7	415.0	A
Lime-sulfur	N-outdr plants in containers	0.01	3	3.0	S
Lime-sulfur	N-outdr transplants	16.05	3	3.81	A
Lime-sulfur	Nectarine	4,416.2	23	347.91	A
Lime-sulfur	Nectarine	1.76	2	3,012.0	S
Lime-sulfur	Orange	23,109.61	121	2,517.14	A
Lime-sulfur	Peach	11,788.92	61	957.95	A
Lime-sulfur	Peach	1.76	2	3,012.0	S
Lime-sulfur	Pear	63,313.17	75	2,375.8	A
Lime-sulfur	Pear	0.19	1	4.0	U
Lime-sulfur	Persimmon	138.64	1	24.0	A
Lime-sulfur	Pistachio	19,695.28	34	5,799.77	A
Lime-sulfur	Plum	17.55	3	2.15	A
Lime-sulfur	Plum	0.2	1	833.0	S
Lime-sulfur	Pomegranate	585.85	4	136.5	A
Lime-sulfur	Prune	738.22	4	176.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lime-sulfur	Raspberry	39,216.21	91	1,123.89	A
Lime-sulfur	Raspberry	1.22	1	2,000.0	S
Lime-sulfur	Small fruits/berry	4.6	1	0.5	A
Lime-sulfur	Stone fruit	9.85	2	1.25	A
Lime-sulfur	Stone fruit	1.2	2	26.0	U
Lime-sulfur	Tangelo	15.4	1	5.0	A
Lime-sulfur	Tangerine	22,627.77	88	2,833.86	A
Lime-sulfur	Uncultivated ag	11.45	1	2.0	A
Lime-sulfur	Walnut	987.15	6	450.0	A
Limonene	Alfalfa	4.31	3	41.5	A
Limonene	Almond	7,212.42	326	14,032.57	A
Limonene	Apple	1.53	1	1.0	A
Limonene	Apricot	26.28	6	54.94	A
Limonene	Blueberry	70.9	8	158.09	A
Limonene	Cherry	41.59	6	120.28	A
Limonene	Corn (forage - fodder)	136.81	9	750.0	A
Limonene	Ditch bank	15.54	1	75.0	A
Limonene	Grape	111.72	37	419.6	A
Limonene	Grape, wine	481.74	10	697.32	A
Limonene	Grapefruit	36.17	9	73.0	A
Limonene	Landscape maintenance	84.5	4	5,280.0	S
Limonene	Landscape maintenance	781.86	N/A	N/A	N/A
Limonene	N-outdr plants in containers	34.76	5	153.0	A
Limonene	Nectarine	74.58	17	145.72	A
Limonene	Orange	17.15	3	18.4	A
Limonene	Peach	122.02	42	357.79	A
Limonene	Pecan	27.63	4	40.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Limonene</b>	Pistachio	186.05	12	323.6	A
<b>Limonene</b>	Plum	113.79	22	243.99	A
<b>Limonene</b>	Pomegranate	0.17	1	0.3	A
<b>Limonene</b>	Potato	57.2	4	207.0	A
<b>Limonene</b>	Public health	0.15	N/A	N/A	N/A
<b>Limonene</b>	Regulatory pest control	2.41	N/A	N/A	N/A
<b>Limonene</b>	Rights of way	13.82	5	25.0	A
<b>Limonene</b>	Rights of way	102.67	N/A	N/A	N/A
<b>Limonene</b>	Stone fruit	20.38	2	43.0	A
<b>Limonene</b>	Structural pest control	22,610.39	N/A	N/A	N/A
<b>Limonene</b>	Tangerine	9.37	5	26.76	A
<b>Limonene</b>	Uncultivated ag	45.46	4	655.0	A
<b>Limonene</b>	Walnut	758.14	97	1,765.14	A
<b>Limonene</b>	Water (industrial)	49.56	N/A	376.95	A
<b>Limonene</b>	Water area	0.86	N/A	1.3	A
<b>Limonene</b>	Water area	10.8	N/A	12.5	U
<b>Linalool</b>	Structural pest control	0.09	N/A	N/A	N/A
<b>Lindane</b>	N-grnhs plants in containers	2.22	1	1.4	A
<b>Lindane</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Linuron</b>	Asparagus	137.63	19	110.35	A
<b>Linuron</b>	Brussels sprout	40.8	1	40.8	A
<b>Linuron</b>	Carrot	33,706.01	1,163	47,502.06	A
<b>Linuron</b>	Celeriac	1.98	1	2.63	A
<b>Linuron</b>	Celery	4,393.56	706	6,971.12	A
<b>Linuron</b>	Cilantro	5,756.99	1,323	9,897.9	A
<b>Linuron</b>	Dill	60.5	6	121.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Linuron	Horseradish	31.5	1	84.0	A
Linuron	N-grnhs flower	4.5	1	4.5	A
Linuron	N-grnhs plants in containers	20.0	2	20.0	A
Linuron	Parsley	526.71	131	924.36	A
Linuron	Peas	80.19	11	123.5	A
Linuron	Research commodity	1.7	2	1.34	A
Linuron	Uncultivated ag	6.5	1	6.5	A
Low molecular weight paraffinic oil	Alfalfa	47.17	54	2,440.24	A
Low molecular weight paraffinic oil	Almond	151.37	148	7,582.67	A
Low molecular weight paraffinic oil	Artichoke, globe	3.04	74	1,025.64	A
Low molecular weight paraffinic oil	Arugula	75.93	118	1,005.91	A
Low molecular weight paraffinic oil	Barley (forage - fodder)	0.1	3	230.0	A
Low molecular weight paraffinic oil	Bean, dried	7.91	16	203.5	A
Low molecular weight paraffinic oil	Bean, succulent	0.22	4	16.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Low molecular weight paraffinic oil	Bean, unspecified	2.77	50	222.31	A
Low molecular weight paraffinic oil	Bok choy (choy sum, pak choi)	0.12	4	1.3	A
Low molecular weight paraffinic oil	Broccoli	81.38	510	4,429.93	A
Low molecular weight paraffinic oil	Brussels sprout	6.17	15	180.2	A
Low molecular weight paraffinic oil	Cabbage	1.57	25	191.8	A
Low molecular weight paraffinic oil	Carrot	11.94	112	1,797.9	A
Low molecular weight paraffinic oil	Cauliflower	12.92	220	2,063.77	A
Low molecular weight paraffinic oil	Celery	0.11	3	40.3	A
Low molecular weight paraffinic oil	Cherry	0.61	4	25.0	A
Low molecular weight paraffinic oil	Cilantro	0.81	13	103.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Low molecular weight paraffinic oil	Corn (forage - fodder)	83.12	128	8,710.84	A
Low molecular weight paraffinic oil	Corn, grain	12.13	4	799.5	A
Low molecular weight paraffinic oil	Corn, human consumption	5.99	59	751.84	A
Low molecular weight paraffinic oil	Cotton	97.36	160	8,413.74	A
Low molecular weight paraffinic oil	Cress, garden	0.2	1	2.4	A
Low molecular weight paraffinic oil	Ditch bank	4.81	3	215.0	A
Low molecular weight paraffinic oil	Endive (escarole)	3.04	25	32.1	A
Low molecular weight paraffinic oil	Forage hay/silage	2.28	5	149.2	A
Low molecular weight paraffinic oil	Garbanzo bean	0.06	1	150.0	A
Low molecular weight paraffinic oil	Garlic	1.27	5	336.1	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Low molecular weight paraffinic oil	Grape	0.29	20	261.0	A
Low molecular weight paraffinic oil	Grape, wine	58.28	159	5,021.55	A
Low molecular weight paraffinic oil	Kale	13.61	68	164.96	A
Low molecular weight paraffinic oil	Landscape maintenance	28.27	N/A	N/A	N/A
Low molecular weight paraffinic oil	Lettuce, head	159.5	363	3,657.42	A
Low molecular weight paraffinic oil	Lettuce, leaf	373.69	959	6,319.41	A
Low molecular weight paraffinic oil	Mizuna	1.42	24	17.65	A
Low molecular weight paraffinic oil	N-grnhs plants in containers	0.02	1	3.0	A
Low molecular weight paraffinic oil	N-outdr plants in containers	13.65	46	2,494.33	A
Low molecular weight paraffinic oil	Oat	1.4	5	66.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Low molecular weight paraffinic oil	Oat (forage - fodder)	<0.01	1	3.25	A
Low molecular weight paraffinic oil	Olive	16.04	35	751.22	A
Low molecular weight paraffinic oil	Onion, dry	2.27	7	323.5	A
Low molecular weight paraffinic oil	Pastureland	5.35	3	1,300.0	A
Low molecular weight paraffinic oil	Peas	1.44	37	166.53	A
Low molecular weight paraffinic oil	Pistachio	286.88	172	7,143.04	A
Low molecular weight paraffinic oil	Prune	0.49	1	29.18	A
Low molecular weight paraffinic oil	Public health	15.39	N/A	N/A	N/A
Low molecular weight paraffinic oil	Pumpkin	0.78	1	60.0	A
Low molecular weight paraffinic oil	Rangeland	0.38	7	82.79	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Low molecular weight paraffinic oil	Rice	133.21	199	8,964.61	A
Low molecular weight paraffinic oil	Rights of way	18.24	18	1,220.0	A
Low molecular weight paraffinic oil	Rights of way	324.67	N/A	N/A	N/A
Low molecular weight paraffinic oil	Ryegrass	0.52	2	20.0	A
Low molecular weight paraffinic oil	Sorghum/milo	1.87	1	149.09	A
Low molecular weight paraffinic oil	Spinach	112.49	316	2,827.16	A
Low molecular weight paraffinic oil	Strawberry	0.31	2	58.0	A
Low molecular weight paraffinic oil	Sudangrass	0.04	2	179.0	A
Low molecular weight paraffinic oil	Sunflower	7.39	30	1,251.76	A
Low molecular weight paraffinic oil	Tomato	32.5	21	1,501.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Low molecular weight paraffinic oil	Tomato, processing	3.66	5	357.0	A
Low molecular weight paraffinic oil	Triticale	0.27	6	682.0	A
Low molecular weight paraffinic oil	Uncultivated ag	200.73	698	7,972.18	A
Low molecular weight paraffinic oil	Uncultivated non-ag	20.31	8	485.0	A
Low molecular weight paraffinic oil	Upland cress	9.68	54	127.1	A
Low molecular weight paraffinic oil	Walnut	27.48	42	892.41	A
Low molecular weight paraffinic oil	Water area	1.44	7	24.0	A
Low molecular weight paraffinic oil	Wheat	24.08	59	2,694.5	A
Low molecular weight paraffinic oil	Wheat (forage - fodder)	41.74	53	3,595.2	A
Magnesium chloride	Landscape maintenance	8.02	N/A	N/A	N/A
Magnesium phosphide	Almond	853.67	N/A	8,162,528.0	C

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Magnesium phosphide</b>	Almond	191.48	N/A	8,427,837.46	P
<b>Magnesium phosphide</b>	Almond	1,969.72	N/A	78,040.0	T
<b>Magnesium phosphide</b>	Almond	29.66	N/A	800,800.0	U
<b>Magnesium phosphide</b>	Barley	0.16	N/A	1,500.0	C
<b>Magnesium phosphide</b>	Commodity fumigation	0.83	4	15,390.0	C
<b>Magnesium phosphide</b>	Commodity fumigation	6,795.22	N/A	N/A	N/A
<b>Magnesium phosphide</b>	Dried fruit	1.75	N/A	1.0	A
<b>Magnesium phosphide</b>	Fumigation, other	2,621.99	N/A	N/A	N/A
<b>Magnesium phosphide</b>	Grain	0.33	N/A	6,000.0	C
<b>Magnesium phosphide</b>	Herb, spice	0.79	N/A	15,000.0	C
<b>Magnesium phosphide</b>	Joboba bean	1.14	N/A	21,510.0	C
<b>Magnesium phosphide</b>	Landscape maintenance	17.45	N/A	N/A	N/A
<b>Magnesium phosphide</b>	Nuts	2.89	N/A	12,288.0	C
<b>Magnesium phosphide</b>	Pistachio	0.12	N/A	2,390.0	C
<b>Magnesium phosphide</b>	Prune	1.1	N/A	2.0	A
<b>Magnesium phosphide</b>	Prune	17.3	N/A	294,400.0	C

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Magnesium phosphide</b>	Regulatory pest control	164.13	N/A	N/A	N/A
<b>Magnesium phosphide</b>	Rice	119.1	N/A	1,309,156.0	C
<b>Magnesium phosphide</b>	Structural pest control	2,552.85	N/A	N/A	N/A
<b>Magnesium phosphide</b>	Vegetable	28.01	N/A	641,040.0	C
<b>Magnesium phosphide</b>	Wheat	0.28	N/A	6,510.0	C
<b>Malathion</b>	Alfalfa	38,003.8	722	35,486.27	A
<b>Malathion</b>	Avocado	8.91	1	50.0	A
<b>Malathion</b>	Barley	874.16	14	684.0	A
<b>Malathion</b>	Bean, unspecified	10.82	2	11.0	A
<b>Malathion</b>	Beet	85.46	8	66.82	A
<b>Malathion</b>	Bermudagrass	265.69	3	242.0	A
<b>Malathion</b>	Blackberry	6,400.56	359	3,145.93	A
<b>Malathion</b>	Blueberry	5.23	3	4.08	A
<b>Malathion</b>	Bok choy (choy sum, pak choi)	58.99	45	66.7	A
<b>Malathion</b>	Bok choy (choy sum, pak choi)	0.96	1	32,000.0	S
<b>Malathion</b>	Boysenberry	4.09	1	1.0	A
<b>Malathion</b>	Broccoli	10,324.42	822	8,089.03	A
<b>Malathion</b>	Brussels sprout	2,804.98	163	2,209.6	A
<b>Malathion</b>	Cabbage	1,590.29	174	1,281.69	A
<b>Malathion</b>	Cabbage, savoy	22.48	3	22.27	A
<b>Malathion</b>	Cauliflower	2,403.16	211	1,902.86	A
<b>Malathion</b>	Celery	8,978.07	736	6,263.7	A
<b>Malathion</b>	Cherry	9,766.7	221	7,793.56	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Malathion	Chinese cabbage (napa, wong bok, celery cabbage)	566.86	79	489.67	A
Malathion	Chinese greens	0.53	1	0.65	A
Malathion	Citrus	15.72	9	91.0	A
Malathion	Collard	77.86	21	76.15	A
Malathion	Commodity fumigation	94.44	N/A	N/A	N/A
Malathion	Corn, human consumption	1,449.17	44	1,449.0	A
Malathion	Cotton	61,406.24	98	24,794.64	A
Malathion	Cucumber	1.84	3	2.2	A
Malathion	Eggplant	11.5	5	20.48	A
Malathion	Endive (escarole)	71.64	21	68.53	A
Malathion	Fig	395.79	15	239.7	A
Malathion	Forage hay/silage	521.8	9	497.0	A
Malathion	Gai choy	6.99	12	11.0	A
Malathion	Gai choy	0.96	1	32,000.0	S
Malathion	Gai lon	6.49	6	4.5	A
Malathion	Garlic	2.54	1	2.0	A
Malathion	Grape	2,436.11	27	1,207.72	A
Malathion	Grape, wine	478.83	20	400.23	A
Malathion	Grapefruit	19.39	6	46.5	A
Malathion	Kale	337.18	47	336.53	A
Malathion	Kohlrabi	3.99	2	4.0	A
Malathion	Landscape maintenance	550.81	N/A	N/A	N/A
Malathion	Leek	59.21	10	43.56	A
Malathion	Lemon	419.99	15	169.8	A
Malathion	Lettuce, head	13,829.41	786	8,556.9	A
Malathion	Lettuce, leaf	21,366.28	1,230	12,499.11	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Malathion	Mint	47.09	30	47.0	A
Malathion	Mint	1.02	2	20,000.0	S
Malathion	Mustard greens	154.96	4	152.5	A
Malathion	N-grnhs flower	0.08	3	0.3	A
Malathion	N-grnhs plants in containers	113.41	59	57.17	A
Malathion	N-grnhs plants in containers	40.75	24	641,950.0	S
Malathion	N-grnhs plants in containers	1.11	1	7,200.0	U
Malathion	N-grnhs transplants	18.13	11	16.4	A
Malathion	N-grnhs transplants	0.55	1	4,000.0	S
Malathion	N-outdr flower	1,381.81	104	987.77	A
Malathion	N-outdr plants in containers	1,067.17	320	552.58	A
Malathion	N-outdr plants in containers	32.52	16	539,401.5	S
Malathion	N-outdr plants in containers	7.16	7	34,000.0	U
Malathion	N-outdr transplants	507.77	14	257.5	A
Malathion	Oat	1.06	1	1.0	A
Malathion	Oat (forage - fodder)	320.01	5	313.0	A
Malathion	Onion, dry	45.34	4	33.0	A
Malathion	Orange	3,958.0	165	2,549.57	A
Malathion	Pastureland	35.84	1	37.0	A
Malathion	Peas	709.5	87	779.48	A
Malathion	Peas	0.96	1	32,000.0	S
Malathion	Pecan	385.2	3	151.0	A
Malathion	Pepper, fruiting	241.87	18	159.36	A
Malathion	Pepper, spice	35.98	5	23.5	A
Malathion	Public health	4,774.83	N/A	N/A	N/A
Malathion	Pumpkin	1,211.67	33	1,184.7	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Malathion	Radish	379.99	119	371.58	A
Malathion	Raspberry	5,969.9	369	3,318.89	A
Malathion	Regulatory pest control	157,139.58	N/A	N/A	N/A
Malathion	Research commodity	2.92	7	2.12	A
Malathion	Rights of way	1.17	1	5.0	A
Malathion	Rights of way	0.26	N/A	N/A	N/A
Malathion	Soil fumigation/preplant	694.16	3	520.0	A
Malathion	Spinach	474.9	56	498.34	A
Malathion	Squash	8.95	3	9.0	A
Malathion	Strawberry	66,441.43	1,135	33,417.53	A
Malathion	Strawberry	2.63	6	21,600.0	S
Malathion	Structural pest control	3,482.84	N/A	N/A	N/A
Malathion	Sudangrass	347.45	4	351.0	A
Malathion	Swiss chard	0.26	1	1,000.0	S
Malathion	Tangelo	110.98	5	54.3	A
Malathion	Tangerine	2,284.12	36	492.44	A
Malathion	Timothy	174.71	8	299.0	A
Malathion	Tomato	1,265.67	21	865.06	A
Malathion	Tomato, processing	7,116.47	43	5,643.83	A
Malathion	Triticale	150.16	1	155.0	A
Malathion	Tropical/subtropical fruit	8.98	2	3.0	A
Malathion	Turnip	25.6	1	20.0	A
Malathion	Vegetable	2.04	2	2.0	A
Malathion	Walnut	2,313.89	39	1,065.94	A
Malathion	Watercress	118.71	33	115.0	A
Malathion	Wheat (forage - fodder)	1,046.52	13	1,030.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Malathion</b>	Yam	0.06	1	1.0	A
<b>Maleic hydrazide, potassium salt</b>	Garlic	1,378.92	5	546.0	A
<b>Maleic hydrazide, potassium salt</b>	Onion, dry	2,632.12	51	1,002.27	A
<b>Maleic hydrazide, potassium salt</b>	Potato	5,512.41	36	1,580.01	A
<b>Malic acid</b>	Almond	0.06	1	25.26	A
<b>Mancozeb</b>	Almond	50,760.92	273	12,155.82	A
<b>Mancozeb</b>	Apple	7,483.45	200	3,329.09	A
<b>Mancozeb</b>	Broccoli	5,211.65	218	3,563.04	A
<b>Mancozeb</b>	Cabbage	2,033.92	100	1,372.25	A
<b>Mancozeb</b>	Cherry	8.1	2	9.0	A
<b>Mancozeb</b>	Commodity fumigation	0.1	N/A	N/A	N/A
<b>Mancozeb</b>	Cucumber	5,700.4	81	2,700.13	A
<b>Mancozeb</b>	Fennel	461.26	28	288.66	A
<b>Mancozeb</b>	Garlic	2,614.05	13	1,178.7	A
<b>Mancozeb</b>	Golf course turf	3,114.27	15	218.75	A
<b>Mancozeb</b>	Golf course turf	473.65	N/A	735,000.0	S
<b>Mancozeb</b>	Grape	8,294.47	128	7,130.72	A
<b>Mancozeb</b>	Grape, wine	7.3	5	7.75	A
<b>Mancozeb</b>	Landscape maintenance	12.0	2	64,000.0	S
<b>Mancozeb</b>	Landscape maintenance	16,957.86	N/A	N/A	N/A
<b>Mancozeb</b>	Lettuce, head	103,606.5	6,259	72,389.1	A
<b>Mancozeb</b>	Lettuce, leaf	128,404.27	8,718	87,048.56	A
<b>Mancozeb</b>	Melon	40.5	1	18.0	A
<b>Mancozeb</b>	N-grnhs flower	991.92	56	229.0	A
<b>Mancozeb</b>	N-grnhs flower	134.8	N/A	520,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mancozeb</b>	N-grnhs plants in containers	127.98	178	174.38	A
<b>Mancozeb</b>	N-grnhs plants in containers	5.85	6	116,200.0	S
<b>Mancozeb</b>	N-grnhs transplants	2,413.65	1,531	2,404.69	A
<b>Mancozeb</b>	N-grnhs transplants	1.95	3	38,000.0	S
<b>Mancozeb</b>	N-outdr flower	4,368.3	1,045	4,802.04	A
<b>Mancozeb</b>	N-outdr plants in containers	1,015.75	301	890.6	A
<b>Mancozeb</b>	N-outdr plants in containers	6.91	20	213,300.0	S
<b>Mancozeb</b>	N-outdr plants in containers	26.44	6	389,558.0	U
<b>Mancozeb</b>	N-outdr transplants	1,020.21	142	517.59	A
<b>Mancozeb</b>	N-outdr transplants	40.32	27	1,414,283.0	S
<b>Mancozeb</b>	Onion, dry	81,633.49	778	42,845.74	A
<b>Mancozeb</b>	Onion, green	944.14	5	422.3	A
<b>Mancozeb</b>	Pear	50,454.28	523	19,020.53	A
<b>Mancozeb</b>	Pepper, fruiting	1,851.0	72	1,431.48	A
<b>Mancozeb</b>	Pepper, spice	108.0	1	72.0	A
<b>Mancozeb</b>	Pistachio	2.71	1	1.0	A
<b>Mancozeb</b>	Potato	11,664.31	238	7,882.81	A
<b>Mancozeb</b>	Pumpkin	163.13	10	88.51	A
<b>Mancozeb</b>	Research commodity	24.37	12	10.75	A
<b>Mancozeb</b>	Research commodity	62.71	N/A	N/A	N/A
<b>Mancozeb</b>	Rights of way	27.0	N/A	N/A	N/A
<b>Mancozeb</b>	Sod farm (turf)	5,321.94	46	589.21	A
<b>Mancozeb</b>	Squash	24.0	3	12.0	A
<b>Mancozeb</b>	Squash, winter	64.51	2	40.0	A
<b>Mancozeb</b>	Stone fruit	23.01	2	8.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mancozeb</b>	Structural pest control	51.15	N/A	N/A	N/A
<b>Mancozeb</b>	Tomato	5,396.85	169	5,476.84	A
<b>Mancozeb</b>	Tomato, processing	6,595.73	153	5,196.96	A
<b>Mancozeb</b>	Triticale	914.34	12	622.0	A
<b>Mancozeb</b>	Turf/sod	5,195.1	46	604.67	A
<b>Mancozeb</b>	Walnut	480,321.89	7,184	270,312.27	A
<b>Mancozeb</b>	Walnut	213.08	1	60.0	U
<b>Mancozeb</b>	Watermelon	115.95	5	61.0	A
<b>Mandestrobin</b>	Landscape maintenance	8.37	N/A	N/A	N/A
<b>Mandipropamid</b>	Arugula	419.33	428	3,208.96	A
<b>Mandipropamid</b>	Basil, sweet	39.89	108	315.96	A
<b>Mandipropamid</b>	Bok choy (choy sum, pak choi)	35.34	44	272.36	A
<b>Mandipropamid</b>	Broccoli	313.92	117	2,466.57	A
<b>Mandipropamid</b>	Brussels sprout	51.46	19	394.9	A
<b>Mandipropamid</b>	Cabbage	241.61	121	1,897.68	A
<b>Mandipropamid</b>	Cauliflower	166.52	88	1,323.05	A
<b>Mandipropamid</b>	Chinese broccoli (gai lon)	1.95	1	20.0	A
<b>Mandipropamid</b>	Chinese cabbage (napa, wong bok, celery cabbage)	27.4	19	210.42	A
<b>Mandipropamid</b>	Cole crop	6.47	68	53.55	A
<b>Mandipropamid</b>	Collard	30.58	65	234.36	A
<b>Mandipropamid</b>	Cress, garden	0.91	3	7.0	A
<b>Mandipropamid</b>	Cucumber	182.66	45	1,420.5	A
<b>Mandipropamid</b>	Dandelion green	0.13	1	1.0	A
<b>Mandipropamid</b>	Endive (escarole)	15.86	68	122.67	A
<b>Mandipropamid</b>	Gai lon	2.39	20	18.76	A
<b>Mandipropamid</b>	Grape, wine	0.61	5	5.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mandipropamid</b>	Grapefruit	13.43	4	103.5	A
<b>Mandipropamid</b>	Herb, spice	0.04	1	0.3	A
<b>Mandipropamid</b>	Kale	149.59	359	1,146.85	A
<b>Mandipropamid</b>	Landscape maintenance	0.26	N/A	N/A	N/A
<b>Mandipropamid</b>	Leek	3.23	7	25.45	A
<b>Mandipropamid</b>	Lemon	45.37	23	348.5	A
<b>Mandipropamid</b>	Lettuce, head	6,541.3	4,299	51,100.64	A
<b>Mandipropamid</b>	Lettuce, leaf	9,206.78	7,629	71,641.49	A
<b>Mandipropamid</b>	Melon	40.36	8	414.0	A
<b>Mandipropamid</b>	Mizuna	36.98	108	295.44	A
<b>Mandipropamid</b>	Mustard	2.67	7	20.51	A
<b>Mandipropamid</b>	Mustard greens	69.42	180	531.58	A
<b>Mandipropamid</b>	N-grnhs flower	1.07	6	9.75	A
<b>Mandipropamid</b>	N-grnhs flower	0.7	19	306,316.0	S
<b>Mandipropamid</b>	N-grnhs plants in containers	34.52	201	258.98	A
<b>Mandipropamid</b>	N-grnhs plants in containers	2.68	54	2,597,010.0	S
<b>Mandipropamid</b>	N-grnhs transplants	26.37	260	1,075.73	A
<b>Mandipropamid</b>	N-grnhs transplants	1.79	3	780,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mandipropamid	N-outdr flower	2.88	12	23.0	A
Mandipropamid	N-outdr flower	0.01	1	4,000.0	S
Mandipropamid	N-outdr plants in containers	28.11	136	221.98	A
Mandipropamid	N-outdr plants in containers	0.16	4	33,000.0	S
Mandipropamid	N-outdr plants in containers	0.21	6	12,350.0	U
Mandipropamid	N-outdr transplants	9.08	84	143.15	A
Mandipropamid	N-outdr transplants	13.72	37	5,881,440.0	S
Mandipropamid	Onion, dry	1,531.95	236	12,782.73	A
Mandipropamid	Onion, green	83.16	9	736.45	A
Mandipropamid	Orange	228.61	100	1,760.42	A
Mandipropamid	Parsley	5.49	2	42.19	A
Mandipropamid	Pepper, fruiting	2.02	10	15.5	A
Mandipropamid	Potato	773.97	118	6,830.08	A
Mandipropamid	Pumpkin	36.26	10	289.75	A
Mandipropamid	Radicchio	31.07	49	238.16	A
Mandipropamid	Radish	1.69	1	12.94	A
Mandipropamid	Research commodity	0.17	1	1.25	A
Mandipropamid	Research commodity	0.26	N/A	N/A	N/A
Mandipropamid	Root vegetable	1.11	5	8.5	A
Mandipropamid	Spinach	3,968.16	3,561	31,110.7	A
Mandipropamid	Squash	6.91	9	53.0	A
Mandipropamid	Swiss chard	83.48	202	654.3	A
Mandipropamid	Tangelo	7.49	4	58.0	A
Mandipropamid	Tangerine	233.75	82	1,793.55	A
Mandipropamid	Tomato	300.41	97	2,656.78	A
Mandipropamid	Tomato, processing	78.78	8	651.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mandipropamid</b>	Turnip greens	0.06	1	0.5	A
<b>Mandipropamid</b>	Upland cress	21.57	70	165.7	A
<b>Mandipropamid</b>	Vegetables, fruiting	0.07	1	0.5	A
<b>Mandipropamid</b>	Vegetables, leafy	21.37	134	185.85	A
<b>Mandipropamid</b>	Watermelon	17.99	8	149.5	A
<b>Maneb</b>	Grape, wine	59.4	1	24.75	A
<b>Maneb</b>	Landscape maintenance	30.05	N/A	N/A	N/A
<b>Maneb</b>	N-grnhs flower	2.77	13	15.0	A
<b>Maneb</b>	N-grnhs transplants	2.6	11	11.0	A
<b>Maneb</b>	N-outdr plants in containers	22.42	10	18.22	A
<b>Maneb</b>	Regulatory pest control	0.03	N/A	N/A	N/A
<b>Maneb</b>	Research commodity	1.9	2	1.19	A
<b>Maneb</b>	Walnut	46.24	3	25.28	A
<b>Manganese sulfate</b>	Almond	62.67	10	746.1	A
<b>Manganese sulfate</b>	Cotton	145.01	25	6,142.0	A
<b>Manganese sulfate</b>	Rights of way	0.24	N/A	N/A	N/A
<b>Manganese sulfate</b>	Tomato	0.24	1	26.0	A
<b>Margosa oil</b>	Alfalfa	0.27	1	0.06	A
<b>Margosa oil</b>	Almond	1.51	2	0.12	A
<b>Margosa oil</b>	Arugula	51.44	7	71.41	A
<b>Margosa oil</b>	Basil, sweet	28.41	7	10.88	A
<b>Margosa oil</b>	Bean, succulent	47.86	3	18.1	A
<b>Margosa oil</b>	Beet	2,252.9	65	1,605.8	A
<b>Margosa oil</b>	Blackberry	5,332.32	187	2,382.33	A
<b>Margosa oil</b>	Blueberry	19.71	1	32.0	A
<b>Margosa oil</b>	Bok choy (choy sum, pak choi)	285.2	30	238.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Margosa oil	Broccoli	2,297.33	48	704.79	A
Margosa oil	Cabbage	2,370.26	137	1,603.03	A
Margosa oil	Cannabis (all or unspecified)	4,303.58	341	415.32	A
Margosa oil	Cannabis (all or unspecified)	49.87	7	315,818.0	C
Margosa oil	Cannabis (all or unspecified)	1,131.46	456	5,255,332.0	S
Margosa oil	Carrot	14.01	1	3.5	A
Margosa oil	Cauliflower	5,945.83	139	3,627.4	A
Margosa oil	Celery	2,529.4	34	436.48	A
Margosa oil	Chive	3.03	2	1.25	A
Margosa oil	Cilantro	11.38	1	12.3	A
Margosa oil	Collard	817.92	116	484.69	A
Margosa oil	Cucumber	91.87	5	29.65	A
Margosa oil	Daikon	37.62	13	24.3	A
Margosa oil	Grape	53.87	46	2,605.0	A
Margosa oil	Grape, wine	128.13	6	159.02	A
Margosa oil	Herb, spice	86.49	12	47.0	A
Margosa oil	Industrial hemp	40.96	3	23.0	A
Margosa oil	Kale	3,594.51	166	2,472.26	A
Margosa oil	Landscape maintenance	121.79	N/A	N/A	N/A
Margosa oil	Leek	1,099.51	22	148.97	A
Margosa oil	Lettuce, head	1,034.85	74	636.87	A
Margosa oil	Lettuce, leaf	4,110.24	299	3,469.49	A
Margosa oil	Mint	67.41	6	25.0	A
Margosa oil	Mizuna	3.65	2	3.9	A
Margosa oil	Mushroom	14.09	3	27,119.0	S
Margosa oil	Mustard	110.92	29	59.3	A
Margosa oil	Mustard greens	67.04	4	35.8	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Margosa oil	N-grnhs plants in containers	0.82	7	9,707.0	S
Margosa oil	N-grnhs plants in containers	0.19	1	915.0	U
Margosa oil	N-grnhs transplants	142.88	9	900.0	A
Margosa oil	N-outdr flower	47.58	52	70.75	A
Margosa oil	N-outdr plants in containers	0.15	1	732.0	S
Margosa oil	N-outdr transplants	1.72	4	121,318.0	S
Margosa oil	Onion, dry	1,599.67	9	399.6	A
Margosa oil	Onion, green	395.67	32	244.4	A
Margosa oil	Orange	31.06	1	11.5	A
Margosa oil	Oregano	5.34	1	2.0	A
Margosa oil	Parsley	127.66	1	13.9	A
Margosa oil	Peas	0.05	2	4.0	A
Margosa oil	Pepper, fruiting	908.44	53	1,043.27	A
Margosa oil	Radish	37.99	3	25.8	A
Margosa oil	Raspberry	18,799.43	345	5,115.98	A
Margosa oil	Research commodity	0.37	6	7.7	A
Margosa oil	Research commodity	2.82	N/A	N/A	N/A
Margosa oil	Rosemary	58.38	4	16.17	A
Margosa oil	Sage	137.82	11	68.5	A
Margosa oil	Spinach	311.45	33	333.04	A
Margosa oil	Squash	0.15	1	0.5	A
Margosa oil	Squash, summer	0.06	1	0.2	A
Margosa oil	Strawberry	8,412.61	567	12,687.72	A
Margosa oil	Structural pest control	15.45	N/A	N/A	N/A
Margosa oil	Swiss chard	951.8	62	786.84	A
Margosa oil	Tarragon	6.75	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Margosa oil	Tomato	0.65	1	0.25	A
Margosa oil	Tomato	9.79	1	12,960.0	S
Mcpa, 2-ethyl hexyl ester	Landscape maintenance	73.53	N/A	N/A	N/A
Mcpa, 2-ethyl hexyl ester	Rights of way	12.2	N/A	N/A	N/A
Mcpa, 2-ethyl hexyl ester	Wheat	8.12	1	25.0	A
Mcpa, dimethylamine salt	Alfalfa	45.8	2	82.7	A
Mcpa, dimethylamine salt	Barley	1,559.46	24	3,680.9	A
Mcpa, dimethylamine salt	Barley (forage - fodder)	183.0	6	328.7	A
Mcpa, dimethylamine salt	Corn (forage - fodder)	17.45	2	30.0	A
Mcpa, dimethylamine salt	Cotton	148.8	5	264.97	A
Mcpa, dimethylamine salt	Forage hay/silage	5,184.45	133	7,709.39	A
Mcpa, dimethylamine salt	Grass, seed	23.75	12	20.5	A
Mcpa, dimethylamine salt	Landscape maintenance	1,646.88	N/A	N/A	N/A
Mcpa, dimethylamine salt	N-grnhs flower	4.85	N/A	9.0	A
Mcpa, dimethylamine salt	N-grnhs flower	2.84	N/A	25,000.0	S
Mcpa, dimethylamine salt	N-outdr flower	20.91	11	18.5	A
Mcpa, dimethylamine salt	Oat	1,067.83	40	1,637.53	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mcpa, dimethylamine salt</b>	Oat (forage - fodder)	12,942.41	536	21,566.49	A
<b>Mcpa, dimethylamine salt</b>	Pasture (forage - fodder)	10.99	1	18.0	A
<b>Mcpa, dimethylamine salt</b>	Pastureland	164.76	3	106.0	A
<b>Mcpa, dimethylamine salt</b>	Rights of way	56.51	1	50.0	A
<b>Mcpa, dimethylamine salt</b>	Rights of way	81.14	N/A	N/A	N/A
<b>Mcpa, dimethylamine salt</b>	Rye	41.53	5	75.0	A
<b>Mcpa, dimethylamine salt</b>	Ryegrass	2,906.17	50	3,140.06	A
<b>Mcpa, dimethylamine salt</b>	Soil fumigation/preplant	1,013.57	7	1,456.0	A
<b>Mcpa, dimethylamine salt</b>	Structural pest control	0.51	N/A	N/A	N/A
<b>Mcpa, dimethylamine salt</b>	Triticale	2,887.68	82	4,431.22	A
<b>Mcpa, dimethylamine salt</b>	Turf/sod	93.29	13	207.5	A
<b>Mcpa, dimethylamine salt</b>	Uncultivated ag	373.61	8	472.4	A
<b>Mcpa, dimethylamine salt</b>	Vertebrate control	17.72	1	21.0	A
<b>Mcpa, dimethylamine salt</b>	Wheat	15,119.45	328	22,773.27	A
<b>Mcpa, dimethylamine salt</b>	Wheat (forage - fodder)	17,597.21	567	31,025.43	A
<b>Mcpa, isooctyl ester</b>	Landscape maintenance	1,247.41	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mcpp</b>	Landscape maintenance	22.59	N/A	N/A	N/A
<b>Mcpp, dimethylamine salt</b>	Cannabis (all or unspecified)	32.61	117	1,170,000.0	S
<b>Mcpp, dimethylamine salt</b>	Golf course turf	5.56	4	38.6	A
<b>Mcpp, dimethylamine salt</b>	Landscape maintenance	0.57	1	43,200.0	S
<b>Mcpp, dimethylamine salt</b>	Landscape maintenance	16.49	N/A	N/A	N/A
<b>Mcpp, dimethylamine salt</b>	Rights of way	58.12	N/A	N/A	N/A
<b>Mcpp, dimethylamine salt</b>	Turf/sod	2.29	2	5.5	A
<b>Mcpp, potassium salt</b>	Landscape maintenance	1.75	N/A	N/A	N/A
<b>Mcpp, potassium salt</b>	N-grnhs flower	0.19	1	3,000.0	S
<b>Mcpp, potassium salt</b>	N-grnhs plants in containers	12.79	8	4.89	A
<b>Mcpp, potassium salt</b>	N-grnhs plants in containers	13.65	10	97,430.0	S
<b>Mcpp, potassium salt</b>	N-outdr plants in containers	0.26	1	0.5	A
<b>Mcpp, potassium salt</b>	N-outdr plants in containers	0.45	2	15,000.0	S
<b>Mcpp, potassium salt</b>	Recreation area	9.52	N/A	4.0	A
<b>Mcpp-p, dimethylamine salt</b>	Golf course turf	45.91	N/A	246.0	A
<b>Mcpp-p, dimethylamine salt</b>	Golf course turf	3.04	1	350.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mcpp-p, dimethylamine salt</b>	Landscape maintenance	0.59	5	12.0	A
<b>Mcpp-p, dimethylamine salt</b>	Landscape maintenance	1,057.82	N/A	N/A	N/A
<b>Mcpp-p, dimethylamine salt</b>	N-grnhs flower	19.4	4	63.0	A
<b>Mcpp-p, dimethylamine salt</b>	Pastureland	0.1	N/A	5.0	A
<b>Mcpp-p, dimethylamine salt</b>	Rights of way	152.79	N/A	N/A	N/A
<b>Mcpp-p, dimethylamine salt</b>	Structural pest control	6.45	N/A	N/A	N/A
<b>Mcpp-p, potassium salt</b>	County ag comm	1.04	N/A	N/A	N/A
<b>Mcpp-p, potassium salt</b>	Landscape maintenance	346.89	N/A	N/A	N/A
<b>Mcpp-p, potassium salt</b>	Turf/sod	15.4	N/A	30.0	A
<b>Mecoprop-p</b>	Golf course turf	26.28	3	296.75	A
<b>Mecoprop-p</b>	Golf course turf	0.97	N/A	370,000.0	S
<b>Mecoprop-p</b>	Landscape maintenance	3.24	8	129.75	A
<b>Mecoprop-p</b>	Landscape maintenance	0.6	1	120,077.0	S
<b>Mecoprop-p</b>	Landscape maintenance	1,342.16	N/A	N/A	N/A
<b>Mecoprop-p</b>	N-grnhs flower	11.88	N/A	92.9	A
<b>Mecoprop-p</b>	N-grnhs flower	1.26	N/A	288,125.0	S
<b>Mecoprop-p</b>	N-grnhs plants in containers	0.21	N/A	5.0	A
<b>Mecoprop-p</b>	N-grnhs transplants	4.88	N/A	18.5	A
<b>Mecoprop-p</b>	Rights of way	0.1	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mecoprop-p	Rights of way	62.45	N/A	N/A	N/A
Mecoprop-p	Sod farm (turf)	17.2	29	345.0	A
Mecoprop-p	Structural pest control	0.6	N/A	N/A	N/A
Mecoprop-p	Turf/sod	28.09	32	549.58	A
Mefenoxam	Alfalfa	36.11	5	288.0	A
Mefenoxam	Alfalfa	344.42	N/A	2,949,484.0	P
Mefenoxam	Almond	13,623.88	364	30,517.03	A
Mefenoxam	Apple	503.55	2	251.25	A
Mefenoxam	Arugula	114.19	12	138.75	A
Mefenoxam	Asparagus	47.14	5	182.0	A
Mefenoxam	Avocado	3.04	4	7.25	A
Mefenoxam	Avocado	0.19	2	16,000.0	S
Mefenoxam	Basil, sweet	364.41	17	508.73	A
Mefenoxam	Bean, dried	12.53	4	26.0	A
Mefenoxam	Bean, dried	2.05	N/A	50,500.0	P
Mefenoxam	Bean, succulent	0.12	1	0.27	A
Mefenoxam	Beet	134.05	56	265.23	A
Mefenoxam	Beet	0.04	N/A	249.76	P
Mefenoxam	Blackberry	87.34	41	412.75	A
Mefenoxam	Blueberry	9.18	1	18.5	A
Mefenoxam	Bok choy (choy sum, pak choi)	5.31	7	106.0	A
Mefenoxam	Broccoli	169.62	85	1,307.62	A
Mefenoxam	Broccoli	0.01	N/A	194.79	P
Mefenoxam	Brussels sprout	38.7	21	286.03	A
Mefenoxam	Cabbage	116.57	72	1,565.01	A
Mefenoxam	Canola (rape)	5.21	9	103.0	A
Mefenoxam	Cantaloupe	186.89	47	1,179.43	A
Mefenoxam	Carrot	13,221.57	816	42,720.17	A
Mefenoxam	Carrot	2.27	N/A	37,163.74	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mefenoxam	Cauliflower	47.05	47	508.8	A
Mefenoxam	Cauliflower	<0.01	N/A	0.88	P
Mefenoxam	Celery	16.36	1	33.0	A
Mefenoxam	Cherry	52.79	2	71.0	A
Mefenoxam	Chestnut	13.03	2	26.0	A
Mefenoxam	Chinese cabbage (napa, wong bok, celery cabbage)	3.63	5	73.5	A
Mefenoxam	Chive	0.13	1	16.0	A
Mefenoxam	Cilantro	196.57	52	318.74	A
Mefenoxam	Citrus	100.21	1	397.0	A
Mefenoxam	Collard	4.65	11	35.8	A
Mefenoxam	Commodity fumigation	15.08	N/A	N/A	N/A
Mefenoxam	Cotton	7.25	1	58.0	A
Mefenoxam	Cotton	247.25	N/A	1,102.74	T
Mefenoxam	Cucumber	65.54	20	523.75	A
Mefenoxam	Cucumber	1,053.25	N/A	307,620.02	P
Mefenoxam	Daikon	3.06	2	12.5	A
Mefenoxam	Dill	51.63	3	103.0	A
Mefenoxam	Eggplant	0.08	1	0.13	A
Mefenoxam	Fennel	0.08	N/A	492.82	P
Mefenoxam	Gai lon	12.24	27	368.5	A
Mefenoxam	Garlic	3.97	1	32.0	A
Mefenoxam	Golf course turf	214.43	9	344.44	A
Mefenoxam	Golf course turf	5.21	N/A	340,000.0	S
Mefenoxam	Grape	1,011.71	26	1,890.5	A
Mefenoxam	Grape, wine	505.29	16	1,083.75	A
Mefenoxam	Grapefruit	15.56	7	55.5	A
Mefenoxam	Herb, spice	32.59	2	65.0	A
Mefenoxam	Kale	95.17	83	245.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mefenoxam	Kiwi fruit fuzzy	1,517.4	278	4,320.18	A
Mefenoxam	Landscape maintenance	0.02	1	0.5	A
Mefenoxam	Landscape maintenance	0.98	1	74,000.0	S
Mefenoxam	Landscape maintenance	854.01	N/A	N/A	N/A
Mefenoxam	Lemon	1,429.02	73	3,068.55	A
Mefenoxam	Lettuce, head	682.12	361	5,534.96	A
Mefenoxam	Lettuce, leaf	857.21	531	6,505.81	A
Mefenoxam	Lettuce, leaf	1.34	N/A	8,726.11	P
Mefenoxam	Lime	3.41	3	10.0	A
Mefenoxam	Melon	280.69	63	1,160.74	A
Mefenoxam	Melon	0.09	N/A	605.22	P
Mefenoxam	N-grnhs flower	93.35	48	314.56	A
Mefenoxam	N-grnhs flower	13.18	43	1,770,968.0	S
Mefenoxam	N-grnhs flower	1.52	20	37,027.0	U
Mefenoxam	N-grnhs plants in containers	387.93	1,452	1,627.65	A
Mefenoxam	N-grnhs plants in containers	103.14	438	13,396,323.0	S
Mefenoxam	N-grnhs plants in containers	18.15	24	4,160,176.0	U
Mefenoxam	N-grnhs transplants	108.95	208	5,115.08	A
Mefenoxam	N-grnhs transplants	13.48	301	2,424,353.0	S
Mefenoxam	N-outdr flower	130.9	403	793.27	A
Mefenoxam	N-outdr plants in containers	678.68	2,206	7,597.42	A
Mefenoxam	N-outdr plants in containers	74.22	469	7,982,997.0	S
Mefenoxam	N-outdr plants in containers	13.25	95	739,721.6	U



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mefenoxam	N-outdr transplants	483.17	85	1,093.12	A
Mefenoxam	N-outdr transplants	6.44	60	271,719.5	S
Mefenoxam	Nectarine	222.86	13	843.0	A
Mefenoxam	Onion, dry	5,096.34	788	47,886.66	A
Mefenoxam	Onion, dry	3.09	N/A	71,614.77	P
Mefenoxam	Onion, green	61.28	7	588.4	A
Mefenoxam	Orange	2,866.49	233	6,473.89	A
Mefenoxam	Parsley	189.47	33	301.6	A
Mefenoxam	Parsley	0.08	N/A	560.0	P
Mefenoxam	Parsnip	0.02	N/A	161.6	P
Mefenoxam	Peach	861.87	57	3,301.29	A
Mefenoxam	Peas	49.54	25	172.13	A
Mefenoxam	Peas	2.99	N/A	10,000.0	P
Mefenoxam	Pepper, fruiting	1,546.97	188	4,844.57	A
Mefenoxam	Pepper, fruiting	0.03	N/A	11,301.29	P
Mefenoxam	Pepper, spice	5.72	1	17.8	A
Mefenoxam	Pepper, spice	0.03	N/A	509.44	P
Mefenoxam	Pimento	7.58	3	24.0	A
Mefenoxam	Pistachio	1,139.83	33	2,834.45	A
Mefenoxam	Plum	4.53	1	9.0	A
Mefenoxam	Pomelo	12.79	7	42.5	A
Mefenoxam	Potato	8,542.51	162	10,198.52	A
Mefenoxam	Pumpkin	74.15	17	500.75	A
Mefenoxam	Pumpkin	0.52	N/A	1,832.97	P
Mefenoxam	Radish	255.86	173	411.08	A
Mefenoxam	Rapini	2.85	2	22.7	A
Mefenoxam	Raspberry	343.61	36	520.75	A
Mefenoxam	Research commodity	6.71	21	15.7	A
Mefenoxam	Research commodity	1.39	54	237,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mefenoxam	Research commodity	3.62	N/A	N/A	N/A
Mefenoxam	Sod farm (turf)	16.64	3	26.5	A
Mefenoxam	Spinach	9,852.62	2,115	17,283.93	A
Mefenoxam	Spinach	27.24	N/A	413,916.5	P
Mefenoxam	Squash	4.13	2	10.25	A
Mefenoxam	Squash	2.6	N/A	57,640.03	P
Mefenoxam	Squash, summer	7.19	1	7.0	A
Mefenoxam	Squash, winter	0.25	1	2.0	A
Mefenoxam	Stone fruit	4.01	1	4.0	A
Mefenoxam	Strawberry	5,199.42	275	11,379.84	A
Mefenoxam	Structural pest control	2.46	N/A	N/A	N/A
Mefenoxam	Sunflower	1.3	N/A	1,413.4	P
Mefenoxam	Tangelo	39.24	2	46.0	A
Mefenoxam	Tangerine	4,038.25	217	10,725.11	A
Mefenoxam	Tomato	1,061.5	181	6,594.18	A
Mefenoxam	Tomato	0.07	N/A	2,433.82	P
Mefenoxam	Tomato, processing	4,467.93	298	22,569.64	A
Mefenoxam	Turf/sod	39.48	7	61.73	A
Mefenoxam	Uncultivated ag	1.46	3	3.7	A
Mefenoxam	Uncultivated non-ag	<0.01	1	0.55	A
Mefenoxam	Walnut	706.71	19	675.41	A
Mefenoxam	Watermelon	941.97	115	3,800.01	A
Mefenoxam	Watermelon	1.32	N/A	12,727.05	P
Mefenoxam	Wheat	0.6	N/A	20,120.0	P
Mefenoxam	Wheat	45.14	N/A	875.07	T
Mefenoxam, other related	Alfalfa	10.66	N/A	2,949,484.0	P
Mefenoxam, other related	Bean, dried	0.06	N/A	50,500.0	P

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mefenoxam, other related</b>	Blackberry	0.07	3	18.75	A
<b>Mefenoxam, other related</b>	Broccoli	<0.01	N/A	9.96	P
<b>Mefenoxam, other related</b>	Carrot	0.06	N/A	27,728.32	P
<b>Mefenoxam, other related</b>	Commodity fumigation	0.46	N/A	N/A	N/A
<b>Mefenoxam, other related</b>	Cucumber	0.35	N/A	77,080.24	P
<b>Mefenoxam, other related</b>	Golf course turf	5.99	8	296.75	A
<b>Mefenoxam, other related</b>	Golf course turf	0.17	N/A	340,000.0	S
<b>Mefenoxam, other related</b>	Landscape maintenance	<0.01	1	0.5	A
<b>Mefenoxam, other related</b>	Landscape maintenance	0.03	1	74,000.0	S
<b>Mefenoxam, other related</b>	Landscape maintenance	19.04	N/A	N/A	N/A
<b>Mefenoxam, other related</b>	Lettuce, leaf	<0.01	N/A	5.15	P
<b>Mefenoxam, other related</b>	N-grnhs flower	3.07	47	311.52	A
<b>Mefenoxam, other related</b>	N-grnhs flower	0.36	42	1,619,768.0	S
<b>Mefenoxam, other related</b>	N-grnhs flower	0.05	19	35,477.0	U
<b>Mefenoxam, other related</b>	N-grnhs plants in containers	11.94	1,196	1,482.85	A
<b>Mefenoxam, other related</b>	N-grnhs plants in containers	2.71	331	11,882,274.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mefenoxam, other related</b>	N-grnhs plants in containers	0.6	23	4,159,176.0	U
<b>Mefenoxam, other related</b>	N-grnhs transplants	1.63	98	3,109.48	A
<b>Mefenoxam, other related</b>	N-grnhs transplants	0.12	212	1,219,500.0	S
<b>Mefenoxam, other related</b>	N-outdr flower	0.37	77	120.85	A
<b>Mefenoxam, other related</b>	N-outdr plants in containers	14.53	1,558	5,554.99	A
<b>Mefenoxam, other related</b>	N-outdr plants in containers	2.44	463	7,943,697.0	S
<b>Mefenoxam, other related</b>	N-outdr plants in containers	0.18	59	400,460.6	U
<b>Mefenoxam, other related</b>	N-outdr transplants	<0.01	5	0.83	A
<b>Mefenoxam, other related</b>	N-outdr transplants	0.02	22	46,138.0	S
<b>Mefenoxam, other related</b>	Onion, dry	0.44	1	111.0	A
<b>Mefenoxam, other related</b>	Onion, dry	<0.01	N/A	2,446.14	P
<b>Mefenoxam, other related</b>	Parsley	<0.01	N/A	260.0	P
<b>Mefenoxam, other related</b>	Peas	0.09	N/A	10,000.0	P
<b>Mefenoxam, other related</b>	Pepper, spice	<0.01	N/A	209.09	P
<b>Mefenoxam, other related</b>	Research commodity	<0.01	2	0.25	A
<b>Mefenoxam, other related</b>	Research commodity	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mefenoxam, other related</b>	Spinach	0.55	N/A	120,360.47	P
<b>Mefenoxam, other related</b>	Squash	0.02	N/A	5,821.5	P
<b>Mefenoxam, other related</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Mefenoxam, other related</b>	Tangerine	0.03	2	49.0	A
<b>Mefenoxam, other related</b>	Tomato	<0.01	N/A	479.13	P
<b>Mefenoxam, other related</b>	Turf/sod	0.17	N/A	8.0	A
<b>Mefenoxam, other related</b>	Uncultivated ag	<0.01	1	1.0	A
<b>Mefenoxam, other related</b>	Uncultivated non-ag	<0.01	1	0.55	A
<b>Mefenoxam, other related</b>	Watermelon	<0.01	N/A	658.3	P
<b>Mefentrifluconazole</b>	Almond	8,602.47	970	68,700.51	A
<b>Mefentrifluconazole</b>	Apricot	1.47	3	11.5	A
<b>Mefentrifluconazole</b>	Cantaloupe	17.74	2	161.0	A
<b>Mefentrifluconazole</b>	Carrot	81.61	10	623.3	A
<b>Mefentrifluconazole</b>	Cherry	7.3	4	55.75	A
<b>Mefentrifluconazole</b>	Cucumber	11.93	4	91.0	A
<b>Mefentrifluconazole</b>	Golf course turf	105.18	1	166.0	A
<b>Mefentrifluconazole</b>	Golf course turf	30.91	N/A	1,690,000.0	S
<b>Mefentrifluconazole</b>	Grape	500.05	110	4,641.2	A
<b>Mefentrifluconazole</b>	Grape, wine	2,536.06	426	19,885.19	A
<b>Mefentrifluconazole</b>	Landscape maintenance	0.68	1	0.82	A
<b>Mefentrifluconazole</b>	Landscape maintenance	777.57	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mefentrifluconazole	Melon	23.32	3	178.0	A
Mefentrifluconazole	N-grnhs flower	19.24	N/A	36.0	A
Mefentrifluconazole	N-grnhs flower	4.19	N/A	200,000.0	S
Mefentrifluconazole	N-grnhs plants in containers	0.13	1	0.5	A
Mefentrifluconazole	N-outdr plants in containers	11.65	4	100.16	A
Mefentrifluconazole	Nectarine	32.94	12	260.52	A
Mefentrifluconazole	Onion, dry	1.21	2	9.0	A
Mefentrifluconazole	Peach	156.47	37	1,283.08	A
Mefentrifluconazole	Pear	37.42	8	286.0	A
Mefentrifluconazole	Pepper, fruiting	160.74	47	1,229.29	A
Mefentrifluconazole	Pistachio	1,621.8	173	11,815.22	A
Mefentrifluconazole	Plum	0.16	1	1.0	A
Mefentrifluconazole	Pluot	1.31	2	10.0	A
Mefentrifluconazole	Prune	91.78	13	701.0	A
Mefentrifluconazole	Pumpkin	31.43	13	287.69	A
Mefentrifluconazole	Research commodity	0.7	N/A	N/A	N/A
Mefentrifluconazole	Squash	49.79	14	427.0	A
Mefentrifluconazole	Squash, winter	8.14	3	86.0	A
Mefentrifluconazole	Tomato	59.92	18	485.19	A
Mefentrifluconazole	Tomato, processing	1,266.95	159	10,581.71	A
Mefentrifluconazole	Turf/sod	5.62	N/A	8.0	A
Mefentrifluconazole	Walnut	338.93	49	2,397.8	A
Mefentrifluconazole	Watermelon	39.97	10	355.5	A
Mefluidide, diethanolamine salt	Landscape maintenance	25.26	N/A	N/A	N/A
Mefluidide, diethanolamine salt	Rights of way	81.59	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mefluidide, diethanolamine salt</b>	Structural pest control	0.14	N/A	N/A	N/A
<b>Mepiquat chloride</b>	Cotton	5,271.05	2,546	128,843.75	A
<b>Mepiquat chloride</b>	Research commodity	0.04	2	1.2	A
<b>Mepiquat chloride</b>	Research commodity	0.05	N/A	N/A	N/A
<b>Mesosulfuron-methyl</b>	Corn (forage - fodder)	0.19	1	14.0	A
<b>Mesosulfuron-methyl</b>	Forage hay/silage	0.49	1	37.0	A
<b>Mesosulfuron-methyl</b>	Structural pest control	0.14	N/A	N/A	N/A
<b>Mesosulfuron-methyl</b>	Triticale	4.33	1	324.0	A
<b>Mesosulfuron-methyl</b>	Wheat	229.0	279	18,188.7	A
<b>Mesosulfuron-methyl</b>	Wheat (forage - fodder)	29.71	37	2,223.68	A
<b>Mesotrione</b>	Almond	5,826.7	777	33,997.55	A
<b>Mesotrione</b>	Blueberry	18.75	9	181.34	A
<b>Mesotrione</b>	Cherry	3.75	1	20.0	A
<b>Mesotrione</b>	Citrus	8.31	5	72.5	A
<b>Mesotrione</b>	Corn (forage - fodder)	1,631.91	332	16,554.51	A
<b>Mesotrione</b>	Corn, grain	59.75	11	637.4	A
<b>Mesotrione</b>	Corn, human consumption	3.56	5	34.0	A
<b>Mesotrione</b>	Golf course turf	17.42	3	130.5	A
<b>Mesotrione</b>	Grapefruit	31.28	21	186.5	A
<b>Mesotrione</b>	Landscape maintenance	32.41	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Mesotrione</b>	Lemon	226.25	54	1,214.77	A
<b>Mesotrione</b>	Lime	2.47	1	19.0	A
<b>Mesotrione</b>	N-grnhs flower	3.12	N/A	20.0	A
<b>Mesotrione</b>	N-outdr plants in containers	4.84	4	44.0	A
<b>Mesotrione</b>	N-outdr transplants	9.37	2	37.5	A
<b>Mesotrione</b>	Nectarine	55.11	21	298.5	A
<b>Mesotrione</b>	Oat (forage - fodder)	1.45	1	10.0	A
<b>Mesotrione</b>	Orange	328.16	102	1,928.4	A
<b>Mesotrione</b>	Peach	8.72	5	46.5	A
<b>Mesotrione</b>	Pecan	68.46	6	364.8	A
<b>Mesotrione</b>	Pistachio	2,126.0	220	11,520.64	A
<b>Mesotrione</b>	Plum	186.28	64	992.47	A
<b>Mesotrione</b>	Prune	10.05	5	71.18	A
<b>Mesotrione</b>	Residential	0.62	N/A	4.0	A
<b>Mesotrione</b>	Rights of way	471.31	N/A	N/A	N/A
<b>Mesotrione</b>	Sod farm (turf)	10.84	15	242.0	A
<b>Mesotrione</b>	Sorghum/milo	0.92	1	10.0	A
<b>Mesotrione</b>	Structural pest control	0.06	N/A	N/A	N/A
<b>Mesotrione</b>	Tangerine	149.19	51	889.17	A
<b>Mesotrione</b>	Turf/sod	182.88	42	796.88	A
<b>Mesotrione</b>	Uncultivated ag	0.48	1	2.0	A
<b>Mesotrione</b>	Walnut	692.97	179	4,707.46	A
<b>Mesotrione</b>	Water area	59.57	N/A	9.0	A
<b>Meta-cresol</b>	Grape, wine	0.16	3	6.32	A
<b>Meta-cresol</b>	Landscape maintenance	0.1	N/A	N/A	N/A
<b>Meta-cresol</b>	Walnut	0.28	1	57.0	A
<b>Metaflumizone</b>	Almond	322.89	5,048	349,425.88	A
<b>Metaflumizone</b>	Grape	3.88	139	4,325.01	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Metaflumizone	Grape, wine	3.76	92	4,013.54	A
Metaflumizone	Grapefruit	0.11	7	112.7	A
Metaflumizone	Landscape maintenance	0.86	N/A	N/A	N/A
Metaflumizone	Lemon	0.94	44	997.8	A
Metaflumizone	N-outdr flower	<0.01	1	3.32	A
Metaflumizone	N-outdr plants in containers	0.1	5	106.99	A
Metaflumizone	Orange	0.48	51	614.04	A
Metaflumizone	Pistachio	1.19	13	1,259.69	A
Metaflumizone	Pomelo	0.02	2	20.0	A
Metaflumizone	Public health	0.71	N/A	N/A	N/A
Metaflumizone	Research commodity	<0.01	N/A	N/A	N/A
Metaflumizone	Rights of way	<0.01	2	2.0	A
Metaflumizone	Rights of way	<0.01	N/A	N/A	N/A
Metaflumizone	Structural pest control	0.13	N/A	N/A	N/A
Metaflumizone	Tangelo	0.05	3	50.0	A
Metaflumizone	Tangerine	2.04	84	2,146.88	A
Metaflumizone	Turf/sod	0.14	1	145.0	A
Metaflumizone	Walnut	2.38	64	2,512.0	A
Metalaxyl	Alfalfa	79.56	N/A	4,257,412.0	P
Metalaxyl	Alfalfa	483.49	N/A	1,327.16	T
Metalaxyl	Arugula	133.95	3	73.4	A
Metalaxyl	Broccoli	25.11	2	100.0	A
Metalaxyl	Canola (rape)	<0.01	N/A	84.0	P
Metalaxyl	Carrot	0.19	2	160.0	A
Metalaxyl	Cotton	984.9	N/A	4,815.4	T
Metalaxyl	Golf course turf	5.2	1	2.5	A
Metalaxyl	Golf course turf	1.2	N/A	30,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Metalaxyl</b>	Kale	26.32	2	17.5	A
<b>Metalaxyl</b>	Landscape maintenance	54.84	N/A	N/A	N/A
<b>Metalaxyl</b>	Lettuce, head	296.27	4	197.0	A
<b>Metalaxyl</b>	Lettuce, leaf	889.31	7	522.5	A
<b>Metalaxyl</b>	Mizuna	80.53	5	62.1	A
<b>Metalaxyl</b>	N-grnhs flower	2.82	2	1.63	A
<b>Metalaxyl</b>	N-grnhs flower	2.35	N/A	150,000.0	S
<b>Metalaxyl</b>	N-grnhs flower	0.09	1	3,000.0	U
<b>Metalaxyl</b>	N-grnhs plants in containers	0.44	2	1.66	A
<b>Metalaxyl</b>	N-grnhs plants in containers	0.09	1	15,000.0	K
<b>Metalaxyl</b>	N-grnhs plants in containers	0.33	8	117,000.0	S
<b>Metalaxyl</b>	N-grnhs transplants	0.01	6	6.0	A
<b>Metalaxyl</b>	N-grnhs transplants	0.07	1	4,000.0	S
<b>Metalaxyl</b>	N-outdr flower	0.28	3	6.0	A
<b>Metalaxyl</b>	N-outdr plants in containers	0.34	12	10.66	A
<b>Metalaxyl</b>	N-outdr plants in containers	1.44	8	140,800.0	S
<b>Metalaxyl</b>	N-outdr plants in containers	0.41	4	32,500.0	U
<b>Metalaxyl</b>	Onion, dry	214.73	12	854.0	A
<b>Metalaxyl</b>	Onion, dry	0.07	N/A	520.37	P
<b>Metalaxyl</b>	Spinach	475.27	8	472.0	A
<b>Metalaxyl</b>	Spinach	19.78	N/A	136,870.21	P
<b>Metalaxyl</b>	Sunflower	10.37	N/A	16,266.0	P
<b>Metalaxyl</b>	Swiss chard	147.6	5	125.4	A
<b>Metalaxyl</b>	Vegetable	0.03	N/A	233.0	P
<b>Metaldehyde</b>	Artichoke, globe	1,796.78	151	1,802.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Metalddehyde	Avocado	8.11	6	28.23	A
Metalddehyde	Avocado	2.2	1	60,000.0	U
Metalddehyde	Blackberry	110.12	15	186.08	A
Metalddehyde	Blueberry	20.8	1	26.0	A
Metalddehyde	Brussels sprout	86.89	7	104.3	A
Metalddehyde	Cabbage	0.8	1	2.0	A
Metalddehyde	Cauliflower	7.94	1	8.3	A
Metalddehyde	Citrus	33.3	8	34.7	A
Metalddehyde	Date	3.6	1	3.0	A
Metalddehyde	Farm/ag building	1.54	N/A	57.1	A
Metalddehyde	Grapefruit	795.75	72	1,413.0	A
Metalddehyde	Kumquat	2.6	1	11.6	A
Metalddehyde	Landscape maintenance	976.75	N/A	N/A	N/A
Metalddehyde	Lemon	3,802.4	318	7,471.94	A
Metalddehyde	Lettuce, head	4.77	1	5.0	A
Metalddehyde	Lime	60.8	4	95.5	A
Metalddehyde	N-grnhs flower	28.26	16	29.71	A
Metalddehyde	N-grnhs flower	27.38	7	29,500.0	S
Metalddehyde	N-grnhs plants in containers	478.22	232	408.01	A
Metalddehyde	N-grnhs plants in containers	71.53	198	2,630,795.16	S
Metalddehyde	N-grnhs plants in containers	0.17	4	474.0	U
Metalddehyde	N-grnhs transplants	34.64	20	268.02	A
Metalddehyde	N-grnhs transplants	24.61	39	607,100.0	S
Metalddehyde	N-grnhs transplants	12.0	N/A	1,999,998.0	U
Metalddehyde	N-outdr flower	666.39	178	850.44	A
Metalddehyde	N-outdr plants in containers	1.2	1	0.75	?

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Metaldehyde</b>	N-outdr plants in containers	2,337.54	537	2,022.44	A
<b>Metaldehyde</b>	N-outdr plants in containers	102.36	462	4,426,961.71	S
<b>Metaldehyde</b>	N-outdr plants in containers	8.72	5	66,275.0	U
<b>Metaldehyde</b>	N-outdr transplants	172.04	26	593.9	A
<b>Metaldehyde</b>	Orange	18,666.6	1,356	41,320.07	A
<b>Metaldehyde</b>	Pomelo	39.78	8	62.75	A
<b>Metaldehyde</b>	Raspberry	26.33	7	32.91	A
<b>Metaldehyde</b>	Regulatory pest control	9.6	N/A	N/A	N/A
<b>Metaldehyde</b>	Rights of way	7.4	7	7.0	A
<b>Metaldehyde</b>	Rights of way	30.75	N/A	N/A	N/A
<b>Metaldehyde</b>	Spinach	0.35	2	1.0	A
<b>Metaldehyde</b>	Strawberry	52.0	3	52.0	A
<b>Metaldehyde</b>	Structural pest control	0.08	1	200.0	S
<b>Metaldehyde</b>	Structural pest control	36.76	N/A	N/A	N/A
<b>Metaldehyde</b>	Tangelo	471.29	56	1,146.02	A
<b>Metaldehyde</b>	Tangerine	7,247.36	458	12,138.68	A
<b>Metaldehyde</b>	Uncultivated ag	82.72	4	108.0	A
<b>Metaldehyde</b>	Uncultivated ag	1.6	2	42,000.0	S
<b>Metaldehyde</b>	Uncultivated non-ag	4.0	N/A	241.0	A
<b>Metaldehyde</b>	Yam	3.83	6	10.5	A
<b>Metallic silver</b>	N-outdr plants in containers	<0.01	2	2.4	A
<b>Metam-sodium</b>	Apricot	17.36	1	0.2	A
<b>Metam-sodium</b>	Artichoke, globe	2,133.59	1	9.0	A
<b>Metam-sodium</b>	Blackberry	30,462.87	8	128.5	A
<b>Metam-sodium</b>	Cantaloupe	11,556.93	2	36.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Metam-sodium	Carrot	1,283,281.19	103	6,745.38	A
Metam-sodium	Cauliflower	1,820.32	1	8.6	A
Metam-sodium	Chinese greens	1,269.99	2	6.0	A
Metam-sodium	Eggplant	2,031.99	1	12.0	A
Metam-sodium	Grape	18,186.28	4	71.6	A
Metam-sodium	Industrial waste disposal systems, disposal water	2.9	N/A	240.0	U
Metam-sodium	Lemon	40,851.4	8	145.0	A
Metam-sodium	N-outdr flower	35,342.46	38	118.63	A
Metam-sodium	N-outdr transplants	4,106.31	1	16.0	A
Metam-sodium	Onion, dry	219,721.63	14	1,059.0	A
Metam-sodium	Peach	17.36	1	0.2	A
Metam-sodium	Pepper, fruiting	416,552.02	79	1,960.31	A
Metam-sodium	Pimento	1,693.32	N/A	10.0	A
Metam-sodium	Potato	672,265.67	50	3,559.16	A
Metam-sodium	Raspberry	2,892.19	2	12.2	A
Metam-sodium	Research commodity	31.6	N/A	N/A	N/A
Metam-sodium	Rights of way	96,971.79	N/A	N/A	N/A
Metam-sodium	Sewage system	336.44	N/A	8,345.2	C
Metam-sodium	Sewage system	1,438.57	N/A	99,070.0	U
Metam-sodium	Soil fumigation/preplant	61,090.33	23	302.6	A
Metam-sodium	Squash	12,567.63	5	63.34	A
Metam-sodium	Strawberry	362,422.44	44	1,559.25	A
Metam-sodium	Structural pest control	17.7	N/A	N/A	N/A
Metam-sodium	Sweet potato	30,310.64	2	182.75	A
Metam-sodium	Tomato	22,327.3	11	227.4	A
Metam-sodium	Tomato, processing	281,882.3	42	1,920.72	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Metam-sodium	Turf/sod	12,626.26	4	45.2	A
Metam-sodium	Walnut	954.57	13	10.0	A
Metam-sodium	Water (industrial)	3,092.4	N/A	66,212.18	C
Metconazole	Almond	28,079.39	4,392	272,700.52	A
Metconazole	Apricot	18.93	2	173.25	A
Metconazole	Bean, dried	4.92	1	45.0	A
Metconazole	Blueberry	77.84	47	996.2	A
Metconazole	Cherry	217.31	110	2,331.49	A
Metconazole	Golf course turf	56.25	1	112.0	A
Metconazole	Golf course turf	2.0	N/A	400,000.0	S
Metconazole	Landscape maintenance	408.32	N/A	N/A	N/A
Metconazole	N-grnhs flower	93.42	N/A	185.9	A
Metconazole	N-grnhs flower	1.6	N/A	140,000.0	S
Metconazole	N-grnhs transplants	3.32	4	6.23	A
Metconazole	N-outdr plants in containers	2.78	4	28.5	A
Metconazole	N-outdr transplants	43.44	42	684.13	A
Metconazole	Nectarine	222.1	113	1,802.08	A
Metconazole	Peach	528.66	169	4,389.75	A
Metconazole	Pecan	49.88	3	456.0	A
Metconazole	Pistachio	6,008.1	731	48,310.34	A
Metconazole	Plum	50.03	32	455.45	A
Metconazole	Potato	278.67	24	2,406.6	A
Metconazole	Prune	9.92	13	90.73	A
Metconazole	Recreation area	1.0	N/A	2.0	A
Metconazole	Rights of way	7.03	N/A	N/A	N/A
Metconazole	Soil fumigation/preplant	3.13	2	40.0	A
Metconazole	Walnut	1,636.57	328	15,347.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methiocarb</b>	Landscape maintenance	6.0	2	4.0	A
<b>Methiocarb</b>	N-grnhs flower	3.64	13	130,100.0	S
<b>Methiocarb</b>	N-grnhs plants in containers	26.21	46	38.11	A
<b>Methiocarb</b>	N-grnhs plants in containers	15.93	17	293,010.0	S
<b>Methiocarb</b>	N-outdr flower	78.38	31	70.44	A
<b>Methiocarb</b>	N-outdr plants in containers	408.31	106	178.09	A
<b>Methiocarb</b>	N-outdr plants in containers	12.62	10	130,000.0	S
<b>Methiocarb</b>	N-outdr plants in containers	6.0	1	12,585.0	U
<b>Methomyl</b>	Alfalfa	8,219.25	190	10,576.2	A
<b>Methomyl</b>	Almond	50.4	1	112.0	A
<b>Methomyl</b>	Asparagus	801.0	16	890.0	A
<b>Methomyl</b>	Bean, dried	335.79	9	446.6	A
<b>Methomyl</b>	Bean, succulent	44.43	11	53.0	A
<b>Methomyl</b>	Bean, unspecified	33.75	1	75.0	A
<b>Methomyl</b>	Beet	8.55	2	19.0	A
<b>Methomyl</b>	Bermudagrass	341.99	7	403.0	A
<b>Methomyl</b>	Blueberry	587.25	14	655.0	A
<b>Methomyl</b>	Bok choy (choy sum, pak choi)	16.02	4	23.8	A
<b>Methomyl</b>	Broccoli	11,676.96	1,360	15,320.13	A
<b>Methomyl</b>	Brussels sprout	10,426.9	949	12,874.2	A
<b>Methomyl</b>	Cabbage	4,173.68	577	5,708.23	A
<b>Methomyl</b>	Cabbage, savoy	39.42	4	51.65	A
<b>Methomyl</b>	Cantaloupe	178.72	4	352.14	A
<b>Methomyl</b>	Carrot	736.2	25	1,460.5	A
<b>Methomyl</b>	Cauliflower	4,227.35	625	5,442.17	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methomyl</b>	Celery	11,369.81	1,718	14,316.05	A
<b>Methomyl</b>	Chinese cabbage (napa, wong bok, celery cabbage)	184.51	82	345.35	A
<b>Methomyl</b>	Collard	55.26	3	78.1	A
<b>Methomyl</b>	Corn (forage - fodder)	151.99	12	335.0	A
<b>Methomyl</b>	Corn, human consumption	36,072.93	1,828	81,982.57	A
<b>Methomyl</b>	Cotton	11.03	3	24.5	A
<b>Methomyl</b>	Cucumber	257.2	18	368.0	A
<b>Methomyl</b>	Eggplant	26.35	13	171.0	A
<b>Methomyl</b>	Endive (escarole)	67.07	65	94.74	A
<b>Methomyl</b>	Fennel	60.12	10	79.82	A
<b>Methomyl</b>	Garlic	3,570.9	161	7,944.35	A
<b>Methomyl</b>	Kale	241.61	57	294.83	A
<b>Methomyl</b>	Lemon	108.0	2	120.0	A
<b>Methomyl</b>	Lettuce, head	49,099.9	6,245	72,205.39	A
<b>Methomyl</b>	Lettuce, leaf	75,287.97	11,018	104,416.11	A
<b>Methomyl</b>	Melon	149.18	2	221.0	A
<b>Methomyl</b>	Mustard greens	13.03	5	14.48	A
<b>Methomyl</b>	N-outdr transplants	1.35	1	3.0	A
<b>Methomyl</b>	Nectarine	280.8	21	312.0	A
<b>Methomyl</b>	Onion, dry	11,634.73	439	18,320.14	A
<b>Methomyl</b>	Orange	1,105.56	18	1,228.4	A
<b>Methomyl</b>	Parsley	9.0	2	10.0	A
<b>Methomyl</b>	Peas	4,442.21	720	6,554.66	A
<b>Methomyl</b>	Pepper, fruiting	159.3	5	177.0	A
<b>Methomyl</b>	Pomegranate	2,758.7	30	3,069.72	A
<b>Methomyl</b>	Potato	305.46	9	678.8	A
<b>Methomyl</b>	Pumpkin	541.32	11	606.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methomyl</b>	Radish	11.25	2	25.0	A
<b>Methomyl</b>	Rapini	186.35	13	269.7	A
<b>Methomyl</b>	Research commodity	26.0	12	41.25	A
<b>Methomyl</b>	Research commodity	4.05	N/A	N/A	N/A
<b>Methomyl</b>	Spinach	2,124.29	325	2,844.45	A
<b>Methomyl</b>	Squash	276.94	43	610.3	A
<b>Methomyl</b>	Squash, summer	52.13	3	70.46	A
<b>Methomyl</b>	Structural pest control	1.07	N/A	N/A	N/A
<b>Methomyl</b>	Sugarbeet	2,518.44	58	3,536.44	A
<b>Methomyl</b>	Swiss chard	7.7	5	8.56	A
<b>Methomyl</b>	Tangerine	122.4	3	136.0	A
<b>Methomyl</b>	Tomato	6,156.05	193	7,511.75	A
<b>Methomyl</b>	Tomato, processing	400.73	7	506.0	A
<b>Methomyl</b>	Turnip	2.56	1	3.8	A
<b>Methomyl</b>	Watermelon	195.75	9	234.7	A
<b>Methoprene</b>	Landscape maintenance	8.29	N/A	N/A	N/A
<b>Methoprene</b>	Mushroom house	1.16	4	23,000.0	S
<b>Methoprene</b>	Mushroom soil	1.89	2	11,500.0	S
<b>Methoprene</b>	N-grnhs transplants	0.03	1	1.0	A
<b>Methoprene</b>	Public health	428.27	N/A	N/A	N/A
<b>Methoprene</b>	Regulatory pest control	2.62	N/A	N/A	N/A
<b>Methoprene</b>	Structural pest control	551.14	N/A	N/A	N/A
<b>Methoprene</b>	Water area	24.96	N/A	313.0	A
<b>Methoxychlor</b>	Rights of way	0.46	N/A	N/A	N/A
<b>Methoxychlor, other related</b>	Rights of way	0.06	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Methoxyfenozide	Alfalfa	12,605.38	1,798	101,152.07	A
Methoxyfenozide	Almond	320,428.07	14,804	933,985.88	A
Methoxyfenozide	Apple	235.98	57	1,031.31	A
Methoxyfenozide	Apricot	385.76	63	1,457.19	A
Methoxyfenozide	Artichoke, globe	644.59	220	3,059.5	A
Methoxyfenozide	Avocado	6.91	2	33.0	A
Methoxyfenozide	Avocado	0.17	1	200,000.0	U
Methoxyfenozide	Basil, sweet	23.0	65	144.09	A
Methoxyfenozide	Bean, dried	185.25	23	1,446.5	A
Methoxyfenozide	Bean, succulent	87.48	15	370.25	A
Methoxyfenozide	Bean, unspecified	8.4	11	44.55	A
Methoxyfenozide	Beet	22.83	15	200.71	A
Methoxyfenozide	Bermudagrass	315.51	33	3,269.5	A
Methoxyfenozide	Blackberry	73.75	40	381.05	A
Methoxyfenozide	Blueberry	151.99	23	841.85	A
Methoxyfenozide	Bok choy (choy sum, pak choi)	49.16	71	215.82	A
Methoxyfenozide	Broccoli	979.47	184	4,978.28	A
Methoxyfenozide	Brussels sprout	569.6	181	2,596.98	A
Methoxyfenozide	Cabbage	466.39	217	2,449.94	A
Methoxyfenozide	Cantaloupe	1,035.0	133	7,346.63	A
Methoxyfenozide	Cardoon	3.95	1	14.0	A
Methoxyfenozide	Carrot	706.45	109	5,844.0	A
Methoxyfenozide	Cauliflower	163.8	62	909.21	A
Methoxyfenozide	Celery	1,952.09	1,065	12,908.01	A
Methoxyfenozide	Cherry	1,715.95	423	8,790.55	A
Methoxyfenozide	Chestnut	4.06	1	18.0	A
Methoxyfenozide	Chinese broccoli (gai lon)	32.12	16	455.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methoxyfenozide</b>	Chinese cabbage (napa, wong bok, celery cabbage)	122.33	78	641.16	A
<b>Methoxyfenozide</b>	Chinese greens	8.19	7	58.0	A
<b>Methoxyfenozide</b>	Chive	0.12	1	0.75	A
<b>Methoxyfenozide</b>	Cilantro	5.08	4	48.1	A
<b>Methoxyfenozide</b>	Collard	25.27	39	119.31	A
<b>Methoxyfenozide</b>	Corn (forage - fodder)	286.12	57	1,837.68	A
<b>Methoxyfenozide</b>	Corn, grain	5.17	2	42.0	A
<b>Methoxyfenozide</b>	Corn, human consumption	554.23	134	3,296.32	A
<b>Methoxyfenozide</b>	Cotton	1,057.75	44	6,512.78	A
<b>Methoxyfenozide</b>	Cucumber	11.5	4	72.7	A
<b>Methoxyfenozide</b>	Daikon	2.61	3	12.0	A
<b>Methoxyfenozide</b>	Date	25.78	3	108.0	A
<b>Methoxyfenozide</b>	Dill	0.23	3	1.25	A
<b>Methoxyfenozide</b>	Eggplant	22.32	10	121.0	A
<b>Methoxyfenozide</b>	Endive (escarole)	0.19	2	1.34	A
<b>Methoxyfenozide</b>	Forage hay/silage	512.56	29	2,958.44	A
<b>Methoxyfenozide</b>	Garbanzo bean	28.62	14	101.2	A
<b>Methoxyfenozide</b>	Grape	9,982.98	1,114	49,943.51	A
<b>Methoxyfenozide</b>	Grape, wine	22,390.7	2,105	116,292.03	A
<b>Methoxyfenozide</b>	Herb, spice	9.26	3	40.85	A
<b>Methoxyfenozide</b>	Kale	66.09	84	304.83	A
<b>Methoxyfenozide</b>	Kohlrabi	3.33	16	15.72	A
<b>Methoxyfenozide</b>	Landscape maintenance	0.74	N/A	N/A	N/A
<b>Methoxyfenozide</b>	Lemon	2.44	3	9.5	A
<b>Methoxyfenozide</b>	Lettuce, head	730.37	426	5,092.44	A
<b>Methoxyfenozide</b>	Lettuce, leaf	767.42	498	5,191.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methoxyfenozide</b>	Melon	964.74	134	6,043.66	A
<b>Methoxyfenozide</b>	Mint	0.6	6	3.45	A
<b>Methoxyfenozide</b>	Mustard	18.88	39	90.17	A
<b>Methoxyfenozide</b>	Mustard greens	37.0	59	178.12	A
<b>Methoxyfenozide</b>	N-grnhs plants in containers	2.33	17	10.61	A
<b>Methoxyfenozide</b>	N-grnhs plants in containers	1.94	4	100,000.0	S
<b>Methoxyfenozide</b>	N-grnhs transplants	11.04	34	135.97	A
<b>Methoxyfenozide</b>	N-grnhs transplants	2.67	8	1,029,462.0	S
<b>Methoxyfenozide</b>	N-outdr flower	134.75	116	718.1	A
<b>Methoxyfenozide</b>	N-outdr plants in containers	47.49	60	284.0	A
<b>Methoxyfenozide</b>	N-outdr transplants	106.23	49	483.5	A
<b>Methoxyfenozide</b>	N-outdr transplants	20.93	47	9,517,560.0	S
<b>Methoxyfenozide</b>	Nectarine	1,390.02	255	5,048.61	A
<b>Methoxyfenozide</b>	Olive	1.41	1	10.0	A
<b>Methoxyfenozide</b>	Orange	0.32	1	18.0	A
<b>Methoxyfenozide</b>	Orchardgrass	64.42	4	246.0	A
<b>Methoxyfenozide</b>	Parsley	25.9	38	161.66	A
<b>Methoxyfenozide</b>	Pasture (forage - fodder)	23.72	2	168.0	A
<b>Methoxyfenozide</b>	Peach	6,100.06	1,070	22,898.26	A
<b>Methoxyfenozide</b>	Pear	443.94	73	1,716.49	A
<b>Methoxyfenozide</b>	Pear, asian (oriental pear, ya, ya li, nashi)	16.08	9	55.0	A
<b>Methoxyfenozide</b>	Peas	56.44	38	360.8	A
<b>Methoxyfenozide</b>	Pepper, fruiting	815.74	140	4,224.76	A
<b>Methoxyfenozide</b>	Pistachio	96,551.25	2,436	247,942.91	A
<b>Methoxyfenozide</b>	Plum	1,336.55	382	5,034.28	A
<b>Methoxyfenozide</b>	Pomegranate	1,077.74	68	3,907.88	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methoxyfenozide	Prune	252.8	14	981.7	A
Methoxyfenozide	Pumpkin	586.35	89	3,779.1	A
Methoxyfenozide	Quince	6.09	4	21.8	A
Methoxyfenozide	Rapini	47.0	17	199.9	A
Methoxyfenozide	Raspberry	115.26	88	644.03	A
Methoxyfenozide	Research commodity	3.13	12	13.52	A
Methoxyfenozide	Research commodity	0.86	N/A	N/A	N/A
Methoxyfenozide	Rice	7,503.34	582	42,822.81	A
Methoxyfenozide	Rights of way	0.06	1	1.0	A
Methoxyfenozide	Rights of way	4.31	N/A	N/A	N/A
Methoxyfenozide	Rosemary	1.54	11	8.85	A
Methoxyfenozide	Sage	4.32	52	24.6	A
Methoxyfenozide	Soil fumigation/preplant	11.3	2	40.0	A
Methoxyfenozide	Sorghum (forage - fodder)	4.5	1	30.0	A
Methoxyfenozide	Sorghum/milo	28.15	3	217.0	A
Methoxyfenozide	Spinach	444.34	247	3,066.57	A
Methoxyfenozide	Squash	94.48	15	542.0	A
Methoxyfenozide	Squash, summer	20.42	3	117.0	A
Methoxyfenozide	Squash, winter	18.34	2	104.0	A
Methoxyfenozide	Stone fruit	2.4	2	8.5	A
Methoxyfenozide	Strawberry	5,288.77	606	27,664.95	A
Methoxyfenozide	Sudangrass	199.11	29	1,602.9	A
Methoxyfenozide	Sugarbeet	3,095.2	344	23,445.4	A
Methoxyfenozide	Sweet potato	43.46	14	238.5	A
Methoxyfenozide	Swiss chard	10.31	32	48.71	A
Methoxyfenozide	Tangerine	5.81	2	20.51	A
Methoxyfenozide	Tarragon	0.9	9	5.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methoxyfenozide	Thyme	1.78	15	10.84	A
Methoxyfenozide	Timothy	17.83	2	152.0	A
Methoxyfenozide	Tomatillo	0.05	2	0.24	A
Methoxyfenozide	Tomato	2,089.99	274	11,706.77	A
Methoxyfenozide	Tomato, processing	10,921.26	919	57,688.2	A
Methoxyfenozide	Turnip	8.26	15	38.99	A
Methoxyfenozide	Uncultivated ag	69.01	9	388.03	A
Methoxyfenozide	Vegetable	0.28	2	0.24	A
Methoxyfenozide	Vegetables, leafy	0.09	1	0.5	A
Methoxyfenozide	Walnut	20,805.01	1,650	73,872.37	A
Methoxyfenozide	Watermelon	1,015.98	138	6,375.59	A
Methyl anthranilate	Blueberry	18.66	7	44.6	A
Methyl anthranilate	Broccoli	11.94	1	27.0	A
Methyl anthranilate	Corn, human consumption	235.87	32	556.6	A
Methyl anthranilate	Grape	396.1	72	1,442.63	A
Methyl anthranilate	Grape, wine	18.41	18	148.43	A
Methyl anthranilate	Landscape maintenance	3.5	N/A	N/A	N/A
Methyl anthranilate	Rice	234.29	14	527.3	A
Methyl anthranilate	Structural pest control	330.37	N/A	N/A	N/A
Methyl anthranilate	Sunflower	287.5	60	945.36	A
Methyl anthranilate	Vertebrate control	0.05	N/A	N/A	N/A
Methyl bromide	Almond	34,628.99	10	116.0	A
Methyl bromide	Almond	19,605.9	N/A	9,531,106.0	C
Methyl bromide	Almond	1,804.0	N/A	15,616.0	K
Methyl bromide	Almond	117.0	N/A	546,000.0	P
Methyl bromide	Almond	1,904.0	N/A	7,107.0	T
Methyl bromide	Almond	1,197.0	N/A	931,500.0	U
Methyl bromide	Apricot	47.1	N/A	77,736.0	P

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methyl bromide</b>	Bamboo shoots	4,571.0	N/A	630,865.0	C
<b>Methyl bromide</b>	Broccoli	1,664.65	N/A	17,376.0	U
<b>Methyl bromide</b>	Bushberry	181.8	N/A	130,546.0	U
<b>Methyl bromide</b>	Cherry	120.0	N/A	55,000.0	C
<b>Methyl bromide</b>	Cherry	35,364.0	N/A	97,922.0	U
<b>Methyl bromide</b>	Chestnut	21.0	N/A	3,500.0	C
<b>Methyl bromide</b>	Commodity fumigation	219.0	1	17,685.0	S
<b>Methyl bromide</b>	Commodity fumigation	73,900.67	N/A	N/A	N/A
<b>Methyl bromide</b>	Fig	59.0	N/A	59,000.0	C
<b>Methyl bromide</b>	Fumigation, other	65,697.8	N/A	N/A	N/A
<b>Methyl bromide</b>	Jojoba bean	855.6	N/A	294,531.0	C
<b>Methyl bromide</b>	Landscape maintenance	25.0	N/A	N/A	N/A
<b>Methyl bromide</b>	Lumber, treated	3.6	N/A	3,000.0	C
<b>Methyl bromide</b>	N-grnhs flower	1.5	N/A	498.0	C
<b>Methyl bromide</b>	N-outdr flower	9,380.88	7	40.15	A
<b>Methyl bromide</b>	N-outdr flower	8.0	N/A	2,547.0	C
<b>Methyl bromide</b>	N-outdr plants in containers	122,418.1	24	444.7	A
<b>Methyl bromide</b>	N-outdr plants in containers	4.0	N/A	1,270.0	C
<b>Methyl bromide</b>	N-outdr transplants	295,691.86	121	1,224.01	A
<b>Methyl bromide</b>	N-outdr transplants	<0.01	N/A	1.0	C
<b>Methyl bromide</b>	Nectarine	1,009.2	N/A	2,271,631.0	P
<b>Methyl bromide</b>	Nectarine	309.7	N/A	202.6	T
<b>Methyl bromide</b>	Nursery soil	548.8	1	1.4	A
<b>Methyl bromide</b>	Nuts	120.0	1	14,000.0	C
<b>Methyl bromide</b>	Peach	764.3	N/A	1,234,671.0	P
<b>Methyl bromide</b>	Peach	496.8	N/A	337.5	T

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methyl bromide</b>	Pistachio	29.0	N/A	11,448.0	C
<b>Methyl bromide</b>	Plum	417.3	N/A	885,457.0	P
<b>Methyl bromide</b>	Plum	1,158.8	N/A	138.51	T
<b>Methyl bromide</b>	Pomegranate	163.0	N/A	145,740.0	P
<b>Methyl bromide</b>	Pomegranate	1,080.2	N/A	934.8	T
<b>Methyl bromide</b>	Prune	49.0	N/A	35,020.0	C
<b>Methyl bromide</b>	Quince	20.0	N/A	16,000.0	P
<b>Methyl bromide</b>	Raspberry	115.5	N/A	45,112.0	U
<b>Methyl bromide</b>	Regulatory pest control	21,823.47	N/A	N/A	N/A
<b>Methyl bromide</b>	Rice	140.5	N/A	31,040.0	C
<b>Methyl bromide</b>	Soil fumigation/preplant	819,059.24	196	3,594.02	A
<b>Methyl bromide</b>	Strawberry	85,998.61	15	380.09	A
<b>Methyl bromide</b>	Strawberry	1,129.1	N/A	304,505.0	U
<b>Methyl bromide</b>	Structural pest control	165.99	N/A	N/A	N/A
<b>Methyl bromide</b>	Turf/sod	9,682.4	2	24.7	A
<b>Methyl bromide</b>	Vetch	45.5	N/A	13,000.0	C
<b>Methyl bromide</b>	Walnut	3,728.5	N/A	1,790,034.0	C
<b>Methyl bromide</b>	Walnut	78.0	N/A	26.0	K
<b>Methyl bromide</b>	Walnut	1,173.0	N/A	2,203.0	T
<b>Methyl cellulose</b>	Garlic	2.58	1	150.0	A
<b>Methyl cellulose</b>	Grape	12.01	1	35.0	A
<b>Methyl cellulose</b>	Strawberry	1.93	1	30.0	A
<b>Methyl esters of cottonseed oil</b>	Almond	197.0	5	141.03	A
<b>Methyl esters of cottonseed oil</b>	Rights of way	1.13	N/A	N/A	N/A
<b>Methyl eugenol</b>	Regulatory pest control	810.74	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methyl eugenol</b>	Rights of way	392.14	N/A	N/A	N/A
<b>Methyl parathion</b>	Landscape maintenance	11.87	N/A	N/A	N/A
<b>Methyl parathion</b>	Walnut	9.87	1	7.0	A
<b>Methyl silicone resins</b>	Alfalfa	259.68	180	11,074.11	A
<b>Methyl silicone resins</b>	Almond	43,224.71	2,342	157,118.31	A
<b>Methyl silicone resins</b>	Apple	38.48	4	386.0	A
<b>Methyl silicone resins</b>	Apricot	10.46	2	179.67	A
<b>Methyl silicone resins</b>	Artichoke, globe	0.25	15	493.3	A
<b>Methyl silicone resins</b>	Avocado	85.82	16	380.5	A
<b>Methyl silicone resins</b>	Bean, dried	3.12	3	72.6	A
<b>Methyl silicone resins</b>	Bean, succulent	10.88	2	94.0	A
<b>Methyl silicone resins</b>	Beet	0.35	5	64.75	A
<b>Methyl silicone resins</b>	Bermudagrass	3.67	4	130.0	A
<b>Methyl silicone resins</b>	Blackberry	346.32	230	613.7	A
<b>Methyl silicone resins</b>	Blueberry	238.53	48	340.66	A
<b>Methyl silicone resins</b>	Bok choy (choy sum, pak choi)	49.28	31	136.15	A
<b>Methyl silicone resins</b>	Broccoli	316.51	1,083	10,479.46	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methyl silicone resins</b>	Brussels sprout	307.25	97	993.76	A
<b>Methyl silicone resins</b>	Cabbage	76.39	51	318.75	A
<b>Methyl silicone resins</b>	Cabbage, savoy	<0.01	2	33.0	A
<b>Methyl silicone resins</b>	Cannabis (all or unspecified)	0.3	6	47,520.0	S
<b>Methyl silicone resins</b>	Carrot	26.29	14	280.31	A
<b>Methyl silicone resins</b>	Cauliflower	835.79	828	6,492.84	A
<b>Methyl silicone resins</b>	Celery	663.38	693	5,306.46	A
<b>Methyl silicone resins</b>	Cherry	1,097.95	316	5,880.63	A
<b>Methyl silicone resins</b>	Chinese cabbage (napa, wong bok, celery cabbage)	37.42	32	79.95	A
<b>Methyl silicone resins</b>	Christmas tree	0.02	2	6.0	A
<b>Methyl silicone resins</b>	Cilantro	0.26	14	153.4	A
<b>Methyl silicone resins</b>	Citrus	8.5	1	26.0	A
<b>Methyl silicone resins</b>	Collard	<0.01	10	25.9	A
<b>Methyl silicone resins</b>	Corn (forage - fodder)	951.56	443	23,483.9	A
<b>Methyl silicone resins</b>	Corn, human consumption	3.87	3	123.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methyl silicone resins</b>	Cotton	185.67	22	1,777.9	A
<b>Methyl silicone resins</b>	Date	<0.01	1	3.0	A
<b>Methyl silicone resins</b>	Eggplant	9.55	5	15.5	A
<b>Methyl silicone resins</b>	Endive (escarole)	40.61	152	328.29	A
<b>Methyl silicone resins</b>	Fava bean	1.76	1	8.0	A
<b>Methyl silicone resins</b>	Forage hay/silage	0.04	4	136.9	A
<b>Methyl silicone resins</b>	Gai lon	3.71	11	9.23	A
<b>Methyl silicone resins</b>	Grape	8,792.6	694	36,608.64	A
<b>Methyl silicone resins</b>	Grape, wine	6,441.9	1,611	47,619.1	A
<b>Methyl silicone resins</b>	Grapefruit	39.7	9	72.9	A
<b>Methyl silicone resins</b>	Herb, spice	0.77	3	5.5	A
<b>Methyl silicone resins</b>	Kale	37.56	81	437.58	A
<b>Methyl silicone resins</b>	Landscape maintenance	0.04	2	12.0	A
<b>Methyl silicone resins</b>	Landscape maintenance	97.69	N/A	N/A	N/A
<b>Methyl silicone resins</b>	Leek	1.12	1	3.0	A
<b>Methyl silicone resins</b>	Lemon	2,631.49	141	3,696.06	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methyl silicone resins</b>	Lettuce, head	350.54	931	8,462.99	A
<b>Methyl silicone resins</b>	Lettuce, leaf	730.45	1,514	11,259.88	A
<b>Methyl silicone resins</b>	Mustard greens	0.51	1	19.5	A
<b>Methyl silicone resins</b>	N-grnhs flower	67.27	122	135.5	A
<b>Methyl silicone resins</b>	N-grnhs plants in containers	0.15	128	188.62	A
<b>Methyl silicone resins</b>	N-grnhs transplants	<0.01	23	4.98	A
<b>Methyl silicone resins</b>	N-outdr flower	0.04	72	70.5	A
<b>Methyl silicone resins</b>	N-outdr plants in containers	52.47	4,480	5,487.96	A
<b>Methyl silicone resins</b>	N-outdr plants in containers	<0.01	28	150,000.0	S
<b>Methyl silicone resins</b>	N-outdr transplants	<0.01	42	7.96	A
<b>Methyl silicone resins</b>	N-outdr transplants	<0.01	2	16,000.0	U
<b>Methyl silicone resins</b>	Nectarine	83.53	68	802.18	A
<b>Methyl silicone resins</b>	Olive	0.03	1	24.17	A
<b>Methyl silicone resins</b>	Onion, dry	33.59	27	1,264.0	A
<b>Methyl silicone resins</b>	Orange	7,135.15	583	12,324.75	A
<b>Methyl silicone resins</b>	Parsley	0.35	2	8.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methyl silicone resins</b>	Peach	473.29	130	2,712.68	A
<b>Methyl silicone resins</b>	Pear	3.94	3	64.5	A
<b>Methyl silicone resins</b>	Peas	0.13	2	0.22	A
<b>Methyl silicone resins</b>	Pepper, fruiting	1.26	2	3.36	A
<b>Methyl silicone resins</b>	Pistachio	29,300.51	711	82,446.69	A
<b>Methyl silicone resins</b>	Plum	7.34	9	81.94	A
<b>Methyl silicone resins</b>	Pomegranate	1,079.42	41	5,705.5	A
<b>Methyl silicone resins</b>	Potato	45.92	5	230.0	A
<b>Methyl silicone resins</b>	Prune	22.83	7	414.33	A
<b>Methyl silicone resins</b>	Pumpkin	4.54	6	204.6	A
<b>Methyl silicone resins</b>	Quince	1.26	3	18.0	A
<b>Methyl silicone resins</b>	Radicchio	3.27	11	571.2	A
<b>Methyl silicone resins</b>	Radish	95.62	69	402.02	A
<b>Methyl silicone resins</b>	Raspberry	820.04	503	463.69	A
<b>Methyl silicone resins</b>	Regulatory pest control	0.06	N/A	N/A	N/A
<b>Methyl silicone resins</b>	Rice	223.28	61	5,099.09	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methyl silicone resins</b>	Rights of way	5.31	12	191.0	A
<b>Methyl silicone resins</b>	Rights of way	48.33	N/A	N/A	N/A
<b>Methyl silicone resins</b>	Sage	0.35	1	1.5	A
<b>Methyl silicone resins</b>	Sorghum (forage - fodder)	186.85	50	4,247.68	A
<b>Methyl silicone resins</b>	Sorghum/milo	55.99	20	1,258.21	A
<b>Methyl silicone resins</b>	Spinach	<0.01	2	19.2	A
<b>Methyl silicone resins</b>	Squash	5.29	3	133.0	A
<b>Methyl silicone resins</b>	Strawberry	106,973.05	4,231	157,429.94	A
<b>Methyl silicone resins</b>	Structural pest control	2.16	N/A	N/A	N/A
<b>Methyl silicone resins</b>	Swiss chard	28.62	99	432.71	A
<b>Methyl silicone resins</b>	Tangelo	382.76	36	472.46	A
<b>Methyl silicone resins</b>	Tangerine	1,255.11	302	15,000.4	A
<b>Methyl silicone resins</b>	Tomato	17.03	2	52.0	A
<b>Methyl silicone resins</b>	Tomato, processing	518.05	97	6,801.45	A
<b>Methyl silicone resins</b>	Triticale	1.69	1	52.0	A
<b>Methyl silicone resins</b>	Turnip	46.04	22	59.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methyl silicone resins</b>	Uncultivated ag	39.26	55	2,578.0	A
<b>Methyl silicone resins</b>	Uncultivated non-ag	<0.01	1	1.0	A
<b>Methyl silicone resins</b>	Walnut	5,338.58	742	26,539.22	A
<b>Methyl silicone resins</b>	Watermelon	13.84	7	411.0	A
<b>Methyl silicone resins</b>	Wheat (forage - fodder)	181.94	79	5,455.82	A
<b>Methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate</b>	Landscape maintenance	8.81	N/A	N/A	N/A
<b>Methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate</b>	Olive	0.13	N/A	300.0	U
<b>Methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Methylated fatty acids from canola oil</b>	Alfalfa	13,605.24	206	13,068.44	A
<b>Methylated fatty acids from canola oil</b>	Almond	127,723.69	1,627	65,690.78	A
<b>Methylated fatty acids from canola oil</b>	Apple	219.26	7	81.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methylated fatty acids from canola oil</b>	Apricot	191.27	9	76.01	A
<b>Methylated fatty acids from canola oil</b>	Cherry	429.69	27	213.54	A
<b>Methylated fatty acids from canola oil</b>	Citrus	49.31	4	54.5	A
<b>Methylated fatty acids from canola oil</b>	Corn (forage - fodder)	21,181.96	345	14,996.9	A
<b>Methylated fatty acids from canola oil</b>	Corn, human consumption	324.68	3	150.0	A
<b>Methylated fatty acids from canola oil</b>	Cotton	4,434.36	77	4,514.82	A
<b>Methylated fatty acids from canola oil</b>	Fig	2,311.39	31	1,287.1	A
<b>Methylated fatty acids from canola oil</b>	Forage hay/silage	0.06	1	1.0	A
<b>Methylated fatty acids from canola oil</b>	Grape	6,378.79	89	2,377.91	A
<b>Methylated fatty acids from canola oil</b>	Grape, wine	3,258.74	57	1,605.37	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methylated fatty acids from canola oil</b>	Grapefruit	1,899.43	36	672.51	A
<b>Methylated fatty acids from canola oil</b>	Landscape maintenance	37.88	3	21.0	A
<b>Methylated fatty acids from canola oil</b>	Landscape maintenance	8.2	N/A	N/A	N/A
<b>Methylated fatty acids from canola oil</b>	Lemon	8,708.22	123	3,101.49	A
<b>Methylated fatty acids from canola oil</b>	Lime	358.35	24	128.81	A
<b>Methylated fatty acids from canola oil</b>	N-outdr plants in containers	0.87	1	2.0	A
<b>Methylated fatty acids from canola oil</b>	Nectarine	173.88	7	85.68	A
<b>Methylated fatty acids from canola oil</b>	Oat (forage - fodder)	67.68	2	75.0	A
<b>Methylated fatty acids from canola oil</b>	Orange	6,695.33	159	2,964.19	A
<b>Methylated fatty acids from canola oil</b>	Pastureland	72.87	12	364.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methylated fatty acids from canola oil</b>	Peach	935.14	39	543.46	A
<b>Methylated fatty acids from canola oil</b>	Pear	121.21	4	56.0	A
<b>Methylated fatty acids from canola oil</b>	Pecan	5.41	1	5.0	A
<b>Methylated fatty acids from canola oil</b>	Pepper, fruiting	33.28	1	35.0	A
<b>Methylated fatty acids from canola oil</b>	Pistachio	33,675.28	487	19,964.69	A
<b>Methylated fatty acids from canola oil</b>	Pistachio	4.69	4	22,708.0	S
<b>Methylated fatty acids from canola oil</b>	Pistachio	11.57	5	72.0	U
<b>Methylated fatty acids from canola oil</b>	Plum	390.33	16	201.95	A
<b>Methylated fatty acids from canola oil</b>	Pomegranate	365.44	13	281.07	A
<b>Methylated fatty acids from canola oil</b>	Pomelo	4.04	1	4.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methylated fatty acids from canola oil</b>	Prune	60.61	2	38.0	A
<b>Methylated fatty acids from canola oil</b>	Radichio	36.08	1	64.0	A
<b>Methylated fatty acids from canola oil</b>	Rangeland	23.54	1	75.0	A
<b>Methylated fatty acids from canola oil</b>	Rice	1,006.93	12	697.8	A
<b>Methylated fatty acids from canola oil</b>	Rights of way	630.52	15	410.0	A
<b>Methylated fatty acids from canola oil</b>	Rights of way	1,787.37	N/A	N/A	N/A
<b>Methylated fatty acids from canola oil</b>	Sorghum/milo	47.33	1	42.0	A
<b>Methylated fatty acids from canola oil</b>	Sweet potato	138.53	4	96.0	A
<b>Methylated fatty acids from canola oil</b>	Tangelo	26.12	2	9.04	A
<b>Methylated fatty acids from canola oil</b>	Tangerine	13,546.88	324	5,799.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Methylated fatty acids from canola oil</b>	Tomato	699.71	16	749.41	A
<b>Methylated fatty acids from canola oil</b>	Tomato, processing	565.33	5	278.0	A
<b>Methylated fatty acids from canola oil</b>	Triticale	48.27	6	267.0	A
<b>Methylated fatty acids from canola oil</b>	Uncultivated ag	445.31	19	330.89	A
<b>Methylated fatty acids from canola oil</b>	Walnut	6,865.75	190	5,170.4	A
<b>Methylated fatty acids from canola oil</b>	Wheat	136.36	1	94.5	A
<b>Methylated fatty acids from canola oil</b>	Wheat (forage - fodder)	751.52	6	130.2	A
<b>Methylated silica</b>	Alfalfa	30.83	31	2,132.0	A
<b>Methylated silica</b>	Almond	0.16	2	12.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated silica	Sugarbeet	3.76	3	286.0	A
Methylated silica	Uncultivated ag	2.82	4	281.0	A
Methylated silica	Wheat	1.1	3	232.0	A
Methylated soybean oil	Alfalfa	108,061.92	7,107	362,595.61	A
Methylated soybean oil	Almond	812,401.27	23,998	1,176,817.31	A
Methylated soybean oil	Apple	685.12	43	924.54	A
Methylated soybean oil	Apricot	441.96	165	1,486.78	A
Methylated soybean oil	Artichoke, globe	920.34	533	7,077.15	A
Methylated soybean oil	Arugula	1,450.49	118	1,005.91	A
Methylated soybean oil	Avocado	3,846.63	365	3,514.24	A
Methylated soybean oil	Barley	347.45	42	2,339.5	A
Methylated soybean oil	Barley (forage - fodder)	111.8	9	520.7	A
Methylated soybean oil	Basil, sweet	112.36	13	514.0	A
Methylated soybean oil	Bean, dried	836.31	62	2,400.07	A
Methylated soybean oil	Bean, succulent	153.24	28	501.95	A
Methylated soybean oil	Bean, unspecified	63.26	58	256.84	A
Methylated soybean oil	Bermudagrass	1,282.5	60	4,833.96	A
Methylated soybean oil	Beverage crop	2.32	1	1.4	A
Methylated soybean oil	Blackberry	1,215.23	110	1,168.53	A
Methylated soybean oil	Blueberry	749.77	136	3,491.2	A
Methylated soybean oil	Bok choy (choy sum, pak choi)	285.35	231	966.85	A
Methylated soybean oil	Broccoli	17,142.85	4,565	52,425.49	A
Methylated soybean oil	Brussels sprout	10,199.4	2,289	30,845.79	A
Methylated soybean oil	Cabbage	12,734.26	2,887	28,242.08	A
Methylated soybean oil	Canola (rape)	93.33	24	98.5	A
Methylated soybean oil	Cantaloupe	489.45	56	3,150.23	A
Methylated soybean oil	Cardoon	5.22	4	24.0	A
Methylated soybean oil	Carrot	702.74	176	3,136.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Cauliflower	10,534.66	3,074	32,777.04	A
Methylated soybean oil	Celery	14,766.5	2,683	30,442.41	A
Methylated soybean oil	Cherry	10,056.13	1,201	19,215.38	A
Methylated soybean oil	Chinese broccoli (gai lon)	5.72	1	15.0	A
Methylated soybean oil	Chinese cabbage (napa, wong bok, celery cabbage)	74.36	82	267.05	A
Methylated soybean oil	Chive	2.3	1	16.0	A
Methylated soybean oil	Cilantro	120.58	95	501.76	A
Methylated soybean oil	Citrus	136.41	42	327.86	A
Methylated soybean oil	Collard	66.8	148	449.27	A
Methylated soybean oil	Commercial, institutional or industrial areas	50.11	N/A	671.53	A
Methylated soybean oil	Commercial, institutional or industrial areas	14.91	N/A	30,028.88	K
Methylated soybean oil	Commercial, institutional or industrial areas	17.13	N/A	1,981,972.0	S
Methylated soybean oil	Corn (forage - fodder)	53,628.84	2,770	143,043.0	A
Methylated soybean oil	Corn, grain	1,499.83	309	11,647.71	A
Methylated soybean oil	Corn, human consumption	17,846.21	1,491	59,983.89	A
Methylated soybean oil	Cotton	56,078.02	2,174	162,497.86	A
Methylated soybean oil	County ag comm	61.26	N/A	N/A	N/A
Methylated soybean oil	Cress, garden	3.84	1	2.4	A
Methylated soybean oil	Cucumber	20.38	11	70.84	A
Methylated soybean oil	Daikon	1.14	2	22.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Dandelion green	0.35	3	2.73	A
Methylated soybean oil	Dill	24.44	3	103.0	A
Methylated soybean oil	Ditch bank	766.72	215	1,916.0	A
Methylated soybean oil	Ditch bank	2.73	N/A	7,750.0	S
Methylated soybean oil	Eggplant	27.04	13	207.0	A
Methylated soybean oil	Endive (escarole)	62.72	44	52.3	A
Methylated soybean oil	Fennel	196.1	138	821.05	A
Methylated soybean oil	Fig	2,837.49	81	2,379.37	A
Methylated soybean oil	Forage hay/silage	1,361.47	118	6,023.34	A
Methylated soybean oil	Forest, timberland	156,216.82	2,975	95,794.19	A
Methylated soybean oil	Forest, timberland	1,451.87	8	760.0	U
Methylated soybean oil	Gai choy	21.53	32	65.0	A
Methylated soybean oil	Gai lon	118.21	57	468.59	A
Methylated soybean oil	Garbanzo bean	89.99	16	414.2	A
Methylated soybean oil	Garlic	3,373.79	191	13,611.27	A
Methylated soybean oil	Golf course turf	265.98	1	172.1	A
Methylated soybean oil	Grain	4.97	1	35.0	A
Methylated soybean oil	Grape	43,635.68	2,268	65,452.76	A
Methylated soybean oil	Grape, wine	125,651.58	10,771	241,230.65	A
Methylated soybean oil	Grapefruit	2,395.25	282	5,353.92	A
Methylated soybean oil	Grass, seed	320.49	34	1,736.4	A
Methylated soybean oil	Herb, spice	27.63	6	125.9	A
Methylated soybean oil	Horseradish	17.39	1	84.0	A
Methylated soybean oil	Industrial waste disposal systems, disposal water	0.11	1	5.0	A
Methylated soybean oil	Kale	656.2	369	1,535.94	A
Methylated soybean oil	Kiwi fruit fuzzy	650.79	133	1,484.32	A
Methylated soybean oil	Kohlrabi	5.27	41	51.61	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Landscape maintenance	44.99	8	96.0	A
Methylated soybean oil	Landscape maintenance	16,478.9	N/A	N/A	N/A
Methylated soybean oil	Leek	3.29	8	17.81	A
Methylated soybean oil	Lemon	15,674.63	1,320	24,537.69	A
Methylated soybean oil	Lettuce, head	19,421.29	4,993	57,486.11	A
Methylated soybean oil	Lettuce, leaf	26,181.99	8,725	91,095.5	A
Methylated soybean oil	Lime	16.5	7	38.17	A
Methylated soybean oil	Melon	877.69	50	3,153.3	A
Methylated soybean oil	Mint	411.32	29	1,724.0	A
Methylated soybean oil	Mizuna	27.05	24	17.65	A
Methylated soybean oil	Mustard	20.31	71	160.76	A
Methylated soybean oil	Mustard greens	55.44	113	399.59	A
Methylated soybean oil	N-grnhs flower	6.07	N/A	48.0	A
Methylated soybean oil	N-grnhs flower	0.48	N/A	13,000.0	S
Methylated soybean oil	N-grnhs plants in containers	0.32	1	3.0	A
Methylated soybean oil	N-grnhs transplants	412.97	45	338.04	A
Methylated soybean oil	N-outdr flower	1,052.86	470	2,682.68	A
Methylated soybean oil	N-outdr plants in containers	535.64	250	3,372.09	A
Methylated soybean oil	N-outdr plants in containers	0.29	26	145,000.0	S
Methylated soybean oil	N-outdr transplants	301.58	39	357.75	A
Methylated soybean oil	Nectarine	842.77	335	2,581.0	A
Methylated soybean oil	Oat	368.46	31	1,373.11	A
Methylated soybean oil	Oat (forage - fodder)	779.93	180	7,352.28	A
Methylated soybean oil	Olive	7,673.23	299	9,273.2	A
Methylated soybean oil	Onion, dry	5,844.25	491	28,966.71	A
Methylated soybean oil	Orange	24,953.14	3,359	69,733.32	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Methylated soybean oil	Orchardgrass	262.84	13	881.0	A
Methylated soybean oil	Parsley	99.37	84	345.38	A
Methylated soybean oil	Pastureland	437.04	46	2,079.52	A
Methylated soybean oil	Peach	6,943.0	1,191	12,483.3	A
Methylated soybean oil	Pear	2,072.74	93	2,028.45	A
Methylated soybean oil	Peas	672.1	339	3,206.33	A
Methylated soybean oil	Pecan	2,426.09	109	2,340.11	A
Methylated soybean oil	Pepper, fruiting	1,223.45	213	7,159.07	A
Methylated soybean oil	Persimmon	160.72	41	438.65	A
Methylated soybean oil	Pistachio	267,543.74	6,937	384,121.28	A
Methylated soybean oil	Plum	706.04	293	2,548.19	A
Methylated soybean oil	Pomegranate	6,687.32	123	6,538.88	A
Methylated soybean oil	Pomelo	241.63	46	487.51	A
Methylated soybean oil	Potato	3,699.63	346	13,955.47	A
Methylated soybean oil	Prune	16,010.93	557	17,878.27	A
Methylated soybean oil	Public health	293.95	N/A	N/A	N/A
Methylated soybean oil	Pumpkin	336.39	55	1,005.7	A
Methylated soybean oil	Quince	53.84	48	276.0	A
Methylated soybean oil	Radicchio	84.73	38	1,038.2	A
Methylated soybean oil	Radish	30.32	20	80.3	A
Methylated soybean oil	Rangeland	2,824.79	38	3,078.79	A
Methylated soybean oil	Rapini	889.96	204	6,689.4	A
Methylated soybean oil	Raspberry	697.29	81	1,634.1	A
Methylated soybean oil	Regulatory pest control	3.74	N/A	N/A	N/A
Methylated soybean oil	Research commodity	16.05	41	131.95	A
Methylated soybean oil	Research commodity	4.81	N/A	N/A	N/A
Methylated soybean oil	Rice	117,148.77	2,042	147,517.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Rice, wild	0.89	2	35.2	A
Methylated soybean oil	Rights of way	16,420.98	368	21,960.6	A
Methylated soybean oil	Rights of way	64.36	6	0.06	U
Methylated soybean oil	Rights of way	68,578.66	N/A	N/A	N/A
Methylated soybean oil	Rye	143.75	24	894.0	A
Methylated soybean oil	Ryegrass	301.42	55	1,538.3	A
Methylated soybean oil	Safflower	4,059.3	62	8,824.1	A
Methylated soybean oil	Small fruits/berry	24.16	3	106.22	A
Methylated soybean oil	Sod farm (turf)	20.37	36	260.98	A
Methylated soybean oil	Soil fumigation/preplant	6,564.75	144	30,116.7	A
Methylated soybean oil	Sorghum (forage - fodder)	1,412.34	85	6,403.33	A
Methylated soybean oil	Sorghum/milo	711.11	41	2,834.75	A
Methylated soybean oil	Spinach	2,159.05	343	2,891.58	A
Methylated soybean oil	Squash	102.17	20	418.5	A
Methylated soybean oil	Stone fruit	16.68	3	11.0	A
Methylated soybean oil	Strawberry	20,152.66	897	27,594.79	A
Methylated soybean oil	Structural pest control	41.36	N/A	N/A	N/A
Methylated soybean oil	Sudangrass	848.05	78	4,229.3	A
Methylated soybean oil	Sugarbeet	787.62	63	3,984.54	A
Methylated soybean oil	Sugarcane	0.61	1	2.5	A
Methylated soybean oil	Sunflower	2,665.82	173	7,557.83	A
Methylated soybean oil	Sweet potato	45.47	8	267.0	A
Methylated soybean oil	Swiss chard	12.77	79	106.54	A
Methylated soybean oil	Tangelo	436.38	91	1,791.02	A
Methylated soybean oil	Tangerine	20,027.69	1,863	51,299.81	A
Methylated soybean oil	Tomato	5,120.51	472	17,647.16	A
Methylated soybean oil	Tomato, processing	17,245.02	718	44,680.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Triticale	640.14	115	6,428.9	A
Methylated soybean oil	Turf/sod	664.72	140	1,794.8	A
Methylated soybean oil	Turnip	19.98	82	155.77	A
Methylated soybean oil	Turnip greens	0.61	5	2.5	A
Methylated soybean oil	Uncultivated ag	28,774.39	2,775	66,366.23	A
Methylated soybean oil	Uncultivated non-ag	1,713.25	81	4,339.54	A
Methylated soybean oil	Uncultivated non-ag	0.34	N/A	26,374.0	S
Methylated soybean oil	Unknown	74.41	9	206.91	A
Methylated soybean oil	Upland cress	184.86	54	127.1	A
Methylated soybean oil	Vegetable	7.59	4	9.0	A
Methylated soybean oil	Vegetables, fruiting	9.4	1	1.5	A
Methylated soybean oil	Vertebrate control	3.91	2	23.0	A
Methylated soybean oil	Walnut	143,399.82	6,665	227,668.02	A
Methylated soybean oil	Water (industrial)	95.82	N/A	393.9	A
Methylated soybean oil	Water area	222.89	43	440.57	A
Methylated soybean oil	Water area	0.6	N/A	1,701.0	S
Methylated soybean oil	Watermelon	686.75	90	4,458.35	A
Methylated soybean oil	Wheat	8,722.38	519	25,927.6	A
Methylated soybean oil	Wheat (forage - fodder)	6,198.0	533	34,028.05	A
Methylene bis(thiocyanate)	Industrial processing water	2.89	N/A	52,692.5	P
Methylene chloride	Landscape maintenance	3.16	N/A	N/A	N/A
Methylene chloride	Public health	0.14	N/A	N/A	N/A
Methylene chloride	Structural pest control	3.58	N/A	N/A	N/A
Metiram	N-outdr flower	3.84	1	6.4	A
Metiram	Structural pest control	24.68	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Metofluthrin	Landscape maintenance	0.03	N/A	N/A	N/A
Metofluthrin	Regulatory pest control	0.01	N/A	N/A	N/A
Metofluthrin	Structural pest control	10.17	N/A	N/A	N/A
Metolachlor	Corn (forage - fodder)	12,925.74	187	8,385.9	A
Metolachlor	Corn, human consumption	143.85	3	74.2	A
Metolachlor	Garbanzo bean	524.71	4	321.5	A
Metolachlor	N-outdr flower	0.13	1	1.0	A
Metolachlor	Potato	3,110.77	67	1,531.08	A
Metolachlor	Safflower	242.8	1	150.0	A
Metolachlor	Sorghum (forage - fodder)	130.35	1	80.0	A
Metolachlor	Tomato	173.91	2	87.45	A
Metolachlor	Tomato, processing	6,871.7	65	4,430.7	A
Metrafenone	Eggplant	6.58	2	24.0	A
Metrafenone	Grape	11,739.58	971	41,773.12	A
Metrafenone	Grape, wine	33,358.64	3,181	119,407.16	A
Metrafenone	Landscape maintenance	0.16	N/A	N/A	N/A
Metrafenone	N-outdr plants in containers	1.75	1	6.0	A
Metrafenone	Pepper, fruiting	108.49	18	393.04	A
Metrafenone	Pumpkin	101.72	5	338.0	A
Metrafenone	Research commodity	0.6	N/A	N/A	N/A
Metrafenone	Stone fruit	2.07	1	7.0	A
Metrafenone	Tomato	20.35	18	67.62	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Metrafenone</b>	Tomato, processing	104.76	8	348.0	A
<b>Metrafenone</b>	Watermelon	293.43	16	977.5	A
<b>Metribuzin</b>	Alfalfa	16,081.23	439	28,415.13	A
<b>Metribuzin</b>	Carrot	607.3	55	3,176.12	A
<b>Metribuzin</b>	Forage hay/silage	161.21	6	236.6	A
<b>Metribuzin</b>	Garlic	18.32	1	74.0	A
<b>Metribuzin</b>	Landscape maintenance	0.06	N/A	N/A	N/A
<b>Metribuzin</b>	Orchardgrass	52.13	3	116.0	A
<b>Metribuzin</b>	Potato	2,567.5	145	6,138.17	A
<b>Metribuzin</b>	Structural pest control	21.44	N/A	N/A	N/A
<b>Metribuzin</b>	Sunflower	16.92	2	33.67	A
<b>Metribuzin</b>	Tomato	3,083.88	165	6,186.86	A
<b>Metribuzin</b>	Tomato, processing	12,515.29	673	24,447.4	A
<b>Metribuzin</b>	Uncultivated ag	48.09	7	93.86	A
<b>Milbemectin</b>	N-grnhs transplants	<0.01	1	1.0	A
<b>Milbemectin</b>	N-outdr plants in containers	1.09	2	4.0	A
<b>Mineral oil</b>	Alfalfa	171,158.58	3,450	192,187.23	A
<b>Mineral oil</b>	Almond	15,362,162.86	24,651	1,440,195.32	A
<b>Mineral oil</b>	Apple	84,446.83	630	5,834.19	A
<b>Mineral oil</b>	Apple	0.2	1	1,008.0	S
<b>Mineral oil</b>	Apple	5.37	3	26.0	U
<b>Mineral oil</b>	Apricot	75,213.42	391	4,378.64	A
<b>Mineral oil</b>	Apricot	0.37	2	1,230.0	S
<b>Mineral oil</b>	Apricot	1.34	2	6.0	U
<b>Mineral oil</b>	Artichoke, globe	117.36	46	476.4	A
<b>Mineral oil</b>	Arugula	584.28	115	776.95	A
<b>Mineral oil</b>	Asparagus	784.17	21	952.19	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Mineral oil	Avocado	468,272.1	1,464	26,804.03	A
Mineral oil	Avocado	1.09	1	4,000.0	S
Mineral oil	Avocado	404.35	13	878,820.0	U
Mineral oil	Barley	212.33	17	1,328.6	A
Mineral oil	Barley (forage - fodder)	8.37	12	1,312.0	A
Mineral oil	Basil, sweet	587.33	11	358.0	A
Mineral oil	Bean, dried	437.53	23	632.85	A
Mineral oil	Bean, succulent	386.05	13	203.3	A
Mineral oil	Bean, unspecified	22.73	2	48.0	A
Mineral oil	Beet	4.32	19	32.58	A
Mineral oil	Bermudagrass	11,880.07	193	12,751.58	A
Mineral oil	Beverage crop	1.41	N/A	1.5	A
Mineral oil	Blackberry	121,369.06	1,335	15,832.54	A
Mineral oil	Blueberry	5,745.62	389	7,695.63	A
Mineral oil	Bok choy (choy sum, pak choi)	24.12	88	261.21	A
Mineral oil	Broccoli	7,595.69	795	8,983.86	A
Mineral oil	Broccoli	1.14	5	4,350.0	S
Mineral oil	Brussels sprout	8,603.04	52	2,022.7	A
Mineral oil	Cabbage	2,903.81	912	8,362.61	A
Mineral oil	Cabbage	1.42	2	5,850.0	S
Mineral oil	Cannabis (all or unspecified)	10,459.9	1,111	4,366.25	A
Mineral oil	Cannabis (all or unspecified)	11,142.32	3,718	25,038,384.9	S
Mineral oil	Cannabis (all or unspecified)	249.31	50	708.0	U
Mineral oil	Canola (rape)	5.94	1	5.0	A
Mineral oil	Cantaloupe	6,275.47	144	17,264.7	A
Mineral oil	Carrot	16,251.66	336	16,299.83	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Mineral oil	Cauliflower	2,305.32	384	4,190.23	A
Mineral oil	Cauliflower	0.12	1	450.0	S
Mineral oil	Celery	1,879.29	384	3,723.62	A
Mineral oil	Cherry	246,469.72	1,587	31,078.66	A
Mineral oil	Cherry	0.2	1	1,008.0	S
Mineral oil	Cherry	1.12	2	5.0	U
Mineral oil	Chestnut	1.27	1	18.0	A
Mineral oil	Chinese cabbage (napa, wong bok, celery cabbage)	106.42	40	176.44	A
Mineral oil	Chinese greens	43.06	7	11.5	A
Mineral oil	Chive	0.13	2	1.1	A
Mineral oil	Christmas tree	756.04	15	58.25	A
Mineral oil	Cilantro	2,116.7	521	3,994.03	A
Mineral oil	Citrus	16,898.28	142	1,275.18	A
Mineral oil	Citrus	<0.01	N/A	280.0	S
Mineral oil	Citrus	26.07	2	55,228.0	U
Mineral oil	Clover	31.35	5	253.0	A
Mineral oil	Cole crop	0.24	1	900.0	S
Mineral oil	Collard	26.82	73	515.68	A
Mineral oil	Commercial, institutional or industrial areas	140.74	1	10.0	A
Mineral oil	Corn (forage - fodder)	30,751.75	1,346	74,529.06	A
Mineral oil	Corn, grain	1,262.55	71	2,791.1	A
Mineral oil	Corn, human consumption	44,692.36	594	36,907.73	A
Mineral oil	Corn, human consumption	0.29	1	2,000.0	S
Mineral oil	Cotton	53,599.88	1,582	91,575.49	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Mineral oil	Cucumber	421.14	48	366.21	A
Mineral oil	Cucumber	0.02	2	144.0	S
Mineral oil	Date	36.96	2	16.0	A
Mineral oil	Dill	195.14	3	103.0	A
Mineral oil	Ditch bank	33.07	12	54.65	A
Mineral oil	Eggplant	50.17	10	11.0	A
Mineral oil	Endive (escarole)	54.38	48	113.1	A
Mineral oil	Fennel	57.54	11	28.58	A
Mineral oil	Fig	762.65	30	1,467.7	A
Mineral oil	Forage hay/silage	1,875.56	74	3,584.95	A
Mineral oil	Forest, timberland	178.86	22	515.5	A
Mineral oil	Gai lon	0.37	2	0.4	A
Mineral oil	Garbanzo bean	222.64	4	329.0	A
Mineral oil	Garlic	5,332.72	82	4,989.0	A
Mineral oil	Golf course turf	3,116.73	N/A	229.1	A
Mineral oil	Golf course turf	140.62	N/A	740,000.0	S
Mineral oil	Grape	280,976.06	4,076	113,051.95	A
Mineral oil	Grape	2.19	2	18,000.0	S
Mineral oil	Grape	10.36	N/A	2,460.0	U
Mineral oil	Grape, wine	1,830,136.64	18,226	464,869.99	A
Mineral oil	Grape, wine	25.66	N/A	4,740.0	U
Mineral oil	Grapefruit	228,155.01	987	19,849.58	A
Mineral oil	Grass, seed	329.08	23	730.1	A
Mineral oil	Herb, spice	506.42	17	189.22	A
Mineral oil	Hops	3.51	1	4.8	A
Mineral oil	Industrial hemp	25.52	8	10.01	A
Mineral oil	Industrial hemp	26.33	39	148,400.0	S
Mineral oil	Jujube	0.82	1	1.0	A
Mineral oil	Kale	597.85	348	1,894.16	A
Mineral oil	Kale	3.04	8	12,350.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Mineral oil	Kiwi fruit fuzzy	39,174.06	626	5,917.84	A
Mineral oil	Kohlrabi	0.35	3	4.31	A
Mineral oil	Kohlrabi	<0.01	1	20.0	S
Mineral oil	Kumquat	214.89	11	30.56	A
Mineral oil	Landscape maintenance	49.13	1	7.0	A
Mineral oil	Landscape maintenance	63,378.57	N/A	N/A	N/A
Mineral oil	Leek	1.26	15	24.12	A
Mineral oil	Lemon	2,302,283.4	5,911	120,652.99	A
Mineral oil	Lettuce, head	6,390.67	1,622	18,070.68	A
Mineral oil	Lettuce, head	0.12	1	450.0	S
Mineral oil	Lettuce, leaf	13,263.93	3,630	30,683.0	A
Mineral oil	Lime	6,174.97	54	636.86	A
Mineral oil	Melon	3,335.54	129	8,581.55	A
Mineral oil	Mint	56.81	15	144.4	A
Mineral oil	Mizuna	101.82	61	70.33	A
Mineral oil	Mushroom house	112.59	2	2.0	U
Mineral oil	Mustard	152.69	3	106.0	A
Mineral oil	Mustard greens	3.43	7	40.1	A
Mineral oil	N-grnhs flower	2,395.08	33	130.93	A
Mineral oil	N-grnhs flower	10.5	9	354,727.5	S
Mineral oil	N-grnhs flower	0.61	3	600.0	U
Mineral oil	N-grnhs plants in containers	4,106.55	678	675.35	A
Mineral oil	N-grnhs plants in containers	1,102.07	231	4,150,091.2	S
Mineral oil	N-grnhs plants in containers	55.77	8	189,119.0	U
Mineral oil	N-grnhs transplants	128.67	63	196.51	A
Mineral oil	N-grnhs transplants	36.65	48	4,002,585.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Mineral oil	N-outdr flower	6,241.91	151	581.39	A
Mineral oil	N-outdr flower	0.44	3	550.0	U
Mineral oil	N-outdr plants in containers	37,276.29	1,178	4,228.07	A
Mineral oil	N-outdr plants in containers	601.35	223	2,985,257.5	S
Mineral oil	N-outdr plants in containers	359.36	37	593,471.0	U
Mineral oil	N-outdr transplants	8,930.3	302	4,861.04	A
Mineral oil	N-outdr transplants	146.54	348	39,779,031.0	S
Mineral oil	N-outdr transplants	24.69	N/A	25.0	U
Mineral oil	Nectarine	703,585.35	4,462	65,457.43	A
Mineral oil	Nectarine	1.29	3	8,187.0	S
Mineral oil	Nectarine	0.56	2	6.0	U
Mineral oil	Oat	1,825.9	50	2,885.1	A
Mineral oil	Oat (forage - fodder)	308.09	125	5,166.62	A
Mineral oil	Olive	36,772.09	683	32,799.23	A
Mineral oil	Olive	72.63	6	2,962.0	U
Mineral oil	Onion, dry	13,804.58	299	17,373.64	A
Mineral oil	Orange	4,893,637.79	17,088	365,747.64	A
Mineral oil	Oregano	0.05	1	1.0	A
Mineral oil	Parsley	360.57	50	398.78	A
Mineral oil	Pastureland	451.55	17	1,940.61	A
Mineral oil	Pastureland	2.59	9	65,250.0	S
Mineral oil	Peach	1,400,569.4	7,238	121,111.02	A
Mineral oil	Peach	1.34	3	8,312.0	S
Mineral oil	Peach	2.57	2	19.0	U
Mineral oil	Pear	796,453.57	1,547	49,453.94	A
Mineral oil	Pear	1.72	3	20.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mineral oil	Pear, asian (oriental pear, ya, ya li, nashi)	6,801.64	38	247.07	A
Mineral oil	Peas	590.15	58	458.68	A
Mineral oil	Pecan	12,562.91	37	1,713.17	A
Mineral oil	Pepper, fruiting	1,767.17	125	3,176.79	A
Mineral oil	Pepper, spice	0.02	2	144.0	S
Mineral oil	Persimmon	419.25	23	245.22	A
Mineral oil	Pistachio	869,377.57	3,444	204,618.68	A
Mineral oil	Plum	456,498.7	2,310	24,080.07	A
Mineral oil	Plum	0.2	1	833.0	S
Mineral oil	Plum	1.01	2	4.0	U
Mineral oil	Pluot	2,586.86	43	191.15	A
Mineral oil	Pluot	0.22	1	5,000.0	S
Mineral oil	Pome fruit	9.96	2	3.5	A
Mineral oil	Pome fruit	0.43	1	11,000.0	S
Mineral oil	Pomegranate	7,765.45	146	8,457.19	A
Mineral oil	Pomelo	30,516.13	155	1,583.02	A
Mineral oil	Potato	7,477.69	174	10,225.98	A
Mineral oil	Prune	256,190.22	541	22,831.15	A
Mineral oil	Public health	319,249.3	N/A	N/A	N/A
Mineral oil	Pumpkin	1,785.57	50	1,486.82	A
Mineral oil	Quince	12.82	13	65.6	A
Mineral oil	Radicchio	1,403.2	29	651.9	A
Mineral oil	Radish	2.19	3	9.1	A
Mineral oil	Rangeland	1,583.5	24	1,122.45	A
Mineral oil	Rapini	11.12	5	55.5	A
Mineral oil	Raspberry	39,686.84	895	9,905.3	A
Mineral oil	Raspberry	1.21	1	2,000.0	S
Mineral oil	Recreation area	8.96	N/A	6.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Mineral oil	Regulatory pest control	342.92	N/A	N/A	N/A
Mineral oil	Research commodity	359.48	43	65.53	A
Mineral oil	Research commodity	1.26	11	4,148.0	S
Mineral oil	Research commodity	68.86	N/A	N/A	N/A
Mineral oil	Rice	328,695.48	2,541	192,719.54	A
Mineral oil	Rights of way	2,703.05	115	2,849.85	A
Mineral oil	Rights of way	64.59	4	0.04	U
Mineral oil	Rights of way	32,645.76	N/A	N/A	N/A
Mineral oil	Rosemary	10.31	15	8.49	A
Mineral oil	Rye	19.97	20	592.4	A
Mineral oil	Ryegrass	400.67	13	819.0	A
Mineral oil	Safflower	2,033.11	33	2,726.3	A
Mineral oil	Sage	0.29	1	6.0	A
Mineral oil	Small fruits/berry	17.57	5	6.0	A
Mineral oil	Soil fumigation/preplant	1,930.35	50	5,965.79	A
Mineral oil	Sorghum (forage - fodder)	260.87	33	3,285.1	A
Mineral oil	Sorghum/milo	592.33	51	3,178.13	A
Mineral oil	Spinach	882.49	336	1,830.24	A
Mineral oil	Squash	37.05	6	30.83	A
Mineral oil	Squash, winter	63.76	6	133.0	A
Mineral oil	Stone fruit	2,846.65	35	209.68	A
Mineral oil	Stone fruit	4.35	2	25,400.0	S
Mineral oil	Stone fruit	1.32	2	26.0	U
Mineral oil	Strawberry	13,829.24	1,581	64,861.58	A
Mineral oil	Strawberry	0.49	8	2,772.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Mineral oil	Structural pest control	2.3	1	1.5	A
Mineral oil	Structural pest control	1,648.93	N/A	N/A	N/A
Mineral oil	Sudangrass	3,090.21	64	3,725.38	A
Mineral oil	Sugarbeet	22,987.4	281	20,832.3	A
Mineral oil	Sugarbeet (forage - fodder)	191.74	3	156.2	A
Mineral oil	Sugarcane	212.0	2	140.0	A
Mineral oil	Sunflower	4,028.51	80	4,833.9	A
Mineral oil	Sweet potato	8.79	9	285.0	A
Mineral oil	Swiss chard	13.03	29	177.78	A
Mineral oil	Swiss chard	0.83	2	3,150.0	S
Mineral oil	Tangelo	87,641.9	452	8,349.52	A
Mineral oil	Tangerine	2,144,395.52	6,652	179,627.8	A
Mineral oil	Tomatillo	0.99	4	0.48	A
Mineral oil	Tomato	3,745.23	235	6,927.28	A
Mineral oil	Tomato	0.83	2	3,600.0	S
Mineral oil	Tomato, processing	19,311.52	569	29,505.51	A
Mineral oil	Triticale	415.64	72	4,952.03	A
Mineral oil	Tropical/subtropical fruit	0.31	1	0.5	A
Mineral oil	Turf/sod	65.84	2	35.5	A
Mineral oil	Turf/sod	596.03	N/A	1,337,200.0	S
Mineral oil	Turnip	0.51	1	11.0	A
Mineral oil	Uncultivated ag	23,840.11	1,016	39,149.69	A
Mineral oil	Uncultivated ag	0.41	1	70.0	S
Mineral oil	Uncultivated non-ag	698.1	75	745.01	A
Mineral oil	Unknown	93.72	25	135.77	A
Mineral oil	Vegetable	5.75	25	129.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Mineral oil	Vegetables, fruiting	1.57	20	40.5	A
Mineral oil	Vegetables, leafy	127.63	14	18.4	A
Mineral oil	Vegetables, leafy	8.38	2	26,000.0	S
Mineral oil	Vertebrate control	0.67	N/A	N/A	N/A
Mineral oil	Walnut	183,832.63	3,217	117,317.9	A
Mineral oil	Walnut	<0.01	N/A	2.0	S
Mineral oil	Water area	4,657.24	4	1,458.2	A
Mineral oil	Watermelon	2,912.28	59	3,648.5	A
Mineral oil	Wheat	15,140.6	318	21,986.56	A
Mineral oil	Wheat (forage - fodder)	894.66	421	22,474.76	A
Modified phthalic glycerol alkyd resin	Alfalfa	5.06	3	124.0	A
Modified phthalic glycerol alkyd resin	Almond	8,805.12	568	37,645.82	A
Modified phthalic glycerol alkyd resin	Apple	45.53	25	141.7	A
Modified phthalic glycerol alkyd resin	Apricot	372.62	150	1,864.94	A
Modified phthalic glycerol alkyd resin	Blueberry	169.53	84	1,714.8	A
Modified phthalic glycerol alkyd resin	Broccoli	0.83	1	20.0	A
Modified phthalic glycerol alkyd resin	Cherry	1,586.08	251	6,237.75	A
Modified phthalic glycerol alkyd resin	Citrus	0.89	1	35.0	A
Modified phthalic glycerol alkyd resin	Corn (forage - fodder)	22.73	2	285.0	A
Modified phthalic glycerol alkyd resin	Cotton	15.03	1	150.0	A
Modified phthalic glycerol alkyd resin	Eggplant	0.45	2	20.0	A
Modified phthalic glycerol alkyd resin	Garlic	70.54	3	462.0	A
Modified phthalic glycerol alkyd resin	Grape	26,816.28	6,255	260,285.98	A
Modified phthalic glycerol alkyd resin	Grape, wine	1,658.78	227	14,181.37	A
Modified phthalic glycerol alkyd resin	Grapefruit	294.38	43	578.22	A
Modified phthalic glycerol alkyd resin	Kiwi fruit fuzzy	2,533.35	476	8,107.59	A
Modified phthalic glycerol alkyd resin	Lemon	1,616.2	130	3,042.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Modified phthalic glycerol alkyd resin	N-grnhs plants in containers	22.4	112	151.25	A
Modified phthalic glycerol alkyd resin	N-grnhs plants in containers	2.0	5	284,000.0	S
Modified phthalic glycerol alkyd resin	N-grnhs plants in containers	0.07	N/A	20,070.0	U
Modified phthalic glycerol alkyd resin	N-outdr plants in containers	72.09	49	389.0	A
Modified phthalic glycerol alkyd resin	Nectarine	34,890.81	1,207	19,059.78	A
Modified phthalic glycerol alkyd resin	Olive	68.26	2	116.5	A
Modified phthalic glycerol alkyd resin	Onion, dry	379.28	65	4,703.53	A
Modified phthalic glycerol alkyd resin	Orange	16,109.61	1,297	34,302.33	A
Modified phthalic glycerol alkyd resin	Peach	43,442.2	1,682	37,584.29	A
Modified phthalic glycerol alkyd resin	Pear	110.78	16	255.0	A
Modified phthalic glycerol alkyd resin	Pear, asian (oriental pear, ya, ya li, nashi)	20.18	6	81.5	A
Modified phthalic glycerol alkyd resin	Pecan	20.56	6	102.0	A
Modified phthalic glycerol alkyd resin	Persimmon	19.42	5	86.0	A
Modified phthalic glycerol alkyd resin	Pistachio	17,190.91	763	77,643.25	A
Modified phthalic glycerol alkyd resin	Plum	2,981.72	1,087	14,231.44	A
Modified phthalic glycerol alkyd resin	Pomegranate	96.51	31	479.0	A
Modified phthalic glycerol alkyd resin	Pomelo	34.7	6	59.0	A
Modified phthalic glycerol alkyd resin	Prune	1.99	1	20.0	A
Modified phthalic glycerol alkyd resin	Quince	0.89	2	8.0	A
Modified phthalic glycerol alkyd resin	Research commodity	1.25	2	4.03	A
Modified phthalic glycerol alkyd resin	Research commodity	4.56	N/A	N/A	N/A
Modified phthalic glycerol alkyd resin	Rights of way	2.04	N/A	N/A	N/A
Modified phthalic glycerol alkyd resin	Tangelo	374.73	41	438.0	A
Modified phthalic glycerol alkyd resin	Tangerine	8,381.32	771	21,170.62	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Modified phthalic glycerol alkyd resin	Tomato, processing	26.1	6	655.6	A
Modified phthalic glycerol alkyd resin	Uncultivated ag	4.97	1	20.0	A
Modified phthalic glycerol alkyd resin	Unknown	4.71	1	7.4	A
Modified phthalic glycerol alkyd resin	Walnut	876.99	70	2,587.86	A
Modified phthalic glycerol alkyd resin	Watermelon	39.98	4	249.0	A
Molasses	Avocado	579.77	3	27.0	A
Molasses	N-grnhs plants in containers	4.25	1	1.0	A
Molasses	Tangerine	17,205.34	50	1,271.55	A
Molasses	Walnut	241.57	1	20.0	A
Morpholine	Basil, sweet	1.76	37	48.75	A
Morpholine	Bean, succulent	0.04	5	1.0	A
Morpholine	Cherry	0.14	2	29.0	A
Morpholine	Cole crop	0.42	30	11.6	A
Morpholine	Cucumber	0.36	16	8.7	A
Morpholine	Garlic	1.13	1	150.0	A
Morpholine	Ginger	0.04	2	1.0	A
Morpholine	Grape	5.27	1	35.0	A
Morpholine	Grape, wine	4.45	16	235.0	A
Morpholine	Grapefruit	0.86	4	10.5	A
Morpholine	Herb, spice	2.9	61	75.4	A
Morpholine	Landscape maintenance	0.14	N/A	N/A	N/A
Morpholine	Lemon	14.02	14	140.0	A
Morpholine	Mint	0.59	18	14.7	A
Morpholine	N-outdr flower	0.03	1	5.0	A
Morpholine	Olive	3.23	3	39.0	A
Morpholine	Onion, green	0.1	4	2.25	A
Morpholine	Orange	100.92	84	1,218.45	A
Morpholine	Peas	0.1	7	2.9	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Morpholine	Plum	2.36	2	63.0	A
Morpholine	Pomelo	3.49	4	19.0	A
Morpholine	Quince	6.45	25	165.0	A
Morpholine	Root vegetable	1.31	24	36.7	A
Morpholine	Squash	2.94	29	72.5	A
Morpholine	Strawberry	0.85	1	30.0	A
Morpholine	Tangelo	2.21	6	17.5	A
Morpholine	Tangerine	5.94	12	199.5	A
Morpholine	Vegetables, fruiting	0.38	30	9.5	A
Morpholine	Vegetables, leafy	20.03	314	522.9	A
Morpholine	Walnut	41.32	20	553.0	A
Msma	Cotton	4,001.02	53	2,140.74	A
Msma	Golf course turf	228.99	N/A	313.7	A
Msma	Landscape maintenance	2,097.35	N/A	N/A	N/A
Msma	N-grnhs flower	56.1	N/A	16.0	A
Msma	N-grnhs transplants	115.06	N/A	42.5	A
Msma	Rights of way	878.24	N/A	N/A	N/A
Msma	Structural pest control	0.01	N/A	N/A	N/A
Msma	Turf/sod	6,389.28	4	59.66	A
Muscalure	Animal premise	0.15	N/A	844,016.0	S
Muscalure	Animal premise	2.17	9	217.0	U
Muscalure	Buildings/non-ag outdoor	0.02	N/A	1.0	U
Muscalure	Commercial, institutional or industrial areas	0.19	N/A	0.07	U
Muscalure	Landscape maintenance	0.02	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Muscalure	Regulatory pest control	<0.01	N/A	N/A	N/A
Muscalure	Rights of way	0.17	N/A	N/A	N/A
Muscalure	Structural pest control	6.85	N/A	N/A	N/A
Muscalure	Vertebrate control	<0.01	N/A	N/A	N/A
Myclobutanil	Almond	691.71	75	4,270.61	A
Myclobutanil	Apple	231.5	101	1,728.24	A
Myclobutanil	Apricot	70.22	54	520.09	A
Myclobutanil	Artichoke, globe	502.36	388	5,023.77	A
Myclobutanil	Bean, succulent	15.57	9	124.74	A
Myclobutanil	Bean, unspecified	3.44	4	30.6	A
Myclobutanil	Blackberry	45.14	111	643.46	A
Myclobutanil	Broccoli	0.54	1	4.3	A
Myclobutanil	Cantaloupe	86.35	13	791.6	A
Myclobutanil	Cherry	2,121.48	742	16,225.18	A
Myclobutanil	Commodity fumigation	0.84	N/A	N/A	N/A
Myclobutanil	Cotton	1,846.8	N/A	4,815.4	T
Myclobutanil	Cucumber	4.23	6	36.4	A
Myclobutanil	Eggplant	1.88	1	15.0	A
Myclobutanil	Fumigation, other	0.13	1	1.0	A
Myclobutanil	Grape	5,508.1	1,722	53,929.22	A
Myclobutanil	Grape	0.01	1	9,000.0	S
Myclobutanil	Grape	0.07	3	140.0	U
Myclobutanil	Grape, wine	8,594.22	3,037	79,312.99	A
Myclobutanil	Grape, wine	0.1	1	580.0	U
Myclobutanil	Landscape maintenance	3.35	1	3.0	A
Myclobutanil	Landscape maintenance	0.21	1	9,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Myclobutanil	Landscape maintenance	286.95	N/A	N/A	N/A
Myclobutanil	Lettuce, head	874.06	633	7,608.65	A
Myclobutanil	Lettuce, leaf	1,343.26	1,182	11,496.76	A
Myclobutanil	Melon	14.6	3	148.0	A
Myclobutanil	Melon	0.02	3	7,740.0	S
Myclobutanil	Mustard	0.5	1	10.0	A
Myclobutanil	N-grnhs flower	24.58	60	150.33	A
Myclobutanil	N-grnhs flower	1.22	2	67,665.0	S
Myclobutanil	N-grnhs plants in containers	37.72	260	252.79	A
Myclobutanil	N-grnhs plants in containers	3.68	55	2,472,033.0	S
Myclobutanil	N-grnhs transplants	0.28	8	182.55	A
Myclobutanil	N-grnhs transplants	0.02	2	5,400.0	S
Myclobutanil	N-outdr flower	368.44	798	2,326.82	A
Myclobutanil	N-outdr flower	0.01	1	9,120.0	S
Myclobutanil	N-outdr plants in containers	156.79	298	1,231.51	A
Myclobutanil	N-outdr plants in containers	1.86	25	888,926.0	S
Myclobutanil	N-outdr plants in containers	0.14	13	48,240.0	U
Myclobutanil	N-outdr transplants	207.05	139	1,752.0	A
Myclobutanil	N-outdr transplants	<0.01	1	3,000.0	S
Myclobutanil	N-outdr transplants	<0.01	1	6,400.0	U
Myclobutanil	Nectarine	743.83	369	5,479.86	A
Myclobutanil	Olive	1.0	1	10.0	A
Myclobutanil	Peach	1,378.75	628	10,471.82	A
Myclobutanil	Pear	0.13	1	1.0	A
Myclobutanil	Pepper, fruiting	222.92	59	1,993.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Myclobutanil	Pepper, fruiting	<0.01	1	2,520.0	S
Myclobutanil	Plum	278.75	243	2,246.39	A
Myclobutanil	Prune	3.0	1	20.0	A
Myclobutanil	Pumpkin	80.25	22	733.2	A
Myclobutanil	Raspberry	151.87	336	2,209.43	A
Myclobutanil	Research commodity	2.9	21	28.85	A
Myclobutanil	Research commodity	0.02	3	13,500.0	S
Myclobutanil	Research commodity	1.97	N/A	N/A	N/A
Myclobutanil	Squash	28.67	11	238.5	A
Myclobutanil	Squash, summer	20.46	16	179.64	A
Myclobutanil	Squash, zucchini	0.03	1	0.25	A
Myclobutanil	Stone fruit	4.15	5	36.5	A
Myclobutanil	Stone fruit	0.01	N/A	12,900.0	S
Myclobutanil	Strawberry	7,006.95	2,074	64,098.3	A
Myclobutanil	Tomato	168.99	72	1,815.64	A
Myclobutanil	Tomato, processing	911.12	93	9,597.9	A
Myclobutanil	Uncultivated ag	0.81	5	8.2	A
Myclobutanil	Watermelon	156.58	33	1,385.1	A
Myristyl alcohol	Apple	28.69	73	842.32	A
Myristyl alcohol	Pear	39.79	109	3,528.85	A
Myristyl alcohol	Pear, asian (oriental pear, ya, ya li, nashi)	2.84	20	245.5	A
Myristyl alcohol	Plum	0.04	3	6.5	A
Myristyl alcohol	Pluot	0.04	3	6.5	A
Myristyl alcohol	Quince	<0.01	3	0.6	A
Myristyl alcohol	Walnut	1.23	22	98.5	A
Myristyl alcohol	Walnut	<0.01	3	9.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Almond	91.8	4	20.4	A
<b>Myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Apple	36.0	1	4.0	A
<b>Myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Brussels sprout	2,873.79	73	643.0	A
<b>Myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Grape, wine	7,279.67	98	814.89	A
<b>Myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Kiwi fruit fuzzy	45.0	1	0.5	A
<b>Myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Spinach	1,132.65	45	213.5	A
<b>Myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Walnut	1,571.36	17	915.28	A
<b>N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine</b>	Alfalfa	225.48	52	3,370.8	A
<b>N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine</b>	Apple	416.74	1	50.0	A
<b>N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine</b>	Barley	5.13	1	120.0	A
<b>N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine</b>	Cabbage	12.48	2	94.0	A
<b>N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine</b>	Cherry	8,235.31	38	612.15	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Chestnut	325.06	2	26.0	A
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Collard	0.11	1	0.5	A
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Corn (forage - fodder)	57.58	11	575.59	A
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Cotton	98.88	8	1,050.0	A
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Garlic	4.72	1	110.0	A
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Golf course turf	1.02	N/A	200,000.0	S
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Grape	7.59	1	40.0	A
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Kale	0.95	1	5.0	A
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Landscape maintenance	115.18	N/A	N/A	N/A
N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Pasture (forage - fodder)	7.19	2	168.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine</b>	Peach	3.8	1	4.0	A
<b>N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine</b>	Potato	292.32	95	5,058.0	A
<b>N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine</b>	Pumpkin	2.79	1	21.0	A
<b>N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine</b>	Tomato	23.43	6	396.1	A
<b>N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine</b>	Wheat	3.06	1	60.0	A
<b>N,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine</b>	Wheat (forage - fodder)	90.09	18	1,016.26	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Alfalfa	4,735.3	3,677	188,673.27	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Almond	56,200.12	12,634	580,289.02	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Apple	94.46	40	965.24	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Apricot	135.31	123	1,823.35	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Artichoke, globe	217.93	149	2,370.87	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Arugula	31.39	101	1,110.83	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Asparagus	17.54	26	1,290.19	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Avocado	6.01	22	209.4	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Barley	21.96	31	1,636.5	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Bean, dried	204.64	47	3,391.9	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Bean, succulent	14.18	9	354.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Bean, unspecified	1.3	2	34.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Beet	0.1	1	1.96	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Bermudagrass	119.6	68	3,450.68	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Blackberry	18.56	38	557.4	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Blueberry	162.81	108	1,995.78	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Bok choy (choy sum, pak choi)	111.33	427	931.04	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Broccoli	1,981.43	1,616	16,260.54	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Brussels sprout	723.27	351	3,875.12	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cabbage	827.09	864	9,208.29	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cannabis (all or unspecified)	0.91	3	24,960.0	S
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cantaloupe	155.71	82	4,512.5	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Carrot	2,073.57	356	21,897.73	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cauliflower	786.48	617	6,656.86	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Celery	881.92	655	8,609.75	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cherry	1,880.51	961	19,117.22	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Chinese broccoli (gai lon)	0.05	1	2.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Chinese cabbage (napa, wong bok, celery cabbage)	578.75	677	3,569.7	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cilantro	26.17	22	339.49	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Citrus	2.73	13	170.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Collard	31.11	91	342.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Commercial, institutional or industrial areas	0.08	2	1.5	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Corn (forage - fodder)	1,914.53	1,474	71,370.29	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Corn, grain	79.51	293	8,924.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Corn, human consumption	32.35	23	658.5	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cotton	1,452.29	1,615	93,495.36	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cotton	1.14	N/A	1,940.25	U
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cucumber	5.57	6	271.12	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Date	1.81	17	599.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Ditch bank	27.35	78	812.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Eggplant	23.51	22	369.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Endive (escarole)	3.73	47	90.51	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Fennel	1.55	4	17.5	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Fig	30.25	22	720.72	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Forage hay/silage	17.48	18	1,196.8	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Forest, timberland	1,514.33	73	1,463.74	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Garlic	343.07	80	6,255.74	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Grape	2,869.55	2,464	54,312.22	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Grape, wine	6,251.04	4,124	98,793.58	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Grapefruit	220.22	138	2,703.63	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Grass, seed	5.23	45	931.5	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Herb, spice	0.41	1	36.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Hops	0.05	1	4.8	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Kale	74.27	251	1,069.72	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Kiwi fruit fuzzy	6.22	6	209.5	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Landscape maintenance	0.81	3	21.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Landscape maintenance	59.76	N/A	N/A	N/A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Leek	5.27	30	66.37	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Lemon	1,133.48	882	20,416.81	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Lettuce, head	2,039.56	1,985	24,379.04	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Lettuce, leaf	2,777.79	2,853	34,442.11	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Lime	6.19	19	162.42	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Melon	52.35	44	2,061.71	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Melon	<0.01	2	5,220.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Mint	0.31	1	15.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Mizuna	16.89	84	453.08	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Mustard	3.82	13	110.41	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Mustard greens	0.62	4	4.5	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-grnhs flower	4.29	N/A	72.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-grnhs plants in containers	7.18	28	59.35	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-grnhs plants in containers	0.11	1	18,000.0	S
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-grnhs transplants	0.07	3	20.17	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-grnhs transplants	1.65	35	3,918,210.0	S
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-outdr flower	3.46	26	52.27	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-outdr plants in containers	11.22	77	477.17	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-outdr transplants	126.45	221	2,348.56	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-outdr transplants	17.59	348	39,779,031.0	S
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Nectarine	801.63	1,011	7,391.46	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Oat	8.45	8	587.4	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Oat (forage - fodder)	88.09	107	4,218.72	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Olive	433.04	161	6,540.04	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Onion, dry	100.88	92	5,036.6	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Orange	6,629.62	3,429	70,115.91	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Parsley	11.68	47	80.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pastureland	8.0	28	1,307.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pastureland	0.04	9	65,250.0	S
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Peach	1,270.35	1,562	14,706.06	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pear	55.07	128	4,616.85	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pear, asian (oriental pear, ya, ya li, nashi)	2.24	5	35.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pecan	165.4	59	1,507.03	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pepper, fruiting	156.09	161	5,737.98	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pepper, fruiting	<0.01	1	1,215.0	S
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pepper, spice	12.44	24	185.54	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Persimmon	20.81	49	364.11	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pistachio	20,522.12	4,244	214,719.67	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pistachio	0.29	7	39,844.0	S
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pistachio	0.53	9	85.0	U
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Plum	314.76	846	5,399.54	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pomegranate	78.9	51	1,025.19	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pomelo	44.2	48	446.1	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Potato	19.5	49	1,211.22	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Prune	568.99	140	5,074.44	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pumpkin	33.4	25	654.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Quince	1.29	4	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Radish	0.85	1	18.63	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Rangeland	2.67	1	200.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Raspberry	136.94	235	2,357.68	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Regulatory pest control	0.31	N/A	N/A	N/A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Research commodity	13.47	67	197.1	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Research commodity	0.71	N/A	N/A	N/A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Rice	366.31	169	12,358.93	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Rights of way	520.16	144	32,883.5	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Rights of way	0.09	3	0.03	U
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Rights of way	661.51	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Rye	18.52	9	473.2	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Ryegrass	2.27	15	376.3	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Safflower	32.64	63	10,966.6	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sesame, seed	0.71	1	5.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Small fruits/berry	13.05	6	169.44	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Soil fumigation/preplant	740.83	188	34,058.37	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sorghum (forage - fodder)	30.9	9	621.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sorghum/milo	157.71	48	3,090.61	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Spinach	86.81	159	2,673.89	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Squash, summer	0.48	3	54.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Squash, winter	0.65	2	34.4	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Squash, zucchini	0.04	3	0.6	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Strawberry	1,474.23	532	14,540.7	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Structural pest control	0.37	N/A	N/A	N/A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sudangrass	19.04	26	1,128.6	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sugarbeet	370.5	232	15,320.1	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sugarbeet (forage - fodder)	4.82	3	156.2	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sunflower	15.05	27	1,080.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sweet potato	13.7	15	404.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Swiss chard	21.97	56	606.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tangelo	198.7	106	2,444.26	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tangerine	2,972.56	2,203	42,917.11	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tomato	64.98	121	4,928.71	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tomato	<0.01	2	5,040.0	S
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tomato, processing	817.15	403	28,049.46	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Triticale	104.68	105	5,512.88	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Uncultivated ag	885.49	1,300	41,795.17	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Uncultivated non-ag	33.08	55	2,810.42	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Unknown	21.89	2	33.11	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Walnut	6,839.17	2,413	78,107.95	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Water area	0.47	3	28.0	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Watermelon	120.04	64	4,415.5	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Wheat	543.15	228	14,167.83	A
<b>N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Wheat (forage - fodder)	723.99	269	17,451.91	A
<b>N-(2-hydroxyethyl)ethylenediaminetriacetic acid, trisodium salt</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>N-dialkyl (60%<sup>c</sup>14, 30%<sup>c</sup>16, 5%<sup>c</sup>12, 5%<sup>c</sup>18) methyl benzyl ammonium chloride</b>	Water (industrial)	8.27	N/A	2.0	U
<b>N-methyl-n-oleoyltaurine, sodium salt</b>	Almond	0.77	6	10.0	A
<b>N-methyl-n-oleoyltaurine, sodium salt</b>	Pistachio	15.46	4	80.0	A
<b>N-octyl bicycloheptene dicarboximide</b>	Alfalfa	0.32	1	12.0	A
<b>N-octyl bicycloheptene dicarboximide</b>	Almond	0.77	3	40.0	A
<b>N-octyl bicycloheptene dicarboximide</b>	Buildings/non-ag outdoor	0.05	N/A	70,000.0	C
<b>N-octyl bicycloheptene dicarboximide</b>	Buildings/non-ag outdoor	1.24	N/A	1,669.0	K
<b>N-octyl bicycloheptene dicarboximide</b>	Buildings/non-ag outdoor	14.84	N/A	0.07	U
<b>N-octyl bicycloheptene dicarboximide</b>	Commercial, institutional or industrial areas	0.01	N/A	200.0	U
<b>N-octyl bicycloheptene dicarboximide</b>	Commodity fumigation	26.96	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N-octyl bicycloheptene dicarboximide</b>	Fumigation, other	1.19	N/A	N/A	N/A
<b>N-octyl bicycloheptene dicarboximide</b>	Grape	8.95	N/A	3,497,000.0	C
<b>N-octyl bicycloheptene dicarboximide</b>	Grape, wine	2.24	9	65.25	A
<b>N-octyl bicycloheptene dicarboximide</b>	Landscape maintenance	5.76	N/A	N/A	N/A
<b>N-octyl bicycloheptene dicarboximide</b>	N-grnhs plants in containers	<0.01	1	152,880.0	S
<b>N-octyl bicycloheptene dicarboximide</b>	Pastureland	0.08	3	3.0	A
<b>N-octyl bicycloheptene dicarboximide</b>	Public health	0.03	N/A	N/A	N/A
<b>N-octyl bicycloheptene dicarboximide</b>	Regulatory pest control	6.13	N/A	N/A	N/A
<b>N-octyl bicycloheptene dicarboximide</b>	Rights of way	0.03	1	2.0	A
<b>N-octyl bicycloheptene dicarboximide</b>	Rights of way	0.44	N/A	N/A	N/A
<b>N-octyl bicycloheptene dicarboximide</b>	Storage area/box	0.19	N/A	500,000.0	C
<b>N-octyl bicycloheptene dicarboximide</b>	Structural pest control	17,198.82	N/A	N/A	N/A
<b>N-octyl bicycloheptene dicarboximide</b>	Walnut	2.56	2	64.0	A
<b>N6-benzyl adenine</b>	Apple	119.69	33	998.0	A
<b>N6-benzyl adenine</b>	Cherry	0.74	6	121.0	A
<b>N6-benzyl adenine</b>	Citrus	0.14	2	2.56	A
<b>N6-benzyl adenine</b>	Landscape maintenance	0.04	N/A	N/A	N/A
<b>N6-benzyl adenine</b>	N-grnhs flower	0.05	2	0.75	A
<b>N6-benzyl adenine</b>	N-grnhs flower	0.9	123	741,488.0	S
<b>N6-benzyl adenine</b>	N-grnhs plants in containers	44.83	986	735.29	A
<b>N6-benzyl adenine</b>	N-grnhs plants in containers	42.7	298	4,459,141.19	S
<b>N6-benzyl adenine</b>	N-grnhs transplants	0.23	31	1,144.6	A
<b>N6-benzyl adenine</b>	N-grnhs transplants	<0.01	47	245,000.0	S
<b>N6-benzyl adenine</b>	N-outdr flower	0.09	6	6.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>N6-benzyl adenine</b>	N-outdr plants in containers	46.31	489	311.79	A
<b>N6-benzyl adenine</b>	N-outdr plants in containers	1.12	24	464,440.4	S
<b>N6-benzyl adenine</b>	N-outdr transplants	14.07	2	104.0	A
<b>N6-benzyl adenine</b>	N-outdr transplants	0.08	1	192,000.0	S
<b>N6-benzyl adenine</b>	Pear	1.07	4	46.0	A
<b>N6-benzyl adenine</b>	Research commodity	<0.01	N/A	N/A	N/A
<b>N6-benzyl adenine</b>	Strawberry	0.09	5	7,860.0	S
<b>N6-benzyl adenine</b>	Uncultivated ag	0.02	1	34,000.0	S
<b>Naa</b>	Cannabis (all or unspecified)	0.1	269	129,120.0	S
<b>Naa</b>	Landscape maintenance	1.86	N/A	N/A	N/A
<b>Naa</b>	N-grnhs flower	<0.01	N/A	1,000.0	S
<b>Naa</b>	N-grnhs flower	0.15	60	124,668.0	U
<b>Naa</b>	N-grnhs plants in containers	0.29	25	16.35	A
<b>Naa</b>	N-grnhs plants in containers	0.64	70	121,699.28	S
<b>Naa</b>	N-grnhs transplants	2.64	9	3.51	A
<b>Naa</b>	N-grnhs transplants	0.19	74	30,250.0	S
<b>Naa</b>	N-outdr plants in containers	1.29	167	108,299.02	S
<b>Naa</b>	N-outdr plants in containers	0.11	21	30,063.0	U
<b>Naa</b>	Rights of way	0.15	N/A	N/A	N/A
<b>Naa, ammonium salt</b>	Apple	0.36	1	4.0	A
<b>Naa, ammonium salt</b>	Landscape maintenance	60.81	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Naa, ammonium salt	Pear	172.28	49	1,946.8	A
Naa, ethyl ester	Pomegranate	3,554.45	24	2,646.31	A
Naa, potassium salt	Apple	0.37	1	5.0	A
Naa, potassium salt	Orange	1.01	4	9.6	A
Naa, potassium salt	Pear	449.03	123	4,281.76	A
Naa, potassium salt	Tangerine	423.27	51	1,994.61	A
Nabam	Structural pest control	0.09	N/A	N/A	N/A
Naled	Alfalfa	2,366.6	30	1,639.7	A
Naled	Animal premise	283.6	N/A	1,140.0	A
Naled	Broccoli	10,447.78	780	8,962.71	A
Naled	Brussels sprout	13,038.75	736	10,338.75	A
Naled	Cabbage	7,335.77	472	4,464.21	A
Naled	Cabbage, savoy	61.43	4	61.0	A
Naled	Cauliflower	7,363.25	570	5,270.58	A
Naled	Chinese cabbage (napa, wong bok, celery cabbage)	8.86	1	4.4	A
Naled	Collard	10.21	5	10.1	A
Naled	Cotton	51,781.76	404	50,553.23	A
Naled	County ag comm	75.53	N/A	N/A	N/A
Naled	Grape, wine	2.88	1	72.0	A
Naled	Kale	253.1	56	249.25	A
Naled	N-outdr flower	374.7	37	323.0	A
Naled	Pepper, fruiting	58.01	1	38.4	A
Naled	Public health	65,507.17	N/A	N/A	N/A
Naled	Regulatory pest control	4.96	N/A	N/A	N/A
Naled	Research commodity	14.91	N/A	N/A	N/A
Naled	Safflower	38,657.16	118	31,131.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Naled	Strawberry	26,150.55	749	26,032.95	A
Naled	Sugarbeet	1,927.91	30	1,930.0	A
Naled	Swiss chard	18.13	8	18.0	A
Naled	Walnut	317.44	11	157.6	A
Naphtha, heavy aromatic	Structural pest control	0.06	N/A	N/A	N/A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Alfalfa	0.82	33	1,077.0	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Almond	13.56	74	3,834.0	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Avocado	0.7	72	384.0	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Basil, sweet	0.14	67	84.85	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Bean, succulent	<0.01	3	0.75	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Cantaloupe	0.16	9	268.5	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Cilantro	<0.01	1	4.8	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Cole crop	0.12	89	70.85	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Corn (forage - fodder)	1.25	22	1,392.0	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Cucumber	<0.01	6	3.6	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Ditch bank	<0.01	4	3.25	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Ginger	0.01	10	4.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Grape	10.05	369	16,943.2	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Grape, wine	0.23	11	85.2	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Herb, spice	0.14	73	77.7	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Landscape maintenance	1.19	N/A	N/A	N/A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Lemon	0.26	38	212.8	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Lettuce, head	1.04	43	464.1	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Lettuce, leaf	1.2	48	538.1	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Melon	0.19	10	279.75	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Mint	0.01	6	5.5	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	N-grnhs flower	0.14	N/A	8.0	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	N-grnhs flower	0.06	6	50,000.0	S
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	N-grnhs plants in containers	0.76	193	154.11	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	N-grnhs plants in containers	0.02	5	74,000.0	S
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	N-grnhs transplants	<0.01	14	9.64	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	N-outdr flower	0.39	7	32.89	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	N-outdr plants in containers	4.98	947	1,797.31	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Orange	1.41	43	540.77	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Pastureland	0.08	6	35.0	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Peach	<0.01	12	10.11	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Peas	<0.01	1	0.25	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Pepper, fruiting	0.28	6	85.25	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Pistachio	1.8	15	759.5	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Quince	0.02	2	11.8	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Research commodity	0.01	N/A	N/A	N/A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Rights of way	3.12	N/A	N/A	N/A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Root vegetable	0.09	28	49.75	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Squash	0.17	38	96.0	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Strawberry	18.96	231	2,921.06	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Structural pest control	0.13	N/A	N/A	N/A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Sweet potato	<0.01	1	0.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Tangerine	0.34	7	172.09	A
<b>Naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Uncultivated ag	0.01	1	5.0	A
<b>Naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Vegetables, fruiting	<0.01	8	3.0	A
<b>Naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Vegetables, leafy	1.01	345	537.5	A
<b>Naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Wheat (forage - fodder)	0.02	1	7.0	A
<b>Napropamide</b>	Almond	21.54	1	38.0	A
<b>Napropamide</b>	Basil, sweet	1,257.95	46	661.48	A
<b>Napropamide</b>	Broccoli	4,519.71	505	6,444.8	A
<b>Napropamide</b>	Brussels sprout	1,088.17	230	1,888.69	A
<b>Napropamide</b>	Cauliflower	2,187.83	219	2,400.15	A
<b>Napropamide</b>	Herb, spice	154.0	3	77.0	A
<b>Napropamide</b>	Kiwi fruit fuzzy	5.6	1	1.4	A
<b>Napropamide</b>	Mint	584.2	2	162.0	A
<b>Napropamide</b>	N-outdr flower	1,039.68	33	416.43	A
<b>Napropamide</b>	N-outdr plants in containers	1,362.16	17	588.13	A
<b>Napropamide</b>	Pepper, fruiting	76.76	8	70.9	A
<b>Napropamide</b>	Pepper, spice	18.26	1	10.0	A
<b>Napropamide</b>	Persimmon	167.47	8	94.72	A
<b>Napropamide</b>	Raspberry	49.12	1	12.28	A
<b>Napropamide</b>	Research commodity	0.16	1	0.12	A
<b>Napropamide</b>	Strawberry	1,782.88	16	578.33	A
<b>Napropamide</b>	Structural pest control	1.22	N/A	N/A	N/A
<b>Napropamide</b>	Sweet potato	273.85	2	150.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Napropamide	Tomato, processing	764.78	12	1,048.0	A
Natamycin	Mushroom	1.76	128	1,695,712.0	S
Natamycin	N-outdr transplants	41.91	4	134.0	A
Nerolidol	Almond	5.29	7	244.1	A
Nerolidol	Grape	6.74	6	349.0	A
Nerolidol	Grape, wine	3.47	14	221.44	A
Nerolidol	Nectarine	10.09	41	547.66	A
Nerolidol	Peach	13.75	63	762.56	A
Nerolidol	Squash	0.45	1	70.0	A
Nerolidol	Walnut	2.2	4	133.0	A
Nicarbazin	Structural pest control	6.86	N/A	N/A	N/A
Nicosulfuron	Corn (forage - fodder)	509.97	417	20,418.11	A
Nicosulfuron	Corn, grain	26.52	17	742.1	A
Nicosulfuron	Corn, human consumption	0.35	1	15.0	A
Nicosulfuron	Rights of way	1.78	1	75.0	A
Nithiazine	Commercial, institutional or industrial areas	<0.01	N/A	0.01	U
Nonanoic acid	Avocado	85.36	5	28.0	A
Nonanoic acid	Golf course turf	757.83	N/A	115.0	A
Nonanoic acid	Grape	25.57	1	4.8	A
Nonanoic acid	Landscape maintenance	4.73	30	343.5	A
Nonanoic acid	Landscape maintenance	8,509.1	N/A	N/A	N/A
Nonanoic acid	N-grnhs flower	63.94	1	3.0	A
Nonanoic acid	N-grnhs plants in containers	34.35	9	20.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Nonanoic acid	N-grnhs plants in containers	119.66	17	1,612,928.0	S
Nonanoic acid	N-grnhs transplants	0.83	2	5,000.0	S
Nonanoic acid	N-outdr plants in containers	282.5	55	106.66	A
Nonanoic acid	N-outdr plants in containers	3.73	4	53,000.0	S
Nonanoic acid	N-outdr transplants	40.49	10	1.82	A
Nonanoic acid	Onion, dry	503.51	2	54.0	A
Nonanoic acid	Public health	1.85	N/A	N/A	N/A
Nonanoic acid	Regulatory pest control	12.99	N/A	N/A	N/A
Nonanoic acid	Research commodity	0.59	3	0.23	A
Nonanoic acid	Research commodity	11.93	N/A	N/A	N/A
Nonanoic acid	Rights of way	25.57	1	1.0	A
Nonanoic acid	Rights of way	117.33	N/A	N/A	N/A
Nonanoic acid	Turf/sod	60.68	9	204.6	A
Nonanoic acid	Uncultivated ag	92.04	17	2.04	A
Nonanoic acid	Vegetable	0.69	1	5.0	A
Nonanoic acid, other related	Avocado	4.49	5	28.0	A
Nonanoic acid, other related	Golf course turf	39.89	N/A	115.0	A
Nonanoic acid, other related	Grape	1.35	1	4.8	A
Nonanoic acid, other related	Landscape maintenance	447.04	N/A	N/A	N/A
Nonanoic acid, other related	N-grnhs flower	3.37	1	3.0	A
Nonanoic acid, other related	N-grnhs plants in containers	1.81	9	20.42	A
Nonanoic acid, other related	N-grnhs plants in containers	6.3	17	1,612,928.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Nonanoic acid, other related	N-grnhs transplants	0.04	2	5,000.0	S
Nonanoic acid, other related	N-outdr plants in containers	14.87	55	106.66	A
Nonanoic acid, other related	N-outdr plants in containers	0.2	4	53,000.0	S
Nonanoic acid, other related	N-outdr transplants	2.13	10	1.82	A
Nonanoic acid, other related	Onion, dry	26.5	2	54.0	A
Nonanoic acid, other related	Regulatory pest control	0.68	N/A	N/A	N/A
Nonanoic acid, other related	Research commodity	0.03	3	0.23	A
Nonanoic acid, other related	Research commodity	0.63	N/A	N/A	N/A
Nonanoic acid, other related	Rights of way	1.35	1	1.0	A
Nonanoic acid, other related	Rights of way	6.17	N/A	N/A	N/A
Nonanoic acid, other related	Turf/sod	3.1	1	4.6	A
Nonanoic acid, other related	Uncultivated ag	4.84	17	2.04	A
Norflurazon	Alfalfa	699.85	18	851.9	A
Norflurazon	Almond	375.2	24	498.4	A
Norflurazon	Avocado	3.93	1	2.0	A
Norflurazon	Grape	144.21	11	73.38	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Norflurazon	Grape, wine	158.09	7	80.44	A
Norflurazon	Lemon	1,116.12	1	284.1	A
Norflurazon	N-grnhs transplants	0.49	1	1.25	A
Norflurazon	Orange	308.32	8	117.66	A
Norflurazon	Walnut	65.03	3	66.73	A
Novaluron	Alfalfa	2.51	1	32.0	A
Novaluron	Animal premise	2.86	N/A	119,288.0	S
Novaluron	Animal premise	149.96	N/A	31.0	U
Novaluron	Apple	16.74	6	80.0	A
Novaluron	Bean, unspecified	9.23	4	118.0	A
Novaluron	Blueberry	58.44	14	298.0	A
Novaluron	Bok choy (choy sum, pak choi)	10.57	27	134.76	A
Novaluron	Broccoli	838.85	980	10,847.7	A
Novaluron	Brussels sprout	762.37	732	9,894.94	A
Novaluron	Buildings/non-ag outdoor	0.04	N/A	48,000.0	S
Novaluron	Cabbage	458.85	671	6,068.52	A
Novaluron	Cauliflower	332.27	419	4,293.57	A
Novaluron	Chinese cabbage (napa, wong bok, celery cabbage)	14.76	43	188.53	A
Novaluron	Corn, human consumption	110.34	89	1,545.35	A
Novaluron	Cotton	7,386.31	787	101,618.59	A
Novaluron	Eggplant	11.08	8	145.0	A
Novaluron	Fava bean	0.76	2	9.74	A
Novaluron	Kale	0.89	4	11.25	A
Novaluron	Kohlrabi	0.9	5	11.2	A
Novaluron	Landscape maintenance	0.33	N/A	N/A	N/A
Novaluron	Mustard greens	0.14	3	1.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Novaluron	N-grnhs flower	8.49	20	32.75	A
Novaluron	N-grnhs flower	0.92	14	124,100.0	S
Novaluron	N-grnhs plants in containers	32.84	182	160.47	A
Novaluron	N-grnhs plants in containers	1.1	13	205,398.0	S
Novaluron	N-grnhs transplants	2.71	21	41.65	A
Novaluron	N-outdr flower	17.19	68	300.25	A
Novaluron	N-outdr plants in containers	3.04	37	51.37	A
Novaluron	N-outdr plants in containers	0.03	1	472.5	S
Novaluron	N-outdr plants in containers	5.72	2	116,900.0	U
Novaluron	N-outdr transplants	48.64	45	360.45	A
Novaluron	Nectarine	22.08	10	132.34	A
Novaluron	Peach	24.79	12	148.5	A
Novaluron	Pepper, fruiting	380.94	231	5,002.26	A
Novaluron	Plum	25.63	13	167.62	A
Novaluron	Potato	309.37	50	5,046.0	A
Novaluron	Public health	<0.01	N/A	N/A	N/A
Novaluron	Pumpkin	5.46	4	70.0	A
Novaluron	Regulatory pest control	26.93	N/A	N/A	N/A
Novaluron	Research commodity	1.92	6	24.5	A
Novaluron	Research commodity	0.23	N/A	N/A	N/A
Novaluron	Rights of way	0.21	1	2.7	A
Novaluron	Safflower	581.21	30	7,408.3	A
Novaluron	Strawberry	6,091.04	2,613	80,026.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Novaluron</b>	Structural pest control	792.48	N/A	N/A	N/A
<b>Novaluron</b>	Tomato	246.21	81	3,142.91	A
<b>Novaluron</b>	Tomato, processing	84.15	23	1,056.48	A
<b>Novaluron</b>	Uncultivated ag	0.21	2	2.7	A
<b>Novaluron</b>	Watermelon	77.82	15	1,061.0	A
<b>Noviflumuron</b>	Fumigation, other	<0.01	N/A	N/A	N/A
<b>Noviflumuron</b>	Landscape maintenance	0.99	N/A	N/A	N/A
<b>Noviflumuron</b>	Regulatory pest control	0.04	N/A	N/A	N/A
<b>Noviflumuron</b>	Structural pest control	81.46	N/A	N/A	N/A
<b>Nuranone</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Octhilinone</b>	Lumber, treated	126,904.29	N/A	7,586.7	K
<b>Octhilinone</b>	Uncultivated ag	<0.01	3	4.0	S
<b>Octyl decyl dimethyl ammonium chloride</b>	Fumigation, other	<0.01	N/A	N/A	N/A
<b>Octyl decyl dimethyl ammonium chloride</b>	Grape, wine	0.24	4	9.0	A
<b>Octyl decyl dimethyl ammonium chloride</b>	Landscape maintenance	9.49	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Octyl decyl dimethyl ammonium chloride</b>	N-grnhs transplants	<0.01	3	3.0	A
<b>Octyl decyl dimethyl ammonium chloride</b>	Prune	3.79	1	20.0	A
<b>Octyl decyl dimethyl ammonium chloride</b>	Public health	0.01	N/A	N/A	N/A
<b>Octyl decyl dimethyl ammonium chloride</b>	Regulatory pest control	0.06	N/A	N/A	N/A
<b>Octyl decyl dimethyl ammonium chloride</b>	Structural pest control	115.36	N/A	N/A	N/A
<b>Octyl decyl dimethyl ammonium chloride</b>	Vertebrate control	<0.01	N/A	N/A	N/A
<b>Oil of black pepper</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>Oil of black pepper</b>	Public health	<0.01	N/A	N/A	N/A
<b>Oil of black pepper</b>	Regulatory pest control	0.04	N/A	N/A	N/A
<b>Oil of black pepper</b>	Structural pest control	0.08	N/A	N/A	N/A
<b>Oil of citronella</b>	Structural pest control	0.27	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oil of orange	Alfalfa	0.11	3	41.5	A
Oil of orange	Almond	180.17	325	13,997.57	A
Oil of orange	Apricot	0.66	6	54.94	A
Oil of orange	Blueberry	1.77	8	158.09	A
Oil of orange	Cherry	1.04	6	120.28	A
Oil of orange	Corn (forage - fodder)	3.42	9	750.0	A
Oil of orange	Ditch bank	0.39	1	75.0	A
Oil of orange	Grape	2.79	37	419.6	A
Oil of orange	Grape, wine	12.04	10	697.32	A
Oil of orange	Grapefruit	0.9	9	73.0	A
Oil of orange	Landscape maintenance	1.97	N/A	N/A	N/A
Oil of orange	N-outdr plants in containers	0.87	5	153.0	A
Oil of orange	Nectarine	1.86	17	145.72	A
Oil of orange	Orange	0.23	2	15.4	A
Oil of orange	Peach	3.05	42	357.79	A
Oil of orange	Pecan	0.69	4	40.0	A
Oil of orange	Pistachio	4.65	12	323.6	A
Oil of orange	Plum	2.84	22	243.99	A
Oil of orange	Pomegranate	<0.01	1	0.3	A
Oil of orange	Potato	1.43	4	207.0	A
Oil of orange	Rights of way	0.35	5	25.0	A
Oil of orange	Rights of way	0.42	N/A	N/A	N/A
Oil of orange	Stone fruit	0.51	2	43.0	A
Oil of orange	Tangerine	0.23	5	26.76	A
Oil of orange	Uncultivated ag	1.14	4	655.0	A
Oil of orange	Walnut	18.95	97	1,765.14	A
Oleic acid	Alfalfa	1,112.03	445	28,303.2	A
Oleic acid	Almond	25,423.01	3,562	212,155.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oleic acid	Apple	25.44	19	188.8	A
Oleic acid	Apricot	87.42	38	1,191.1	A
Oleic acid	Artichoke, globe	40.51	29	466.77	A
Oleic acid	Arugula	27.08	54	742.87	A
Oleic acid	Asparagus	0.14	1	5.0	A
Oleic acid	Basil, sweet	5.7	37	48.75	A
Oleic acid	Bean, dried	197.32	34	2,989.0	A
Oleic acid	Bean, succulent	9.58	8	215.0	A
Oleic acid	Beet	0.1	1	1.96	A
Oleic acid	Bermudagrass	48.48	16	860.5	A
Oleic acid	Blackberry	1.83	4	48.22	A
Oleic acid	Blueberry	14.95	21	847.0	A
Oleic acid	Bok choy (choy sum, pak choi)	65.67	202	404.39	A
Oleic acid	Broccoli	1,189.79	1,296	12,141.12	A
Oleic acid	Brussels sprout	130.02	103	1,425.42	A
Oleic acid	Cabbage	366.26	473	4,017.89	A
Oleic acid	Cantaloupe	102.08	50	2,376.0	A
Oleic acid	Carrot	1,830.26	203	13,245.45	A
Oleic acid	Cauliflower	222.81	303	2,525.26	A
Oleic acid	Celery	240.7	324	4,949.05	A
Oleic acid	Cherry	925.44	413	9,245.38	A
Oleic acid	Chinese cabbage (napa, wong bok, celery cabbage)	143.05	286	1,082.26	A
Oleic acid	Cilantro	6.93	8	162.7	A
Oleic acid	Citrus	0.22	1	3.0	A
Oleic acid	Cole crop	1.36	30	11.6	A
Oleic acid	Collard	0.16	1	6.0	A
Oleic acid	Corn (forage - fodder)	121.39	83	2,894.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oleic acid	Corn, human consumption	6.84	3	96.0	A
Oleic acid	Cotton	447.02	203	10,683.8	A
Oleic acid	Cucumber	1.16	16	8.7	A
Oleic acid	Eggplant	17.79	19	334.0	A
Oleic acid	Endive (escarole)	2.89	43	82.01	A
Oleic acid	Fennel	1.55	4	17.5	A
Oleic acid	Garlic	180.48	22	1,929.9	A
Oleic acid	Ginger	0.12	2	1.0	A
Oleic acid	Grape	561.93	835	17,980.8	A
Oleic acid	Grape, wine	1,592.65	540	20,029.51	A
Oleic acid	Grapefruit	116.74	34	380.5	A
Oleic acid	Herb, spice	9.39	61	75.4	A
Oleic acid	Kale	43.68	155	700.95	A
Oleic acid	Landscape maintenance	2.47	N/A	N/A	N/A
Oleic acid	Leek	0.05	13	22.12	A
Oleic acid	Lemon	363.2	246	5,107.77	A
Oleic acid	Lettuce, head	1,115.35	1,407	15,265.66	A
Oleic acid	Lettuce, leaf	809.25	1,154	12,997.65	A
Oleic acid	Melon	39.99	19	948.0	A
Oleic acid	Melon	<0.01	2	5,220.0	S
Oleic acid	Mint	1.91	18	14.7	A
Oleic acid	Mizuna	7.45	27	191.1	A
Oleic acid	Mustard	2.22	11	40.91	A
Oleic acid	N-grnhs transplants	<0.01	2	0.17	A
Oleic acid	N-outdr flower	1.83	12	19.5	A
Oleic acid	N-outdr plants in containers	4.05	61	348.67	A
Oleic acid	N-outdr transplants	27.54	49	381.78	A
Oleic acid	Nectarine	37.28	77	423.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oleic acid	Oat (forage - fodder)	7.84	6	220.0	A
Oleic acid	Olive	107.27	14	776.0	A
Oleic acid	Onion, dry	18.17	15	403.98	A
Oleic acid	Onion, green	0.31	4	2.25	A
Oleic acid	Orange	4,251.16	1,634	34,309.07	A
Oleic acid	Peach	280.28	248	2,722.82	A
Oleic acid	Pear	0.67	6	10.6	A
Oleic acid	Pear, asian (oriental pear, ya, ya li, nashi)	2.24	5	35.0	A
Oleic acid	Peas	0.33	7	2.9	A
Oleic acid	Pecan	0.37	5	5.46	A
Oleic acid	Pepper, fruiting	147.46	156	5,584.48	A
Oleic acid	Pepper, fruiting	<0.01	1	1,215.0	S
Oleic acid	Pepper, spice	8.78	23	113.54	A
Oleic acid	Persimmon	4.93	8	41.0	A
Oleic acid	Pistachio	5,500.59	930	66,120.99	A
Oleic acid	Plum	88.55	40	361.08	A
Oleic acid	Pomegranate	48.14	32	583.58	A
Oleic acid	Pomelo	31.7	16	121.5	A
Oleic acid	Potato	2.18	2	75.0	A
Oleic acid	Prune	23.51	7	516.0	A
Oleic acid	Pumpkin	6.7	5	93.0	A
Oleic acid	Quince	22.15	29	185.0	A
Oleic acid	Radish	0.85	1	18.63	A
Oleic acid	Raspberry	71.84	20	624.5	A
Oleic acid	Research commodity	4.99	31	53.1	A
Oleic acid	Research commodity	0.71	N/A	N/A	N/A
Oleic acid	Rice	159.8	37	2,804.34	A
Oleic acid	Rights of way	0.86	2	12.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oleic acid	Rights of way	0.03	3	0.03	U
Oleic acid	Rights of way	19.57	N/A	N/A	N/A
Oleic acid	Root vegetable	4.25	24	36.7	A
Oleic acid	Soil fumigation/preplant	0.1	1	2.5	A
Oleic acid	Spinach	39.9	47	796.24	A
Oleic acid	Squash	9.52	29	72.5	A
Oleic acid	Squash, summer	0.48	3	54.0	A
Oleic acid	Squash, winter	0.44	1	15.4	A
Oleic acid	Squash, zucchini	0.04	3	0.6	A
Oleic acid	Strawberry	1,249.58	415	10,951.97	A
Oleic acid	Structural pest control	0.55	N/A	N/A	N/A
Oleic acid	Sugarbeet	161.82	68	4,189.56	A
Oleic acid	Swiss chard	8.56	15	236.1	A
Oleic acid	Tangelo	96.03	42	869.83	A
Oleic acid	Tangerine	1,658.25	668	14,218.2	A
Oleic acid	Tomato	0.04	1	0.5	A
Oleic acid	Tomato	<0.01	2	5,040.0	S
Oleic acid	Tomato, processing	187.8	46	3,830.1	A
Oleic acid	Triticale	9.33	5	262.4	A
Oleic acid	Uncultivated ag	61.75	28	559.85	A
Oleic acid	Vegetables, fruiting	1.21	30	9.5	A
Oleic acid	Vegetables, leafy	64.85	314	522.9	A
Oleic acid	Walnut	3,286.9	714	23,978.36	A
Oleic acid	Watermelon	89.16	45	2,247.5	A
Oleic acid	Wheat	341.35	90	5,461.78	A
Oleic acid	Wheat (forage - fodder)	69.37	38	1,947.6	A
Oleic acid, ethyl ester	Airport	16.87	3	44.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oleic acid, ethyl ester	Alfalfa	11,038.81	615	27,823.69	A
Oleic acid, ethyl ester	Almond	57,016.46	1,810	85,152.8	A
Oleic acid, ethyl ester	Apple	22.54	5	30.26	A
Oleic acid, ethyl ester	Artichoke, globe	522.75	193	2,727.15	A
Oleic acid, ethyl ester	Bean, dried	88.85	11	741.0	A
Oleic acid, ethyl ester	Bean, succulent	8.85	10	115.4	A
Oleic acid, ethyl ester	Bean, unspecified	29.41	29	167.95	A
Oleic acid, ethyl ester	Bok choy (choy sum, pak choi)	5.89	13	56.85	A
Oleic acid, ethyl ester	Broccoli	11,260.82	1,604	15,542.9	A
Oleic acid, ethyl ester	Brussels sprout	10,577.62	994	11,367.43	A
Oleic acid, ethyl ester	Cabbage	735.53	172	1,338.24	A
Oleic acid, ethyl ester	Cardoon	5.37	2	28.0	A
Oleic acid, ethyl ester	Carrot	1,229.0	104	1,273.3	A
Oleic acid, ethyl ester	Cauliflower	6,383.02	928	8,345.35	A
Oleic acid, ethyl ester	Celery	4,451.94	1,821	13,501.76	A
Oleic acid, ethyl ester	Cherry	1,812.82	255	3,323.83	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Oleic acid, ethyl ester</b>	Corn (forage - fodder)	399.1	82	2,291.24	A
<b>Oleic acid, ethyl ester</b>	Corn, grain	49.93	6	263.0	A
<b>Oleic acid, ethyl ester</b>	Corn, human consumption	3,378.49	998	14,630.36	A
<b>Oleic acid, ethyl ester</b>	Cotton	225.45	38	1,241.85	A
<b>Oleic acid, ethyl ester</b>	Cucumber	3.81	1	6.38	A
<b>Oleic acid, ethyl ester</b>	Eggplant	9.58	4	50.0	A
<b>Oleic acid, ethyl ester</b>	Endive (escarole)	20.63	105	135.94	A
<b>Oleic acid, ethyl ester</b>	Fennel	210.35	103	397.57	A
<b>Oleic acid, ethyl ester</b>	Forest, timberland	777.2	8	851.0	A
<b>Oleic acid, ethyl ester</b>	Garlic	962.96	26	1,231.54	A
<b>Oleic acid, ethyl ester</b>	Grain	15.79	1	53.0	A
<b>Oleic acid, ethyl ester</b>	Grape	5.08	2	42.5	A
<b>Oleic acid, ethyl ester</b>	Grape, wine	31,069.32	3,241	95,155.14	A
<b>Oleic acid, ethyl ester</b>	Kale	165.33	78	316.84	A
<b>Oleic acid, ethyl ester</b>	Landscape maintenance	2,730.32	N/A	N/A	N/A
<b>Oleic acid, ethyl ester</b>	Leek	22.34	19	190.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oleic acid, ethyl ester	Lettuce, head	6,242.85	3,529	35,421.43	A
Oleic acid, ethyl ester	Lettuce, leaf	8,498.52	6,663	49,201.28	A
Oleic acid, ethyl ester	Melon	370.89	93	1,934.88	A
Oleic acid, ethyl ester	N-outdr plants in containers	102.18	16	134.25	A
Oleic acid, ethyl ester	Nectarine	0.19	2	0.26	A
Oleic acid, ethyl ester	Oat	7.69	5	66.9	A
Oleic acid, ethyl ester	Oat (forage - fodder)	5.96	1	40.0	A
Oleic acid, ethyl ester	Olive	404.91	32	513.02	A
Oleic acid, ethyl ester	Onion, dry	766.26	105	4,307.23	A
Oleic acid, ethyl ester	Onion, green	0.24	1	0.5	A
Oleic acid, ethyl ester	Orange	0.96	1	5.0	A
Oleic acid, ethyl ester	Pastureland	236.72	42	633.5	A
Oleic acid, ethyl ester	Pastureland	11.73	5	54,200.0	S
Oleic acid, ethyl ester	Peach	525.38	97	1,306.47	A
Oleic acid, ethyl ester	Peas	115.35	90	737.9	A
Oleic acid, ethyl ester	Pecan	449.26	8	280.95	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oleic acid, ethyl ester	Pepper, fruiting	963.75	272	5,031.88	A
Oleic acid, ethyl ester	Pistachio	8,676.82	244	17,687.18	A
Oleic acid, ethyl ester	Plum	0.19	2	0.26	A
Oleic acid, ethyl ester	Prune	664.35	43	1,201.27	A
Oleic acid, ethyl ester	Pumpkin	25.9	8	148.69	A
Oleic acid, ethyl ester	Radicchio	13.7	5	71.45	A
Oleic acid, ethyl ester	Rangeland	24.79	8	83.05	A
Oleic acid, ethyl ester	Regulatory pest control	266.18	N/A	N/A	N/A
Oleic acid, ethyl ester	Research commodity	1.29	N/A	N/A	N/A
Oleic acid, ethyl ester	Rice	9,445.63	472	30,540.84	A
Oleic acid, ethyl ester	Rights of way	231.51	13	336.5	A
Oleic acid, ethyl ester	Rights of way	10,587.28	N/A	N/A	N/A
Oleic acid, ethyl ester	Safflower	39.44	4	146.5	A
Oleic acid, ethyl ester	Sorghum (forage - fodder)	35.95	3	176.2	A
Oleic acid, ethyl ester	Sorghum/milo	9.14	1	149.09	A
Oleic acid, ethyl ester	Spinach	7.91	4	52.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oleic acid, ethyl ester	Squash	10.0	3	46.0	A
Oleic acid, ethyl ester	Squash, winter	46.96	9	253.0	A
Oleic acid, ethyl ester	Strawberry	28.4	13	282.0	A
Oleic acid, ethyl ester	Sudangrass	15.34	2	80.0	A
Oleic acid, ethyl ester	Sunflower	278.96	46	1,301.56	A
Oleic acid, ethyl ester	Tomato	3,694.43	396	8,348.68	A
Oleic acid, ethyl ester	Tomato, processing	2,854.39	140	5,435.31	A
Oleic acid, ethyl ester	Uncultivated ag	6,211.93	687	6,998.52	A
Oleic acid, ethyl ester	Uncultivated ag	0.74	1	3,500.0	S
Oleic acid, ethyl ester	Uncultivated non-ag	233.15	7	610.55	A
Oleic acid, ethyl ester	Vertebrate control	2.98	1	2.0	A
Oleic acid, ethyl ester	Walnut	19,275.38	649	25,437.58	A
Oleic acid, ethyl ester	Water area	6,753.81	4	2,787.02	A
Oleic acid, ethyl ester	Watermelon	111.06	34	518.96	A
Oleic acid, ethyl ester	Wheat	81.21	3	225.0	A
Oleic acid, methyl ester	Alfalfa	13,947.94	410	20,290.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oleic acid, methyl ester	Almond	355,401.13	6,225	360,351.47	A
Oleic acid, methyl ester	Apple	53.87	3	178.0	A
Oleic acid, methyl ester	Apricot	215.17	24	283.72	A
Oleic acid, methyl ester	Avocado	4,883.21	206	4,392.39	A
Oleic acid, methyl ester	Barley	166.07	3	212.0	A
Oleic acid, methyl ester	Bean, dried	925.25	39	1,357.5	A
Oleic acid, methyl ester	Bermudagrass	269.21	26	2,900.0	A
Oleic acid, methyl ester	Blackberry	35.47	3	29.65	A
Oleic acid, methyl ester	Blueberry	427.52	11	431.54	A
Oleic acid, methyl ester	Bok choy (choy sum, pak choi)	33.01	25	124.16	A
Oleic acid, methyl ester	Broccoli	131.62	29	334.5	A
Oleic acid, methyl ester	Cabbage	70.37	18	148.8	A
Oleic acid, methyl ester	Cantaloupe	112.0	6	517.0	A
Oleic acid, methyl ester	Carrot	1,140.61	73	948.8	A
Oleic acid, methyl ester	Celery	749.8	96	855.43	A
Oleic acid, methyl ester	Cherry	2,901.66	148	2,759.07	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oleic acid, methyl ester	Citrus	196.62	25	421.43	A
Oleic acid, methyl ester	Citrus	44.84	N/A	3,338.0	U
Oleic acid, methyl ester	Corn (forage - fodder)	16,893.85	578	31,050.14	A
Oleic acid, methyl ester	Corn, grain	181.72	10	376.59	A
Oleic acid, methyl ester	Corn, human consumption	32.72	1	33.2	A
Oleic acid, methyl ester	Cotton	3,735.71	80	5,717.09	A
Oleic acid, methyl ester	Cucumber	22.4	2	41.13	A
Oleic acid, methyl ester	Ditch bank	338.46	N/A	175.0	A
Oleic acid, methyl ester	Eggplant	85.3	11	175.0	A
Oleic acid, methyl ester	Fig	749.5	61	1,105.77	A
Oleic acid, methyl ester	Forage hay/silage	19.41	3	117.0	A
Oleic acid, methyl ester	Forest, timberland	3,059.49	26	1,465.34	A
Oleic acid, methyl ester	Gai lon	5.1	24	20.03	A
Oleic acid, methyl ester	Garlic	1,426.14	16	2,421.0	A
Oleic acid, methyl ester	Golf course turf	88.52	N/A	105.0	A
Oleic acid, methyl ester	Grape	5,114.23	201	4,210.35	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oleic acid, methyl ester	Grape, wine	42,562.89	1,275	42,358.42	A
Oleic acid, methyl ester	Grapefruit	1,028.84	67	1,374.18	A
Oleic acid, methyl ester	Hops	18.57	5	31.97	A
Oleic acid, methyl ester	Kale	69.16	5	64.0	A
Oleic acid, methyl ester	Kiwi fruit fuzzy	4.94	1	10.0	A
Oleic acid, methyl ester	Kumquat	1.64	4	9.34	A
Oleic acid, methyl ester	Landscape maintenance	1,510.02	N/A	N/A	N/A
Oleic acid, methyl ester	Lemon	2,576.64	242	3,774.66	A
Oleic acid, methyl ester	Lettuce, head	837.8	92	1,746.83	A
Oleic acid, methyl ester	Lettuce, leaf	1,774.03	188	1,503.3	A
Oleic acid, methyl ester	Lime	13.35	8	53.73	A
Oleic acid, methyl ester	Melon	5.6	1	72.0	A
Oleic acid, methyl ester	Mustard greens	32.85	1	50.0	A
Oleic acid, methyl ester	N-grnhs plants in containers	2.3	1	3.5	A
Oleic acid, methyl ester	N-grnhs transplants	2.63	1	2.5	A
Oleic acid, methyl ester	N-outdr flower	85.84	29	67.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oleic acid, methyl ester	N-outdr plants in containers	500.23	15	382.6	A
Oleic acid, methyl ester	N-outdr transplants	1.18	1	1.8	A
Oleic acid, methyl ester	Nectarine	2,079.46	104	2,221.48	A
Oleic acid, methyl ester	Oat (forage - fodder)	26.28	1	40.0	A
Oleic acid, methyl ester	Olive	1,950.53	76	2,087.76	A
Oleic acid, methyl ester	Onion, dry	3,241.01	43	2,623.8	A
Oleic acid, methyl ester	Orange	7,102.55	498	7,790.95	A
Oleic acid, methyl ester	Parsley	271.98	6	272.0	A
Oleic acid, methyl ester	Pastureland	23.12	1	22.0	A
Oleic acid, methyl ester	Peach	5,542.69	262	5,554.54	A
Oleic acid, methyl ester	Pear	46.64	2	23.5	A
Oleic acid, methyl ester	Pecan	75.88	4	112.6	A
Oleic acid, methyl ester	Pepper, fruiting	73.24	8	150.0	A
Oleic acid, methyl ester	Persimmon	64.48	8	24.5	A
Oleic acid, methyl ester	Pistachio	173,291.4	2,931	162,973.02	A
Oleic acid, methyl ester	Plum	494.99	59	518.91	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oleic acid, methyl ester	Pomegranate	7,338.79	185	8,487.33	A
Oleic acid, methyl ester	Pomelo	14.45	2	12.0	A
Oleic acid, methyl ester	Prune	2,610.02	64	3,236.03	A
Oleic acid, methyl ester	Pumpkin	37.17	4	92.0	A
Oleic acid, methyl ester	Radish	2.63	1	2.0	A
Oleic acid, methyl ester	Rangeland	18.42	5	152.37	A
Oleic acid, methyl ester	Raspberry	3.31	1	2.5	A
Oleic acid, methyl ester	Regulatory pest control	112.11	N/A	N/A	N/A
Oleic acid, methyl ester	Research commodity	2.46	2	6.5	A
Oleic acid, methyl ester	Rice	8,286.67	164	13,437.7	A
Oleic acid, methyl ester	Rights of way	13,095.14	107	12,732.0	A
Oleic acid, methyl ester	Rights of way	21.02	2	1.01	U
Oleic acid, methyl ester	Rights of way	22,130.71	N/A	N/A	N/A
Oleic acid, methyl ester	Soil fumigation/preplant	25,282.99	139	28,188.0	A
Oleic acid, methyl ester	Strawberry	212.33	7	278.6	A
Oleic acid, methyl ester	Sudangrass	201.07	4	204.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oleic acid, methyl ester	Sunflower	627.25	27	957.3	A
Oleic acid, methyl ester	Tangelo	150.52	14	155.2	A
Oleic acid, methyl ester	Tangerine	11,166.03	752	14,823.14	A
Oleic acid, methyl ester	Tomato	748.07	69	1,684.6	A
Oleic acid, methyl ester	Tomato, processing	6,431.76	124	10,141.15	A
Oleic acid, methyl ester	Turf/sod	157.66	33	687.38	A
Oleic acid, methyl ester	Uncultivated ag	9,016.45	375	9,345.83	A
Oleic acid, methyl ester	Uncultivated non-ag	163.36	3	342.66	A
Oleic acid, methyl ester	Unknown	12.51	1	9.5	A
Oleic acid, methyl ester	Vertebrate control	1.05	1	1.0	A
Oleic acid, methyl ester	Walnut	27,773.43	911	32,020.65	A
Oleic acid, methyl ester	Water (industrial)	171.07	N/A	190.05	A
Oleic acid, methyl ester	Water area	1.51	N/A	68.75	A
Oleic acid, methyl ester	Watermelon	103.07	6	507.0	A
Oleic acid, methyl ester	Wheat	845.61	11	808.9	A
Oleic acid, methyl ester	Wheat (forage - fodder)	177.84	3	194.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Orchex 796 oil	Grape, wine	481.59	5	404.93	A
Orchex 796 oil	Landscape maintenance	48.21	N/A	N/A	N/A
Orchex 796 oil	Onion, dry	52.63	1	176.0	A
Orchex 796 oil	Pistachio	14.47	1	22.0	A
Orchex 796 oil	Rights of way	105.26	N/A	N/A	N/A
Organo/modified polysiloxane	Alfalfa	0.98	16	616.91	A
Organo/modified polysiloxane	Almond	21.49	281	9,135.92	A
Organo/modified polysiloxane	Cherry	0.05	2	16.2	A
Organo/modified polysiloxane	Corn (forage - fodder)	1.25	12	640.1	A
Organo/modified polysiloxane	Corn, human consumption	0.28	2	111.0	A
Organo/modified polysiloxane	Fig	1.81	10	603.93	A
Organo/modified polysiloxane	Grape	0.11	4	48.4	A
Organo/modified polysiloxane	Grape, wine	0.03	1	17.5	A
Organo/modified polysiloxane	Landscape maintenance	3.65	N/A	N/A	N/A
Organo/modified polysiloxane	Oat (forage - fodder)	0.51	5	160.0	A
Organo/modified polysiloxane	Peach	0.41	11	192.87	A
Organo/modified polysiloxane	Pecan	0.05	1	10.0	A
Organo/modified polysiloxane	Pistachio	0.92	17	301.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Organo/modified polysiloxane</b>	Prune	0.65	12	643.71	A
<b>Organo/modified polysiloxane</b>	Rights of way	0.34	3	280.0	A
<b>Organo/modified polysiloxane</b>	Rights of way	0.24	N/A	N/A	N/A
<b>Organo/modified polysiloxane</b>	Structural pest control	0.87	N/A	N/A	N/A
<b>Organo/modified polysiloxane</b>	Triticale	0.27	3	125.8	A
<b>Organo/modified polysiloxane</b>	Uncultivated ag	0.11	6	112.27	A
<b>Organo/modified polysiloxane</b>	Walnut	5.22	123	3,938.29	A
<b>Organo/modified polysiloxane</b>	Wheat	0.87	11	400.1	A
<b>Organo/modified polysiloxane</b>	Wheat (forage - fodder)	2.95	17	920.0	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Alfalfa	115.63	119	6,255.9	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Almond	1,548.91	124	7,589.73	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Bermudagrass	2.0	1	70.0	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Broccoli	6.0	5	281.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Cantaloupe	4.0	2	212.0	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Corn (forage - fodder)	136.38	14	776.0	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Garlic	11.95	2	304.0	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Grape	37.75	18	404.2	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Grape, wine	438.15	320	9,569.59	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Grapefruit	45.21	4	67.1	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Landscape maintenance	717.41	N/A	N/A	N/A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Lemon	543.81	35	796.9	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Lettuce, head	7.64	13	521.0	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Lettuce, leaf	26.3	34	1,568.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	N-outdr plants in containers	2.11	7	28.0	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Onion, dry	4.0	4	118.0	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Orange	787.35	83	1,726.7	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Pistachio	494.37	16	851.63	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Rights of way	21.69	N/A	N/A	N/A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Structural pest control	2.67	N/A	N/A	N/A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Sugarbeet	14.49	11	670.0	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Tangelo	153.55	10	237.7	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Tangerine	89.66	14	380.84	A
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Uncultivated ag	0.75	1	10.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Organosilicone, poly oxyalkylene ether copolymer</b>	Walnut	1,015.99	52	2,069.88	A
<b>Ortho-benzyl-para-chlorophenol</b>	Landscape maintenance	0.02	N/A	N/A	N/A
<b>Ortho-benzyl-para-chlorophenol</b>	N-grnhs transplants	0.06	N/A	3.0	A
<b>Ortho-benzyl-para-chlorophenol</b>	Structural pest control	0.02	N/A	N/A	N/A
<b>Ortho-phenylphenol</b>	Animal premise	0.1	N/A	93.0	U
<b>Ortho-phenylphenol</b>	Apricot	0.02	3	61.5	A
<b>Ortho-phenylphenol</b>	Landscape maintenance	0.89	N/A	N/A	N/A
<b>Ortho-phenylphenol</b>	N-grnhs transplants	0.13	N/A	3.0	A
<b>Ortho-phenylphenol</b>	N-outdr transplants	0.1	1	16.0	A
<b>Ortho-phenylphenol</b>	Structural pest control	0.02	N/A	N/A	N/A
<b>Ortho-phenylphenol</b>	Uncultivated ag	0.18	5	57.0	A
<b>Orthosulfamuron</b>	Almond	2,692.52	341	12,097.65	A
<b>Orthosulfamuron</b>	Cherry	9.67	8	53.5	A
<b>Orthosulfamuron</b>	Grape	342.28	106	1,437.35	A
<b>Orthosulfamuron</b>	Grape, wine	1,876.06	300	8,339.31	A
<b>Orthosulfamuron</b>	Peach	0.67	1	2.5	A
<b>Orthosulfamuron</b>	Pistachio	2,201.3	192	9,146.28	A
<b>Orthosulfamuron</b>	Research commodity	1.5	4	6.0	A
<b>Orthosulfamuron</b>	Walnut	221.42	59	996.21	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oryzalin	Almond	2,743.96	96	1,744.65	A
Oryzalin	Apple	1.16	1	0.22	A
Oryzalin	Apricot	94.81	3	18.23	A
Oryzalin	Blueberry	417.15	7	86.0	A
Oryzalin	Cherry	140.5	8	105.0	A
Oryzalin	Grape	290.68	7	71.74	A
Oryzalin	Grape, wine	357.65	21	292.95	A
Oryzalin	Kiwi fruit fuzzy	34.17	3	27.69	A
Oryzalin	Landscape maintenance	43.76	16	7.35	A
Oryzalin	Landscape maintenance	1,197.06	N/A	N/A	N/A
Oryzalin	Lemon	34.32	2	16.5	A
Oryzalin	N-grnhs flower	126.02	N/A	24.0	A
Oryzalin	N-grnhs transplants	13.87	15	2.94	A
Oryzalin	N-grnhs transplants	0.26	1	2,000.0	S
Oryzalin	N-outdr flower	23.5	4	3.53	A
Oryzalin	N-outdr plants in containers	99.8	27	47.79	A
Oryzalin	N-outdr transplants	5.5	6	0.88	A
Oryzalin	Nectarine	2.29	1	0.44	A
Oryzalin	Olive	920.64	3	401.0	A
Oryzalin	Orange	23.67	2	10.58	A
Oryzalin	Peach	9.28	1	1.78	A
Oryzalin	Pear	82.87	4	98.0	A
Oryzalin	Pistachio	5,040.25	33	892.71	A
Oryzalin	Plum	1.16	1	0.22	A
Oryzalin	Pomegranate	11.02	2	4.25	A
Oryzalin	Research commodity	0.29	N/A	N/A	N/A
Oryzalin	Rights of way	105.83	2	51.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oryzalin	Rights of way	25.86	8	495,000.0	S
Oryzalin	Rights of way	3,190.98	N/A	N/A	N/A
Oryzalin	Structural pest control	0.54	N/A	N/A	N/A
Oryzalin	Uncultivated ag	6.95	4	3.75	A
Oryzalin	Uncultivated non-ag	0.91	N/A	0.2	A
Oryzalin	Walnut	140.25	6	42.75	A
Oxadiazon	Golf course turf	28.0	N/A	7.0	A
Oxadiazon	Landscape maintenance	296.82	43	111.15	A
Oxadiazon	Landscape maintenance	1,425.28	N/A	N/A	N/A
Oxadiazon	N-grnhs flower	1.4	2	0.83	A
Oxadiazon	N-grnhs plants in containers	0.08	2	0.5	A
Oxadiazon	N-grnhs plants in containers	2.69	4	59,740.0	S
Oxadiazon	N-grnhs transplants	0.1	1	1,675.0	S
Oxadiazon	N-outdr flower	515.95	161	244.56	A
Oxadiazon	N-outdr plants in containers	128.92	109	137.6	A
Oxadiazon	N-outdr plants in containers	40.38	45	965,643.0	S
Oxadiazon	Rights of way	143.33	N/A	N/A	N/A
Oxadiazon	Structural pest control	2.3	N/A	N/A	N/A
Oxadiazon	Turf/sod	511.13	14	172.46	A
Oxadiazon	Uncultivated ag	0.5	1	1.0	A
Oxalic acid	Pistachio	0.77	1	13.0	A
Oxalic acid	Structural pest control	0.47	N/A	N/A	N/A
Oxamyl	Cantaloupe	262.89	5	250.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxamyl	Celery	2,809.86	500	4,265.27	A
Oxamyl	Cotton	21,123.58	142	21,139.26	A
Oxamyl	Eggplant	252.13	83	589.0	A
Oxamyl	Melon	292.71	4	294.0	A
Oxamyl	Onion, dry	4,183.33	123	6,089.1	A
Oxamyl	Pepper, fruiting	2,472.88	116	2,776.33	A
Oxamyl	Potato	2,459.19	79	2,686.02	A
Oxamyl	Pumpkin	32.85	5	33.0	A
Oxamyl	Squash	5.26	1	16.0	A
Oxamyl	Tomato	2,162.5	66	2,633.18	A
Oxamyl	Tomato, processing	532.91	11	868.0	A
Oxathiapiprolin	Almond	1,070.02	183	12,915.23	A
Oxathiapiprolin	Arugula	10.72	63	682.36	A
Oxathiapiprolin	Avocado	56.42	76	718.78	A
Oxathiapiprolin	Basil, sweet	0.46	10	12.56	A
Oxathiapiprolin	Blackberry	0.03	1	3.99	A
Oxathiapiprolin	Broccoli	11.15	18	736.96	A
Oxathiapiprolin	Cabbage	6.79	33	458.75	A
Oxathiapiprolin	Cauliflower	6.94	25	479.6	A
Oxathiapiprolin	Chinese broccoli (gai lon)	1.01	2	50.0	A
Oxathiapiprolin	Citrus	2.38	4	35.6	A
Oxathiapiprolin	Cucumber	21.6	42	1,401.0	A
Oxathiapiprolin	Date	0.19	1	3.0	A
Oxathiapiprolin	Endive (escarole)	0.28	21	18.27	A
Oxathiapiprolin	Grapefruit	17.76	25	339.7	A
Oxathiapiprolin	Kale	2.25	38	143.59	A
Oxathiapiprolin	Landscape maintenance	0.23	N/A	N/A	N/A
Oxathiapiprolin	Leek	0.39	7	25.45	A
Oxathiapiprolin	Lemon	216.71	185	4,607.34	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxathiapiprolin	Lettuce, head	195.93	1,014	13,217.73	A
Oxathiapiprolin	Lettuce, leaf	270.98	1,694	18,114.92	A
Oxathiapiprolin	Melon	4.84	8	414.0	A
Oxathiapiprolin	Mizuna	1.23	22	78.55	A
Oxathiapiprolin	Mustard	0.29	6	18.38	A
Oxathiapiprolin	Mustard greens	0.07	2	4.81	A
Oxathiapiprolin	N-grnhs flower	0.18	1	3.0	A
Oxathiapiprolin	N-grnhs flower	0.11	4	105,500.0	S
Oxathiapiprolin	N-grnhs plants in containers	40.97	225	187.34	A
Oxathiapiprolin	N-grnhs plants in containers	0.45	47	2,680,000.0	S
Oxathiapiprolin	N-grnhs transplants	5.63	190	1,309.05	A
Oxathiapiprolin	N-grnhs transplants	4.6	46	1,096,500.0	S
Oxathiapiprolin	N-outdr flower	19.27	63	645.25	A
Oxathiapiprolin	N-outdr plants in containers	41.8	290	630.72	A
Oxathiapiprolin	N-outdr plants in containers	0.16	4	50,000.0	S
Oxathiapiprolin	N-outdr plants in containers	0.16	2	20,500.0	U
Oxathiapiprolin	N-outdr transplants	1.89	79	124.32	A
Oxathiapiprolin	N-outdr transplants	1.64	29	5,865,000.0	S
Oxathiapiprolin	Onion, dry	129.83	183	9,332.25	A
Oxathiapiprolin	Onion, green	9.97	8	736.2	A
Oxathiapiprolin	Orange	781.71	1,125	22,089.84	A
Oxathiapiprolin	Pepper, fruiting	99.02	37	788.31	A
Oxathiapiprolin	Pepper, spice	1.9	1	17.8	A
Oxathiapiprolin	Pistachio	295.6	31	3,566.78	A
Oxathiapiprolin	Pumpkin	8.85	18	576.75	A
Oxathiapiprolin	Raspberry	5.08	3	10.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxathiapiprolin	Research commodity	1.07	3	10.25	A
Oxathiapiprolin	Spinach	249.75	1,775	16,588.61	A
Oxathiapiprolin	Squash	0.65	5	41.5	A
Oxathiapiprolin	Strawberry	181.99	33	1,725.61	A
Oxathiapiprolin	Sunflower	2.39	N/A	7,181.5	P
Oxathiapiprolin	Swiss chard	2.08	12	133.28	A
Oxathiapiprolin	Tangelo	19.77	29	491.52	A
Oxathiapiprolin	Tangerine	112.04	144	2,404.02	A
Oxathiapiprolin	Tomato	28.13	46	712.45	A
Oxathiapiprolin	Tomato, processing	4.45	4	285.0	A
Oxathiapiprolin	Vegetables, leafy	<0.01	1	0.5	A
Oxathiapiprolin	Walnut	134.62	35	1,551.4	A
Oxathiapiprolin	Watermelon	2.16	8	149.5	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Alfalfa	27.18	33	1,077.0	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Almond	447.35	74	3,834.0	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Avocado	23.01	72	384.0	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Basil, sweet	4.62	67	84.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Bean, succulent	0.04	3	0.75	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Cantaloupe	5.23	9	268.5	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Cilantro	0.18	1	4.8	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Cole crop	4.08	89	70.85	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Corn (forage - fodder)	41.3	22	1,392.0	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Cucumber	0.23	6	3.6	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Ditch bank	0.13	4	3.25	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Ginger	0.35	10	4.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Grape	331.73	369	16,943.2	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Grape, wine	7.49	11	85.2	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Herb, spice	4.62	73	77.7	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Landscape maintenance	39.18	N/A	N/A	N/A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Lemon	8.74	38	212.8	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Lettuce, head	34.36	43	464.1	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Lettuce, leaf	39.72	48	538.1	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Melon	6.18	10	279.75	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Mint	0.35	6	5.5	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	N-grnhs flower	4.7	N/A	8.0	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	N-grnhs flower	1.88	6	50,000.0	S
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	N-grnhs plants in containers	25.0	193	154.11	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	N-grnhs plants in containers	0.64	5	74,000.0	S
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	N-grnhs transplants	0.23	14	9.64	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	N-outdr flower	12.79	7	32.89	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	N-outdr plants in containers	164.39	947	1,797.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Orange	46.49	43	540.77	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Pastureland	2.57	6	35.0	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Peach	0.32	12	10.11	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Peas	0.01	1	0.25	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Pepper, fruiting	9.38	6	85.25	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Pistachio	59.28	15	759.5	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Quince	0.69	2	11.8	A
<b>Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether</b>	Research commodity	0.33	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Rights of way	102.81	N/A	N/A	N/A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Root vegetable	2.96	28	49.75	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Squash	5.58	38	96.0	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Strawberry	625.81	231	2,921.06	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Structural pest control	4.2	N/A	N/A	N/A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Sweet potato	<0.01	1	0.1	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Tangerine	11.16	7	172.09	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Uncultivated ag	0.37	1	5.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Vegetables, fruiting	0.19	8	3.0	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Vegetables, leafy	33.27	345	537.5	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Wheat (forage - fodder)	0.61	1	7.0	A
Oxydemeton-methyl	Mushroom house	<0.01	1	5,750.0	S
Oxyfluorfen	Airport	81.26	2	56.6	A
Oxyfluorfen	Alfalfa	41.03	3	89.0	A
Oxyfluorfen	Almond	331,789.87	21,273	895,649.77	A
Oxyfluorfen	Apple	133.96	25	341.07	A
Oxyfluorfen	Apricot	706.06	107	1,623.78	A
Oxyfluorfen	Artichoke, globe	1,040.41	203	2,625.35	A
Oxyfluorfen	Avocado	145.93	84	348.43	A
Oxyfluorfen	Barley	1.24	1	16.5	A
Oxyfluorfen	Bean, dried	59.64	5	213.3	A
Oxyfluorfen	Bean, succulent	6.32	2	44.0	A
Oxyfluorfen	Bean, unspecified	3.0	1	25.0	A
Oxyfluorfen	Blackberry	3.82	2	5.35	A
Oxyfluorfen	Broccoli	12,003.05	4,526	46,910.09	A
Oxyfluorfen	Brussels sprout	310.51	34	687.2	A
Oxyfluorfen	Cabbage	2,204.14	684	5,823.83	A
Oxyfluorfen	Cabbage, savoy	4.0	1	8.0	A
Oxyfluorfen	Cantaloupe	71.61	4	440.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxyfluorfen	Cauliflower	6,935.21	2,203	22,563.87	A
Oxyfluorfen	Celery	18.77	4	36.06	A
Oxyfluorfen	Cherry	6,290.77	842	11,571.36	A
Oxyfluorfen	Chestnut	2.5	1	7.0	A
Oxyfluorfen	Chinese cabbage (napa, wong bok, celery cabbage)	2.03	1	4.0	A
Oxyfluorfen	Christmas tree	26.77	12	38.0	A
Oxyfluorfen	Citrus	2.99	5	16.62	A
Oxyfluorfen	Commercial, institutional or industrial areas	0.36	2	1.5	A
Oxyfluorfen	Commodity fumigation	2.75	3	11.0	A
Oxyfluorfen	Commodity fumigation	7.25	1	200,000.0	C
Oxyfluorfen	Corn (forage - fodder)	555.86	37	2,030.02	A
Oxyfluorfen	Corn, human consumption	257.22	15	897.9	A
Oxyfluorfen	Cotton	5,639.46	348	18,031.05	A
Oxyfluorfen	Fig	1,071.27	72	1,644.17	A
Oxyfluorfen	Forest, timberland	10,557.05	188	7,397.81	A
Oxyfluorfen	Garbanzo bean	58.9	4	253.5	A
Oxyfluorfen	Garlic	5,768.87	381	25,095.08	A
Oxyfluorfen	Grape	26,121.23	1,966	47,564.13	A
Oxyfluorfen	Grape, wine	78,218.34	6,419	165,497.46	A
Oxyfluorfen	Grapefruit	73.18	27	200.89	A
Oxyfluorfen	Horseradish	15.8	1	84.0	A
Oxyfluorfen	Kale	49.55	6	107.98	A
Oxyfluorfen	Kiwi fruit fuzzy	2,361.28	217	1,935.73	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxyfluorfen	Landscape maintenance	32.37	5	114.0	A
Oxyfluorfen	Landscape maintenance	1,932.43	N/A	N/A	N/A
Oxyfluorfen	Leek	0.63	1	2.5	A
Oxyfluorfen	Lemon	658.85	56	729.0	A
Oxyfluorfen	Lettuce, head	1.96	2	10.2	A
Oxyfluorfen	Lettuce, leaf	43.32	8	134.3	A
Oxyfluorfen	Lime	14.93	3	16.5	A
Oxyfluorfen	Mint	304.78	21	631.5	A
Oxyfluorfen	Mint	0.13	1	10,000.0	S
Oxyfluorfen	N-grnhs flower	40.62	2	30.0	A
Oxyfluorfen	N-grnhs flower	0.9	23	83,298.0	U
Oxyfluorfen	N-grnhs plants in containers	0.2	1	8,690.0	S
Oxyfluorfen	N-outdr flower	83.69	73	137.74	A
Oxyfluorfen	N-outdr plants in containers	1,225.04	544	770.61	A
Oxyfluorfen	N-outdr plants in containers	6.61	22	248,090.0	S
Oxyfluorfen	N-outdr transplants	45.97	17	69.58	A
Oxyfluorfen	Nectarine	2,501.8	528	4,544.28	A
Oxyfluorfen	Oat	15.1	2	60.2	A
Oxyfluorfen	Oat (forage - fodder)	2.51	1	20.0	A
Oxyfluorfen	Olive	4,197.04	221	6,299.83	A
Oxyfluorfen	Onion, dry	8,829.46	1,126	57,392.13	A
Oxyfluorfen	Onion, green	0.25	1	0.5	A
Oxyfluorfen	Orange	1,162.42	86	1,165.43	A
Oxyfluorfen	Orchard floor	162.49	5	20.0	A
Oxyfluorfen	Pastureland	18.51	14	114.25	A
Oxyfluorfen	Peach	5,361.96	1,202	10,662.46	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxyfluorfen	Pear	855.81	66	1,187.01	A
Oxyfluorfen	Pear, asian (oriental pear, ya, ya li, nashi)	5.83	3	17.5	A
Oxyfluorfen	Peas	8.27	2	33.0	A
Oxyfluorfen	Pecan	579.07	82	1,983.2	A
Oxyfluorfen	Pepper, fruiting	543.36	62	1,544.85	A
Oxyfluorfen	Persimmon	188.5	46	274.62	A
Oxyfluorfen	Pistachio	119,789.32	4,279	197,171.38	A
Oxyfluorfen	Plum	2,089.22	539	4,206.41	A
Oxyfluorfen	Pluot	3.52	1	9.0	A
Oxyfluorfen	Pomegranate	4,441.15	117	4,247.83	A
Oxyfluorfen	Pomelo	30.34	2	40.0	A
Oxyfluorfen	Potato	25.27	2	104.0	A
Oxyfluorfen	Prune	4,588.3	430	14,068.57	A
Oxyfluorfen	Public health	62.48	N/A	N/A	N/A
Oxyfluorfen	Pumpkin	15.0	1	30.0	A
Oxyfluorfen	Quince	3.05	1	9.0	A
Oxyfluorfen	Rangeland	76.13	4	503.0	A
Oxyfluorfen	Regulatory pest control	2.38	N/A	N/A	N/A
Oxyfluorfen	Research commodity	75.59	35	82.5	A
Oxyfluorfen	Research commodity	42.6	N/A	N/A	N/A
Oxyfluorfen	Rice	17.21	13	13.0	A
Oxyfluorfen	Rights of way	2,901.03	220	6,165.56	A
Oxyfluorfen	Rights of way	20.3	4	0.04	U
Oxyfluorfen	Rights of way	56,319.07	N/A	N/A	N/A
Oxyfluorfen	Soil fumigation/preplant	2,313.93	85	14,215.3	A
Oxyfluorfen	Squash, winter	7.7	1	15.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxyfluorfen	Stone fruit	29.13	3	51.0	A
Oxyfluorfen	Strawberry	3,506.25	235	10,769.99	A
Oxyfluorfen	Structural pest control	32.43	N/A	N/A	N/A
Oxyfluorfen	Sunflower	58.07	2	231.5	A
Oxyfluorfen	Tangerine	3,217.35	128	2,911.75	A
Oxyfluorfen	Tomato	1,400.98	92	4,735.15	A
Oxyfluorfen	Tomato, processing	4,712.49	252	19,424.37	A
Oxyfluorfen	Triticale	5.92	1	94.4	A
Oxyfluorfen	Uncultivated ag	21,424.77	1,886	69,776.74	A
Oxyfluorfen	Uncultivated non-ag	1,187.07	114	2,111.18	A
Oxyfluorfen	Unknown	77.65	17	220.57	A
Oxyfluorfen	Vegetable	1.0	1	4.0	A
Oxyfluorfen	Walnut	56,496.15	5,925	163,137.93	A
Oxyfluorfen	Water area	32.37	1	22.5	A
Oxyfluorfen	Watermelon	73.79	5	160.0	A
Oxyfluorfen	Wheat	102.1	18	905.7	A
Oxyfluorfen	Wheat (forage - fodder)	64.86	4	196.0	A
Oxytetracycline hydrochloride	Apple	16.86	14	85.14	A
Oxytetracycline hydrochloride	Landscape maintenance	18.41	N/A	N/A	N/A
Oxytetracycline hydrochloride	N-outdr flower	0.04	N/A	22.0	U
Oxytetracycline hydrochloride	N-outdr transplants	1.45	3	17.0	A
Oxytetracycline hydrochloride	Pear	4,360.54	631	22,403.72	A
Oxytetracycline hydrochloride	Pear, asian (oriental pear, ya, ya li, nashi)	0.21	1	1.38	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Oxytetracycline hydrochloride</b>	Rights of way	<0.01	N/A	N/A	N/A
<b>Oxytetracycline hydrochloride, other related</b>	Apple	0.12	10	60.0	A
<b>Oxytetracycline hydrochloride, other related</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>Oxytetracycline hydrochloride, other related</b>	Pear	40.21	630	22,401.19	A
<b>Oxytetracycline, calcium complex</b>	Apple	442.79	90	1,843.97	A
<b>Oxytetracycline, calcium complex</b>	N-outdr transplants	2.68	3	30.15	A
<b>Oxytetracycline, calcium complex</b>	Pear	1,116.03	246	8,363.24	A
<b>Oxytetracycline, calcium complex</b>	Pear, asian (oriental pear, ya, ya li, nashi)	20.89	11	114.0	A
<b>Oxythioquinox</b>	N-outdr plants in containers	0.13	2	1.0	A
<b>Paclobutrazol</b>	Golf course turf	115.83	7	902.38	A
<b>Paclobutrazol</b>	Golf course turf	0.63	N/A	184,000.0	S
<b>Paclobutrazol</b>	Landscape maintenance	19,840.63	N/A	N/A	N/A
<b>Paclobutrazol</b>	N-grnhs flower	24.36	5	306.41	A
<b>Paclobutrazol</b>	N-grnhs flower	1.67	89	1,037,933.25	S
<b>Paclobutrazol</b>	N-grnhs plants in containers	37.06	1,958	1,397.54	A
<b>Paclobutrazol</b>	N-grnhs plants in containers	31.23	1,166	21,714,380.0	S
<b>Paclobutrazol</b>	N-grnhs transplants	16.23	239	12,820.71	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Paclobutrazol	N-grnhs transplants	1.86	571	8,482,650.0	S
Paclobutrazol	N-grnhs transplants	0.05	N/A	1.0	U
Paclobutrazol	N-outdr flower	0.03	8	2.47	A
Paclobutrazol	N-outdr flower	0.48	1	34,695.99	S
Paclobutrazol	N-outdr plants in containers	12.81	974	719.44	A
Paclobutrazol	N-outdr plants in containers	6.16	364	6,973,083.0	S
Paclobutrazol	N-outdr plants in containers	0.15	5	36,378.0	U
Paclobutrazol	N-outdr transplants	0.05	30	8.25	A
Paclobutrazol	Regulatory pest control	0.03	N/A	N/A	N/A
Paclobutrazol	Research commodity	<0.01	N/A	N/A	N/A
Paclobutrazol	Rights of way	0.01	5	5.0	A
Paclobutrazol	Rights of way	10,329.54	N/A	N/A	N/A
Paclobutrazol	Sod farm (turf)	4.14	2	16.5	A
Paclobutrazol	Uncultivated ag	0.02	2	60,000.0	S
Paclobutrazol	Water (industrial)	0.49	N/A	4.0	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Almond	10.84	2	54.2	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Apple	1.0	1	5.0	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Beet	22.72	11	113.55	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Blackberry	179.58	73	701.18	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Blueberry	64.4	6	166.86	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Bok choy (choy sum, pak choi)	11.88	3	29.7	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Broccoli	20.4	4	92.0	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Cabbage	73.32	33	229.5	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Cannabis (all or unspecified)	66.31	30	265.26	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Cannabis (all or unspecified)	185.4	940	9,076,601.4	S
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Cauliflower	38.28	4	95.7	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Celery	15.98	5	39.95	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Collard	4.84	2	12.1	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Cucumber	11.95	5	41.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Dill	0.6	3	3.0	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Kale	20.24	2	50.6	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Landscape maintenance	0.91	N/A	N/A	N/A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Lemon	12.8	2	32.0	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Lettuce, head	27.86	10	72.09	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Lettuce, leaf	30.07	41	75.95	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Lettuce, leaf	81.91	12	3,958,423.0	S
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Mint	3.39	7	11.98	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	N-grnhs flower	1.38	11	68,800.0	S
<b>Paecilomyces fumosoroseus apopka strain 97</b>	N-grnhs plants in containers	2.36	8	7.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Paecilomyces fumosoroseus apopka strain 97</b>	N-grnhs transplants	1.99	17	5.75	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	N-outdr transplants	120.55	60	352.54	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Oregano	0.44	4	5.0	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Parsley	0.2	2	1.0	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Pepper, fruiting	68.06	13	175.33	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Plum	9.86	1	32.86	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Raspberry	32.44	14	108.79	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Research commodity	0.01	2	380.0	S
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Rosemary	2.57	4	7.26	A
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Strawberry	81.53	17	255.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>Paecilomyces fumosoroseus apopka strain 97</b>	Upland cress	0.4	6	1.12	A
<b>Para-dichlorobenzene</b>	Structural pest control	0.06	N/A	N/A	N/A
<b>Para-tert-amylphenol</b>	Apricot	<0.01	3	61.5	A
<b>Para-tert-amylphenol</b>	Landscape maintenance	0.22	N/A	N/A	N/A
<b>Para-tert-amylphenol</b>	N-outdr transplants	0.03	1	16.0	A
<b>Para-tert-amylphenol</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Para-tert-amylphenol</b>	Uncultivated ag	0.04	5	57.0	A
<b>Paraquat dichloride</b>	Alfalfa	29,077.07	702	41,137.91	A
<b>Paraquat dichloride</b>	Almond	143,796.04	2,534	114,961.57	A
<b>Paraquat dichloride</b>	Apple	135.32	3	130.72	A
<b>Paraquat dichloride</b>	Apricot	39.24	2	27.99	A
<b>Paraquat dichloride</b>	Artichoke, globe	52.79	6	49.8	A
<b>Paraquat dichloride</b>	Avocado	4.94	12	24.54	A
<b>Paraquat dichloride</b>	Bean, succulent	27.19	3	26.0	A
<b>Paraquat dichloride</b>	Bitter melon	4.14	1	5.0	A
<b>Paraquat dichloride</b>	Cantaloupe	51.76	1	40.0	A
<b>Paraquat dichloride</b>	Celery	14.03	1	10.0	A
<b>Paraquat dichloride</b>	Cherry	1,094.91	83	1,013.64	A
<b>Paraquat dichloride</b>	Commodity fumigation	5.18	2	10.0	A
<b>Paraquat dichloride</b>	Commodity fumigation	15.01	1	200,000.0	C
<b>Paraquat dichloride</b>	Corn (forage - fodder)	1,333.44	22	1,060.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Paraquat dichloride	Cotton	38,484.28	426	58,020.46	A
Paraquat dichloride	Cucumber	35.78	2	28.0	A
Paraquat dichloride	Eggplant	2.65	3	11.0	A
Paraquat dichloride	Forage hay/silage	10.0	1	29.0	A
Paraquat dichloride	Grape	6,797.85	374	6,284.68	A
Paraquat dichloride	Grape, wine	5,376.93	147	4,153.73	A
Paraquat dichloride	Grapefruit	48.71	4	35.0	A
Paraquat dichloride	Kiwi fruit fuzzy	264.73	21	189.07	A
Paraquat dichloride	Landscape maintenance	8.27	N/A	N/A	N/A
Paraquat dichloride	Lemon	8.13	4	49.0	A
Paraquat dichloride	Lettuce, leaf	39.81	7	36.5	A
Paraquat dichloride	N-grnhs transplants	1.55	1	1.0	A
Paraquat dichloride	N-outdr plants in containers	48.8	6	35.67	A
Paraquat dichloride	N-outdr transplants	114.79	9	110.0	A
Paraquat dichloride	Nectarine	279.35	19	223.38	A
Paraquat dichloride	Oat (forage - fodder)	342.24	2	551.0	A
Paraquat dichloride	Olive	3,720.1	81	2,680.28	A
Paraquat dichloride	Onion, dry	438.68	4	313.5	A
Paraquat dichloride	Orange	82.88	4	69.12	A
Paraquat dichloride	Pasture (forage - fodder)	1.04	1	1.0	A
Paraquat dichloride	Peach	580.59	47	471.31	A
Paraquat dichloride	Pepper, fruiting	974.08	37	810.3	A
Paraquat dichloride	Persimmon	11.83	3	13.75	A
Paraquat dichloride	Pistachio	31,619.54	460	23,654.42	A
Paraquat dichloride	Plum	422.74	37	331.9	A
Paraquat dichloride	Pomegranate	3,693.16	72	2,978.64	A
Paraquat dichloride	Prune	1,328.43	36	1,061.81	A
Paraquat dichloride	Pumpkin	433.8	15	412.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Paraquat dichloride</b>	Raspberry	6.84	1	9.93	A
<b>Paraquat dichloride</b>	Research commodity	15.31	4	19.7	A
<b>Paraquat dichloride</b>	Rights of way	370.29	9	352.75	A
<b>Paraquat dichloride</b>	Rights of way	98.5	N/A	N/A	N/A
<b>Paraquat dichloride</b>	Soil fumigation/preplant	70,093.79	375	74,571.04	A
<b>Paraquat dichloride</b>	Squash	99.36	8	80.0	A
<b>Paraquat dichloride</b>	Squash, winter	25.95	1	19.0	A
<b>Paraquat dichloride</b>	Strawberry	270.61	14	369.35	A
<b>Paraquat dichloride</b>	Sugarbeet	410.4	7	467.0	A
<b>Paraquat dichloride</b>	Sugarcane	0.33	1	5.5	A
<b>Paraquat dichloride</b>	Sunflower	7,457.85	131	10,394.26	A
<b>Paraquat dichloride</b>	Tangelo	0.41	1	9.0	A
<b>Paraquat dichloride</b>	Tomato, processing	4,918.9	44	4,698.24	A
<b>Paraquat dichloride</b>	Uncultivated ag	3,300.89	82	3,504.35	A
<b>Paraquat dichloride</b>	Uncultivated non-ag	147.86	7	107.5	A
<b>Paraquat dichloride</b>	Vegetable	0.52	1	1.0	A
<b>Paraquat dichloride</b>	Walnut	15,358.11	381	12,200.04	A
<b>Paraquat dichloride</b>	Wheat	40.66	1	33.0	A
<b>Parathion</b>	Rights of way	149.42	N/A	N/A	N/A
<b>Parathion</b>	Walnut	48.51	1	50.0	A
<b>Parathion, other related</b>	Rights of way	7.18	N/A	N/A	N/A
<b>Parathion, other related</b>	Walnut	2.33	1	50.0	A
<b>Pcnb</b>	Broccoli	1,723.52	6	73.1	A
<b>Pcnb</b>	Brussels sprout	5,493.79	18	248.8	A
<b>Pcnb</b>	Chinese broccoli (gai lon)	5.25	1	5.0	A
<b>Pcnb</b>	Golf course turf	139.41	N/A	14.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pcnb	Golf course turf	4.1	N/A	8,200.0	S
Pcnb	Landscape maintenance	20.99	1	3.0	A
Pcnb	Landscape maintenance	1,354.73	N/A	N/A	N/A
Pcnb	N-grnhs flower	293.93	N/A	17.0	A
Pcnb	N-grnhs plants in containers	6.59	4	155,000.0	S
Pcnb	N-outdr plants in containers	116.13	18	199.4	A
Pcnb	Structural pest control	0.09	N/A	N/A	N/A
Pcp, other related	Structural pest control	<0.01	N/A	N/A	N/A
Pendimethalin	Alfalfa	494,506.41	4,115	238,855.72	A
Pendimethalin	Almond	610,952.9	5,759	221,787.72	A
Pendimethalin	Apple	764.65	8	225.3	A
Pendimethalin	Apple	0.13	1	30.0	U
Pendimethalin	Apricot	1,448.36	53	492.16	A
Pendimethalin	Apricot	0.17	1	40.0	U
Pendimethalin	Artichoke, globe	218.35	19	210.1	A
Pendimethalin	Asparagus	3,507.8	13	935.0	A
Pendimethalin	Bean, dried	1,925.29	42	1,913.8	A
Pendimethalin	Bean, succulent	339.59	11	410.5	A
Pendimethalin	Bean, unspecified	17.05	5	36.16	A
Pendimethalin	Blackberry	70.72	1	30.0	A
Pendimethalin	Blueberry	2,001.59	26	640.46	A
Pendimethalin	Carrot	20,984.78	475	22,189.33	A
Pendimethalin	Cherry	10,165.85	290	4,424.14	A
Pendimethalin	Chestnut	18.94	1	6.66	A
Pendimethalin	Citrus	7.44	3	2.02	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pendimethalin	Commodity fumigation	4.73	2	10.0	A
Pendimethalin	Corn (forage - fodder)	54,737.22	763	43,165.15	A
Pendimethalin	Corn, human consumption	9,600.84	206	7,076.0	A
Pendimethalin	Cotton	16,945.5	336	16,193.37	A
Pendimethalin	County ag comm	71.15	N/A	N/A	N/A
Pendimethalin	Daikon	14.2	1	15.0	A
Pendimethalin	Date	2.84	1	2.0	A
Pendimethalin	Ditch bank	319.54	37	370.0	A
Pendimethalin	Eggplant	17.05	1	12.0	A
Pendimethalin	Forage hay/silage	289.3	2	87.0	A
Pendimethalin	Garbanzo bean	754.81	6	880.0	A
Pendimethalin	Garlic	21,061.49	359	23,025.39	A
Pendimethalin	Golf course turf	91.38	N/A	27.1	A
Pendimethalin	Golf course turf	1.2	N/A	28,000.0	S
Pendimethalin	Grape	79,008.12	1,428	31,130.27	A
Pendimethalin	Grape	0.09	1	50.0	U
Pendimethalin	Grape, wine	110,350.14	2,270	49,090.47	A
Pendimethalin	Grapefruit	1,004.38	40	418.24	A
Pendimethalin	Grass, seed	176.37	12	98.5	A
Pendimethalin	Jujube	3.77	1	1.0	A
Pendimethalin	Kiwi fruit fuzzy	4,042.89	179	1,496.13	A
Pendimethalin	Landscape maintenance	62.38	1	0.01	U
Pendimethalin	Landscape maintenance	22,512.83	N/A	N/A	N/A
Pendimethalin	Leek	78.0	16	84.81	A
Pendimethalin	Lemon	5,914.38	119	2,360.8	A
Pendimethalin	Lime	130.34	10	66.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pendimethalin	Mint	14.2	1	15.0	A
Pendimethalin	Mustard	65.36	1	66.0	A
Pendimethalin	N-grnhs flower	10.0	N/A	13.33	A
Pendimethalin	N-grnhs flower	1.8	23	83,298.0	U
Pendimethalin	N-grnhs plants in containers	0.45	5	0.99	A
Pendimethalin	N-grnhs plants in containers	0.4	1	8,690.0	S
Pendimethalin	N-grnhs transplants	0.89	1	1.0	A
Pendimethalin	N-outdr flower	446.49	70	157.56	A
Pendimethalin	N-outdr plants in containers	3,653.84	1,543	1,937.52	A
Pendimethalin	N-outdr plants in containers	0.1	2	3.0	K
Pendimethalin	N-outdr plants in containers	13.0	51	330,635.8	S
Pendimethalin	N-outdr plants in containers	71.2	28	250,800.0	U
Pendimethalin	N-outdr transplants	1,169.91	50	353.53	A
Pendimethalin	Nectarine	11,797.55	341	3,562.6	A
Pendimethalin	Olive	3,672.98	67	1,438.53	A
Pendimethalin	Onion, dry	23,402.94	648	33,842.7	A
Pendimethalin	Orange	13,394.67	293	4,707.05	A
Pendimethalin	Pastureland	9.47	1	20.0	A
Pendimethalin	Peach	26,375.34	728	9,371.95	A
Pendimethalin	Peach	0.26	1	60.0	U
Pendimethalin	Pear	660.62	11	181.21	A
Pendimethalin	Pecan	3,189.79	46	1,032.34	A
Pendimethalin	Pepper, fruiting	1,971.02	85	2,288.0	A
Pendimethalin	Pepper, spice	9.47	1	6.0	A
Pendimethalin	Persimmon	9.43	3	16.6	A
Pendimethalin	Pistachio	257,748.28	1,843	86,698.72	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pendimethalin	Plum	7,627.48	307	2,427.76	A
Pendimethalin	Pomegranate	22,090.58	157	6,216.9	A
Pendimethalin	Pomelo	71.83	4	37.25	A
Pendimethalin	Potato	10,696.18	183	14,456.15	A
Pendimethalin	Prune	8,398.37	107	2,788.27	A
Pendimethalin	Public health	5.04	N/A	N/A	N/A
Pendimethalin	Rangeland	8.29	3	8.0	A
Pendimethalin	Research commodity	138.16	56	98.28	A
Pendimethalin	Research commodity	31.09	N/A	N/A	N/A
Pendimethalin	Rice	14,783.01	214	14,440.85	A
Pendimethalin	Rights of way	15,990.23	59	7,780.1	A
Pendimethalin	Rights of way	20,226.81	N/A	N/A	N/A
Pendimethalin	Safflower	2,796.86	11	2,472.0	A
Pendimethalin	Sod farm (turf)	53.62	1	75.5	A
Pendimethalin	Soil fumigation/preplant	84,115.04	230	59,350.0	A
Pendimethalin	Sorghum (forage - fodder)	81.44	1	86.0	A
Pendimethalin	Sorghum/milo	3,943.36	49	3,482.21	A
Pendimethalin	Stone fruit	20.37	4	17.0	A
Pendimethalin	Strawberry	19,158.37	384	18,078.61	A
Pendimethalin	Structural pest control	2.1	N/A	N/A	N/A
Pendimethalin	Sudangrass	142.04	1	52.0	A
Pendimethalin	Sugarcane	255.68	3	105.0	A
Pendimethalin	Sunflower	816.37	15	722.5	A
Pendimethalin	Tangelo	243.9	6	77.51	A
Pendimethalin	Tangerine	19,816.4	332	7,664.74	A
Pendimethalin	Tomato	4,379.68	140	4,438.94	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pendimethalin	Tomato, processing	30,794.98	500	32,076.07	A
Pendimethalin	Turf/sod	2,072.51	50	1,544.7	A
Pendimethalin	Uncultivated ag	10,350.5	271	7,413.58	A
Pendimethalin	Uncultivated non-ag	282.99	8	107.32	A
Pendimethalin	Vegetable	2.84	1	4.0	A
Pendimethalin	Walnut	72,138.0	1,158	26,960.52	A
Pendimethalin	Water area	53.03	1	14.0	A
Pendimethalin	Wheat	1,918.76	51	1,639.8	A
Pendimethalin	Wheat (forage - fodder)	8,900.31	122	8,153.83	A
Penflufen	Onion, dry	13.64	N/A	12,000.99	P
Penoxsulam	Airport	0.99	2	24.0	A
Penoxsulam	Alfalfa	0.82	1	80.0	A
Penoxsulam	Almond	1,165.04	1,333	54,571.18	A
Penoxsulam	Apricot	2.97	15	132.09	A
Penoxsulam	Cherry	2.14	20	107.73	A
Penoxsulam	County ag comm	0.38	N/A	N/A	N/A
Penoxsulam	Forest, timberland	222.61	188	7,397.81	A
Penoxsulam	Golf course turf	4.05	N/A	246.2	A
Penoxsulam	Golf course turf	0.03	N/A	142,225.0	S
Penoxsulam	Grape, wine	0.76	1	24.6	A
Penoxsulam	Landscape maintenance	1.22	5	200.0	A
Penoxsulam	Landscape maintenance	142.13	N/A	N/A	N/A
Penoxsulam	N-grnhs flower	4.54	N/A	258.75	A
Penoxsulam	N-grnhs flower	<0.01	N/A	39.0	S
Penoxsulam	N-grnhs transplants	0.08	N/A	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Penoxsulam	N-outdr transplants	0.03	1	1.0	A
Penoxsulam	Nectarine	1.33	5	64.4	A
Penoxsulam	Olive	15.68	30	642.1	A
Penoxsulam	Peach	3.57	20	173.14	A
Penoxsulam	Pear	2.94	3	95.0	A
Penoxsulam	Pecan	1.89	7	86.62	A
Penoxsulam	Pistachio	487.18	382	19,510.77	A
Penoxsulam	Plum	3.54	18	171.85	A
Penoxsulam	Pomegranate	70.16	81	3,292.16	A
Penoxsulam	Prune	13.62	18	697.05	A
Penoxsulam	Rangeland	1.24	1	280.0	A
Penoxsulam	Research commodity	0.48	4	15.6	A
Penoxsulam	Research commodity	<0.01	N/A	N/A	N/A
Penoxsulam	Rice	1,325.43	523	36,864.3	A
Penoxsulam	Rights of way	18.08	14	675.0	A
Penoxsulam	Rights of way	1,010.63	N/A	N/A	N/A
Penoxsulam	Structural pest control	0.14	N/A	N/A	N/A
Penoxsulam	Turf/sod	0.31	N/A	30.0	A
Penoxsulam	Uncultivated ag	12.59	24	827.76	A
Penoxsulam	Uncultivated non-ag	7.74	7	282.88	A
Penoxsulam	Walnut	265.41	513	14,087.52	A
Penoxsulam	Water area	1.85	N/A	25.0	A
Pentachlorophenol	Cannabis (all or unspecified)	1.35	2	2.0	A
Pentachlorophenol	Structural pest control	<0.01	N/A	N/A	N/A
Penthiopyrad	Alfalfa	2.81	1	12.0	A
Penthiopyrad	Almond	38,742.93	2,634	167,004.35	A
Penthiopyrad	Apple	0.44	2	1.7	A
Penthiopyrad	Apricot	295.5	94	1,352.62	A
Penthiopyrad	Bean, succulent	148.16	29	554.3	A
Penthiopyrad	Bean, unspecified	51.78	15	221.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Penthiopyrad	Beet	65.95	44	274.35	A
Penthiopyrad	Blackberry	3.38	20	10.88	A
Penthiopyrad	Blueberry	64.18	19	245.37	A
Penthiopyrad	Bok choy (choy sum, pak choi)	210.48	224	868.95	A
Penthiopyrad	Broccoli	287.02	44	1,056.0	A
Penthiopyrad	Brussels sprout	1,277.46	344	4,680.35	A
Penthiopyrad	Cabbage	703.7	245	2,282.64	A
Penthiopyrad	Cantaloupe	1,183.43	52	2,727.36	A
Penthiopyrad	Carrot	309.98	28	940.95	A
Penthiopyrad	Cauliflower	127.18	47	467.55	A
Penthiopyrad	Celeriac	5.09	5	18.93	A
Penthiopyrad	Celery	739.91	232	2,674.2	A
Penthiopyrad	Cherry	3,476.65	692	14,882.27	A
Penthiopyrad	Chinese cabbage (napa, wong bok, celery cabbage)	237.74	246	803.14	A
Penthiopyrad	Cilantro	19.5	6	84.6	A
Penthiopyrad	Collard	25.73	11	105.4	A
Penthiopyrad	Cress, garden	0.5	1	2.4	A
Penthiopyrad	Cucumber	1.02	3	4.0	A
Penthiopyrad	Daikon	14.31	4	55.0	A
Penthiopyrad	Dandelion green	0.43	2	1.36	A
Penthiopyrad	Eggplant	117.65	23	500.5	A
Penthiopyrad	Endive (escarole)	5.42	19	21.61	A
Penthiopyrad	Fava bean	1.78	1	4.55	A
Penthiopyrad	Fennel	16.0	8	51.26	A
Penthiopyrad	Gai lon	36.37	16	239.0	A
Penthiopyrad	Garlic	1,190.88	158	4,116.3	A
Penthiopyrad	Golf course turf	260.05	10	528.76	A
Penthiopyrad	Golf course turf	21.44	1	1,282,175.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Penthiopyrad	Jujube	0.12	1	0.5	A
Penthiopyrad	Kale	34.93	41	151.71	A
Penthiopyrad	Kohlrabi	4.31	3	17.9	A
Penthiopyrad	Landscape maintenance	1,508.6	N/A	N/A	N/A
Penthiopyrad	Leek	52.57	34	184.27	A
Penthiopyrad	Lettuce, head	2,544.06	863	9,601.43	A
Penthiopyrad	Lettuce, leaf	3,873.62	1,751	14,897.05	A
Penthiopyrad	Melon	514.53	37	2,524.86	A
Penthiopyrad	Melon	0.02	2	5,220.0	S
Penthiopyrad	N-grnhs flower	71.04	N/A	86.5	A
Penthiopyrad	N-grnhs flower	14.41	N/A	970,000.0	S
Penthiopyrad	N-grnhs transplants	73.74	9	237.08	A
Penthiopyrad	N-grnhs transplants	6.95	8	1,184,490.0	S
Penthiopyrad	N-outdr flower	4.0	N/A	3.0	A
Penthiopyrad	N-outdr plants in containers	0.1	2	0.5	A
Penthiopyrad	N-outdr transplants	2.96	8	11.25	A
Penthiopyrad	N-outdr transplants	47.5	64	9,434,970.0	S
Penthiopyrad	Nectarine	1,539.46	413	6,845.45	A
Penthiopyrad	Onion, dry	2,670.75	142	9,948.8	A
Penthiopyrad	Parsley	141.76	80	467.21	A
Penthiopyrad	Peach	2,667.99	611	11,640.09	A
Penthiopyrad	Pear	0.26	1	1.0	A
Penthiopyrad	Peas	463.65	183	1,731.9	A
Penthiopyrad	Pecan	0.43	2	1.64	A
Penthiopyrad	Pepper, fruiting	864.65	181	3,439.06	A
Penthiopyrad	Pepper, spice	13.47	9	43.18	A
Penthiopyrad	Pistachio	17,623.5	884	71,774.7	A
Penthiopyrad	Plum	876.2	333	3,804.49	A
Penthiopyrad	Potato	86.47	11	792.0	A
Penthiopyrad	Prune	6.93	2	31.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Penthiopyrad	Pumpkin	3.94	5	28.4	A
Penthiopyrad	Radicchio	37.8	11	173.22	A
Penthiopyrad	Radish	0.87	2	4.13	A
Penthiopyrad	Raspberry	47.64	36	152.85	A
Penthiopyrad	Recreation area	1.0	N/A	4.0	A
Penthiopyrad	Research commodity	9.29	25	45.35	A
Penthiopyrad	Research commodity	2.95	28	264,620.0	S
Penthiopyrad	Research commodity	1.55	N/A	N/A	N/A
Penthiopyrad	Root vegetable	6.35	12	25.0	A
Penthiopyrad	Spinach	6.87	1	22.0	A
Penthiopyrad	Squash	66.57	16	331.8	A
Penthiopyrad	Squash, summer	48.33	16	230.96	A
Penthiopyrad	Squash, winter	14.57	3	70.0	A
Penthiopyrad	Stone fruit	12.44	3	59.0	A
Penthiopyrad	Strawberry	8,177.14	895	27,270.99	A
Penthiopyrad	Swiss chard	1.98	4	6.34	A
Penthiopyrad	Tomato	1,237.24	139	4,387.02	A
Penthiopyrad	Tomato	0.2	4	10,620.0	S
Penthiopyrad	Tomato, processing	933.78	57	3,783.3	A
Penthiopyrad	Turf/sod	42.46	4	64.3	A
Penthiopyrad	Turnip	1.97	2	7.6	A
Penthiopyrad	Uncultivated ag	0.84	2	2.7	A
Penthiopyrad	Upland cress	3.0	6	14.4	A
Penthiopyrad	Vegetables, leafy	2.27	5	7.25	A
Penthiopyrad	Walnut	3,046.23	167	11,697.36	A
Penthiopyrad	Watermelon	225.31	27	1,250.85	A
Permethrin	Alfalfa	2,432.9	226	13,740.53	A
Permethrin	Almond	8,242.13	431	32,871.44	A
Permethrin	Animal premise	166.71	N/A	779,344.0	S
Permethrin	Animal premise	1,607.92	N/A	435.0	U
Permethrin	Artichoke, globe	2,727.71	612	10,127.67	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Permethrin	Arugula	209.21	242	1,489.46	A
Permethrin	Bitter melon	0.45	1	3.0	A
Permethrin	Bok choy (choy sum, pak choi)	4.57	10	35.1	A
Permethrin	Broccoli	3,487.05	2,178	22,762.92	A
Permethrin	Broccoli	0.01	1	3,200.0	S
Permethrin	Brussels sprout	472.24	296	4,728.83	A
Permethrin	Cabbage	807.21	565	5,067.39	A
Permethrin	Cabbage	0.01	1	3,200.0	S
Permethrin	Cantaloupe	659.06	48	4,082.44	A
Permethrin	Cardoon	4.5	4	24.0	A
Permethrin	Cauliflower	665.07	751	6,082.43	A
Permethrin	Celery	6,424.66	4,149	38,520.94	A
Permethrin	Cherry	54.45	22	282.1	A
Permethrin	Chinese amaranth (chinese spinach, tampala, yin choy)	1.35	4	2.25	A
Permethrin	Chinese cabbage (napa, wong bok, celery cabbage)	181.01	195	942.53	A
Permethrin	Chinese cabbage (napa, wong bok, celery cabbage)	0.01	1	3,200.0	S
Permethrin	Christmas tree	5.9	5	18.0	A
Permethrin	Corn (forage - fodder)	187.16	33	1,333.12	A
Permethrin	Corn, human consumption	1,508.51	162	8,300.75	A
Permethrin	County ag comm	0.72	N/A	N/A	N/A
Permethrin	Cucumber	22.02	9	109.33	A
Permethrin	Eggplant	13.96	6	108.0	A
Permethrin	Endive (escarole)	33.66	258	239.71	A
Permethrin	Fennel	28.91	24	188.46	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Permethrin	Gai choy	0.3	1	0.5	A
Permethrin	Gai lon	3.01	5	2.5	A
Permethrin	Garlic	102.59	20	513.85	A
Permethrin	Kale	2.17	3	17.1	A
Permethrin	Kohlrabi	1.54	3	15.0	A
Permethrin	Landscape maintenance	3,154.07	N/A	N/A	N/A
Permethrin	Lettuce, head	10,113.05	5,167	59,207.36	A
Permethrin	Lettuce, leaf	14,186.2	8,932	86,562.65	A
Permethrin	Melon	398.34	71	2,905.57	A
Permethrin	Mushroom	95.03	958	10,628,222.0	S
Permethrin	Mushroom house	8.02	217	1,247,750.0	S
Permethrin	Mushroom soil	<0.01	1	5,750.0	S
Permethrin	Mustard greens	2.41	3	18.0	A
Permethrin	N-grnhs flower	17.07	48	90.85	A
Permethrin	N-grnhs flower	140.56	74	22,688,820.0	S
Permethrin	N-grnhs flower	7.08	N/A	39.0	U
Permethrin	N-grnhs plants in containers	139.79	460	383.85	A
Permethrin	N-grnhs plants in containers	6.79	37	812,053.92	S
Permethrin	N-grnhs plants in containers	0.07	N/A	84,304.0	U
Permethrin	N-grnhs transplants	120.45	2,022	719.27	A
Permethrin	N-grnhs transplants	12.43	55	3,687,500.0	S
Permethrin	N-outdr flower	831.3	787	4,660.98	A
Permethrin	N-outdr flower	0.07	1	27,000.0	S
Permethrin	N-outdr flower	3.15	N/A	27.0	U
Permethrin	N-outdr plants in containers	478.92	659	1,902.25	A
Permethrin	N-outdr plants in containers	14.01	61	1,645,250.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Permethrin	N-outdr plants in containers	0.15	8	4,500.0	U
Permethrin	N-outdr transplants	12.44	65	79.79	A
Permethrin	N-outdr transplants	71.33	179	25,496,710.0	S
Permethrin	N-outdr transplants	8.6	N/A	107.0	U
Permethrin	Onion, dry	1,299.67	99	6,193.89	A
Permethrin	Parsley	62.1	28	329.0	A
Permethrin	Peach	297.54	89	1,235.38	A
Permethrin	Pepper, fruiting	59.42	12	301.75	A
Permethrin	Pistachio	20,141.09	820	69,241.14	A
Permethrin	Potato	76.76	5	385.0	A
Permethrin	Public health	2,567.89	N/A	N/A	N/A
Permethrin	Pumpkin	11.86	6	61.02	A
Permethrin	Radicchio	43.28	53	289.61	A
Permethrin	Regulatory pest control	235.73	N/A	N/A	N/A
Permethrin	Research commodity	2.88	17	17.5	A
Permethrin	Research commodity	0.31	N/A	N/A	N/A
Permethrin	Residential	0.15	N/A	12,900.0	S
Permethrin	Rights of way	<0.01	1	1.0	A
Permethrin	Rights of way	10.73	N/A	N/A	N/A
Permethrin	Safflower	0.02	1	4,000.0	S
Permethrin	Spinach	6,668.76	4,729	42,845.39	A
Permethrin	Squash	6.38	4	40.0	A
Permethrin	Squash, winter	4.02	2	40.0	A
Permethrin	Structural pest control	75,400.78	N/A	N/A	N/A
Permethrin	Sunflower	<0.01	1	2,000.0	S
Permethrin	Swiss chard	38.28	54	264.17	A
Permethrin	Tomato	45.66	20	294.9	A
Permethrin	Tomato, processing	509.34	60	5,554.6	A
Permethrin	Uncultivated ag	12.76	1	74.0	A
Permethrin	Upland cress	2.75	9	21.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Permethrin	Walnut	5,320.52	426	21,772.8	A
Permethrin	Watermelon	26.86	13	296.6	A
Permethrin, other related	Landscape maintenance	<0.01	N/A	N/A	N/A
Permethrin, other related	Structural pest control	0.07	N/A	N/A	N/A
Peroxyacetic acid	Alfalfa	22.99	2	114.0	A
Peroxyacetic acid	Almond	3,690.55	131	13,435.98	A
Peroxyacetic acid	Animal premise	169.15	N/A	76.16	A
Peroxyacetic acid	Animal premise	77.63	N/A	1,667,108.0	S
Peroxyacetic acid	Animal premise	1,072.62	N/A	400,513.0	U
Peroxyacetic acid	Apple	27.36	28	181.1	A
Peroxyacetic acid	Apricot	1.65	2	13.5	A
Peroxyacetic acid	Arugula	1,058.62	145	1,307.01	A
Peroxyacetic acid	Avocado	24.08	7	9.4	A
Peroxyacetic acid	Avocado	0.24	3	25,700.0	U
Peroxyacetic acid	Basil, sweet	3.92	37	72.07	A
Peroxyacetic acid	Bean, succulent	2.18	3	21.2	A
Peroxyacetic acid	Bean, unspecified	5.79	9	33.96	A
Peroxyacetic acid	Beet	0.1	10	16.45	A
Peroxyacetic acid	Blackberry	548.72	172	1,527.78	A
Peroxyacetic acid	Blueberry	508.86	93	2,742.77	A
Peroxyacetic acid	Broccoli	33.39	182	2,647.16	A
Peroxyacetic acid	Brussels sprout	8.72	1	18.93	A
Peroxyacetic acid	Cabbage	1,345.38	50	1,633.48	A
Peroxyacetic acid	Cannabis (all or unspecified)	42.71	283	105.28	A
Peroxyacetic acid	Cannabis (all or unspecified)	171.33	2,985	11,637,207.1	S
Peroxyacetic acid	Carrot	409.09	12	887.6	A
Peroxyacetic acid	Cauliflower	38.07	98	1,383.33	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Peroxyacetic acid	Celery	222.19	104	1,699.59	A
Peroxyacetic acid	Cherry	208.57	33	949.7	A
Peroxyacetic acid	Cilantro	72.55	20	134.58	A
Peroxyacetic acid	Citrus	1,008.11	N/A	153,498.6	T
Peroxyacetic acid	Collard	29.16	11	41.6	A
Peroxyacetic acid	Commodity fumigation	2,274.63	N/A	N/A	N/A
Peroxyacetic acid	Corn, human consumption	2.34	7	203.5	A
Peroxyacetic acid	Cucumber	31.84	13	225.26	A
Peroxyacetic acid	Cucumber	0.12	4	5,072.0	S
Peroxyacetic acid	Daikon	0.55	1	6.0	A
Peroxyacetic acid	Dill	0.52	11	18.0	A
Peroxyacetic acid	Ditch bank	4,445.94	N/A	1,072.0	A
Peroxyacetic acid	Ditch bank	68,492.83	N/A	1,436,063.0	U
Peroxyacetic acid	Endive (escarole)	0.23	40	45.3	A
Peroxyacetic acid	Farm/ag building	<0.01	N/A	0.05	A
Peroxyacetic acid	Farm/ag building	19.53	N/A	24,192.0	S
Peroxyacetic acid	Fennel	0.4	3	3.0	A
Peroxyacetic acid	Food processing plant	259.0	17	88,009.77	?
Peroxyacetic acid	Food processing plant	42.19	N/A	3,400.0	K
Peroxyacetic acid	Food processing plant	641.13	N/A	215,751.0	T
Peroxyacetic acid	Food processing plant	645.7	N/A	1.0	U
Peroxyacetic acid	Fumigation, other	153.26	N/A	N/A	N/A
Peroxyacetic acid	Garlic	41.59	4	203.0	A
Peroxyacetic acid	Grape	8,996.72	507	21,987.24	A
Peroxyacetic acid	Grape, wine	4,258.59	876	23,377.55	A
Peroxyacetic acid	Grapefruit	228.05	N/A	20,392.88	T
Peroxyacetic acid	Herb, spice	1.64	17	19.73	A
Peroxyacetic acid	Household	0.08	N/A	5,500.0	S
Peroxyacetic acid	Industrial hemp	0.75	37	157,800.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Peroxyacetic acid	Industrial processing water	9.42	N/A	108.0	U
Peroxyacetic acid	Kale	275.35	133	717.06	A
Peroxyacetic acid	Landscape maintenance	0.23	2	2.5	A
Peroxyacetic acid	Landscape maintenance	2,407.89	N/A	N/A	N/A
Peroxyacetic acid	Leek	3.93	2	8.6	A
Peroxyacetic acid	Lemon	9.92	7	27.0	A
Peroxyacetic acid	Lemon	4,232.15	N/A	183,605.42	T
Peroxyacetic acid	Lettuce, head	1,435.15	1,184	26,948.44	A
Peroxyacetic acid	Lettuce, head	0.91	12	142,790.0	S
Peroxyacetic acid	Lettuce, leaf	13,189.12	2,196	36,333.03	A
Peroxyacetic acid	Lettuce, leaf	0.03	4	1,600.0	S
Peroxyacetic acid	Melon	1.66	1	18.0	A
Peroxyacetic acid	Mint	1.08	7	8.0	A
Peroxyacetic acid	Mizuna	311.76	27	135.43	A
Peroxyacetic acid	Mustard	14.28	40	159.92	A
Peroxyacetic acid	Mustard greens	7.47	23	94.0	A
Peroxyacetic acid	N-grnhs flower	1.06	3	2.0	A
Peroxyacetic acid	N-grnhs plants in containers	162.3	482	747.79	A
Peroxyacetic acid	N-grnhs plants in containers	1.58	29	312,485.88	S
Peroxyacetic acid	N-grnhs transplants	56.9	90	373.12	A
Peroxyacetic acid	N-grnhs transplants	3.56	122	1,362,625.0	S
Peroxyacetic acid	N-grnhs transplants	0.34	18	66.0	U
Peroxyacetic acid	N-outdr flower	1,465.96	181	674.1	A
Peroxyacetic acid	N-outdr plants in containers	65.7	175	520.2	A
Peroxyacetic acid	N-outdr plants in containers	0.37	2	60,000.0	S
Peroxyacetic acid	N-outdr transplants	16.51	48	296.29	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Peroxyacetic acid	N-outdr transplants	0.01	1	9,537.0	S
Peroxyacetic acid	Nectarine	326.66	139	4,642.96	A
Peroxyacetic acid	Oat (forage - fodder)	102.79	6	360.0	A
Peroxyacetic acid	Olive	0.07	1	0.99	A
Peroxyacetic acid	Onion, dry	158.87	19	368.51	A
Peroxyacetic acid	Onion, dry	13.0	N/A	6,620.0	T
Peroxyacetic acid	Orange	0.09	1	2.0	A
Peroxyacetic acid	Orange	8,279.39	N/A	735,253.9	T
Peroxyacetic acid	Oregano	0.03	1	1.0	A
Peroxyacetic acid	Parsley	9.72	22	71.4	A
Peroxyacetic acid	Peach	809.02	355	16,384.95	A
Peroxyacetic acid	Pear	76.16	20	202.6	A
Peroxyacetic acid	Pear, asian (oriental pear, ya, ya li, nashi)	24.04	12	132.5	A
Peroxyacetic acid	Pepper, fruiting	282.47	56	1,294.49	A
Peroxyacetic acid	Pistachio	563.83	26	2,490.39	A
Peroxyacetic acid	Plum	16.79	48	326.2	A
Peroxyacetic acid	Potato	50.18	6	213.23	A
Peroxyacetic acid	Potato	58.74	N/A	84,003.0	T
Peroxyacetic acid	Pumpkin	8.49	3	20.34	A
Peroxyacetic acid	Quince	1.84	2	10.0	A
Peroxyacetic acid	Radish	5.61	9	84.35	A
Peroxyacetic acid	Raspberry	186.13	136	1,092.43	A
Peroxyacetic acid	Regulatory pest control	314.41	N/A	N/A	N/A
Peroxyacetic acid	Research commodity	5.79	69	11.14	A
Peroxyacetic acid	Research commodity	0.56	50	132,620.0	S
Peroxyacetic acid	Research commodity	1.73	N/A	N/A	N/A
Peroxyacetic acid	Rights of way	153.78	N/A	N/A	N/A
Peroxyacetic acid	Root vegetable	0.67	5	7.0	A
Peroxyacetic acid	Rosemary	0.29	4	2.0	A
Peroxyacetic acid	Sage	2.69	6	17.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Peroxyacetic acid	Spinach	3,116.84	545	6,639.09	A
Peroxyacetic acid	Squash	14.5	13	139.5	A
Peroxyacetic acid	Strawberry	4,625.73	545	11,635.58	A
Peroxyacetic acid	Strawberry	0.41	28	28,326.0	S
Peroxyacetic acid	Structural pest control	175.39	N/A	N/A	N/A
Peroxyacetic acid	Sweet potato	16.59	2	36.0	A
Peroxyacetic acid	Swiss chard	361.87	79	494.37	A
Peroxyacetic acid	Tangelo	173.63	N/A	10,329.56	T
Peroxyacetic acid	Tangerine	288.93	45	811.27	A
Peroxyacetic acid	Tangerine	331.43	N/A	40,921.76	T
Peroxyacetic acid	Tarragon	0.03	2	1.0	A
Peroxyacetic acid	Tomatillo	0.33	2	0.24	A
Peroxyacetic acid	Tomato	70.25	42	938.29	A
Peroxyacetic acid	Tomato	0.01	1	2,520.0	S
Peroxyacetic acid	Tomato, processing	309.32	77	5,062.71	A
Peroxyacetic acid	Uncultivated ag	185.6	20	173.35	A
Peroxyacetic acid	Uncultivated non-ag	0.03	1	1.5	A
Peroxyacetic acid	Uncultivated non-ag	0.03	N/A	3,622.0	S
Peroxyacetic acid	Unknown	0.25	1	1.38	A
Peroxyacetic acid	Vegetable	0.04	1	0.2	A
Peroxyacetic acid	Vegetable	1.2	74	730,400.0	S
Peroxyacetic acid	Vegetables, leafy	0.33	2	3.5	A
Peroxyacetic acid	Walnut	4.3	1	78.0	A
Peroxyacetic acid	Water (industrial)	58.14	N/A	27.1	A
Peroxyacetic acid	Water (industrial)	4,986.87	N/A	126.8	U
Peroxyacetic acid	Water area	101.49	1	179.5	A
Peroxyacetic acid	Water area	143.96	N/A	24,849.0	T
Peroxyacetic acid	Water area	14,251.27	N/A	17,662.29	U
Peroxyacetic acid	Water washer/cooler/condenser systems	28.79	N/A	0.01	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Peroxyacetic acid	Watermelon	16.04	9	279.25	A
Petroleum distillates	Alfalfa	38.12	1	12.0	A
Petroleum distillates	Almond	254.59	33	1,015.17	A
Petroleum distillates	Avocado	24.11	4	24.0	A
Petroleum distillates	Corn (forage - fodder)	60.26	4	552.0	A
Petroleum distillates	Cotton	35.2	5	215.0	A
Petroleum distillates	Fig	15.66	4	143.4	A
Petroleum distillates	Grape	113.25	16	774.36	A
Petroleum distillates	Grape, wine	104.84	10	126.25	A
Petroleum distillates	Guava	0.42	2	8.0	A
Petroleum distillates	Landscape maintenance	290.24	N/A	N/A	N/A
Petroleum distillates	Lime	0.56	1	8.0	A
Petroleum distillates	N-grnhs plants in containers	<0.01	1	152,880.0	S
Petroleum distillates	N-grnhs transplants	<0.01	1	1.0	A
Petroleum distillates	Orange	0.56	1	4.0	A
Petroleum distillates	Pastureland	9.53	3	3.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Petroleum distillates</b>	Peach	2.0	2	16.0	A
<b>Petroleum distillates</b>	Pistachio	187.58	32	1,958.77	A
<b>Petroleum distillates</b>	Public health	318.49	N/A	N/A	N/A
<b>Petroleum distillates</b>	Regulatory pest control	0.79	N/A	N/A	N/A
<b>Petroleum distillates</b>	Research commodity	<0.01	N/A	N/A	N/A
<b>Petroleum distillates</b>	Rice	1,019.53	13	765.8	A
<b>Petroleum distillates</b>	Rights of way	3.18	1	2.0	A
<b>Petroleum distillates</b>	Rights of way	36.79	N/A	N/A	N/A
<b>Petroleum distillates</b>	Sod farm (turf)	0.9	2	16.5	A
<b>Petroleum distillates</b>	Strawberry	7.0	2	64.0	A
<b>Petroleum distillates</b>	Structural pest control	301.5	N/A	N/A	N/A
<b>Petroleum distillates</b>	Tropical/subtropical fruit	0.19	1	3.0	A
<b>Petroleum distillates</b>	Turf/sod	4.35	3	79.6	A
<b>Petroleum distillates</b>	Walnut	343.06	9	217.0	A
<b>Petroleum distillates, aromatic</b>	Landscape maintenance	23.99	N/A	N/A	N/A
<b>Petroleum distillates, aromatic</b>	N-grnhs plants in containers	0.06	3	182,880.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Petroleum distillates, aromatic</b>	N-outdr plants in containers	5.78	2	2.0	A
<b>Petroleum distillates, aromatic</b>	N-outdr plants in containers	0.01	1	400.0	S
<b>Petroleum distillates, aromatic</b>	Public health	<0.01	N/A	N/A	N/A
<b>Petroleum distillates, aromatic</b>	Rights of way	<0.01	N/A	N/A	N/A
<b>Petroleum distillates, aromatic</b>	Structural pest control	7.66	N/A	N/A	N/A
<b>Petroleum distillates, refined</b>	Landscape maintenance	7,158.14	N/A	N/A	N/A
<b>Petroleum distillates, refined</b>	N-grnhs plants in containers	7.08	1	1.0	A
<b>Petroleum distillates, refined</b>	N-grnhs plants in containers	31.24	15	581,800.0	S
<b>Petroleum distillates, refined</b>	N-outdr plants in containers	28.51	3	11.0	A
<b>Petroleum distillates, refined</b>	N-outdr plants in containers	2.21	1	10,000.0	S
<b>Petroleum distillates, refined</b>	Research commodity	0.21	N/A	N/A	N/A
<b>Petroleum distillates, refined</b>	Structural pest control	0.28	N/A	N/A	N/A
<b>Petroleum hydrocarbons</b>	Orange	0.75	1	10.0	A
<b>Petroleum hydrocarbons</b>	Research commodity	<0.01	N/A	N/A	N/A
<b>Petroleum hydrocarbons</b>	Rights of way	18.12	N/A	N/A	N/A
<b>Petroleum hydrocarbons</b>	Structural pest control	0.04	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Petroleum oil, paraffin based</b>	Almond	645.27	23	895.38	A
<b>Petroleum oil, paraffin based</b>	Apple	669.68	8	193.72	A
<b>Petroleum oil, paraffin based</b>	Bean, unspecified	41.84	1	68.0	A
<b>Petroleum oil, paraffin based</b>	Bermudagrass	45.58	1	36.0	A
<b>Petroleum oil, paraffin based</b>	Corn (forage - fodder)	239.29	8	331.0	A
<b>Petroleum oil, paraffin based</b>	Corn, human consumption	288.67	3	226.0	A
<b>Petroleum oil, paraffin based</b>	Cotton	18.11	2	61.5	A
<b>Petroleum oil, paraffin based</b>	Forest, timberland	2.14	N/A	25.0	A
<b>Petroleum oil, paraffin based</b>	Grape	83.87	7	190.4	A
<b>Petroleum oil, paraffin based</b>	Grape, wine	8,873.41	657	6,639.19	A
<b>Petroleum oil, paraffin based</b>	Grapefruit	44.71	3	24.85	A
<b>Petroleum oil, paraffin based</b>	Guava	0.46	1	300.0	S
<b>Petroleum oil, paraffin based</b>	Landscape maintenance	830.12	N/A	N/A	N/A
<b>Petroleum oil, paraffin based</b>	N-outdr plants in containers	2.28	1	1.0	A
<b>Petroleum oil, paraffin based</b>	N-outdr plants in containers	0.19	1	282.0	U
<b>Petroleum oil, paraffin based</b>	Orange	100.27	3	54.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Petroleum oil, paraffin based</b>	Peach	482.13	9	65.3	A
<b>Petroleum oil, paraffin based</b>	Pear	0.69	1	0.1	A
<b>Petroleum oil, paraffin based</b>	Pistachio	3,713.86	58	2,384.4	A
<b>Petroleum oil, paraffin based</b>	Plum	0.69	1	0.1	A
<b>Petroleum oil, paraffin based</b>	Prune	124.9	1	9.0	A
<b>Petroleum oil, paraffin based</b>	Rice	11,079.35	88	6,893.0	A
<b>Petroleum oil, paraffin based</b>	Rights of way	0.57	1	0.5	A
<b>Petroleum oil, paraffin based</b>	Rights of way	64,660.82	N/A	N/A	N/A
<b>Petroleum oil, paraffin based</b>	Squash	10.37	1	3.0	A
<b>Petroleum oil, paraffin based</b>	Strawberry	18.23	2	12.0	A
<b>Petroleum oil, paraffin based</b>	Uncultivated ag	293.3	9	502.0	A
<b>Petroleum oil, paraffin based</b>	Uncultivated non-ag	59.44	1	289.0	A
<b>Petroleum oil, paraffin based</b>	Walnut	27.65	4	88.0	A
<b>Petroleum oil, paraffin based</b>	Wheat	121.57	2	96.0	A
<b>Petroleum oil, unclassified</b>	Almond	78,210.21	71	5,080.7	A
<b>Petroleum oil, unclassified</b>	Apple	3,878.35	7	269.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Petroleum oil, unclassified</b>	Cherry	3,120.69	11	277.0	A
<b>Petroleum oil, unclassified</b>	Citrus	76.15	2	22.0	A
<b>Petroleum oil, unclassified</b>	Cucumber	22.74	2	4.0	A
<b>Petroleum oil, unclassified</b>	Eggplant	8.53	1	1.5	A
<b>Petroleum oil, unclassified</b>	Grape	3.54	2	0.6	A
<b>Petroleum oil, unclassified</b>	Grape, wine	25.37	8	6.7	A
<b>Petroleum oil, unclassified</b>	Grapefruit	48.72	2	6.0	A
<b>Petroleum oil, unclassified</b>	Landscape maintenance	815.73	N/A	N/A	N/A
<b>Petroleum oil, unclassified</b>	Lemon	9,987.45	13	350.5	A
<b>Petroleum oil, unclassified</b>	N-grnhs plants in containers	0.01	1	0.25	A
<b>Petroleum oil, unclassified</b>	N-outdr flower	18.54	3	9.18	A
<b>Petroleum oil, unclassified</b>	N-outdr plants in containers	834.26	11	59.75	A
<b>Petroleum oil, unclassified</b>	N-outdr plants in containers	44.86	16	118,500.0	U
<b>Petroleum oil, unclassified</b>	Nectarine	5,311.16	18	134.0	A
<b>Petroleum oil, unclassified</b>	Orange	4,103.54	38	521.5	A
<b>Petroleum oil, unclassified</b>	Peach	4,767.95	18	133.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Petroleum oil, unclassified</b>	Plum	1,194.24	5	68.5	A
<b>Petroleum oil, unclassified</b>	Pomelo	189.65	1	3.5	A
<b>Petroleum oil, unclassified</b>	Prune	484.62	2	35.0	A
<b>Petroleum oil, unclassified</b>	Research commodity	3.1	2	2.4	A
<b>Petroleum oil, unclassified</b>	Research commodity	3.59	N/A	N/A	N/A
<b>Petroleum oil, unclassified</b>	Rights of way	0.27	N/A	N/A	N/A
<b>Petroleum oil, unclassified</b>	Stone fruit	3.61	1	1.0	A
<b>Petroleum oil, unclassified</b>	Structural pest control	2.19	N/A	N/A	N/A
<b>Petroleum oil, unclassified</b>	Tangerine	85.27	2	12.0	A
<b>Petroleum oil, unclassified</b>	Tomato	2.84	2	0.5	A
<b>Petroleum oil, unclassified</b>	Walnut	2,015.67	9	279.0	A
<b>Phenmedipham</b>	Beet	211.44	45	421.74	A
<b>Phenmedipham</b>	Spinach	39.88	9	83.95	A
<b>Phenothrin</b>	Landscape maintenance	1.41	N/A	N/A	N/A
<b>Phenothrin</b>	Mushroom house	0.03	2	11,500.0	S
<b>Phenothrin</b>	Public health	605.45	N/A	N/A	N/A
<b>Phenothrin</b>	Regulatory pest control	0.69	N/A	N/A	N/A
<b>Phenothrin</b>	Rights of way	0.11	N/A	N/A	N/A
<b>Phenothrin</b>	Structural pest control	233.04	N/A	N/A	N/A
<b>Phenothrin, other related</b>	Landscape maintenance	<0.01	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Phenothrin, other related</b>	Public health	<0.01	N/A	N/A	N/A
<b>Phenothrin, other related</b>	Regulatory pest control	<0.01	N/A	N/A	N/A
<b>Phenothrin, other related</b>	Rights of way	<0.01	N/A	N/A	N/A
<b>Phenothrin, other related</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Phenylethyl propionate</b>	Regulatory pest control	0.1	N/A	N/A	N/A
<b>Phenylethyl propionate</b>	Structural pest control	7.93	N/A	N/A	N/A
<b>Phorate</b>	Cotton	9,215.16	87	8,034.0	A
<b>Phorate</b>	N-outdr flower	893.96	94	211.5	A
<b>Phosmet</b>	Alfalfa	541.84	28	567.05	A
<b>Phosmet</b>	Almond	5,182.33	21	1,739.0	A
<b>Phosmet</b>	Apple	1,438.76	33	365.53	A
<b>Phosmet</b>	Apple	0.04	N/A	3.0	U
<b>Phosmet</b>	Apricot	0.01	N/A	1.0	U
<b>Phosmet</b>	Grapefruit	111.3	4	53.0	A
<b>Phosmet</b>	N-grnhs plants in containers	0.53	3	1.0	A
<b>Phosmet</b>	N-grnhs plants in containers	2.98	2	2,125.0	S
<b>Phosmet</b>	N-outdr plants in containers	113.7	65	160.34	A
<b>Phosmet</b>	N-outdr plants in containers	0.53	1	15,000.0	S
<b>Phosmet</b>	Nectarine	99.12	2	35.4	A
<b>Phosmet</b>	Orange	3,143.91	23	1,497.1	A
<b>Phosmet</b>	Peach	67.72	11	51.18	A
<b>Phosmet</b>	Peach	0.03	N/A	2.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosmet	Pear	12.6	2	6.0	A
Phosmet	Pistachio	154.0	1	55.0	A
Phosmet	Plum	128.37	4	43.35	A
Phosmet	Plum	0.01	N/A	1.0	U
Phosmet	Structural pest control	0.15	N/A	N/A	N/A
Phosmet	Walnut	2,272.59	91	1,954.5	A
Phosphamidon	Grape	39.26	1	13.0	A
Phosphamidon, other related	Grape	1.3	1	13.0	A
Phosphine	Almond	60.65	N/A	32.25	A
Phosphine	Almond	1,458.08	N/A	21,178,950.0	C
Phosphine	Almond	85.17	N/A	3,702,791.0	P
Phosphine	Almond	6.4	N/A	14,500.0	S
Phosphine	Almond	2,472.98	N/A	374,758.08	T
Phosphine	Avocado	0.45	N/A	2,509.0	C
Phosphine	Bean, dried	0.21	N/A	4,780.0	C
Phosphine	Citrus	81.75	N/A	1,383,832.0	C
Phosphine	Commodity fumigation	9.9	9	225,000.0	C
Phosphine	Commodity fumigation	7,532.24	N/A	N/A	N/A
Phosphine	Corn, human consumption	128.08	N/A	2,221,500.08	C
Phosphine	Corn, human consumption	55.07	N/A	1,105.0	K
Phosphine	Dried fruit	15.85	N/A	263,556.0	C
Phosphine	Dried fruit	27.78	N/A	46.2	K
Phosphine	Fig	8.26	N/A	195,510.0	C
Phosphine	Forage hay/silage	0.26	N/A	3,000.0	C
Phosphine	Fumigation, other	1,150.32	N/A	N/A	N/A
Phosphine	Garbanzo bean	8.14	N/A	4,187.5	T
Phosphine	Grape	35.76	N/A	6,993,000.0	C
Phosphine	Jojoba bean	2.75	N/A	31,170.0	C

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosphine	Nuts	32.13	N/A	344,352.0	C
Phosphine	Nuts	1.86	N/A	1,208,800.0	P
Phosphine	Orange	21.44	N/A	341,443.0	C
Phosphine	Orange	11.32	N/A	809.8	T
Phosphine	Pistachio	208.09	N/A	56.0	A
Phosphine	Pistachio	799.47	N/A	8,243,747.0	C
Phosphine	Pistachio	27.65	N/A	5,997.1	K
Phosphine	Pistachio	372.48	N/A	70,197.66	T
Phosphine	Prune	11.29	N/A	1.0	A
Phosphine	Prune	4.16	N/A	105,000.0	C
Phosphine	Regulatory pest control	231.84	N/A	N/A	N/A
Phosphine	Research commodity	1.76	N/A	N/A	N/A
Phosphine	Rice	86.19	N/A	2,213,264.0	C
Phosphine	Rice, wild	1.68	N/A	10,000.0	C
Phosphine	Storage area/box	9.5	N/A	202,688.0	C
Phosphine	Storage area/box	3.34	N/A	167.0	P
Phosphine	Structural pest control	7.64	N/A	N/A	N/A
Phosphine	Sunflower	154.08	N/A	3,350.0	K
Phosphine	Tangerine	5.03	N/A	360.9	T
Phosphine	Unknown	0.95	N/A	10,788.0	C
Phosphine	Vertebrate control	46.2	N/A	N/A	N/A
Phosphine	Walnut	42.54	N/A	1,346,000.0	C
Phosphine	Walnut	78.47	N/A	1,495.0	K
Phosphine	Walnut	9.67	N/A	840,000.0	P
Phosphine	Walnut	352.78	N/A	80,652.0	T
Phosphoric acid	Alfalfa	5,171.69	2,568	121,364.39	A
Phosphoric acid	Almond	47,930.5	10,181	460,306.41	A
Phosphoric acid	Apple	159.14	77	1,492.64	A
Phosphoric acid	Apricot	47.11	42	681.8	A
Phosphoric acid	Artichoke, globe	2.69	14	169.7	A
Phosphoric acid	Arugula	1.13	15	66.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosphoric acid	Avocado	4.71	90	479.0	A
Phosphoric acid	Avocado	<0.01	4	24,400.0	U
Phosphoric acid	Barley	9.7	7	424.9	A
Phosphoric acid	Barley (forage - fodder)	5.53	6	198.0	A
Phosphoric acid	Basil, sweet	43.17	81	551.85	A
Phosphoric acid	Bean, dried	127.1	75	2,637.65	A
Phosphoric acid	Bean, succulent	3.21	30	257.63	A
Phosphoric acid	Bean, unspecified	7.4	23	285.2	A
Phosphoric acid	Beet	22.01	98	583.89	A
Phosphoric acid	Bermudagrass	44.78	15	1,171.0	A
Phosphoric acid	Blackberry	313.11	206	1,156.58	A
Phosphoric acid	Blueberry	88.42	62	1,491.69	A
Phosphoric acid	Bok choy (choy sum, pak choy)	43.41	156	733.4	A
Phosphoric acid	Broccoli	793.5	1,962	20,693.99	A
Phosphoric acid	Brussels sprout	464.66	520	7,772.6	A
Phosphoric acid	Cabbage	353.1	856	4,896.89	A
Phosphoric acid	Cabbage	3.47	9	48.0	U
Phosphoric acid	Cantaloupe	247.32	93	7,704.15	A
Phosphoric acid	Carrot	28.68	81	908.17	A
Phosphoric acid	Cauliflower	324.44	905	7,105.51	A
Phosphoric acid	Celeriac	5.26	18	82.58	A
Phosphoric acid	Celery	206.88	634	5,038.25	A
Phosphoric acid	Cherry	1,282.07	888	10,654.07	A
Phosphoric acid	Chinese broccoli (gai lon)	49.15	259	656.6	A
Phosphoric acid	Chinese cabbage (napa, wong bok, celery cabbage)	20.17	115	680.14	A
Phosphoric acid	Cilantro	24.57	300	1,087.75	A
Phosphoric acid	Citrus	8.29	16	268.52	A
Phosphoric acid	Cole crop	0.53	89	70.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Phosphoric acid	Commercial, institutional or industrial areas	7.81	1	64.2	A
Phosphoric acid	Corn (forage - fodder)	2,267.85	1,141	54,678.42	A
Phosphoric acid	Corn, grain	21.22	10	901.6	A
Phosphoric acid	Corn, human consumption	324.38	395	17,172.4	A
Phosphoric acid	Cotton	5,987.39	1,648	119,529.19	A
Phosphoric acid	Cucumber	10.11	22	660.2	A
Phosphoric acid	Date	0.03	1	37.0	A
Phosphoric acid	Dill	33.83	12	371.0	A
Phosphoric acid	Ditch bank	10.04	6	36.75	A
Phosphoric acid	Eggplant	0.67	3	47.5	A
Phosphoric acid	Endive (escarole)	15.8	168	578.31	A
Phosphoric acid	Fennel	0.45	3	13.5	A
Phosphoric acid	Fig	76.14	22	991.9	A
Phosphoric acid	Forage hay/silage	94.1	67	2,939.0	A
Phosphoric acid	Forest, timberland	278.51	191	3,724.25	A
Phosphoric acid	Gai lon	0.56	10	8.51	A
Phosphoric acid	Garbanzo bean	0.29	1	6.5	A
Phosphoric acid	Garlic	281.16	124	6,946.4	A
Phosphoric acid	Ginger	0.05	10	4.75	A
Phosphoric acid	Grain	2.28	3	78.0	A
Phosphoric acid	Grape	3,297.46	1,388	49,850.93	A
Phosphoric acid	Grape, wine	6,263.9	3,074	74,259.23	A
Phosphoric acid	Grapefruit	43.04	28	668.25	A
Phosphoric acid	Grass, seed	73.02	21	1,195.1	A
Phosphoric acid	Herb, spice	8.25	77	179.7	A
Phosphoric acid	Kale	64.17	259	1,739.36	A
Phosphoric acid	Kiwi fruit fuzzy	13.21	38	382.4	A
Phosphoric acid	Kohlrabi	11.48	34	286.08	A
Phosphoric acid	Landscape maintenance	0.44	3	20.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosphoric acid	Landscape maintenance	1,017.94	N/A	N/A	N/A
Phosphoric acid	Leek	12.54	108	449.62	A
Phosphoric acid	Lemon	341.51	213	5,329.64	A
Phosphoric acid	Lettuce, head	709.74	2,142	23,282.05	A
Phosphoric acid	Lettuce, leaf	891.97	3,676	32,230.0	A
Phosphoric acid	Lime	0.09	1	7.5	A
Phosphoric acid	Melon	99.89	150	6,757.42	A
Phosphoric acid	Mint	0.05	6	5.5	A
Phosphoric acid	Mustard	56.81	298	756.3	A
Phosphoric acid	Mustard greens	1.65	30	96.51	A
Phosphoric acid	N-grnhs flower	132.64	434	871.33	A
Phosphoric acid	N-grnhs flower	0.29	41	157,775.0	S
Phosphoric acid	N-grnhs plants in containers	7.53	491	471.87	A
Phosphoric acid	N-grnhs plants in containers	0.44	61	1,194,200.0	S
Phosphoric acid	N-grnhs transplants	4.15	86	702.96	A
Phosphoric acid	N-grnhs transplants	0.91	25	4,868,340.0	S
Phosphoric acid	N-outdr flower	83.53	549	1,605.65	A
Phosphoric acid	N-outdr plants in containers	40.35	1,694	2,983.2	A
Phosphoric acid	N-outdr plants in containers	<0.01	1	2.0	S
Phosphoric acid	N-outdr plants in containers	0.03	4	872.0	U
Phosphoric acid	N-outdr transplants	51.46	44	222.15	A
Phosphoric acid	N-outdr transplants	11.0	324	55,991,310.0	S
Phosphoric acid	Nectarine	455.32	254	2,526.72	A
Phosphoric acid	Oat	10.06	7	344.0	A
Phosphoric acid	Oat (forage - fodder)	58.79	31	1,635.0	A
Phosphoric acid	Olive	190.47	138	4,811.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosphoric acid	Onion, dry	212.74	148	7,484.78	A
Phosphoric acid	Orange	3,189.25	1,103	22,491.99	A
Phosphoric acid	Orchardgrass	2.88	3	125.0	A
Phosphoric acid	Parsley	14.84	50	365.14	A
Phosphoric acid	Pastureland	15.99	17	618.5	A
Phosphoric acid	Peach	859.89	688	8,955.43	A
Phosphoric acid	Pear	3.32	4	101.25	A
Phosphoric acid	Peas	5.33	90	615.69	A
Phosphoric acid	Pecan	77.4	26	1,067.53	A
Phosphoric acid	Pepper, fruiting	97.55	34	1,052.11	A
Phosphoric acid	Persimmon	9.82	19	114.88	A
Phosphoric acid	Pistachio	44,715.85	1,350	98,322.29	A
Phosphoric acid	Plum	370.71	222	2,482.28	A
Phosphoric acid	Pomegranate	496.99	42	1,952.96	A
Phosphoric acid	Pomelo	1.05	2	22.0	A
Phosphoric acid	Prune	161.72	122	3,473.23	A
Phosphoric acid	Pumpkin	17.5	8	204.0	A
Phosphoric acid	Quince	0.09	2	11.8	A
Phosphoric acid	Radicchio	6.38	36	154.76	A
Phosphoric acid	Radish	35.98	371	1,080.15	A
Phosphoric acid	Rangeland	1.53	3	20.0	A
Phosphoric acid	Raspberry	126.11	295	567.55	A
Phosphoric acid	Regulatory pest control	1.0	N/A	N/A	N/A
Phosphoric acid	Research commodity	3.43	21	21.58	A
Phosphoric acid	Research commodity	0.3	51	229,500.0	S
Phosphoric acid	Research commodity	0.07	N/A	N/A	N/A
Phosphoric acid	Rice	454.1	259	15,739.21	A
Phosphoric acid	Rights of way	484.35	104	2,101.3	A
Phosphoric acid	Rights of way	15,021.43	N/A	N/A	N/A
Phosphoric acid	Root vegetable	0.39	28	49.75	A
Phosphoric acid	Ryegrass	21.41	24	622.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosphoric acid	Safflower	133.71	18	4,106.3	A
Phosphoric acid	Soil fumigation/preplant	367.35	62	12,065.0	A
Phosphoric acid	Sorghum (forage - fodder)	89.89	30	2,476.54	A
Phosphoric acid	Sorghum/milo	7.6	4	270.0	A
Phosphoric acid	Soybean	3.63	1	140.0	A
Phosphoric acid	Spinach	0.35	3	12.93	A
Phosphoric acid	Squash	12.73	55	517.37	A
Phosphoric acid	Squash, summer	0.91	3	44.0	A
Phosphoric acid	Stone fruit	1.55	5	94.0	A
Phosphoric acid	Strawberry	11,625.96	2,346	67,259.39	A
Phosphoric acid	Structural pest control	58.41	N/A	N/A	N/A
Phosphoric acid	Sudangrass	6.94	3	118.48	A
Phosphoric acid	Sugarbeet	79.77	27	1,824.5	A
Phosphoric acid	Sunflower	105.09	30	2,185.84	A
Phosphoric acid	Sweet potato	2.53	3	54.1	A
Phosphoric acid	Swiss chard	0.84	28	45.04	A
Phosphoric acid	Tangelo	50.58	21	506.46	A
Phosphoric acid	Tangerine	2,073.15	401	10,965.35	A
Phosphoric acid	Timothy	22.67	11	534.0	A
Phosphoric acid	Tomato	149.82	91	3,081.68	A
Phosphoric acid	Tomato, processing	4,119.72	914	69,352.74	A
Phosphoric acid	Triticale	44.98	27	2,082.76	A
Phosphoric acid	Turnip	1.0	14	49.37	A
Phosphoric acid	Uncultivated ag	1,085.06	849	34,811.99	A
Phosphoric acid	Uncultivated non-ag	74.49	53	1,245.14	A
Phosphoric acid	Unknown	7.33	3	69.26	A
Phosphoric acid	Vegetable	5.21	1	1.3	A
Phosphoric acid	Vegetables, fruiting	0.03	8	3.0	A
Phosphoric acid	Vegetables, leafy	4.35	345	537.5	A
Phosphoric acid	Vertebrate control	0.34	3	2.34	A
Phosphoric acid	Walnut	9,044.89	3,257	104,880.93	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosphoric acid	Water area	1.47	3	29.0	A
Phosphoric acid	Watermelon	54.96	26	1,071.51	A
Phosphoric acid	Wheat	423.3	142	9,252.49	A
Phosphoric acid	Wheat (forage - fodder)	184.42	230	12,701.89	A
Phosphorus	Vertebrate control	0.16	N/A	N/A	N/A
Picloram	Regulatory pest control	0.79	N/A	N/A	N/A
Picloram	Rights of way	0.05	N/A	N/A	N/A
Pindone	Structural pest control	<0.01	N/A	N/A	N/A
Pine oil	Golf course turf	1.82	N/A	17.5	A
Pine oil	Landscape maintenance	1.3	1	9.0	A
Pine oil	Landscape maintenance	1.07	N/A	N/A	N/A
Pine oil	Public health	0.04	N/A	N/A	N/A
Pine oil	Structural pest control	0.91	N/A	N/A	N/A
Pinoxaden	Barley	131.64	21	2,489.4	A
Pinoxaden	Barley (forage - fodder)	38.75	13	721.9	A
Pinoxaden	Forage hay/silage	1.4	1	26.0	A
Pinoxaden	Grass, seed	0.98	12	18.8	A
Pinoxaden	N-outdr flower	0.74	11	14.2	A
Pinoxaden	Wheat	338.39	109	6,373.8	A
Pinoxaden	Wheat (forage - fodder)	1,260.38	382	23,574.56	A
Piperalin	N-grnhs flower	165.47	101	250.5	A
Piperalin	N-grnhs flower	2.48	2	144,000.0	S
Piperalin	N-grnhs plants in containers	59.25	71	146.93	A
Piperalin	N-grnhs plants in containers	7.69	45	565,100.0	S
Piperalin	N-grnhs transplants	4.97	14	630.0	A
Piperalin	N-outdr flower	5.35	13	28.5	A
Piperalin	N-outdr plants in containers	0.16	3	0.8	A
Piperine	Landscape maintenance	0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Piperine	Public health	<0.01	N/A	N/A	N/A
Piperine	Regulatory pest control	0.01	N/A	N/A	N/A
Piperine	Structural pest control	0.03	N/A	N/A	N/A
Piperonyl butoxide	Alfalfa	0.15	1	12.0	A
Piperonyl butoxide	Almond	5,453.34	129	5,103.89	A
Piperonyl butoxide	Animal premise	23.49	N/A	182,904.0	S
Piperonyl butoxide	Animal premise	676.79	N/A	187.0	U
Piperonyl butoxide	Avocado	12.59	2	31.5	A
Piperonyl butoxide	Basil, sweet	5.22	15	15.15	A
Piperonyl butoxide	Bean, dried	3.62	2	18.0	A
Piperonyl butoxide	Bean, unspecified	1.91	1	4.0	A
Piperonyl butoxide	Blackberry	213.67	54	570.41	A
Piperonyl butoxide	Bok choy (choy sum, pak choi)	13.76	13	34.4	A
Piperonyl butoxide	Buildings/non-ag outdoor	0.03	N/A	70,000.0	C
Piperonyl butoxide	Buildings/non-ag outdoor	2.69	N/A	2,958.0	K
Piperonyl butoxide	Buildings/non-ag outdoor	21.27	N/A	65.09	U
Piperonyl butoxide	Cabbage	3.78	4	20.0	A
Piperonyl butoxide	Cannabis (all or unspecified)	26.29	121	170,112.0	S
Piperonyl butoxide	Carrot	20.3	3	60.0	A
Piperonyl butoxide	Cauliflower	2.31	2	12.25	A
Piperonyl butoxide	Chinese cabbage (napa, wong bok, celery cabbage)	248.09	53	620.88	A
Piperonyl butoxide	Chive	4.03	14	9.3	A
Piperonyl butoxide	Cilantro	0.57	1	3.0	A
Piperonyl butoxide	Commercial, institutional or industrial areas	0.12	N/A	10.0	A
Piperonyl butoxide	Commercial, institutional or industrial areas	13.63	N/A	200.04	U
Piperonyl butoxide	Commodity fumigation	140.77	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Piperonyl butoxide	Corn (forage - fodder)	69.32	11	232.6	A
Piperonyl butoxide	County ag comm	1.53	N/A	N/A	N/A
Piperonyl butoxide	Cucumber	10.39	14	35.0	A
Piperonyl butoxide	Cucumber	0.02	1	2,520.0	S
Piperonyl butoxide	Dill	2.24	9	5.05	A
Piperonyl butoxide	Eggplant	4.76	12	15.0	A
Piperonyl butoxide	Fumigation, other	26.43	N/A	N/A	N/A
Piperonyl butoxide	Grape	2.83	2	4.0	A
Piperonyl butoxide	Grape	6.24	N/A	3,497,000.0	C
Piperonyl butoxide	Grape, wine	376.9	37	924.25	A
Piperonyl butoxide	Herb, spice	76.53	65	200.8	A
Piperonyl butoxide	Kale	0.19	1	0.75	A
Piperonyl butoxide	Landscape maintenance	4,226.07	N/A	N/A	N/A
Piperonyl butoxide	Leek	2.52	4	6.75	A
Piperonyl butoxide	Lettuce, head	0.13	1	0.5	A
Piperonyl butoxide	Lettuce, leaf	11.74	22	29.79	A
Piperonyl butoxide	Mint	21.13	39	53.45	A
Piperonyl butoxide	Mushroom house	113.68	56	3,920,000.0	S
Piperonyl butoxide	N-grnhs flower	1.91	6	10.0	A
Piperonyl butoxide	N-grnhs flower	0.06	1	3,360.0	S
Piperonyl butoxide	N-grnhs plants in containers	18.86	39	55.62	A
Piperonyl butoxide	N-grnhs plants in containers	22.84	85	4,480,400.0	S
Piperonyl butoxide	N-grnhs plants in containers	0.19	1	4,000.0	U
Piperonyl butoxide	N-grnhs transplants	128.39	252	312.67	A
Piperonyl butoxide	N-outdr flower	42.68	135	344.28	A
Piperonyl butoxide	N-outdr plants in containers	97.81	242	417.99	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Piperonyl butoxide	N-outdr plants in containers	9.04	33	1,212,200.0	S
Piperonyl butoxide	N-outdr plants in containers	17.82	25	441,886.0	U
Piperonyl butoxide	N-outdr transplants	25.53	81	102.0	A
Piperonyl butoxide	Parsley	4.61	7	14.2	A
Piperonyl butoxide	Pastureland	16.28	7	99.6	A
Piperonyl butoxide	Peach	59.23	30	294.92	A
Piperonyl butoxide	Pepper, fruiting	21.65	12	51.0	A
Piperonyl butoxide	Pistachio	180.94	4	90.0	A
Piperonyl butoxide	Pomegranate	186.64	3	467.0	A
Piperonyl butoxide	Public health	13,940.01	N/A	N/A	N/A
Piperonyl butoxide	Raspberry	168.2	18	462.2	A
Piperonyl butoxide	Regulatory pest control	315.82	N/A	N/A	N/A
Piperonyl butoxide	Research commodity	0.03	1	0.21	A
Piperonyl butoxide	Research commodity	32.29	N/A	N/A	N/A
Piperonyl butoxide	Rights of way	0.01	1	2.0	A
Piperonyl butoxide	Rights of way	247.84	N/A	N/A	N/A
Piperonyl butoxide	Rosemary	8.38	22	20.45	A
Piperonyl butoxide	Spinach	45.77	13	114.5	A
Piperonyl butoxide	Squash	2.66	1	7.0	A
Piperonyl butoxide	Stone fruit	0.19	N/A	17,100.0	S
Piperonyl butoxide	Storage area/box	0.14	N/A	500,000.0	C
Piperonyl butoxide	Strawberry	1,823.06	183	4,749.43	A
Piperonyl butoxide	Structural pest control	43,634.39	N/A	N/A	N/A
Piperonyl butoxide	Tarragon	3.39	14	8.05	A
Piperonyl butoxide	Thyme	6.81	20	14.5	A
Piperonyl butoxide	Tomato	15.32	10	35.16	A
Piperonyl butoxide	Tomato	0.02	1	2,520.0	S
Piperonyl butoxide	Turf/sod	0.6	N/A	900.0	S
Piperonyl butoxide	Upland cress	7.11	28	13.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Piperonyl butoxide	Walnut	74.92	12	425.0	A
Piperonyl butoxide, other related	Alfalfa	0.04	1	12.0	A
Piperonyl butoxide, other related	Almond	23.08	7	248.9	A
Piperonyl butoxide, other related	Animal premise	0.01	N/A	2.0	U
Piperonyl butoxide, other related	Avocado	3.15	2	31.5	A
Piperonyl butoxide, other related	Basil, sweet	1.3	15	15.15	A
Piperonyl butoxide, other related	Blackberry	53.29	52	569.16	A
Piperonyl butoxide, other related	Bok choy (choy sum, pak choi)	3.44	13	34.4	A
Piperonyl butoxide, other related	Buildings/non-ag outdoor	<0.01	N/A	70,000.0	C
Piperonyl butoxide, other related	Buildings/non-ag outdoor	0.17	N/A	1,669.0	K
Piperonyl butoxide, other related	Buildings/non-ag outdoor	2.08	N/A	1.07	U
Piperonyl butoxide, other related	Cabbage	0.94	4	20.0	A
Piperonyl butoxide, other related	Cannabis (all or unspecified)	0.05	1	8,640.0	S
Piperonyl butoxide, other related	Carrot	5.07	3	60.0	A
Piperonyl butoxide, other related	Cauliflower	0.58	2	12.25	A
Piperonyl butoxide, other related	Chinese cabbage (napa, wong bok, celery cabbage)	62.02	53	620.88	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Piperonyl butoxide, other related</b>	Chive	1.01	14	9.3	A
<b>Piperonyl butoxide, other related</b>	Cilantro	0.14	1	3.0	A
<b>Piperonyl butoxide, other related</b>	Commercial, institutional or industrial areas	<0.01	N/A	200.0	U
<b>Piperonyl butoxide, other related</b>	Commodity fumigation	4.05	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Cucumber	2.6	14	35.0	A
<b>Piperonyl butoxide, other related</b>	Dill	0.56	9	5.05	A
<b>Piperonyl butoxide, other related</b>	Eggplant	1.19	12	15.0	A
<b>Piperonyl butoxide, other related</b>	Fumigation, other	4.01	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Grape	0.71	2	4.0	A
<b>Piperonyl butoxide, other related</b>	Grape, wine	94.0	36	921.25	A
<b>Piperonyl butoxide, other related</b>	Herb, spice	19.13	65	200.8	A
<b>Piperonyl butoxide, other related</b>	Kale	0.05	1	0.75	A
<b>Piperonyl butoxide, other related</b>	Landscape maintenance	893.87	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Leek	0.63	4	6.75	A
<b>Piperonyl butoxide, other related</b>	Lettuce, head	0.03	1	0.5	A
<b>Piperonyl butoxide, other related</b>	Lettuce, leaf	2.93	22	29.79	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Piperonyl butoxide, other related</b>	Mint	5.28	39	53.45	A
<b>Piperonyl butoxide, other related</b>	Mushroom house	28.42	56	3,920,000.0	S
<b>Piperonyl butoxide, other related</b>	N-grnhs flower	0.48	6	10.0	A
<b>Piperonyl butoxide, other related</b>	N-grnhs plants in containers	4.4	36	53.12	A
<b>Piperonyl butoxide, other related</b>	N-grnhs plants in containers	5.67	84	4,460,400.0	S
<b>Piperonyl butoxide, other related</b>	N-grnhs plants in containers	0.05	1	4,000.0	U
<b>Piperonyl butoxide, other related</b>	N-grnhs transplants	17.23	153	190.17	A
<b>Piperonyl butoxide, other related</b>	N-outdr flower	10.67	135	344.28	A
<b>Piperonyl butoxide, other related</b>	N-outdr plants in containers	23.76	236	363.02	A
<b>Piperonyl butoxide, other related</b>	N-outdr plants in containers	2.26	33	1,212,200.0	S
<b>Piperonyl butoxide, other related</b>	N-outdr plants in containers	2.08	15	162,964.0	U
<b>Piperonyl butoxide, other related</b>	N-outdr transplants	6.38	81	102.0	A
<b>Piperonyl butoxide, other related</b>	Parsley	1.15	7	14.2	A
<b>Piperonyl butoxide, other related</b>	Pastureland	4.07	7	99.6	A
<b>Piperonyl butoxide, other related</b>	Pepper, fruiting	1.84	9	20.0	A
<b>Piperonyl butoxide, other related</b>	Pomegranate	46.66	3	467.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Piperonyl butoxide, other related</b>	Public health	303.81	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Raspberry	42.05	18	462.2	A
<b>Piperonyl butoxide, other related</b>	Regulatory pest control	56.7	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Research commodity	<0.01	1	0.21	A
<b>Piperonyl butoxide, other related</b>	Research commodity	8.07	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Rights of way	<0.01	1	2.0	A
<b>Piperonyl butoxide, other related</b>	Rights of way	61.35	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Rosemary	2.09	22	20.45	A
<b>Piperonyl butoxide, other related</b>	Spinach	11.44	13	114.5	A
<b>Piperonyl butoxide, other related</b>	Squash	0.67	1	7.0	A
<b>Piperonyl butoxide, other related</b>	Strawberry	452.67	182	4,721.19	A
<b>Piperonyl butoxide, other related</b>	Structural pest control	5,938.62	N/A	N/A	N/A
<b>Piperonyl butoxide, other related</b>	Tarragon	0.85	14	8.05	A
<b>Piperonyl butoxide, other related</b>	Thyme	1.7	20	14.5	A
<b>Piperonyl butoxide, other related</b>	Tomato	3.83	10	35.16	A
<b>Piperonyl butoxide, other related</b>	Upland cress	1.78	28	13.75	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Piperonyl butoxide, other related</b>	Walnut	0.31	2	64.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Alfalfa	87.54	127	7,500.1	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Almond	25.46	26	1,081.3	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Barley	0.86	1	120.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Cabbage	2.08	2	94.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Cherry	4.43	17	130.33	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Corn (forage - fodder)	9.6	11	575.59	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Cotton	16.48	8	1,050.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Forage hay/silage	0.72	1	81.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Garlic	0.79	1	110.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Grape, wine	252.22	868	8,039.74	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Landscape maintenance	1.37	N/A	N/A	N/A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Mint	11.29	13	798.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Olive	2.37	5	104.5	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Onion, dry	0.45	1	85.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Pasture (forage - fodder)	1.2	2	168.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Pear	11.91	16	323.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Pistachio	0.72	1	40.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Potato	70.79	125	6,878.6	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Pumpkin	0.47	1	21.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Rights of way	0.22	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Sunflower	5.56	4	309.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Tomato	3.91	6	396.1	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Uncultivated ag	45.37	116	1,456.33	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Uncultivated non-ag	3.52	3	433.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Walnut	14.38	44	563.5	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Water area	5.04	14	56.2	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Wheat	0.51	1	60.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates</b>	Wheat (forage - fodder)	16.13	21	1,114.26	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Alfalfa	7.96	3	362.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Almond	503.65	48	4,407.29	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Basil, sweet	0.25	1	2.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Blackberry	14.67	25	238.6	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Broccoli	331.53	127	1,994.48	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Brussels sprout	379.79	204	2,254.46	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Cabbage	76.05	23	346.82	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Cauliflower	257.82	177	1,464.69	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Celery	588.73	289	4,115.04	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Citrus	1.17	N/A	6.0	T

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Grape	12.27	10	413.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Grape, wine	123.49	13	1,451.02	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Herb, spice	3.43	8	16.5	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Kale	14.19	12	99.1	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Lemon	2.88	1	24.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Lettuce, head	1.25	7	11.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Lettuce, leaf	0.25	1	2.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Mint	6.08	8	37.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Orange	20.77	7	113.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Peach	1.34	2	11.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Pear	31.05	6	185.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Pistachio	0.3	2	8.33	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Raspberry	164.33	94	850.92	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Soil fumigation/preplant	3.24	1	36.0	A
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Strawberry	7,584.87	1,088	51,069.74	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Tomato, processing	55.32	20	1,692.5	A
<b>Poly(oxyethylene) (dimethylimino) ethylene (dimethylimino) ethylene dichloride</b>	Water (industrial)	5,056.61	N/A	558.0	U
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Alfalfa	7.64	10	830.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Almond	8,956.41	1,398	111,457.13	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Apple	15.29	38	818.9	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Apricot	1.01	6	54.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Artichoke, globe	12.85	127	1,729.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Arugula	0.48	10	25.21	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Avocado	10.04	1	46.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Basil, sweet	0.12	3	8.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Beet	0.98	7	42.23	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Blackberry	118.08	167	1,383.81	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Blueberry	137.3	29	668.29	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Bok choy (choy sum, pak choi)	2.01	11	26.25	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Broccoli	125.67	564	4,809.28	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Brussels sprout	28.43	99	1,191.46	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cabbage	43.73	215	1,176.97	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cannabis (all or unspecified)	31.1	228	188.1	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cannabis (all or unspecified)	53.72	221	8,885,408.0	S
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Carrot	2.3	11	67.25	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cauliflower	167.55	516	3,412.01	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Celery	97.1	448	2,977.86	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cherry	209.9	192	4,466.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Chinese broccoli (gai lon)	0.05	1	4.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Chinese cabbage (napa, wong bok, celery cabbage)	7.13	32	79.95	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cilantro	1.77	20	114.77	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Citrus	1.62	1	26.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Collard	0.17	6	6.5	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Corn (forage - fodder)	44.02	76	2,874.22	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Corn, grain	0.11	1	14.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cotton	2.88	3	153.9	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cucumber	0.05	2	3.25	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Eggplant	1.82	5	15.5	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Endive (escarole)	7.01	10	280.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Fava bean	0.33	1	8.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Grape	1,799.18	615	35,079.04	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Grape, wine	1,079.53	536	23,149.4	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Grapefruit	7.56	7	52.9	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Herb, spice	0.27	4	7.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Kale	7.88	84	280.34	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Landscape maintenance	27.38	N/A	N/A	N/A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Leek	0.34	4	25.6	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Lemon	502.87	101	2,903.31	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Lettuce, head	23.83	211	2,007.86	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Lettuce, leaf	211.63	1,300	9,905.69	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Mustard greens	0.93	6	41.8	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-grnhs flower	440.95	807	1,603.13	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-grnhs flower	0.71	4	166,000.0	S
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-grnhs plants in containers	10.05	112	107.56	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-grnhs plants in containers	0.24	2	9,000.0	S
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-outdr plants in containers	12.98	22	25.12	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-outdr transplants	2.44	5	22.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Nectarine	18.92	81	996.54	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Oat (forage - fodder)	0.51	1	75.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Olive	10.66	4	318.77	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Onion, dry	2.27	32	477.7	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Orange	1,372.96	508	10,099.86	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Oregano	0.09	1	1.5	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Parsley	0.12	4	11.5	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Peach	98.62	171	2,401.68	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Pear	0.75	4	22.7	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Peas	8.14	107	1,029.52	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Pecan	5.24	2	74.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Pepper, fruiting	6.74	41	580.5	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Pistachio	5,824.97	482	70,687.54	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Plum	1.95	27	134.04	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Pomegranate	205.6	39	5,677.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Potato	13.13	11	650.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Prune	7.74	5	216.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Pumpkin	8.46	5	176.2	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Quince	0.24	3	18.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Radish	0.06	2	2.64	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Raspberry	149.84	106	513.74	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Research commodity	0.1	2	3.5	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Rice	40.95	20	2,203.8	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Rights of way	0.33	1	10.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Rights of way	6.97	N/A	N/A	N/A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Sage	1.23	3	20.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Sorghum (forage - fodder)	2.65	2	137.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Sorghum/milo	0.6	1	20.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Spinach	1.78	14	95.82	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Squash	0.08	1	6.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Squash, summer	0.05	1	4.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Strawberry	18,171.87	2,297	65,364.1	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Swiss chard	1.01	26	52.03	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Tangelo	72.9	35	462.46	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Tangerine	246.83	86	3,281.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Tomato	11.25	49	1,206.3	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Tomato, processing	49.6	36	4,336.4	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Triticale	0.32	1	52.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Uncultivated ag	0.16	1	7.5	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Walnut	1,836.38	679	27,958.36	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Watermelon	85.84	50	2,775.0	A
<b>Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Wheat (forage - fodder)	10.79	20	891.54	A
<b>Poly-i-para- menthene</b>	Almond	108.12	15	317.0	A
<b>Poly-i-para- menthene</b>	Apple	101.31	10	211.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Poly-i-para-menthene	Apricot	19.15	5	81.0	A
Poly-i-para-menthene	Arugula	3.5	1	14.61	A
Poly-i-para-menthene	Beet	284.99	54	656.2	A
Poly-i-para-menthene	Blueberry	0.24	1	0.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Poly-i-para-menthene	Cabbage	399.16	50	394.65	A
Poly-i-para-menthene	Cabbage, savoy	7.61	1	8.0	A
Poly-i-para-menthene	Cauliflower	14.27	7	40.0	A
Poly-i-para-menthene	Chive	1.11	1	2.0	A
Poly-i-para-menthene	Cilantro	20.95	5	59.0	A
Poly-i-para-menthene	Collard	3.7	1	7.7	A
Poly-i-para-menthene	Grape	147.74	7	193.26	A
Poly-i-para-menthene	Grape, wine	10.6	1	80.0	?
Poly-i-para-menthene	Grape, wine	605.87	253	2,809.18	A
Poly-i-para-menthene	Kale	4.28	2	12.0	A
Poly-i-para-menthene	Landscape maintenance	287.16	N/A	N/A	N/A
Poly-i-para-menthene	Lemon	4.96	8	14.65	A
Poly-i-para-menthene	Lettuce, head	5.71	4	16.0	A
Poly-i-para-menthene	Lettuce, leaf	11.7	5	38.98	A
Poly-i-para-menthene	Mint	6.57	5	8.0	A
Poly-i-para-menthene	N-grnhs plants in containers	0.24	1	0.32	A
Poly-i-para-menthene	N-outdr plants in containers	0.48	1	1.0	A
Poly-i-para-menthene	N-outdr transplants	3.05	5	14.54	A
Poly-i-para-menthene	Nectarine	16.62	30	57.25	A
Poly-i-para-menthene	Olive	7.44	1	17.0	A
Poly-i-para-menthene	Onion, dry	1,427.56	40	4,415.0	A
Poly-i-para-menthene	Orange	141.85	21	246.14	A
Poly-i-para-menthene	Parsley	53.81	18	203.15	A
Poly-i-para-menthene	Peach	9.51	26	36.25	A
Poly-i-para-menthene	Pear	26.52	1	67.0	A
Poly-i-para-menthene	Pear, asian (oriental pear, ya, ya li, nashi)	2.14	6	12.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Poly-i-para-menthene	Plum	0.12	1	0.24	A
Poly-i-para-menthene	Regulatory pest control	12.55	N/A	N/A	N/A
Poly-i-para-menthene	Research commodity	1.15	N/A	N/A	N/A
Poly-i-para-menthene	Rights of way	111.58	5	166.0	A
Poly-i-para-menthene	Spinach	20.17	4	85.03	A
Poly-i-para-menthene	Stone fruit	69.88	13	220.0	A
Poly-i-para-menthene	Strawberry	128.88	22	214.7	A
Poly-i-para-menthene	Tangerine	107.19	9	122.5	A
Poly-i-para-menthene	Tomato	14.01	2	59.0	A
Poly-i-para-menthene	Walnut	9.52	1	20.0	A
Polyacrylamide polymer	Alfalfa	282.96	706	37,700.44	A
Polyacrylamide polymer	Almond	1,693.0	4,190	207,051.66	A
Polyacrylamide polymer	Apple	18.02	31	717.31	A
Polyacrylamide polymer	Apricot	0.41	7	54.55	A
Polyacrylamide polymer	Artichoke, globe	15.81	60	518.8	A
Polyacrylamide polymer	Asparagus	1.62	3	296.0	A
Polyacrylamide polymer	Avocado	0.04	1	1.0	A
Polyacrylamide polymer	Barley	12.91	38	2,786.8	A
Polyacrylamide polymer	Barley (forage - fodder)	2.6	29	568.2	A
Polyacrylamide polymer	Bean, dried	3.39	8	329.6	A
Polyacrylamide polymer	Bean, succulent	0.58	4	120.0	A
Polyacrylamide polymer	Beet	0.29	8	23.83	A
Polyacrylamide polymer	Bermudagrass	53.11	20	1,081.6	A
Polyacrylamide polymer	Blackberry	4.05	31	572.79	A
Polyacrylamide polymer	Blueberry	20.04	43	1,307.33	A
Polyacrylamide polymer	Bok choy (choy sum, pak choi)	0.72	26	80.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyacrylamide polymer	Broccoli	65.05	488	5,244.23	A
Polyacrylamide polymer	Brussels sprout	10.58	141	1,091.72	A
Polyacrylamide polymer	Cabbage	20.89	125	1,004.95	A
Polyacrylamide polymer	Cantaloupe	6.83	14	1,335.0	A
Polyacrylamide polymer	Carrot	1.06	3	187.8	A
Polyacrylamide polymer	Cauliflower	91.37	463	4,535.65	A
Polyacrylamide polymer	Celery	45.58	418	3,676.72	A
Polyacrylamide polymer	Cherry	97.72	599	8,696.64	A
Polyacrylamide polymer	Chestnut	0.04	1	6.66	A
Polyacrylamide polymer	Cilantro	8.99	199	769.63	A
Polyacrylamide polymer	Citrus	0.08	2	5.62	A
Polyacrylamide polymer	Collard	0.35	5	14.75	A
Polyacrylamide polymer	Corn (forage - fodder)	222.51	608	31,577.76	A
Polyacrylamide polymer	Corn, grain	7.64	24	1,767.09	A
Polyacrylamide polymer	Corn, human consumption	20.5	70	2,635.0	A
Polyacrylamide polymer	Cotton	1,575.84	1,781	194,468.35	A
Polyacrylamide polymer	Cucumber	2.48	8	435.0	A
Polyacrylamide polymer	Ditch bank	4.72	113	1,142.0	A
Polyacrylamide polymer	Eggplant	3.94	21	366.0	A
Polyacrylamide polymer	Forage hay/silage	15.39	60	2,988.89	A
Polyacrylamide polymer	Forest, timberland	0.05	1	5.0	A
Polyacrylamide polymer	Garbanzo bean	4.57	8	1,172.0	A
Polyacrylamide polymer	Garlic	48.59	75	9,869.05	A
Polyacrylamide polymer	Grape	188.44	352	8,819.65	A
Polyacrylamide polymer	Grape, wine	425.82	1,365	29,343.67	A
Polyacrylamide polymer	Grapefruit	3.33	7	163.7	A
Polyacrylamide polymer	Grass, seed	0.59	13	173.0	A
Polyacrylamide polymer	Kale	1.14	15	96.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyacrylamide polymer	Kiwi fruit fuzzy	4.28	38	382.4	A
Polyacrylamide polymer	Landscape maintenance	33.98	N/A	N/A	N/A
Polyacrylamide polymer	Leek	0.22	7	23.0	A
Polyacrylamide polymer	Lemon	5.99	40	492.12	A
Polyacrylamide polymer	Lettuce, head	32.31	250	2,973.43	A
Polyacrylamide polymer	Lettuce, leaf	120.27	444	5,277.87	A
Polyacrylamide polymer	Melon	3.01	12	894.05	A
Polyacrylamide polymer	Mustard greens	0.68	31	35.82	A
Polyacrylamide polymer	N-outdr flower	4.01	9	30.4	A
Polyacrylamide polymer	N-outdr plants in containers	0.2	1	40.0	A
Polyacrylamide polymer	N-outdr transplants	1.28	26	121.65	A
Polyacrylamide polymer	Nectarine	3.18	64	211.23	A
Polyacrylamide polymer	Oat	5.52	44	2,350.71	A
Polyacrylamide polymer	Oat (forage - fodder)	21.03	67	2,979.0	A
Polyacrylamide polymer	Olive	26.03	69	2,118.51	A
Polyacrylamide polymer	Onion, dry	26.78	47	3,822.8	A
Polyacrylamide polymer	Orange	25.8	195	3,748.68	A
Polyacrylamide polymer	Orchardgrass	1.03	5	160.88	A
Polyacrylamide polymer	Parsley	0.16	2	7.0	A
Polyacrylamide polymer	Pastureland	11.5	24	3,322.38	A
Polyacrylamide polymer	Peach	22.86	232	1,599.61	A
Polyacrylamide polymer	Pear	0.05	2	12.25	A
Polyacrylamide polymer	Peas	3.07	8	140.6	A
Polyacrylamide polymer	Pecan	2.39	9	160.7	A
Polyacrylamide polymer	Pepper, fruiting	20.1	72	1,758.9	A
Polyacrylamide polymer	Persimmon	1.58	21	127.17	A
Polyacrylamide polymer	Pistachio	883.21	2,126	108,160.48	A
Polyacrylamide polymer	Plum	14.48	172	984.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyacrylamide polymer	Pomegranate	15.35	31	1,349.49	A
Polyacrylamide polymer	Potato	2.51	9	538.0	A
Polyacrylamide polymer	Prune	44.78	102	2,822.67	A
Polyacrylamide polymer	Pumpkin	3.05	22	579.0	A
Polyacrylamide polymer	Rangeland	2.27	3	454.5	A
Polyacrylamide polymer	Rapini	22.56	38	642.4	A
Polyacrylamide polymer	Raspberry	32.73	75	1,067.18	A
Polyacrylamide polymer	Regulatory pest control	0.74	N/A	N/A	N/A
Polyacrylamide polymer	Research commodity	0.38	24	90.4	A
Polyacrylamide polymer	Rice	181.63	249	13,715.21	A
Polyacrylamide polymer	Rights of way	331.04	218	46,382.5	A
Polyacrylamide polymer	Rights of way	216.0	N/A	N/A	N/A
Polyacrylamide polymer	Ryegrass	4.59	28	1,522.6	A
Polyacrylamide polymer	Safflower	10.78	23	2,570.5	A
Polyacrylamide polymer	Sod farm (turf)	0.91	7	93.0	A
Polyacrylamide polymer	Soil fumigation/preplant	540.19	516	98,006.77	A
Polyacrylamide polymer	Sorghum (forage - fodder)	16.88	48	2,989.83	A
Polyacrylamide polymer	Sorghum/milo	1.73	4	415.0	A
Polyacrylamide polymer	Soybean	1.47	1	140.0	A
Polyacrylamide polymer	Spinach	4.17	41	392.7	A
Polyacrylamide polymer	Squash	1.69	8	255.0	A
Polyacrylamide polymer	Squash, winter	0.19	1	19.0	A
Polyacrylamide polymer	Strawberry	159.74	167	7,282.93	A
Polyacrylamide polymer	Structural pest control	0.07	N/A	N/A	N/A
Polyacrylamide polymer	Sudangrass	0.55	2	83.0	A
Polyacrylamide polymer	Sugarbeet	41.73	45	3,184.79	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyacrylamide polymer	Sunflower	20.81	17	1,284.2	A
Polyacrylamide polymer	Sweet potato	0.82	2	54.0	A
Polyacrylamide polymer	Swiss chard	0.22	1	12.0	A
Polyacrylamide polymer	Tangerine	20.5	93	1,952.41	A
Polyacrylamide polymer	Tomato	18.64	85	3,704.4	A
Polyacrylamide polymer	Tomato, processing	635.6	409	33,500.35	A
Polyacrylamide polymer	Triticale	39.96	108	7,638.44	A
Polyacrylamide polymer	Turf/sod	8.87	77	1,381.96	A
Polyacrylamide polymer	Turnip greens	0.2	23	6.94	A
Polyacrylamide polymer	Uncultivated ag	504.34	1,293	48,405.98	A
Polyacrylamide polymer	Uncultivated non-ag	8.32	56	665.6	A
Polyacrylamide polymer	Vegetable	<0.01	1	3.0	A
Polyacrylamide polymer	Walnut	692.79	1,435	39,305.6	A
Polyacrylamide polymer	Water area	1.81	6	429.25	A
Polyacrylamide polymer	Watermelon	11.12	19	1,758.5	A
Polyacrylamide polymer	Wheat	104.22	352	20,106.7	A
Polyacrylamide polymer	Wheat (forage - fodder)	185.24	850	47,672.64	A
Polyacrylamide, polyethylene glycol mixture	Alfalfa	52.51	106	5,924.89	A
Polyacrylamide, polyethylene glycol mixture	Almond	453.89	220	23,998.27	A
Polyacrylamide, polyethylene glycol mixture	Barley	5.08	4	474.3	A
Polyacrylamide, polyethylene glycol mixture	Barley (forage - fodder)	1.42	7	230.22	A
Polyacrylamide, polyethylene glycol mixture	Cherry	1.12	21	132.1	A
Polyacrylamide, polyethylene glycol mixture	Citrus	0.97	2	52.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyacrylamide, polyethylene glycol mixture	Corn (forage - fodder)	45.51	154	6,443.45	A
Polyacrylamide, polyethylene glycol mixture	Corn, human consumption	2.79	6	872.0	A
Polyacrylamide, polyethylene glycol mixture	Cotton	102.91	208	24,889.12	A
Polyacrylamide, polyethylene glycol mixture	Forage hay/silage	0.85	2	103.0	A
Polyacrylamide, polyethylene glycol mixture	Garlic	56.85	74	10,323.7	A
Polyacrylamide, polyethylene glycol mixture	Grape	12.29	32	1,445.19	A
Polyacrylamide, polyethylene glycol mixture	Grape, wine	75.84	94	2,997.21	A
Polyacrylamide, polyethylene glycol mixture	Grapefruit	0.29	3	17.0	A
Polyacrylamide, polyethylene glycol mixture	Kiwi fruit fuzzy	5.34	2	58.0	A
Polyacrylamide, polyethylene glycol mixture	Lettuce, head	1.15	17	511.3	A
Polyacrylamide, polyethylene glycol mixture	Lettuce, leaf	18.44	14	421.5	A
Polyacrylamide, polyethylene glycol mixture	Oat	2.23	4	477.0	A
Polyacrylamide, polyethylene glycol mixture	Onion, dry	4.4	11	449.0	A
Polyacrylamide, polyethylene glycol mixture	Orange	0.68	3	36.4	A
Polyacrylamide, polyethylene glycol mixture	Pastureland	1.41	6	154.02	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyacrylamide, polyethylene glycol mixture	Pistachio	17.68	39	2,083.94	A
Polyacrylamide, polyethylene glycol mixture	Pomegranate	10.48	18	885.3	A
Polyacrylamide, polyethylene glycol mixture	Prune	28.57	1	20.0	A
Polyacrylamide, polyethylene glycol mixture	Regulatory pest control	0.09	N/A	N/A	N/A
Polyacrylamide, polyethylene glycol mixture	Rights of way	36.44	9	294.0	A
Polyacrylamide, polyethylene glycol mixture	Rights of way	133.46	N/A	N/A	N/A
Polyacrylamide, polyethylene glycol mixture	Safflower	4.38	2	595.0	A
Polyacrylamide, polyethylene glycol mixture	Soil fumigation/preplant	48.83	36	5,769.89	A
Polyacrylamide, polyethylene glycol mixture	Sorghum (forage - fodder)	8.13	22	1,327.56	A
Polyacrylamide, polyethylene glycol mixture	Sorghum/milo	6.05	10	1,084.0	A
Polyacrylamide, polyethylene glycol mixture	Structural pest control	1.49	N/A	N/A	N/A
Polyacrylamide, polyethylene glycol mixture	Tangerine	1.31	7	75.45	A
Polyacrylamide, polyethylene glycol mixture	Tomato, processing	27.75	43	5,295.0	A
Polyacrylamide, polyethylene glycol mixture	Triticale	10.09	20	1,431.1	A
Polyacrylamide, polyethylene glycol mixture	Turf/sod	10.01	20	435.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyacrylamide, polyethylene glycol mixture	Uncultivated ag	12.4	18	2,242.2	A
Polyacrylamide, polyethylene glycol mixture	Walnut	5.0	22	476.38	A
Polyacrylamide, polyethylene glycol mixture	Wheat	31.92	34	4,481.6	A
Polyacrylamide, polyethylene glycol mixture	Wheat (forage - fodder)	21.54	77	4,081.16	A
Polyacrylic polymer	Alfalfa	190.85	1,050	43,448.91	A
Polyacrylic polymer	Almond	563.4	1,371	66,487.55	A
Polyacrylic polymer	Apple	2.76	13	313.72	A
Polyacrylic polymer	Apricot	<0.01	1	1.25	A
Polyacrylic polymer	Barley	0.35	2	63.9	A
Polyacrylic polymer	Barley (forage - fodder)	0.29	5	118.0	A
Polyacrylic polymer	Basil, sweet	3.85	14	467.0	A
Polyacrylic polymer	Bean, dried	0.18	2	155.0	A
Polyacrylic polymer	Bean, unspecified	0.13	2	48.0	A
Polyacrylic polymer	Blackberry	27.7	92	998.66	A
Polyacrylic polymer	Blueberry	0.27	1	40.0	A
Polyacrylic polymer	Bok choy (choy sum, pak choi)	0.41	11	68.56	A
Polyacrylic polymer	Broccoli	20.61	171	1,720.6	A
Polyacrylic polymer	Brussels sprout	17.55	87	1,410.7	A
Polyacrylic polymer	Cabbage	22.04	547	2,662.3	A
Polyacrylic polymer	Cabbage	0.31	9	48.0	U
Polyacrylic polymer	Cantaloupe	<0.01	1	2.37	A
Polyacrylic polymer	Cauliflower	11.28	98	974.4	A
Polyacrylic polymer	Celery	5.15	16	349.3	A
Polyacrylic polymer	Cherry	1.65	10	109.42	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyacrylic polymer	Chinese broccoli (gai lon)	4.45	258	654.6	A
Polyacrylic polymer	Cilantro	0.68	4	74.1	A
Polyacrylic polymer	Citrus	0.21	2	15.52	A
Polyacrylic polymer	Commercial, institutional or industrial areas	0.29	1	14.2	A
Polyacrylic polymer	Corn (forage - fodder)	59.37	316	16,829.66	A
Polyacrylic polymer	Corn, human consumption	0.2	3	29.0	A
Polyacrylic polymer	Cotton	97.99	564	26,639.18	A
Polyacrylic polymer	Dill	3.06	12	371.0	A
Polyacrylic polymer	Ditch bank	0.91	1	33.0	A
Polyacrylic polymer	Fig	1.13	8	334.66	A
Polyacrylic polymer	Forage hay/silage	5.82	36	1,110.0	A
Polyacrylic polymer	Forest, timberland	25.19	190	3,719.25	A
Polyacrylic polymer	Gai lon	0.05	10	8.51	A
Polyacrylic polymer	Garbanzo bean	0.03	1	6.5	A
Polyacrylic polymer	Garlic	0.7	2	253.0	A
Polyacrylic polymer	Grain	0.21	3	78.0	A
Polyacrylic polymer	Grape	42.09	157	2,924.93	A
Polyacrylic polymer	Grape, wine	189.83	468	10,603.76	A
Polyacrylic polymer	Grapefruit	1.7	8	55.85	A
Polyacrylic polymer	Grass, seed	6.61	21	1,195.1	A
Polyacrylic polymer	Herb, spice	0.66	3	80.0	A
Polyacrylic polymer	Kale	0.28	2	14.1	A
Polyacrylic polymer	Landscape maintenance	57.25	N/A	N/A	N/A
Polyacrylic polymer	Lemon	20.74	63	852.25	A
Polyacrylic polymer	Lettuce, head	4.28	76	444.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyacrylic polymer	Lettuce, leaf	5.11	109	609.9	A
Polyacrylic polymer	Melon	0.08	1	28.0	A
Polyacrylic polymer	Mustard	5.14	297	752.8	A
Polyacrylic polymer	N-grnhs flower	2.92	165	224.08	A
Polyacrylic polymer	N-grnhs transplants	0.05	3	3.5	A
Polyacrylic polymer	N-outdr flower	6.37	67	471.95	A
Polyacrylic polymer	N-outdr plants in containers	0.02	1	1.5	A
Polyacrylic polymer	N-outdr transplants	4.27	3	62.5	A
Polyacrylic polymer	Oat	0.34	3	184.0	A
Polyacrylic polymer	Oat (forage - fodder)	0.48	3	130.0	A
Polyacrylic polymer	Olive	0.89	5	158.03	A
Polyacrylic polymer	Onion, dry	7.7	35	1,004.6	A
Polyacrylic polymer	Orange	125.11	369	7,123.23	A
Polyacrylic polymer	Parsley	0.61	2	74.0	A
Polyacrylic polymer	Pastureland	0.19	6	83.5	A
Polyacrylic polymer	Peach	2.05	22	344.94	A
Polyacrylic polymer	Pecan	0.16	4	20.83	A
Polyacrylic polymer	Persimmon	0.19	2	23.2	A
Polyacrylic polymer	Pistachio	219.3	438	20,913.68	A
Polyacrylic polymer	Pomegranate	2.93	13	577.82	A
Polyacrylic polymer	Pomelo	0.03	1	2.0	A
Polyacrylic polymer	Prune	1.46	5	103.0	A
Polyacrylic polymer	Raspberry	6.4	19	199.48	A
Polyacrylic polymer	Research commodity	0.31	21	21.58	A
Polyacrylic polymer	Rice	2.66	6	322.4	A
Polyacrylic polymer	Rights of way	39.33	8	803.55	A
Polyacrylic polymer	Rights of way	1,326.2	N/A	N/A	N/A
Polyacrylic polymer	Ryegrass	1.68	18	375.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyacrylic polymer	Sorghum (forage - fodder)	1.75	11	619.54	A
Polyacrylic polymer	Strawberry	434.91	599	17,264.1	A
Polyacrylic polymer	Sugarbeet	0.27	1	35.0	A
Polyacrylic polymer	Tangelo	1.54	8	75.82	A
Polyacrylic polymer	Tangerine	99.05	173	3,640.02	A
Polyacrylic polymer	Timothy	2.05	11	534.0	A
Polyacrylic polymer	Tomato	2.77	38	624.18	A
Polyacrylic polymer	Tomato, processing	13.87	37	3,792.77	A
Polyacrylic polymer	Triticale	0.94	4	342.0	A
Polyacrylic polymer	Uncultivated ag	23.84	85	1,725.05	A
Polyacrylic polymer	Uncultivated non-ag	5.05	2	582.04	A
Polyacrylic polymer	Unknown	0.41	2	24.26	A
Polyacrylic polymer	Vertebrate control	0.03	3	2.34	A
Polyacrylic polymer	Walnut	120.7	350	13,832.0	A
Polyacrylic polymer	Wheat	26.43	59	3,889.82	A
Polyacrylic polymer	Wheat (forage - fodder)	3.99	52	2,148.06	A
Polyalkene oxide modified heptamethyl trisiloxane	Alfalfa	1,625.34	2,993	150,403.59	A
Polyalkene oxide modified heptamethyl trisiloxane	Almond	8,480.84	4,481	263,004.59	A
Polyalkene oxide modified heptamethyl trisiloxane	Apple	17.6	16	102.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Apricot	2.26	28	99.45	A
Polyalkene oxide modified heptamethyl trisiloxane	Artichoke, globe	0.1	1	10.8	A
Polyalkene oxide modified heptamethyl trisiloxane	Avocado	499.48	93	2,284.13	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkene oxide modified heptamethyl trisiloxane	Basil, sweet	5.17	12	473.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Bean, dried	2.24	3	170.25	A
Polyalkene oxide modified heptamethyl trisiloxane	Bean, succulent	2.6	10	150.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Bean, unspecified	0.23	3	12.16	A
Polyalkene oxide modified heptamethyl trisiloxane	Bermudagrass	61.01	52	4,433.56	A
Polyalkene oxide modified heptamethyl trisiloxane	Blackberry	182.6	116	1,177.38	A
Polyalkene oxide modified heptamethyl trisiloxane	Blueberry	2.82	20	230.4	A
Polyalkene oxide modified heptamethyl trisiloxane	Bok choy (choy sum, pak choi)	13.02	102	806.08	A
Polyalkene oxide modified heptamethyl trisiloxane	Broccoli	265.88	934	11,584.68	A
Polyalkene oxide modified heptamethyl trisiloxane	Brussels sprout	245.19	638	9,926.28	A
Polyalkene oxide modified heptamethyl trisiloxane	Cabbage	515.09	1,608	17,431.29	A
Polyalkene oxide modified heptamethyl trisiloxane	Canola (rape)	4.67	24	98.5	A
Polyalkene oxide modified heptamethyl trisiloxane	Carrot	6.34	18	411.9	A
Polyalkene oxide modified heptamethyl trisiloxane	Cauliflower	252.27	859	10,384.65	A
Polyalkene oxide modified heptamethyl trisiloxane	Celery	598.67	1,528	21,090.82	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkene oxide modified heptamethyl trisiloxane	Cherry	156.4	272	6,870.94	A
Polyalkene oxide modified heptamethyl trisiloxane	Chinese cabbage (napa, wong bok, celery cabbage)	2.85	21	118.9	A
Polyalkene oxide modified heptamethyl trisiloxane	Chive	0.12	1	16.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Cilantro	1.76	20	155.2	A
Polyalkene oxide modified heptamethyl trisiloxane	Citrus	12.12	28	91.48	A
Polyalkene oxide modified heptamethyl trisiloxane	Collard	0.84	31	68.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Commercial, institutional or industrial areas	25.26	N/A	50.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Corn (forage - fodder)	754.98	233	12,722.84	A
Polyalkene oxide modified heptamethyl trisiloxane	Corn, human consumption	18.65	121	1,176.5	A
Polyalkene oxide modified heptamethyl trisiloxane	Cotton	382.85	645	27,739.61	A
Polyalkene oxide modified heptamethyl trisiloxane	County ag comm	3.06	N/A	N/A	N/A
Polyalkene oxide modified heptamethyl trisiloxane	Cucumber	0.18	3	16.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Dill	1.22	3	103.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Endive (escarole)	0.15	7	13.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkene oxide modified heptamethyl trisiloxane	Fennel	0.22	6	18.6	A
Polyalkene oxide modified heptamethyl trisiloxane	Fig	1.25	2	165.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Forage hay/silage	0.3	1	32.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Forest, timberland	417.92	367	8,810.78	A
Polyalkene oxide modified heptamethyl trisiloxane	Forest, timberland	38.2	2	550.0	U
Polyalkene oxide modified heptamethyl trisiloxane	Gai choy	1.08	32	65.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Gai lon	5.91	57	468.59	A
Polyalkene oxide modified heptamethyl trisiloxane	Garlic	308.17	71	4,144.3	A
Polyalkene oxide modified heptamethyl trisiloxane	Grain	0.25	1	35.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Grape	985.16	411	16,338.92	A
Polyalkene oxide modified heptamethyl trisiloxane	Grape, wine	673.68	995	26,854.5	A
Polyalkene oxide modified heptamethyl trisiloxane	Grapefruit	48.49	94	2,635.15	A
Polyalkene oxide modified heptamethyl trisiloxane	Grass, seed	16.02	34	1,736.4	A
Polyalkene oxide modified heptamethyl trisiloxane	Herb, spice	0.18	1	15.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Kale	11.24	100	608.4	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkene oxide modified heptamethyl trisiloxane	Kiwi fruit fuzzy	2.56	12	131.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Landscape maintenance	1,081.67	N/A	N/A	N/A
Polyalkene oxide modified heptamethyl trisiloxane	Leek	0.09	1	6.2	A
Polyalkene oxide modified heptamethyl trisiloxane	Lemon	553.15	199	5,751.75	A
Polyalkene oxide modified heptamethyl trisiloxane	Lettuce, head	607.57	2,696	31,787.55	A
Polyalkene oxide modified heptamethyl trisiloxane	Lettuce, leaf	385.26	2,915	29,118.62	A
Polyalkene oxide modified heptamethyl trisiloxane	Lime	13.61	7	36.8	A
Polyalkene oxide modified heptamethyl trisiloxane	Melon	13.1	25	1,282.8	A
Polyalkene oxide modified heptamethyl trisiloxane	Mustard greens	0.1	9	7.8	A
Polyalkene oxide modified heptamethyl trisiloxane	N-grnhs flower	12.39	68	69.2	A
Polyalkene oxide modified heptamethyl trisiloxane	N-grnhs flower	1.05	42	236,701.0	S
Polyalkene oxide modified heptamethyl trisiloxane	N-grnhs plants in containers	20.88	280	349.03	A
Polyalkene oxide modified heptamethyl trisiloxane	N-grnhs plants in containers	46.33	237	5,424,816.0	S
Polyalkene oxide modified heptamethyl trisiloxane	N-grnhs transplants	0.04	1	1.61	A
Polyalkene oxide modified heptamethyl trisiloxane	N-outdr flower	98.22	525	2,759.88	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkene oxide modified heptamethyl trisiloxane	N-outdr flower	0.78	1	24,000.0	S
Polyalkene oxide modified heptamethyl trisiloxane	N-outdr plants in containers	170.28	850	1,351.33	A
Polyalkene oxide modified heptamethyl trisiloxane	N-outdr plants in containers	0.11	26	117,303.0	S
Polyalkene oxide modified heptamethyl trisiloxane	N-outdr transplants	12.69	11	36.3	A
Polyalkene oxide modified heptamethyl trisiloxane	Nectarine	5.07	30	53.25	A
Polyalkene oxide modified heptamethyl trisiloxane	Oat (forage - fodder)	0.36	1	24.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Olive	38.3	41	1,328.34	A
Polyalkene oxide modified heptamethyl trisiloxane	Onion, dry	282.03	232	10,465.41	A
Polyalkene oxide modified heptamethyl trisiloxane	Orange	2,821.67	547	12,235.72	A
Polyalkene oxide modified heptamethyl trisiloxane	Parsley	0.36	8	27.65	A
Polyalkene oxide modified heptamethyl trisiloxane	Pastureland	0.35	2	90.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Peach	387.69	317	3,882.8	A
Polyalkene oxide modified heptamethyl trisiloxane	Pear	21.9	1	62.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Peas	0.96	12	75.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Pecan	13.44	17	267.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkene oxide modified heptamethyl trisiloxane	Pepper, fruiting	24.88	36	1,019.05	A
Polyalkene oxide modified heptamethyl trisiloxane	Persimmon	0.57	11	40.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Pistachio	5,134.09	1,421	107,570.48	A
Polyalkene oxide modified heptamethyl trisiloxane	Plum	6.29	21	155.25	A
Polyalkene oxide modified heptamethyl trisiloxane	Pomegranate	50.85	24	2,219.5	A
Polyalkene oxide modified heptamethyl trisiloxane	Pomelo	10.95	9	92.5	A
Polyalkene oxide modified heptamethyl trisiloxane	Prune	105.31	123	5,856.8	A
Polyalkene oxide modified heptamethyl trisiloxane	Pumpkin	0.82	3	100.5	A
Polyalkene oxide modified heptamethyl trisiloxane	Radicchio	0.61	11	51.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Rangeland	22.13	2	920.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Raspberry	234.41	75	765.94	A
Polyalkene oxide modified heptamethyl trisiloxane	Regulatory pest control	0.03	N/A	N/A	N/A
Polyalkene oxide modified heptamethyl trisiloxane	Research commodity	0.32	13	19.95	A
Polyalkene oxide modified heptamethyl trisiloxane	Research commodity	13.04	N/A	N/A	N/A
Polyalkene oxide modified heptamethyl trisiloxane	Rice	1,362.2	139	10,471.22	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkene oxide modified heptamethyl trisiloxane	Rice, wild	0.04	2	35.2	A
Polyalkene oxide modified heptamethyl trisiloxane	Rights of way	13.33	12	427.5	A
Polyalkene oxide modified heptamethyl trisiloxane	Rights of way	85.26	N/A	N/A	N/A
Polyalkene oxide modified heptamethyl trisiloxane	Ryegrass	2.53	14	217.7	A
Polyalkene oxide modified heptamethyl trisiloxane	Safflower	3.94	10	998.6	A
Polyalkene oxide modified heptamethyl trisiloxane	Sorghum (forage - fodder)	10.65	12	748.74	A
Polyalkene oxide modified heptamethyl trisiloxane	Sorghum/milo	1.22	1	86.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Spinach	0.04	1	5.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Squash	0.07	2	7.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Stone fruit	0.83	3	11.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Strawberry	1,953.84	638	16,565.83	A
Polyalkene oxide modified heptamethyl trisiloxane	Structural pest control	1.63	N/A	N/A	N/A
Polyalkene oxide modified heptamethyl trisiloxane	Sudangrass	7.13	2	470.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Sugarbeet	32.07	47	2,886.54	A
Polyalkene oxide modified heptamethyl trisiloxane	Sugarcane	0.03	1	2.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkene oxide modified heptamethyl trisiloxane	Sunflower	1.96	3	207.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Tangelo	84.72	14	443.2	A
Polyalkene oxide modified heptamethyl trisiloxane	Tangerine	858.17	264	6,248.25	A
Polyalkene oxide modified heptamethyl trisiloxane	Tomato	164.9	300	11,775.22	A
Polyalkene oxide modified heptamethyl trisiloxane	Tomato, processing	25.38	39	2,310.84	A
Polyalkene oxide modified heptamethyl trisiloxane	Turf/sod	0.6	2	86.2	A
Polyalkene oxide modified heptamethyl trisiloxane	Turnip	0.02	2	1.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Turnip greens	0.03	5	2.5	A
Polyalkene oxide modified heptamethyl trisiloxane	Uncultivated ag	15.87	59	1,200.64	A
Polyalkene oxide modified heptamethyl trisiloxane	Uncultivated non-ag	13.17	9	645.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Walnut	1,898.86	1,836	93,482.02	A
Polyalkene oxide modified heptamethyl trisiloxane	Watermelon	1.69	8	178.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Wheat	144.33	43	1,028.49	A
Polyalkene oxide modified heptamethyl trisiloxane	Wheat (forage - fodder)	2.13	3	180.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Alfalfa	19.74	9	618.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkyleneoxide modified polydimethyl-siloxane	Almond	30,694.28	2,200	105,393.31	A
Polyalkyleneoxide modified polydimethyl-siloxane	Apple	87.91	22	384.5	A
Polyalkyleneoxide modified polydimethyl-siloxane	Apricot	48.06	3	138.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Avocado	791.72	85	2,182.09	A
Polyalkyleneoxide modified polydimethyl-siloxane	Bean, dried	43.99	10	349.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Bean, succulent	0.68	1	42.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Bean, unspecified	3.34	4	81.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Blackberry	41.21	40	136.09	A
Polyalkyleneoxide modified polydimethyl-siloxane	Blueberry	1,528.48	71	762.2	A
Polyalkyleneoxide modified polydimethyl-siloxane	Brussels sprout	6.02	1	10.2	A
Polyalkyleneoxide modified polydimethyl-siloxane	Cabbage	218.74	94	828.52	A
Polyalkyleneoxide modified polydimethyl-siloxane	Cannabis (all or unspecified)	2.09	15	19.8	A
Polyalkyleneoxide modified polydimethyl-siloxane	Celery	1.5	2	2.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Cherry	629.21	189	4,079.37	A
Polyalkyleneoxide modified polydimethyl-siloxane	Citrus	277.92	14	578.35	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkyleneoxide modified polydimethyl-siloxane	Collard	1.76	1	3.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Corn (forage - fodder)	171.12	55	2,102.92	A
Polyalkyleneoxide modified polydimethyl-siloxane	Corn, grain	0.56	1	14.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Cucumber	2.93	2	46.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Garlic	42.1	6	518.7	A
Polyalkyleneoxide modified polydimethyl-siloxane	Grape	107.85	61	1,156.4	A
Polyalkyleneoxide modified polydimethyl-siloxane	Grape, wine	1,295.67	374	7,346.94	A
Polyalkyleneoxide modified polydimethyl-siloxane	Grapefruit	24.04	11	180.6	A
Polyalkyleneoxide modified polydimethyl-siloxane	Kale	27.92	6	36.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Landscape maintenance	43.52	N/A	N/A	N/A
Polyalkyleneoxide modified polydimethyl-siloxane	Lemon	339.52	36	1,069.14	A
Polyalkyleneoxide modified polydimethyl-siloxane	Lettuce, head	9.7	16	155.29	A
Polyalkyleneoxide modified polydimethyl-siloxane	Lettuce, leaf	0.42	1	10.35	A
Polyalkyleneoxide modified polydimethyl-siloxane	N-grnhs transplants	7.2	67	58.29	A
Polyalkyleneoxide modified polydimethyl-siloxane	N-outdr flower	11.58	2	58.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyalkyleneoxide modified polydimethyl-siloxane	N-outdr plants in containers	1,051.86	117	1,508.99	A
Polyalkyleneoxide modified polydimethyl-siloxane	Nectarine	68.01	4	12.5	A
Polyalkyleneoxide modified polydimethyl-siloxane	Oat (forage - fodder)	2.67	1	75.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Olive	88.65	12	424.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Onion, dry	1.17	2	19.22	A
Polyalkyleneoxide modified polydimethyl-siloxane	Orange	881.2	225	4,192.77	A
Polyalkyleneoxide modified polydimethyl-siloxane	Pastureland	1.0	1	13.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Peach	328.11	144	1,475.66	A
Polyalkyleneoxide modified polydimethyl-siloxane	Pear	272.61	16	350.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Pecan	133.17	13	525.1	A
Polyalkyleneoxide modified polydimethyl-siloxane	Pepper, fruiting	7.31	3	28.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Pistachio	1,892.74	127	7,017.24	A
Polyalkyleneoxide modified polydimethyl-siloxane	Plum	153.79	5	46.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Pluot	0.28	1	10.5	A
Polyalkyleneoxide modified polydimethyl-siloxane	Prune	150.53	28	886.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyalkyleneoxide modified polydimethyl-siloxane	Pumpkin	38.09	4	121.6	A
Polyalkyleneoxide modified polydimethyl-siloxane	Raspberry	14.14	10	29.31	A
Polyalkyleneoxide modified polydimethyl-siloxane	Research commodity	2.92	1	7.5	A
Polyalkyleneoxide modified polydimethyl-siloxane	Rights of way	2.06	8	710.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Rights of way	131.51	N/A	N/A	N/A
Polyalkyleneoxide modified polydimethyl-siloxane	Sorghum/milo	4.21	2	101.6	A
Polyalkyleneoxide modified polydimethyl-siloxane	Squash	1.09	1	25.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Strawberry	12,014.18	611	17,641.84	A
Polyalkyleneoxide modified polydimethyl-siloxane	Sunflower	4.84	4	243.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Tangerine	5,730.12	516	16,114.21	A
Polyalkyleneoxide modified polydimethyl-siloxane	Tomato	37.03	7	883.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Tomato, processing	1,313.6	177	9,117.99	A
Polyalkyleneoxide modified polydimethyl-siloxane	Uncultivated ag	1.09	1	80.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Unknown	2.34	1	45.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Walnut	12,950.77	1,174	60,419.32	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyalkyleneoxide modified polydimethyl-siloxane	Watermelon	457.43	52	2,851.0	A
Polyalkyleneoxide modified polydimethyl-siloxane	Wheat (forage - fodder)	9.2	5	258.0	A
Polybutenes	Alfalfa	1,619.08	880	53,957.91	A
Polybutenes	Almond	24,449.72	4,497	230,903.23	A
Polybutenes	Apple	56.24	26	707.8	A
Polybutenes	Apricot	60.65	46	1,297.9	A
Polybutenes	Artichoke, globe	145.29	149	2,370.87	A
Polybutenes	Arugula	19.45	60	801.67	A
Polybutenes	Asparagus	2.37	5	55.0	A
Polybutenes	Bean, dried	131.55	34	2,989.0	A
Polybutenes	Bean, succulent	6.3	3	214.0	A
Polybutenes	Bean, unspecified	0.87	2	34.0	A
Polybutenes	Beet	0.07	1	1.96	A
Polybutenes	Bermudagrass	52.17	33	1,634.8	A
Polybutenes	Blackberry	22.9	30	413.4	A
Polybutenes	Blueberry	88.85	71	1,557.46	A
Polybutenes	Bok choy (choy sum, pak choi)	74.22	427	931.04	A
Polybutenes	Broccoli	1,313.28	1,583	16,005.84	A
Polybutenes	Brussels sprout	482.18	351	3,875.12	A
Polybutenes	Cabbage	551.17	862	9,169.29	A
Polybutenes	Cantaloupe	92.56	69	3,130.0	A
Polybutenes	Carrot	1,297.31	221	14,121.43	A
Polybutenes	Cauliflower	523.63	612	6,614.26	A
Polybutenes	Celery	587.56	650	8,566.55	A
Polybutenes	Cherry	803.85	475	10,599.17	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polybutenes	Chinese cabbage (napa, wong bok, celery cabbage)	385.83	677	3,569.7	A
Polybutenes	Cilantro	17.31	21	337.49	A
Polybutenes	Citrus	12.96	11	159.0	A
Polybutenes	Collard	19.73	85	322.2	A
Polybutenes	Corn (forage - fodder)	296.11	157	6,869.46	A
Polybutenes	Corn, human consumption	5.26	6	102.0	A
Polybutenes	Cotton	378.97	226	12,318.17	A
Polybutenes	Eggplant	15.67	22	369.0	A
Polybutenes	Endive (escarole)	2.49	47	90.51	A
Polybutenes	Fennel	1.03	4	17.5	A
Polybutenes	Forage hay/silage	3.8	1	70.0	A
Polybutenes	Garlic	117.88	21	1,779.9	A
Polybutenes	Grape	925.19	830	21,122.21	A
Polybutenes	Grape, wine	1,762.56	748	25,457.58	A
Polybutenes	Grapefruit	212.13	66	1,194.06	A
Polybutenes	Kale	48.74	241	1,041.21	A
Polybutenes	Landscape maintenance	2.72	N/A	N/A	N/A
Polybutenes	Leek	3.42	17	44.25	A
Polybutenes	Lemon	760.98	284	5,890.65	A
Polybutenes	Lettuce, head	1,357.15	1,975	24,250.64	A
Polybutenes	Lettuce, leaf	1,849.01	2,789	33,939.17	A
Polybutenes	Melon	27.41	21	970.0	A
Polybutenes	Melon	<0.01	2	5,220.0	S
Polybutenes	Mizuna	11.23	77	446.6	A
Polybutenes	Mustard	1.48	11	40.91	A
Polybutenes	Mustard greens	0.41	4	4.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polybutenes	N-grnhs plants in containers	0.86	6	11.85	A
Polybutenes	N-outdr flower	1.16	11	14.5	A
Polybutenes	N-outdr plants in containers	3.16	5	79.5	A
Polybutenes	N-outdr transplants	101.44	195	2,324.78	A
Polybutenes	Nectarine	532.56	500	3,896.75	A
Polybutenes	Oat	3.23	4	477.0	A
Polybutenes	Oat (forage - fodder)	5.23	6	220.0	A
Polybutenes	Olive	307.6	65	2,470.04	A
Polybutenes	Onion, dry	13.63	17	462.98	A
Polybutenes	Orange	6,048.76	2,231	46,358.76	A
Polybutenes	Parsley	7.79	47	80.85	A
Polybutenes	Peach	623.02	693	7,725.75	A
Polybutenes	Pear	286.89	114	4,542.35	A
Polybutenes	Pear, asian (oriental pear, ya, ya li, nashi)	1.5	5	35.0	A
Polybutenes	Pecan	50.31	37	454.46	A
Polybutenes	Pepper, fruiting	99.33	157	5,599.48	A
Polybutenes	Pepper, fruiting	<0.01	1	1,215.0	S
Polybutenes	Pepper, spice	8.29	24	185.54	A
Polybutenes	Persimmon	5.01	14	66.55	A
Polybutenes	Pistachio	6,207.31	1,031	72,732.18	A
Polybutenes	Plum	85.88	138	1,375.97	A
Polybutenes	Pomegranate	33.75	35	608.03	A
Polybutenes	Pomelo	17.58	13	97.5	A
Polybutenes	Potato	1.45	2	75.0	A
Polybutenes	Prune	17.65	9	554.0	A
Polybutenes	Pumpkin	4.47	5	93.0	A
Polybutenes	Quince	0.86	4	20.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polybutenes	Radish	0.57	1	18.63	A
Polybutenes	Raspberry	93.47	173	1,293.19	A
Polybutenes	Research commodity	3.23	21	35.0	A
Polybutenes	Research commodity	0.47	N/A	N/A	N/A
Polybutenes	Rice	106.54	37	2,804.34	A
Polybutenes	Rights of way	3.28	3	111.0	A
Polybutenes	Rights of way	28.08	N/A	N/A	N/A
Polybutenes	Rye	7.37	1	135.7	A
Polybutenes	Sesame, seed	0.47	1	5.0	A
Polybutenes	Soil fumigation/preplant	0.07	1	2.5	A
Polybutenes	Spinach	54.3	103	1,944.94	A
Polybutenes	Squash, summer	0.32	3	54.0	A
Polybutenes	Squash, winter	0.3	1	15.4	A
Polybutenes	Squash, zucchini	0.03	3	0.6	A
Polybutenes	Strawberry	984.83	504	13,445.12	A
Polybutenes	Structural pest control	58.42	N/A	N/A	N/A
Polybutenes	Sugarbeet	137.24	89	5,233.26	A
Polybutenes	Sunflower	0.05	1	0.5	A
Polybutenes	Sweet potato	3.23	6	119.0	A
Polybutenes	Swiss chard	14.65	56	606.4	A
Polybutenes	Tangelo	240.56	64	1,390.47	A
Polybutenes	Tangerine	2,932.81	1,347	25,340.06	A
Polybutenes	Tomato	5.4	2	75.5	A
Polybutenes	Tomato	<0.01	2	5,040.0	S
Polybutenes	Tomato, processing	155.07	52	4,375.1	A
Polybutenes	Triticale	13.37	10	473.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polybutenes	Uncultivated ag	40.97	27	496.85	A
Polybutenes	Vertebrate control	34.75	N/A	N/A	N/A
Polybutenes	Walnut	3,115.62	966	31,386.58	A
Polybutenes	Water area	0.27	N/A	25.0	A
Polybutenes	Watermelon	59.44	45	2,247.5	A
Polybutenes	Wheat	280.94	109	6,399.78	A
Polybutenes	Wheat (forage - fodder)	61.01	68	3,168.6	A
Polyether modified polysiloxane	Alfalfa	825.38	501	27,211.01	A
Polyether modified polysiloxane	Almond	30,935.91	4,360	226,431.58	A
Polyether modified polysiloxane	Apple	110.52	37	787.99	A
Polyether modified polysiloxane	Apricot	2.95	9	116.52	A
Polyether modified polysiloxane	Artichoke, globe	106.34	60	355.7	A
Polyether modified polysiloxane	Arugula	29.08	63	398.1	A
Polyether modified polysiloxane	Avocado	131.89	20	440.0	A
Polyether modified polysiloxane	Bean, dried	21.51	27	940.0	A
Polyether modified polysiloxane	Bean, succulent	44.56	53	1,474.15	A
Polyether modified polysiloxane	Bean, unspecified	3.11	19	196.7	A
Polyether modified polysiloxane	Beet	78.72	101	644.45	A
Polyether modified polysiloxane	Bermudagrass	2.25	4	304.0	A
Polyether modified polysiloxane	Blackberry	161.36	61	641.66	A
Polyether modified polysiloxane	Blueberry	318.03	35	1,444.5	A
Polyether modified polysiloxane	Bok choy (choy sum, pak choi)	30.37	204	950.45	A
Polyether modified polysiloxane	Broccoli	1,237.68	2,260	24,083.15	A
Polyether modified polysiloxane	Brussels sprout	215.73	430	6,208.4	A
Polyether modified polysiloxane	Cabbage	588.24	1,277	13,096.8	A
Polyether modified polysiloxane	Cannabis (all or unspecified)	629.34	440	2,752.43	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyether modified polysiloxane	Cannabis (all or unspecified)	45.45	227	1,161,587.0	S
Polyether modified polysiloxane	Cannabis (all or unspecified)	20.32	50	708.0	U
Polyether modified polysiloxane	Cantaloupe	24.28	16	514.8	A
Polyether modified polysiloxane	Carrot	136.99	135	1,724.42	A
Polyether modified polysiloxane	Cauliflower	529.33	1,137	9,431.26	A
Polyether modified polysiloxane	Celeriac	4.78	18	82.58	A
Polyether modified polysiloxane	Celery	1,227.61	1,761	13,475.46	A
Polyether modified polysiloxane	Cherry	306.14	232	3,023.85	A
Polyether modified polysiloxane	Chinese cabbage (napa, wong bok, celery cabbage)	18.34	115	680.14	A
Polyether modified polysiloxane	Cilantro	15.73	296	1,021.6	A
Polyether modified polysiloxane	Citrus	59.39	9	114.0	A
Polyether modified polysiloxane	Collard	3.52	40	10.63	A
Polyether modified polysiloxane	Corn (forage - fodder)	510.4	405	19,497.85	A
Polyether modified polysiloxane	Corn, human consumption	2,017.77	883	47,265.3	A
Polyether modified polysiloxane	Cotton	265.75	102	11,490.0	A
Polyether modified polysiloxane	Cucumber	3.79	6	67.6	A
Polyether modified polysiloxane	Cucumber	28.63	28	858,000.0	S
Polyether modified polysiloxane	Endive (escarole)	15.19	174	584.41	A
Polyether modified polysiloxane	Fennel	0.47	4	22.5	A
Polyether modified polysiloxane	Fig	25.07	3	141.0	A
Polyether modified polysiloxane	Forage hay/silage	19.11	7	592.0	A
Polyether modified polysiloxane	Gai lon	0.49	18	16.91	A
Polyether modified polysiloxane	Garlic	256.26	121	4,071.7	A
Polyether modified polysiloxane	Grape	608.86	168	6,721.57	A
Polyether modified polysiloxane	Grape, wine	3,619.71	921	23,890.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyether modified polysiloxane	Grapefruit	554.57	46	966.9	A
Polyether modified polysiloxane	Kale	92.97	340	1,988.77	A
Polyether modified polysiloxane	Kiwi fruit fuzzy	406.73	107	1,702.6	A
Polyether modified polysiloxane	Kohlrabi	10.43	34	286.08	A
Polyether modified polysiloxane	Landscape maintenance	0.36	2	12.0	A
Polyether modified polysiloxane	Landscape maintenance	33.73	N/A	N/A	N/A
Polyether modified polysiloxane	Leek	14.65	121	491.88	A
Polyether modified polysiloxane	Lemon	1,718.74	176	5,233.61	A
Polyether modified polysiloxane	Lettuce, head	1,021.31	2,792	28,514.08	A
Polyether modified polysiloxane	Lettuce, leaf	1,964.03	4,968	41,852.23	A
Polyether modified polysiloxane	Lettuce, leaf	0.16	5	10,000.0	S
Polyether modified polysiloxane	Melon	11.93	7	178.97	A
Polyether modified polysiloxane	Mizuna	5.03	29	40.35	A
Polyether modified polysiloxane	Mustard greens	1.93	32	100.91	A
Polyether modified polysiloxane	N-grnhs flower	1.95	1	72.3	A
Polyether modified polysiloxane	N-grnhs flower	2.28	57	655,352.0	S
Polyether modified polysiloxane	N-grnhs plants in containers	31.28	170	69.8	A
Polyether modified polysiloxane	N-grnhs plants in containers	4.2	100	185,590.0	S
Polyether modified polysiloxane	N-grnhs transplants	65.09	304	16,351.45	A
Polyether modified polysiloxane	N-grnhs transplants	5.7	132	711,550.0	S
Polyether modified polysiloxane	N-outdr plants in containers	7.49	3	114.0	A
Polyether modified polysiloxane	N-outdr transplants	2.61	10	24.5	A
Polyether modified polysiloxane	Nectarine	1,833.96	90	1,230.7	A
Polyether modified polysiloxane	Oat	0.38	1	10.0	A
Polyether modified polysiloxane	Oat (forage - fodder)	2.35	11	229.75	A
Polyether modified polysiloxane	Olive	39.16	7	318.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyether modified polysiloxane	Onion, dry	1,512.32	258	12,302.37	A
Polyether modified polysiloxane	Orange	4,113.18	326	6,698.58	A
Polyether modified polysiloxane	Orchardgrass	0.8	1	70.0	A
Polyether modified polysiloxane	Parsley	28.96	94	1,068.55	A
Polyether modified polysiloxane	Pastureland	0.46	1	20.0	A
Polyether modified polysiloxane	Peach	951.57	476	7,137.45	A
Polyether modified polysiloxane	Pear	8.62	4	38.2	A
Polyether modified polysiloxane	Pear, asian (oriental pear, ya, ya li, nashi)	1.02	1	4.0	A
Polyether modified polysiloxane	Peas	64.22	161	1,492.11	A
Polyether modified polysiloxane	Pecan	45.59	17	757.7	A
Polyether modified polysiloxane	Pepper, fruiting	78.46	70	1,711.6	A
Polyether modified polysiloxane	Pepper, spice	2.67	6	93.9	A
Polyether modified polysiloxane	Persimmon	0.11	1	1.0	A
Polyether modified polysiloxane	Pistachio	4,978.71	545	39,677.01	A
Polyether modified polysiloxane	Plum	93.06	27	600.9	A
Polyether modified polysiloxane	Pomegranate	24.75	1	96.5	A
Polyether modified polysiloxane	Pomelo	3.99	1	5.0	A
Polyether modified polysiloxane	Potato	39.89	43	1,944.25	A
Polyether modified polysiloxane	Prune	374.15	88	2,484.4	A
Polyether modified polysiloxane	Pumpkin	5.19	7	119.5	A
Polyether modified polysiloxane	Quince	5.63	5	24.0	A
Polyether modified polysiloxane	Radicchio	11.58	57	413.46	A
Polyether modified polysiloxane	Radish	31.74	371	1,074.65	A
Polyether modified polysiloxane	Rangeland	16.96	7	918.5	A
Polyether modified polysiloxane	Raspberry	76.38	29	243.14	A
Polyether modified polysiloxane	Research commodity	1.0	N/A	N/A	N/A
Polyether modified polysiloxane	Rice	214.75	81	5,734.1	A
Polyether modified polysiloxane	Rights of way	10.68	48	323.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyether modified polysiloxane	Rights of way	23.92	N/A	N/A	N/A
Polyether modified polysiloxane	Rye	6.02	7	320.0	A
Polyether modified polysiloxane	Soil fumigation/preplant	47.82	9	954.4	A
Polyether modified polysiloxane	Sorghum (forage - fodder)	1.9	2	76.0	A
Polyether modified polysiloxane	Sorghum/milo	10.1	7	537.86	A
Polyether modified polysiloxane	Spinach	8.29	9	101.86	A
Polyether modified polysiloxane	Squash	5.57	8	74.37	A
Polyether modified polysiloxane	Squash, summer	0.82	3	44.0	A
Polyether modified polysiloxane	Squash, winter	8.5	2	68.0	A
Polyether modified polysiloxane	Strawberry	9,271.05	675	14,968.21	A
Polyether modified polysiloxane	Sudangrass	5.64	4	251.4	A
Polyether modified polysiloxane	Sugarbeet	10.12	9	457.0	A
Polyether modified polysiloxane	Sunflower	0.55	4	39.74	A
Polyether modified polysiloxane	Sweet potato	7.09	8	267.0	A
Polyether modified polysiloxane	Swiss chard	4.75	34	78.93	A
Polyether modified polysiloxane	Tangelo	374.62	36	742.39	A
Polyether modified polysiloxane	Tangerine	4,045.33	230	5,009.74	A
Polyether modified polysiloxane	Tomato	16.68	21	324.5	A
Polyether modified polysiloxane	Tomato	5.27	29	583,000.0	S
Polyether modified polysiloxane	Tomato, processing	2,085.8	147	12,513.29	A
Polyether modified polysiloxane	Triticale	11.02	8	417.48	A
Polyether modified polysiloxane	Turnip	0.91	14	49.37	A
Polyether modified polysiloxane	Uncultivated ag	91.39	267	1,793.42	A
Polyether modified polysiloxane	Uncultivated non-ag	4.33	11	168.9	A
Polyether modified polysiloxane	Vegetables, leafy	0.04	3	0.48	A
Polyether modified polysiloxane	Vegetables, leafy	0.2	6	12,000.0	S
Polyether modified polysiloxane	Walnut	8,438.96	1,873	67,324.03	A
Polyether modified polysiloxane	Watermelon	60.68	23	1,049.61	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyether modified polysiloxane	Wheat	31.72	58	1,126.1	A
Polyether modified polysiloxane	Wheat (forage - fodder)	271.05	124	8,247.98	A
Polyethoxylated castor oil	Alfalfa	727.14	371	21,400.19	A
Polyethoxylated castor oil	Almond	5,294.53	1,915	108,385.12	A
Polyethoxylated castor oil	Apple	3.22	4	41.0	A
Polyethoxylated castor oil	Apricot	0.28	1	6.67	A
Polyethoxylated castor oil	Artichoke, globe	98.02	81	1,086.0	A
Polyethoxylated castor oil	Broccoli	42.04	73	1,571.15	A
Polyethoxylated castor oil	Brussels sprout	97.91	85	1,101.85	A
Polyethoxylated castor oil	Cabbage	31.5	59	1,648.8	A
Polyethoxylated castor oil	Carrot	2.13	2	142.0	A
Polyethoxylated castor oil	Cauliflower	67.46	94	2,251.6	A
Polyethoxylated castor oil	Celery	46.43	66	511.7	A
Polyethoxylated castor oil	Cherry	92.79	70	973.18	A
Polyethoxylated castor oil	Chinese cabbage (napa, wong bok, celery cabbage)	1.33	3	14.8	A
Polyethoxylated castor oil	Corn (forage - fodder)	179.68	227	12,656.83	A
Polyethoxylated castor oil	Corn, human consumption	628.84	626	36,532.4	A
Polyethoxylated castor oil	Cotton	86.18	101	11,352.0	A
Polyethoxylated castor oil	Fennel	18.66	49	221.3	A
Polyethoxylated castor oil	Fig	8.36	3	141.0	A
Polyethoxylated castor oil	Forage hay/silage	14.44	4	234.0	A
Polyethoxylated castor oil	Garlic	13.75	11	1,645.0	A
Polyethoxylated castor oil	Grape	126.1	119	5,257.68	A
Polyethoxylated castor oil	Grape, wine	3,351.71	1,570	23,138.4	A
Polyethoxylated castor oil	Grapefruit	7.07	10	237.0	A
Polyethoxylated castor oil	Kiwi fruit fuzzy	14.19	24	269.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethoxylated castor oil	Landscape maintenance	23.3	N/A	N/A	N/A
Polyethoxylated castor oil	Lemon	102.7	93	3,279.6	A
Polyethoxylated castor oil	Lettuce, head	95.25	212	2,901.3	A
Polyethoxylated castor oil	Lettuce, leaf	135.24	292	4,944.25	A
Polyethoxylated castor oil	Mint	110.1	13	798.0	A
Polyethoxylated castor oil	N-outdr plants in containers	2.66	3	93.0	A
Polyethoxylated castor oil	Oat	0.13	1	10.0	A
Polyethoxylated castor oil	Oat (forage - fodder)	0.32	7	75.75	A
Polyethoxylated castor oil	Olive	27.91	9	162.5	A
Polyethoxylated castor oil	Onion, dry	43.48	41	2,682.5	A
Polyethoxylated castor oil	Orange	30.97	26	897.6	A
Polyethoxylated castor oil	Pastureland	15.01	9	430.0	A
Polyethoxylated castor oil	Peach	152.56	137	2,276.03	A
Polyethoxylated castor oil	Pear	116.57	17	333.3	A
Polyethoxylated castor oil	Pecan	0.53	2	11.6	A
Polyethoxylated castor oil	Persimmon	0.04	1	1.0	A
Polyethoxylated castor oil	Pistachio	731.62	187	12,084.01	A
Polyethoxylated castor oil	Plum	1.71	1	15.0	A
Polyethoxylated castor oil	Potato	215.14	30	1,820.6	A
Polyethoxylated castor oil	Prune	80.55	69	1,256.4	A
Polyethoxylated castor oil	Pumpkin	1.6	3	98.0	A
Polyethoxylated castor oil	Quince	0.17	1	4.0	A
Polyethoxylated castor oil	Radicchio	0.45	5	216.0	A
Polyethoxylated castor oil	Rangeland	5.57	5	908.0	A
Polyethoxylated castor oil	Rice	58.11	42	3,143.1	A
Polyethoxylated castor oil	Rights of way	1.76	14	70.0	A
Polyethoxylated castor oil	Rights of way	26.73	N/A	N/A	N/A
Polyethoxylated castor oil	Rye	2.01	7	320.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethoxylated castor oil	Soil fumigation/preplant	15.94	9	954.4	A
Polyethoxylated castor oil	Sorghum (forage - fodder)	0.63	2	76.0	A
Polyethoxylated castor oil	Sorghum/milo	3.37	7	537.86	A
Polyethoxylated castor oil	Spinach	12.93	21	142.5	A
Polyethoxylated castor oil	Squash	0.31	2	30.0	A
Polyethoxylated castor oil	Stone fruit	2.07	4	66.0	A
Polyethoxylated castor oil	Sudangrass	1.88	4	251.4	A
Polyethoxylated castor oil	Sugarbeet	1.98	2	68.0	A
Polyethoxylated castor oil	Sunflower	54.22	4	309.0	A
Polyethoxylated castor oil	Sweet potato	2.36	8	267.0	A
Polyethoxylated castor oil	Tangelo	0.87	2	38.0	A
Polyethoxylated castor oil	Tangerine	21.14	13	668.0	A
Polyethoxylated castor oil	Tomato, processing	32.77	21	1,288.49	A
Polyethoxylated castor oil	Triticale	3.13	5	373.68	A
Polyethoxylated castor oil	Uncultivated ag	584.78	270	3,245.48	A
Polyethoxylated castor oil	Uncultivated non-ag	48.32	22	596.9	A
Polyethoxylated castor oil	Walnut	1,478.15	749	22,405.71	A
Polyethoxylated castor oil	Water area	49.24	15	57.2	A
Polyethoxylated castor oil	Watermelon	13.39	10	813.0	A
Polyethoxylated castor oil	Wheat	10.57	58	1,126.1	A
Polyethoxylated castor oil	Wheat (forage - fodder)	109.72	124	8,381.98	A
Polyethylene glycol	Alfalfa	3,528.22	1,164	59,549.09	A
Polyethylene glycol	Almond	62,758.62	4,460	213,830.69	A
Polyethylene glycol	Apple	189.76	29	337.66	A
Polyethylene glycol	Apricot	53.45	37	412.65	A
Polyethylene glycol	Artichoke, globe	2.02	2	20.0	A
Polyethylene glycol	Avocado	5.96	6	295.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol	Barley	30.25	15	1,594.0	A
Polyethylene glycol	Barley (forage - fodder)	15.77	6	394.1	A
Polyethylene glycol	Bean, dried	45.9	23	1,012.0	A
Polyethylene glycol	Bean, succulent	18.01	21	380.3	A
Polyethylene glycol	Bermudagrass	49.05	9	653.0	A
Polyethylene glycol	Blackberry	1.88	1	30.0	A
Polyethylene glycol	Blueberry	41.79	29	718.5	A
Polyethylene glycol	Broccoli	35.95	17	501.2	A
Polyethylene glycol	Cabbage	0.81	11	52.8	A
Polyethylene glycol	Cantaloupe	10.65	5	494.2	A
Polyethylene glycol	Carrot	11.85	4	178.5	A
Polyethylene glycol	Cauliflower	0.06	1	5.0	A
Polyethylene glycol	Celery	1.33	1	6.6	A
Polyethylene glycol	Cherry	2,325.52	550	9,060.29	A
Polyethylene glycol	Christmas tree	5.29	7	67.5	A
Polyethylene glycol	Citrus	36.72	6	447.87	A
Polyethylene glycol	Collard	5.74	9	234.3	A
Polyethylene glycol	Corn (forage - fodder)	2,854.39	900	40,608.23	A
Polyethylene glycol	Corn, grain	234.52	301	9,273.5	A
Polyethylene glycol	Corn, human consumption	1,729.11	936	21,693.36	A
Polyethylene glycol	Cotton	1,013.39	356	22,351.55	A
Polyethylene glycol	Cucumber	27.84	14	408.8	A
Polyethylene glycol	Date	2.98	3	45.0	A
Polyethylene glycol	Ditch bank	127.85	1	92.0	A
Polyethylene glycol	Eggplant	6.63	2	50.0	A
Polyethylene glycol	Forage hay/silage	150.99	39	2,251.1	A
Polyethylene glycol	Forage hay/silage	3.46	4	79.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol	Forest, timberland	0.93	10	11.75	A
Polyethylene glycol	Garlic	123.14	17	1,383.6	A
Polyethylene glycol	Grain	1.48	2	18.0	A
Polyethylene glycol	Grape	5,241.58	1,205	40,059.81	A
Polyethylene glycol	Grape, wine	12,364.49	2,501	97,835.57	A
Polyethylene glycol	Grapefruit	44.63	12	265.32	A
Polyethylene glycol	Kumquat	2.59	1	20.84	A
Polyethylene glycol	Landscape maintenance	403.34	N/A	N/A	N/A
Polyethylene glycol	Lemon	511.19	102	3,272.71	A
Polyethylene glycol	Lettuce, leaf	50.24	11	645.5	A
Polyethylene glycol	Lime	13.96	3	111.0	A
Polyethylene glycol	N-grnhs flower	5.3	N/A	24.0	A
Polyethylene glycol	N-grnhs plants in containers	7.46	10	6.0	A
Polyethylene glycol	N-outdr plants in containers	5.41	7	56.0	A
Polyethylene glycol	N-outdr transplants	71.52	36	336.22	A
Polyethylene glycol	Nectarine	576.25	341	1,967.34	A
Polyethylene glycol	Oat	82.97	25	715.1	A
Polyethylene glycol	Oat (forage - fodder)	694.08	272	10,253.99	A
Polyethylene glycol	Olive	47.8	7	277.7	A
Polyethylene glycol	Onion, dry	540.11	99	7,256.5	A
Polyethylene glycol	Orange	702.12	172	3,172.18	A
Polyethylene glycol	Pastureland	208.16	30	2,169.5	A
Polyethylene glycol	Peach	2,051.07	693	7,325.64	A
Polyethylene glycol	Pear	114.14	37	454.69	A
Polyethylene glycol	Pear, asian (oriental pear, ya, ya li, nashi)	7.76	7	52.5	A
Polyethylene glycol	Pecan	342.24	19	638.78	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol	Pepper, fruiting	17.63	10	143.33	A
Polyethylene glycol	Persimmon	7.01	11	42.09	A
Polyethylene glycol	Pistachio	6,068.27	550	34,418.77	A
Polyethylene glycol	Plum	359.69	201	2,002.21	A
Polyethylene glycol	Pomegranate	242.08	41	1,786.45	A
Polyethylene glycol	Pomelo	0.19	1	1.5	A
Polyethylene glycol	Prune	3,425.56	164	6,583.91	A
Polyethylene glycol	Pumpkin	83.79	27	772.0	A
Polyethylene glycol	Quince	4.87	5	18.5	A
Polyethylene glycol	Rangeland	14.63	5	122.8	A
Polyethylene glycol	Rape (leafy vegetable)	0.32	1	3.0	A
Polyethylene glycol	Research commodity	56.69	50	198.92	A
Polyethylene glycol	Research commodity	<0.01	N/A	N/A	N/A
Polyethylene glycol	Rice	2,447.42	848	61,846.85	A
Polyethylene glycol	Rice, wild	4.9	3	159.5	A
Polyethylene glycol	Rights of way	105.65	20	720.5	A
Polyethylene glycol	Rights of way	2,583.49	N/A	N/A	N/A
Polyethylene glycol	Ryegrass	58.61	36	1,226.1	A
Polyethylene glycol	Safflower	2.04	3	65.0	A
Polyethylene glycol	Soil fumigation/preplant	37.6	7	512.24	A
Polyethylene glycol	Sorghum (forage - fodder)	228.88	35	2,697.0	A
Polyethylene glycol	Sorghum/milo	46.59	7	700.0	A
Polyethylene glycol	Squash	2.18	4	69.0	A
Polyethylene glycol	Squash, summer	7.95	4	60.0	A
Polyethylene glycol	Squash, winter	4.09	2	104.0	A
Polyethylene glycol	Strawberry	467.67	116	2,558.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol	Sudangrass	78.21	28	1,259.0	A
Polyethylene glycol	Sugarbeet	22.27	8	541.5	A
Polyethylene glycol	Sunflower	187.43	73	3,384.51	A
Polyethylene glycol	Sweet potato	16.44	5	62.0	A
Polyethylene glycol	Tangelo	29.58	10	149.66	A
Polyethylene glycol	Tangerine	362.1	115	1,864.26	A
Polyethylene glycol	Tomato	135.86	57	2,553.32	A
Polyethylene glycol	Tomato, processing	2,457.22	721	37,372.38	A
Polyethylene glycol	Triticale	377.89	78	3,835.08	A
Polyethylene glycol	Turf/sod	0.4	1	3.0	A
Polyethylene glycol	Turnip	0.19	2	7.6	A
Polyethylene glycol	Uncultivated ag	481.8	196	7,469.74	A
Polyethylene glycol	Uncultivated non-ag	6.32	4	35.2	A
Polyethylene glycol	Unknown	1.06	1	16.0	A
Polyethylene glycol	Walnut	11,357.87	1,279	39,832.03	A
Polyethylene glycol	Watermelon	213.7	18	662.5	A
Polyethylene glycol	Wheat	603.74	196	10,961.83	A
Polyethylene glycol	Wheat (forage - fodder)	860.92	275	13,856.19	A
Polyethylene glycol diacetate	Almond	12.81	15	1,600.57	A
Polyethylene glycol diacetate	Cherry	0.11	1	16.5	A
Polyethylene glycol diacetate	Forest, timberland	2.63	10	499.1	A
Polyethylene glycol diacetate	Grape	0.39	2	49.5	A
Polyethylene glycol diacetate	Grape, wine	29.7	341	8,318.75	A
Polyethylene glycol diacetate	Landscape maintenance	0.42	N/A	N/A	N/A
Polyethylene glycol diacetate	Lemon	0.16	1	13.0	A
Polyethylene glycol diacetate	Nectarine	0.06	2	7.5	A
Polyethylene glycol diacetate	Orange	0.7	6	75.5	A
Polyethylene glycol diacetate	Peach	0.93	3	115.06	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol diacetate	Pecan	0.32	1	30.0	A
Polyethylene glycol diacetate	Pistachio	16.79	19	2,429.4	A
Polyethylene glycol diacetate	Regulatory pest control	0.01	N/A	N/A	N/A
Polyethylene glycol diacetate	Rice	0.9	10	1,177.2	A
Polyethylene glycol diacetate	Rights of way	2.55	N/A	N/A	N/A
Polyethylene glycol diacetate	Tangerine	0.36	5	57.0	A
Polyethylene glycol diacetate	Walnut	12.01	66	2,579.5	A
Polyethylene glycol ditallate	Almond	3.15	27	940.17	A
Polyethylene glycol ditallate	Corn (forage - fodder)	1.43	4	552.0	A
Polyethylene glycol ditallate	Cotton	0.83	5	215.0	A
Polyethylene glycol ditallate	Fig	0.37	4	143.4	A
Polyethylene glycol ditallate	Grape	2.68	16	774.36	A
Polyethylene glycol ditallate	Grape, wine	0.21	2	64.0	A
Polyethylene glycol ditallate	Pistachio	3.81	31	1,944.77	A
Polyethylene glycol ditallate	Sod farm (turf)	0.02	2	16.5	A
Polyethylene glycol ditallate	Strawberry	0.17	2	64.0	A
Polyethylene glycol ditallate	Turf/sod	0.1	3	79.6	A
Polyethylene glycol ditallate	Walnut	0.21	3	102.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Alfalfa	13.08	6	468.8	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Almond	1,943.31	273	21,659.72	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Apricot	3.13	2	20.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Artichoke, globe	16.21	28	148.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Arugula	1.49	17	32.9	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Avocado	66.19	19	349.45	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Basil, sweet	1.1	1	2.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Bean, succulent	1.67	5	20.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Bean, unspecified	6.86	4	118.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Beet	0.1	1	1.5	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Blackberry	215.53	83	1,438.84	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Bok choy (choy sum, pak choi)	5.44	42	66.95	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Broccoli	486.11	508	5,485.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Brussels sprout	1.59	4	16.37	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cabbage	47.27	51	370.49	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cactus pear	2.73	1	8.8	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Carrot	16.04	10	137.27	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cauliflower	280.87	504	3,352.76	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Celery	960.16	674	5,598.31	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cherry	337.4	63	2,158.1	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Chinese cabbage (napa, wong bok, celery cabbage)	5.57	40	66.9	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cilantro	5.82	10	48.6	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Collard	1.07	11	22.02	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Corn, grain	3.11	2	100.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Corn, human consumption	209.97	137	2,545.75	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cucumber	12.78	8	137.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Fava bean	0.52	1	4.55	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Garlic	49.23	27	1,999.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Grape	316.67	3	56.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Grape, wine	13,005.08	2,930	115,799.71	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Grapefruit	2.66	3	17.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Herb, spice	26.14	67	196.5	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Industrial hemp	9.8	8	125.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Kale	14.61	43	240.65	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Landscape maintenance	0.1	1	0.4	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Landscape maintenance	43.34	N/A	N/A	N/A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Leek	0.9	6	7.9	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Lemon	191.54	43	854.13	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Lettuce, head	396.87	303	3,638.25	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Lettuce, leaf	448.16	741	5,725.53	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Mizuna	0.65	7	13.98	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Mustard greens	11.04	71	229.12	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-grnhs flower	17.04	162	217.67	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-grnhs flower	<0.01	1	4,200.0	S
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr flower	304.43	1,282	6,278.55	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr plants in containers	10.3	71	166.8	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr plants in containers	0.02	1	10,000.0	S
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr plants in containers	0.08	2	23.0	U
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Olive	3.14	2	9.8	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Onion, dry	90.8	71	1,191.73	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Orange	99.93	41	641.17	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Parsley	0.12	1	1.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Peach	16.34	12	277.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Pecan	6.58	1	113.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Pepper, fruiting	589.11	345	8,437.61	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Pistachio	2,233.4	80	8,118.7	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Potato	0.8	4	7.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Prune	21.55	4	104.33	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Pumpkin	6.17	5	118.5	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Raspberry	10.54	7	83.83	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Rice	1,317.09	142	10,086.23	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Rights of way	2.77	N/A	N/A	N/A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Spinach	0.47	1	2.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Squash	13.56	8	173.8	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Squash, summer	16.61	6	225.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Strawberry	16,560.47	1,949	71,074.35	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Sunflower	6.02	6	342.4	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Swiss chard	2.53	11	35.98	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Tangelo	2.96	1	19.1	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Tangerine	7.43	5	35.92	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Thyme	0.12	1	1.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Tomatillo	8.11	4	96.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Tomato	265.75	146	3,399.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Tomato, processing	262.86	176	3,473.9	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Uncultivated ag	6.39	3	53.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Vertebrate control	0.2	3	2.34	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Walnut	1,534.6	266	15,802.34	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Watermelon	0.5	1	8.55	A
Polyethylene glycol oleate	Alfalfa	644.72	86	7,634.18	A
Polyethylene glycol oleate	Corn (forage - fodder)	41.67	7	407.0	A
Polyethylene glycol oleate	Forage hay/silage	29.44	10	656.0	A
Polyethylene glycol oleate	Lettuce, head	14.27	6	63.6	A
Polyethylene glycol oleate	Lettuce, leaf	35.34	19	157.7	A
Polyethylene glycol oleate	Melon	3.58	2	75.0	A
Polyethylene glycol oleate	Orchardgrass	8.3	2	185.0	A
Polyethylene glycol oleate	Timothy	16.63	11	370.0	A
Polyethylene glycol stearate	Airport	4.22	3	44.0	A
Polyethylene glycol stearate	Alfalfa	2,759.7	615	27,823.69	A
Polyethylene glycol stearate	Almond	14,254.12	1,810	85,152.8	A
Polyethylene glycol stearate	Apple	5.63	5	30.26	A
Polyethylene glycol stearate	Artichoke, globe	130.69	193	2,727.15	A
Polyethylene glycol stearate	Bean, dried	22.21	11	741.0	A
Polyethylene glycol stearate	Bean, succulent	2.21	10	115.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyethylene glycol stearate	Bean, unspecified	7.35	29	167.95	A
Polyethylene glycol stearate	Bok choy (choy sum, pak choi)	1.47	13	56.85	A
Polyethylene glycol stearate	Broccoli	2,815.21	1,604	15,542.9	A
Polyethylene glycol stearate	Brussels sprout	2,644.41	994	11,367.43	A
Polyethylene glycol stearate	Cabbage	183.88	172	1,338.24	A
Polyethylene glycol stearate	Cardoon	1.34	2	28.0	A
Polyethylene glycol stearate	Carrot	307.25	104	1,273.3	A
Polyethylene glycol stearate	Cauliflower	1,595.75	928	8,345.35	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyethylene glycol stearate	Celery	1,112.98	1,821	13,501.76	A
Polyethylene glycol stearate	Cherry	453.21	255	3,323.83	A
Polyethylene glycol stearate	Corn (forage - fodder)	99.78	82	2,291.24	A
Polyethylene glycol stearate	Corn, grain	12.48	6	263.0	A
Polyethylene glycol stearate	Corn, human consumption	844.62	998	14,630.36	A
Polyethylene glycol stearate	Cotton	56.36	38	1,241.85	A
Polyethylene glycol stearate	Cucumber	0.95	1	6.38	A
Polyethylene glycol stearate	Eggplant	2.4	4	50.0	A
Polyethylene glycol stearate	Endive (escarole)	5.16	105	135.94	A
Polyethylene glycol stearate	Fennel	52.59	103	397.57	A
Polyethylene glycol stearate	Forest, timberland	194.3	8	851.0	A
Polyethylene glycol stearate	Garlic	240.74	26	1,231.54	A
Polyethylene glycol stearate	Grain	3.95	1	53.0	A
Polyethylene glycol stearate	Grape	1.27	2	42.5	A
Polyethylene glycol stearate	Grape, wine	7,767.33	3,241	95,155.14	A
Polyethylene glycol stearate	Kale	41.33	78	316.84	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyethylene glycol stearate	Landscape maintenance	265.32	N/A	N/A	N/A
Polyethylene glycol stearate	Leek	5.58	19	190.7	A
Polyethylene glycol stearate	Lettuce, head	1,560.71	3,529	35,421.43	A
Polyethylene glycol stearate	Lettuce, leaf	2,124.63	6,663	49,201.28	A
Polyethylene glycol stearate	Melon	92.72	93	1,934.88	A
Polyethylene glycol stearate	N-outdr plants in containers	25.33	8	132.0	A
Polyethylene glycol stearate	Nectarine	0.05	2	0.26	A
Polyethylene glycol stearate	Oat	1.92	5	66.9	A
Polyethylene glycol stearate	Oat (forage - fodder)	1.49	1	40.0	A
Polyethylene glycol stearate	Olive	101.23	32	513.02	A
Polyethylene glycol stearate	Onion, dry	191.56	105	4,307.23	A
Polyethylene glycol stearate	Onion, green	0.06	1	0.5	A
Polyethylene glycol stearate	Orange	0.24	1	5.0	A
Polyethylene glycol stearate	Pastureland	38.73	11	403.84	A
Polyethylene glycol stearate	Pastureland	2.93	5	54,200.0	S
Polyethylene glycol stearate	Peach	131.35	97	1,306.47	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyethylene glycol stearate	Peas	28.84	90	737.9	A
Polyethylene glycol stearate	Pecan	112.32	8	280.95	A
Polyethylene glycol stearate	Pepper, fruiting	240.94	272	5,031.88	A
Polyethylene glycol stearate	Pistachio	2,169.21	244	17,687.18	A
Polyethylene glycol stearate	Plum	0.05	2	0.26	A
Polyethylene glycol stearate	Prune	166.09	43	1,201.27	A
Polyethylene glycol stearate	Pumpkin	6.48	8	148.69	A
Polyethylene glycol stearate	Radicchio	3.42	5	71.45	A
Polyethylene glycol stearate	Rangeland	6.2	8	83.05	A
Polyethylene glycol stearate	Regulatory pest control	8.47	N/A	N/A	N/A
Polyethylene glycol stearate	Research commodity	0.32	N/A	N/A	N/A
Polyethylene glycol stearate	Rice	2,361.41	472	30,540.84	A
Polyethylene glycol stearate	Rights of way	57.88	13	336.5	A
Polyethylene glycol stearate	Rights of way	2,165.17	N/A	N/A	N/A
Polyethylene glycol stearate	Safflower	9.86	4	146.5	A
Polyethylene glycol stearate	Sorghum (forage - fodder)	8.99	3	176.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyethylene glycol stearate	Sorghum/milo	2.29	1	149.09	A
Polyethylene glycol stearate	Spinach	1.98	4	52.0	A
Polyethylene glycol stearate	Squash	2.5	3	46.0	A
Polyethylene glycol stearate	Squash, winter	11.74	9	253.0	A
Polyethylene glycol stearate	Strawberry	7.1	13	282.0	A
Polyethylene glycol stearate	Sudangrass	3.83	2	80.0	A
Polyethylene glycol stearate	Sunflower	69.74	46	1,301.56	A
Polyethylene glycol stearate	Tomato	923.61	396	8,348.68	A
Polyethylene glycol stearate	Tomato, processing	713.6	140	5,435.31	A
Polyethylene glycol stearate	Uncultivated ag	1,552.42	687	6,997.02	A
Polyethylene glycol stearate	Uncultivated ag	0.19	1	3,500.0	S
Polyethylene glycol stearate	Uncultivated non-ag	52.74	7	502.5	A
Polyethylene glycol stearate	Vertebrate control	0.74	1	2.0	A
Polyethylene glycol stearate	Walnut	4,818.84	649	25,437.58	A
Polyethylene glycol stearate	Water area	7.22	4	13.35	A
Polyethylene glycol stearate	Watermelon	27.76	34	518.96	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyethylene glycol stearate</b>	Wheat	20.3	3	225.0	A
<b>Polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helioverpa zea (corn earworm)</b>	Corn (forage - fodder)	1.36	7	285.0	A
<b>Polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helioverpa zea (corn earworm)</b>	Corn, human consumption	41.62	431	8,867.37	A
<b>Polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helioverpa zea (corn earworm)</b>	Strawberry	3.71	42	779.85	A
<b>Polymeric terpenes</b>	Almond	2.74	1	19.5	A
<b>Polymeric terpenes</b>	Grapefruit	8.98	1	9.4	A
<b>Polymeric terpenes</b>	Orange	127.49	12	133.9	A
<b>Polymerized acrylic acid</b>	Alfalfa	448.08	36	3,499.0	A
<b>Polymerized acrylic acid</b>	Garlic	16.5	1	142.0	A
<b>Polymerized acrylic acid</b>	Grape, wine	1.23	2	8.34	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polymerized acrylic acid	Sugarbeet	487.19	47	4,521.5	A
Polymerized acrylic acid	Wheat	57.75	8	531.9	A
Polymerized pinene	Alfalfa	209.71	17	1,074.2	A
Polymerized pinene	Almond	7,073.2	258	12,697.56	A
Polymerized pinene	Apple	2.73	1	8.0	A
Polymerized pinene	Apricot	128.97	27	344.14	A
Polymerized pinene	Artichoke, globe	300.71	29	331.4	A
Polymerized pinene	Asparagus	7.54	2	11.0	A
Polymerized pinene	Bean, dried	5.9	3	17.45	A
Polymerized pinene	Beet	1.58	1	2.3	A
Polymerized pinene	Blueberry	188.28	4	425.28	A
Polymerized pinene	Broccoli	1,011.97	167	1,852.4	A
Polymerized pinene	Brussels sprout	36.56	4	53.5	A
Polymerized pinene	Cabbage	165.87	41	385.2	A
Polymerized pinene	Carrot	29.24	3	42.8	A
Polymerized pinene	Cauliflower	1,320.99	138	1,872.0	A
Polymerized pinene	Celery	91.55	9	133.9	A
Polymerized pinene	Cherry	65.16	7	101.2	A
Polymerized pinene	Cilantro	941.2	125	1,665.13	A
Polymerized pinene	Citrus	71.82	8	99.0	A
Polymerized pinene	Corn (forage - fodder)	107.72	11	497.0	A
Polymerized pinene	Cotton	178.61	7	288.6	A
Polymerized pinene	Endive (escarole)	1.04	3	1.29	A
Polymerized pinene	Fennel	3.44	1	2.5	A
Polymerized pinene	Garlic	45.75	4	66.9	A
Polymerized pinene	Golf course turf	11.17	N/A	12.0	A
Polymerized pinene	Grape	536.01	122	1,426.79	A
Polymerized pinene	Grape, wine	3,286.37	534	9,134.48	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polymerized pinene	Grapefruit	610.56	73	719.5	A
Polymerized pinene	Kale	25.58	60	37.16	A
Polymerized pinene	Landscape maintenance	131.65	N/A	N/A	N/A
Polymerized pinene	Lemon	2,776.19	256	3,557.19	A
Polymerized pinene	Lettuce, head	304.59	41	478.3	A
Polymerized pinene	Lettuce, leaf	1,122.1	215	1,861.21	A
Polymerized pinene	N-grnhs flower	7.95	N/A	8.5	A
Polymerized pinene	N-grnhs flower	6.45	N/A	300,000.0	S
Polymerized pinene	N-grnhs transplants	78.57	3	103.1	A
Polymerized pinene	N-outdr plants in containers	14.91	1	40.0	A
Polymerized pinene	Nectarine	64.44	12	187.41	A
Polymerized pinene	Olive	9,789.46	255	15,322.17	A
Polymerized pinene	Onion, dry	15.03	2	22.0	A
Polymerized pinene	Orange	21,440.41	1,603	26,534.04	A
Polymerized pinene	Parsley	77.5	19	113.2	A
Polymerized pinene	Peach	572.67	42	982.42	A
Polymerized pinene	Pear	13.66	1	20.0	A
Polymerized pinene	Pear, asian (oriental pear, ya, ya li, nashi)	3.17	2	9.4	A
Polymerized pinene	Pepper, fruiting	244.74	21	529.05	A
Polymerized pinene	Pistachio	4,085.34	181	6,902.48	A
Polymerized pinene	Plum	97.08	17	256.0	A
Polymerized pinene	Pomegranate	7.92	3	46.5	A
Polymerized pinene	Pomelo	223.78	16	178.26	A
Polymerized pinene	Potato	56.84	5	206.6	A
Polymerized pinene	Prune	29.13	5	59.5	A
Polymerized pinene	Quince	20.66	6	30.0	A
Polymerized pinene	Radicchio	20.55	1	30.0	A
Polymerized pinene	Radish	6.23	3	9.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polymerized pinene	Rapini	31.59	5	55.5	A
Polymerized pinene	Rice	3,874.97	24	2,836.0	A
Polymerized pinene	Rights of way	16.45	6	24.0	A
Polymerized pinene	Rights of way	4,662.11	N/A	N/A	N/A
Polymerized pinene	Safflower	114.12	2	167.0	A
Polymerized pinene	Soil fumigation/preplant	21.32	2	78.0	A
Polymerized pinene	Spinach	29.02	59	47.12	A
Polymerized pinene	Strawberry	721.32	34	2,080.5	A
Polymerized pinene	Strawberry	<0.01	3	1,116.0	S
Polymerized pinene	Tangelo	377.19	40	539.59	A
Polymerized pinene	Tangerine	5,099.17	483	7,102.73	A
Polymerized pinene	Tomato	13.66	1	80.0	A
Polymerized pinene	Tomato, processing	61.54	4	313.0	A
Polymerized pinene	Uncultivated ag	385.86	55	574.22	A
Polymerized pinene	Unknown	12.73	11	18.5	A
Polymerized pinene	Walnut	591.52	57	998.63	A
Polymerized pinene	Wheat	2.33	1	30.0	A
Polyoxin d, zinc salt	Almond	3,822.0	1,079	87,249.78	A
Polyoxin d, zinc salt	Apricot	0.05	1	1.0	A
Polyoxin d, zinc salt	Arugula	0.3	17	70.21	A
Polyoxin d, zinc salt	Bean, succulent	<0.01	8	1.75	A
Polyoxin d, zinc salt	Blackberry	42.31	111	1,058.15	A
Polyoxin d, zinc salt	Blueberry	85.85	113	3,877.74	A
Polyoxin d, zinc salt	Bok choy (choy sum, pak choi)	0.03	2	17.0	A
Polyoxin d, zinc salt	Broccoli	3.46	62	650.75	A
Polyoxin d, zinc salt	Cabbage	0.81	31	157.23	A
Polyoxin d, zinc salt	Carrot	56.13	177	10,609.74	A
Polyoxin d, zinc salt	Cauliflower	0.55	13	103.35	A
Polyoxin d, zinc salt	Celery	2.17	24	419.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyoxin d, zinc salt	Cherry	68.87	67	1,633.95	A
Polyoxin d, zinc salt	Cole crop	0.14	40	29.5	A
Polyoxin d, zinc salt	Cucumber	0.04	16	9.7	A
Polyoxin d, zinc salt	Cucumber	<0.01	2	144.0	S
Polyoxin d, zinc salt	Garlic	3.18	7	715.5	A
Polyoxin d, zinc salt	Golf course turf	26.59	2	102.14	A
Polyoxin d, zinc salt	Golf course turf	2.07	N/A	340,000.0	S
Polyoxin d, zinc salt	Grape	1,178.08	890	33,150.3	A
Polyoxin d, zinc salt	Grape, wine	463.57	670	11,610.28	A
Polyoxin d, zinc salt	Grapefruit	0.5	2	28.0	A
Polyoxin d, zinc salt	Herb, spice	0.04	5	8.75	A
Polyoxin d, zinc salt	Kiwi fruit fuzzy	23.98	32	547.56	A
Polyoxin d, zinc salt	Landscape maintenance	0.56	1	1.65	A
Polyoxin d, zinc salt	Landscape maintenance	158.69	N/A	N/A	N/A
Polyoxin d, zinc salt	Lettuce, head	46.81	236	2,219.72	A
Polyoxin d, zinc salt	Lettuce, leaf	101.02	528	3,949.19	A
Polyoxin d, zinc salt	N-grnhs flower	11.53	38	65.8	A
Polyoxin d, zinc salt	N-grnhs flower	4.84	60	1,606,344.0	S
Polyoxin d, zinc salt	N-grnhs plants in containers	2.61	48	39.07	A
Polyoxin d, zinc salt	N-grnhs plants in containers	0.01	1	10,000.0	S
Polyoxin d, zinc salt	N-grnhs transplants	0.82	40	22.81	A
Polyoxin d, zinc salt	N-grnhs transplants	0.8	8	48,149.0	S
Polyoxin d, zinc salt	N-outdr flower	42.96	279	1,454.0	A
Polyoxin d, zinc salt	N-outdr flower	0.04	1	3,000.0	S
Polyoxin d, zinc salt	N-outdr plants in containers	10.16	30	152.1	A
Polyoxin d, zinc salt	N-outdr plants in containers	0.07	5	66,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyoxin d, zinc salt	N-outdr transplants	7.66	32	171.74	A
Polyoxin d, zinc salt	N-outdr transplants	0.03	18	221,712.0	S
Polyoxin d, zinc salt	Nectarine	2.9	18	139.37	A
Polyoxin d, zinc salt	Onion, green	<0.01	3	1.75	A
Polyoxin d, zinc salt	Orange	0.38	1	8.62	A
Polyoxin d, zinc salt	Peach	4.27	25	188.0	A
Polyoxin d, zinc salt	Peas	0.01	6	1.95	A
Polyoxin d, zinc salt	Pecan	2.98	2	68.0	A
Polyoxin d, zinc salt	Pepper, fruiting	8.08	2	184.57	A
Polyoxin d, zinc salt	Pepper, spice	<0.01	1	72.0	S
Polyoxin d, zinc salt	Pistachio	892.53	280	20,789.16	A
Polyoxin d, zinc salt	Plum	22.8	31	581.6	A
Polyoxin d, zinc salt	Pomegranate	90.67	38	2,065.8	A
Polyoxin d, zinc salt	Raspberry	31.96	164	1,375.48	A
Polyoxin d, zinc salt	Research commodity	0.13	14	39.22	A
Polyoxin d, zinc salt	Rights of way	0.56	N/A	N/A	N/A
Polyoxin d, zinc salt	Root vegetable	<0.01	1	2.5	A
Polyoxin d, zinc salt	Soil fumigation/preplant	1.58	1	36.0	A
Polyoxin d, zinc salt	Spinach	1.05	41	240.25	A
Polyoxin d, zinc salt	Squash	0.58	52	131.5	A
Polyoxin d, zinc salt	Strawberry	1,289.01	935	30,639.42	A
Polyoxin d, zinc salt	Strawberry	<0.01	6	1,910.0	S
Polyoxin d, zinc salt	Tangerine	124.65	155	3,013.22	A
Polyoxin d, zinc salt	Tomato, processing	0.04	2	13.8	A
Polyoxin d, zinc salt	Turf/sod	1.63	N/A	6.0	A
Polyoxin d, zinc salt	Unknown	0.34	3	9.71	A
Polyoxin d, zinc salt	Vegetables, fruiting	0.03	15	5.4	A
Polyoxin d, zinc salt	Vegetables, leafy	3.36	417	745.85	A
Polyoxin d, zinc salt	Walnut	45.45	26	1,059.78	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxin d, zinc salt</b>	Watermelon	6.61	3	151.0	A
<b>Polyoxyethylene cetyl-stearyl ether</b>	Landscape maintenance	21.91	N/A	N/A	N/A
<b>Polyoxyethylene cetyl-stearyl ether</b>	N-grnhs plants in containers	44.12	123	179.57	A
<b>Polyoxyethylene cetyl-stearyl ether</b>	N-grnhs transplants	0.28	2	1.16	A
<b>Polyoxyethylene cetyl-stearyl ether</b>	N-outdr plants in containers	2,173.12	4,191	4,655.32	A
<b>Polyoxyethylene cetyl-stearyl ether</b>	N-outdr plants in containers	0.81	28	150,000.0	S
<b>Polyoxyethylene cetyl-stearyl ether</b>	N-outdr transplants	1.1	15	2.32	A
<b>Polyoxyethylene cetyl-stearyl ether</b>	N-outdr transplants	0.01	2	16,000.0	U
<b>Polyoxyethylene dioleate</b>	Alfalfa	2.41	119	6,255.9	A
<b>Polyoxyethylene dioleate</b>	Almond	31.02	122	7,532.73	A
<b>Polyoxyethylene dioleate</b>	Bermudagrass	0.04	1	70.0	A
<b>Polyoxyethylene dioleate</b>	Broccoli	0.12	5	281.0	A
<b>Polyoxyethylene dioleate</b>	Cantaloupe	0.08	2	212.0	A
<b>Polyoxyethylene dioleate</b>	Grape	0.79	18	404.2	A
<b>Polyoxyethylene dioleate</b>	Grape, wine	9.13	320	9,569.59	A
<b>Polyoxyethylene dioleate</b>	Landscape maintenance	292.3	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene dioleate	Lemon	0.24	5	90.1	A
Polyoxyethylene dioleate	Lettuce, head	0.16	13	521.0	A
Polyoxyethylene dioleate	Lettuce, leaf	0.55	34	1,568.9	A
Polyoxyethylene dioleate	N-outdr plants in containers	0.15	8	2.25	A
Polyoxyethylene dioleate	Onion, dry	0.08	4	118.0	A
Polyoxyethylene dioleate	Orange	1.63	20	665.3	A
Polyoxyethylene dioleate	Pastureland	14.32	31	229.66	A
Polyoxyethylene dioleate	Pistachio	0.83	10	548.63	A
Polyoxyethylene dioleate	Regulatory pest control	40.65	N/A	N/A	N/A
Polyoxyethylene dioleate	Rights of way	337.16	N/A	N/A	N/A
Polyoxyethylene dioleate	Sugarbeet	0.3	11	670.0	A
Polyoxyethylene dioleate	Tangerine	0.42	4	267.14	A
Polyoxyethylene dioleate	Uncultivated ag	0.41	1	11.5	A
Polyoxyethylene dioleate	Uncultivated non-ag	3.89	N/A	108.05	A
Polyoxyethylene dioleate	Walnut	0.26	7	175.0	A
Polyoxyethylene dioleate	Water area	1,176.86	N/A	2,773.67	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene mixed fatty acid ester	Alfalfa	509.64	61	2,918.1	A
Polyoxyethylene mixed fatty acid ester	Almond	1,655.66	88	4,721.34	A
Polyoxyethylene mixed fatty acid ester	Cherry	21.55	6	64.0	A
Polyoxyethylene mixed fatty acid ester	Corn (forage - fodder)	1,401.78	156	6,549.9	A
Polyoxyethylene mixed fatty acid ester	Cotton	128.39	16	582.4	A
Polyoxyethylene mixed fatty acid ester	Forage hay/silage	21.93	11	576.0	A
Polyoxyethylene mixed fatty acid ester	Grape	28.4	15	116.64	A
Polyoxyethylene mixed fatty acid ester	Landscape maintenance	2.89	N/A	N/A	N/A
Polyoxyethylene mixed fatty acid ester	Peach	0.14	1	0.1	A
Polyoxyethylene mixed fatty acid ester	Pistachio	145.06	10	445.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene mixed fatty acid ester</b>	Rights of way	0.14	1	1.0	A
<b>Polyoxyethylene mixed fatty acid ester</b>	Rights of way	5.61	N/A	N/A	N/A
<b>Polyoxyethylene mixed fatty acid ester</b>	Ryegrass	0.56	1	68.0	A
<b>Polyoxyethylene mixed fatty acid ester</b>	Sunflower	0.82	1	53.0	A
<b>Polyoxyethylene mixed fatty acid ester</b>	Triticale	2.53	3	180.0	A
<b>Polyoxyethylene mixed fatty acid ester</b>	Uncultivated ag	4.49	3	309.0	A
<b>Polyoxyethylene mixed fatty acid ester</b>	Walnut	2.2	2	22.0	A
<b>Polyoxyethylene mixed fatty acid ester</b>	Wheat (forage - fodder)	4.31	7	307.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Alfalfa	469.42	88	6,404.8	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Almond	3,597.62	79	4,899.08	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene polyol fatty acid esters</b>	Apricot	2.04	1	23.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Broccoli	7.87	8	129.5	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Cabbage	0.29	4	8.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Cherry	276.83	78	1,459.6	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Corn (forage - fodder)	15.69	18	542.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Corn, grain	12.97	7	225.6	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Corn, human consumption	19.93	12	647.5	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Cucumber	13.87	8	273.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Forage hay/silage	5.26	3	184.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Grape	5.67	1	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene polyol fatty acid esters</b>	Grape, wine	2,942.74	623	14,097.36	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Landscape maintenance	249.92	N/A	N/A	N/A
<b>Polyoxyethylene polyol fatty acid esters</b>	Lemon	15.66	9	127.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	N-grnhs plants in containers	61.55	147	5,214,786.5	S
<b>Polyoxyethylene polyol fatty acid esters</b>	N-outdr plants in containers	6.91	9	10.75	A
<b>Polyoxyethylene polyol fatty acid esters</b>	N-outdr plants in containers	27.65	67	3,615,731.5	S
<b>Polyoxyethylene polyol fatty acid esters</b>	N-outdr plants in containers	25.53	29	768,873.0	U
<b>Polyoxyethylene polyol fatty acid esters</b>	Olive	5.1	1	18.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Onion, dry	27.38	9	680.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Orange	63.86	33	521.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene polyol fatty acid esters	Peach	15.3	2	135.0	A
Polyoxyethylene polyol fatty acid esters	Pecan	781.52	12	1,824.0	A
Polyoxyethylene polyol fatty acid esters	Pistachio	1,941.37	147	9,327.61	A
Polyoxyethylene polyol fatty acid esters	Potato	19.54	2	155.0	A
Polyoxyethylene polyol fatty acid esters	Prune	20.71	4	102.1	A
Polyoxyethylene polyol fatty acid esters	Pumpkin	23.17	17	357.5	A
Polyoxyethylene polyol fatty acid esters	Rights of way	225.58	N/A	N/A	N/A
Polyoxyethylene polyol fatty acid esters	Ryegrass	2.02	2	71.0	A
Polyoxyethylene polyol fatty acid esters	Sorghum/milo	4.98	6	182.2	A
Polyoxyethylene polyol fatty acid esters	Squash	6.39	5	127.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene polyol fatty acid esters</b>	Sunflower	42.21	22	958.7	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Tangelo	1.84	1	26.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Tangerine	7.91	6	70.5	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Tomato	24.39	4	430.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Tomato, processing	419.65	118	7,152.61	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Uncultivated ag	364.09	52	4,058.96	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Walnut	1,794.54	150	6,121.76	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Water area	0.2	N/A	1.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Water area	0.16	N/A	40,600.0	S
<b>Polyoxyethylene polyol fatty acid esters</b>	Watermelon	39.36	10	248.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene polyol fatty acid esters</b>	Wheat	16.7	3	214.0	A
<b>Polyoxyethylene polyol fatty acid esters</b>	Wheat (forage - fodder)	2.22	3	78.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Airport	0.02	3	44.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Alfalfa	27.73	162	11,872.11	A
<b>Polyoxyethylene polyoxypropylene</b>	Almond	12,060.9	1,477	98,677.72	A
<b>Polyoxyethylene polyoxypropylene</b>	Apple	352.89	79	2,080.4	A
<b>Polyoxyethylene polyoxypropylene</b>	Apricot	26.76	8	81.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Artichoke, globe	273.06	145	2,093.9	A
<b>Polyoxyethylene polyoxypropylene</b>	Arugula	8.7	10	25.21	A
<b>Polyoxyethylene polyoxypropylene</b>	Avocado	1,750.51	258	3,618.7	A
<b>Polyoxyethylene polyoxypropylene</b>	Avocado	12.31	14	2,163,050.0	U
<b>Polyoxyethylene polyoxypropylene</b>	Basil, sweet	32.14	6	131.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Bean, succulent	14.8	20	260.31	A
<b>Polyoxyethylene polyoxypropylene</b>	Bean, unspecified	13.98	6	70.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Beet	303.81	136	2,367.32	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene polyoxypropylene</b>	Blackberry	2,422.87	941	9,180.69	A
<b>Polyoxyethylene polyoxypropylene</b>	Blueberry	246.83	87	2,043.36	A
<b>Polyoxyethylene polyoxypropylene</b>	Bok choy (choy sum, pak choi)	10.76	22	163.1	A
<b>Polyoxyethylene polyoxypropylene</b>	Broccoli	2,767.29	850	6,432.26	A
<b>Polyoxyethylene polyoxypropylene</b>	Brussels sprout	593.56	130	2,186.75	A
<b>Polyoxyethylene polyoxypropylene</b>	Cabbage	1,369.38	973	8,759.09	A
<b>Polyoxyethylene polyoxypropylene</b>	Cabbage, savoy	6.05	18	133.76	A
<b>Polyoxyethylene polyoxypropylene</b>	Cannabis (all or unspecified)	4.08	86	137,692.0	S
<b>Polyoxyethylene polyoxypropylene</b>	Cantaloupe	58.86	19	1,696.76	A
<b>Polyoxyethylene polyoxypropylene</b>	Carrot	218.46	76	3,299.75	A
<b>Polyoxyethylene polyoxypropylene</b>	Cauliflower	1,623.19	534	4,434.25	A
<b>Polyoxyethylene polyoxypropylene</b>	Celery	3,962.95	1,138	14,336.23	A
<b>Polyoxyethylene polyoxypropylene</b>	Cherry	219.92	117	2,995.22	A
<b>Polyoxyethylene polyoxypropylene</b>	Chinese broccoli (gai lon)	1.0	1	4.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Cilantro	33.6	24	159.07	A
<b>Polyoxyethylene polyoxypropylene</b>	Citrus	13.86	4	25.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene polyoxypropylene</b>	Citrus	0.93	2	55,200.0	U
<b>Polyoxyethylene polyoxypropylene</b>	Collard	211.35	175	976.75	A
<b>Polyoxyethylene polyoxypropylene</b>	Corn (forage - fodder)	527.81	71	4,116.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Corn, human consumption	99.77	99	1,754.43	A
<b>Polyoxyethylene polyoxypropylene</b>	Cotton	61.96	14	1,189.8	A
<b>Polyoxyethylene polyoxypropylene</b>	Cucumber	0.95	2	3.25	A
<b>Polyoxyethylene polyoxypropylene</b>	Daikon	3.87	17	53.3	A
<b>Polyoxyethylene polyoxypropylene</b>	Date	21.03	2	79.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Dill	1.76	1	33.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Eggplant	4.82	7	22.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Endive (escarole)	<0.01	2	2.4	A
<b>Polyoxyethylene polyoxypropylene</b>	Fava bean	0.35	1	5.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Fennel	3.5	12	68.85	A
<b>Polyoxyethylene polyoxypropylene</b>	Fig	2.71	3	85.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Forage hay/silage	0.01	1	81.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Golf course turf	4.02	N/A	28.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene polyoxypropylene</b>	Grape	11,906.03	2,869	121,134.52	A
<b>Polyoxyethylene polyoxypropylene</b>	Grape, wine	6,513.07	1,048	40,932.73	A
<b>Polyoxyethylene polyoxypropylene</b>	Grapefruit	91.86	18	225.95	A
<b>Polyoxyethylene polyoxypropylene</b>	Kale	706.78	293	3,322.73	A
<b>Polyoxyethylene polyoxypropylene</b>	Landscape maintenance	54.02	N/A	N/A	N/A
<b>Polyoxyethylene polyoxypropylene</b>	Leek	29.96	35	402.8	A
<b>Polyoxyethylene polyoxypropylene</b>	Lemon	3,589.27	183	3,933.17	A
<b>Polyoxyethylene polyoxypropylene</b>	Lettuce, head	1,727.6	729	8,611.84	A
<b>Polyoxyethylene polyoxypropylene</b>	Lettuce, leaf	4,990.12	2,280	18,412.43	A
<b>Polyoxyethylene polyoxypropylene</b>	Lime	0.24	1	1.5	A
<b>Polyoxyethylene polyoxypropylene</b>	Melon	32.24	9	719.65	A
<b>Polyoxyethylene polyoxypropylene</b>	Mustard	2.31	13	28.5	A
<b>Polyoxyethylene polyoxypropylene</b>	Mustard greens	38.24	20	131.65	A
<b>Polyoxyethylene polyoxypropylene</b>	N-grnhs flower	207.42	660	1,723.21	A
<b>Polyoxyethylene polyoxypropylene</b>	N-grnhs flower	0.48	6	24,862.7	S
<b>Polyoxyethylene polyoxypropylene</b>	N-grnhs plants in containers	0.82	3	2.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene polyoxypropylene</b>	N-grnhs plants in containers	2.83	78	1,627,900.0	S
<b>Polyoxyethylene polyoxypropylene</b>	N-outdr flower	4.33	23	32.75	A
<b>Polyoxyethylene polyoxypropylene</b>	N-outdr plants in containers	35.78	30	60.14	A
<b>Polyoxyethylene polyoxypropylene</b>	N-outdr plants in containers	0.64	4	15,795.0	U
<b>Polyoxyethylene polyoxypropylene</b>	N-outdr transplants	7.81	11	84.5	A
<b>Polyoxyethylene polyoxypropylene</b>	Nectarine	68.54	23	300.36	A
<b>Polyoxyethylene polyoxypropylene</b>	Oat (forage - fodder)	6.85	2	219.5	A
<b>Polyoxyethylene polyoxypropylene</b>	Olive	18.72	22	558.99	A
<b>Polyoxyethylene polyoxypropylene</b>	Onion, dry	579.78	90	2,776.25	A
<b>Polyoxyethylene polyoxypropylene</b>	Onion, green	16.93	16	230.2	A
<b>Polyoxyethylene polyoxypropylene</b>	Orange	138.27	38	346.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Parsley	25.98	71	365.56	A
<b>Polyoxyethylene polyoxypropylene</b>	Peach	440.07	154	1,936.16	A
<b>Polyoxyethylene polyoxypropylene</b>	Pear	0.51	2	1.2	A
<b>Polyoxyethylene polyoxypropylene</b>	Peas	148.99	107	1,029.52	A
<b>Polyoxyethylene polyoxypropylene</b>	Pecan	6.04	3	39.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene polyoxypropylene	Pepper, fruiting	293.34	203	2,906.31	A
Polyoxyethylene polyoxypropylene	Persimmon	6.72	2	58.0	A
Polyoxyethylene polyoxypropylene	Pistachio	8,829.66	690	71,634.72	A
Polyoxyethylene polyoxypropylene	Plum	13.26	25	69.88	A
Polyoxyethylene polyoxypropylene	Pomegranate	1,870.95	227	27,767.3	A
Polyoxyethylene polyoxypropylene	Prune	31.14	5	234.5	A
Polyoxyethylene polyoxypropylene	Pumpkin	125.14	65	2,021.53	A
Polyoxyethylene polyoxypropylene	Radicchio	0.95	5	6.0	A
Polyoxyethylene polyoxypropylene	Radish	3.79	7	50.84	A
Polyoxyethylene polyoxypropylene	Rangeland	29.97	6	173.0	A
Polyoxyethylene polyoxypropylene	Raspberry	2,073.62	1,072	7,440.33	A
Polyoxyethylene polyoxypropylene	Research commodity	1.74	2	3.5	A
Polyoxyethylene polyoxypropylene	Rice	1,156.38	180	15,822.87	A
Polyoxyethylene polyoxypropylene	Rights of way	263.85	N/A	N/A	N/A
Polyoxyethylene polyoxypropylene	Rosemary	0.47	2	4.0	A
Polyoxyethylene polyoxypropylene	Spinach	45.2	32	258.26	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene polyoxypropylene</b>	Squash	76.18	35	230.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Squash, summer	1.0	1	4.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Squash, winter	12.66	10	252.0	A
<b>Polyoxyethylene polyoxypropylene</b>	Stone fruit	1.48	2	2.33	A
<b>Polyoxyethylene polyoxypropylene</b>	Strawberry	47,164.27	4,360	141,118.04	A
<b>Polyoxyethylene polyoxypropylene</b>	Swiss chard	80.6	98	884.88	A
<b>Polyoxyethylene polyoxypropylene</b>	Tangelo	0.24	1	1.5	A
<b>Polyoxyethylene polyoxypropylene</b>	Tangerine	300.04	56	1,057.93	A
<b>Polyoxyethylene polyoxypropylene</b>	Tomato	1,106.84	624	24,874.93	A
<b>Polyoxyethylene polyoxypropylene</b>	Tomato, processing	1,056.41	180	9,314.33	A
<b>Polyoxyethylene polyoxypropylene</b>	Uncultivated ag	297.9	172	1,424.41	A
<b>Polyoxyethylene polyoxypropylene</b>	Walnut	13,951.75	2,037	61,828.4	A
<b>Polyoxyethylene polyoxypropylene</b>	Watermelon	323.41	99	6,770.55	A
<b>Polyoxyethylene polyoxypropylene</b>	Wheat	0.05	5	307.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Alfalfa	417.36	47	1,349.35	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Almond	584.26	59	1,869.34	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Apple	103.28	8	193.72	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Bermudagrass	7.03	1	36.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Cherry	5.59	2	56.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Corn (forage - fodder)	816.8	65	2,648.66	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Corn, human consumption	44.52	3	226.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Cotton	2.79	2	61.5	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Forest, timberland	0.33	N/A	25.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Grape, wine	21.97	14	240.4	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Landscape maintenance	119.42	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	N-outdr plants in containers	0.35	1	1.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	N-outdr plants in containers	0.03	1	282.0	U
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Oat (forage - fodder)	97.49	9	391.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Orange	2.34	1	19.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Peach	13.56	7	90.11	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Pistachio	12.91	4	34.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Rice	1,708.62	88	6,893.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Rights of way	5.16	4	15.5	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Rights of way	9,534.0	N/A	N/A	N/A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Sorghum (forage - fodder)	44.15	4	136.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Squash	1.6	1	3.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Strawberry	2.81	2	12.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Uncultivated ag	15.44	1	73.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Uncultivated non-ag	8.79	N/A	287.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Walnut	303.64	29	927.19	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Wheat	18.75	2	96.0	A
<b>Polyoxyethylene sorbitan mixed fatty acid esters</b>	Wheat (forage - fodder)	122.07	10	522.5	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Alfalfa	4,242.42	513	33,467.22	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Almond	140.56	3	144.6	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Barley	147.87	19	1,160.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitan monolaurate</b>	Bean, dried	44.72	8	130.0	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Bean, succulent	21.37	3	72.0	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Bean, unspecified	20.89	22	83.55	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Broccoli	64.36	16	525.96	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Forage hay/silage	200.36	24	1,493.0	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Forest, timberland	4.13	2	25.0	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Garlic	28.01	3	167.0	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Golf course turf	18.34	N/A	30.2	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Golf course turf	1.09	N/A	200,000.0	S
<b>Polyoxyethylene sorbitan monolaurate</b>	Grape, wine	7,864.8	497	13,645.72	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitan monolaurate	Hops	0.75	1	1.5	A
Polyoxyethylene sorbitan monolaurate	Horseradish	8.0	1	84.0	A
Polyoxyethylene sorbitan monolaurate	Landscape maintenance	1,092.31	N/A	N/A	N/A
Polyoxyethylene sorbitan monolaurate	Melon	0.61	3	5.43	A
Polyoxyethylene sorbitan monolaurate	Mint	50.01	4	201.0	A
Polyoxyethylene sorbitan monolaurate	N-grnhs flower	3.78	N/A	20.0	A
Polyoxyethylene sorbitan monolaurate	N-outdr plants in containers	4.38	2	5.0	A
Polyoxyethylene sorbitan monolaurate	Oat	98.02	4	515.0	A
Polyoxyethylene sorbitan monolaurate	Onion, dry	317.99	26	2,069.0	A
Polyoxyethylene sorbitan monolaurate	Orchardgrass	23.93	1	110.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitan monolaurate</b>	Pastureland	8.0	1	86.0	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Peas	98.78	53	398.03	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Pistachio	67.37	2	134.74	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Potato	520.11	62	3,607.0	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Prune	41.35	5	50.9	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Rangeland	15.04	3	95.0	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Raspberry	19.2	2	160.0	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Research commodity	16.38	N/A	N/A	N/A
<b>Polyoxyethylene sorbitan monolaurate</b>	Residential	1.44	N/A	4.0	A
<b>Polyoxyethylene sorbitan monolaurate</b>	Rights of way	1,355.43	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitan monolaurate	Rye	146.03	16	536.5	A
Polyoxyethylene sorbitan monolaurate	Strawberry	1,668.76	51	1,450.54	A
Polyoxyethylene sorbitan monolaurate	Tomato	4.4	2	22.0	A
Polyoxyethylene sorbitan monolaurate	Uncultivated ag	109.52	8	408.0	A
Polyoxyethylene sorbitan monolaurate	Unknown	24.01	1	78.0	A
Polyoxyethylene sorbitan monolaurate	Walnut	2.55	2	7.92	A
Polyoxyethylene sorbitan monolaurate	Water area	30.41	20	15.2	A
Polyoxyethylene sorbitan monolaurate	Wheat	666.86	54	3,544.6	A
Polyoxyethylene sorbitan monooleate	Alfalfa	949.88	380	18,946.7	A
Polyoxyethylene sorbitan monooleate	Almond	2,157.51	1,053	50,837.06	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitan monooleate	Apple	1.42	1	4.0	A
Polyoxyethylene sorbitan monooleate	Apricot	0.02	1	0.5	A
Polyoxyethylene sorbitan monooleate	Avocado	3.22	4	60.0	A
Polyoxyethylene sorbitan monooleate	Barley	297.56	14	1,102.6	A
Polyoxyethylene sorbitan monooleate	Barley (forage - fodder)	4.66	2	91.0	A
Polyoxyethylene sorbitan monooleate	Bean, dried	15.64	6	218.0	A
Polyoxyethylene sorbitan monooleate	Bermudagrass	2.09	9	119.88	A
Polyoxyethylene sorbitan monooleate	Blackberry	0.12	N/A	5.0	A
Polyoxyethylene sorbitan monooleate	Blueberry	9.95	5	139.0	A
Polyoxyethylene sorbitan monooleate	Bok choy (choy sum, pak choi)	13.95	66	161.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitan monooleate</b>	Broccoli	61.52	68	801.03	A
<b>Polyoxyethylene sorbitan monooleate</b>	Brussels sprout	175.33	26	1,411.2	A
<b>Polyoxyethylene sorbitan monooleate</b>	Cabbage	6.03	2	84.0	A
<b>Polyoxyethylene sorbitan monooleate</b>	Cauliflower	17.96	20	215.6	A
<b>Polyoxyethylene sorbitan monooleate</b>	Celery	222.8	180	1,890.64	A
<b>Polyoxyethylene sorbitan monooleate</b>	Cherry	68.66	52	1,495.82	A
<b>Polyoxyethylene sorbitan monooleate</b>	Chinese cabbage (napa, wong bok, celery cabbage)	0.26	1	3.0	A
<b>Polyoxyethylene sorbitan monooleate</b>	Cilantro	90.69	224	988.86	A
<b>Polyoxyethylene sorbitan monooleate</b>	Corn (forage - fodder)	1,950.34	639	34,836.47	A
<b>Polyoxyethylene sorbitan monooleate</b>	Corn, grain	124.3	49	1,804.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitan monooleate</b>	Corn, human consumption	38.69	23	1,364.0	A
<b>Polyoxyethylene sorbitan monooleate</b>	Cotton	458.37	392	23,906.34	A
<b>Polyoxyethylene sorbitan monooleate</b>	Cucumber	14.81	2	138.0	A
<b>Polyoxyethylene sorbitan monooleate</b>	Ditch bank	0.81	12	54.65	A
<b>Polyoxyethylene sorbitan monooleate</b>	Fig	19.6	15	665.24	A
<b>Polyoxyethylene sorbitan monooleate</b>	Forage hay/silage	28.95	22	990.8	A
<b>Polyoxyethylene sorbitan monooleate</b>	Garbanzo bean	6.06	3	33.0	A
<b>Polyoxyethylene sorbitan monooleate</b>	Garlic	41.48	3	150.0	A
<b>Polyoxyethylene sorbitan monooleate</b>	Grape	339.53	290	8,812.47	A
<b>Polyoxyethylene sorbitan monooleate</b>	Grape, wine	186.48	43	1,889.38	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitan monooleate</b>	Grapefruit	1.52	3	8.5	A
<b>Polyoxyethylene sorbitan monooleate</b>	Grass, seed	3.98	12	574.1	A
<b>Polyoxyethylene sorbitan monooleate</b>	Kiwi fruit fuzzy	2.34	2	62.0	A
<b>Polyoxyethylene sorbitan monooleate</b>	Landscape maintenance	163.01	N/A	N/A	N/A
<b>Polyoxyethylene sorbitan monooleate</b>	Lettuce, head	13.89	14	141.6	A
<b>Polyoxyethylene sorbitan monooleate</b>	Lettuce, leaf	6.38	6	57.9	A
<b>Polyoxyethylene sorbitan monooleate</b>	N-grnhs transplants	0.28	1	1.81	A
<b>Polyoxyethylene sorbitan monooleate</b>	N-outdr plants in containers	18.11	22	143.25	A
<b>Polyoxyethylene sorbitan monooleate</b>	N-outdr transplants	95.95	27	1,544.99	A
<b>Polyoxyethylene sorbitan monooleate</b>	Nectarine	0.06	1	1.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitan monooleate	Oat	1.82	1	25.4	A
Polyoxyethylene sorbitan monooleate	Oat (forage - fodder)	659.52	129	5,589.17	A
Polyoxyethylene sorbitan monooleate	Onion, dry	44.24	13	931.0	A
Polyoxyethylene sorbitan monooleate	Orange	127.82	16	366.5	A
Polyoxyethylene sorbitan monooleate	Parsley	1.92	14	23.25	A
Polyoxyethylene sorbitan monooleate	Pastureland	5.67	33	255.66	A
Polyoxyethylene sorbitan monooleate	Peach	109.84	103	1,847.86	A
Polyoxyethylene sorbitan monooleate	Pear	70.39	10	328.0	A
Polyoxyethylene sorbitan monooleate	Pepper, fruiting	0.22	2	52.5	A
Polyoxyethylene sorbitan monooleate	Persimmon	1.04	2	23.2	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitan monooleate	Pistachio	553.62	315	13,419.6	A
Polyoxyethylene sorbitan monooleate	Plum	52.82	90	707.39	A
Polyoxyethylene sorbitan monooleate	Pluot	0.12	1	2.8	A
Polyoxyethylene sorbitan monooleate	Pomegranate	40.84	17	1,072.53	A
Polyoxyethylene sorbitan monooleate	Prune	34.59	31	563.5	A
Polyoxyethylene sorbitan monooleate	Rangeland	6.12	1	69.0	A
Polyoxyethylene sorbitan monooleate	Raspberry	0.51	3	11.47	A
Polyoxyethylene sorbitan monooleate	Regulatory pest control	11.63	N/A	N/A	N/A
Polyoxyethylene sorbitan monooleate	Rice	791.87	261	22,242.28	A
Polyoxyethylene sorbitan monooleate	Rights of way	24.07	27	875.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitan monooleate	Rights of way	382.42	N/A	N/A	N/A
Polyoxyethylene sorbitan monooleate	Rye	36.2	13	530.7	A
Polyoxyethylene sorbitan monooleate	Ryegrass	2.52	1	28.0	A
Polyoxyethylene sorbitan monooleate	Safflower	64.57	8	767.0	A
Polyoxyethylene sorbitan monooleate	Soil fumigation/preplant	99.75	12	1,294.0	A
Polyoxyethylene sorbitan monooleate	Sorghum (forage - fodder)	117.59	24	2,444.8	A
Polyoxyethylene sorbitan monooleate	Sorghum/milo	74.5	22	1,668.36	A
Polyoxyethylene sorbitan monooleate	Spinach	33.65	79	260.8	A
Polyoxyethylene sorbitan monooleate	Squash	7.15	1	30.0	A
Polyoxyethylene sorbitan monooleate	Strawberry	17.75	3	49.28	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitan monooleate</b>	Sudangrass	31.77	10	780.0	A
<b>Polyoxyethylene sorbitan monooleate</b>	Sugarbeet (forage - fodder)	1.34	1	30.0	A
<b>Polyoxyethylene sorbitan monooleate</b>	Sweet potato	20.5	9	285.0	A
<b>Polyoxyethylene sorbitan monooleate</b>	Tangelo	15.61	2	43.6	A
<b>Polyoxyethylene sorbitan monooleate</b>	Tangerine	80.68	15	364.89	A
<b>Polyoxyethylene sorbitan monooleate</b>	Tomato	72.71	9	594.4	A
<b>Polyoxyethylene sorbitan monooleate</b>	Tomato, processing	816.97	46	3,843.9	A
<b>Polyoxyethylene sorbitan monooleate</b>	Triticale	247.96	46	2,701.13	A
<b>Polyoxyethylene sorbitan monooleate</b>	Uncultivated ag	101.22	84	2,651.81	A
<b>Polyoxyethylene sorbitan monooleate</b>	Uncultivated non-ag	3.33	2	361.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitan monooleate	Walnut	170.03	123	4,335.66	A
Polyoxyethylene sorbitan monooleate	Water area	450.6	1	4,228.87	A
Polyoxyethylene sorbitan monooleate	Wheat	323.27	51	5,545.29	A
Polyoxyethylene sorbitan monooleate	Wheat (forage - fodder)	1,425.32	299	16,623.59	A
Polyoxyethylene sorbitan trioleate	Alfalfa	735.25	254	9,234.0	A
Polyoxyethylene sorbitan trioleate	Almond	8,674.13	852	42,238.44	A
Polyoxyethylene sorbitan trioleate	Apricot	0.14	1	0.5	A
Polyoxyethylene sorbitan trioleate	Basil, sweet	0.68	33	56.38	A
Polyoxyethylene sorbitan trioleate	Beet	0.9	34	74.51	A
Polyoxyethylene sorbitan trioleate	Bermudagrass	13.76	9	119.88	A
Polyoxyethylene sorbitan trioleate	Blackberry	0.78	N/A	5.0	A
Polyoxyethylene sorbitan trioleate	Bok choy (choy sum, pak choi)	0.53	39	43.95	A
Polyoxyethylene sorbitan trioleate	Brussels sprout	1,154.25	26	1,411.2	A
Polyoxyethylene sorbitan trioleate	Cabbage	2.07	47	171.57	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitan trioleate	Cantaloupe	0.25	1	35.0	A
Polyoxyethylene sorbitan trioleate	Celeriac	0.14	13	11.8	A
Polyoxyethylene sorbitan trioleate	Cherry	281.42	39	1,301.7	A
Polyoxyethylene sorbitan trioleate	Chinese cabbage (napa, wong bok, celery cabbage)	0.32	11	26.56	A
Polyoxyethylene sorbitan trioleate	Cilantro	2.18	58	180.32	A
Polyoxyethylene sorbitan trioleate	Collard	1.45	33	119.83	A
Polyoxyethylene sorbitan trioleate	Corn (forage - fodder)	629.14	456	20,150.72	A
Polyoxyethylene sorbitan trioleate	Corn, grain	24.75	8	268.0	A
Polyoxyethylene sorbitan trioleate	Corn, human consumption	252.9	21	1,361.0	A
Polyoxyethylene sorbitan trioleate	Cotton	1,436.61	327	19,679.34	A
Polyoxyethylene sorbitan trioleate	Dandelion green	0.23	25	19.03	A
Polyoxyethylene sorbitan trioleate	Dill	0.36	30	30.15	A
Polyoxyethylene sorbitan trioleate	Ditch bank	5.35	12	54.65	A
Polyoxyethylene sorbitan trioleate	Fig	2.36	1	8.0	A
Polyoxyethylene sorbitan trioleate	Forage hay/silage	46.06	23	1,062.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitan trioleate	Grape	2,098.89	297	9,013.01	A
Polyoxyethylene sorbitan trioleate	Grape, wine	1.1	6	228.34	A
Polyoxyethylene sorbitan trioleate	Grass, seed	26.23	12	574.1	A
Polyoxyethylene sorbitan trioleate	Kale	1.34	46	111.12	A
Polyoxyethylene sorbitan trioleate	Kiwi fruit fuzzy	15.38	2	62.0	A
Polyoxyethylene sorbitan trioleate	Kohlrabi	0.16	16	13.61	A
Polyoxyethylene sorbitan trioleate	Landscape maintenance	523.74	N/A	N/A	N/A
Polyoxyethylene sorbitan trioleate	Leek	1.21	33	100.46	A
Polyoxyethylene sorbitan trioleate	Lettuce, head	0.18	1	11.0	A
Polyoxyethylene sorbitan trioleate	Lettuce, leaf	2.19	94	181.25	A
Polyoxyethylene sorbitan trioleate	Melon	0.12	1	17.0	A
Polyoxyethylene sorbitan trioleate	Mustard	0.63	26	52.0	A
Polyoxyethylene sorbitan trioleate	Mustard greens	1.11	29	92.11	A
Polyoxyethylene sorbitan trioleate	Nectarine	0.39	1	1.4	A
Polyoxyethylene sorbitan trioleate	Oat (forage - fodder)	19.1	74	3,052.48	A
Polyoxyethylene sorbitan trioleate	Olive	0.15	N/A	13.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitan trioleate	Onion, dry	116.37	10	591.0	A
Polyoxyethylene sorbitan trioleate	Orchardgrass	0.22	2	18.0	A
Polyoxyethylene sorbitan trioleate	Parsley	2.12	49	175.99	A
Polyoxyethylene sorbitan trioleate	Pastureland	1.29	3	44.0	A
Polyoxyethylene sorbitan trioleate	Peach	461.48	91	1,322.22	A
Polyoxyethylene sorbitan trioleate	Pepper, fruiting	1.42	2	52.5	A
Polyoxyethylene sorbitan trioleate	Persimmon	6.85	2	23.2	A
Polyoxyethylene sorbitan trioleate	Pistachio	175.84	57	1,494.34	A
Polyoxyethylene sorbitan trioleate	Plum	347.23	90	707.39	A
Polyoxyethylene sorbitan trioleate	Pluot	0.79	1	2.8	A
Polyoxyethylene sorbitan trioleate	Pomegranate	0.86	1	6.93	A
Polyoxyethylene sorbitan trioleate	Prune	227.66	32	583.5	A
Polyoxyethylene sorbitan trioleate	Regulatory pest control	0.12	N/A	N/A	N/A
Polyoxyethylene sorbitan trioleate	Rice	4,703.89	226	19,069.58	A
Polyoxyethylene sorbitan trioleate	Rights of way	67.91	2	693.55	A
Polyoxyethylene sorbitan trioleate	Rights of way	1,860.67	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitan trioleate	Ryegrass	0.94	4	128.0	A
Polyoxyethylene sorbitan trioleate	Soil fumigation/preplant	3.44	1	28.0	A
Polyoxyethylene sorbitan trioleate	Spinach	0.53	32	43.73	A
Polyoxyethylene sorbitan trioleate	Sudangrass	46.99	11	592.0	A
Polyoxyethylene sorbitan trioleate	Swiss chard	1.73	102	143.4	A
Polyoxyethylene sorbitan trioleate	Tangerine	4.92	5	20.0	A
Polyoxyethylene sorbitan trioleate	Tomato	17.9	2	105.0	A
Polyoxyethylene sorbitan trioleate	Tomato, processing	588.24	11	839.1	A
Polyoxyethylene sorbitan trioleate	Triticale	7.04	36	1,457.08	A
Polyoxyethylene sorbitan trioleate	Turnip	0.74	34	61.69	A
Polyoxyethylene sorbitan trioleate	Uncultivated ag	198.05	58	2,086.86	A
Polyoxyethylene sorbitan trioleate	Uncultivated non-ag	11.6	1	243.0	A
Polyoxyethylene sorbitan trioleate	Walnut	684.94	130	3,443.03	A
Polyoxyethylene sorbitan trioleate	Water area	752.86	1	1,455.2	A
Polyoxyethylene sorbitan trioleate	Wheat	149.89	19	1,055.71	A
Polyoxyethylene sorbitan trioleate	Wheat (forage - fodder)	14.34	56	2,632.85	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Alfalfa	718.54	12	569.9	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Almond	3,471.8	61	3,644.12	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Bean, unspecified	8.57	1	68.0	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Blackberry	8.11	2	5.35	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Broccoli	12.64	7	23.2	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Cabbage	2.0	3	7.01	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Clover	153.06	5	253.0	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Corn (forage - fodder)	41.88	5	172.0	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Cucumber	38.72	1	32.0	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Endive (escarole)	2.66	1	7.47	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Forage hay/silage	209.02	12	674.0	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Grape	33.39	7	227.2	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Grape, wine	5,994.86	807	9,719.52	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Grapefruit	9.16	3	24.85	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Kale	6.11	1	20.79	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Landscape maintenance	461.57	N/A	N/A	N/A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Lettuce, head	709.87	190	2,322.0	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Lettuce, leaf	1,165.41	363	3,310.32	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Olive	49.67	1	25.0	A
<b>Polyoxyethylene sorbitol, mixed ether ester</b>	Onion, dry	695.71	3	460.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitol, mixed ether ester	Orange	17.42	2	35.2	A
Polyoxyethylene sorbitol, mixed ether ester	Pastureland	1.39	1	6.0	A
Polyoxyethylene sorbitol, mixed ether ester	Peas	6.84	4	32.5	A
Polyoxyethylene sorbitol, mixed ether ester	Pistachio	746.14	55	2,351.42	A
Polyoxyethylene sorbitol, mixed ether ester	Pumpkin	57.35	2	47.4	A
Polyoxyethylene sorbitol, mixed ether ester	Rights of way	78.65	2	50.0	A
Polyoxyethylene sorbitol, mixed ether ester	Rights of way	799.17	N/A	N/A	N/A
Polyoxyethylene sorbitol, mixed ether ester	Rye	21.78	7	61.7	A
Polyoxyethylene sorbitol, mixed ether ester	Ryegrass	0.18	1	1.0	A
Polyoxyethylene sorbitol, mixed ether ester	Strawberry	4.12	1	12.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene sorbitol, mixed ether ester	Sunflower	709.38	10	586.3	A
Polyoxyethylene sorbitol, mixed ether ester	Tomato, processing	1,222.73	19	987.1	A
Polyoxyethylene sorbitol, mixed ether ester	Uncultivated ag	5,211.97	97	3,985.66	A
Polyoxyethylene sorbitol, mixed ether ester	Uncultivated non-ag	11.09	3	6.0	A
Polyoxyethylene sorbitol, mixed ether ester	Walnut	213.86	7	212.16	A
Polyoxyethylene sorbitol, mixed ether ester	Watermelon	88.81	4	73.4	A
Polyoxyethylene sorbitol, mixed ether ester	Wheat	171.14	4	156.3	A
Polyoxyethylene soybean oil fatty acid ester	Alfalfa	5,235.42	418	25,317.41	A
Polyoxyethylene soybean oil fatty acid ester	Almond	23,463.29	1,465	54,431.13	A
Polyoxyethylene soybean oil fatty acid ester	Apple	1,091.5	21	705.62	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Apricot	117.81	15	166.59	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Avocado	390.08	57	657.2	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Barley	170.03	14	1,102.6	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Barley (forage - fodder)	2.66	2	91.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Bean, dried	8.94	6	218.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Bermudagrass	515.64	15	1,121.2	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Blueberry	5.69	5	139.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Bok choy (choy sum, pak choi)	7.97	66	161.55	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Broccoli	35.16	68	801.03	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Cabbage	3.45	2	84.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Cantaloupe	68.38	16	384.79	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Cauliflower	10.27	20	215.6	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Celery	127.31	180	1,890.64	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Cherimoya	12.59	11	47.9	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Cherry	2,973.12	308	4,297.72	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Chestnut	2.69	2	14.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Chinese cabbage (napa, wong bok, celery cabbage)	0.15	1	3.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Cilantro	51.82	224	988.86	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Corn (forage - fodder)	2,159.62	628	33,524.21	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Corn, grain	68.88	41	1,536.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Corn, human consumption	272.98	29	686.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Cotton	1,295.85	134	9,818.6	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Cucumber	8.46	2	138.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Fig	10.99	14	657.24	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Forage hay/silage	72.47	7	424.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Garbanzo bean	32.3	4	183.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Garlic	994.05	60	5,519.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Grape	1,003.48	85	1,885.77	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Grape, wine	44,283.64	1,492	47,576.73	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Grapefruit	41.7	15	73.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene soybean oil fatty acid ester	Guava	45.49	15	106.5	A
Polyoxyethylene soybean oil fatty acid ester	Hops	2.02	2	3.5	A
Polyoxyethylene soybean oil fatty acid ester	Lettuce, head	7.94	14	141.6	A
Polyoxyethylene soybean oil fatty acid ester	Lettuce, leaf	3.64	6	57.9	A
Polyoxyethylene soybean oil fatty acid ester	Lime	9.61	5	36.5	A
Polyoxyethylene soybean oil fatty acid ester	N-grnhs transplants	0.16	1	1.81	A
Polyoxyethylene soybean oil fatty acid ester	N-outdr plants in containers	10.32	14	141.0	A
Polyoxyethylene soybean oil fatty acid ester	N-outdr transplants	106.88	52	1,656.14	A
Polyoxyethylene soybean oil fatty acid ester	Nectarine	185.69	54	362.86	A
Polyoxyethylene soybean oil fatty acid ester	Oat	1.04	1	25.4	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Oat (forage - fodder)	758.02	137	6,345.17	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Olive	118.18	7	222.75	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Onion, dry	534.13	22	2,254.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Orange	230.24	60	722.42	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Parsley	1.09	14	23.25	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Pastureland	31.56	2	116.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Peach	872.6	146	2,131.16	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Pear	40.22	10	328.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Pecan	5.35	1	8.73	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Pepper, fruiting	67.33	5	144.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Pistachio	1,766.73	327	14,636.49	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Plum	73.43	17	135.72	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Pomegranate	23.26	16	1,065.6	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Prune	767.8	13	550.7	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Rangeland	8.69	3	75.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Raspberry	0.29	3	11.47	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Regulatory pest control	6.87	N/A	N/A	N/A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Rice	4,417.49	231	15,629.56	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Rights of way	179.87	32	598.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Rights of way	14.31	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Rye	20.69	13	530.7	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Ryegrass	30.49	3	91.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Safflower	36.89	8	767.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Soil fumigation/preplant	91.94	14	1,307.66	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Sorghum (forage - fodder)	432.4	38	4,446.8	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Sorghum/milo	42.57	22	1,668.36	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Soybean	15.37	1	70.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Spinach	19.23	79	260.8	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Squash	12.69	2	58.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Strawberry	10.15	3	49.28	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Sudangrass	61.23	10	702.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Sugarbeet	30.74	1	73.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Sugarbeet (forage - fodder)	0.77	1	30.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Sweet potato	11.71	9	285.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Tangelo	8.92	2	43.6	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Tangerine	137.68	12	384.89	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Tomato	39.99	7	489.4	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Tomato, processing	791.42	58	4,501.63	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Triticale	187.8	49	2,880.13	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Tropical/subtropical fruit	8.74	8	45.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Uncultivated ag	1,355.19	169	4,401.0	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Uncultivated non-ag	34.57	4	89.3	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Walnut	33,349.24	906	36,884.43	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Wheat	438.56	47	5,505.29	A
<b>Polyoxyethylene soybean oil fatty acid ester</b>	Wheat (forage - fodder)	858.88	302	16,816.59	A
<b>Polyoxyethylene tall oil fatty acid ester</b>	Alfalfa	112.74	52	3,370.8	A
<b>Polyoxyethylene tall oil fatty acid ester</b>	Barley	2.57	1	120.0	A
<b>Polyoxyethylene tall oil fatty acid ester</b>	Cabbage	6.24	2	94.0	A
<b>Polyoxyethylene tall oil fatty acid ester</b>	Corn (forage - fodder)	28.79	11	575.59	A
<b>Polyoxyethylene tall oil fatty acid ester</b>	Cotton	49.44	8	1,050.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polyoxyethylene tall oil fatty acid ester	Garlic	2.36	1	110.0	A
Polyoxyethylene tall oil fatty acid ester	Pasture (forage - fodder)	3.59	2	168.0	A
Polyoxyethylene tall oil fatty acid ester	Potato	146.16	95	5,058.0	A
Polyoxyethylene tall oil fatty acid ester	Pumpkin	1.4	1	21.0	A
Polyoxyethylene tall oil fatty acid ester	Tomato	11.72	6	396.1	A
Polyoxyethylene tall oil fatty acid ester	Wheat	1.53	1	60.0	A
Polyoxyethylene tall oil fatty acid ester	Wheat (forage - fodder)	45.04	18	1,016.26	A
Polypropylene glycol	Almond	27.16	74	4,047.45	A
Polypropylene glycol	Blueberry	<0.01	3	8.8	A
Polypropylene glycol	Broccoli	17.25	724	7,203.7	A
Polypropylene glycol	Brussels sprout	0.02	1	13.3	A
Polypropylene glycol	Cabbage	0.14	6	60.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polypropylene glycol	Cauliflower	3.0	221	1,470.6	A
Polypropylene glycol	Celery	1.41	119	579.3	A
Polypropylene glycol	Christmas tree	0.02	2	6.0	A
Polypropylene glycol	Grape	4.98	21	754.8	A
Polypropylene glycol	Grape, wine	27.96	717	13,089.37	A
Polypropylene glycol	Grapefruit	0.03	2	20.0	A
Polypropylene glycol	Landscape maintenance	0.05	2	12.0	A
Polypropylene glycol	Landscape maintenance	1.1	N/A	N/A	N/A
Polypropylene glycol	Lemon	1.79	27	447.35	A
Polypropylene glycol	Lettuce, head	10.55	485	4,376.75	A
Polypropylene glycol	Lettuce, leaf	13.19	798	5,409.05	A
Polypropylene glycol	N-grnhs flower	<0.01	2	3.0	A
Polypropylene glycol	Orange	1.11	32	620.02	A
Polypropylene glycol	Peach	3.74	16	455.0	A
Polypropylene glycol	Pear	0.17	1	43.0	A
Polypropylene glycol	Pistachio	15.41	57	3,262.93	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polypropylene glycol	Plum	0.04	1	10.0	A
Polypropylene glycol	Rights of way	1.22	7	700.0	A
Polypropylene glycol	Rights of way	3.08	N/A	N/A	N/A
Polypropylene glycol	Strawberry	3.17	42	767.7	A
Polypropylene glycol	Structural pest control	<0.01	N/A	N/A	N/A
Polypropylene glycol	Tangelo	0.01	1	10.0	A
Polypropylene glycol	Tangerine	24.82	212	10,857.21	A
Polypropylene glycol	Uncultivated ag	0.47	20	114.0	A
Polypropylene glycol	Uncultivated non-ag	<0.01	1	1.0	A
Polypropylene glycol	Walnut	2.99	18	290.8	A
Polysaccharide polymer	Alfalfa	1.47	50	2,513.07	A
Polysaccharide polymer	Bermudagrass	0.06	3	74.1	A
Polysaccharide polymer	Broccoli	0.03	1	33.0	A
Polysaccharide polymer	Carrot	0.06	1	75.0	A
Polysaccharide polymer	Corn (forage - fodder)	0.38	13	944.9	A
Polysaccharide polymer	Cotton	0.1	4	201.4	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Polysaccharide polymer	Grass, seed	0.07	13	173.0	A
Polysaccharide polymer	N-outdr flower	4.66	12	47.4	A
Polysaccharide polymer	Oat	0.11	13	1,566.0	A
Polysaccharide polymer	Oat (forage - fodder)	0.12	5	311.0	A
Polysaccharide polymer	Onion, dry	0.09	2	150.0	A
Polysaccharide polymer	Pistachio	0.24	2	259.45	A
Polysaccharide polymer	Rangeland	<0.01	1	45.0	A
Polysaccharide polymer	Rights of way	0.07	3	90.0	A
Polysaccharide polymer	Soil fumigation/preplant	8.7	89	20,430.0	A
Polysaccharide polymer	Sugarbeet	0.74	15	849.5	A
Polysaccharide polymer	Tomato, processing	0.17	2	306.0	A
Polysaccharide polymer	Triticale	0.43	2	575.0	A
Polysaccharide polymer	Uncultivated ag	0.26	11	587.0	A
Polysaccharide polymer	Wheat	0.55	9	823.0	A
Polysaccharide polymer	Wheat (forage - fodder)	0.26	15	1,253.9	A
Polysiloxane	Alfalfa	2.15	232	7,079.73	A
Polysiloxane	Almond	10.04	7	301.13	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polysiloxane	Bermudagrass	0.02	1	40.4	A
Polysiloxane	Blackberry	14.65	3	18.17	A
Polysiloxane	Cotton	0.4	16	734.0	A
Polysiloxane	Forage hay/silage	0.05	7	201.0	A
Polysiloxane	Grape	0.03	2	54.0	A
Polysiloxane	Lettuce, leaf	0.03	3	23.6	A
Polysiloxane	Rice	322.21	46	3,585.19	A
Polysiloxane	Rights of way	3.94	N/A	N/A	N/A
Polysiloxane	Strawberry	0.05	48	687.5	A
Polysiloxane	Uncultivated ag	0.04	1	75.0	A
Polysiloxane	Uncultivated non-ag	0.05	1	40.0	A
Polysiloxane	Wheat	0.48	20	484.4	A
Polysorbate 65	Alfalfa	1,295.3	321	21,522.73	A
Polysorbate 65	Almond	4,192.38	1,282	44,655.12	A
Polysorbate 65	Apricot	0.47	6	9.0	A
Polysorbate 65	Arugula	48.72	51	349.55	A
Polysorbate 65	Asparagus	68.38	12	925.0	A
Polysorbate 65	Basil, sweet	26.47	7	250.0	A
Polysorbate 65	Bean, dried	8.78	3	43.0	A
Polysorbate 65	Bean, succulent	11.98	2	43.0	A
Polysorbate 65	Bean, unspecified	2.01	2	48.0	A
Polysorbate 65	Blueberry	2.69	4	24.15	A
Polysorbate 65	Broccoli	545.03	361	3,351.04	A
Polysorbate 65	Cabbage	180.12	143	1,231.9	A
Polysorbate 65	Canola (rape)	0.52	1	5.0	A
Polysorbate 65	Carrot	131.78	45	921.7	A
Polysorbate 65	Cauliflower	118.42	89	913.65	A
Polysorbate 65	Celery	126.73	142	1,160.28	A
Polysorbate 65	Cherry	10.76	11	157.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polysorbate 65	Chinese cabbage (napa, wong bok, celery cabbage)	6.43	15	46.1	A
Polysorbate 65	Cilantro	115.9	104	849.05	A
Polysorbate 65	Citrus	0.03	2	0.22	A
Polysorbate 65	Corn (forage - fodder)	155.89	42	2,234.0	A
Polysorbate 65	Corn, human consumption	32.73	7	304.5	A
Polysorbate 65	Cotton	157.01	48	2,375.4	A
Polysorbate 65	Cucumber	6.1	3	32.94	A
Polysorbate 65	Date	1.39	1	13.0	A
Polysorbate 65	Dill	17.22	3	103.0	A
Polysorbate 65	Endive (escarole)	2.39	11	16.97	A
Polysorbate 65	Fennel	0.21	1	3.0	A
Polysorbate 65	Fig	25.9	4	309.8	A
Polysorbate 65	Forest, timberland	6.27	6	136.0	A
Polysorbate 65	Garlic	76.41	19	519.5	A
Polysorbate 65	Grape	269.62	198	4,295.98	A
Polysorbate 65	Grape, wine	640.7	318	7,337.04	A
Polysorbate 65	Grapefruit	48.08	30	551.05	A
Polysorbate 65	Herb, spice	14.66	2	65.0	A
Polysorbate 65	Jujube	0.07	1	1.0	A
Polysorbate 65	Kale	41.92	121	282.1	A
Polysorbate 65	Kiwi fruit fuzzy	8.91	2	62.0	A
Polysorbate 65	Landscape maintenance	6.35	N/A	N/A	N/A
Polysorbate 65	Lemon	115.17	70	1,345.43	A
Polysorbate 65	Lettuce, head	208.78	149	1,498.04	A
Polysorbate 65	Lettuce, leaf	537.72	433	3,329.5	A
Polysorbate 65	Lime	0.55	2	6.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polysorbate 65	Mizuna	8.95	54	63.85	A
Polysorbate 65	Mustard	9.75	2	66.0	A
Polysorbate 65	N-outdr plants in containers	0.63	2	9.0	A
Polysorbate 65	Nectarine	2.01	13	42.47	A
Polysorbate 65	Olive	16.71	13	251.28	A
Polysorbate 65	Onion, dry	216.73	55	1,840.58	A
Polysorbate 65	Orange	714.96	368	9,108.09	A
Polysorbate 65	Parsley	29.28	13	253.0	A
Polysorbate 65	Pastureland	15.05	5	270.0	A
Polysorbate 65	Peach	10.03	37	156.69	A
Polysorbate 65	Peas	48.88	31	258.3	A
Polysorbate 65	Pecan	5.18	6	47.33	A
Polysorbate 65	Pepper, fruiting	13.52	7	194.0	A
Polysorbate 65	Pistachio	1,209.26	323	12,898.6	A
Polysorbate 65	Plum	11.5	21	156.74	A
Polysorbate 65	Pomegranate	9.33	9	495.3	A
Polysorbate 65	Pomelo	11.96	12	115.5	A
Polysorbate 65	Potato	228.69	40	3,441.26	A
Polysorbate 65	Prune	272.49	14	559.79	A
Polysorbate 65	Pumpkin	1.4	2	10.07	A
Polysorbate 65	Radicchio	9.9	15	70.9	A
Polysorbate 65	Regulatory pest control	8.04	N/A	N/A	N/A
Polysorbate 65	Research commodity	0.42	3	3.0	A
Polysorbate 65	Rights of way	7.45	4	107.0	A
Polysorbate 65	Rights of way	859.52	N/A	N/A	N/A
Polysorbate 65	Spinach	67.51	100	437.97	A
Polysorbate 65	Squash	2.23	2	8.0	A
Polysorbate 65	Strawberry	54.99	10	317.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polysorbate 65	Sugarbeet	5.57	1	75.0	A
Polysorbate 65	Tangelo	14.44	6	126.6	A
Polysorbate 65	Tangerine	360.96	194	4,717.67	A
Polysorbate 65	Tomato	7.89	9	112.0	A
Polysorbate 65	Uncultivated ag	110.29	77	1,237.32	A
Polysorbate 65	Uncultivated non-ag	0.7	1	10.0	A
Polysorbate 65	Unknown	2.46	2	24.26	A
Polysorbate 65	Walnut	763.65	277	7,523.57	A
Polysorbate 65	Wheat	44.3	6	371.0	A
Polysorbate 65	Wheat (forage - fodder)	18.71	12	414.0	A
Potash soap	Apple	9.37	3	1.5	A
Potash soap	Arugula	12.66	1	8.1	A
Potash soap	Avocado	0.17	N/A	1.0	U
Potash soap	Basil, sweet	712.9	77	394.02	A
Potash soap	Basil, sweet	1.36	4	5,702.0	S
Potash soap	Bean, unspecified	67.65	2	8.5	A
Potash soap	Beet	1,161.99	28	183.8	A
Potash soap	Beet	0.01	2	100.0	S
Potash soap	Blackberry	1,938.74	40	348.78	A
Potash soap	Blueberry	809.37	3	122.1	A
Potash soap	Bok choy (choy sum, pak choi)	397.11	15	50.74	A
Potash soap	Broccoli	23,363.14	600	3,646.71	A
Potash soap	Broccoli	0.09	3	625.0	S
Potash soap	Brussels sprout	7,135.55	49	1,052.65	A
Potash soap	Cabbage	11,424.65	333	2,416.16	A
Potash soap	Cannabis (all or unspecified)	2,012.04	364	1,851.54	A
Potash soap	Cannabis (all or unspecified)	3,492.51	2,499	13,659,490.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potash soap	Carrot	122.98	10	237.2	A
Potash soap	Cauliflower	13,091.72	262	1,706.17	A
Potash soap	Cauliflower	<0.01	1	175.0	S
Potash soap	Celery	7,370.03	138	1,584.78	A
Potash soap	Cherry	124.9	1	15.0	A
Potash soap	Chinese greens	60.58	10	30.0	A
Potash soap	Chinese greens	0.01	2	100.0	S
Potash soap	Chive	192.68	25	22.96	A
Potash soap	Collard	357.21	43	79.28	A
Potash soap	Cotton	368.56	3	232.4	A
Potash soap	Cucumber	149.26	18	40.25	A
Potash soap	Daikon	14.99	4	7.2	A
Potash soap	Dill	1.3	2	2.0	A
Potash soap	Eggplant	116.57	13	24.5	A
Potash soap	Fava bean	4.16	1	2.0	A
Potash soap	Grape	5,982.43	108	1,536.69	A
Potash soap	Grape, wine	2,628.75	51	688.76	A
Potash soap	Herb, spice	523.55	122	173.09	A
Potash soap	Herb, spice	1.63	3	5,525.0	S
Potash soap	Industrial hemp	199.85	46	66.0	A
Potash soap	Industrial hemp	26.4	6	84,000.0	S
Potash soap	Kale	3,700.32	167	930.23	A
Potash soap	Kale	0.97	4	25,625.0	S
Potash soap	Landscape maintenance	2.08	1	0.5	A
Potash soap	Landscape maintenance	2,735.09	N/A	N/A	N/A
Potash soap	Lettuce, head	871.2	87	255.93	A
Potash soap	Lettuce, head	21.23	12	226,101.0	S
Potash soap	Lettuce, leaf	5,487.5	285	2,019.98	A
Potash soap	Lettuce, leaf	5,374.86	38	12,960,545.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Potash soap	Melon	4.34	7	18,180.0	S
Potash soap	Mint	119.13	55	61.08	A
Potash soap	Mizuna	9.12	1	6.0	A
Potash soap	Mustard	19.15	3	5.6	A
Potash soap	Mustard greens	58.38	9	37.41	A
Potash soap	N-grnhs flower	70.99	18	17.41	A
Potash soap	N-grnhs flower	8.44	13	150,918.0	S
Potash soap	N-grnhs plants in containers	964.4	264	271.83	A
Potash soap	N-grnhs plants in containers	155.37	194	1,971,631.11	S
Potash soap	N-grnhs plants in containers	0.16	1	250.0	U
Potash soap	N-grnhs transplants	158.09	47	71.66	A
Potash soap	N-grnhs transplants	38.34	57	335,350.0	S
Potash soap	N-outdr flower	882.84	79	152.21	A
Potash soap	N-outdr flower	0.28	3	9,000.0	S
Potash soap	N-outdr plants in containers	912.53	129	178.51	A
Potash soap	N-outdr plants in containers	115.1	42	1,188,451.0	S
Potash soap	N-outdr plants in containers	82.2	28	175,305.0	U
Potash soap	N-outdr transplants	46.5	12	7.88	A
Potash soap	Olive	0.2	1	1.0	A
Potash soap	Onion, dry	571.42	6	228.74	A
Potash soap	Onion, green	15.82	1	7.6	A
Potash soap	Oregano	25.46	9	14.02	A
Potash soap	Parsley	2,214.92	34	344.87	A
Potash soap	Pepper, fruiting	985.62	27	418.75	A
Potash soap	Pistachio	0.15	1	0.07	A
Potash soap	Plum	1.13	2	0.17	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Potash soap	Prune	1,009.79	13	497.0	A
Potash soap	Public health	58.93	N/A	N/A	N/A
Potash soap	Radish	50.92	4	29.4	A
Potash soap	Radish	0.03	2	200.0	S
Potash soap	Rapini	385.11	10	447.0	A
Potash soap	Raspberry	5,088.1	58	834.24	A
Potash soap	Regulatory pest control	49.21	N/A	N/A	N/A
Potash soap	Research commodity	43.6	53	13.05	A
Potash soap	Research commodity	2.25	14	7,086.0	S
Potash soap	Research commodity	40.75	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potash soap	Rights of way	20.82	1	1.5	A
Potash soap	Rights of way	7.24	N/A	N/A	N/A
Potash soap	Rosemary	265.79	63	113.16	A
Potash soap	Sage	26.9	4	7.02	A
Potash soap	Spinach	1,122.48	60	654.51	A
Potash soap	Squash	774.38	20	114.0	A
Potash soap	Squash, winter	6.06	2	8.0	A
Potash soap	Strawberry	12,663.62	143	2,379.85	A
Potash soap	Strawberry	0.04	1	324.0	S
Potash soap	Structural pest control	51.16	N/A	N/A	N/A
Potash soap	Swiss chard	1,414.13	25	156.54	A
Potash soap	Thyme	25.71	2	7.0	A
Potash soap	Tomato	502.97	46	194.18	A
Potash soap	Tomato	7.13	9	23,400.0	S
Potash soap	Tropical/subtropical fruit	0.42	2	1.0	A
Potash soap	Uncultivated ag	26.03	2	2.0	A
Potash soap	Upland cress	1.58	4	0.66	A
Potash soap	Vegetable	3.35	4	0.84	A
Potash soap	Vegetable	0.91	3	7,500.0	S
Potash soap	Vegetables, fruiting	2.93	6	2.25	A
Potash soap	Vegetables, leafy	30.96	29	30.66	A
Potash soap	Walnut	418.95	3	64.0	A
Potash soap	Watermelon	49.97	3	2.86	A
Potash soap	Watermelon	0.64	4	12,600.0	S
Potassium bicarbonate	Apple	246.34	15	81.0	A
Potassium bicarbonate	Apricot	736.39	33	324.67	A
Potassium bicarbonate	Basil, sweet	143.99	80	80.95	A
Potassium bicarbonate	Bean, succulent	0.09	1	0.1	A
Potassium bicarbonate	Beet	8.19	1	5.97	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Potassium bicarbonate	Blackberry	914.98	52	382.78	A
Potassium bicarbonate	Blueberry	655.18	31	279.54	A
Potassium bicarbonate	Brussels sprout	29.48	6	12.0	A
Potassium bicarbonate	Cannabis (all or unspecified)	100.46	45	40.03	A
Potassium bicarbonate	Cannabis (all or unspecified)	1,622.17	964	11,796,886.0	S
Potassium bicarbonate	Cantaloupe	303.4	13	171.2	A
Potassium bicarbonate	Carrot	684.65	11	278.85	A
Potassium bicarbonate	Celery	379.26	20	154.36	A
Potassium bicarbonate	Cherry	73.71	1	30.0	A
Potassium bicarbonate	Cilantro	4.1	3	3.0	A
Potassium bicarbonate	Citrus	31.88	1	7.5	A
Potassium bicarbonate	Collard	292.27	37	232.55	A
Potassium bicarbonate	Corn, human consumption	0.21	1	2,000.0	S
Potassium bicarbonate	Cucumber	625.6	42	187.44	A
Potassium bicarbonate	Cucumber	1.41	12	22,072.0	S
Potassium bicarbonate	Dill	3.73	3	2.75	A
Potassium bicarbonate	Forest, timberland	349.95	385	9,243.28	A
Potassium bicarbonate	Forest, timberland	0.81	1	2.0	U
Potassium bicarbonate	Grape	73,793.55	542	24,731.32	A
Potassium bicarbonate	Grape, wine	106,959.09	2,014	35,618.44	A
Potassium bicarbonate	Herb, spice	50.49	12	31.93	A
Potassium bicarbonate	Industrial hemp	2.39	6	19,400.0	S
Potassium bicarbonate	Kale	1,267.25	97	649.28	A
Potassium bicarbonate	Landscape maintenance	17.98	N/A	N/A	N/A
Potassium bicarbonate	Lettuce, head	2.44	9	59,345.0	S
Potassium bicarbonate	Mint	9.75	6	5.63	A
Potassium bicarbonate	Mustard greens	11.47	1	13.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium bicarbonate	N-grnhs flower	123.16	67	153.58	A
Potassium bicarbonate	N-grnhs flower	76.58	33	1,483,347.0	S
Potassium bicarbonate	N-grnhs plants in containers	164.51	86	57.81	A
Potassium bicarbonate	N-grnhs plants in containers	21.55	42	208,545.0	S
Potassium bicarbonate	N-grnhs plants in containers	0.27	1	1,375.0	U
Potassium bicarbonate	N-grnhs transplants	181.53	56	206.06	A
Potassium bicarbonate	N-grnhs transplants	7.25	34	105,300.0	S
Potassium bicarbonate	N-outdr flower	20.71	21	41.6	A
Potassium bicarbonate	N-outdr plants in containers	0.77	1	4.8	?
Potassium bicarbonate	N-outdr plants in containers	146.08	51	70.74	A
Potassium bicarbonate	N-outdr plants in containers	8.93	5	161,000.0	S
Potassium bicarbonate	N-outdr transplants	89.86	40	80.78	A
Potassium bicarbonate	Nectarine	2,102.84	60	857.2	A
Potassium bicarbonate	Oregano	13.18	12	8.55	A
Potassium bicarbonate	Parsley	676.2	33	277.22	A
Potassium bicarbonate	Peach	3,235.05	115	1,368.35	A
Potassium bicarbonate	Pepper, fruiting	433.69	27	227.0	A
Potassium bicarbonate	Pistachio	0.65	4	2.0	A
Potassium bicarbonate	Plum	2,842.12	81	1,262.03	A
Potassium bicarbonate	Pumpkin	4.09	1	3.5	A
Potassium bicarbonate	Radish	12.29	1	6.0	A
Potassium bicarbonate	Raspberry	1,048.04	134	540.8	A
Potassium bicarbonate	Research commodity	5.25	12	2.33	A
Potassium bicarbonate	Research commodity	18.1	39	316,200.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium bicarbonate	Research commodity	41.33	N/A	N/A	N/A
Potassium bicarbonate	Rosemary	67.32	47	40.75	A
Potassium bicarbonate	Sage	203.41	83	96.03	A
Potassium bicarbonate	Squash	28.02	8	8.45	A
Potassium bicarbonate	Strawberry	20,858.15	415	7,848.09	A
Potassium bicarbonate	Strawberry	2.99	26	31,684.0	S
Potassium bicarbonate	Swiss chard	73.82	15	36.5	A
Potassium bicarbonate	Tarragon	1.27	1	0.75	A
Potassium bicarbonate	Thyme	23.95	21	15.86	A
Potassium bicarbonate	Tomato	2,555.52	109	852.15	A
Potassium bicarbonate	Tomato	18.86	10	177,960.0	S
Potassium bicarbonate	Tomato, processing	962.33	5	545.0	A
Potassium bicarbonate	Watermelon	1,877.97	13	569.4	A
Potassium carbonate	Forest, timberland	504.69	406	9,763.28	A
Potassium carbonate	Forest, timberland	1.13	1	2.0	U
Potassium hydroxide	Alfalfa	40.45	183	7,481.02	A
Potassium hydroxide	Almond	1,865.42	2,634	140,416.16	A
Potassium hydroxide	Apple	9.86	39	1,393.5	A
Potassium hydroxide	Artichoke, globe	7.14	15	493.3	A
Potassium hydroxide	Avocado	1.07	2	213.5	A
Potassium hydroxide	Bean, dried	4.75	13	1,213.0	A
Potassium hydroxide	Bean, succulent	0.66	2	155.0	A
Potassium hydroxide	Beet	0.51	4	58.97	A
Potassium hydroxide	Blackberry	0.62	33	50.94	A
Potassium hydroxide	Bok choy (choy sum, pak choi)	0.09	2	12.0	A
Potassium hydroxide	Broccoli	0.19	2	75.0	A
Potassium hydroxide	Cabbage	0.84	13	90.4	A
Potassium hydroxide	Cabbage, savoy	0.26	2	33.0	A
Potassium hydroxide	Celery	10.56	66	996.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium hydroxide	Cherry	150.64	727	14,527.37	A
Potassium hydroxide	Chinese broccoli (gai lon)	0.02	1	2.0	A
Potassium hydroxide	Cilantro	1.34	13	148.9	A
Potassium hydroxide	Citrus	0.2	1	11.0	A
Potassium hydroxide	Collard	0.28	10	25.9	A
Potassium hydroxide	Corn (forage - fodder)	27.23	229	9,621.96	A
Potassium hydroxide	Corn, human consumption	0.04	1	25.0	A
Potassium hydroxide	Cotton	7.84	17	2,056.58	A
Potassium hydroxide	Date	0.02	1	3.0	A
Potassium hydroxide	Eggplant	0.86	15	244.0	A
Potassium hydroxide	Garlic	0.23	1	155.0	A
Potassium hydroxide	Grape	90.31	205	5,115.34	A
Potassium hydroxide	Grape, wine	496.37	695	19,726.76	A
Potassium hydroxide	Kale	0.75	11	66.75	A
Potassium hydroxide	Landscape maintenance	59.74	N/A	N/A	N/A
Potassium hydroxide	Lemon	5.92	18	396.4	A
Potassium hydroxide	Lettuce, leaf	0.14	5	11.35	A
Potassium hydroxide	Mustard	0.03	1	3.5	A
Potassium hydroxide	N-grnhs flower	0.53	43	36.5	A
Potassium hydroxide	N-grnhs plants in containers	4.35	128	188.62	A
Potassium hydroxide	N-grnhs transplants	0.06	23	4.98	A
Potassium hydroxide	N-outdr flower	1.17	72	70.5	A
Potassium hydroxide	N-outdr plants in containers	212.9	4,447	5,118.96	A
Potassium hydroxide	N-outdr plants in containers	0.08	28	150,000.0	S
Potassium hydroxide	N-outdr transplants	19.74	167	2,863.44	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium hydroxide	N-outdr transplants	<0.01	2	16,000.0	U
Potassium hydroxide	Nectarine	0.05	1	8.0	A
Potassium hydroxide	Oat (forage - fodder)	0.21	1	14.0	A
Potassium hydroxide	Olive	2.34	14	290.39	A
Potassium hydroxide	Onion, dry	3.23	7	515.0	A
Potassium hydroxide	Orange	31.84	59	1,785.57	A
Potassium hydroxide	Peach	28.83	68	724.7	A
Potassium hydroxide	Pecan	30.32	7	616.73	A
Potassium hydroxide	Pepper, fruiting	0.23	7	141.0	A
Potassium hydroxide	Pistachio	319.77	246	17,792.24	A
Potassium hydroxide	Pomegranate	0.45	2	28.5	A
Potassium hydroxide	Prune	9.92	19	761.23	A
Potassium hydroxide	Pumpkin	1.33	3	106.6	A
Potassium hydroxide	Radish	2.03	32	206.0	A
Potassium hydroxide	Raspberry	0.48	55	28.92	A
Potassium hydroxide	Rice	27.52	101	6,270.5	A
Potassium hydroxide	Rights of way	2.67	9	166.5	A
Potassium hydroxide	Rights of way	13.92	N/A	N/A	N/A
Potassium hydroxide	Ryegrass	0.42	3	82.5	A
Potassium hydroxide	Soil fumigation/preplant	0.02	1	10.0	A
Potassium hydroxide	Spinach	0.15	2	19.2	A
Potassium hydroxide	Strawberry	1,384.36	1,209	55,516.56	A
Potassium hydroxide	Structural pest control	3.33	N/A	N/A	N/A
Potassium hydroxide	Sweet potato	0.02	1	15.0	A
Potassium hydroxide	Swiss chard	0.21	10	18.5	A
Potassium hydroxide	Tangerine	35.13	23	1,341.8	A
Potassium hydroxide	Tomato	2.66	12	356.6	A
Potassium hydroxide	Tomato, processing	4.32	20	1,739.0	A
Potassium hydroxide	Uncultivated ag	17.38	37	1,884.18	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Potassium hydroxide	Walnut	658.15	1,397	53,433.0	A
Potassium hydroxide	Watermelon	7.73	4	309.0	A
Potassium hydroxide	Wheat (forage - fodder)	19.35	26	1,994.0	A
Potassium n-methyldithiocarbamate	Basil, sweet	3,776.92	1	33.0	A
Potassium n-methyldithiocarbamate	Beet	18,180.61	3	117.0	A
Potassium n-methyldithiocarbamate	Brussels sprout	47,582.07	43	541.3	A
Potassium n-methyldithiocarbamate	Cantaloupe	103,280.83	25	346.64	A
Potassium n-methyldithiocarbamate	Carrot	1,954,619.54	84	6,632.23	A
Potassium n-methyldithiocarbamate	Cilantro	403.44	1	1.5	A
Potassium n-methyldithiocarbamate	Collard	12,532.52	3	73.0	A
Potassium n-methyldithiocarbamate	Eggplant	12,492.46	2	57.0	A
Potassium n-methyldithiocarbamate	Grape	4,130.55	2	73.82	A
Potassium n-methyldithiocarbamate	Grape, wine	25,147.32	5	191.06	A
Potassium n-methyldithiocarbamate	Grass, seed	29,794.77	4	133.5	A
Potassium n-methyldithiocarbamate	Herb, spice	10,483.82	2	53.0	A
Potassium n-methyldithiocarbamate	Lettuce, head	152,558.49	28	747.02	A
Potassium n-methyldithiocarbamate	Lettuce, leaf	144,829.56	47	595.24	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Potassium n-methyldithiocarbamate	Melon	167,045.94	53	1,417.7	A
Potassium n-methyldithiocarbamate	N-outdr flower	3,153.16	8	12.4	A
Potassium n-methyldithiocarbamate	N-outdr plants in containers	430.34	1	1.6	A
Potassium n-methyldithiocarbamate	N-outdr transplants	12,448.39	6	47.3	A
Potassium n-methyldithiocarbamate	Onion, dry	323,371.05	19	1,498.5	A
Potassium n-methyldithiocarbamate	Onion, green	33,432.63	2	149.8	A
Potassium n-methyldithiocarbamate	Orange	4,326.29	2	160.0	A
Potassium n-methyldithiocarbamate	Pepper, fruiting	500,259.78	138	2,535.6	A
Potassium n-methyldithiocarbamate	Potato	99,125.98	6	477.5	A
Potassium n-methyldithiocarbamate	Pumpkin	9,582.51	3	197.0	A
Potassium n-methyldithiocarbamate	Soil fumigation/preplant	434,703.54	60	3,267.02	A
Potassium n-methyldithiocarbamate	Spinach	5,747.79	2	21.6	A
Potassium n-methyldithiocarbamate	Squash, summer	16,126.32	2	91.0	A
Potassium n-methyldithiocarbamate	Squash, winter	25,333.99	4	140.0	A
Potassium n-methyldithiocarbamate	Strawberry	1,495,191.9	219	5,789.59	A
Potassium n-methyldithiocarbamate	Sweet potato	323,964.85	66	1,378.08	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Potassium n-methyldithiocarbamate	Tomato	104,470.6	26	634.12	A
Potassium n-methyldithiocarbamate	Tomato, processing	1,759,397.57	259	11,397.16	A
Potassium n-methyldithiocarbamate	Uncultivated ag	14,517.12	4	120.9	A
Potassium n-methyldithiocarbamate	Watermelon	153,249.15	30	1,085.95	A
Potassium nitrate	Alfalfa	113.06	97	3,695.82	A
Potassium nitrate	Almond	8,981.41	1,701	95,237.23	A
Potassium nitrate	Apple	93.69	39	1,393.5	A
Potassium nitrate	Avocado	0.68	3	4.0	A
Potassium nitrate	Bean, dried	45.14	13	1,213.0	A
Potassium nitrate	Bean, succulent	2.73	1	76.0	A
Potassium nitrate	Broccoli	1.81	2	75.0	A
Potassium nitrate	Cherry	941.07	595	13,138.99	A
Potassium nitrate	Citrus	2.15	1	11.0	A
Potassium nitrate	Corn (forage - fodder)	51.07	193	8,381.12	A
Potassium nitrate	Corn, human consumption	0.34	1	25.0	A
Potassium nitrate	Cotton	65.26	16	1,961.58	A
Potassium nitrate	Eggplant	9.17	15	244.0	A
Potassium nitrate	Garlic	2.49	1	155.0	A
Potassium nitrate	Grape	4.1	2	57.0	A
Potassium nitrate	Grape, wine	360.24	244	5,879.12	A
Potassium nitrate	Landscape maintenance	36.32	N/A	N/A	N/A
Potassium nitrate	Lemon	1.2	1	10.0	A
Potassium nitrate	N-outdr transplants	186.06	125	2,855.48	A
Potassium nitrate	Nectarine	0.49	1	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Potassium nitrate	Olive	1.41	9	185.02	A
Potassium nitrate	Orange	0.98	2	13.6	A
Potassium nitrate	Peach	11.13	41	419.17	A
Potassium nitrate	Pecan	0.16	1	8.73	A
Potassium nitrate	Pepper, fruiting	2.45	7	141.0	A
Potassium nitrate	Pistachio	518.41	85	7,482.5	A
Potassium nitrate	Prune	5.13	3	128.0	A
Potassium nitrate	Rice	261.45	101	6,270.5	A
Potassium nitrate	Rights of way	0.25	4	26.5	A
Potassium nitrate	Rights of way	2.7	N/A	N/A	N/A
Potassium nitrate	Ryegrass	3.96	3	82.5	A
Potassium nitrate	Soil fumigation/preplant	0.22	1	10.0	A
Potassium nitrate	Structural pest control	0.17	N/A	N/A	N/A
Potassium nitrate	Sweet potato	0.14	1	15.0	A
Potassium nitrate	Tangerine	20.41	3	117.0	A
Potassium nitrate	Tomato	0.99	1	40.0	A
Potassium nitrate	Tomato, processing	15.94	10	1,330.0	A
Potassium nitrate	Uncultivated ag	2.62	2	160.0	A
Potassium nitrate	Vertebrate control	1.07	N/A	N/A	N/A
Potassium nitrate	Walnut	4,576.02	1,152	47,108.23	A
Potassium nitrate	Wheat (forage - fodder)	34.48	20	1,260.0	A
Potassium permanganate	Landscape maintenance	52.1	N/A	N/A	N/A
Potassium peroxymonosulfate	Animal premise	152.01	5	1,345,000.0	S
Potassium peroxymonosulfate	Animal premise	2,564.99	42	2,729,091.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Potassium peroxymonosulfate	Grape, wine	12.93	3	47.5	A
Potassium peroxymonosulfate	Landscape maintenance	62.09	N/A	N/A	N/A
Potassium phosphite	Alfalfa	2,928.11	37	1,566.6	A
Potassium phosphite	Almond	289,898.06	2,408	128,741.78	A
Potassium phosphite	Apple	566.42	5	201.0	A
Potassium phosphite	Apricot	147.35	10	104.22	A
Potassium phosphite	Artichoke, globe	4,401.5	85	949.8	A
Potassium phosphite	Arugula	3,232.35	319	1,761.38	A
Potassium phosphite	Avocado	5,558.89	73	1,786.15	A
Potassium phosphite	Avocado	500.19	4	480,000.0	U
Potassium phosphite	Basil, sweet	2,047.51	66	660.14	A
Potassium phosphite	Bean, unspecified	96.17	1	20.0	A
Potassium phosphite	Beet	295.93	37	112.4	A
Potassium phosphite	Blackberry	4.81	2	2.0	A
Potassium phosphite	Blueberry	36.21	5	11.3	A
Potassium phosphite	Bok choy (choy sum, pak choi)	84.06	20	33.9	A
Potassium phosphite	Broccoli	735.73	38	369.52	A
Potassium phosphite	Brussels sprout	9,168.8	303	3,787.05	A
Potassium phosphite	Cabbage	854.79	53	359.99	A
Potassium phosphite	Cannabis (all or unspecified)	27.02	26	9.25	A
Potassium phosphite	Cannabis (all or unspecified)	150.09	588	1,386,987.4	S
Potassium phosphite	Carrot	1,495.37	6	430.0	A
Potassium phosphite	Cauliflower	569.73	28	245.7	A
Potassium phosphite	Celery	807.51	24	298.7	A
Potassium phosphite	Cherry	6,608.65	102	2,225.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium phosphite	Chinese cabbage (napa, wong bok, celery cabbage)	26.27	3	9.55	A
Potassium phosphite	Cilantro	136.04	13	51.2	A
Potassium phosphite	Citrus	53.65	5	21.0	A
Potassium phosphite	Citrus	0.98	N/A	28.0	U
Potassium phosphite	Cole crop	4.41	4	2.5	A
Potassium phosphite	Collard	227.22	22	76.0	A
Potassium phosphite	Cotton	235.85	13	1,085.32	A
Potassium phosphite	Cress, garden	3.11	1	2.4	A
Potassium phosphite	Cucumber	309.16	20	114.36	A
Potassium phosphite	Dandelion green	39.2	16	15.02	A
Potassium phosphite	Dill	824.62	15	409.0	A
Potassium phosphite	Eggplant	34.78	1	10.0	A
Potassium phosphite	Endive (escarole)	329.86	49	181.61	A
Potassium phosphite	Fava bean	59.88	7	37.38	A
Potassium phosphite	Garlic	256.96	2	315.0	A
Potassium phosphite	Ginger	0.73	1	0.5	A
Potassium phosphite	Golf course turf	2,263.32	1	205.0	A
Potassium phosphite	Golf course turf	254.31	N/A	892,000.0	S
Potassium phosphite	Grape	13,349.64	217	6,560.76	A
Potassium phosphite	Grape	0.65	2	100.0	U
Potassium phosphite	Grape, wine	723.93	15	282.19	A
Potassium phosphite	Grapefruit	530.52	16	197.5	A
Potassium phosphite	Herb, spice	421.71	84	254.8	A
Potassium phosphite	Kale	2,764.35	293	1,190.62	A
Potassium phosphite	Kohlrabi	16.53	7	5.98	A
Potassium phosphite	Landscape maintenance	24.86	1	100,000.0	S
Potassium phosphite	Landscape maintenance	82,178.71	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Potassium phosphite	Lemon	10,205.96	211	3,613.0	A
Potassium phosphite	Lettuce, head	90,989.09	3,268	35,497.77	A
Potassium phosphite	Lettuce, leaf	159,201.42	5,795	54,649.45	A
Potassium phosphite	Lime	105.11	7	33.33	A
Potassium phosphite	Melon	576.9	5	185.0	A
Potassium phosphite	Mint	18.76	2	4.0	A
Potassium phosphite	Mizuna	57.53	41	31.95	A
Potassium phosphite	Mustard	161.61	26	64.97	A
Potassium phosphite	Mustard greens	800.91	94	316.5	A
Potassium phosphite	N-grnhs flower	1,053.48	N/A	102.5	A
Potassium phosphite	N-grnhs plants in containers	68.76	13	17.41	A
Potassium phosphite	N-grnhs plants in containers	4.0	2	19,800.0	S
Potassium phosphite	N-grnhs plants in containers	478.61	N/A	1,606,630.0	U
Potassium phosphite	N-grnhs transplants	2,337.88	122	401.24	A
Potassium phosphite	N-grnhs transplants	7.82	6	194,589.0	S
Potassium phosphite	N-outdr flower	579.91	30	371.0	A
Potassium phosphite	N-outdr plants in containers	5,579.14	377	1,982.42	A
Potassium phosphite	N-outdr plants in containers	6.41	1	40,000.0	S
Potassium phosphite	N-outdr plants in containers	542.39	15	434,902.0	U
Potassium phosphite	N-outdr transplants	5,424.31	235	2,020.36	A
Potassium phosphite	Nectarine	138.48	5	43.63	A
Potassium phosphite	Olive	5,512.42	45	2,144.4	A
Potassium phosphite	Onion, dry	26,567.3	78	8,755.38	A
Potassium phosphite	Orange	13,301.15	235	4,344.44	A
Potassium phosphite	Parsley	2,375.02	211	921.88	A
Potassium phosphite	Peach	2,794.35	63	1,172.63	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Potassium phosphite	Peas	7,811.73	240	2,609.12	A
Potassium phosphite	Pecan	245.1	4	69.64	A
Potassium phosphite	Pepper, fruiting	2,906.65	77	1,662.79	A
Potassium phosphite	Pepper, spice	17.39	1	5.0	A
Potassium phosphite	Persimmon	31.11	1	24.0	A
Potassium phosphite	Pistachio	122,858.51	370	39,715.66	A
Potassium phosphite	Plum	78.09	4	36.0	A
Potassium phosphite	Pomelo	4.81	3	12.0	A
Potassium phosphite	Potato	4,279.33	17	1,647.9	A
Potassium phosphite	Prune	78.83	2	42.5	A
Potassium phosphite	Pumpkin	1,066.03	18	396.25	A
Potassium phosphite	Quince	51.86	4	18.0	A
Potassium phosphite	Radish	9.33	1	3.6	A
Potassium phosphite	Raspberry	541.31	7	102.3	A
Potassium phosphite	Regulatory pest control	0.47	N/A	N/A	N/A
Potassium phosphite	Research commodity	17.87	5	6.0	A
Potassium phosphite	Rights of way	636.04	N/A	N/A	N/A
Potassium phosphite	Root vegetable	13.63	8	15.0	A
Potassium phosphite	Sod farm (turf)	564.13	9	175.22	A
Potassium phosphite	Soil fumigation/preplant	22.44	2	7.0	A
Potassium phosphite	Spinach	56,407.94	2,711	24,996.47	A
Potassium phosphite	Squash	48.94	5	21.0	A
Potassium phosphite	Strawberry	8,182.8	37	1,895.53	A
Potassium phosphite	Strawberry	8.76	5	18,000.0	S
Potassium phosphite	Structural pest control	125.29	N/A	N/A	N/A
Potassium phosphite	Sweet potato	15.65	2	9.0	A
Potassium phosphite	Swiss chard	2,522.04	436	1,051.69	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium phosphite	Tangelo	953.34	17	324.6	A
Potassium phosphite	Tangerine	9,650.88	175	3,325.45	A
Potassium phosphite	Tomato	474.54	14	123.92	A
Potassium phosphite	Tomato, processing	7,371.56	57	2,540.79	A
Potassium phosphite	Turf/sod	7,819.09	176	3,385.93	A
Potassium phosphite	Turnip	372.87	65	141.78	A
Potassium phosphite	Unknown	101.68	16	33.6	A
Potassium phosphite	Upland cress	66.9	20	51.6	A
Potassium phosphite	Vegetables, fruiting	1.77	3	1.0	A
Potassium phosphite	Vegetables, leafy	132.92	58	78.35	A
Potassium phosphite	Walnut	172,776.32	1,408	61,804.32	A
Potassium phosphite	Watermelon	5,287.32	26	1,383.55	A
Potassium salt of hop beta acids	Beehive	1.05	14	1,482.0	U
Potassium silicate	Almond	355.09	7	348.47	A
Potassium silicate	Apple	0.76	1	2.0	A
Potassium silicate	Apricot	3.8	1	5.0	A
Potassium silicate	Beet	2,230.99	37	823.0	A
Potassium silicate	Blackberry	905.77	7	148.79	A
Potassium silicate	Bok choy (choy sum, pak choi)	86.76	3	28.5	A
Potassium silicate	Broccoli	1,015.51	20	373.4	A
Potassium silicate	Cabbage	78.54	2	25.8	A
Potassium silicate	Cannabis (all or unspecified)	98.5	18	35.81	A
Potassium silicate	Cannabis (all or unspecified)	113.78	274	2,463,073.0	S
Potassium silicate	Cauliflower	965.13	16	319.3	A
Potassium silicate	Cherry	359.36	9	366.1	A
Potassium silicate	Collard	153.51	13	61.0	A
Potassium silicate	Eggplant	41.85	5	15.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium silicate	Grape	1,642.42	44	1,679.0	A
Potassium silicate	Grape, wine	6,651.81	179	5,354.74	A
Potassium silicate	Kale	712.13	14	284.4	A
Potassium silicate	Leek	6.12	2	2.27	A
Potassium silicate	Lettuce, head	65.98	4	45.1	A
Potassium silicate	Lettuce, leaf	338.32	19	204.14	A
Potassium silicate	Melon	0.47	2	5,220.0	S
Potassium silicate	Mustard	52.97	6	20.1	A
Potassium silicate	N-grnhs transplants	1.98	1	1.9	A
Potassium silicate	N-outdr transplants	70.56	12	59.57	A
Potassium silicate	Nectarine	19.01	5	29.96	A
Potassium silicate	Onion, dry	1,369.38	16	1,051.21	A
Potassium silicate	Orange	1.32	2	24.0	A
Potassium silicate	Peach	50.22	3	42.0	A
Potassium silicate	Pear	12.18	5	32.0	A
Potassium silicate	Pepper, fruiting	27.39	1	36.0	A
Potassium silicate	Plum	7.61	1	2.0	A
Potassium silicate	Potato	242.22	5	790.0	A
Potassium silicate	Prune	199.64	6	425.0	A
Potassium silicate	Radish	271.55	7	89.2	A
Potassium silicate	Raspberry	291.47	4	47.88	A
Potassium silicate	Small fruits/berry	1.14	1	1.0	A
Potassium silicate	Stone fruit	30.44	1	15.0	A
Potassium silicate	Strawberry	2,519.52	41	647.73	A
Potassium silicate	Swiss chard	492.56	8	161.8	A
Potassium silicate	Tangerine	157.03	26	161.5	A
Potassium silicate	Tomato	1.18	4	10,800.0	S
Potassium silicate	Tomato, processing	120.23	3	158.0	A
Potassium silicate	Walnut	30.29	6	318.0	A
Potassium silicate	Watermelon	0.12	1	3,360.0	S
Prallethrin	Animal premise	<0.01	N/A	3.0	U



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Prallethrin</b>	Buildings/non-ag outdoor	0.2	N/A	68.0	U
<b>Prallethrin</b>	Commodity fumigation	<0.01	N/A	N/A	N/A
<b>Prallethrin</b>	Fumigation, other	<0.01	N/A	N/A	N/A
<b>Prallethrin</b>	Grape, wine	0.3	1	3.0	A
<b>Prallethrin</b>	Landscape maintenance	0.49	N/A	N/A	N/A
<b>Prallethrin</b>	N-grnhs plants in containers	<0.01	2	1.09	A
<b>Prallethrin</b>	N-outdr plants in containers	<0.01	167	77.57	A
<b>Prallethrin</b>	N-outdr plants in containers	<0.01	1	25,430.0	U
<b>Prallethrin</b>	N-outdr transplants	<0.01	1	0.01	A
<b>Prallethrin</b>	Public health	111.04	N/A	N/A	N/A
<b>Prallethrin</b>	Regulatory pest control	2.8	N/A	N/A	N/A
<b>Prallethrin</b>	Rights of way	0.43	N/A	N/A	N/A
<b>Prallethrin</b>	Structural pest control	1,652.11	N/A	N/A	N/A
<b>Prodiamine</b>	Golf course turf	1,389.3	N/A	1,928.45	A
<b>Prodiamine</b>	Golf course turf	1.67	N/A	100,000.0	S
<b>Prodiamine</b>	Landscape maintenance	66.39	7	128.0	A
<b>Prodiamine</b>	Landscape maintenance	39,199.29	N/A	N/A	N/A
<b>Prodiamine</b>	N-grnhs flower	502.71	3	843.5	A
<b>Prodiamine</b>	N-grnhs flower	1.98	N/A	115,000.0	S
<b>Prodiamine</b>	N-grnhs plants in containers	14.65	17	15.17	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Prodiamine	N-grnhs plants in containers	18.25	14	1,131,210.0	S
Prodiamine	N-grnhs transplants	120.46	N/A	172.0	A
Prodiamine	N-outdr flower	15.71	24	15.01	A
Prodiamine	N-outdr plants in containers	2,896.63	1,371	4,031.14	A
Prodiamine	N-outdr plants in containers	45.07	60	2,976,328.0	S
Prodiamine	Peach	2.6	1	2.0	A
Prodiamine	Plum	3.9	1	3.0	A
Prodiamine	Recreation area	1.63	N/A	105,000.0	S
Prodiamine	Rights of way	22.75	7	35.0	A
Prodiamine	Rights of way	586.25	N/A	N/A	N/A
Prodiamine	Structural pest control	0.1	N/A	N/A	N/A
Prodiamine	Turf/sod	249.96	9	387.0	A
Prodiamine	Uncultivated ag	0.99	1	2.0	A
Prodiamine, other related	Landscape maintenance	8.15	N/A	N/A	N/A
Prohexadione-calcium	Apple	185.94	36	932.5	A
Prohexadione-calcium	Cherry	886.59	175	3,468.65	A
Prometon	Landscape maintenance	<0.01	N/A	N/A	N/A
Prometon	Structural pest control	<0.01	N/A	N/A	N/A
Prometryn	Broccoli	25.97	1	6.5	A
Prometryn	Cabbage	25.05	1	25.1	A
Prometryn	Carrot	883.29	92	901.46	A
Prometryn	Celeriac	11.39	6	15.21	A
Prometryn	Celery	27,040.63	2,123	20,295.07	A
Prometryn	Cilantro	12,970.83	1,728	9,813.76	A
Prometryn	Cotton	590.96	5	369.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Prometryn</b>	Fennel	893.09	283	912.73	A
<b>Prometryn</b>	Parsley	1,810.25	221	1,440.82	A
<b>Prometryn</b>	Research commodity	1.0	N/A	N/A	N/A
<b>Propamocarb</b>	Golf course turf	30.47	N/A	5.0	A
<b>Propamocarb</b>	Landscape maintenance	2,372.47	N/A	N/A	N/A
<b>Propamocarb</b>	N-grnhs flower	77.38	N/A	560,000.0	S
<b>Propamocarb</b>	N-grnhs plants in containers	12.02	N/A	2.5	A
<b>Propamocarb</b>	N-grnhs transplants	15.42	N/A	2.3	A
<b>Propamocarb</b>	Turf/sod	45.08	N/A	7.44	A
<b>Propamocarb</b>	Turf/sod	46.04	N/A	470,000.0	S
<b>Propamocarb hydrochloride</b>	Cucumber	638.82	41	1,077.47	A
<b>Propamocarb hydrochloride</b>	Endive (escarole)	2.47	3	3.4	A
<b>Propamocarb hydrochloride</b>	Golf course turf	580.45	2	130.84	A
<b>Propamocarb hydrochloride</b>	Golf course turf	47.38	N/A	450,000.0	S
<b>Propamocarb hydrochloride</b>	Landscape maintenance	2,290.76	N/A	N/A	N/A
<b>Propamocarb hydrochloride</b>	Lettuce, head	30,733.44	2,655	32,337.61	A
<b>Propamocarb hydrochloride</b>	Lettuce, leaf	40,762.77	4,238	42,363.78	A
<b>Propamocarb hydrochloride</b>	Melon	32.91	3	55.0	A
<b>Propamocarb hydrochloride</b>	N-grnhs flower	338.5	30	151.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Propamocarb hydrochloride</b>	N-grnhs flower	14.68	1	159,687.5	S
<b>Propamocarb hydrochloride</b>	N-grnhs plants in containers	55.67	12	48.34	A
<b>Propamocarb hydrochloride</b>	N-grnhs transplants	458.66	104	522.78	A
<b>Propamocarb hydrochloride</b>	N-outdr transplants	18.43	11	940,310.0	S
<b>Propamocarb hydrochloride</b>	Pepper, fruiting	70.98	8	71.36	A
<b>Propamocarb hydrochloride</b>	Research commodity	0.47	3	0.51	A
<b>Propamocarb hydrochloride</b>	Spinach	755.59	152	812.67	A
<b>Propamocarb hydrochloride</b>	Squash	13.16	2	22.0	A
<b>Propamocarb hydrochloride</b>	Swiss chard	3.51	2	4.68	A
<b>Propamocarb hydrochloride</b>	Tomato	1,838.67	72	2,478.84	A
<b>Propamocarb hydrochloride</b>	Tomato, processing	24.93	1	61.5	A
<b>Propamocarb hydrochloride</b>	Turf/sod	20.4	1	2.5	A
<b>Propamocarb hydrochloride</b>	Watermelon	29.88	1	55.0	A
<b>Propanil</b>	Research commodity	0.14	N/A	N/A	N/A
<b>Propanil</b>	Rice	1,333,939.04	4,051	305,575.48	A
<b>Propanil</b>	Structural pest control	0.77	N/A	N/A	N/A
<b>Propargite</b>	Alfalfa	2,294.12	18	1,223.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propargite	Almond	16,599.88	186	9,031.84	A
Propargite	Bean, dried	905.54	8	418.0	A
Propargite	Bean, unspecified	190.4	2	77.0	A
Propargite	Cherry	797.68	12	415.46	A
Propargite	Corn (forage - fodder)	111,065.93	1,011	48,158.56	A
Propargite	Corn, grain	81.31	1	38.0	A
Propargite	Corn, human consumption	1,443.47	33	680.5	A
Propargite	Cotton	57.06	1	40.0	A
Propargite	Grape, wine	23.04	1	8.0	A
Propargite	Oat (forage - fodder)	216.91	4	130.0	A
Propargite	Rights of way	24.38	1	10.0	A
Propargite	Sorghum (forage - fodder)	63.4	1	38.0	A
Propargite	Sorghum/milo	58.4	1	35.0	A
Propargite	Walnut	34,097.99	249	13,073.42	A
Propetamphos	Structural pest control	0.1	N/A	N/A	N/A
Propiconazole	Almond	32,389.09	2,516	154,188.08	A
Propiconazole	Apricot	241.2	143	2,001.62	A
Propiconazole	Bean, unspecified	1.48	3	12.16	A
Propiconazole	Beet	19.78	11	164.44	A
Propiconazole	Bermudagrass	21.74	2	147.0	A
Propiconazole	Blackberry	32.21	18	173.46	A
Propiconazole	Blueberry	98.21	45	568.93	A
Propiconazole	Cabbage	0.54	1	6.5	A
Propiconazole	Carrot	1,270.92	317	11,518.26	A
Propiconazole	Celery	4,181.35	3,219	36,721.2	A
Propiconazole	Cherry	971.29	337	8,574.0	A
Propiconazole	Cilantro	59.81	140	536.57	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propiconazole	Collard	0.93	2	8.0	A
Propiconazole	Commodity fumigation	223.85	N/A	N/A	N/A
Propiconazole	County ag comm	7.11	N/A	N/A	N/A
Propiconazole	Dill	8.91	8	80.0	A
Propiconazole	Fennel	32.07	32	287.62	A
Propiconazole	Food processing plant	49.2	N/A	108,028.0	T
Propiconazole	Garlic	1,736.02	230	11,057.64	A
Propiconazole	Golf course turf	687.57	18	1,096.15	A
Propiconazole	Golf course turf	12.42	N/A	928,000.0	S
Propiconazole	Grass, seed	14.96	25	91.0	A
Propiconazole	Kale	12.19	26	109.33	A
Propiconazole	Landscape maintenance	10.63	7	12.0	A
Propiconazole	Landscape maintenance	6.96	8	410,000.0	S
Propiconazole	Landscape maintenance	6,436.78	N/A	N/A	N/A
Propiconazole	Leek	25.73	55	203.45	A
Propiconazole	Lemon	1,574.71	N/A	697,056.75	T
Propiconazole	Lumber, treated	9,767.66	N/A	15,371.72	K
Propiconazole	Mint	0.11	1	1.0	A
Propiconazole	N-grnhs flower	165.53	12	176.6	A
Propiconazole	N-grnhs flower	46.04	N/A	1,954,000.0	S
Propiconazole	N-grnhs flower	0.02	N/A	2.0	U
Propiconazole	N-grnhs plants in containers	6.81	84	59.17	A
Propiconazole	N-grnhs plants in containers	1.53	12	326,636.0	S
Propiconazole	N-grnhs transplants	87.62	324	599.1	A
Propiconazole	N-grnhs transplants	1.76	5	888,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propiconazole	N-outdr flower	103.61	217	582.44	A
Propiconazole	N-outdr plants in containers	189.14	735	1,436.13	A
Propiconazole	N-outdr plants in containers	6.46	24	637,080.0	S
Propiconazole	N-outdr plants in containers	1.03	6	47,309.0	U
Propiconazole	N-outdr transplants	38.44	88	291.13	A
Propiconazole	N-outdr transplants	20.41	62	10,056,000.0	S
Propiconazole	Nectarine	2,139.37	1,357	17,926.09	A
Propiconazole	Oat (forage - fodder)	14.36	2	126.0	A
Propiconazole	Onion, dry	643.62	67	4,526.6	A
Propiconazole	Orange	0.62	1	3.0	A
Propiconazole	Orange	348.6	N/A	172,466.0	T
Propiconazole	Parsley	56.45	132	492.05	A
Propiconazole	Peach	4,757.01	2,527	39,556.49	A
Propiconazole	Pecan	5.68	1	25.0	A
Propiconazole	Pistachio	320.33	30	1,600.5	A
Propiconazole	Plum	1,196.26	821	9,620.76	A
Propiconazole	Pluot	3.01	3	25.0	A
Propiconazole	Prune	2,393.91	428	21,559.98	A
Propiconazole	Radish	0.32	1	3.0	A
Propiconazole	Raspberry	10.28	7	55.06	A
Propiconazole	Regulatory pest control	0.11	N/A	N/A	N/A
Propiconazole	Research commodity	0.64	1	5.0	A
Propiconazole	Rice	8,501.48	461	44,164.8	A
Propiconazole	Rights of way	6.96	1	32.0	A
Propiconazole	Rights of way	75.28	N/A	N/A	N/A
Propiconazole	Sod farm (turf)	15.67	4	22.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Propiconazole	Stone fruit	6.74	5	63.0	A
Propiconazole	Stone fruit	63.7	N/A	81,820.29	T
Propiconazole	Strawberry	2,727.21	765	23,243.8	A
Propiconazole	Structural pest control	6.63	N/A	N/A	N/A
Propiconazole	Sugarbeet	1,355.46	157	10,933.94	A
Propiconazole	Turf/sod	264.11	50	398.01	A
Propiconazole	Turf/sod	0.88	N/A	74,000.0	S
Propiconazole	Walnut	6,586.93	645	30,217.54	A
Propiconazole	Wheat	211.69	33	2,159.5	A
Propiconazole	Wheat (forage - fodder)	18.54	6	160.0	A
Propionic acid	Alfalfa	2,704.35	685	36,680.74	A
Propionic acid	Almond	64,154.25	3,624	214,149.14	A
Propionic acid	Apple	12.24	1	14.0	A
Propionic acid	Apricot	268.47	150	1,525.22	A
Propionic acid	Artichoke, globe	400.2	292	4,525.6	A
Propionic acid	Avocado	19.95	76	636.5	A
Propionic acid	Barley	46.73	12	512.0	A
Propionic acid	Barley (forage - fodder)	28.99	24	383.5	A
Propionic acid	Bean, dried	54.84	16	632.5	A
Propionic acid	Bean, succulent	3.29	2	98.5	A
Propionic acid	Beet	3.5	4	58.97	A
Propionic acid	Bermudagrass	37.04	17	136.3	A
Propionic acid	Blackberry	11.07	35	59.94	A
Propionic acid	Blueberry	431.62	76	1,889.06	A
Propionic acid	Bok choy (choy sum, pak choi)	0.94	6	18.3	A
Propionic acid	Broccoli	4,406.33	2,583	28,875.83	A
Propionic acid	Brussels sprout	1,139.11	1,230	14,204.19	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propionic acid	Cabbage	996.87	683	5,731.29	A
Propionic acid	Cabbage, savoy	1.78	2	33.0	A
Propionic acid	Cantaloupe	35.4	11	431.2	A
Propionic acid	Carrot	24.22	4	120.3	A
Propionic acid	Cauliflower	1,788.57	1,401	13,664.74	A
Propionic acid	Celery	664.2	437	4,689.74	A
Propionic acid	Cherry	963.08	216	3,372.28	A
Propionic acid	Chicory	0.06	1	0.9	A
Propionic acid	Chinese cabbage (napa, wong bok, celery cabbage)	0.04	1	1.0	A
Propionic acid	Christmas tree	8.5	10	31.0	A
Propionic acid	Cilantro	38.73	17	188.9	A
Propionic acid	Citrus	8.13	4	171.5	A
Propionic acid	Collard	4.47	16	51.65	A
Propionic acid	Corn (forage - fodder)	1,932.35	501	24,910.39	A
Propionic acid	Corn, grain	20.26	9	217.0	A
Propionic acid	Corn, human consumption	124.3	77	1,109.7	A
Propionic acid	Cotton	16,129.2	1,871	239,397.92	A
Propionic acid	Cucumber	15.96	3	100.0	A
Propionic acid	Date	0.12	1	3.0	A
Propionic acid	Ditch bank	33.44	7	22.1	A
Propionic acid	Endive (escarole)	1.6	10	18.75	A
Propionic acid	Fava bean	0.97	2	5.0	A
Propionic acid	Fennel	23.79	9	98.28	A
Propionic acid	Forage hay/silage	13.11	4	154.0	A
Propionic acid	Garbanzo bean	19.38	1	171.0	A
Propionic acid	Garlic	1,012.2	185	4,470.9	A
Propionic acid	Grain	7.16	1	63.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propionic acid	Grape	2,712.62	463	13,447.04	A
Propionic acid	Grape, wine	5,708.25	607	20,564.01	A
Propionic acid	Hops	1.08	2	3.67	A
Propionic acid	Jujube	0.24	2	1.0	A
Propionic acid	Kale	47.82	56	397.57	A
Propionic acid	Kohlrabi	0.5	3	15.0	A
Propionic acid	Landscape maintenance	1,026.7	N/A	N/A	N/A
Propionic acid	Leek	11.43	7	44.8	A
Propionic acid	Lemon	453.51	86	1,603.87	A
Propionic acid	Lettuce, head	4,580.39	1,710	20,733.5	A
Propionic acid	Lettuce, leaf	8,197.14	3,974	37,752.53	A
Propionic acid	Lime	1.9	1	10.0	A
Propionic acid	Melon	5.29	1	70.0	A
Propionic acid	Mustard greens	1.44	3	23.75	A
Propionic acid	N-grnhs flower	54.8	155	170.0	A
Propionic acid	N-grnhs plants in containers	164.55	358	588.46	A
Propionic acid	N-grnhs plants in containers	364.55	958	67,680,725.0	S
Propionic acid	N-grnhs transplants	10.98	110	168.02	A
Propionic acid	N-outdr flower	1,392.02	1,815	7,547.13	A
Propionic acid	N-outdr plants in containers	2,002.49	5,306	6,842.7	A
Propionic acid	N-outdr plants in containers	214.34	416	32,989,903.0	S
Propionic acid	N-outdr transplants	13.7	140	213.18	A
Propionic acid	N-outdr transplants	<0.01	2	16,000.0	U
Propionic acid	Nectarine	497.87	316	3,868.22	A
Propionic acid	Oat	57.99	10	408.4	A
Propionic acid	Oat (forage - fodder)	31.91	14	425.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propionic acid	Olive	50.16	6	108.77	A
Propionic acid	Onion, dry	144.27	61	1,810.7	A
Propionic acid	Orange	598.75	116	3,349.87	A
Propionic acid	Parsley	32.56	8	389.2	A
Propionic acid	Pastureland	82.7	13	2,188.38	A
Propionic acid	Peach	1,008.25	536	6,937.36	A
Propionic acid	Pear	43.64	18	271.5	A
Propionic acid	Peas	426.13	180	2,046.8	A
Propionic acid	Pecan	9.94	2	153.6	A
Propionic acid	Pepper, fruiting	190.43	30	545.3	A
Propionic acid	Persimmon	11.46	8	108.13	A
Propionic acid	Pistachio	22,890.49	1,153	82,472.98	A
Propionic acid	Plum	391.58	530	3,594.87	A
Propionic acid	Pomegranate	286.64	14	723.8	A
Propionic acid	Potato	898.13	106	2,427.27	A
Propionic acid	Prune	85.09	31	664.2	A
Propionic acid	Pumpkin	98.66	24	647.6	A
Propionic acid	Radicchio	8.58	18	187.54	A
Propionic acid	Radish	13.99	32	206.0	A
Propionic acid	Rangeland	0.41	1	16.0	A
Propionic acid	Rapini	462.31	197	2,204.9	A
Propionic acid	Raspberry	3.3	55	28.92	A
Propionic acid	Research commodity	0.27	N/A	N/A	N/A
Propionic acid	Rice	1,129.58	108	2,656.4	A
Propionic acid	Rights of way	1,020.55	56	10,389.1	A
Propionic acid	Rights of way	173.83	N/A	N/A	N/A
Propionic acid	Ryegrass	28.12	6	372.0	A
Propionic acid	Safflower	3,005.21	302	79,452.0	A
Propionic acid	Sod farm (turf)	28.87	9	182.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Propionic acid	Soil fumigation/preplant	666.5	84	15,629.78	A
Propionic acid	Sorghum (forage - fodder)	24.83	5	287.0	A
Propionic acid	Spinach	7.32	12	59.1	A
Propionic acid	Squash	1.15	1	10.0	A
Propionic acid	Squash, summer	4.47	4	23.64	A
Propionic acid	Strawberry	13,459.36	1,661	75,460.22	A
Propionic acid	Structural pest control	23.31	N/A	N/A	N/A
Propionic acid	Sudangrass	44.66	6	383.0	A
Propionic acid	Sunflower	12.09	1	32.0	A
Propionic acid	Sweet potato	14.18	8	210.5	A
Propionic acid	Swiss chard	1.63	11	19.75	A
Propionic acid	Tangelo	1.42	1	15.0	A
Propionic acid	Tangerine	534.13	87	2,490.42	A
Propionic acid	Tomato	167.99	33	1,306.79	A
Propionic acid	Tomato, processing	4,905.59	596	60,041.14	A
Propionic acid	Triticale	97.47	23	1,124.2	A
Propionic acid	Turf/sod	367.94	125	2,490.06	A
Propionic acid	Turnip	1.51	1	20.0	A
Propionic acid	Uncultivated ag	1,256.52	346	9,558.27	A
Propionic acid	Uncultivated non-ag	15.12	1	100.0	A
Propionic acid	Walnut	5,397.57	553	17,926.97	A
Propionic acid	Water (industrial)	1.5	N/A	4.0	A
Propionic acid	Water area	4.41	N/A	82.49	A
Propionic acid	Watermelon	317.65	26	914.9	A
Propionic acid	Wheat	352.35	87	4,304.0	A
Propionic acid	Wheat (forage - fodder)	149.57	31	1,690.28	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propoxur	Structural pest control	3.01	N/A	N/A	N/A
Propylene glycol	Alfalfa	1,248.95	523	26,182.5	A
Propylene glycol	Almond	18,423.43	3,762	174,721.32	A
Propylene glycol	Apple	218.45	52	1,785.05	A
Propylene glycol	Apricot	115.82	70	688.03	A
Propylene glycol	Artichoke, globe	55.63	191	2,628.1	A
Propylene glycol	Arugula	0.76	17	32.9	A
Propylene glycol	Avocado	34.11	91	733.45	A
Propylene glycol	Barley	2.65	3	102.0	A
Propylene glycol	Basil, sweet	0.09	67	84.85	A
Propylene glycol	Bean, dried	9.95	6	252.0	A
Propylene glycol	Bean, succulent	0.85	8	20.75	A
Propylene glycol	Bean, unspecified	5.93	5	193.0	A
Propylene glycol	Beet	0.05	1	1.5	A
Propylene glycol	Bermudagrass	49.68	6	840.0	A
Propylene glycol	Blackberry	112.74	89	1,470.18	A
Propylene glycol	Blueberry	202.75	34	1,666.84	A
Propylene glycol	Bok choy (choy sum, pak choi)	2.97	46	73.25	A
Propylene glycol	Broccoli	1,424.91	2,153	24,313.36	A
Propylene glycol	Brussels sprout	578.61	1,168	13,293.69	A
Propylene glycol	Cabbage	223.6	457	3,411.53	A
Propylene glycol	Cactus pear	1.39	1	8.8	A
Propylene glycol	Cantaloupe	0.1	9	268.5	A
Propylene glycol	Carrot	8.15	10	137.27	A
Propylene glycol	Cauliflower	702.05	1,611	13,741.83	A
Propylene glycol	Celery	256.56	631	5,040.26	A
Propylene glycol	Cherry	687.13	260	6,614.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propylene glycol	Chinese cabbage (napa, wong bok, celery cabbage)	2.86	41	67.9	A
Propylene glycol	Chinese greens	0.34	3	3.5	A
Propylene glycol	Cilantro	2.96	11	53.4	A
Propylene glycol	Citrus	3.46	2	11.0	A
Propylene glycol	Cole crop	0.08	89	70.85	A
Propylene glycol	Collard	0.54	11	22.02	A
Propylene glycol	Commercial, institutional or industrial areas	0.11	2	1.5	A
Propylene glycol	Commodity fumigation	<0.01	N/A	N/A	N/A
Propylene glycol	Corn (forage - fodder)	1,459.56	641	32,258.0	A
Propylene glycol	Corn, grain	133.23	65	2,745.7	A
Propylene glycol	Corn, human consumption	107.69	138	2,610.75	A
Propylene glycol	Cotton	628.77	204	13,026.48	A
Propylene glycol	Cucumber	14.14	18	396.6	A
Propylene glycol	Ditch bank	5.83	4	130.02	A
Propylene glycol	Fava bean	0.27	1	4.55	A
Propylene glycol	Fig	38.97	19	590.42	A
Propylene glycol	Forage hay/silage	14.7	16	682.9	A
Propylene glycol	Garlic	155.23	35	2,475.9	A
Propylene glycol	Ginger	<0.01	10	4.75	A
Propylene glycol	Golf course turf	0.7	N/A	7.72	A
Propylene glycol	Grape	4,594.95	2,408	64,781.4	A
Propylene glycol	Grape, wine	9,103.85	4,463	156,370.34	A
Propylene glycol	Grapefruit	271.05	128	1,868.02	A
Propylene glycol	Herb, spice	12.0	138	270.2	A
Propylene glycol	Industrial hemp	4.98	8	125.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propylene glycol	Kale	7.43	43	240.65	A
Propylene glycol	Kohlrabi	0.35	3	15.0	A
Propylene glycol	Landscape maintenance	1.21	4	21.4	A
Propylene glycol	Landscape maintenance	2,248.06	N/A	N/A	N/A
Propylene glycol	Leek	0.46	6	7.9	A
Propylene glycol	Lemon	1,770.64	629	13,723.4	A
Propylene glycol	Lettuce, head	253.38	523	5,969.45	A
Propylene glycol	Lettuce, leaf	305.54	1,158	9,179.28	A
Propylene glycol	Lime	8.69	21	108.17	A
Propylene glycol	Melon	0.12	10	279.75	A
Propylene glycol	Mint	<0.01	6	5.5	A
Propylene glycol	Mizuna	0.33	7	13.98	A
Propylene glycol	Mustard greens	5.61	71	229.12	A
Propylene glycol	N-grnhs flower	7.99	58	70.85	A
Propylene glycol	N-grnhs flower	1.08	56	382,401.0	S
Propylene glycol	N-grnhs plants in containers	22.03	497	536.63	A
Propylene glycol	N-grnhs plants in containers	31.65	195	9,971,997.0	S
Propylene glycol	N-grnhs transplants	1.13	25	30.93	A
Propylene glycol	N-outdr flower	704.78	3,191	8,398.4	A
Propylene glycol	N-outdr flower	0.03	1	3,000.0	S
Propylene glycol	N-outdr plants in containers	182.3	2,102	3,864.88	A
Propylene glycol	N-outdr plants in containers	12.91	123	6,482,441.4	S
Propylene glycol	N-outdr plants in containers	0.04	2	23.0	U
Propylene glycol	N-outdr transplants	209.06	220	2,334.26	A
Propylene glycol	Nectarine	292.1	372	3,336.56	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propylene glycol	Oat	3.9	8	136.9	A
Propylene glycol	Oat (forage - fodder)	160.11	147	5,595.24	A
Propylene glycol	Olive	101.72	42	1,024.2	A
Propylene glycol	Onion, dry	56.32	74	1,404.73	A
Propylene glycol	Orange	5,911.27	1,835	38,627.55	A
Propylene glycol	Parsley	0.06	1	1.0	A
Propylene glycol	Pasture (forage - fodder)	4.54	2	15.0	A
Propylene glycol	Pastureland	0.05	6	35.0	A
Propylene glycol	Peach	341.4	456	4,924.56	A
Propylene glycol	Peas	0.54	2	3.25	A
Propylene glycol	Pecan	32.78	4	385.0	A
Propylene glycol	Pepper, fruiting	342.41	367	8,851.08	A
Propylene glycol	Persimmon	1.26	5	13.5	A
Propylene glycol	Pistachio	13,169.05	2,206	132,773.43	A
Propylene glycol	Pistachio	0.41	7	39,844.0	S
Propylene glycol	Pistachio	0.76	9	85.0	U
Propylene glycol	Plum	284.33	203	1,918.86	A
Propylene glycol	Pomegranate	197.87	28	2,000.0	A
Propylene glycol	Pomelo	41.24	34	310.95	A
Propylene glycol	Potato	105.13	21	989.1	A
Propylene glycol	Prune	481.35	94	4,942.55	A
Propylene glycol	Public health	26.88	N/A	N/A	N/A
Propylene glycol	Pumpkin	3.78	7	133.0	A
Propylene glycol	Quince	0.56	4	20.8	A
Propylene glycol	Rangeland	10.26	4	516.6	A
Propylene glycol	Rapini	38.95	26	607.6	A
Propylene glycol	Raspberry	20.73	18	258.83	A
Propylene glycol	Regulatory pest control	0.06	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propylene glycol	Research commodity	0.2	N/A	N/A	N/A
Propylene glycol	Rice	78.56	33	1,434.6	A
Propylene glycol	Rights of way	17.66	9	214.0	A
Propylene glycol	Rights of way	2,069.6	N/A	N/A	N/A
Propylene glycol	Root vegetable	0.06	28	49.75	A
Propylene glycol	Rye	10.57	7	320.0	A
Propylene glycol	Safflower	3.07	2	58.0	A
Propylene glycol	Soil fumigation/preplant	5.07	3	96.0	A
Propylene glycol	Sorghum (forage - fodder)	39.85	9	462.0	A
Propylene glycol	Sorghum/milo	178.01	31	1,978.4	A
Propylene glycol	Spinach	0.24	1	2.0	A
Propylene glycol	Squash	7.01	46	269.8	A
Propylene glycol	Squash, summer	8.94	13	230.5	A
Propylene glycol	Stone fruit	0.6	1	4.0	A
Propylene glycol	Strawberry	5,299.44	2,036	63,418.78	A
Propylene glycol	Structural pest control	8.95	N/A	N/A	N/A
Propylene glycol	Sudangrass	20.57	12	596.0	A
Propylene glycol	Sugarbeet (forage - fodder)	6.88	3	156.2	A
Propylene glycol	Sunflower	3.06	6	342.4	A
Propylene glycol	Sweet potato	12.65	10	285.1	A
Propylene glycol	Swiss chard	1.29	11	35.98	A
Propylene glycol	Tangelo	189.37	55	915.05	A
Propylene glycol	Tangerine	2,450.16	980	31,046.94	A
Propylene glycol	Thyme	0.06	1	1.0	A
Propylene glycol	Tomatillo	4.12	4	96.0	A
Propylene glycol	Tomato	159.93	167	4,003.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propylene glycol	Tomato, processing	315.57	248	6,396.0	A
Propylene glycol	Triticale	110.53	40	2,206.3	A
Propylene glycol	Uncultivated ag	178.7	230	2,247.29	A
Propylene glycol	Uncultivated non-ag	75.61	16	179.05	A
Propylene glycol	Vegetables, fruiting	<0.01	8	3.0	A
Propylene glycol	Vegetables, leafy	0.66	345	537.5	A
Propylene glycol	Walnut	4,346.16	969	49,718.08	A
Propylene glycol	Water area	2.59	1	30.0	A
Propylene glycol	Watermelon	0.48	4	11.05	A
Propylene glycol	Wheat	23.29	11	485.0	A
Propylene glycol	Wheat (forage - fodder)	787.7	170	10,556.15	A
Propylene glycol, methyl ether	Grape, wine	15.95	10	1,022.0	A
Propylene glycol, methyl ether	N-outdr flower	0.06	1	5.0	A
Propylene glycol, methyl ether	Orange	0.94	1	7.5	A
Propylene oxide	Almond	4,414.0	N/A	999,999.0	P
Propylene oxide	Almond	24,901.0	N/A	3,202.0	T
Propylene oxide	Commodity fumigation	72,111.0	N/A	N/A	N/A
Propylene oxide	Fumigation, other	10,380.0	N/A	N/A	N/A
Propylene oxide	Walnut	969.0	N/A	403,850.0	P
Propylene oxide	Walnut	25,284.0	N/A	3,037.0	T
Propyzamide	Artichoke, globe	238.24	14	185.48	A
Propyzamide	Broccoli	15.49	2	14.3	A
Propyzamide	Clover	264.51	5	253.0	A
Propyzamide	Endive (escarole)	636.07	199	502.12	A
Propyzamide	Golf course turf	53.65	N/A	61.59	A
Propyzamide	Grape, wine	1.38	1	11.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Propyzamide	Landscape maintenance	797.65	N/A	N/A	N/A
Propyzamide	Lettuce, head	42,590.76	3,967	44,664.87	A
Propyzamide	Lettuce, leaf	68,558.41	7,683	67,805.66	A
Propyzamide	Radicchio	466.89	35	572.2	A
Propyzamide	Research commodity	3.68	5	2.99	A
Propyzamide	Research commodity	15.13	N/A	N/A	N/A
Propyzamide	Sod farm (turf)	31.99	4	38.14	A
Propyzamide	Soil fumigation/preplant	58.55	1	36.0	A
Propyzamide	Turf/sod	185.68	19	186.53	A
Propyzamide	Uncultivated ag	360.03	39	618.4	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Almond	125.33	7	100.19	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Beet	89.5	6	40.9	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Blueberry	129.5	4	53.0	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Broccoli	532.5	6	213.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Cannabis (all or unspecified)	40.26	32	320,000.0	S
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Carrot	419.31	3	167.72	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Celery	902.7	36	298.69	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Cherry	0.51	3	0.27	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Chinese cabbage (napa, wong bok, celery cabbage)	9.75	2	6.5	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Cilantro	106.72	2	22.69	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Collard	152.5	21	73.8	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Cucumber	8.0	3	2.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Grape	2,473.5	39	1,258.0	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Grape, wine	9,190.67	133	3,972.7	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Kale	346.88	18	163.2	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Lemon	327.5	5	161.5	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Lettuce, head	199.81	21	150.05	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Lettuce, leaf	458.55	47	254.62	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	N-grnhs plants in containers	1.25	1	2.0	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	N-grnhs transplants	144.22	18	37.24	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	N-outdr transplants	89.7	21	42.08	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Nectarine	156.18	6	62.47	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Orange	143.75	5	65.0	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Parsley	40.25	1	16.1	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Peach	168.25	7	67.3	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Pistachio	2,173.03	3	869.21	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Prune	43.75	2	35.0	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Pumpkin	71.0	5	28.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Research commodity	0.62	6	0.17	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Spinach	30.0	3	12.0	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Squash	5.0	2	1.25	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Strawberry	15,264.91	218	6,891.56	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Swiss chard	21.75	1	8.7	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Tangerine	263.75	16	176.0	A
<b>Pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Tomato	425.0	11	170.0	A
<b>Pseudomonas fluorescens, strain a506</b>	Apple	3.55	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Pseudomonas fluorescens, strain a506</b>	Pear	15.71	16	136.0	A
<b>Pseudomonas fluorescens, strain a506</b>	Research commodity	0.06	1	0.11	A
<b>Purpureocillium lilacinum strain 251</b>	Almond	18.1	2	75.4	A
<b>Purpureocillium lilacinum strain 251</b>	Avocado	6.52	3	30.32	A
<b>Purpureocillium lilacinum strain 251</b>	Beet	79.27	73	392.78	A
<b>Purpureocillium lilacinum strain 251</b>	Cabbage	3.6	1	15.0	A
<b>Purpureocillium lilacinum strain 251</b>	Cantaloupe	33.6	2	140.0	A
<b>Purpureocillium lilacinum strain 251</b>	Carrot	2,056.74	175	6,980.31	A
<b>Purpureocillium lilacinum strain 251</b>	Cauliflower	4.91	4	20.47	A
<b>Purpureocillium lilacinum strain 251</b>	Celery	1.92	1	8.0	A
<b>Purpureocillium lilacinum strain 251</b>	Grape	18.07	5	130.6	A
<b>Purpureocillium lilacinum strain 251</b>	Grape, wine	124.59	22	519.13	A
<b>Purpureocillium lilacinum strain 251</b>	Lemon	169.31	42	827.28	A
<b>Purpureocillium lilacinum strain 251</b>	Lettuce, head	16.8	1	70.0	A
<b>Purpureocillium lilacinum strain 251</b>	Melon	2.72	4	45.23	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Purpureocillium lilacinum strain 251	Onion, dry	683.28	44	2,566.0	A
Purpureocillium lilacinum strain 251	Parsley	3.68	4	37.64	A
Purpureocillium lilacinum strain 251	Parsnip	2.4	2	8.0	A
Purpureocillium lilacinum strain 251	Pepper, fruiting	19.79	5	124.0	A
Purpureocillium lilacinum strain 251	Potato	25.92	2	94.0	A
Purpureocillium lilacinum strain 251	Rutabaga	3.3	3	11.0	A
Purpureocillium lilacinum strain 251	Strawberry	0.74	4	6.2	A
Purpureocillium lilacinum strain 251	Sugarbeet	32.4	2	147.0	A
Purpureocillium lilacinum strain 251	Tomato	0.42	8	3.23	A
Purpureocillium lilacinum strain 251	Watermelon	16.8	1	70.0	A
Putrescent whole egg solids	Animal premise	0.57	N/A	39.0	U
Putrescent whole egg solids	Landscape maintenance	0.17	N/A	N/A	N/A
Putrescent whole egg solids	Structural pest control	0.47	N/A	N/A	N/A
Pydiflumetofen	Almond	2,956.93	695	44,451.29	A
Pydiflumetofen	Broccoli	151.79	125	1,393.49	A
Pydiflumetofen	Brussels sprout	9.53	9	87.1	A
Pydiflumetofen	Cabbage	49.75	53	447.2	A
Pydiflumetofen	Carrot	5.29	4	80.0	A
Pydiflumetofen	Cauliflower	26.28	35	237.47	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pydiflumetofen	Celery	120.7	76	958.1	A
Pydiflumetofen	Cherry	5.88	6	88.08	A
Pydiflumetofen	Garlic	0.11	1	1.0	A
Pydiflumetofen	Golf course turf	25.97	N/A	70.0	A
Pydiflumetofen	Golf course turf	2.35	2	568,000.0	S
Pydiflumetofen	Grape	3,158.08	393	19,810.42	A
Pydiflumetofen	Grape, wine	1,368.86	589	11,066.33	A
Pydiflumetofen	Landscape maintenance	75.99	N/A	N/A	N/A
Pydiflumetofen	Lettuce, head	110.66	87	882.2	A
Pydiflumetofen	Lettuce, leaf	347.87	232	2,710.13	A
Pydiflumetofen	N-grnhs transplants	<0.01	1	0.28	A
Pydiflumetofen	N-outdr plants in containers	17.92	4	137.0	A
Pydiflumetofen	Onion, dry	319.93	22	2,904.0	A
Pydiflumetofen	Parsley	35.02	15	269.38	A
Pydiflumetofen	Peach	9.39	12	140.8	A
Pydiflumetofen	Pepper, fruiting	9.86	5	100.0	A
Pydiflumetofen	Pistachio	610.36	111	8,965.34	A
Pydiflumetofen	Potato	0.05	1	0.5	A
Pydiflumetofen	Research commodity	0.17	6	1.3	A
Pydiflumetofen	Squash	2.8	11	27.0	A
Pydiflumetofen	Strawberry	785.67	168	6,037.15	A
Pydiflumetofen	Tomato	177.17	40	1,752.43	A
Pydiflumetofen	Tomato, processing	1,027.48	192	12,450.95	A
Pydiflumetofen	Vegetables, leafy	0.18	1	1.5	A
Pydiflumetofen	Watermelon	29.23	5	263.0	A
Pymetrozine	Arugula	74.02	107	864.46	A
Pymetrozine	Asparagus	4.02	6	51.4	A
Pymetrozine	Avocado	1.41	5	1,150,050.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Pymetrozine	Bok choy (choy sum, pak choi)	0.92	4	10.7	A
Pymetrozine	Broccoli	68.64	87	798.91	A
Pymetrozine	Brussels sprout	60.56	45	704.84	A
Pymetrozine	Cabbage	6.93	12	80.6	A
Pymetrozine	Cannabis (all or unspecified)	2.19	28	224.0	A
Pymetrozine	Cannabis (all or unspecified)	0.55	33	63,054.0	S
Pymetrozine	Cantaloupe	29.74	6	346.0	A
Pymetrozine	Cauliflower	13.05	23	151.82	A
Pymetrozine	Celery	154.08	239	1,813.64	A
Pymetrozine	Chinese broccoli (gai lon)	2.58	1	30.0	A
Pymetrozine	Chinese cabbage (napa, wong bok, celery cabbage)	1.59	8	18.5	A
Pymetrozine	Collard	0.49	2	5.75	A
Pymetrozine	Cotton	121.08	15	1,409.0	A
Pymetrozine	Cucumber	12.39	24	141.26	A
Pymetrozine	Eggplant	0.43	5	5.5	A
Pymetrozine	Endive (escarole)	1.19	15	13.8	A
Pymetrozine	Industrial hemp	2.16	3	4.5	A
Pymetrozine	Kale	17.07	28	198.78	A
Pymetrozine	Lettuce, head	196.05	227	2,295.56	A
Pymetrozine	Lettuce, leaf	282.09	405	3,287.82	A
Pymetrozine	Melon	6.11	2	71.0	A
Pymetrozine	Mustard greens	1.11	2	13.0	A
Pymetrozine	N-grnhs flower	26.48	66	155.19	A
Pymetrozine	N-grnhs flower	3.24	34	623,740.0	S
Pymetrozine	N-grnhs plants in containers	139.63	432	501.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Pymetrozine	N-grnhs plants in containers	20.06	42	1,120,802.0	S
Pymetrozine	N-grnhs transplants	14.42	13	29.65	A
Pymetrozine	N-grnhs transplants	16.97	102	6,022,300.0	S
Pymetrozine	N-outdr flower	7.97	23	77.8	A
Pymetrozine	N-outdr plants in containers	108.55	251	492.42	A
Pymetrozine	N-outdr plants in containers	2.58	22	351,500.0	S
Pymetrozine	N-outdr plants in containers	5.63	7	95,274.0	U
Pymetrozine	N-outdr transplants	0.78	5	4.5	A
Pymetrozine	N-outdr transplants	8.95	27	5,616,000.0	S
Pymetrozine	Pecan	23.69	7	189.5	A
Pymetrozine	Pepper, fruiting	20.38	20	252.91	A
Pymetrozine	Pumpkin	102.84	33	1,196.7	A
Pymetrozine	Rapini	4.78	4	55.6	A
Pymetrozine	Research commodity	0.37	5	0.2	A
Pymetrozine	Research commodity	<0.01	3	332.0	S
Pymetrozine	Research commodity	2.01	N/A	N/A	N/A
Pymetrozine	Spinach	93.03	140	1,085.48	A
Pymetrozine	Squash	0.69	1	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pymetrozine	Swiss chard	0.26	1	3.0	A
Pymetrozine	Tomato	34.11	33	250.7	A
Pymetrozine	Upland cress	1.6	8	18.8	A
Pymetrozine	Watermelon	114.79	20	1,335.8	A
Pyraclostrobin	Alfalfa	274.78	57	2,508.6	A
Pyraclostrobin	Almond	33,332.66	5,741	348,115.7	A
Pyraclostrobin	Apple	5.2	8	43.28	A
Pyraclostrobin	Apricot	142.63	64	1,492.83	A
Pyraclostrobin	Arugula	3.72	5	26.0	A
Pyraclostrobin	Bean, dried	2.75	4	18.8	A
Pyraclostrobin	Bean, unspecified	1.54	2	10.5	A
Pyraclostrobin	Beet	12.82	8	82.72	A
Pyraclostrobin	Bermudagrass	597.65	31	3,147.0	A
Pyraclostrobin	Blackberry	208.96	193	1,181.38	A
Pyraclostrobin	Bok choy (choy sum, pak choi)	40.96	84	283.52	A
Pyraclostrobin	Broccoli	2,164.38	1,198	12,235.39	A
Pyraclostrobin	Brussels sprout	1,496.87	646	8,747.42	A
Pyraclostrobin	Cabbage	449.24	230	2,582.01	A
Pyraclostrobin	Cantaloupe	1.62	2	14.5	A
Pyraclostrobin	Carrot	1,402.03	301	13,563.35	A
Pyraclostrobin	Cauliflower	507.39	262	2,841.59	A
Pyraclostrobin	Celery	495.67	326	3,071.11	A
Pyraclostrobin	Cherry	1,620.16	801	17,200.26	A
Pyraclostrobin	Chinese cabbage (napa, wong bok, celery cabbage)	15.65	34	102.13	A
Pyraclostrobin	Citrus	2.33	2	11.72	A
Pyraclostrobin	Collard	16.25	20	86.79	A
Pyraclostrobin	Cotton	306.54	11	2,342.0	A
Pyraclostrobin	Cucumber	11.82	13	98.74	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraclostrobin	Cucumber	1.26	11	363,000.0	S
Pyraclostrobin	Dandelion green	0.68	3	3.42	A
Pyraclostrobin	Eggplant	4.16	2	24.0	A
Pyraclostrobin	Endive (escarole)	54.15	25	305.0	A
Pyraclostrobin	Fava bean	0.29	1	2.0	A
Pyraclostrobin	Fennel	10.95	15	60.1	A
Pyraclostrobin	Gai choy	1.45	5	10.0	A
Pyraclostrobin	Gai lon	6.3	4	42.0	A
Pyraclostrobin	Garbanzo bean	8.57	8	58.7	A
Pyraclostrobin	Garlic	13.49	3	89.9	A
Pyraclostrobin	Golf course turf	130.71	3	263.85	A
Pyraclostrobin	Golf course turf	11.08	N/A	1,122,000.0	S
Pyraclostrobin	Grape	5,203.71	1,138	42,907.51	A
Pyraclostrobin	Grape, wine	13,974.32	3,098	105,310.43	A
Pyraclostrobin	Grape, wine	0.05	1	600.0	U
Pyraclostrobin	Grapefruit	58.1	26	279.5	A
Pyraclostrobin	Hops	3.36	3	30.0	A
Pyraclostrobin	Kale	106.39	110	580.01	A
Pyraclostrobin	Landscape maintenance	1.63	3	5.92	A
Pyraclostrobin	Landscape maintenance	0.26	1	32,000.0	S
Pyraclostrobin	Landscape maintenance	1,615.63	N/A	N/A	N/A
Pyraclostrobin	Leek	14.19	24	94.6	A
Pyraclostrobin	Lemon	713.12	162	3,484.92	A
Pyraclostrobin	Lettuce, head	1,089.93	555	6,732.77	A
Pyraclostrobin	Lettuce, leaf	1,490.83	835	8,861.14	A
Pyraclostrobin	Melon	72.21	10	517.0	A
Pyraclostrobin	Mustard	1.69	2	8.44	A
Pyraclostrobin	Mustard greens	10.93	13	61.57	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraclostrobin	N-grnhs flower	152.58	161	511.3	A
Pyraclostrobin	N-grnhs flower	21.11	8	1,945,480.0	S
Pyraclostrobin	N-grnhs plants in containers	297.23	1,337	1,268.14	A
Pyraclostrobin	N-grnhs plants in containers	64.85	256	7,196,038.53	S
Pyraclostrobin	N-grnhs plants in containers	33.77	34	662,382.0	U
Pyraclostrobin	N-grnhs transplants	79.35	200	3,449.22	A
Pyraclostrobin	N-grnhs transplants	3.33	117	796,464.0	S
Pyraclostrobin	N-outdr flower	573.91	725	3,557.69	A
Pyraclostrobin	N-outdr flower	0.91	N/A	110,000.0	S
Pyraclostrobin	N-outdr plants in containers	586.26	1,571	2,617.82	A
Pyraclostrobin	N-outdr plants in containers	21.64	75	2,420,390.0	S
Pyraclostrobin	N-outdr plants in containers	16.74	63	629,558.0	U
Pyraclostrobin	N-outdr transplants	246.48	205	1,890.92	A
Pyraclostrobin	N-outdr transplants	0.31	3	23,200.0	S
Pyraclostrobin	Nectarine	314.15	231	2,984.03	A
Pyraclostrobin	Olive	0.32	1	10.0	A
Pyraclostrobin	Onion, dry	353.35	93	2,431.75	A
Pyraclostrobin	Orange	2,414.43	494	11,229.79	A
Pyraclostrobin	Parsley	96.57	82	516.77	A
Pyraclostrobin	Peach	656.21	570	6,823.64	A
Pyraclostrobin	Pear	10.88	2	80.0	A
Pyraclostrobin	Peas	281.85	235	1,974.11	A
Pyraclostrobin	Pecan	0.17	2	1.64	A
Pyraclostrobin	Pepper, fruiting	815.6	229	4,908.75	A
Pyraclostrobin	Pepper, spice	13.58	7	103.88	A
Pyraclostrobin	Pistachio	6,927.0	927	67,597.66	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraclostrobin	Plum	174.28	130	1,700.9	A
Pyraclostrobin	Pluot	0.48	1	5.0	A
Pyraclostrobin	Pomelo	2.08	1	10.0	A
Pyraclostrobin	Potato	209.58	63	1,462.08	A
Pyraclostrobin	Prune	63.15	14	608.0	A
Pyraclostrobin	Pumpkin	21.6	9	144.4	A
Pyraclostrobin	Radicchio	102.17	11	549.6	A
Pyraclostrobin	Radish	132.15	154	669.27	A
Pyraclostrobin	Raspberry	382.54	303	2,229.46	A
Pyraclostrobin	Recreation area	1.84	N/A	4.0	A
Pyraclostrobin	Research commodity	5.74	39	37.98	A
Pyraclostrobin	Research commodity	0.37	8	59,500.0	S
Pyraclostrobin	Research commodity	15.49	N/A	N/A	N/A
Pyraclostrobin	Rights of way	0.92	N/A	N/A	N/A
Pyraclostrobin	Root vegetable	3.7	29	48.25	A
Pyraclostrobin	Spinach	16.71	25	84.82	A
Pyraclostrobin	Squash, summer	3.82	1	45.0	A
Pyraclostrobin	Squash, zucchini	0.01	1	0.1	A
Pyraclostrobin	Stone fruit	0.54	4	12.15	A
Pyraclostrobin	Stone fruit	0.02	N/A	21,000.0	S
Pyraclostrobin	Strawberry	7,785.87	1,349	44,185.9	A
Pyraclostrobin	Sugarbeet	95.95	9	609.0	A
Pyraclostrobin	Sunflower	28.19	18	214.6	A
Pyraclostrobin	Swiss chard	60.02	114	316.63	A
Pyraclostrobin	Tangelo	33.24	12	152.12	A
Pyraclostrobin	Tangerine	4,851.24	852	21,820.74	A
Pyraclostrobin	Tomato	1,229.03	253	7,330.06	A
Pyraclostrobin	Tomato	1.58	11	221,000.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraclostrobin	Tomato, processing	7,284.5	595	43,817.8	A
Pyraclostrobin	Turf/sod	10.76	N/A	21.0	A
Pyraclostrobin	Uncultivated ag	5.75	4	35.15	A
Pyraclostrobin	Uncultivated non-ag	0.04	1	0.5	A
Pyraclostrobin	Vegetable	0.11	3	0.7	A
Pyraclostrobin	Vegetables, fruiting	0.02	1	0.25	A
Pyraclostrobin	Vegetables, leafy	3.7	22	46.0	A
Pyraclostrobin	Walnut	3,073.33	708	31,002.81	A
Pyraclostrobin	Watermelon	450.62	54	3,168.25	A
Pyraclostrobin	Wheat	153.94	72	1,185.9	A
Pyraflufen-ethyl	Alfalfa	0.76	4	274.0	A
Pyraflufen-ethyl	Almond	709.18	2,886	151,092.2	A
Pyraflufen-ethyl	Apple	20.14	60	961.78	A
Pyraflufen-ethyl	Apricot	2.95	61	735.07	A
Pyraflufen-ethyl	Barley (forage - fodder)	1.64	7	991.0	A
Pyraflufen-ethyl	Basil, sweet	0.14	1	41.0	A
Pyraflufen-ethyl	Blueberry	0.18	3	32.5	A
Pyraflufen-ethyl	Broccoli	0.13	3	40.2	A
Pyraflufen-ethyl	Cabbage	0.03	1	8.3	A
Pyraflufen-ethyl	Cantaloupe	0.3	1	91.0	A
Pyraflufen-ethyl	Carrot	0.03	1	10.0	A
Pyraflufen-ethyl	Cherry	26.29	526	6,351.1	A
Pyraflufen-ethyl	Chinese cabbage (napa, wong bok, celery cabbage)	<0.01	1	3.4	A
Pyraflufen-ethyl	Corn (forage - fodder)	12.68	133	4,580.16	A
Pyraflufen-ethyl	Corn, human consumption	1.81	13	743.7	A
Pyraflufen-ethyl	Cotton	443.54	1,995	130,595.73	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraflufen-ethyl	Cucumber	0.03	1	6.38	A
Pyraflufen-ethyl	Date	<0.01	2	17.0	A
Pyraflufen-ethyl	Ditch bank	1.1	37	370.0	A
Pyraflufen-ethyl	Endive (escarole)	0.04	4	11.0	A
Pyraflufen-ethyl	Fig	1.72	8	322.26	A
Pyraflufen-ethyl	Forage hay/silage	0.8	13	496.4	A
Pyraflufen-ethyl	Garlic	0.4	1	120.8	A
Pyraflufen-ethyl	Grape	108.07	1,083	26,516.7	A
Pyraflufen-ethyl	Grape, wine	493.12	4,178	130,205.51	A
Pyraflufen-ethyl	Grapefruit	0.07	4	13.55	A
Pyraflufen-ethyl	Herb, spice	0.38	4	115.0	A
Pyraflufen-ethyl	Kiwi fruit fuzzy	13.17	328	2,675.81	A
Pyraflufen-ethyl	Landscape maintenance	0.04	1	7.0	A
Pyraflufen-ethyl	Landscape maintenance	7.35	N/A	N/A	N/A
Pyraflufen-ethyl	Lemon	0.48	22	195.73	A
Pyraflufen-ethyl	Lettuce, head	0.07	4	20.3	A
Pyraflufen-ethyl	Lettuce, leaf	1.39	22	537.61	A
Pyraflufen-ethyl	Melon	0.44	6	132.5	A
Pyraflufen-ethyl	Mustard greens	<0.01	1	1.0	A
Pyraflufen-ethyl	N-grnhs flower	0.1	N/A	52.37	A
Pyraflufen-ethyl	N-outdr plants in containers	1.73	19	511.8	A
Pyraflufen-ethyl	N-outdr transplants	0.26	5	48.0	A
Pyraflufen-ethyl	Nectarine	18.64	330	4,354.63	A
Pyraflufen-ethyl	Oat	0.72	8	335.9	A
Pyraflufen-ethyl	Oat (forage - fodder)	0.56	2	341.0	A
Pyraflufen-ethyl	Olive	11.05	54	2,450.36	A
Pyraflufen-ethyl	Onion, dry	5.13	20	1,577.0	A
Pyraflufen-ethyl	Orange	1.48	15	374.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraflufen-ethyl	Pastureland	0.41	6	154.02	A
Pyraflufen-ethyl	Peach	34.19	577	7,295.41	A
Pyraflufen-ethyl	Pear	0.71	9	149.1	A
Pyraflufen-ethyl	Pecan	0.03	2	5.5	A
Pyraflufen-ethyl	Pepper, fruiting	0.16	1	60.0	A
Pyraflufen-ethyl	Persimmon	4.37	25	160.62	A
Pyraflufen-ethyl	Pistachio	313.56	1,395	68,690.06	A
Pyraflufen-ethyl	Plum	12.78	264	2,931.75	A
Pyraflufen-ethyl	Pomegranate	35.14	183	7,797.72	A
Pyraflufen-ethyl	Potato	21.36	264	3,653.9	A
Pyraflufen-ethyl	Prune	12.22	70	2,339.34	A
Pyraflufen-ethyl	Pumpkin	3.99	37	1,240.9	A
Pyraflufen-ethyl	Research commodity	0.32	11	59.0	A
Pyraflufen-ethyl	Rice	0.27	8	110.0	A
Pyraflufen-ethyl	Rights of way	50.12	77	16,150.5	A
Pyraflufen-ethyl	Rights of way	<0.01	2	0.02	U
Pyraflufen-ethyl	Rights of way	26.58	N/A	N/A	N/A
Pyraflufen-ethyl	Ryegrass	0.02	1	4.2	A
Pyraflufen-ethyl	Safflower	1.57	4	456.0	A
Pyraflufen-ethyl	Soil fumigation/preplant	133.44	319	64,296.96	A
Pyraflufen-ethyl	Sorghum (forage - fodder)	0.34	3	156.0	A
Pyraflufen-ethyl	Sorghum/milo	0.1	1	42.0	A
Pyraflufen-ethyl	Sunflower	0.16	2	60.0	A
Pyraflufen-ethyl	Tangerine	1.39	12	301.4	A
Pyraflufen-ethyl	Tomato	3.26	17	1,007.0	A
Pyraflufen-ethyl	Tomato, processing	25.06	143	11,319.91	A
Pyraflufen-ethyl	Triticale	9.76	103	6,152.28	A
Pyraflufen-ethyl	Turf/sod	1.27	16	551.83	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraflufen-ethyl	Uncultivated ag	93.79	1,525	25,469.83	A
Pyraflufen-ethyl	Uncultivated non-ag	1.96	49	790.0	A
Pyraflufen-ethyl	Unknown	0.07	1	20.0	A
Pyraflufen-ethyl	Walnut	48.62	423	10,705.48	A
Pyraflufen-ethyl	Water area	0.08	2	15.0	A
Pyraflufen-ethyl	Watermelon	3.57	14	1,078.2	A
Pyraflufen-ethyl	Wheat	11.7	132	7,396.72	A
Pyraflufen-ethyl	Wheat (forage - fodder)	92.74	1,059	61,251.99	A
Pyrethrins	Alfalfa	13.14	10	637.0	A
Pyrethrins	Almond	1,002.74	292	27,008.48	A
Pyrethrins	Animal premise	0.12	N/A	25.0	U
Pyrethrins	Apple	1.52	18	97.75	A
Pyrethrins	Apple	0.03	2	16.0	U
Pyrethrins	Apricot	1.08	7	85.5	A
Pyrethrins	Apricot	<0.01	2	6.0	U
Pyrethrins	Artichoke, globe	27.72	113	683.73	A
Pyrethrins	Artichoke, globe	0.01	1	600.0	S
Pyrethrins	Arugula	60.96	260	1,507.74	A
Pyrethrins	Avocado	4.31	3	91.5	A
Pyrethrins	Basil, sweet	28.65	132	907.77	A
Pyrethrins	Basil, sweet	0.03	8	12,946.0	S
Pyrethrins	Bean, succulent	1.34	11	45.25	A
Pyrethrins	Bean, unspecified	0.59	4	18.0	A
Pyrethrins	Beet	13.45	75	453.44	A
Pyrethrins	Beet	<0.01	2	100.0	S
Pyrethrins	Beverage crop	0.65	4	13.65	A
Pyrethrins	Blackberry	273.55	540	6,654.99	A
Pyrethrins	Blueberry	169.37	257	4,392.8	A
Pyrethrins	Blueberry	0.04	5	10,500.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	Bok choy (choy sum, pak choi)	6.79	56	160.45	A
Pyrethrins	Broccoli	225.01	759	5,890.95	A
Pyrethrins	Broccoli	0.02	5	2,125.0	S
Pyrethrins	Brussels sprout	4.39	10	98.8	A
Pyrethrins	Buildings/non-ag outdoor	0.02	N/A	70,000.0	C
Pyrethrins	Buildings/non-ag outdoor	0.71	N/A	2,958.0	K
Pyrethrins	Buildings/non-ag outdoor	6.86	N/A	1.09	U
Pyrethrins	Cabbage	97.56	389	2,488.01	A
Pyrethrins	Cannabis (all or unspecified)	36.07	267	794.15	A
Pyrethrins	Cannabis (all or unspecified)	24.88	1,400	5,902,279.0	S
Pyrethrins	Cannabis (all or unspecified)	0.1	5	11,330.0	U
Pyrethrins	Carrot	26.84	19	754.1	A
Pyrethrins	Carrot	<0.01	2	164.0	S
Pyrethrins	Cauliflower	124.56	516	2,976.73	A
Pyrethrins	Cauliflower	<0.01	1	175.0	S
Pyrethrins	Celery	209.31	586	4,844.56	A
Pyrethrins	Cherry	6.07	18	171.5	A
Pyrethrins	Cherry	<0.01	2	4.0	U
Pyrethrins	Chervil	0.02	1	0.5	A
Pyrethrins	Chicory	4.84	9	106.5	A
Pyrethrins	Chinese cabbage (napa, wong bok, celery cabbage)	37.93	68	770.86	A
Pyrethrins	Chinese greens	0.07	2	6.0	A
Pyrethrins	Chinese greens	<0.01	2	100.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	Chive	1.26	25	26.75	A
Pyrethrins	Cilantro	8.4	40	221.49	A
Pyrethrins	Citrus	5.17	31	141.85	A
Pyrethrins	Citrus	0.69	N/A	572.0	U
Pyrethrins	Cole crop	0.05	5	1.4	A
Pyrethrins	Collard	3.71	45	95.4	A
Pyrethrins	Commercial, institutional or industrial areas	0.01	N/A	10.0	A
Pyrethrins	Commercial, institutional or industrial areas	<0.01	N/A	200.0	U
Pyrethrins	Commodity fumigation	0.04	1	8,000.0	C
Pyrethrins	Commodity fumigation	117.96	N/A	N/A	N/A
Pyrethrins	Corn, human consumption	8.69	43	191.4	A
Pyrethrins	Cotton	11.17	5	400.9	A
Pyrethrins	Cucumber	2.25	34	59.35	A
Pyrethrins	Cucumber	<0.01	1	2,520.0	S
Pyrethrins	Date	0.05	1	2.0	A
Pyrethrins	Dill	0.75	17	18.55	A
Pyrethrins	Eggplant	1.57	19	37.0	A
Pyrethrins	Fumigation, other	6.33	N/A	N/A	N/A
Pyrethrins	Ginger	0.1	6	3.0	A
Pyrethrins	Grape	409.95	257	8,191.46	A
Pyrethrins	Grape	3.12	N/A	3,497,000.0	C
Pyrethrins	Grape, wine	520.19	600	12,150.97	A
Pyrethrins	Grapefruit	83.16	77	2,890.72	A
Pyrethrins	Herb, spice	37.09	534	847.97	A
Pyrethrins	Herb, spice	0.1	4	106,560.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	Industrial hemp	0.82	16	28.0	A
Pyrethrins	Kale	53.39	366	1,260.1	A
Pyrethrins	Kale	0.04	8	28,575.0	S
Pyrethrins	Kohlrabi	<0.01	1	20.0	S
Pyrethrins	Kumquat	0.71	5	15.0	A
Pyrethrins	Landscape maintenance	931.88	N/A	N/A	N/A
Pyrethrins	Leek	1.35	17	28.87	A
Pyrethrins	Lemon	273.05	254	5,953.31	A
Pyrethrins	Lettuce, head	48.26	245	993.35	A
Pyrethrins	Lettuce, leaf	481.09	1,675	12,571.19	A
Pyrethrins	Lettuce, leaf	13.53	36	9,594,404.0	S
Pyrethrins	Lime	2.14	5	45.0	A
Pyrethrins	Melon	21.06	28	956.7	A
Pyrethrins	Melon	<0.01	3	7,740.0	S
Pyrethrins	Mint	6.92	125	166.25	A
Pyrethrins	Mizuna	7.8	51	168.16	A
Pyrethrins	Mushroom house	14.24	72	4,012,000.0	S
Pyrethrins	Mushroom soil	7.93	1,279	15,946,466.0	S
Pyrethrins	Mustard	9.87	18	270.41	A
Pyrethrins	Mustard greens	31.61	144	771.35	A
Pyrethrins	N-grnhs flower	0.24	6	10.0	A
Pyrethrins	N-grnhs flower	<0.01	1	3,360.0	S
Pyrethrins	N-grnhs plants in containers	10.03	321	238.83	A
Pyrethrins	N-grnhs plants in containers	3.83	230	4,904,987.15	S
Pyrethrins	N-grnhs plants in containers	0.02	1	4,000.0	U
Pyrethrins	N-grnhs transplants	38.63	1,941	1,462.11	A
Pyrethrins	N-grnhs transplants	0.26	58	351,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	N-outdr flower	5.6	144	351.83	A
Pyrethrins	N-outdr plants in containers	15.45	307	640.56	A
Pyrethrins	N-outdr plants in containers	1.16	44	1,227,450.0	S
Pyrethrins	N-outdr plants in containers	2.0	26	441,886.5	U
Pyrethrins	N-outdr transplants	9.32	247	487.24	A
Pyrethrins	N-outdr transplants	0.31	14	593,504.0	S
Pyrethrins	Nectarine	95.02	186	2,436.21	A
Pyrethrins	Nectarine	<0.01	2	6.0	U
Pyrethrins	Olive	0.68	8	12.6	A
Pyrethrins	Olive	0.06	1	15,552.0	S
Pyrethrins	Onion, dry	10.38	23	255.58	A
Pyrethrins	Orange	355.47	482	7,757.46	A
Pyrethrins	Oregano	1.08	27	29.77	A
Pyrethrins	Parsley	4.08	22	198.2	A
Pyrethrins	Pastureland	2.03	4	96.6	A
Pyrethrins	Peach	65.17	163	1,670.82	A
Pyrethrins	Peach	0.02	2	20.0	U
Pyrethrins	Pear	1.95	19	133.5	A
Pyrethrins	Pear	<0.01	2	10.0	U
Pyrethrins	Pear, asian (oriental pear, ya, ya li, nashi)	0.42	1	9.25	A
Pyrethrins	Peas	5.25	27	118.15	A
Pyrethrins	Pepper, fruiting	24.78	78	672.0	A
Pyrethrins	Pepper, fruiting	0.04	8	42,184.0	S
Pyrethrins	Persimmon	0.01	1	0.3	A
Pyrethrins	Pistachio	191.02	70	4,515.2	A
Pyrethrins	Plum	5.23	23	134.53	A
Pyrethrins	Plum	<0.01	2	4.0	U



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	Pluot	0.71	2	15.0	A
Pyrethrins	Pome fruit	0.04	2	1.5	A
Pyrethrins	Pomegranate	53.91	14	946.8	A
Pyrethrins	Pomelo	3.32	4	67.0	A
Pyrethrins	Prune	0.07	N/A	8,000.0	C
Pyrethrins	Prune	0.11	N/A	8,000.0	S
Pyrethrins	Public health	1,995.22	N/A	N/A	N/A
Pyrethrins	Pumpkin	0.36	8	14.5	A
Pyrethrins	Quince	0.65	3	24.0	A
Pyrethrins	Radicchio	9.93	7	284.0	A
Pyrethrins	Radish	52.5	337	1,112.04	A
Pyrethrins	Radish	<0.01	2	200.0	S
Pyrethrins	Rapini	14.21	8	336.0	A
Pyrethrins	Raspberry	213.67	367	5,099.58	A
Pyrethrins	Raspberry	<0.01	1	75.0	S
Pyrethrins	Regulatory pest control	65.27	N/A	N/A	N/A
Pyrethrins	Research commodity	0.73	23	17.72	A
Pyrethrins	Research commodity	0.34	23	95,875.0	S
Pyrethrins	Research commodity	5.19	N/A	N/A	N/A
Pyrethrins	Rights of way	31.17	N/A	N/A	N/A
Pyrethrins	Root vegetable	0.04	1	1.5	A
Pyrethrins	Rosemary	6.73	106	162.62	A
Pyrethrins	Sage	2.38	11	56.5	A
Pyrethrins	Shallot	2.18	8	56.92	A
Pyrethrins	Small fruits/berry	0.38	1	9.0	A
Pyrethrins	Spinach	185.58	427	4,684.07	A
Pyrethrins	Squash	18.71	41	470.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	Squash, summer	0.51	7	12.82	A
Pyrethrins	Squash, winter	2.83	5	76.25	A
Pyrethrins	Squash, zucchini	<0.01	1	0.33	A
Pyrethrins	Stone fruit	0.02	N/A	17,100.0	S
Pyrethrins	Storage area/box	0.07	N/A	500,000.0	C
Pyrethrins	Strawberry	623.94	701	13,771.12	A
Pyrethrins	Strawberry	<0.01	2	1,100.0	S
Pyrethrins	Structural pest control	8,836.02	N/A	N/A	N/A
Pyrethrins	Sugarcane	0.12	1	2.5	A
Pyrethrins	Sunflower	1.65	5	40.5	A
Pyrethrins	Sweet potato	16.09	9	338.7	A
Pyrethrins	Swiss chard	26.9	222	669.23	A
Pyrethrins	Tangelo	27.29	19	573.54	A
Pyrethrins	Tangerine	217.59	214	5,133.67	A
Pyrethrins	Tarragon	0.62	22	13.05	A
Pyrethrins	Thyme	1.38	32	30.95	A
Pyrethrins	Tomato	6.15	56	153.16	A
Pyrethrins	Tomato	0.02	2	15,480.0	S
Pyrethrins	Tomato, processing	194.72	108	8,565.61	A
Pyrethrins	Tropical/subtropical fruit	0.02	3	1.5	A
Pyrethrins	Turf/sod	0.06	N/A	900.0	S
Pyrethrins	Uncultivated ag	0.22	5	5.75	A
Pyrethrins	Upland cress	0.96	33	14.55	A
Pyrethrins	Vegetable	0.42	8	12.62	A
Pyrethrins	Vegetable	0.02	2	1,500.0	S
Pyrethrins	Vegetables, fruiting	0.51	15	19.3	A
Pyrethrins	Vegetables, leafy	1.86	46	53.99	A
Pyrethrins	Walnut	8.72	7	183.6	A
Pyrethrins	Watercress	0.29	8	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	Watermelon	3.12	23	192.73	A
Pyrethrins	Wheat	0.59	4	70.5	A
Pyridaben	Cucumber	3.77	4	13.92	A
Pyridaben	Grape, wine	13.94	2	43.0	A
Pyridaben	Landscape maintenance	702.74	N/A	N/A	N/A
Pyridaben	Lemon	325.56	25	678.0	A
Pyridaben	N-grnhs flower	6.69	18	26.53	A
Pyridaben	N-grnhs flower	6.31	51	686,392.0	S
Pyridaben	N-grnhs plants in containers	277.05	246	363.17	A
Pyridaben	N-grnhs plants in containers	4.95	24	963,528.0	S
Pyridaben	N-grnhs transplants	26.81	36	977.91	A
Pyridaben	N-grnhs transplants	1.18	4	202,400.0	S
Pyridaben	N-outdr flower	39.55	42	99.65	A
Pyridaben	N-outdr plants in containers	100.32	57	107.58	A
Pyridaben	N-outdr plants in containers	3.38	8	375,000.0	S
Pyridaben	N-outdr plants in containers	15.3	7	216,681.0	U
Pyridaben	N-outdr transplants	4.2	8	16.84	A
Pyridaben	Orange	1.5	1	4.0	A
Pyridaben	Peach	3.75	13	10.15	A
Pyridaben	Regulatory pest control	0.8	N/A	N/A	N/A
Pyridaben	Research commodity	0.13	3	0.28	A
Pyridaben	Research commodity	2.05	N/A	N/A	N/A
Pyridaben	Strawberry	597.54	110	1,203.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Pyridaben</b>	Structural pest control	0.18	N/A	N/A	N/A
<b>Pyridaben</b>	Tangerine	170.67	4	345.39	A
<b>Pyridaben</b>	Tomato	0.88	4	3.23	A
<b>Pyridaben</b>	Walnut	3.98	1	17.0	A
<b>Pyridaben</b>	Water area	63.17	N/A	20.0	A
<b>Pyridalyl</b>	N-grnhs flower	152.8	265	466.21	A
<b>Pyridalyl</b>	N-grnhs flower	5.28	34	588,823.7	S
<b>Pyridalyl</b>	N-grnhs plants in containers	123.48	392	452.54	A
<b>Pyridalyl</b>	N-grnhs plants in containers	1.44	7	153,120.0	S
<b>Pyridalyl</b>	N-grnhs transplants	8.44	46	1,937.0	A
<b>Pyridalyl</b>	N-grnhs transplants	2.54	38	725,000.0	S
<b>Pyridalyl</b>	N-outdr flower	60.95	106	248.65	A
<b>Pyridalyl</b>	N-outdr flower	0.53	1	24,000.0	S
<b>Pyridalyl</b>	N-outdr plants in containers	6.11	11	24.99	A
<b>Pyridalyl</b>	N-outdr plants in containers	2.19	2	98,165.0	U
<b>Pyridalyl</b>	N-outdr transplants	7.35	15	35.5	A
<b>Pyridalyl</b>	Research commodity	1.13	N/A	N/A	N/A
<b>Pyrifluquinazon</b>	N-grnhs flower	1.51	15	26.5	A
<b>Pyrifluquinazon</b>	N-grnhs flower	0.04	4	27,700.0	S
<b>Pyrifluquinazon</b>	N-grnhs plants in containers	64.68	358	460.29	A
<b>Pyrifluquinazon</b>	N-grnhs plants in containers	22.22	136	9,822,197.0	S
<b>Pyrifluquinazon</b>	N-grnhs plants in containers	0.07	1	22,896.0	U
<b>Pyrifluquinazon</b>	N-grnhs transplants	10.65	60	2,980.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyriproxyfen	N-grnhs transplants	0.16	2	190,000.0	S
Pyriproxyfen	N-outdr flower	1.39	4	9.94	A
Pyriproxyfen	N-outdr plants in containers	39.97	106	171.81	A
Pyriproxyfen	N-outdr plants in containers	8.71	52	5,107,100.0	S
Pyriproxyfen	N-outdr transplants	3.23	9	25.0	A
Pyriproxyfen	Regulatory pest control	0.07	N/A	N/A	N/A
Pyriproxyfen	Research commodity	<0.01	2	0.2	A
Pyriproxyfen	Research commodity	<0.01	N/A	N/A	N/A
Pyrimethanil	Alfalfa	4.61	1	12.0	A
Pyrimethanil	Almond	9,805.76	771	43,380.81	A
Pyrimethanil	Apple	74.31	27	348.1	A
Pyrimethanil	Apricot	82.22	12	395.5	A
Pyrimethanil	Blackberry	170.8	33	324.48	A
Pyrimethanil	Blueberry	176.68	7	281.51	A
Pyrimethanil	Chive	0.98	1	2.0	A
Pyrimethanil	Citrus	126.91	N/A	59,263.0	T
Pyrimethanil	Food processing plant	4,780.84	6	10,756.56	?
Pyrimethanil	Food processing plant	893.95	N/A	73,777.0	T
Pyrimethanil	Garlic	71.47	2	225.0	A
Pyrimethanil	Grape	3,757.08	279	10,679.7	A
Pyrimethanil	Grape, wine	4,317.77	493	12,906.96	A
Pyrimethanil	Grapefruit	28.9	N/A	11,749.92	T
Pyrimethanil	Leek	16.21	9	33.09	A
Pyrimethanil	Lemon	690.24	N/A	55,902.23	T
Pyrimethanil	N-grnhs flower	14.08	10	18.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrimethanil	N-grnhs plants in containers	4.11	1	15.0	A
Pyrimethanil	N-grnhs transplants	3.3	4	5.0	A
Pyrimethanil	N-outdr plants in containers	36.18	9	89.4	A
Pyrimethanil	N-outdr transplants	138.43	29	214.96	A
Pyrimethanil	Nectarine	11.68	12	57.52	A
Pyrimethanil	Onion, dry	1,971.11	30	3,775.9	A
Pyrimethanil	Orange	1,630.37	N/A	343,817.89	T
Pyrimethanil	Peach	500.79	142	2,288.92	A
Pyrimethanil	Pear	0.57	1	3.3	A
Pyrimethanil	Pear, asian (oriental pear, ya, ya li, nashi)	2.99	2	17.5	A
Pyrimethanil	Pistachio	5,358.16	224	20,073.92	A
Pyrimethanil	Plum	27.84	24	144.91	A
Pyrimethanil	Potato	1,660.87	113	8,305.81	A
Pyrimethanil	Prune	96.25	11	457.7	A
Pyrimethanil	Quince	1.72	2	10.0	A
Pyrimethanil	Raspberry	84.27	28	179.54	A
Pyrimethanil	Research commodity	4.65	7	7.05	A
Pyrimethanil	Strawberry	8,734.69	692	22,519.8	A
Pyrimethanil	Tangelo	63.22	N/A	8,673.95	T
Pyrimethanil	Tangerine	126.44	N/A	31,077.04	T
Pyrimethanil	Tomato	152.95	31	793.7	A
Pyrimethanil	Uncultivated ag	3.63	5	5.5	A
Pyriofenone	Blackberry	52.28	65	620.03	A
Pyriofenone	Fumigation, other	0.08	1	1.0	A
Pyriofenone	Grape	900.45	217	10,047.8	A
Pyriofenone	Grape, wine	5,665.86	2,425	58,485.55	A
Pyriofenone	N-grnhs flower	0.54	3	3.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyriofenone	N-grnhs plants in containers	0.01	1	0.2	A
Pyriofenone	N-grnhs plants in containers	0.46	14	205,200.0	S
Pyriofenone	N-outdr plants in containers	0.05	1	0.6	A
Pyriofenone	Pepper, fruiting	4.0	2	41.0	A
Pyriofenone	Raspberry	48.96	182	587.27	A
Pyriofenone	Research commodity	0.07	N/A	N/A	N/A
Pyriofenone	Rights of way	1.95	N/A	N/A	N/A
Pyriofenone	Strawberry	398.0	112	4,071.35	A
Pyriofenone	Tomato, processing	153.44	12	1,570.2	A
Pyriproxyfen	Almond	3,442.49	2,755	205,500.58	A
Pyriproxyfen	Apple	46.02	25	524.9	A
Pyriproxyfen	Apricot	48.38	55	499.19	A
Pyriproxyfen	Blackberry	26.13	20	242.67	A
Pyriproxyfen	Blueberry	2.55	5	23.72	A
Pyriproxyfen	Bok choy (choy sum, pak choy)	0.8	31	29.2	A
Pyriproxyfen	Broccoli	57.5	230	2,036.56	A
Pyriproxyfen	Brussels sprout	26.54	97	879.38	A
Pyriproxyfen	Buildings/non-ag outdoor	<0.01	N/A	70,000.0	C
Pyriproxyfen	Buildings/non-ag outdoor	0.12	N/A	2,958.0	K
Pyriproxyfen	Buildings/non-ag outdoor	0.04	N/A	48,000.0	S
Pyriproxyfen	Buildings/non-ag outdoor	4.55	N/A	0.2	U
Pyriproxyfen	Cabbage	47.81	109	819.75	A
Pyriproxyfen	Cantaloupe	129.55	29	1,993.57	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyriproxyfen	Cauliflower	21.33	90	755.66	A
Pyriproxyfen	Celery	2.22	12	83.8	A
Pyriproxyfen	Cherry	28.28	25	286.49	A
Pyriproxyfen	Chinese cabbage (napa, wong bok, celery cabbage)	9.93	58	362.85	A
Pyriproxyfen	Citrus	1.5	5	15.0	A
Pyriproxyfen	Commercial, institutional or industrial areas	<0.01	N/A	0.01	U
Pyriproxyfen	Commodity fumigation	1.37	N/A	N/A	N/A
Pyriproxyfen	Cotton	3,559.0	507	52,773.57	A
Pyriproxyfen	Cucumber	1.82	1	6.0	A
Pyriproxyfen	Eggplant	0.83	1	15.5	A
Pyriproxyfen	Fumigation, other	0.15	N/A	N/A	N/A
Pyriproxyfen	Grape	7.92	18	803.98	A
Pyriproxyfen	Grape, wine	3.33	17	380.52	A
Pyriproxyfen	Grapefruit	54.81	47	625.38	A
Pyriproxyfen	Kiwi fruit fuzzy	275.61	96	1,432.56	A
Pyriproxyfen	Kumquat	0.08	2	0.75	A
Pyriproxyfen	Landscape maintenance	189.99	N/A	N/A	N/A
Pyriproxyfen	Lemon	485.56	253	4,741.17	A
Pyriproxyfen	Lettuce, head	1.95	7	71.7	A
Pyriproxyfen	Lettuce, leaf	2.69	14	98.6	A
Pyriproxyfen	Lime	0.53	3	10.0	A
Pyriproxyfen	Melon	64.85	24	964.71	A
Pyriproxyfen	N-grnhs flower	29.58	124	318.15	A
Pyriproxyfen	N-grnhs flower	0.48	14	86,928.0	S
Pyriproxyfen	N-grnhs plants in containers	9.41	134	128.8	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyriproxyfen	N-grnhs plants in containers	2.55	42	1,296,488.0	S
Pyriproxyfen	N-grnhs transplants	0.41	12	9.14	A
Pyriproxyfen	N-grnhs transplants	0.06	5	25,448.0	S
Pyriproxyfen	N-outdr flower	0.69	5	8.5	A
Pyriproxyfen	N-outdr plants in containers	4.4	57	74.37	A
Pyriproxyfen	N-outdr plants in containers	0.11	3	83,972.0	S
Pyriproxyfen	N-outdr plants in containers	1.94	7	95,274.0	U
Pyriproxyfen	N-outdr transplants	2.23	5	26.25	A
Pyriproxyfen	N-outdr transplants	0.19	12	68,592.9	S
Pyriproxyfen	Nectarine	763.73	487	6,114.11	A
Pyriproxyfen	Olive	84.99	15	791.5	A
Pyriproxyfen	Orange	2,600.61	1,175	25,501.26	A
Pyriproxyfen	Peach	1,011.39	600	9,580.78	A
Pyriproxyfen	Pear	0.7	3	8.0	A
Pyriproxyfen	Pepper, fruiting	20.48	14	306.6	A
Pyriproxyfen	Pistachio	299.24	66	4,442.19	A
Pyriproxyfen	Plum	443.85	542	4,979.62	A
Pyriproxyfen	Pluot	0.88	1	9.0	A
Pyriproxyfen	Pomelo	17.62	22	170.75	A
Pyriproxyfen	Prune	15.01	10	169.0	A
Pyriproxyfen	Public health	48.64	N/A	N/A	N/A
Pyriproxyfen	Pumpkin	21.17	5	315.0	A
Pyriproxyfen	Quince	6.52	12	74.0	A
Pyriproxyfen	Raspberry	16.92	36	157.23	A
Pyriproxyfen	Regulatory pest control	49.82	N/A	N/A	N/A
Pyriproxyfen	Research commodity	0.71	1	9.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyriproxyfen	Research commodity	<0.01	2	4,500.0	S
Pyriproxyfen	Research commodity	0.04	N/A	N/A	N/A
Pyriproxyfen	Rights of way	0.68	N/A	N/A	N/A
Pyriproxyfen	Spinach	0.14	1	5.15	A
Pyriproxyfen	Stone fruit	0.02	N/A	13,000.0	S
Pyriproxyfen	Storage area/box	<0.01	N/A	4,497,000.0	C
Pyriproxyfen	Strawberry	167.75	86	2,541.62	A
Pyriproxyfen	Structural pest control	4,215.97	N/A	N/A	N/A
Pyriproxyfen	Tangelo	59.37	38	563.84	A
Pyriproxyfen	Tangerine	325.48	190	3,327.86	A
Pyriproxyfen	Tomato	159.38	97	2,686.98	A
Pyriproxyfen	Tomato, processing	30.38	6	491.7	A
Pyriproxyfen	Vertebrate control	0.09	N/A	N/A	N/A
Pyriproxyfen	Walnut	3,791.34	942	39,562.24	A
Pyriproxyfen	Watermelon	78.73	23	1,175.7	A
Pyrithiobac-sodium	Cotton	134.17	89	2,410.81	A
Pyroxsulam	Barley	0.53	3	40.0	A
Pyroxsulam	Forage hay/silage	4.44	10	336.5	A
Pyroxsulam	Oat (forage - fodder)	4.99	3	378.0	A
Pyroxsulam	Structural pest control	0.34	N/A	N/A	N/A
Pyroxsulam	Triticale	163.04	262	12,314.03	A
Pyroxsulam	Wheat	401.62	557	31,079.63	A
Pyroxsulam	Wheat (forage - fodder)	1,045.74	1,351	79,362.53	A
Qst 713 strain of dried bacillus subtilis	Almond	1,301.72	195	19,113.08	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Qst 713 strain of dried bacillus subtilis</b>	Apple	189.47	74	614.17	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Apricot	26.17	25	133.5	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Artichoke, globe	25.15	107	493.55	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Arugula	11.76	62	163.88	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Arugula	0.01	13	5,011.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Basil, sweet	24.22	149	160.13	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Basil, sweet	<0.01	6	2,600.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Blackberry	94.09	61	867.03	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Blueberry	329.2	21	1,142.2	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Bok choy (choy sum, pak choi)	14.34	13	57.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Qst 713 strain of dried bacillus subtilis</b>	Broccoli	16.64	21	151.6	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Cabbage	17.16	43	304.2	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Cannabis (all or unspecified)	47.64	232	1,507.82	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Cannabis (all or unspecified)	27.38	897	3,778,291.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Cantaloupe	32.38	5	397.0	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Carrot	242.52	42	2,617.34	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Cauliflower	4.46	7	52.01	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Celery	22.55	18	145.81	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Cherry	122.93	55	919.82	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Chervil	0.06	1	0.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Qst 713 strain of dried bacillus subtilis</b>	Chicory	0.02	8	5,750.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Chinese amaranth (chinese spinach, tampala, yin choy)	<0.01	1	300.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Chive	0.35	11	7.45	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Cilantro	4.07	3	37.5	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Citrus	3.47	2	15.25	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Collard	1.66	50	19.43	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Corn, human consumption	0.11	1	1.0	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Cucumber	0.09	2	200.0	C
<b>Qst 713 strain of dried bacillus subtilis</b>	Cucumber	0.18	6	81,618.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Dandelion green	<0.01	2	400.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Qst 713 strain of dried bacillus subtilis	Dill	0.55	14	7.97	A
Qst 713 strain of dried bacillus subtilis	Eggplant	<0.01	1	400.0	S
Qst 713 strain of dried bacillus subtilis	Fava bean	0.17	2	3.0	A
Qst 713 strain of dried bacillus subtilis	Fava bean	<0.01	4	1,200.0	S
Qst 713 strain of dried bacillus subtilis	Fennel	0.91	3	16.0	A
Qst 713 strain of dried bacillus subtilis	Fumigation, other	0.44	1	1.0	A
Qst 713 strain of dried bacillus subtilis	Gai lon	2.37	10	9.78	A
Qst 713 strain of dried bacillus subtilis	Garlic	8.93	7	627.0	A
Qst 713 strain of dried bacillus subtilis	Gourds (edible)	0.46	1	4.0	A
Qst 713 strain of dried bacillus subtilis	Grape	753.45	248	10,726.89	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Qst 713 strain of dried bacillus subtilis</b>	Grape, wine	9,044.69	3,203	45,522.74	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Herb, spice	34.48	213	281.05	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Herb, spice	0.06	13	18,250.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Industrial hemp	2.62	23	34.5	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Kale	13.06	53	176.18	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Kale	<0.01	6	1,450.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Landscape maintenance	19.4	N/A	N/A	N/A
<b>Qst 713 strain of dried bacillus subtilis</b>	Leek	20.26	31	177.88	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Lettuce, head	23.49	55	259.01	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Lettuce, head	1.18	21	357,415.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Qst 713 strain of dried bacillus subtilis</b>	Lettuce, leaf	325.16	573	3,768.9	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Lettuce, leaf	9.56	17	1,420,712.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Melon	61.8	28	895.23	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Mint	3.11	52	56.65	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Mizuna	4.35	21	76.4	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Mustard greens	1.92	8	31.2	A
<b>Qst 713 strain of dried bacillus subtilis</b>	N-grnhs flower	82.84	224	226.31	A
<b>Qst 713 strain of dried bacillus subtilis</b>	N-grnhs flower	1.32	30	192,698.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	N-grnhs plants in containers	86.08	541	477.39	A
<b>Qst 713 strain of dried bacillus subtilis</b>	N-grnhs plants in containers	27.28	93	2,333,230.31	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Qst 713 strain of dried bacillus subtilis</b>	N-grnhs transplants	104.31	1,439	1,885.48	A
<b>Qst 713 strain of dried bacillus subtilis</b>	N-grnhs transplants	5.29	180	1,412,146.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	N-outdr flower	0.08	9	10.8	A
<b>Qst 713 strain of dried bacillus subtilis</b>	N-outdr flower	0.01	10	4,050.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	N-outdr plants in containers	59.75	157	162.44	A
<b>Qst 713 strain of dried bacillus subtilis</b>	N-outdr plants in containers	9.37	48	2,476,800.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	N-outdr plants in containers	0.91	11	31,000.0	U
<b>Qst 713 strain of dried bacillus subtilis</b>	N-outdr transplants	125.82	434	1,532.37	A
<b>Qst 713 strain of dried bacillus subtilis</b>	N-outdr transplants	18.94	149	2,507,556.5	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Nectarine	323.06	215	2,179.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Qst 713 strain of dried bacillus subtilis</b>	Onion, dry	4.4	6	146.55	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Oregano	0.89	13	13.75	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Parsley	1.94	9	20.4	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Parsley	<0.01	10	3,100.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Peach	276.49	292	2,366.52	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Pear	52.81	28	231.6	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Pear, asian (oriental pear, ya, ya li, nashi)	2.05	3	34.0	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Pepper, fruiting	14.07	9	188.15	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Pistachio	178.5	35	882.1	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Plum	59.34	51	413.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Qst 713 strain of dried bacillus subtilis</b>	Pluot	3.23	5	16.0	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Potato	215.05	40	4,020.42	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Prune	8.84	1	27.0	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Pumpkin	1.25	5	11.0	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Pumpkin	<0.01	1	200.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Quince	1.71	6	27.0	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Radicchio	8.97	9	207.5	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Radish	0.11	1	1.0	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Raspberry	22.24	36	349.92	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Research commodity	2.47	30	28.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Qst 713 strain of dried bacillus subtilis</b>	Research commodity	0.49	32	136,188.67	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Research commodity	0.12	N/A	N/A	N/A
<b>Qst 713 strain of dried bacillus subtilis</b>	Rosemary	2.57	39	32.72	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Sage	3.77	21	63.29	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Soil fumigation/preplant	14.17	2	248.8	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Spinach	38.84	85	471.29	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Squash	0.89	7	6.33	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Squash	<0.01	1	250.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Squash, summer	1.82	2	20.0	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Squash, zucchini	0.06	3	0.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Qst 713 strain of dried bacillus subtilis</b>	Stone fruit	8.06	4	28.05	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Strawberry	626.74	320	5,519.29	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Strawberry	<0.01	1	680.0	C
<b>Qst 713 strain of dried bacillus subtilis</b>	Strawberry	0.01	4	11,600.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Sunflower	10.97	11	192.7	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Swiss chard	3.77	25	71.34	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Tangelo	2.28	1	20.0	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Tangerine	16.39	4	262.8	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Tarragon	0.17	6	3.6	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Thyme	0.97	20	19.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Qst 713 strain of dried bacillus subtilis</b>	Tomatillo	<0.01	1	100.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Tomato	169.72	105	3,033.41	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Tomato	0.1	2	25,000.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Tomato, processing	49.82	17	1,389.3	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Uncultivated non-ag	0.04	1	0.45	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Unknown	0.11	1	0.93	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Vegetable	0.06	1	0.1	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Vegetable	<0.01	1	500.0	S
<b>Qst 713 strain of dried bacillus subtilis</b>	Vegetables, leafy	0.01	1	0.26	A
<b>Qst 713 strain of dried bacillus subtilis</b>	Vegetables, leafy	0.02	2	4,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Qst 713 strain of dried bacillus subtilis	Walnut	97.21	25	515.5	A
Qst 713 strain of dried bacillus subtilis	Watermelon	9.63	63	74.66	A
Quillaja	Almond	0.49	3	43.2	A
Quillaja	Apple	0.06	N/A	4.3	A
Quillaja	Apricot	0.31	4	34.05	A
Quillaja	Basil, sweet	0.29	16	19.97	A
Quillaja	Cannabis (all or unspecified)	0.42	14	18.8	A
Quillaja	Cannabis (all or unspecified)	0.03	1	4,000.0	S
Quillaja	Carrot	154.69	2	188.8	A
Quillaja	Chervil	<0.01	1	0.15	A
Quillaja	Chive	0.09	8	5.51	A
Quillaja	Garlic	13.52	1	33.0	A
Quillaja	Grape	0.09	1	2.0	A
Quillaja	Grape, wine	309.58	244	2,656.42	A
Quillaja	Herb, spice	0.53	26	33.08	A
Quillaja	Lemon	1.54	2	92.0	A
Quillaja	Nectarine	12.7	133	2,052.07	A
Quillaja	Olive	0.06	2	3.0	A
Quillaja	Orange	9.63	4	74.0	A
Quillaja	Peach	9.03	104	1,393.18	A
Quillaja	Plum	2.6	23	388.97	A
Quillaja	Research commodity	0.01	1	1.95	A
Quillaja	Rights of way	0.45	N/A	N/A	N/A
Quillaja	Sage	0.12	10	8.43	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Quillaja	Tangerine	3.19	9	136.0	A
Quillaja	Tarragon	0.03	2	2.12	A
Quillaja	Water area	0.04	2	7.0	A
Quinclorac	Golf course turf	10.41	N/A	20.25	A
Quinclorac	Landscape maintenance	537.1	N/A	N/A	N/A
Quinclorac	N-grnhs flower	0.18	N/A	3.0	A
Quinclorac	N-grnhs flower	3.6	N/A	420,000.0	S
Quinclorac	N-outdr plants in containers	0.16	1	2.0	A
Quinclorac	Public health	0.13	N/A	N/A	N/A
Quinclorac	Rights of way	9.64	N/A	N/A	N/A
Quinclorac	Turf/sod	18.75	2	25.0	A
Quinclorac, dimethylamine salt	County ag comm	0.33	N/A	N/A	N/A
Quinclorac, dimethylamine salt	Golf course turf	118.76	1	223.1	A
Quinclorac, dimethylamine salt	Golf course turf	0.25	N/A	142,225.0	S
Quinclorac, dimethylamine salt	Landscape maintenance	8.9	7	17.25	A
Quinclorac, dimethylamine salt	Landscape maintenance	1,663.54	N/A	N/A	N/A
Quinclorac, dimethylamine salt	N-grnhs flower	9.03	N/A	26.5	A
Quinclorac, dimethylamine salt	N-grnhs flower	5.22	N/A	350,750.0	S
Quinclorac, dimethylamine salt	N-grnhs transplants	5.79	N/A	8.0	A
Quinclorac, dimethylamine salt	N-outdr flower	0.02	N/A	3,000.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Quinclorac, dimethylamine salt	Structural pest control	<0.01	N/A	N/A	N/A
Quinoxifen	Apricot	8.49	3	77.23	A
Quinoxifen	Artichoke, globe	11.34	6	118.69	A
Quinoxifen	Bean, succulent	1.6	1	16.81	A
Quinoxifen	Cantaloupe	70.37	24	766.98	A
Quinoxifen	Cherry	513.54	204	4,990.44	A
Quinoxifen	Fumigation, other	0.1	1	1.0	A
Quinoxifen	Grape	10,722.04	1,915	68,896.19	A
Quinoxifen	Grape, wine	23,107.8	6,956	232,972.92	A
Quinoxifen	Hops	1.15	1	12.0	A
Quinoxifen	Landscape maintenance	0.36	N/A	N/A	N/A
Quinoxifen	Lettuce, head	110.46	111	1,412.22	A
Quinoxifen	Lettuce, leaf	254.28	328	3,417.09	A
Quinoxifen	Melon	130.55	25	1,513.28	A
Quinoxifen	N-grnhs plants in containers	0.86	N/A	13.0	A
Quinoxifen	N-grnhs transplants	0.05	1	0.5	A
Quinoxifen	N-outdr plants in containers	18.09	7	180.54	A
Quinoxifen	N-outdr transplants	64.03	50	663.05	A
Quinoxifen	Nectarine	174.6	74	1,564.36	A
Quinoxifen	Olive	0.48	1	10.0	A
Quinoxifen	Peach	609.86	167	5,502.26	A
Quinoxifen	Pepper, fruiting	389.17	170	4,305.72	A
Quinoxifen	Pepper, spice	7.63	5	79.3	A
Quinoxifen	Plum	5.01	3	45.0	A
Quinoxifen	Pumpkin	96.26	43	975.05	A
Quinoxifen	Research commodity	1.2	3	10.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Quinoxifen	Research commodity	1.39	N/A	N/A	N/A
Quinoxifen	Soil fumigation/preplant	0.07	1	0.75	A
Quinoxifen	Squash	3.91	2	41.0	A
Quinoxifen	Squash, winter	0.86	1	9.0	A
Quinoxifen	Stone fruit	0.17	1	1.5	A
Quinoxifen	Strawberry	4,061.46	1,073	42,550.2	A
Quinoxifen	Strawberry	0.03	3	10,800.0	S
Quinoxifen	Uncultivated ag	0.33	1	2.0	A
Quinoxifen	Watermelon	416.61	85	4,460.26	A
Resmethrin	Grape, wine	0.15	8	195.5	A
Resmethrin	N-grnhs plants in containers	<0.01	1	4.0	A
Resmethrin	Public health	104.87	N/A	N/A	N/A
Resmethrin	Research commodity	<0.01	N/A	N/A	N/A
Resmethrin	Rights of way	0.01	N/A	N/A	N/A
Resmethrin	Structural pest control	6.05	N/A	N/A	N/A
Resmethrin, other related	N-grnhs plants in containers	<0.01	1	4.0	A
Resmethrin, other related	Public health	<0.01	N/A	N/A	N/A
Resmethrin, other related	Research commodity	<0.01	N/A	N/A	N/A
Resmethrin, other related	Rights of way	<0.01	N/A	N/A	N/A
Resmethrin, other related	Structural pest control	0.76	N/A	N/A	N/A
Reynoutria sachalinensis	Alfalfa	2.19	1	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Reynoutria sachalinensis	Almond	2,845.32	232	17,721.65	A
Reynoutria sachalinensis	Apple	19.56	16	82.0	A
Reynoutria sachalinensis	Apricot	26.66	31	124.45	A
Reynoutria sachalinensis	Artichoke, globe	71.12	56	308.5	A
Reynoutria sachalinensis	Arugula	0.58	1	3.43	A
Reynoutria sachalinensis	Arugula	0.02	6	2,200.0	S
Reynoutria sachalinensis	Avocado	2.28	5	21.0	A
Reynoutria sachalinensis	Basil, sweet	19.1	65	65.93	A
Reynoutria sachalinensis	Basil, sweet	<0.01	2	600.0	S
Reynoutria sachalinensis	Bean, succulent	0.11	1	1.0	A
Reynoutria sachalinensis	Bean, unspecified	1.73	1	8.0	A
Reynoutria sachalinensis	Beet	2.69	2	24.87	A
Reynoutria sachalinensis	Blackberry	45.84	12	140.81	A
Reynoutria sachalinensis	Blueberry	33.69	7	228.39	A
Reynoutria sachalinensis	Broccoli	9.19	5	106.1	A
Reynoutria sachalinensis	Cabbage	25.18	7	95.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Reynoutria sachalinensis	Cannabis (all or unspecified)	495.76	621	2,775.2	A
Reynoutria sachalinensis	Cannabis (all or unspecified)	318.05	2,939	9,888,914.51	S
Reynoutria sachalinensis	Cannabis (all or unspecified)	0.59	17	230.0	U
Reynoutria sachalinensis	Cantaloupe	57.83	30	1,219.25	A
Reynoutria sachalinensis	Cauliflower	2.18	1	10.08	A
Reynoutria sachalinensis	Celery	250.75	95	1,078.92	A
Reynoutria sachalinensis	Cherry	74.3	48	512.14	A
Reynoutria sachalinensis	Chicory	0.02	3	2,150.0	S
Reynoutria sachalinensis	Cilantro	8.08	4	36.07	A
Reynoutria sachalinensis	Citrus	1.08	2	5.0	A
Reynoutria sachalinensis	Cole crop	10.93	77	55.9	A
Reynoutria sachalinensis	Collard	2.15	4	19.8	A
Reynoutria sachalinensis	Cucumber	39.7	49	212.24	A
Reynoutria sachalinensis	Cucumber	<0.01	3	252.0	S
Reynoutria sachalinensis	Dandelion green	<0.01	2	800.0	S
Reynoutria sachalinensis	Eggplant	0.01	1	0.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Reynoutria sachalinensis	Fava bean	<0.01	1	300.0	S
Reynoutria sachalinensis	Garlic	14.82	5	156.75	A
Reynoutria sachalinensis	Ginger	0.32	3	1.5	A
Reynoutria sachalinensis	Grape	783.59	98	3,840.03	A
Reynoutria sachalinensis	Grape, wine	4,587.75	1,446	18,782.25	A
Reynoutria sachalinensis	Grapefruit	8.67	2	36.0	A
Reynoutria sachalinensis	Grass, seed	4.3	27	105.9	A
Reynoutria sachalinensis	Herb, spice	16.51	67	65.15	A
Reynoutria sachalinensis	Herb, spice	0.11	6	8,500.0	S
Reynoutria sachalinensis	Industrial hemp	16.91	39	58.5	A
Reynoutria sachalinensis	Industrial hemp	0.84	17	69,200.0	S
Reynoutria sachalinensis	Kale	3.78	2	34.9	A
Reynoutria sachalinensis	Kale	0.02	6	26,450.0	S
Reynoutria sachalinensis	Kiwi fruit fuzzy	28.79	7	132.83	A
Reynoutria sachalinensis	Landscape maintenance	8.17	N/A	N/A	N/A
Reynoutria sachalinensis	Leek	1.57	1	14.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Reynoutria sachalinensis	Lemon	17.84	8	78.5	A
Reynoutria sachalinensis	Lettuce, head	82.01	126	539.0	A
Reynoutria sachalinensis	Lettuce, head	0.1	6	7,950.0	S
Reynoutria sachalinensis	Lettuce, leaf	191.52	165	854.23	A
Reynoutria sachalinensis	Melon	61.73	40	1,201.0	A
Reynoutria sachalinensis	Mint	3.35	12	10.4	A
Reynoutria sachalinensis	Mustard greens	1.49	1	13.75	A
Reynoutria sachalinensis	N-grnhs plants in containers	9.35	70	46.37	A
Reynoutria sachalinensis	N-grnhs plants in containers	0.43	3	35,000.0	S
Reynoutria sachalinensis	N-grnhs transplants	9.78	95	240.46	A
Reynoutria sachalinensis	N-grnhs transplants	7.04	15	1,560,000.0	S
Reynoutria sachalinensis	N-outdr flower	3.5	26	86.1	A
Reynoutria sachalinensis	N-outdr flower	0.03	6	2,350.0	S
Reynoutria sachalinensis	N-outdr plants in containers	4.09	14	39.29	A
Reynoutria sachalinensis	N-outdr plants in containers	10.95	14	434,900.0	U
Reynoutria sachalinensis	N-outdr transplants	24.14	28	91.03	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Reynoutria sachalinensis	N-outdr transplants	101.21	186	20,296,958.1	S
Reynoutria sachalinensis	N-outdr transplants	80.72	N/A	2,751,998.0	U
Reynoutria sachalinensis	Nectarine	538.2	267	3,005.53	A
Reynoutria sachalinensis	Oat (forage - fodder)	7.8	1	61.5	A
Reynoutria sachalinensis	Olive	19.4	3	89.5	A
Reynoutria sachalinensis	Onion, dry	207.17	37	1,706.45	A
Reynoutria sachalinensis	Orange	61.71	12	290.5	A
Reynoutria sachalinensis	Oregano	2.19	7	9.6	A
Reynoutria sachalinensis	Parsley	3.22	5	21.6	A
Reynoutria sachalinensis	Parsley	0.01	4	950.0	S
Reynoutria sachalinensis	Peach	811.72	382	4,178.92	A
Reynoutria sachalinensis	Pear	61.99	21	303.25	A
Reynoutria sachalinensis	Pear, asian (oriental pear, ya, ya li, nashi)	3.09	5	17.25	A
Reynoutria sachalinensis	Pepper, fruiting	5.64	18	31.01	A
Reynoutria sachalinensis	Pepper, fruiting	0.02	2	1,505.0	S
Reynoutria sachalinensis	Pistachio	189.97	23	1,052.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Reynoutria sachalinensis	Plum	167.47	79	849.57	A
Reynoutria sachalinensis	Pluot	6.42	6	29.55	A
Reynoutria sachalinensis	Potato	260.2	54	2,398.5	A
Reynoutria sachalinensis	Prune	44.65	5	150.5	A
Reynoutria sachalinensis	Pumpkin	0.78	1	3.51	A
Reynoutria sachalinensis	Quince	27.74	20	126.0	A
Reynoutria sachalinensis	Raspberry	2.89	8	12.48	A
Reynoutria sachalinensis	Regulatory pest control	0.41	N/A	N/A	N/A
Reynoutria sachalinensis	Research commodity	4.56	19	21.05	A
Reynoutria sachalinensis	Research commodity	0.51	6	29,000.0	S
Reynoutria sachalinensis	Research commodity	0.47	N/A	N/A	N/A
Reynoutria sachalinensis	Rice	1.84	1	17.0	A
Reynoutria sachalinensis	Root vegetable	4.23	11	20.0	A
Reynoutria sachalinensis	Rosemary	4.18	17	11.38	A
Reynoutria sachalinensis	Sage	5.1	8	21.53	A
Reynoutria sachalinensis	Spinach	18.17	48	134.76	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Reynoutria sachalinensis	Squash	1.23	4	8.5	A
Reynoutria sachalinensis	Squash, zucchini	0.15	3	0.75	A
Reynoutria sachalinensis	Stone fruit	17.74	8	117.21	A
Reynoutria sachalinensis	Strawberry	1,444.2	374	5,915.25	A
Reynoutria sachalinensis	Strawberry	0.03	8	2,808.0	S
Reynoutria sachalinensis	Swiss chard	1.11	2	10.25	A
Reynoutria sachalinensis	Tangerine	74.66	22	415.0	A
Reynoutria sachalinensis	Thyme	1.11	2	5.0	A
Reynoutria sachalinensis	Tomato	194.53	143	1,220.46	A
Reynoutria sachalinensis	Tomato	0.05	3	4,805.0	S
Reynoutria sachalinensis	Tomato, processing	303.91	33	2,927.4	A
Reynoutria sachalinensis	Uncultivated ag	0.87	1	2.0	A
Reynoutria sachalinensis	Vegetables, leafy	50.04	184	260.5	A
Reynoutria sachalinensis	Walnut	186.79	54	1,004.12	A
Reynoutria sachalinensis	Watermelon	69.29	42	1,289.75	A
Reynoutria sachalinensis	Wheat	15.28	4	70.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Rimsulfuron	Almond	15,790.48	6,897	301,199.57	A
Rimsulfuron	Apple	10.56	9	169.52	A
Rimsulfuron	Apricot	31.62	57	601.81	A
Rimsulfuron	Blueberry	1.32	2	21.18	A
Rimsulfuron	Cherry	244.84	381	4,471.62	A
Rimsulfuron	Chestnut	0.73	2	13.66	A
Rimsulfuron	Citrus	2.25	17	36.66	A
Rimsulfuron	Commercial, institutional or industrial areas	0.62	N/A	156.2	A
Rimsulfuron	Commercial, institutional or industrial areas	0.05	N/A	48,040.0	S
Rimsulfuron	Commodity fumigation	0.15	N/A	N/A	N/A
Rimsulfuron	Corn (forage - fodder)	468.41	663	33,024.93	A
Rimsulfuron	Corn, grain	24.14	43	1,489.5	A
Rimsulfuron	Corn, human consumption	0.33	2	20.0	A
Rimsulfuron	Cotton	6.2	4	567.0	A
Rimsulfuron	Grape	1,701.0	1,681	36,723.28	A
Rimsulfuron	Grape, wine	3,319.09	3,061	80,341.15	A
Rimsulfuron	Grapefruit	162.28	156	3,289.25	A
Rimsulfuron	Landscape maintenance	3.76	1	60.0	A
Rimsulfuron	Landscape maintenance	58.41	N/A	N/A	N/A
Rimsulfuron	Lemon	619.94	614	12,128.11	A
Rimsulfuron	Lime	1.23	7	31.57	A
Rimsulfuron	N-grnhs transplants	2.5	1	100.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Rimsulfuron	N-outdr plants in containers	5.2	10	87.5	A
Rimsulfuron	N-outdr transplants	0.27	2	12.89	A
Rimsulfuron	Nectarine	366.53	569	6,790.61	A
Rimsulfuron	Orange	3,087.82	3,073	66,209.08	A
Rimsulfuron	Orchard floor	3.75	1	4.5	A
Rimsulfuron	Peach	695.59	1,038	12,575.04	A
Rimsulfuron	Pear	30.79	55	642.54	A
Rimsulfuron	Pear, asian (oriental pear, ya, ya li, nashi)	88.75	10	106.0	A
Rimsulfuron	Pecan	12.95	14	218.74	A
Rimsulfuron	Pistachio	5,410.24	1,804	93,582.84	A
Rimsulfuron	Plum	196.19	431	3,922.9	A
Rimsulfuron	Pluot	0.63	1	9.0	A
Rimsulfuron	Pomelo	16.96	39	345.75	A
Rimsulfuron	Potato	257.54	237	11,773.82	A
Rimsulfuron	Prune	197.49	137	4,204.44	A
Rimsulfuron	Quince	1.41	6	36.0	A
Rimsulfuron	Rangeland	0.56	N/A	9.0	A
Rimsulfuron	Regulatory pest control	0.28	N/A	N/A	N/A
Rimsulfuron	Research commodity	1.41	11	22.75	A
Rimsulfuron	Research commodity	0.19	N/A	N/A	N/A
Rimsulfuron	Rights of way	25.96	17	499.3	A
Rimsulfuron	Rights of way	1,044.61	N/A	N/A	N/A
Rimsulfuron	Stone fruit	3.8	5	53.33	A
Rimsulfuron	Structural pest control	0.5	N/A	N/A	N/A
Rimsulfuron	Sunflower	2.46	3	87.0	A
Rimsulfuron	Tangelo	73.99	94	1,450.82	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Rimsulfuron</b>	Tangerine	1,949.5	1,525	41,352.99	A
<b>Rimsulfuron</b>	Tomato	293.24	427	10,663.18	A
<b>Rimsulfuron</b>	Tomato, processing	1,818.17	1,754	63,741.91	A
<b>Rimsulfuron</b>	Uncultivated ag	33.86	39	959.41	A
<b>Rimsulfuron</b>	Uncultivated non-ag	32.52	3	1,208.65	A
<b>Rimsulfuron</b>	Uncultivated non-ag	0.01	N/A	10,400.0	S
<b>Rimsulfuron</b>	Walnut	2,301.32	2,124	46,213.3	A
<b>Rimsulfuron</b>	Watermelon	0.45	1	9.64	A
<b>Rimsulfuron</b>	Wheat	1.0	1	16.0	A
<b>Rotenone</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>Rotenone</b>	Melon	<0.01	3	7,740.0	S
<b>Rotenone</b>	N-outdr flower	0.02	2	17.5	A
<b>Rotenone</b>	N-outdr transplants	0.02	1	2.6	A
<b>Rotenone</b>	Pepper, fruiting	<0.01	1	2,520.0	S
<b>Rotenone</b>	Public health	<0.01	N/A	N/A	N/A
<b>Rotenone</b>	Structural pest control	0.06	N/A	N/A	N/A
<b>Rotenone, other related</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>Rotenone, other related</b>	Melon	<0.01	3	7,740.0	S
<b>Rotenone, other related</b>	N-outdr transplants	0.02	1	2.6	A
<b>Rotenone, other related</b>	Pepper, fruiting	<0.01	1	2,520.0	S
<b>Rotenone, other related</b>	Public health	<0.01	N/A	N/A	N/A
<b>Rotenone, other related</b>	Structural pest control	0.09	N/A	N/A	N/A
<b>S,s,s-tributyl phosphotrithioate</b>	Cotton	3,789.36	86	3,504.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>S-abscisic acid</b>	Grape	1,218.68	210	5,944.12	A
<b>S-abscisic acid</b>	Grape, wine	0.67	1	3.83	A
<b>S-abscisic acid</b>	Pistachio	0.63	6	3.8	A
<b>S-abscisic acid</b>	Research commodity	0.01	N/A	N/A	N/A
<b>S-bioallethrin</b>	Structural pest control	0.04	N/A	N/A	N/A
<b>S-methoprene</b>	Almond	594.47	981	89,439.83	A
<b>S-methoprene</b>	Barley	0.64	N/A	272,447.0	P
<b>S-methoprene</b>	Barley	4.19	N/A	893.0	T
<b>S-methoprene</b>	Cherry	0.07	1	10.0	A
<b>S-methoprene</b>	Commercial, institutional or industrial areas	<0.01	N/A	2.0	A
<b>S-methoprene</b>	Commodity fumigation	62.48	N/A	N/A	N/A
<b>S-methoprene</b>	Corn, grain	116.9	N/A	24,920.0	T
<b>S-methoprene</b>	Food processing plant	3.93	N/A	0.11	U
<b>S-methoprene</b>	Fumigation, other	1.02	N/A	N/A	N/A
<b>S-methoprene</b>	Grape	2.49	9	330.85	A
<b>S-methoprene</b>	Landscape maintenance	3.66	N/A	N/A	N/A
<b>S-methoprene</b>	Mushroom soil	35.62	36	498,179.0	S
<b>S-methoprene</b>	N-grnhs plants in containers	5.16	125	316.75	A
<b>S-methoprene</b>	N-grnhs plants in containers	<0.01	3	94,000.0	S
<b>S-methoprene</b>	N-outdr plants in containers	15.01	166	853.13	A
<b>S-methoprene</b>	N-outdr plants in containers	<0.01	3	82,005.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
S-methoprene	N-outdr transplants	<0.01	3	0.12	A
S-methoprene	Public health	3,406.29	N/A	N/A	N/A
S-methoprene	Regulatory pest control	18.93	N/A	N/A	N/A
S-methoprene	Rights of way	3.51	N/A	N/A	N/A
S-methoprene	Rye	0.23	N/A	97,894.0	P
S-methoprene	Rye	0.36	N/A	77.0	T
S-methoprene	Sorghum/milo	2.65	N/A	566.0	T
S-methoprene	Structural pest control	248.62	N/A	N/A	N/A
S-methoprene	Turf/sod	0.43	3	114.0	A
S-methoprene	Walnut	0.81	3	152.0	A
S-methoprene	Water area	112.13	N/A	550.5	A
S-methoprene	Water area	0.72	N/A	199,000.0	S
S-methoprene	Wheat	0.97	N/A	415,510.0	P
S-methoprene	Wheat	92.92	N/A	19,811.0	T
S-metolachlor	Alfalfa	136.84	1	86.0	A
S-metolachlor	Bean, dried	7,626.24	120	5,213.62	A
S-metolachlor	Bean, succulent	2,260.87	85	1,601.88	A
S-metolachlor	Bean, unspecified	603.58	38	492.77	A
S-metolachlor	Beet	175.22	72	289.16	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
S-metolachlor	Broccoli	242.24	3	18.0	A
S-metolachlor	Cabbage	53.36	2	40.2	A
S-metolachlor	Canola (rape)	42.88	2	30.0	A
S-metolachlor	Carrot	183.3	3	308.4	A
S-metolachlor	Celeriac	14.07	13	11.8	A
S-metolachlor	Celery	3,026.15	157	2,524.3	A
S-metolachlor	Corn (forage - fodder)	34,535.62	500	23,268.42	A
S-metolachlor	Corn, grain	41.85	1	33.0	A
S-metolachlor	Corn, human consumption	9,900.09	215	5,963.64	A
S-metolachlor	Cotton	6,572.3	103	5,271.11	A
S-metolachlor	Daikon	17.84	1	15.0	A
S-metolachlor	Gai lon	12.88	1	9.0	A
S-metolachlor	Garbanzo bean	965.28	10	688.5	A
S-metolachlor	Landscape maintenance	229.65	N/A	N/A	N/A
S-metolachlor	Melon	0.84	1	0.5	A
S-metolachlor	N-outdr flower	1,544.9	236	943.68	A
S-metolachlor	N-outdr plants in containers	4.29	2	1.5	A
S-metolachlor	Onion, dry	41.45	21	137.95	A
S-metolachlor	Parsley	18.94	39	118.63	A
S-metolachlor	Peas	511.1	118	874.2	A
S-metolachlor	Pepper, fruiting	1,832.5	64	1,419.88	A
S-metolachlor	Potato	11,609.91	87	7,432.65	A
S-metolachlor	Pumpkin	481.01	24	477.64	A
S-metolachlor	Radish	44.97	42	60.12	A
S-metolachlor	Research commodity	31.97	22	23.37	A
S-metolachlor	Research commodity	14.24	N/A	N/A	N/A
S-metolachlor	Rights of way	186.01	6	187.9	A
S-metolachlor	Rights of way	41.7	N/A	N/A	N/A
S-metolachlor	Safflower	1,468.91	23	961.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
S-metolachlor	Soil fumigation/preplant	1,140.42	20	1,166.25	A
S-metolachlor	Sorghum (forage - fodder)	5,348.87	43	3,540.73	A
S-metolachlor	Sorghum/milo	3,858.5	45	2,642.55	A
S-metolachlor	Spinach	252.71	138	483.15	A
S-metolachlor	Structural pest control	11.4	1	6.0	A
S-metolachlor	Sudangrass	441.78	7	355.8	A
S-metolachlor	Sunflower	10,253.8	139	6,266.14	A
S-metolachlor	Swiss chard	27.7	28	59.8	A
S-metolachlor	Tomato	34,542.06	484	19,079.31	A
S-metolachlor	Tomato, processing	201,917.64	1,835	119,682.12	A
S-metolachlor	Turf/sod	133.36	3	70.0	A
S-metolachlor	Turnip	0.39	1	1.1	A
S-metolachlor	Uncultivated ag	7,462.1	80	4,280.0	A
S-metolachlor	Vegetables, fruiting	0.95	1	1.0	A
S-metolachlor	Walnut	142.94	1	75.0	A
S-metolachlor	Wheat (forage - fodder)	127.31	1	80.0	A
Sabadilla alkaloids	Avocado	7.3	18	246.0	A
Sabadilla alkaloids	Citrus	0.06	1	2.0	A
Sabadilla alkaloids	Grape, wine	0.04	1	5.0	A
Sabadilla alkaloids	Grapefruit	2.91	3	92.6	A
Sabadilla alkaloids	Lemon	10.91	17	384.12	A
Sabadilla alkaloids	Lime	0.56	4	17.99	A
Sabadilla alkaloids	N-grnhs plants in containers	0.51	20	17.05	A
Sabadilla alkaloids	Orange	100.15	207	3,673.65	A
Sabadilla alkaloids	Tangelo	1.23	3	41.08	A
Sabadilla alkaloids	Tangerine	101.73	129	3,717.85	A
Saflufenacil	Alfalfa	3,126.66	1,613	80,452.44	A
Saflufenacil	Almond	22,649.12	12,958	564,164.38	A
Saflufenacil	Apple	14.77	12	425.92	A
Saflufenacil	Avocado	1.26	22	85.15	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Saflufenacil	Bean, dried	0.31	1	7.0	A
Saflufenacil	Bean, succulent	0.67	1	42.0	A
Saflufenacil	Bermudagrass	4.45	11	200.38	A
Saflufenacil	Citrus	4.67	13	60.23	A
Saflufenacil	Corn (forage - fodder)	133.6	57	3,496.6	A
Saflufenacil	Cotton	272.26	100	7,043.4	A
Saflufenacil	Fig	109.53	70	2,752.14	A
Saflufenacil	Forage hay/silage	12.55	9	288.4	A
Saflufenacil	Grape	4.83	7	308.84	A
Saflufenacil	Grape, wine	0.72	3	16.53	A
Saflufenacil	Grapefruit	61.76	132	1,829.24	A
Saflufenacil	Landscape maintenance	1.63	N/A	N/A	N/A
Saflufenacil	Lemon	600.64	1,334	19,460.2	A
Saflufenacil	Lime	4.91	20	114.09	A
Saflufenacil	N-grnhs plants in containers	0.22	1	0.72	A
Saflufenacil	N-grnhs transplants	0.02	1	2.5	A
Saflufenacil	N-outdr flower	0.77	3	27.0	A
Saflufenacil	N-outdr plants in containers	0.49	4	13.52	A
Saflufenacil	N-outdr transplants	10.06	16	230.0	A
Saflufenacil	Oat (forage - fodder)	0.62	1	14.0	A
Saflufenacil	Olive	183.16	98	3,820.53	A
Saflufenacil	Orange	937.1	1,597	32,339.48	A
Saflufenacil	Orchardgrass	3.11	1	70.0	A
Saflufenacil	Pear	46.11	33	1,053.29	A
Saflufenacil	Pistachio	8,084.37	4,207	198,005.48	A
Saflufenacil	Pomegranate	336.75	132	7,845.32	A
Saflufenacil	Pomelo	8.09	25	329.5	A
Saflufenacil	Prune	3.39	3	108.5	A
Saflufenacil	Research commodity	0.39	5	8.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Saflufenacil	Rights of way	48.66	60	1,357.0	A
Saflufenacil	Rights of way	1.43	2	1.01	U
Saflufenacil	Rights of way	248.47	N/A	N/A	N/A
Saflufenacil	Rye	1.34	2	40.0	A
Saflufenacil	Safflower	77.83	41	10,033.0	A
Saflufenacil	Soil fumigation/preplant	8.1	5	996.0	A
Saflufenacil	Sorghum/milo	1.4	1	42.0	A
Saflufenacil	Structural pest control	0.09	N/A	N/A	N/A
Saflufenacil	Tangelo	14.41	40	584.54	A
Saflufenacil	Tangerine	886.44	1,139	24,862.36	A
Saflufenacil	Tomato, processing	6.68	1	150.0	A
Saflufenacil	Uncultivated ag	67.85	76	2,028.56	A
Saflufenacil	Uncultivated non-ag	14.21	26	317.5	A
Saflufenacil	Unknown	10.59	4	104.0	A
Saflufenacil	Vertebrate control	0.03	1	1.0	A
Saflufenacil	Walnut	3,040.38	2,838	79,249.68	A
Saflufenacil	Wheat	22.97	4	515.73	A
Saflufenacil	Wheat (forage - fodder)	1.34	1	40.0	A
Salicylic and benzoic esters of propylene glycol	Cherry	15.85	1	28.0	A
Saponin	Almond	539.7	55	3,131.0	A
Saponin	Blueberry	0.05	2	8.0	A
Saponin	Cannabis (all or unspecified)	22.55	79	51.55	A
Saponin	Cannabis (all or unspecified)	10.47	81	751,038.75	S
Saponin	Grape	61.27	28	528.0	A
Saponin	Grape, wine	55.64	17	441.1	A
Saponin	Potato	10.7	1	70.0	A
Saponin	Tomato, processing	79.25	14	922.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sawdust	Almond	7.25	N/A	72.0	A
Sawdust	Vertebrate control	0.17	N/A	N/A	N/A
Sedaxane	Cotton	115.33	N/A	1,102.74	T
Sedaxane	Wheat	0.5	N/A	20,120.0	P
Sedaxane	Wheat	31.67	N/A	632.73	T
See chem code 3974	Plum	0.79	19	228.34	A
Sethoxydim	Alfalfa	2,094.71	126	6,644.22	A
Sethoxydim	Almond	9,537.13	577	37,025.82	A
Sethoxydim	Apricot	11.38	2	36.1	A
Sethoxydim	Asparagus	0.59	1	2.25	A
Sethoxydim	Barley	13.93	1	53.0	A
Sethoxydim	Bean, succulent	54.88	10	155.3	A
Sethoxydim	Broccoli	163.5	34	652.0	A
Sethoxydim	Cabbage	23.44	10	90.0	A
Sethoxydim	Cantaloupe	74.27	6	291.75	A
Sethoxydim	Carrot	194.17	14	574.5	A
Sethoxydim	Celery	37.53	8	142.75	A
Sethoxydim	Cherry	151.71	28	438.89	A
Sethoxydim	Cilantro	0.09	2	0.35	A
Sethoxydim	Cotton	92.01	4	209.97	A
Sethoxydim	Cucumber	1.31	1	5.0	A
Sethoxydim	Fennel	4.73	2	9.0	A
Sethoxydim	Fig	0.88	1	19.0	A
Sethoxydim	Garlic	94.87	6	369.61	A
Sethoxydim	Grape	1,321.88	202	4,284.4	A
Sethoxydim	Grape, wine	2,211.36	538	6,867.77	A
Sethoxydim	Grapefruit	24.53	4	67.6	A
Sethoxydim	Landscape maintenance	37.67	N/A	N/A	N/A
Sethoxydim	Lemon	15.14	4	60.4	A
Sethoxydim	Lettuce, head	173.97	26	794.5	A
Sethoxydim	Lettuce, leaf	99.82	17	494.89	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sethoxydim	Melon	21.61	3	82.25	A
Sethoxydim	Mint	8.73	34	59.0	A
Sethoxydim	Mustard	9.9	1	40.0	A
Sethoxydim	N-outdr plants in containers	6.87	3	20.5	A
Sethoxydim	N-outdr transplants	60.28	10	188.0	A
Sethoxydim	Nectarine	406.83	61	1,186.29	A
Sethoxydim	Oat	11.13	1	27.5	A
Sethoxydim	Onion, dry	863.1	41	3,438.38	A
Sethoxydim	Orange	148.04	30	387.83	A
Sethoxydim	Parsley	67.47	4	259.0	A
Sethoxydim	Peach	590.06	70	1,786.17	A
Sethoxydim	Peas	13.94	1	53.0	A
Sethoxydim	Pecan	67.57	7	154.28	A
Sethoxydim	Pepper, fruiting	5.79	1	22.0	A
Sethoxydim	Pistachio	1,898.68	160	5,908.88	A
Sethoxydim	Plum	13.35	7	47.65	A
Sethoxydim	Prune	8.19	2	20.69	A
Sethoxydim	Pumpkin	6.8	3	25.2	A
Sethoxydim	Radicchio	83.49	9	307.0	A
Sethoxydim	Research commodity	2.98	2	8.5	A
Sethoxydim	Rights of way	42.06	1	120.0	A
Sethoxydim	Rights of way	64.49	N/A	N/A	N/A
Sethoxydim	Squash	1.75	3	6.0	A
Sethoxydim	Stone fruit	0.08	1	1.5	A
Sethoxydim	Strawberry	7.36	1	21.0	A
Sethoxydim	Sunflower	7.02	2	35.0	A
Sethoxydim	Tangerine	193.22	22	502.42	A
Sethoxydim	Tomato	55.67	4	280.22	A
Sethoxydim	Tomato, processing	385.38	22	1,477.26	A
Sethoxydim	Turf/sod	3.5	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sethoxydim	Uncultivated ag	47.03	10	168.2	A
Sethoxydim	Walnut	465.33	80	1,742.61	A
Sethoxydim	Watermelon	59.41	4	316.0	A
Siduron	Golf course turf	12.0	N/A	4.0	A
Siduron	Golf course turf	1.5	1	27,000.0	S
Siduron	Landscape maintenance	26.73	N/A	N/A	N/A
Siduron	N-grnhs flower	4.0	N/A	1.75	A
Silica aerogel	Landscape maintenance	4.5	N/A	N/A	N/A
Silica aerogel	Public health	64.37	N/A	N/A	N/A
Silica aerogel	Regulatory pest control	258.82	N/A	N/A	N/A
Silica aerogel	Rights of way	0.47	N/A	N/A	N/A
Silica aerogel	Structural pest control	2,469.7	N/A	N/A	N/A
Silica filled polydimethylsiloxane	Alfalfa	2.41	513	33,467.22	A
Silica filled polydimethylsiloxane	Almond	0.08	3	144.6	A
Silica filled polydimethylsiloxane	Barley	0.08	19	1,160.0	A
Silica filled polydimethylsiloxane	Bean, dried	0.03	8	130.0	A
Silica filled polydimethylsiloxane	Bean, succulent	0.01	3	72.0	A
Silica filled polydimethylsiloxane	Bean, unspecified	0.01	22	83.55	A
Silica filled polydimethylsiloxane	Broccoli	0.04	16	525.96	A
Silica filled polydimethylsiloxane	Corn (forage - fodder)	1.68	1	10.0	A
Silica filled polydimethylsiloxane	Forage hay/silage	0.11	24	1,493.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Silica filled polydimethylsiloxane</b>	Forest, timberland	<0.01	2	25.0	A
<b>Silica filled polydimethylsiloxane</b>	Garlic	0.02	3	167.0	A
<b>Silica filled polydimethylsiloxane</b>	Golf course turf	<0.01	N/A	7.0	A
<b>Silica filled polydimethylsiloxane</b>	Grape, wine	13.31	555	14,372.99	A
<b>Silica filled polydimethylsiloxane</b>	Hops	<0.01	1	1.5	A
<b>Silica filled polydimethylsiloxane</b>	Horseradish	<0.01	1	84.0	A
<b>Silica filled polydimethylsiloxane</b>	Landscape maintenance	0.53	N/A	N/A	N/A
<b>Silica filled polydimethylsiloxane</b>	Lettuce, leaf	0.08	1	3.8	A
<b>Silica filled polydimethylsiloxane</b>	Melon	<0.01	3	5.43	A
<b>Silica filled polydimethylsiloxane</b>	Mint	0.03	4	201.0	A
<b>Silica filled polydimethylsiloxane</b>	N-outdr plants in containers	<0.01	2	5.0	A
<b>Silica filled polydimethylsiloxane</b>	Oat	0.06	4	515.0	A
<b>Silica filled polydimethylsiloxane</b>	Onion, dry	36.29	56	5,283.5	A
<b>Silica filled polydimethylsiloxane</b>	Orchardgrass	0.01	1	110.0	A
<b>Silica filled polydimethylsiloxane</b>	Pastureland	<0.01	1	86.0	A
<b>Silica filled polydimethylsiloxane</b>	Peas	0.06	53	398.03	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Silica filled polydimethylsiloxane</b>	Pistachio	32.13	8	2,157.74	A
<b>Silica filled polydimethylsiloxane</b>	Potato	0.3	62	3,607.0	A
<b>Silica filled polydimethylsiloxane</b>	Prune	0.02	5	50.9	A
<b>Silica filled polydimethylsiloxane</b>	Rangeland	<0.01	3	95.0	A
<b>Silica filled polydimethylsiloxane</b>	Raspberry	0.01	2	160.0	A
<b>Silica filled polydimethylsiloxane</b>	Research commodity	<0.01	N/A	N/A	N/A
<b>Silica filled polydimethylsiloxane</b>	Rights of way	1.46	7	700.0	A
<b>Silica filled polydimethylsiloxane</b>	Rights of way	0.77	N/A	N/A	N/A
<b>Silica filled polydimethylsiloxane</b>	Rye	0.08	16	536.5	A
<b>Silica filled polydimethylsiloxane</b>	Strawberry	0.95	51	1,450.54	A
<b>Silica filled polydimethylsiloxane</b>	Tangerine	1.69	4	109.97	A
<b>Silica filled polydimethylsiloxane</b>	Tomato	<0.01	2	22.0	A
<b>Silica filled polydimethylsiloxane</b>	Tomato, processing	66.61	36	5,505.2	A
<b>Silica filled polydimethylsiloxane</b>	Uncultivated ag	0.06	8	408.0	A
<b>Silica filled polydimethylsiloxane</b>	Unknown	0.01	1	78.0	A
<b>Silica filled polydimethylsiloxane</b>	Walnut	2.6	14	218.72	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Silica filled polydimethylsiloxane	Water area	0.02	20	15.2	A
Silica filled polydimethylsiloxane	Wheat	0.38	54	3,544.6	A
Silicone	Almond	5.31	36	1,705.72	A
Silicone	Avocado	1.41	12	57.0	A
Silicone	Grape, wine	2.11	68	1,206.57	A
Silicone	Lemon	0.85	2	243.0	A
Silicone	N-grnhs flower	352.4	73	146.0	A
Silicone	N-outdr flower	43.52	9	18.0	A
Silicone	Pistachio	0.15	1	63.16	A
Silicone	Rights of way	0.65	N/A	N/A	N/A
Silicone	Strawberry	9.63	18	587.25	A
Silicone	Walnut	0.51	4	109.27	A
Silicone defoamer	Alfalfa	0.53	25	705.3	A
Silicone defoamer	Almond	10.84	190	8,859.94	A
Silicone defoamer	Apple	0.02	9	22.65	A
Silicone defoamer	Apricot	0.01	6	2.4	A
Silicone defoamer	Avocado	0.02	7	79.5	A
Silicone defoamer	Avocado	<0.01	4	24,400.0	U
Silicone defoamer	Bean, succulent	0.01	1	62.0	A
Silicone defoamer	Broccoli	0.05	3	49.3	A
Silicone defoamer	Cabbage	0.04	5	46.1	A
Silicone defoamer	Cantaloupe	0.65	41	2,848.5	A
Silicone defoamer	Cherry	0.27	2	46.0	A
Silicone defoamer	Citrus	<0.01	1	20.0	A
Silicone defoamer	Corn (forage - fodder)	0.28	5	381.0	A
Silicone defoamer	Corn, human consumption	<0.01	1	12.0	A
Silicone defoamer	Cotton	1.27	23	1,006.7	A
Silicone defoamer	Date	<0.01	1	37.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Silicone defoamer	Ditch bank	<0.01	1	0.5	A
Silicone defoamer	Forage hay/silage	0.14	3	147.5	A
Silicone defoamer	Forest, timberland	0.11	1	22.0	A
Silicone defoamer	Grape	6.6	268	12,095.81	A
Silicone defoamer	Grape, wine	0.04	24	72.92	A
Silicone defoamer	Grapefruit	0.05	5	112.0	A
Silicone defoamer	Kiwi fruit fuzzy	0.08	13	97.0	A
Silicone defoamer	Landscape maintenance	<0.01	1	8.0	A
Silicone defoamer	Landscape maintenance	2.37	N/A	N/A	N/A
Silicone defoamer	Lemon	0.65	40	2,846.0	A
Silicone defoamer	Lettuce, head	0.17	18	187.0	A
Silicone defoamer	Lettuce, leaf	0.23	24	254.8	A
Silicone defoamer	Melon	1.03	84	4,386.9	A
Silicone defoamer	N-grnhs flower	0.3	85	287.0	A
Silicone defoamer	N-grnhs flower	<0.01	35	107,775.0	S
Silicone defoamer	N-grnhs plants in containers	0.57	298	317.76	A
Silicone defoamer	N-grnhs plants in containers	0.05	56	1,120,200.0	S
Silicone defoamer	N-grnhs transplants	0.46	66	569.82	A
Silicone defoamer	N-grnhs transplants	0.12	25	4,868,340.0	S
Silicone defoamer	N-outdr flower	1.18	460	1,075.31	A
Silicone defoamer	N-outdr plants in containers	2.1	736	1,084.89	A
Silicone defoamer	N-outdr plants in containers	<0.01	1	2.0	S
Silicone defoamer	N-outdr plants in containers	<0.01	4	872.0	U
Silicone defoamer	N-outdr transplants	0.26	20	110.0	A
Silicone defoamer	N-outdr transplants	1.43	323	55,811,310.0	S
Silicone defoamer	Olive	0.02	N/A	11.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Silicone defoamer	Orange	0.36	17	410.0	A
Silicone defoamer	Peach	0.7	34	393.75	A
Silicone defoamer	Pecan	0.08	1	50.0	A
Silicone defoamer	Persimmon	0.01	1	7.5	A
Silicone defoamer	Pistachio	0.4	14	228.32	A
Silicone defoamer	Plum	0.01	4	1.7	A
Silicone defoamer	Pomegranate	<0.01	2	1.25	A
Silicone defoamer	Prune	4.31	47	1,868.5	A
Silicone defoamer	Pumpkin	<0.01	1	8.0	A
Silicone defoamer	Regulatory pest control	0.13	N/A	N/A	N/A
Silicone defoamer	Research commodity	<0.01	N/A	N/A	N/A
Silicone defoamer	Rice	15.83	118	9,273.6	A
Silicone defoamer	Rights of way	0.13	18	44.0	A
Silicone defoamer	Rights of way	1.44	N/A	N/A	N/A
Silicone defoamer	Soil fumigation/preplant	<0.01	1	40.0	A
Silicone defoamer	Strawberry	2.85	140	1,424.3	A
Silicone defoamer	Structural pest control	0.32	N/A	N/A	N/A
Silicone defoamer	Tangelo	0.06	5	275.0	A
Silicone defoamer	Tangerine	0.4	14	201.96	A
Silicone defoamer	Tomato	0.02	1	30.4	A
Silicone defoamer	Tomato, processing	2.34	127	4,344.47	A
Silicone defoamer	Uncultivated ag	0.19	7	200.8	A
Silicone defoamer	Vegetable	<0.01	1	1.0	A
Silicone defoamer	Vegetables, fruiting	0.01	1	1.5	A
Silicone defoamer	Walnut	13.68	341	7,828.96	A
Silver nitrate	Grape, wine	<0.01	1	13.0	A
Silver nitrate	N-grnhs flower	<0.01	1	15,980.0	S
Silver nitrate	N-grnhs plants in containers	0.16	16	10.19	A
Silver nitrate	N-outdr plants in containers	1.03	8	10.16	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Silver, ionic	Food processing plant	0.04	N/A	3.0	U
Simazine	Almond	18,657.98	259	16,178.83	A
Simazine	Avocado	3,765.84	311	2,927.68	A
Simazine	Blueberry	1,359.84	24	465.98	A
Simazine	Cherry	12.02	3	13.0	A
Simazine	Citrus	181.87	13	1,464.83	A
Simazine	Golf course turf	326.68	N/A	271.86	A
Simazine	Grape	3,386.79	98	1,506.05	A
Simazine	Grape, wine	12,573.58	243	8,145.94	A
Simazine	Grapefruit	483.72	23	300.2	A
Simazine	Landscape maintenance	0.94	1	10.0	A
Simazine	Landscape maintenance	2,309.01	N/A	N/A	N/A
Simazine	Lemon	1,380.2	106	1,097.2	A
Simazine	N-outdr flower	4.5	1	1.0	A
Simazine	Olive	5,199.89	68	1,748.36	A
Simazine	Orange	2,843.58	83	1,126.72	A
Simazine	Pear	371.03	8	121.29	A
Simazine	Pomelo	8.99	1	4.5	A
Simazine	Rights of way	49.24	4	14.0	A
Simazine	Rights of way	250.23	N/A	N/A	N/A
Simazine	Sod farm (turf)	7.55	1	7.55	A
Simazine	Structural pest control	0.94	N/A	N/A	N/A
Simazine	Turf/sod	559.42	44	559.92	A
Simazine	Uncultivated ag	159.85	7	299.0	A
Simazine	Walnut	6,781.12	144	3,415.42	A
Soap	N-grnhs transplants	0.29	N/A	3.0	A
Sodium alpha-olefin (c14-c16) sulfonate	Rights of way	24,507.96	N/A	N/A	N/A
Sodium arsenate	Structural pest control	<0.01	N/A	N/A	N/A
Sodium bicarbonate	Orange	0.87	1	9.0	A
Sodium bisulfate	Grape, wine	56.72	15	150.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Sodium bromide</b>	Industrial processing water	<0.01	N/A	2.0	A
<b>Sodium bromide</b>	Industrial processing water	10,190.57	N/A	13.0	U
<b>Sodium bromide</b>	Structural pest control	26.64	N/A	N/A	N/A
<b>Sodium bromide</b>	Water (industrial)	8.4	N/A	127.0	A
<b>Sodium bromide</b>	Water (industrial)	161,374.27	N/A	34,816.0	U
<b>Sodium bromosulfamate, sodium chlorosulfamate, potassium bromosulfamate, potassium chlorosulfamate</b>	Industrial processing water	104.22	N/A	679,710.0	P
<b>Sodium bromosulfamate, sodium chlorosulfamate, potassium bromosulfamate, potassium chlorosulfamate</b>	Water (industrial)	23,945.27	N/A	2,671.0	U
<b>Sodium cacodylate</b>	Golf course turf	0.12	N/A	10.0	A
<b>Sodium cacodylate</b>	Landscape maintenance	2.91	N/A	N/A	N/A
<b>Sodium cacodylate</b>	Rights of way	1.09	N/A	N/A	N/A
<b>Sodium carbonate</b>	Regulatory pest control	30.0	N/A	N/A	N/A
<b>Sodium carbonate</b>	Structural pest control	0.26	N/A	N/A	N/A
<b>Sodium carbonate peroxyhydrate</b>	Farm/ag building	0.96	N/A	0.05	A
<b>Sodium carbonate peroxyhydrate</b>	Grape, wine	2,969.08	19	744.08	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium carbonate peroxyhydrate	Landscape maintenance	16,831.7	N/A	N/A	N/A
Sodium carbonate peroxyhydrate	N-grnhs plants in containers	668.95	11	17.39	A
Sodium carbonate peroxyhydrate	N-grnhs plants in containers	558.49	14	406,390.0	S
Sodium carbonate peroxyhydrate	N-grnhs transplants	90.1	2	21.75	A
Sodium carbonate peroxyhydrate	Rice	188,862.55	131	9,713.16	A
Sodium carbonate peroxyhydrate	Rights of way	20,322.65	N/A	N/A	N/A
Sodium carbonate peroxyhydrate	Tomato	2.63	6	0.78	A
Sodium carbonate peroxyhydrate	Uncultivated ag	3,463.77	10	203.92	A
Sodium carbonate peroxyhydrate	Water (industrial)	3,863.68	N/A	213.95	A
Sodium carbonate peroxyhydrate	Water area	47,482.81	N/A	1,332.89	A
Sodium carbonate peroxyhydrate	Water area	510.0	N/A	350.0	C
Sodium carbonate peroxyhydrate	Water area	7,947.5	N/A	62,290.8	K
Sodium carbonate peroxyhydrate	Water convolvulus	340.0	N/A	325.0	C
Sodium chlorate	Bean, dried	141.62	1	38.0	A
Sodium chlorate	Corn, grain	1,896.16	13	318.0	A
Sodium chlorate	Cotton	49,460.1	196	12,064.53	A
Sodium chlorate	Garbanzo bean	894.41	1	150.0	A
Sodium chlorate	Rice	70,291.65	215	13,602.94	A
Sodium chlorate	Safflower	906.34	2	152.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium chlorate	Sorghum/milo	681.84	6	116.9	A
Sodium chlorate	Sunflower	7,005.4	21	1,184.36	A
Sodium chlorate	Water (industrial)	153,324.87	N/A	16.0	U
Sodium chlorate	Wheat	709.57	2	119.0	A
Sodium chloride	Animal premise	10.65	5	1,345,000.0	S
Sodium chloride	Animal premise	179.71	42	2,729,091.0	U
Sodium chloride	Landscape maintenance	4.35	N/A	N/A	N/A
Sodium chlorite	Animal premise	361.74	N/A	21.0	U
Sodium chlorite	Cannabis (all or unspecified)	1.13	28	29,568.0	S
Sodium chlorite	Food processing plant	22,036.28	N/A	9.0	U
Sodium chlorite	Rights of way	122,466.61	N/A	N/A	N/A
Sodium chlorite	Structural pest control	4.94	N/A	N/A	N/A
Sodium chlorite	Tomato, processing	156.52	2	293.0	A
Sodium chlorite	Water (industrial)	3,237.85	N/A	472.0	C
Sodium chlorite	Water (industrial)	10,124.8	N/A	18.01	U
Sodium chlorite	Water area	26.64	N/A	64.48	A
Sodium chlorite	Water area	25,559.31	N/A	8,527.18	U
Sodium cyanide	Commodity fumigation	2,349.55	N/A	N/A	N/A
Sodium decyl sulfate	Landscape maintenance	5.65	N/A	N/A	N/A
Sodium decyl sulfate	Regulatory pest control	3.86	N/A	N/A	N/A
Sodium decyl sulfate	Structural pest control	2,871.59	N/A	N/A	N/A
Sodium di (1-alkenyl) phenoxy benzene disulfonate	Landscape maintenance	<0.01	N/A	N/A	N/A
Sodium dichloro-s-triazinetrione	Public health	0.11	N/A	N/A	N/A
Sodium dichloro-s-triazinetrione	Structural pest control	2.49	N/A	N/A	N/A
Sodium dichloro-s-triazinetrione	Water (industrial)	59,189.69	N/A	4,029.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Sodium dichloro-s-triazinetrione dihydrate</b>	Landscape maintenance	5,279.18	N/A	N/A	N/A
<b>Sodium dichloro-s-triazinetrione dihydrate</b>	Water (industrial)	3,105.1	N/A	226.0	U
<b>Sodium diisooctylsulfosuccinate</b>	Alfalfa	81.49	378	22,162.78	A
<b>Sodium diisooctylsulfosuccinate</b>	Almond	283.71	1,081	35,012.39	A
<b>Sodium diisooctylsulfosuccinate</b>	Basil, sweet	0.54	37	48.75	A
<b>Sodium diisooctylsulfosuccinate</b>	Bean, dried	0.05	1	20.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Bean, succulent	0.01	5	1.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Bermudagrass	2.59	12	682.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Blueberry	0.06	3	6.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Broccoli	0.29	2	102.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Cabbage	0.07	2	17.8	A
<b>Sodium diisooctylsulfosuccinate</b>	Cantaloupe	0.88	5	365.45	A
<b>Sodium diisooctylsulfosuccinate</b>	Cherry	3.04	12	224.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Cole crop	0.13	30	11.6	A
<b>Sodium diisooctylsulfosuccinate</b>	Corn (forage - fodder)	3.83	32	1,225.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Cotton	5.52	38	1,902.77	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Sodium diisooctylsulfosuccinate</b>	Cucumber	0.11	16	8.7	A
<b>Sodium diisooctylsulfosuccinate</b>	Forage hay/silage	0.3	3	108.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Garlic	5.67	22	2,044.5	A
<b>Sodium diisooctylsulfosuccinate</b>	Ginger	0.01	2	1.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Grape	3.03	17	247.9	A
<b>Sodium diisooctylsulfosuccinate</b>	Grape, wine	175.47	292	22,667.54	A
<b>Sodium diisooctylsulfosuccinate</b>	Grapefruit	0.26	4	10.5	A
<b>Sodium diisooctylsulfosuccinate</b>	Herb, spice	0.89	61	75.4	A
<b>Sodium diisooctylsulfosuccinate</b>	Landscape maintenance	14.12	N/A	N/A	N/A
<b>Sodium diisooctylsulfosuccinate</b>	Lemon	4.28	14	140.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Lettuce, head	0.05	1	38.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Lettuce, leaf	0.3	2	80.6	A
<b>Sodium diisooctylsulfosuccinate</b>	Melon	3.43	24	1,257.9	A
<b>Sodium diisooctylsulfosuccinate</b>	Mint	0.18	18	14.7	A
<b>Sodium diisooctylsulfosuccinate</b>	N-outdr flower	<0.01	1	5.0	A
<b>Sodium diisooctylsulfosuccinate</b>	N-outdr plants in containers	0.04	3	3.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Sodium diisooctylsulfosuccinate</b>	Nectarine	0.46	10	50.5	A
<b>Sodium diisooctylsulfosuccinate</b>	Oat (forage - fodder)	2.25	24	1,201.12	A
<b>Sodium diisooctylsulfosuccinate</b>	Olive	2.11	14	172.13	A
<b>Sodium diisooctylsulfosuccinate</b>	Onion, dry	8.98	74	4,759.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Onion, green	0.03	4	2.25	A
<b>Sodium diisooctylsulfosuccinate</b>	Orange	30.78	84	1,218.45	A
<b>Sodium diisooctylsulfosuccinate</b>	Pasture (forage - fodder)	0.04	1	18.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Pastureland	1.8	13	461.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Peach	6.02	59	690.91	A
<b>Sodium diisooctylsulfosuccinate</b>	Peas	0.03	7	2.9	A
<b>Sodium diisooctylsulfosuccinate</b>	Pecan	0.74	2	140.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Pistachio	11.19	33	2,307.2	A
<b>Sodium diisooctylsulfosuccinate</b>	Plum	0.72	2	63.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Pomelo	1.06	4	19.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Pumpkin	<0.01	1	4.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Quince	1.97	25	165.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium diisooctylsulfosuccinate	Rangeland	0.02	6	8.0	A
Sodium diisooctylsulfosuccinate	Rights of way	0.14	3	17.5	A
Sodium diisooctylsulfosuccinate	Rights of way	3.1	N/A	N/A	N/A
Sodium diisooctylsulfosuccinate	Root vegetable	0.4	24	36.7	A
Sodium diisooctylsulfosuccinate	Rye	0.25	1	62.0	A
Sodium diisooctylsulfosuccinate	Sorghum (forage - fodder)	0.85	3	340.0	A
Sodium diisooctylsulfosuccinate	Squash	0.9	29	72.5	A
Sodium diisooctylsulfosuccinate	Stone fruit	1.96	13	401.0	A
Sodium diisooctylsulfosuccinate	Stone fruit	<0.01	N/A	33,900.0	S
Sodium diisooctylsulfosuccinate	Strawberry	0.26	1	30.0	A
Sodium diisooctylsulfosuccinate	Sudangrass	0.09	1	60.0	A
Sodium diisooctylsulfosuccinate	Sugarbeet	10.5	36	1,955.2	A
Sodium diisooctylsulfosuccinate	Tangelo	0.67	6	17.5	A
Sodium diisooctylsulfosuccinate	Tangerine	1.81	12	199.5	A
Sodium diisooctylsulfosuccinate	Tomato	0.17	2	202.0	A
Sodium diisooctylsulfosuccinate	Tomato, processing	27.06	110	7,958.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Sodium diisooctylsulfosuccinate</b>	Uncultivated ag	5.81	9	423.95	A
<b>Sodium diisooctylsulfosuccinate</b>	Uncultivated non-ag	0.13	1	27.0	A
<b>Sodium diisooctylsulfosuccinate</b>	Vegetables, fruiting	0.11	30	9.5	A
<b>Sodium diisooctylsulfosuccinate</b>	Vegetables, leafy	6.11	314	522.9	A
<b>Sodium diisooctylsulfosuccinate</b>	Vertebrate control	0.67	N/A	N/A	N/A
<b>Sodium diisooctylsulfosuccinate</b>	Walnut	54.07	179	4,702.82	A
<b>Sodium diisooctylsulfosuccinate</b>	Wheat	3.97	15	820.1	A
<b>Sodium diisooctylsulfosuccinate</b>	Wheat (forage - fodder)	4.49	28	1,759.83	A
<b>Sodium dimethyl dithio carbamate</b>	Structural pest control	0.09	N/A	N/A	N/A
<b>Sodium dioctylsulfosuccinate</b>	Airport	0.02	3	44.0	A
<b>Sodium dioctylsulfosuccinate</b>	Alfalfa	1.37	149	11,332.0	A
<b>Sodium dioctylsulfosuccinate</b>	Almond	0.33	20	748.71	A
<b>Sodium dioctylsulfosuccinate</b>	Cherry	0.3	33	515.31	A
<b>Sodium dioctylsulfosuccinate</b>	Corn (forage - fodder)	0.01	2	119.0	A
<b>Sodium dioctylsulfosuccinate</b>	Corn, human consumption	0.09	16	239.75	A
<b>Sodium dioctylsulfosuccinate</b>	Cotton	0.01	1	95.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Sodium dioctylsulfosuccinate</b>	Endive (escarole)	<0.01	2	2.4	A
<b>Sodium dioctylsulfosuccinate</b>	Fennel	0.01	8	29.75	A
<b>Sodium dioctylsulfosuccinate</b>	Forage hay/silage	<0.01	1	81.0	A
<b>Sodium dioctylsulfosuccinate</b>	Grape, wine	0.15	3	6.0	A
<b>Sodium dioctylsulfosuccinate</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>Sodium dioctylsulfosuccinate</b>	Lettuce, leaf	0.03	17	110.11	A
<b>Sodium dioctylsulfosuccinate</b>	Olive	0.04	17	181.99	A
<b>Sodium dioctylsulfosuccinate</b>	Pepper, fruiting	<0.01	4	18.0	A
<b>Sodium dioctylsulfosuccinate</b>	Rights of way	0.17	N/A	N/A	N/A
<b>Sodium dioctylsulfosuccinate</b>	Spinach	<0.01	1	6.0	A
<b>Sodium dioctylsulfosuccinate</b>	Squash	0.02	2	60.0	A
<b>Sodium dioctylsulfosuccinate</b>	Squash, winter	0.79	7	196.0	A
<b>Sodium dioctylsulfosuccinate</b>	Uncultivated ag	<0.01	2	46.33	A
<b>Sodium dioctylsulfosuccinate</b>	Walnut	1.3	35	569.88	A
<b>Sodium dioctylsulfosuccinate</b>	Wheat	0.04	5	307.0	A
<b>Sodium fluoride</b>	Structural pest control	0.2	N/A	N/A	N/A
<b>Sodium fluosilicate</b>	Structural pest control	0.05	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium hydroxide	Alfalfa	427.47	193	10,086.29	A
Sodium hydroxide	Almond	5,080.84	2,307	77,458.41	A
Sodium hydroxide	Apple	29.56	29	516.88	A
Sodium hydroxide	Apricot	0.58	3	8.11	A
Sodium hydroxide	Avocado	0.12	1	1.0	A
Sodium hydroxide	Barley	10.25	5	361.0	A
Sodium hydroxide	Barley (forage - fodder)	4.13	1	80.0	A
Sodium hydroxide	Bean, dried	4.29	4	155.6	A
Sodium hydroxide	Bermudagrass	27.92	8	667.0	A
Sodium hydroxide	Blackberry	2.06	1	30.0	A
Sodium hydroxide	Blueberry	108.45	37	1,252.83	A
Sodium hydroxide	Cantaloupe	3.0	2	68.0	A
Sodium hydroxide	Cherry	350.27	421	4,809.06	A
Sodium hydroxide	Citrus	0.46	2	5.62	A
Sodium hydroxide	Corn (forage - fodder)	258.48	158	7,876.0	A
Sodium hydroxide	Corn, grain	18.32	9	444.0	A
Sodium hydroxide	Corn, human consumption	23.94	12	1,117.0	A
Sodium hydroxide	Cotton	96.21	53	2,622.84	A
Sodium hydroxide	Cucumber	12.1	7	408.0	A
Sodium hydroxide	Forage hay/silage	52.62	30	1,828.5	A
Sodium hydroxide	Forest, timberland	0.28	1	5.0	A
Sodium hydroxide	Garlic	18.3	10	947.7	A
Sodium hydroxide	Grape	477.17	164	3,988.33	A
Sodium hydroxide	Grape, wine	2,070.61	1,192	23,514.33	A
Sodium hydroxide	Grapefruit	4.18	2	76.0	A
Sodium hydroxide	Kiwi fruit fuzzy	23.32	38	382.4	A
Sodium hydroxide	Landscape maintenance	4.06	N/A	N/A	N/A
Sodium hydroxide	Lemon	9.88	14	253.52	A
Sodium hydroxide	Lettuce, head	0.05	1	10.0	A
Sodium hydroxide	Lettuce, leaf	0.74	7	128.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium hydroxide	Melon	2.13	1	48.3	A
Sodium hydroxide	N-outdr transplants	7.0	26	121.65	A
Sodium hydroxide	Nectarine	3.25	20	87.16	A
Sodium hydroxide	Oat	5.71	2	107.0	A
Sodium hydroxide	Oat (forage - fodder)	80.76	21	1,225.0	A
Sodium hydroxide	Olive	136.06	63	1,946.26	A
Sodium hydroxide	Onion, dry	16.8	4	306.0	A
Sodium hydroxide	Orange	59.35	152	3,128.12	A
Sodium hydroxide	Orchardgrass	5.09	3	125.0	A
Sodium hydroxide	Pastureland	23.93	5	500.0	A
Sodium hydroxide	Peach	95.69	132	1,335.81	A
Sodium hydroxide	Pear	0.02	1	0.25	A
Sodium hydroxide	Pecan	13.05	9	160.7	A
Sodium hydroxide	Pepper, fruiting	36.99	3	134.5	A
Sodium hydroxide	Persimmon	1.56	8	30.0	A
Sodium hydroxide	Pistachio	504.1	143	5,545.59	A
Sodium hydroxide	Plum	38.56	65	589.7	A
Sodium hydroxide	Prune	228.41	91	2,431.0	A
Sodium hydroxide	Rangeland	2.2	1	9.5	A
Sodium hydroxide	Rice	461.68	151	9,843.21	A
Sodium hydroxide	Rights of way	56.47	39	807.0	A
Sodium hydroxide	Rights of way	127.02	N/A	N/A	N/A
Sodium hydroxide	Ryegrass	5.0	6	247.0	A
Sodium hydroxide	Safflower	13.8	2	163.3	A
Sodium hydroxide	Soil fumigation/preplant	24.13	6	676.0	A
Sodium hydroxide	Soybean	2.94	1	140.0	A
Sodium hydroxide	Squash	9.24	8	255.0	A
Sodium hydroxide	Strawberry	12.28	9	339.0	A
Sodium hydroxide	Sugarbeet	24.0	8	625.0	A
Sodium hydroxide	Sunflower	102.87	12	1,180.2	A
Sodium hydroxide	Sweet potato	4.46	2	54.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium hydroxide	Tangerine	46.5	45	1,043.77	A
Sodium hydroxide	Tomato	3.14	1	114.0	A
Sodium hydroxide	Tomato, processing	264.56	68	4,038.83	A
Sodium hydroxide	Triticale	1.65	2	40.0	A
Sodium hydroxide	Uncultivated ag	1,135.64	445	26,871.17	A
Sodium hydroxide	Uncultivated non-ag	25.96	40	469.6	A
Sodium hydroxide	Walnut	3,627.72	1,307	36,990.42	A
Sodium hydroxide	Water area	2.31	2	28.0	A
Sodium hydroxide	Watermelon	32.4	9	497.5	A
Sodium hydroxide	Wheat	185.91	79	4,612.67	A
Sodium hydroxide	Wheat (forage - fodder)	12.29	16	757.2	A
Sodium hypochlorite	Animal premise	0.19	N/A	3,600.0	S
Sodium hypochlorite	Animal premise	7,606.62	N/A	453.0	U
Sodium hypochlorite	Apricot	3.35	1	38.0	A
Sodium hypochlorite	Cannabis (all or unspecified)	0.02	1	1,700.0	S
Sodium hypochlorite	Citrus	3,734.13	N/A	437,205.03	T
Sodium hypochlorite	Commodity fumigation	3,068.77	N/A	N/A	N/A
Sodium hypochlorite	Ditch bank	424,551.52	N/A	1,503.0	U
Sodium hypochlorite	Food processing plant	1,863.0	12	169,175.27	?
Sodium hypochlorite	Food processing plant	74,604.76	N/A	883,465.88	T
Sodium hypochlorite	Food processing plant	15,115.2	N/A	26.0	U
Sodium hypochlorite	Grape	0.06	1	0.33	A
Sodium hypochlorite	Grape, wine	444.35	84	1,055.96	A
Sodium hypochlorite	Grapefruit	1,077.26	N/A	20,714.0	T
Sodium hypochlorite	Household	0.07	N/A	1,200.0	S
Sodium hypochlorite	Industrial processing water	0.05	N/A	2.0	A
Sodium hypochlorite	Industrial processing water	156.19	N/A	999,999.0	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium hypochlorite	Industrial processing water	24.99	N/A	31,836.0	T
Sodium hypochlorite	Landscape maintenance	3,099.65	N/A	N/A	N/A
Sodium hypochlorite	Lemon	107.46	N/A	977.0	K
Sodium hypochlorite	Lemon	61,326.04	N/A	1,067,251.0	T
Sodium hypochlorite	N-grnhs plants in containers	80.78	4	68.0	A
Sodium hypochlorite	N-grnhs transplants	193.12	4	80.0	A
Sodium hypochlorite	Nectarine	55.79	N/A	1,727.0	T
Sodium hypochlorite	Onion, dry	3,051.19	52	1,234.9	A
Sodium hypochlorite	Orange	61,292.99	N/A	1,269,180.36	T
Sodium hypochlorite	Peach	225.27	N/A	3,954.0	T
Sodium hypochlorite	Pepper, fruiting	73.72	N/A	5,654.0	T
Sodium hypochlorite	Plum	191.58	N/A	4,809.0	T
Sodium hypochlorite	Pomegranate	3,789.73	N/A	152,875.0	T
Sodium hypochlorite	Public health	27.27	N/A	N/A	N/A
Sodium hypochlorite	Regulatory pest control	562.05	N/A	N/A	N/A
Sodium hypochlorite	Research commodity	0.1	N/A	N/A	N/A
Sodium hypochlorite	Structural pest control	262.32	N/A	N/A	N/A
Sodium hypochlorite	Tomato	519.79	N/A	1,623.0	T
Sodium hypochlorite	Tomato, processing	4,031.45	N/A	22,428.0	T
Sodium hypochlorite	Uncultivated ag	72.41	2	34.0	A
Sodium hypochlorite	Water (industrial)	40.48	N/A	140.0	A
Sodium hypochlorite	Water (industrial)	2.54	N/A	5,000.0	C
Sodium hypochlorite	Water (industrial)	258,175.4	N/A	3,853,259.02	U
Sodium hypochlorite	Water area	25.06	1	33.55	A
Sodium hypochlorite	Water area	324.29	N/A	34,343.0	K
Sodium hypochlorite	Water systems - human potable/drinking	194.86	N/A	90.0	A
Sodium hypochlorite	Water systems - human potable/drinking	854.92	N/A	86.0	U



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium hypochlorite	Water washer/cooler/condenser systems	49.54	N/A	4.0	A
Sodium lauroampho acetate	Landscape maintenance	4.26	N/A	N/A	N/A
Sodium lauroampho acetate	Regulatory pest control	2.91	N/A	N/A	N/A
Sodium lauroampho acetate	Structural pest control	2,167.24	N/A	N/A	N/A
Sodium lauryl ether sulfate	Alfalfa	139.23	122	9,812.43	A
Sodium lauryl ether sulfate	Forage hay/silage	43.99	14	2,047.5	A
Sodium lauryl ether sulfate	Orchardgrass	1.62	2	61.0	A
Sodium lauryl ether sulfate	Pasture (forage - fodder)	2.08	2	168.0	A
Sodium lauryl ether sulfate	Pastureland	13.52	6	1,520.0	A
Sodium lauryl ether sulfate	Potato	58.63	39	1,699.5	A
Sodium lauryl ether sulfate	Uncultivated ag	0.88	2	58.6	A
Sodium lauryl ether sulfate	Wheat	3.15	2	119.0	A
Sodium lauryl sulfate	Landscape maintenance	2.88	N/A	N/A	N/A
Sodium lauryl sulfate	Regulatory pest control	1.97	N/A	N/A	N/A
Sodium lauryl sulfate	Structural pest control	1,465.68	N/A	N/A	N/A
Sodium metabisulfite	Grape	0.56	N/A	5.0	A
Sodium metabisulfite	Grape	6,224.45	N/A	4,574.0	T
Sodium metabisulfite	Grape, wine	0.56	1	5.0	A
Sodium metasilicate	Golf course turf	0.44	N/A	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium metasilicate	Grape, wine	0.57	11	94.51	A
Sodium metasilicate	Landscape maintenance	0.04	N/A	N/A	N/A
Sodium mono (1-alkenyl) phenoxy benzene disulfonate	Landscape maintenance	0.02	N/A	N/A	N/A
Sodium nitrate	Almond	52.93	5	208.0	A
Sodium nitrate	Buildings/non-ag outdoor	2.52	N/A	0.01	U
Sodium nitrate	County ag comm	1.13	N/A	N/A	N/A
Sodium nitrate	Fig	0.25	1	1.5	A
Sodium nitrate	Landscape maintenance	696.73	N/A	N/A	N/A
Sodium nitrate	Olive	1.85	1	3.0	A
Sodium nitrate	Regulatory pest control	82.95	N/A	N/A	N/A
Sodium nitrate	Rights of way	419.2	N/A	N/A	N/A
Sodium nitrate	Structural pest control	14.97	N/A	N/A	N/A
Sodium nitrate	Uncultivated ag	5.47	N/A	0.01	U
Sodium nitrate	Uncultivated non-ag	3.06	N/A	0.02	U
Sodium nitrate	Vertebrate control	709.73	N/A	N/A	N/A
Sodium nitrate	Walnut	7.5	1	210.5	A
Sodium polyacrylate	Alfalfa	40.12	272	16,428.38	A
Sodium polyacrylate	Almond	462.64	1,915	99,656.09	A
Sodium polyacrylate	Apricot	0.73	16	160.26	A
Sodium polyacrylate	Avocado	6.15	218	2,342.68	A
Sodium polyacrylate	Barley	0.12	1	37.0	A
Sodium polyacrylate	Blackberry	0.07	1	5.5	A
Sodium polyacrylate	Blueberry	2.56	21	369.96	A
Sodium polyacrylate	Broccoli	0.69	55	869.5	A
Sodium polyacrylate	Cabbage	0.75	10	74.5	A
Sodium polyacrylate	Cantaloupe	1.03	11	466.0	A
Sodium polyacrylate	Carrot	0.36	3	79.0	A
Sodium polyacrylate	Cauliflower	0.1	8	65.55	A
Sodium polyacrylate	Celery	0.83	67	825.39	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium polyacrylate	Cherry	21.3	49	1,497.23	A
Sodium polyacrylate	Corn (forage - fodder)	33.24	282	16,162.67	A
Sodium polyacrylate	Corn, human consumption	118.65	5	124.9	A
Sodium polyacrylate	Cotton	61.73	317	29,026.61	A
Sodium polyacrylate	Ditch bank	1.89	12	205.6	A
Sodium polyacrylate	Forage hay/silage	0.06	1	20.0	A
Sodium polyacrylate	Garlic	1.06	2	235.0	A
Sodium polyacrylate	Grape	2.31	21	368.94	A
Sodium polyacrylate	Grape, wine	172.43	1,074	24,768.38	A
Sodium polyacrylate	Grapefruit	0.29	11	98.68	A
Sodium polyacrylate	Herb, spice	0.01	1	2.5	A
Sodium polyacrylate	Kale	0.21	1	18.0	A
Sodium polyacrylate	Landscape maintenance	7.18	N/A	N/A	N/A
Sodium polyacrylate	Lemon	14.54	150	3,531.14	A
Sodium polyacrylate	Lettuce, head	0.93	79	1,260.9	A
Sodium polyacrylate	Lettuce, leaf	0.17	32	162.5	A
Sodium polyacrylate	Melon	0.65	2	155.0	A
Sodium polyacrylate	N-grnhs plants in containers	7.91	297	470.16	A
Sodium polyacrylate	N-outdr flower	155.77	461	2,336.8	A
Sodium polyacrylate	N-outdr plants in containers	0.1	24	55.21	A
Sodium polyacrylate	N-outdr transplants	0.43	10	32.0	A
Sodium polyacrylate	Nectarine	1.33	33	302.57	A
Sodium polyacrylate	Oat (forage - fodder)	0.76	18	282.0	A
Sodium polyacrylate	Olive	2.46	11	504.87	A
Sodium polyacrylate	Onion, dry	0.33	2	46.0	A
Sodium polyacrylate	Orange	36.26	376	7,001.37	A
Sodium polyacrylate	Parsley	0.04	1	6.0	A
Sodium polyacrylate	Pastureland	<0.01	1	0.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium polyacrylate	Peach	1.44	44	354.24	A
Sodium polyacrylate	Pecan	0.87	4	147.97	A
Sodium polyacrylate	Pepper, fruiting	21.89	8	302.0	A
Sodium polyacrylate	Persimmon	0.54	6	102.13	A
Sodium polyacrylate	Pistachio	139.43	686	31,144.32	A
Sodium polyacrylate	Plum	1.7	52	416.87	A
Sodium polyacrylate	Pomegranate	0.31	1	26.63	A
Sodium polyacrylate	Pomelo	0.21	3	21.0	A
Sodium polyacrylate	Potato	0.94	27	173.97	A
Sodium polyacrylate	Prune	9.42	52	2,316.03	A
Sodium polyacrylate	Rangeland	0.13	2	272.0	A
Sodium polyacrylate	Raspberry	0.72	11	61.28	A
Sodium polyacrylate	Rights of way	35.81	99	16,790.75	A
Sodium polyacrylate	Rights of way	67.51	N/A	N/A	N/A
Sodium polyacrylate	Ryegrass	0.04	1	18.0	A
Sodium polyacrylate	Soil fumigation/preplant	10.77	37	6,647.0	A
Sodium polyacrylate	Sorghum (forage - fodder)	0.12	1	38.0	A
Sodium polyacrylate	Strawberry	621.07	1,242	50,088.44	A
Sodium polyacrylate	Sugarbeet	6.59	36	2,632.0	A
Sodium polyacrylate	Sunflower	0.85	4	72.0	A
Sodium polyacrylate	Tangelo	1.16	10	128.95	A
Sodium polyacrylate	Tangerine	86.52	665	18,795.13	A
Sodium polyacrylate	Tomato	70.05	11	436.0	A
Sodium polyacrylate	Tomato, processing	6.98	53	3,903.82	A
Sodium polyacrylate	Triticale	0.33	10	396.2	A
Sodium polyacrylate	Uncultivated ag	19.76	185	9,275.64	A
Sodium polyacrylate	Uncultivated non-ag	1.88	31	695.96	A
Sodium polyacrylate	Unknown	0.08	1	9.5	A
Sodium polyacrylate	Walnut	52.66	517	16,018.06	A
Sodium polyacrylate	Water (industrial)	0.07	N/A	25.45	A
Sodium polyacrylate	Water area	0.11	N/A	60.09	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium polyacrylate	Watermelon	0.28	2	140.0	A
Sodium polyacrylate	Wheat	10.93	27	1,710.8	A
Sodium polyacrylate	Wheat (forage - fodder)	6.12	75	3,705.5	A
Sodium tetraborate (pentahydrate)	Structural pest control	239.29	N/A	N/A	N/A
Sodium tripolyphosphate	Alfalfa	19.28	30	1,287.11	A
Sodium tripolyphosphate	Almond	1,468.1	1,354	60,684.5	A
Sodium tripolyphosphate	Apricot	12.27	11	425.25	A
Sodium tripolyphosphate	Blueberry	0.14	5	15.0	A
Sodium tripolyphosphate	Cantaloupe	5.88	1	149.0	A
Sodium tripolyphosphate	Cherry	14.57	19	456.28	A
Sodium tripolyphosphate	Corn (forage - fodder)	35.75	40	1,975.73	A
Sodium tripolyphosphate	Corn, grain	10.84	1	457.6	A
Sodium tripolyphosphate	Corn, human consumption	14.05	16	913.0	A
Sodium tripolyphosphate	Grape, wine	18.76	32	489.32	A
Sodium tripolyphosphate	Herb, spice	0.35	1	22.0	A
Sodium tripolyphosphate	Landscape maintenance	1.57	N/A	N/A	N/A
Sodium tripolyphosphate	Lemon	3.01	5	84.65	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Sodium tripolyphosphate</b>	Melon	23.38	10	652.5	A
<b>Sodium tripolyphosphate</b>	N-outdr plants in containers	2.3	10	84.5	A
<b>Sodium tripolyphosphate</b>	N-outdr transplants	0.19	2	6.0	A
<b>Sodium tripolyphosphate</b>	Oat (forage - fodder)	0.44	2	112.0	A
<b>Sodium tripolyphosphate</b>	Olive	24.09	20	1,121.0	A
<b>Sodium tripolyphosphate</b>	Peach	8.11	44	368.5	A
<b>Sodium tripolyphosphate</b>	Pistachio	41.46	22	1,223.7	A
<b>Sodium tripolyphosphate</b>	Plum	0.01	1	0.37	A
<b>Sodium tripolyphosphate</b>	Rights of way	5.03	9	166.5	A
<b>Sodium tripolyphosphate</b>	Rights of way	0.59	N/A	N/A	N/A
<b>Sodium tripolyphosphate</b>	Soil fumigation/preplant	5.53	2	175.0	A
<b>Sodium tripolyphosphate</b>	Stone fruit	1.55	5	94.0	A
<b>Sodium tripolyphosphate</b>	Strawberry	329.82	130	4,421.14	A
<b>Sodium tripolyphosphate</b>	Tomato, processing	13.56	8	567.0	A
<b>Sodium tripolyphosphate</b>	Triticale	0.31	3	77.5	A
<b>Sodium tripolyphosphate</b>	Uncultivated non-ag	0.85	1	27.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium tripolyphosphate	Walnut	151.9	282	6,077.66	A
Sodium tripolyphosphate	Watermelon	4.74	6	300.0	A
Sodium xylene sulfonate	Alfalfa	639.77	512	28,179.48	A
Sodium xylene sulfonate	Almond	3,391.56	1,522	56,875.13	A
Sodium xylene sulfonate	Apple	0.19	9	22.65	A
Sodium xylene sulfonate	Apricot	0.14	6	2.4	A
Sodium xylene sulfonate	Avocado	0.7	79	463.5	A
Sodium xylene sulfonate	Avocado	<0.01	4	24,400.0	U
Sodium xylene sulfonate	Basil, sweet	0.09	67	84.85	A
Sodium xylene sulfonate	Bean, dried	2.37	7	110.3	A
Sodium xylene sulfonate	Bean, succulent	0.14	4	62.75	A
Sodium xylene sulfonate	Bermudagrass	16.83	12	682.0	A
Sodium xylene sulfonate	Blueberry	0.37	3	6.0	A
Sodium xylene sulfonate	Broccoli	2.39	5	151.3	A
Sodium xylene sulfonate	Cabbage	0.99	7	63.9	A
Sodium xylene sulfonate	Cantaloupe	15.55	56	3,517.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium xylene sulfonate	Cherry	53.99	31	549.2	A
Sodium xylene sulfonate	Cilantro	<0.01	1	4.8	A
Sodium xylene sulfonate	Citrus	0.08	1	20.0	A
Sodium xylene sulfonate	Cole crop	0.08	89	70.85	A
Sodium xylene sulfonate	Corn (forage - fodder)	395.24	303	13,604.17	A
Sodium xylene sulfonate	Corn, human consumption	0.21	1	10.0	A
Sodium xylene sulfonate	Cotton	73.41	51	2,422.47	A
Sodium xylene sulfonate	Cucumber	<0.01	6	3.6	A
Sodium xylene sulfonate	Date	0.04	1	37.0	A
Sodium xylene sulfonate	Ditch bank	<0.01	5	3.75	A
Sodium xylene sulfonate	Forage hay/silage	3.82	5	178.5	A
Sodium xylene sulfonate	Garlic	58.96	21	1,894.5	A
Sodium xylene sulfonate	Ginger	<0.01	10	4.75	A
Sodium xylene sulfonate	Grape	402.69	764	33,472.91	A
Sodium xylene sulfonate	Grape, wine	1,955.3	324	23,134.33	A
Sodium xylene sulfonate	Grapefruit	0.33	4	100.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium xylene sulfonate	Herb, spice	0.09	73	77.7	A
Sodium xylene sulfonate	Landscape maintenance	0.07	1	8.0	A
Sodium xylene sulfonate	Landscape maintenance	151.1	N/A	N/A	N/A
Sodium xylene sulfonate	Lemon	6.84	76	3,016.8	A
Sodium xylene sulfonate	Lettuce, head	3.19	62	689.1	A
Sodium xylene sulfonate	Lettuce, leaf	6.35	77	925.4	A
Sodium xylene sulfonate	Melon	49.18	119	5,941.55	A
Sodium xylene sulfonate	Mint	<0.01	6	5.5	A
Sodium xylene sulfonate	N-grnhs flower	3.62	85	295.0	A
Sodium xylene sulfonate	N-grnhs flower	0.11	41	157,775.0	S
Sodium xylene sulfonate	N-grnhs plants in containers	7.16	491	471.87	A
Sodium xylene sulfonate	N-grnhs plants in containers	0.57	61	1,194,200.0	S
Sodium xylene sulfonate	N-grnhs transplants	5.41	80	579.46	A
Sodium xylene sulfonate	N-grnhs transplants	1.43	25	4,868,340.0	S
Sodium xylene sulfonate	N-outdr flower	14.14	467	1,108.2	A
Sodium xylene sulfonate	N-outdr plants in containers	27.87	1,685	2,870.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium xylene sulfonate	N-outdr plants in containers	<0.01	1	2.0	S
Sodium xylene sulfonate	N-outdr plants in containers	0.04	4	872.0	U
Sodium xylene sulfonate	N-outdr transplants	0.22	13	32.0	A
Sodium xylene sulfonate	N-outdr transplants	16.85	323	55,811,310.0	S
Sodium xylene sulfonate	Nectarine	10.02	26	216.5	A
Sodium xylene sulfonate	Oat (forage - fodder)	51.96	56	2,992.28	A
Sodium xylene sulfonate	Olive	10.75	11	133.13	A
Sodium xylene sulfonate	Onion, dry	72.15	74	4,759.0	A
Sodium xylene sulfonate	Orange	4.19	57	913.77	A
Sodium xylene sulfonate	Pasture (forage - fodder)	0.25	1	18.0	A
Sodium xylene sulfonate	Pastureland	12.63	21	503.0	A
Sodium xylene sulfonate	Peach	93.45	122	1,354.27	A
Sodium xylene sulfonate	Peas	<0.01	1	0.25	A
Sodium xylene sulfonate	Pecan	8.23	2	140.0	A
Sodium xylene sulfonate	Pepper, fruiting	0.19	6	85.25	A
Sodium xylene sulfonate	Pistachio	652.64	166	12,584.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium xylene sulfonate	Plum	14.26	37	324.9	A
Sodium xylene sulfonate	Pomegranate	0.05	2	1.25	A
Sodium xylene sulfonate	Pumpkin	0.03	1	4.0	A
Sodium xylene sulfonate	Quince	0.01	2	11.8	A
Sodium xylene sulfonate	Rangeland	0.38	6	8.0	A
Sodium xylene sulfonate	Regulatory pest control	1.57	N/A	N/A	N/A
Sodium xylene sulfonate	Research commodity	0.04	N/A	N/A	N/A
Sodium xylene sulfonate	Rights of way	2.31	18	29.5	A
Sodium xylene sulfonate	Rights of way	30.06	N/A	N/A	N/A
Sodium xylene sulfonate	Root vegetable	0.06	28	49.75	A
Sodium xylene sulfonate	Rye	1.62	1	62.0	A
Sodium xylene sulfonate	Soil fumigation/preplant	0.08	1	40.0	A
Sodium xylene sulfonate	Sorghum (forage - fodder)	8.07	5	416.0	A
Sodium xylene sulfonate	Squash	0.11	38	96.0	A
Sodium xylene sulfonate	Stone fruit	12.72	13	401.0	A
Sodium xylene sulfonate	Stone fruit	0.06	N/A	33,900.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium xylene sulfonate	Strawberry	46.06	371	4,345.36	A
Sodium xylene sulfonate	Structural pest control	3.82	N/A	N/A	N/A
Sodium xylene sulfonate	Sudangrass	4.89	5	253.0	A
Sodium xylene sulfonate	Sugarbeet	68.26	36	1,955.2	A
Sodium xylene sulfonate	Sweet potato	<0.01	1	0.1	A
Sodium xylene sulfonate	Tangelo	0.65	5	275.0	A
Sodium xylene sulfonate	Tangerine	1.8	10	281.09	A
Sodium xylene sulfonate	Tomato	1.89	2	202.0	A
Sodium xylene sulfonate	Tomato, processing	562.43	220	15,153.57	A
Sodium xylene sulfonate	Triticale	16.94	26	1,038.08	A
Sodium xylene sulfonate	Uncultivated ag	44.8	12	496.75	A
Sodium xylene sulfonate	Uncultivated non-ag	0.87	1	27.0	A
Sodium xylene sulfonate	Vegetables, fruiting	<0.01	8	3.0	A
Sodium xylene sulfonate	Vegetables, leafy	0.66	345	537.5	A
Sodium xylene sulfonate	Vertebrate control	7.47	N/A	N/A	N/A
Sodium xylene sulfonate	Walnut	301.16	172	4,339.27	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sodium xylene sulfonate	Wheat	30.66	20	994.1	A
Sodium xylene sulfonate	Wheat (forage - fodder)	73.9	67	3,664.68	A
Sorbitan fatty acid esters	Almond	11.71	12	456.92	A
Sorbitan fatty acid esters	Apple	22.59	8	193.72	A
Sorbitan fatty acid esters	Bermudagrass	1.54	1	36.0	A
Sorbitan fatty acid esters	Corn (forage - fodder)	1.17	3	159.0	A
Sorbitan fatty acid esters	Corn, human consumption	9.74	3	226.0	A
Sorbitan fatty acid esters	Cotton	0.61	2	61.5	A
Sorbitan fatty acid esters	Forest, timberland	0.07	N/A	25.0	A
Sorbitan fatty acid esters	Landscape maintenance	26.12	N/A	N/A	N/A
Sorbitan fatty acid esters	N-outdr plants in containers	0.08	1	1.0	A
Sorbitan fatty acid esters	N-outdr plants in containers	<0.01	1	282.0	U
Sorbitan fatty acid esters	Orange	0.51	1	19.0	A
Sorbitan fatty acid esters	Peach	0.25	6	54.0	A
Sorbitan fatty acid esters	Rice	373.76	88	6,893.0	A
Sorbitan fatty acid esters	Rights of way	0.02	1	0.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Sorbitan fatty acid esters</b>	Rights of way	2,085.56	N/A	N/A	N/A
<b>Sorbitan fatty acid esters</b>	Squash	0.35	1	3.0	A
<b>Sorbitan fatty acid esters</b>	Strawberry	0.62	2	12.0	A
<b>Sorbitan fatty acid esters</b>	Uncultivated ag	3.08	1	70.0	A
<b>Sorbitan fatty acid esters</b>	Uncultivated non-ag	1.92	N/A	287.0	A
<b>Sorbitan fatty acid esters</b>	Walnut	0.83	3	71.0	A
<b>Sorbitan fatty acid esters</b>	Wheat	4.1	2	96.0	A
<b>Sorbitan monooleate</b>	Alfalfa	4.76	3	68.0	A
<b>Sorbitan monooleate</b>	Almond	75.2	40	1,348.4	A
<b>Sorbitan monooleate</b>	Cherry	9.85	26	136.63	A
<b>Sorbitan monooleate</b>	Corn (forage - fodder)	20.64	10	396.0	A
<b>Sorbitan monooleate</b>	Forage hay/silage	1.75	1	20.0	A
<b>Sorbitan monooleate</b>	Grape	245.47	146	3,667.13	A
<b>Sorbitan monooleate</b>	Grape, wine	63.53	30	476.64	A
<b>Sorbitan monooleate</b>	Oat (forage - fodder)	4.62	1	88.0	A
<b>Sorbitan monooleate</b>	Olive	16.62	1	190.0	A
<b>Sorbitan monooleate</b>	Pistachio	66.28	26	1,484.0	A
<b>Sorbitan monooleate</b>	Sorghum (forage - fodder)	24.08	3	440.0	A
<b>Sorbitan monooleate</b>	Strawberry	2.01	2	20.0	A
<b>Sorbitan monooleate</b>	Uncultivated ag	6.48	2	141.0	A
<b>Sorbitan monooleate</b>	Walnut	451.15	29	1,162.75	A
<b>Sorbitan trioleate</b>	Alfalfa	1,295.3	321	21,522.73	A
<b>Sorbitan trioleate</b>	Almond	4,192.38	1,282	44,655.12	A
<b>Sorbitan trioleate</b>	Apricot	0.47	6	9.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sorbitan trioleate	Arugula	48.72	51	349.55	A
Sorbitan trioleate	Asparagus	68.38	12	925.0	A
Sorbitan trioleate	Basil, sweet	26.47	7	250.0	A
Sorbitan trioleate	Bean, dried	8.78	3	43.0	A
Sorbitan trioleate	Bean, succulent	11.98	2	43.0	A
Sorbitan trioleate	Bean, unspecified	2.01	2	48.0	A
Sorbitan trioleate	Blueberry	2.69	4	24.15	A
Sorbitan trioleate	Broccoli	545.03	361	3,351.04	A
Sorbitan trioleate	Cabbage	180.12	143	1,231.9	A
Sorbitan trioleate	Canola (rape)	0.52	1	5.0	A
Sorbitan trioleate	Carrot	131.78	45	921.7	A
Sorbitan trioleate	Cauliflower	118.42	89	913.65	A
Sorbitan trioleate	Celery	126.73	142	1,160.28	A
Sorbitan trioleate	Cherry	10.76	11	157.6	A
Sorbitan trioleate	Chinese cabbage (napa, wong bok, celery cabbage)	6.43	15	46.1	A
Sorbitan trioleate	Cilantro	115.9	104	849.05	A
Sorbitan trioleate	Citrus	0.03	2	0.22	A
Sorbitan trioleate	Corn (forage - fodder)	155.89	42	2,234.0	A
Sorbitan trioleate	Corn, human consumption	32.73	7	304.5	A
Sorbitan trioleate	Cotton	157.01	48	2,375.4	A
Sorbitan trioleate	Cucumber	6.1	3	32.94	A
Sorbitan trioleate	Date	1.39	1	13.0	A
Sorbitan trioleate	Dill	17.22	3	103.0	A
Sorbitan trioleate	Endive (escarole)	2.39	11	16.97	A
Sorbitan trioleate	Fennel	0.21	1	3.0	A
Sorbitan trioleate	Fig	25.9	4	309.8	A
Sorbitan trioleate	Forest, timberland	6.27	6	136.0	A
Sorbitan trioleate	Garlic	76.41	19	519.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sorbitan trioleate	Grape	269.62	198	4,295.98	A
Sorbitan trioleate	Grape, wine	640.7	318	7,337.04	A
Sorbitan trioleate	Grapefruit	48.08	30	551.05	A
Sorbitan trioleate	Herb, spice	14.66	2	65.0	A
Sorbitan trioleate	Jujube	0.07	1	1.0	A
Sorbitan trioleate	Kale	41.92	121	282.1	A
Sorbitan trioleate	Kiwi fruit fuzzy	8.91	2	62.0	A
Sorbitan trioleate	Landscape maintenance	6.35	N/A	N/A	N/A
Sorbitan trioleate	Lemon	115.17	70	1,345.43	A
Sorbitan trioleate	Lettuce, head	208.88	150	1,509.04	A
Sorbitan trioleate	Lettuce, leaf	537.72	433	3,329.5	A
Sorbitan trioleate	Lime	0.55	2	6.5	A
Sorbitan trioleate	Mizuna	8.95	54	63.85	A
Sorbitan trioleate	Mustard	9.75	2	66.0	A
Sorbitan trioleate	N-outdr plants in containers	0.63	2	9.0	A
Sorbitan trioleate	Nectarine	2.01	13	42.47	A
Sorbitan trioleate	Olive	16.71	13	251.28	A
Sorbitan trioleate	Onion, dry	216.73	55	1,840.58	A
Sorbitan trioleate	Orange	714.96	368	9,108.09	A
Sorbitan trioleate	Parsley	29.28	13	253.0	A
Sorbitan trioleate	Pastureland	15.05	5	270.0	A
Sorbitan trioleate	Peach	10.03	37	156.69	A
Sorbitan trioleate	Peas	48.88	31	258.3	A
Sorbitan trioleate	Pecan	5.18	6	47.33	A
Sorbitan trioleate	Pepper, fruiting	13.52	7	194.0	A
Sorbitan trioleate	Pistachio	1,209.26	323	12,898.6	A
Sorbitan trioleate	Plum	11.5	21	156.74	A
Sorbitan trioleate	Pomegranate	9.33	9	495.3	A
Sorbitan trioleate	Pomelo	11.96	12	115.5	A
Sorbitan trioleate	Potato	228.69	40	3,441.26	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sorbitan trioleate	Prune	272.49	14	559.79	A
Sorbitan trioleate	Pumpkin	1.4	2	10.07	A
Sorbitan trioleate	Radicchio	9.9	15	70.9	A
Sorbitan trioleate	Regulatory pest control	8.04	N/A	N/A	N/A
Sorbitan trioleate	Research commodity	0.42	3	3.0	A
Sorbitan trioleate	Rights of way	7.45	4	107.0	A
Sorbitan trioleate	Rights of way	859.52	N/A	N/A	N/A
Sorbitan trioleate	Spinach	67.51	100	437.97	A
Sorbitan trioleate	Squash	2.23	2	8.0	A
Sorbitan trioleate	Strawberry	54.99	10	317.4	A
Sorbitan trioleate	Sugarbeet	5.57	1	75.0	A
Sorbitan trioleate	Tangelo	14.44	6	126.6	A
Sorbitan trioleate	Tangerine	360.96	194	4,717.67	A
Sorbitan trioleate	Tomato	7.89	9	112.0	A
Sorbitan trioleate	Uncultivated ag	110.29	77	1,237.32	A
Sorbitan trioleate	Uncultivated non-ag	0.7	1	10.0	A
Sorbitan trioleate	Unknown	2.46	2	24.26	A
Sorbitan trioleate	Walnut	763.65	277	7,523.57	A
Sorbitan trioleate	Wheat	44.3	6	371.0	A
Sorbitan trioleate	Wheat (forage - fodder)	18.71	12	414.0	A
Sorbitol	Alfalfa	376.94	156	7,537.8	A
Sorbitol	Almond	2,709.85	608	30,164.75	A
Sorbitol	Apricot	0.07	1	0.89	A
Sorbitol	Artichoke, globe	0.01	2	0.98	A
Sorbitol	Barley	21.1	11	472.0	A
Sorbitol	Bean, dried	2.28	3	64.0	A
Sorbitol	Bean, succulent	5.27	4	120.0	A
Sorbitol	Beet	0.4	4	6.48	A
Sorbitol	Blackberry	3.6	2	12.26	A
Sorbitol	Broccoli	14.46	28	168.92	A
Sorbitol	Cabbage	0.01	1	0.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sorbitol	Cantaloupe	5.45	3	130.0	A
Sorbitol	Cauliflower	1.58	3	19.5	A
Sorbitol	Celery	4.06	6	58.83	A
Sorbitol	Cherry	96.25	58	701.66	A
Sorbitol	Cilantro	27.15	88	428.03	A
Sorbitol	Corn (forage - fodder)	92.76	45	2,450.4	A
Sorbitol	Corn, grain	14.36	8	304.0	A
Sorbitol	Cotton	352.07	79	19,364.21	A
Sorbitol	Ditch bank	2.52	37	370.0	A
Sorbitol	Endive (escarole)	0.56	16	23.87	A
Sorbitol	Fennel	0.02	2	1.0	A
Sorbitol	Garlic	35.17	6	828.33	A
Sorbitol	Grape	80.03	64	1,265.65	A
Sorbitol	Grape, wine	155.97	245	2,737.21	A
Sorbitol	Grapefruit	2.14	4	50.0	A
Sorbitol	Kale	0.05	2	2.12	A
Sorbitol	Landscape maintenance	0.85	N/A	N/A	N/A
Sorbitol	Lemon	4.38	15	85.1	A
Sorbitol	Lettuce, head	6.05	73	294.84	A
Sorbitol	Lettuce, leaf	32.02	262	1,296.71	A
Sorbitol	Melon	4.17	1	157.0	A
Sorbitol	Mustard greens	1.38	3	20.78	A
Sorbitol	N-grnhs plants in containers	8.25	22	47.5	A
Sorbitol	N-outdr flower	0.85	5	2.77	A
Sorbitol	N-outdr plants in containers	0.3	4	4.0	A
Sorbitol	N-outdr transplants	2.73	4	9.5	A
Sorbitol	Nectarine	3.54	10	65.4	A
Sorbitol	Oat (forage - fodder)	6.05	4	89.0	A
Sorbitol	Olive	14.9	4	229.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sorbitol	Onion, dry	20.42	6	462.3	A
Sorbitol	Orange	18.28	52	317.82	A
Sorbitol	Parsley	0.73	4	16.57	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sorbitol	Peach	3.94	13	62.38	A
Sorbitol	Pear	0.6	2	6.0	A
Sorbitol	Pepper, fruiting	14.53	7	334.0	A
Sorbitol	Persimmon	6.3	9	65.39	A
Sorbitol	Pistachio	205.86	69	4,430.05	A
Sorbitol	Plum	0.38	1	4.44	A
Sorbitol	Prune	0.89	2	13.0	A
Sorbitol	Pumpkin	30.52	19	525.0	A
Sorbitol	Rangeland	3.4	1	200.0	A
Sorbitol	Rights of way	492.87	53	22,797.0	A
Sorbitol	Rights of way	9.38	N/A	N/A	N/A
Sorbitol	Ryegrass	0.33	1	4.0	A
Sorbitol	Safflower	30.05	41	10,033.0	A
Sorbitol	Soil fumigation/preplant	0.54	2	700.0	A
Sorbitol	Spinach	7.82	13	109.85	A
Sorbitol	Strawberry	131.67	50	1,375.78	A
Sorbitol	Swiss chard	0.26	4	3.7	A
Sorbitol	Tangelo	0.34	1	8.0	A
Sorbitol	Tangerine	22.5	39	490.6	A
Sorbitol	Tomato, processing	354.14	103	6,259.5	A
Sorbitol	Triticale	0.82	1	24.0	A
Sorbitol	Uncultivated ag	360.46	171	4,872.1	A
Sorbitol	Uncultivated non-ag	6.06	13	59.0	A
Sorbitol	Walnut	785.8	215	7,377.07	A
Sorbitol	Watermelon	15.6	4	288.0	A
Sorbitol	Wheat	17.23	11	726.0	A
Sorbitol	Wheat (forage - fodder)	45.67	7	747.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Soybean fatty acids, dimethylamine salt</b>	Landscape maintenance	0.57	N/A	N/A	N/A
<b>Soybean oil</b>	Almond	1,175.27	111	3,598.42	A
<b>Soybean oil</b>	Apple	66.41	2	6.18	A
<b>Soybean oil</b>	Artichoke, globe	555.45	81	1,086.0	A
<b>Soybean oil</b>	Avocado	14.36	1	6.0	A
<b>Soybean oil</b>	Basil, sweet	4.53	4	5.16	A
<b>Soybean oil</b>	Blackberry	59,659.28	635	4,602.7	A
<b>Soybean oil</b>	Broccoli	131.21	27	257.25	A
<b>Soybean oil</b>	Brussels sprout	554.84	85	1,101.85	A
<b>Soybean oil</b>	Cabbage	3.93	1	13.4	A
<b>Soybean oil</b>	Cannabis (all or unspecified)	139.9	10	3.51	A
<b>Soybean oil</b>	Cannabis (all or unspecified)	66.85	85	6,027,431.0	S
<b>Soybean oil</b>	Cauliflower	211.19	33	411.0	A
<b>Soybean oil</b>	Celery	263.08	66	511.7	A
<b>Soybean oil</b>	Cherry	35.65	4	118.0	A
<b>Soybean oil</b>	Chinese cabbage (napa, wong bok, celery cabbage)	7.56	3	14.8	A
<b>Soybean oil</b>	Corn (forage - fodder)	244.34	14	1,188.0	A
<b>Soybean oil</b>	Fennel	105.63	48	212.3	A
<b>Soybean oil</b>	Forage hay/silage	16.44	1	50.0	A
<b>Soybean oil</b>	Ginger	0.55	1	0.5	A
<b>Soybean oil</b>	Herb, spice	7.77	3	4.25	A
<b>Soybean oil</b>	Landscape maintenance	0.51	N/A	N/A	N/A
<b>Soybean oil</b>	Lettuce, head	383.31	67	757.6	A
<b>Soybean oil</b>	Lettuce, leaf	449.94	91	875.15	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Soybean oil	N-grnhs flower	0.86	7	2.81	A
Soybean oil	N-grnhs plants in containers	15.78	104	39.51	A
Soybean oil	N-grnhs plants in containers	63.48	74	5,267,213.0	S
Soybean oil	N-grnhs transplants	0.41	2	31,500.0	S
Soybean oil	N-outdr flower	1.38	9	8.5	A
Soybean oil	N-outdr plants in containers	107.75	193	180.12	A
Soybean oil	N-outdr plants in containers	19.73	20	2,165,000.0	S
Soybean oil	Oregano	0.15	1	0.15	A
Soybean oil	Parsley	0.58	1	1.2	A
Soybean oil	Pastureland	84.19	8	410.0	A
Soybean oil	Peach	34.53	12	152.0	A
Soybean oil	Pistachio	14.07	3	44.85	A
Soybean oil	Raspberry	3,567.65	19	213.0	A
Soybean oil	Research commodity	39.07	28	23.4	A
Soybean oil	Rights of way	247.82	N/A	N/A	N/A
Soybean oil	Rosemary	1.02	2	1.0	A
Soybean oil	Spinach	73.27	21	142.5	A
Soybean oil	Stone fruit	11.72	4	66.0	A
Soybean oil	Strawberry	10.24	1	35.0	A
Soybean oil	Uncultivated ag	830.2	145	1,621.7	A
Soybean oil	Uncultivated non-ag	75.7	17	147.5	A
Soybean oil	Vegetables, fruiting	0.55	1	0.5	A
Soybean oil	Vegetables, leafy	7.69	5	6.75	A
Soybean oil	Walnut	11.24	4	48.0	A
Soybean oil	Water area	0.39	1	1.0	A
Soybean oil	Wheat (forage - fodder)	49.0	1	149.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinetoram	Almond	13,109.38	3,082	192,785.67	A
Spinetoram	Apple	78.35	53	799.26	A
Spinetoram	Apricot	39.03	59	403.85	A
Spinetoram	Artichoke, globe	367.5	475	6,896.8	A
Spinetoram	Arugula	182.46	623	3,843.84	A
Spinetoram	Avocado	131.32	61	1,490.12	A
Spinetoram	Basil, sweet	14.91	73	237.31	A
Spinetoram	Bean, dried	5.79	10	92.0	A
Spinetoram	Bean, succulent	12.8	33	253.64	A
Spinetoram	Bean, unspecified	25.67	59	512.05	A
Spinetoram	Beet	42.68	132	777.18	A
Spinetoram	Blackberry	168.75	267	2,006.5	A
Spinetoram	Blueberry	101.1	42	1,108.53	A
Spinetoram	Bok choy (choy sum, pak choi)	117.42	597	1,838.42	A
Spinetoram	Broccoli	1,497.65	2,453	25,688.17	A
Spinetoram	Brussels sprout	1,029.39	1,335	16,880.83	A
Spinetoram	Cabbage	1,128.5	2,138	19,290.8	A
Spinetoram	Cabbage	1.22	5	26.0	U
Spinetoram	Cabbage, savoy	4.37	8	57.62	A
Spinetoram	Canola (rape)	16.53	28	260.0	A
Spinetoram	Cantaloupe	59.48	24	1,198.3	A
Spinetoram	Cardoon	1.71	4	33.2	A
Spinetoram	Cauliflower	792.6	1,428	13,481.43	A
Spinetoram	Celeriac	1.99	9	31.76	A
Spinetoram	Celery	1,135.92	2,114	19,777.53	A
Spinetoram	Cherry	68.43	49	699.9	A
Spinetoram	Chinese amaranth (chinese spinach, tampala, yin choy)	2.74	7	90.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Spinetoram	Chinese broccoli (gai lon)	47.93	206	886.5	A
Spinetoram	Chinese cabbage (napa, wong bok, celery cabbage)	130.09	518	2,046.63	A
Spinetoram	Chinese greens	2.65	21	102.0	A
Spinetoram	Cilantro	22.13	57	440.51	A
Spinetoram	Citrus	13.08	9	162.0	A
Spinetoram	Cole crop	0.3	16	4.65	A
Spinetoram	Collard	42.25	166	578.95	A
Spinetoram	Corn (forage - fodder)	3.75	5	100.0	A
Spinetoram	Corn, human consumption	291.68	205	7,119.58	A
Spinetoram	Cotton	58.13	15	1,712.93	A
Spinetoram	Cress, garden	0.42	4	9.2	A
Spinetoram	Cucumber	6.94	13	113.88	A
Spinetoram	Daikon	3.15	7	57.5	A
Spinetoram	Dandelion green	0.32	4	4.1	A
Spinetoram	Date	0.28	1	3.0	A
Spinetoram	Dill	2.2	1	35.0	A
Spinetoram	Eggplant	7.11	11	124.0	A
Spinetoram	Endive (escarole)	24.45	199	430.39	A
Spinetoram	Fava bean	4.25	16	92.0	A
Spinetoram	Fennel	24.38	67	409.63	A
Spinetoram	Gai choy	1.09	2	22.0	A
Spinetoram	Gai lon	16.39	31	263.52	A
Spinetoram	Garlic	165.04	68	3,431.5	A
Spinetoram	Grape	5,066.05	1,905	73,189.34	A
Spinetoram	Grape, wine	273.25	172	4,940.85	A
Spinetoram	Grapefruit	126.41	74	1,530.74	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinetoram	Guava	6.74	11	86.29	A
Spinetoram	Herb, spice	17.57	82	273.25	A
Spinetoram	Kale	158.15	747	2,716.47	A
Spinetoram	Kohlrabi	18.98	60	267.27	A
Spinetoram	Landscape maintenance	0.17	N/A	N/A	N/A
Spinetoram	Leek	40.02	163	699.53	A
Spinetoram	Lemon	1,038.8	468	11,792.3	A
Spinetoram	Lettuce, head	3,941.03	6,065	75,078.5	A
Spinetoram	Lettuce, leaf	6,829.3	12,865	126,715.29	A
Spinetoram	Lime	2.06	5	22.0	A
Spinetoram	Melon	4.41	9	76.07	A
Spinetoram	Mint	3.18	10	45.75	A
Spinetoram	Mizuna	17.73	158	361.54	A
Spinetoram	Mustard	35.63	284	695.58	A
Spinetoram	Mustard greens	64.64	348	1,086.87	A
Spinetoram	N-grnhs plants in containers	0.24	2	4.0	A
Spinetoram	N-grnhs transplants	3.14	7	59.95	A
Spinetoram	N-outdr flower	0.28	6	7.75	A
Spinetoram	N-outdr plants in containers	8.3	11	109.34	A
Spinetoram	N-outdr plants in containers	<0.01	1	700.0	S
Spinetoram	N-outdr transplants	110.2	136	2,292.62	A
Spinetoram	Nectarine	2,153.54	1,400	21,039.48	A
Spinetoram	Onion, dry	985.45	380	17,421.05	A
Spinetoram	Onion, green	44.03	8	687.0	A
Spinetoram	Orange	3,223.33	1,730	35,150.52	A
Spinetoram	Parsley	52.5	126	851.01	A
Spinetoram	Peach	1,492.5	749	15,151.11	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinetoram	Pear	272.76	85	2,510.56	A
Spinetoram	Pear, asian (oriental pear, ya, ya li, nashi)	0.7	4	6.32	A
Spinetoram	Peas	227.25	500	4,297.18	A
Spinetoram	Pepper, fruiting	1,030.3	729	18,177.49	A
Spinetoram	Pepper, fruiting	<0.01	1	2,520.0	S
Spinetoram	Pepper, spice	7.73	18	141.28	A
Spinetoram	Pistachio	6,256.62	908	82,616.87	A
Spinetoram	Plum	277.55	390	2,863.32	A
Spinetoram	Pomegranate	154.92	28	1,547.3	A
Spinetoram	Pomelo	5.07	11	75.75	A
Spinetoram	Potato	48.74	12	1,038.5	A
Spinetoram	Prune	21.89	9	210.5	A
Spinetoram	Pumpkin	5.41	7	85.45	A
Spinetoram	Quince	0.42	2	4.0	A
Spinetoram	Radicchio	42.59	70	940.28	A
Spinetoram	Radish	79.43	389	1,283.41	A
Spinetoram	Rapini	203.21	104	3,376.3	A
Spinetoram	Raspberry	285.14	326	3,546.4	A
Spinetoram	Regulatory pest control	0.31	N/A	N/A	N/A
Spinetoram	Research commodity	8.08	74	113.27	A
Spinetoram	Research commodity	1.44	N/A	N/A	N/A
Spinetoram	Spinach	2,207.62	4,525	41,814.64	A
Spinetoram	Squash	6.53	9	103.0	A
Spinetoram	Squash, summer	0.13	2	2.0	A
Spinetoram	Squash, winter	5.02	2	74.0	A
Spinetoram	Squash, zucchini	0.01	1	0.1	A
Spinetoram	Stone fruit	5.14	4	63.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinetoram	Strawberry	2,585.79	1,058	35,040.84	A
Spinetoram	Structural pest control	0.69	N/A	N/A	N/A
Spinetoram	Sugarbeet	50.69	14	1,446.9	A
Spinetoram	Sweet potato	13.96	5	222.3	A
Spinetoram	Swiss chard	78.76	559	1,414.97	A
Spinetoram	Tangelo	71.5	38	765.96	A
Spinetoram	Tangerine	1,027.48	509	11,317.11	A
Spinetoram	Tomato	794.28	419	13,546.68	A
Spinetoram	Tomato, processing	1,356.53	393	27,939.97	A
Spinetoram	Turnip	11.93	86	190.98	A
Spinetoram	Turnip greens	0.08	3	1.5	A
Spinetoram	Uncultivated ag	1.0	9	10.95	A
Spinetoram	Unknown	0.76	8	16.2	A
Spinetoram	Upland cress	10.83	113	269.9	A
Spinetoram	Vegetable	0.08	1	1.3	A
Spinetoram	Vegetable	<0.01	1	200.0	S
Spinetoram	Vegetables, fruiting	0.22	12	3.35	A
Spinetoram	Vegetables, leafy	8.98	91	164.85	A
Spinetoram	Walnut	2,384.61	996	40,278.32	A
Spinetoram	Watermelon	158.59	65	2,814.44	A
Spinetoram	Wheat	14.54	2	309.0	A
Spinetoram	Yam	1.88	4	35.0	A
Spinosad	Alfalfa	46.28	13	860.8	A
Spinosad	Almond	1,742.58	282	22,724.3	A
Spinosad	Animal premise	2.07	N/A	4.0	U
Spinosad	Apple	81.74	69	552.88	A
Spinosad	Apple	0.08	5	150.0	U
Spinosad	Apricot	8.56	6	90.78	A
Spinosad	Artichoke, globe	126.17	141	1,044.76	A
Spinosad	Arugula	192.97	328	1,945.44	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	Asparagus	0.94	4	21.0	A
Spinosad	Avocado	178.48	99	1,411.91	A
Spinosad	Avocado	<0.01	5	70.0	U
Spinosad	Basil, sweet	20.3	119	254.17	A
Spinosad	Basil, sweet	<0.01	1	1,000.0	S
Spinosad	Bean, succulent	6.5	26	92.62	A
Spinosad	Bean, unspecified	12.4	42	164.02	A
Spinosad	Beet	102.87	91	886.46	A
Spinosad	Beet	0.01	2	17,100.0	S
Spinosad	Blackberry	203.76	212	2,401.54	A
Spinosad	Blueberry	174.09	112	1,981.22	A
Spinosad	Bok choy (choy sum, pak choi)	61.57	74	611.43	A
Spinosad	Broccoli	1,340.49	1,302	13,458.08	A
Spinosad	Brussels sprout	48.27	28	317.1	A
Spinosad	Cabbage	482.38	629	4,050.94	A
Spinosad	Cabbage	<0.01	1	3,900.0	S
Spinosad	Cannabis (all or unspecified)	0.02	3	1.5	A
Spinosad	Cantaloupe	6.83	6	210.0	A
Spinosad	Carrot	103.91	43	939.78	A
Spinosad	Cauliflower	723.77	748	6,645.78	A
Spinosad	Celery	461.48	751	4,684.16	A
Spinosad	Cherry	185.33	143	1,930.23	A
Spinosad	Chinese broccoli (gai lon)	16.9	54	134.5	A
Spinosad	Chinese cabbage (napa, wong bok, celery cabbage)	4.47	16	36.0	A
Spinosad	Chinese greens	0.47	3	8.0	A
Spinosad	Chive	3.97	22	34.91	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	Cilantro	22.23	50	243.98	A
Spinosad	Citrus	43.5	37	306.52	A
Spinosad	Citrus	0.33	19	1,076.0	U
Spinosad	Cole crop	0.21	4	2.0	A
Spinosad	Collard	10.62	88	94.0	A
Spinosad	Corn (forage - fodder)	7.45	1	80.0	A
Spinosad	Corn, human consumption	264.75	147	3,036.15	A
Spinosad	Corn, human consumption	<0.01	1	2,000.0	S
Spinosad	Cucumber	1.51	14	16.32	A
Spinosad	Daikon	1.89	7	16.5	A
Spinosad	Date	16.15	4	130.0	A
Spinosad	Dill	1.17	11	16.35	A
Spinosad	Eggplant	2.25	9	55.1	A
Spinosad	Endive (escarole)	1.31	14	16.7	A
Spinosad	Fennel	16.38	20	128.19	A
Spinosad	Gai choy	5.72	33	63.5	A
Spinosad	Gai lon	35.21	28	373.0	A
Spinosad	Garlic	8.51	3	104.0	A
Spinosad	Grape	1,949.78	407	16,179.5	A
Spinosad	Grape, wine	215.69	134	2,619.88	A
Spinosad	Grape, wine	<0.01	1	4,300.0	S
Spinosad	Grape, wine	<0.01	1	50.0	U
Spinosad	Grapefruit	105.21	54	825.39	A
Spinosad	Guava	<0.01	10	7.5	A
Spinosad	Herb, spice	14.52	143	155.36	A
Spinosad	Herb, spice	0.55	13	194,231.0	S
Spinosad	Kale	155.19	302	1,472.21	A
Spinosad	Kale	0.08	4	29,250.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	Kohlrabi	0.34	6	4.71	A
Spinosad	Landscape maintenance	0.31	1	4.0	A
Spinosad	Landscape maintenance	73.59	N/A	N/A	N/A
Spinosad	Leek	47.87	75	418.56	A
Spinosad	Lemon	335.77	163	3,442.73	A
Spinosad	Lettuce, head	933.28	1,069	8,290.73	A
Spinosad	Lettuce, head	0.02	4	23,400.0	S
Spinosad	Lettuce, leaf	4,036.13	4,267	37,981.71	A
Spinosad	Lettuce, leaf	10.78	31	7,202,264.0	S
Spinosad	Mango	1.55	1	10.0	A
Spinosad	Melon	28.78	21	652.56	A
Spinosad	Melon	0.01	2	5,040.0	S
Spinosad	Mint	5.55	70	67.87	A
Spinosad	Mizuna	17.51	62	184.61	A
Spinosad	Mustard	61.1	99	520.61	A
Spinosad	Mustard greens	180.1	322	1,687.52	A
Spinosad	N-grnhs flower	38.62	209	309.79	A
Spinosad	N-grnhs flower	5.89	114	3,256,453.5	S
Spinosad	N-grnhs flower	0.02	N/A	27.0	U
Spinosad	N-grnhs plants in containers	138.34	985	930.99	A
Spinosad	N-grnhs plants in containers	36.1	341	12,706,715.1	S
Spinosad	N-grnhs plants in containers	0.11	3	26,135.0	U
Spinosad	N-grnhs transplants	148.93	2,958	2,951.2	A
Spinosad	N-grnhs transplants	21.4	187	9,554,286.0	S
Spinosad	N-outdr flower	115.04	521	1,446.33	A
Spinosad	N-outdr flower	0.28	6	25,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	N-outdr plants in containers	235.18	1,141	2,937.85	A
Spinosad	N-outdr plants in containers	7.26	132	2,466,668.0	S
Spinosad	N-outdr plants in containers	6.83	30	340,921.0	U
Spinosad	N-outdr transplants	114.49	212	1,560.12	A
Spinosad	N-outdr transplants	28.64	150	23,966,868.0	S
Spinosad	Nectarine	575.84	490	5,357.08	A
Spinosad	Oat (forage - fodder)	8.94	1	61.5	A
Spinosad	Olive	4.32	1,385	12,402.31	A
Spinosad	Olive	0.09	118	10,333.01	U
Spinosad	Onion, dry	343.54	84	3,215.61	A
Spinosad	Onion, dry	1,374.71	N/A	19,635.16	P
Spinosad	Onion, dry	<0.01	1	1,040.0	S
Spinosad	Onion, green	27.75	16	233.2	A
Spinosad	Orange	1,377.39	608	11,159.29	A
Spinosad	Oregano	1.88	29	25.65	A
Spinosad	Parsley	8.63	15	70.63	A
Spinosad	Parsnip	0.07	3	1.3	A
Spinosad	Peach	406.36	324	3,860.56	A
Spinosad	Pear	74.64	41	709.6	A
Spinosad	Pear, asian (oriental pear, ya, ya li, nashi)	2.21	6	20.4	A
Spinosad	Peas	181.65	122	1,293.09	A
Spinosad	Peas	<0.01	2	9,000.0	S
Spinosad	Pepper, fruiting	283.66	107	2,536.57	A
Spinosad	Pepper, fruiting	<0.01	1	32.0	S
Spinosad	Persimmon	0.06	13	202.0	A
Spinosad	Pistachio	1.5	8	173.84	A
Spinosad	Plum	24.67	59	322.95	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Spinosad	Pluot	2.36	5	30.3	A
Spinosad	Pomegranate	4.19	14	206.76	A
Spinosad	Pomegranate	<0.01	14	270.0	U
Spinosad	Pomelo	0.3	2	4.0	A
Spinosad	Potato	40.57	15	685.0	A
Spinosad	Public health	2,940.11	N/A	N/A	N/A
Spinosad	Pumpkin	1.99	6	21.3	A
Spinosad	Radicchio	32.26	28	336.2	A
Spinosad	Radish	2.87	9	24.79	A
Spinosad	Radish	<0.01	1	4,500.0	S
Spinosad	Rapini	157.37	55	1,334.3	A
Spinosad	Raspberry	343.98	351	3,989.15	A
Spinosad	Regulatory pest control	34.53	N/A	N/A	N/A
Spinosad	Research commodity	3.52	40	41.45	A
Spinosad	Research commodity	1.14	47	219,290.0	S
Spinosad	Research commodity	1.95	N/A	N/A	N/A
Spinosad	Rights of way	0.29	2	2.0	A
Spinosad	Rights of way	16.32	N/A	N/A	N/A
Spinosad	Rosemary	0.9	17	13.95	A
Spinosad	Rutabaga	0.01	1	0.6	A
Spinosad	Sage	0.25	6	3.8	A
Spinosad	Shallot	8.76	11	87.14	A
Spinosad	Spinach	2,143.44	2,082	20,547.74	A
Spinosad	Squash	3.94	12	67.7	A
Spinosad	Squash, summer	<0.01	1	0.15	A
Spinosad	Squash, winter	9.34	5	99.0	A
Spinosad	Squash, zucchini	0.12	2	1.33	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	Stone fruit	3.45	8	47.05	A
Spinosad	Strawberry	1,311.11	469	13,322.56	A
Spinosad	Strawberry	<0.01	1	800.0	S
Spinosad	Structural pest control	2.08	N/A	N/A	N/A
Spinosad	Sweet potato	3.56	2	28.6	A
Spinosad	Swiss chard	265.9	467	2,551.0	A
Spinosad	Tangelo	8.79	6	80.27	A
Spinosad	Tangerine	1,112.36	404	9,009.27	A
Spinosad	Tarragon	0.3	8	4.1	A
Spinosad	Tat soi (spinach mustard)	0.04	1	0.3	A
Spinosad	Thyme	1.79	24	22.08	A
Spinosad	Tomatillo	11.96	7	96.6	A
Spinosad	Tomato	358.52	100	2,655.54	A
Spinosad	Tomato, processing	739.09	146	10,641.04	A
Spinosad	Tropical/subtropical fruit	<0.01	19	655.0	U
Spinosad	Uncultivated ag	0.32	11	61.5	A
Spinosad	Uncultivated ag	<0.01	3	4.0	S
Spinosad	Vegetable	5.07	7	50.0	A
Spinosad	Vegetables, fruiting	0.4	7	4.0	A
Spinosad	Vegetables, leafy	6.67	40	67.04	A
Spinosad	Vertebrate control	<0.01	N/A	N/A	N/A
Spinosad	Walnut	275.3	400	9,908.43	A
Spinosad	Water area	45.63	N/A	61.0	A
Spinosad	Watermelon	37.5	33	585.94	A
Spinosad	Watermelon	<0.01	2	5,857.0	S
Spinosad	Wheat	1.21	2	52.0	A
Spirodiclofen	Almond	11,522.14	462	23,217.83	A
Spirodiclofen	Apple	1.05	4	3.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spirodiclofen	Apricot	21.4	16	75.09	A
Spirodiclofen	Avocado	811.15	104	2,560.23	A
Spirodiclofen	Cherry	116.88	28	410.0	A
Spirodiclofen	Citrus	3.16	7	20.0	A
Spirodiclofen	Commodity fumigation	0.02	N/A	N/A	N/A
Spirodiclofen	Grape	119.39	12	327.0	A
Spirodiclofen	Grape, wine	55.73	5	195.0	A
Spirodiclofen	Grapefruit	72.51	6	227.0	A
Spirodiclofen	Lemon	1,585.4	233	5,169.35	A
Spirodiclofen	Lime	0.16	1	0.5	A
Spirodiclofen	N-grnhs plants in containers	6.02	14	19.0	A
Spirodiclofen	N-outdr plants in containers	26.57	14	64.5	A
Spirodiclofen	N-outdr plants in containers	0.13	N/A	242,000.0	U
Spirodiclofen	N-outdr transplants	79.33	26	293.17	A
Spirodiclofen	Nectarine	966.73	178	3,816.78	A
Spirodiclofen	Orange	497.95	58	1,576.46	A
Spirodiclofen	Peach	1,835.59	304	7,510.85	A
Spirodiclofen	Pear	3.2	4	11.3	A
Spirodiclofen	Plum	202.68	88	715.3	A
Spirodiclofen	Prune	17.13	3	60.0	A
Spirodiclofen	Quince	2.86	2	10.0	A
Spirodiclofen	Tangerine	280.67	33	890.24	A
Spirodiclofen	Walnut	10,671.63	447	20,974.14	A
Spiromesifen	Brussels sprout	19.96	3	157.0	A
Spiromesifen	Cantaloupe	252.16	49	2,190.96	A
Spiromesifen	Cauliflower	5.27	1	40.0	A
Spiromesifen	Chinese greens	3.28	16	28.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spiromesifen	Citrus	0.2	2	0.9	A
Spiromesifen	Corn (forage - fodder)	23,949.78	2,136	104,407.52	A
Spiromesifen	Corn, grain	173.69	19	824.0	A
Spiromesifen	Corn, human consumption	174.38	30	753.73	A
Spiromesifen	Cotton	1,947.11	92	7,778.62	A
Spiromesifen	Cucumber	10.98	12	83.36	A
Spiromesifen	Eggplant	23.81	12	186.5	A
Spiromesifen	Landscape maintenance	0.73	N/A	N/A	N/A
Spiromesifen	Lettuce, head	41.32	6	315.2	A
Spiromesifen	Lettuce, leaf	21.17	4	161.0	A
Spiromesifen	Melon	113.61	26	657.98	A
Spiromesifen	N-grnhs flower	24.69	44	120.81	A
Spiromesifen	N-grnhs flower	0.67	13	312,052.0	S
Spiromesifen	N-grnhs plants in containers	32.7	167	168.45	A
Spiromesifen	N-grnhs plants in containers	1.88	22	1,241,768.0	S
Spiromesifen	N-grnhs transplants	6.94	76	31.68	A
Spiromesifen	N-grnhs transplants	0.2	10	20,400.0	S
Spiromesifen	N-outdr flower	7.27	14	34.7	A
Spiromesifen	N-outdr plants in containers	12.45	60	187.26	A
Spiromesifen	N-outdr plants in containers	2.53	9	485,165.0	S
Spiromesifen	N-outdr plants in containers	16.62	19	543,731.0	U
Spiromesifen	N-outdr transplants	162.47	57	646.91	A
Spiromesifen	Oat (forage - fodder)	33.1	4	130.0	A
Spiromesifen	Onion, green	0.25	1	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spiromesifen	Pepper, fruiting	441.33	139	3,447.25	A
Spiromesifen	Pepper, spice	12.06	3	104.4	A
Spiromesifen	Potato	31.28	8	123.0	A
Spiromesifen	Pumpkin	11.64	4	93.88	A
Spiromesifen	Research commodity	0.31	11	1.14	A
Spiromesifen	Research commodity	0.39	19	115,500.0	S
Spiromesifen	Research commodity	1.71	N/A	N/A	N/A
Spiromesifen	Squash	5.25	4	39.92	A
Spiromesifen	Squash, summer	0.13	1	1.0	A
Spiromesifen	Stone fruit	0.06	N/A	10,200.0	S
Spiromesifen	Strawberry	4,601.89	595	18,659.47	A
Spiromesifen	Tomatillo	0.04	2	0.24	A
Spiromesifen	Tomato	79.08	71	606.63	A
Spiromesifen	Tomato, processing	64.98	7	514.6	A
Spiromesifen	Vegetables, fruiting	0.36	4	1.5	A
Spiromesifen	Vegetables, leafy	5.21	27	45.75	A
Spiromesifen	Watermelon	523.59	82	4,255.13	A
Spiromesifen	Watermelon	0.01	3	5,880.0	S
Spirotetramat	Almond	1,515.35	228	13,175.56	A
Spirotetramat	Apple	80.19	20	635.7	A
Spirotetramat	Apricot	31.92	38	264.29	A
Spirotetramat	Artichoke, globe	107.5	115	1,450.37	A
Spirotetramat	Arugula	35.4	34	446.8	A
Spirotetramat	Avocado	13.15	24	102.6	A
Spirotetramat	Avocado	1.72	3	388,120.0	U
Spirotetramat	Bean, dried	2.48	7	33.3	A
Spirotetramat	Bean, succulent	0.11	3	1.45	A
Spirotetramat	Bean, unspecified	3.68	7	46.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spirotetramat	Beet	0.25	1	2.0	A
Spirotetramat	Blackberry	1.45	1	11.5	A
Spirotetramat	Blueberry	46.77	6	297.08	A
Spirotetramat	Bok choy (choy sum, pak choi)	132.0	536	1,706.75	A
Spirotetramat	Boysenberry	0.13	1	1.0	A
Spirotetramat	Broccoli	5,022.09	5,951	65,673.2	A
Spirotetramat	Brussels sprout	1,627.76	1,595	21,142.19	A
Spirotetramat	Cabbage	1,369.14	2,110	17,628.78	A
Spirotetramat	Cabbage	2.4	6	30.5	U
Spirotetramat	Cabbage, savoy	0.81	1	11.3	A
Spirotetramat	Cardoon	1.13	2	14.4	A
Spirotetramat	Carrot	7.08	2	90.0	A
Spirotetramat	Cauliflower	1,882.72	2,478	24,588.92	A
Spirotetramat	Celery	1,121.59	1,485	14,639.48	A
Spirotetramat	Cherry	73.04	21	537.2	A
Spirotetramat	Chinese broccoli (gai lon)	16.14	86	205.0	A
Spirotetramat	Chinese cabbage (napa, wong bok, celery cabbage)	152.75	472	1,946.61	A
Spirotetramat	Chinese greens	1.05	7	11.0	A
Spirotetramat	Chive	0.79	4	8.0	A
Spirotetramat	Citrus	63.52	54	432.26	A
Spirotetramat	Citrus	0.05	6	2,510.0	S
Spirotetramat	Citrus	0.27	2	32,011.0	U
Spirotetramat	Cole crop	0.02	1	0.25	A
Spirotetramat	Collard	31.67	105	421.68	A
Spirotetramat	Cucumber	0.16	1	1.0	A
Spirotetramat	Eggplant	10.45	9	135.5	A
Spirotetramat	Endive (escarole)	32.02	224	419.44	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Spirotetramat</b>	Fava bean	1.13	4	15.0	A
<b>Spirotetramat</b>	Fennel	15.0	26	190.63	A
<b>Spirotetramat</b>	Gai lon	1.01	19	15.32	A
<b>Spirotetramat</b>	Garlic	1.26	1	16.0	A
<b>Spirotetramat</b>	Ginger	0.02	1	0.25	A
<b>Spirotetramat</b>	Grape	10,810.33	2,590	94,736.64	A
<b>Spirotetramat</b>	Grape, wine	24,639.39	5,494	216,761.58	A
<b>Spirotetramat</b>	Grapefruit	583.91	224	3,880.72	A
<b>Spirotetramat</b>	Kale	155.04	393	2,005.29	A
<b>Spirotetramat</b>	Kohlrabi	9.46	39	133.84	A
<b>Spirotetramat</b>	Kumquat	0.38	1	3.0	A
<b>Spirotetramat</b>	Landscape maintenance	0.42	4	8.0	A
<b>Spirotetramat</b>	Landscape maintenance	0.05	1	15,000.0	S
<b>Spirotetramat</b>	Landscape maintenance	5.42	N/A	N/A	N/A
<b>Spirotetramat</b>	Leek	0.46	4	6.0	A
<b>Spirotetramat</b>	Lemon	3,267.17	1,060	21,489.73	A
<b>Spirotetramat</b>	Lettuce, head	4,667.69	5,561	61,809.75	A
<b>Spirotetramat</b>	Lettuce, leaf	7,464.34	10,231	98,304.05	A
<b>Spirotetramat</b>	Lime	27.4	16	197.23	A
<b>Spirotetramat</b>	Mizuna	11.29	20	143.1	A
<b>Spirotetramat</b>	Mustard	36.43	179	476.91	A
<b>Spirotetramat</b>	Mustard greens	7.34	45	104.26	A
<b>Spirotetramat</b>	N-grnhs flower	10.17	38	79.85	A
<b>Spirotetramat</b>	N-grnhs flower	2.03	44	959,803.34	S
<b>Spirotetramat</b>	N-grnhs plants in containers	29.52	311	235.36	A
<b>Spirotetramat</b>	N-grnhs plants in containers	20.86	244	12,067,907.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spirotetramat	N-grnhs plants in containers	3.45	16	71,943.0	U
Spirotetramat	N-grnhs transplants	24.75	70	3,011.66	A
Spirotetramat	N-grnhs transplants	0.32	7	181,412.0	S
Spirotetramat	N-outdr flower	7.01	24	69.73	A
Spirotetramat	N-outdr flower	0.02	1	1,000.0	S
Spirotetramat	N-outdr plants in containers	89.46	225	1,017.97	A
Spirotetramat	N-outdr plants in containers	4.97	69	4,190,775.0	S
Spirotetramat	N-outdr plants in containers	10.29	58	368,550.0	U
Spirotetramat	N-outdr transplants	40.72	66	362.69	A
Spirotetramat	N-outdr transplants	<0.01	N/A	150.0	U
Spirotetramat	Nectarine	144.54	92	1,198.16	A
Spirotetramat	Olive	0.31	2	7.8	A
Spirotetramat	Onion, dry	655.09	110	8,349.67	A
Spirotetramat	Onion, green	29.29	6	372.1	A
Spirotetramat	Orange	12,101.53	3,689	77,836.65	A
Spirotetramat	Parsley	21.21	40	332.5	A
Spirotetramat	Peach	297.18	228	2,446.14	A
Spirotetramat	Pear	4.95	4	35.0	A
Spirotetramat	Peas	35.89	45	464.16	A
Spirotetramat	Pecan	140.38	21	1,017.24	A
Spirotetramat	Pepper, fruiting	649.4	367	8,322.87	A
Spirotetramat	Pepper, fruiting	0.18	7	20,800.0	S
Spirotetramat	Pepper, spice	6.21	11	78.78	A
Spirotetramat	Persimmon	25.77	24	175.04	A
Spirotetramat	Pistachio	10,333.47	813	73,523.72	A
Spirotetramat	Plum	302.34	274	2,521.53	A
Spirotetramat	Pomegranate	82.48	10	555.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spirotetramat	Pomelo	51.52	39	329.25	A
Spirotetramat	Potato	194.0	49	2,473.02	A
Spirotetramat	Prune	153.65	31	1,252.5	A
Spirotetramat	Radicchio	0.58	1	7.3	A
Spirotetramat	Radish	0.79	1	10.0	A
Spirotetramat	Rape (leafy vegetable)	0.24	1	3.0	A
Spirotetramat	Rapini	440.96	231	5,714.3	A
Spirotetramat	Research commodity	4.96	32	60.68	A
Spirotetramat	Research commodity	0.11	7	46,500.0	S
Spirotetramat	Research commodity	2.27	N/A	N/A	N/A
Spirotetramat	Rights of way	1.94	N/A	N/A	N/A
Spirotetramat	Spinach	225.61	255	2,918.21	A
Spirotetramat	Squash	0.16	1	2.0	A
Spirotetramat	Stone fruit	1.95	4	17.0	A
Spirotetramat	Strawberry	0.13	3	0.6	A
Spirotetramat	Structural pest control	0.78	N/A	N/A	N/A
Spirotetramat	Sweet potato	2.2	2	28.0	A
Spirotetramat	Swiss chard	22.5	56	286.38	A
Spirotetramat	Tangelo	276.5	114	1,769.11	A
Spirotetramat	Tangerine	4,032.14	1,093	26,262.68	A
Spirotetramat	Tomato	171.8	71	2,234.57	A
Spirotetramat	Tomato	0.02	3	8,000.0	S
Spirotetramat	Tomato, processing	276.08	27	3,508.1	A
Spirotetramat	Uncultivated ag	0.01	1	0.5	A
Spirotetramat	Vegetable	0.01	1	0.2	A
Spirotetramat	Vegetables, fruiting	0.05	3	0.6	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Spirotetramat</b>	Vegetables, leafy	1.34	11	18.7	A
<b>Spirotetramat</b>	Walnut	2,034.59	372	14,700.86	A
<b>Starch</b>	Grape, wine	0.03	10	109.0	A
<b>Starch</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>Starch</b>	N-grnhs flower	<0.01	1	4,200.0	S
<b>Starch</b>	N-outdr flower	1.28	1,038	5,543.45	A
<b>Starch</b>	N-outdr plants in containers	<0.01	1	10,000.0	S
<b>Streptomyces griseoviridis strain k61</b>	Lettuce, head	0.14	1	2.0	A
<b>Streptomyces lydicus wyec 108</b>	Almond	0.96	14	4,615.0	A
<b>Streptomyces lydicus wyec 108</b>	Apple	<0.01	N/A	2.0	A
<b>Streptomyces lydicus wyec 108</b>	Basil, sweet	<0.01	24	26.28	A
<b>Streptomyces lydicus wyec 108</b>	Blackberry	<0.01	2	6.5	A
<b>Streptomyces lydicus wyec 108</b>	Blueberry	0.1	10	862.0	A
<b>Streptomyces lydicus wyec 108</b>	Broccoli	0.01	4	39.71	A
<b>Streptomyces lydicus wyec 108</b>	Cannabis (all or unspecified)	<0.01	15	19.8	A
<b>Streptomyces lydicus wyec 108</b>	Cannabis (all or unspecified)	0.02	273	528,161.0	S
<b>Streptomyces lydicus wyec 108</b>	Cauliflower	<0.01	2	8.0	A
<b>Streptomyces lydicus wyec 108</b>	Cherry	0.05	5	169.67	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Streptomyces lydicus wyc 108</b>	Chinese cabbage (napa, wong bok, celery cabbage)	0.09	57	321.38	A
<b>Streptomyces lydicus wyc 108</b>	Chive	<0.01	1	2.0	A
<b>Streptomyces lydicus wyc 108</b>	Cucumber	<0.01	1	9.0	A
<b>Streptomyces lydicus wyc 108</b>	Dill	<0.01	3	2.87	A
<b>Streptomyces lydicus wyc 108</b>	Fennel	<0.01	1	12.0	A
<b>Streptomyces lydicus wyc 108</b>	Garlic	<0.01	1	33.0	A
<b>Streptomyces lydicus wyc 108</b>	Grape, wine	0.02	16	110.84	A
<b>Streptomyces lydicus wyc 108</b>	Herb, spice	<0.01	25	36.38	A
<b>Streptomyces lydicus wyc 108</b>	Kale	<0.01	3	30,000.0	S
<b>Streptomyces lydicus wyc 108</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>Streptomyces lydicus wyc 108</b>	Lettuce, head	0.01	7	66.0	A
<b>Streptomyces lydicus wyc 108</b>	Lettuce, leaf	0.03	14	131.5	A
<b>Streptomyces lydicus wyc 108</b>	Mint	<0.01	4	8.0	A
<b>Streptomyces lydicus wyc 108</b>	N-grnhs flower	<0.01	4	4.0	A
<b>Streptomyces lydicus wyc 108</b>	N-grnhs flower	<0.01	9	25,225.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Streptomyces lydicus wyc 108</b>	N-grnhs plants in containers	0.09	135	342.31	A
<b>Streptomyces lydicus wyc 108</b>	N-grnhs plants in containers	<0.01	2	800.0	S
<b>Streptomyces lydicus wyc 108</b>	N-grnhs transplants	0.04	163	574.18	A
<b>Streptomyces lydicus wyc 108</b>	N-outdr plants in containers	<0.01	5	7.6	A
<b>Streptomyces lydicus wyc 108</b>	N-outdr transplants	0.06	131	342.23	A
<b>Streptomyces lydicus wyc 108</b>	Nectarine	<0.01	1	4.3	A
<b>Streptomyces lydicus wyc 108</b>	Oregano	<0.01	1	2.0	A
<b>Streptomyces lydicus wyc 108</b>	Parsley	<0.01	16	40.5	A
<b>Streptomyces lydicus wyc 108</b>	Peach	<0.01	1	3.82	A
<b>Streptomyces lydicus wyc 108</b>	Pepper, fruiting	0.02	2	83.0	A
<b>Streptomyces lydicus wyc 108</b>	Pepper, fruiting	<0.01	1	1,500.0	S
<b>Streptomyces lydicus wyc 108</b>	Pistachio	<0.01	4	5.74	A
<b>Streptomyces lydicus wyc 108</b>	Plum	0.03	2	123.79	A
<b>Streptomyces lydicus wyc 108</b>	Radish	<0.01	4	13.8	A
<b>Streptomyces lydicus wyc 108</b>	Research commodity	0.01	35	46.71	A
<b>Streptomyces lydicus wyc 108</b>	Research commodity	<0.01	1	13,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Streptomyces lydicus wyec 108</b>	Research commodity	<0.01	N/A	N/A	N/A
<b>Streptomyces lydicus wyec 108</b>	Rosemary	<0.01	2	4.17	A
<b>Streptomyces lydicus wyec 108</b>	Sage	0.01	15	45.06	A
<b>Streptomyces lydicus wyec 108</b>	Soil fumigation/preplant	0.04	100	3,572.5	C
<b>Streptomyces lydicus wyec 108</b>	Spinach	0.15	139	545.92	A
<b>Streptomyces lydicus wyec 108</b>	Strawberry	0.14	31	570.73	A
<b>Streptomyces lydicus wyec 108</b>	Strawberry	<0.01	1	800.0	S
<b>Streptomyces lydicus wyec 108</b>	Strawberry	<0.01	N/A	162,000.0	U
<b>Streptomyces lydicus wyec 108</b>	Thyme	<0.01	1	3.5	A
<b>Streptomyces lydicus wyec 108</b>	Tomato	<0.01	1	10.0	A
<b>Streptomyces lydicus wyec 108</b>	Vegetable	0.12	272	1,928,853.82	S
<b>Streptomycin</b>	Apple	0.83	2	3.5	A
<b>Streptomycin</b>	Landscape maintenance	1.06	N/A	N/A	N/A
<b>Streptomycin</b>	N-grnhs transplants	8.9	5	500.0	A
<b>Streptomycin</b>	N-outdr plants in containers	3.39	9	16.5	A
<b>Streptomycin sulfate</b>	Apple	805.12	166	3,236.0	A
<b>Streptomycin sulfate</b>	Landscape maintenance	19.92	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Streptomycin sulfate</b>	N-grnhs plants in containers	66.13	71	59.59	A
<b>Streptomycin sulfate</b>	N-grnhs plants in containers	18.77	66	4,256,705.0	S
<b>Streptomycin sulfate</b>	N-grnhs transplants	213.06	292	2,446.88	A
<b>Streptomycin sulfate</b>	N-grnhs transplants	0.04	1	8,080.0	S
<b>Streptomycin sulfate</b>	N-outdr flower	24.85	46	108.65	A
<b>Streptomycin sulfate</b>	N-outdr plants in containers	174.97	96	437.33	A
<b>Streptomycin sulfate</b>	N-outdr plants in containers	14.69	27	948,457.0	S
<b>Streptomycin sulfate</b>	N-outdr plants in containers	2.41	2	113,963.0	U
<b>Streptomycin sulfate</b>	N-outdr transplants	37.43	45	146.9	A
<b>Streptomycin sulfate</b>	N-outdr transplants	1.14	7	88,935.0	S
<b>Streptomycin sulfate</b>	Pear	7,367.99	872	30,715.68	A
<b>Streptomycin sulfate</b>	Pear, asian (oriental pear, ya, ya li, nashi)	71.26	14	180.5	A
<b>Streptomycin sulfate</b>	Pepper, fruiting	4.84	13	23.5	A
<b>Streptomycin sulfate</b>	Research commodity	0.18	2	0.86	A
<b>Streptomycin sulfate</b>	Research commodity	0.29	N/A	N/A	N/A
<b>Streptomycin sulfate</b>	Tomato	2.17	8	10.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Strychnine	Alfalfa	5.74	5	453.0	A
Strychnine	Almond	100.5	214	12,786.05	A
Strychnine	Apple	0.01	25	125.0	A
Strychnine	Apricot	0.23	2	15.38	A
Strychnine	Avocado	0.71	78	1,150.2	A
Strychnine	Blackberry	<0.01	1	1.0	A
Strychnine	Blueberry	3.66	15	284.97	A
Strychnine	Cherry	1.1	10	226.0	A
Strychnine	Christmas tree	0.09	5	38.0	A
Strychnine	Citrus	1.01	87	10,365.25	A
Strychnine	Date	0.26	3	111.0	A
Strychnine	Eggplant	2.16	3	144.0	A
Strychnine	Fig	0.1	2	10.0	A
Strychnine	Forage hay/silage	<0.01	1	1.0	A
Strychnine	Forest, timberland	2.43	26	1,247.92	A
Strychnine	Golf course turf	0.2	5	186.0	A
Strychnine	Grape	3.29	11	626.0	A
Strychnine	Grape, wine	25.96	108	3,293.86	A
Strychnine	Grapefruit	1.58	37	520.75	A
Strychnine	Landscape maintenance	0.26	27	874.0	A
Strychnine	Landscape maintenance	185.65	N/A	N/A	N/A
Strychnine	Lemon	1.03	65	5,236.5	A
Strychnine	Mint	<0.01	1	15.0	A
Strychnine	N-grnhs flower	0.01	N/A	5.0	A
Strychnine	N-grnhs plants in containers	<0.01	1	25,000.0	S
Strychnine	N-outdr flower	0.03	N/A	10.0	A
Strychnine	N-outdr plants in containers	0.02	8	4.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Strychnine	N-outdr transplants	<0.01	6	6.0	A
Strychnine	Nectarine	0.12	1	8.0	A
Strychnine	Olive	0.06	1	12.0	A
Strychnine	Orange	7.95	273	10,548.52	A
Strychnine	Pastureland	<0.01	18	162.0	A
Strychnine	Peach	1.24	7	82.9	A
Strychnine	Pecan	0.49	1	66.0	A
Strychnine	Pepper, fruiting	5.68	8	379.0	A
Strychnine	Pistachio	24.26	51	6,423.4	A
Strychnine	Plum	0.54	2	89.0	A
Strychnine	Prune	1.36	11	199.0	A
Strychnine	Rangeland	2.95	4	331.0	A
Strychnine	Regulatory pest control	0.33	N/A	N/A	N/A
Strychnine	Rights of way	0.19	3	15.0	A
Strychnine	Rights of way	15.44	N/A	N/A	N/A
Strychnine	Squash, summer	6.12	6	408.0	A
Strychnine	Squash, winter	1.98	4	132.0	A
Strychnine	Stone fruit	0.01	1	4.0	A
Strychnine	Structural pest control	259.3	N/A	N/A	N/A
Strychnine	Tangelo	0.02	1	20.0	A
Strychnine	Tangerine	16.42	37	704.2	A
Strychnine	Tomato, processing	1.95	19	2,800.0	A
Strychnine	Uncultivated ag	2.79	39	2,583.67	A
Strychnine	Unknown	0.15	4	40.0	A
Strychnine	Vertebrate control	6.17	23	3,921.5	A
Strychnine	Vertebrate control	58.63	N/A	N/A	N/A
Strychnine	Walnut	38.78	97	5,107.82	A
Styrene butadiene copolymer	Alfalfa	5.23	5	111.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Styrene butadiene copolymer	Almond	685.5	161	9,997.3	A
Styrene butadiene copolymer	Apple	11.38	4	194.05	A
Styrene butadiene copolymer	Apricot	89.1	49	385.6	A
Styrene butadiene copolymer	Blackberry	4.26	6	31.34	A
Styrene butadiene copolymer	Broccoli	10.94	26	467.1	A
Styrene butadiene copolymer	Cabbage	8.95	28	382.85	A
Styrene butadiene copolymer	Cherry	36.81	23	271.33	A
Styrene butadiene copolymer	Citrus	3.03	2	11.0	A
Styrene butadiene copolymer	Grape	893.33	832	20,249.37	A
Styrene butadiene copolymer	Grape, wine	1,476.36	1,214	31,820.89	A
Styrene butadiene copolymer	Grapefruit	179.21	87	1,168.68	A
Styrene butadiene copolymer	Landscape maintenance	47.03	N/A	N/A	N/A
Styrene butadiene copolymer	Lemon	1,234.04	417	9,989.8	A
Styrene butadiene copolymer	Lettuce, leaf	0.6	1	25.8	A
Styrene butadiene copolymer	Lime	0.36	4	13.75	A
Styrene butadiene copolymer	N-grnhs flower	7.38	32	31.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Styrene butadiene copolymer	N-grnhs flower	0.31	32	196,901.0	S
Styrene butadiene copolymer	N-grnhs plants in containers	27.16	302	381.52	A
Styrene butadiene copolymer	N-grnhs plants in containers	27.68	190	9,897,997.0	S
Styrene butadiene copolymer	N-grnhs transplants	0.12	1	1.61	A
Styrene butadiene copolymer	N-outdr flower	812.61	2,978	7,813.79	A
Styrene butadiene copolymer	N-outdr plants in containers	39.11	344	404.53	A
Styrene butadiene copolymer	N-outdr plants in containers	11.43	123	6,482,441.4	S
Styrene butadiene copolymer	N-outdr transplants	3.96	7	21.4	A
Styrene butadiene copolymer	Nectarine	221.67	288	2,831.08	A
Styrene butadiene copolymer	Olive	27.3	17	322.7	A
Styrene butadiene copolymer	Orange	4,188.4	1,246	28,476.95	A
Styrene butadiene copolymer	Peach	161.8	199	2,401.5	A
Styrene butadiene copolymer	Pistachio	282.45	167	9,350.9	A
Styrene butadiene copolymer	Plum	200.44	126	1,358.19	A
Styrene butadiene copolymer	Pomelo	31.43	28	281.35	A
Styrene butadiene copolymer	Quince	0.48	2	9.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Styrene butadiene copolymer</b>	Raspberry	20.77	11	175.0	A
<b>Styrene butadiene copolymer</b>	Rights of way	0.71	1	3.0	A
<b>Styrene butadiene copolymer</b>	Rights of way	274.21	N/A	N/A	N/A
<b>Styrene butadiene copolymer</b>	Sorghum (forage - fodder)	4.22	5	145.0	A
<b>Styrene butadiene copolymer</b>	Strawberry	248.83	40	1,320.5	A
<b>Styrene butadiene copolymer</b>	Tangelo	164.07	53	885.95	A
<b>Styrene butadiene copolymer</b>	Tangerine	1,324.37	524	20,019.28	A
<b>Styrene butadiene copolymer</b>	Tomato	16.89	17	462.03	A
<b>Styrene butadiene copolymer</b>	Walnut	1,619.71	194	11,626.3	A
<b>Sugar</b>	Avocado	2.77	4	24.0	A
<b>Sugar</b>	Guava	0.05	2	8.0	A
<b>Sugar</b>	Lime	0.06	1	8.0	A
<b>Sugar</b>	Orange	0.06	1	4.0	A
<b>Sugar</b>	Rights of way	0.49	N/A	N/A	N/A
<b>Sugar</b>	Structural pest control	0.05	N/A	N/A	N/A
<b>Sugar</b>	Tropical/subtropical fruit	0.02	1	3.0	A
<b>Sugar</b>	Uncultivated ag	0.11	3	4.0	S
<b>Sulfamethazine</b>	Water area	0.09	1	1.5	A
<b>Sulfanilamide</b>	Water area	0.28	1	1.5	A
<b>Sulfaquinoxaline</b>	Landscape maintenance	0.07	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfaquinoxaline	N-grnhs flower	<0.01	7	7.0	A
Sulfaquinoxaline	N-grnhs transplants	<0.01	7	7.0	A
Sulfaquinoxaline	Structural pest control	0.08	N/A	N/A	N/A
Sulfentrazone	Airport	8.91	2	24.0	A
Sulfentrazone	Commercial, institutional or industrial areas	0.27	N/A	48,040.0	S
Sulfentrazone	Commodity fumigation	0.77	N/A	N/A	N/A
Sulfentrazone	Golf course turf	20.45	N/A	199.18	A
Sulfentrazone	Golf course turf	0.08	N/A	8,000.0	S
Sulfentrazone	Landscape maintenance	732.86	N/A	N/A	N/A
Sulfentrazone	N-grnhs flower	1.49	N/A	56.7	A
Sulfentrazone	N-grnhs flower	0.33	N/A	470,000.0	S
Sulfentrazone	N-grnhs transplants	1.05	N/A	49.0	A
Sulfentrazone	N-outdr plants in containers	0.09	2	2.3	A
Sulfentrazone	Rights of way	6.92	6	30.0	A
Sulfentrazone	Rights of way	2,675.36	N/A	N/A	N/A
Sulfentrazone	Structural pest control	2.01	N/A	N/A	N/A
Sulfentrazone	Turf/sod	53.24	11	316.5	A
Sulfentrazone	Uncultivated non-ag	130.37	N/A	554.85	A
Sulfentrazone	Uncultivated non-ag	0.01	N/A	3,400.0	S
Sulfluramid	Structural pest control	1.75	N/A	N/A	N/A
Sulfometuron-methyl	Commercial, institutional or industrial areas	1.9	N/A	17.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Sulfometuron-methyl</b>	Forest, timberland	262.22	118	2,429.3	A
<b>Sulfometuron-methyl</b>	Landscape maintenance	3,775.37	N/A	N/A	N/A
<b>Sulfometuron-methyl</b>	Regulatory pest control	0.77	N/A	N/A	N/A
<b>Sulfometuron-methyl</b>	Rights of way	24.61	4	115.0	A
<b>Sulfometuron-methyl</b>	Rights of way	3.47	15	60.0	U
<b>Sulfometuron-methyl</b>	Rights of way	5,748.52	N/A	N/A	N/A
<b>Sulfometuron-methyl</b>	Structural pest control	3.85	N/A	N/A	N/A
<b>Sulfometuron-methyl</b>	Uncultivated ag	2.25	1	8.0	A
<b>Sulfometuron-methyl</b>	Uncultivated non-ag	0.42	2	4.54	A
<b>Sulfometuron-methyl</b>	Vertebrate control	1.21	N/A	N/A	N/A
<b>Sulfosulfuron</b>	Golf course turf	0.27	N/A	4.6	A
<b>Sulfosulfuron</b>	Landscape maintenance	14.06	N/A	N/A	N/A
<b>Sulfosulfuron</b>	Rights of way	1.43	N/A	N/A	N/A
<b>Sulfosulfuron</b>	Turf/sod	1.82	3	31.1	A
<b>Sulfoxaflor</b>	Almond	10.44	7	149.0	A
<b>Sulfoxaflor</b>	Arugula	36.2	230	1,137.56	A
<b>Sulfoxaflor</b>	Bean, dried	4.0	2	60.0	A
<b>Sulfoxaflor</b>	Bok choy (choy sum, pak choi)	21.18	172	489.23	A
<b>Sulfoxaflor</b>	Broccoli	591.81	1,427	15,955.8	A
<b>Sulfoxaflor</b>	Brussels sprout	641.49	1,070	13,642.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfoxaflor	Cabbage	196.58	647	5,637.0	A
Sulfoxaflor	Cauliflower	266.69	658	6,859.53	A
Sulfoxaflor	Celery	947.75	1,940	18,460.12	A
Sulfoxaflor	Cherry	1.34	1	15.0	A
Sulfoxaflor	Chinese cabbage (napa, wong bok, celery cabbage)	23.92	141	526.0	A
Sulfoxaflor	Collard	4.28	42	120.8	A
Sulfoxaflor	Cress, garden	0.07	1	2.4	A
Sulfoxaflor	Eggplant	6.99	5	118.0	A
Sulfoxaflor	Endive (escarole)	8.0	98	162.13	A
Sulfoxaflor	Grape	1,259.13	384	15,137.36	A
Sulfoxaflor	Grape, wine	2,736.82	613	31,419.0	A
Sulfoxaflor	Kale	63.41	359	1,530.46	A
Sulfoxaflor	Kohlrabi	1.74	13	27.18	A
Sulfoxaflor	Lettuce, head	2,012.24	4,649	50,691.75	A
Sulfoxaflor	Lettuce, leaf	3,197.21	8,751	79,052.62	A
Sulfoxaflor	Mizuna	1.19	47	43.2	A
Sulfoxaflor	Mustard	0.61	11	19.43	A
Sulfoxaflor	Mustard greens	5.38	67	163.32	A
Sulfoxaflor	N-grnhs transplants	0.3	7	35.0	A
Sulfoxaflor	N-outdr plants in containers	0.92	4	18.5	A
Sulfoxaflor	Parsley	33.62	37	515.51	A
Sulfoxaflor	Peach	0.22	1	2.5	A
Sulfoxaflor	Pecan	125.83	47	2,307.24	A
Sulfoxaflor	Pepper, fruiting	201.07	123	3,261.14	A
Sulfoxaflor	Pepper, spice	1.59	5	25.38	A
Sulfoxaflor	Plum	0.58	1	15.0	A
Sulfoxaflor	Potato	45.31	15	804.0	A
Sulfoxaflor	Radicchio	6.13	27	149.39	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfoxaflor	Rapini	39.82	71	1,079.7	A
Sulfoxaflor	Research commodity	0.02	N/A	N/A	N/A
Sulfoxaflor	Spinach	258.15	885	7,848.63	A
Sulfoxaflor	Swiss chard	12.67	139	377.82	A
Sulfoxaflor	Tomato	79.87	49	1,403.3	A
Sulfoxaflor	Upland cress	1.84	25	60.2	A
Sulfoxaflor	Walnut	0.86	1	20.0	A
Sulfoxaflor	Wheat	47.98	26	1,064.8	A
Sulfoxide	Structural pest control	0.01	N/A	N/A	N/A
Sulfoxide, other related	Structural pest control	<0.01	N/A	N/A	N/A
Sulfur	Alfalfa	67,199.81	108	5,221.0	A
Sulfur	Almond	478,722.01	917	64,214.6	A
Sulfur	Apple	14,459.05	283	2,624.43	A
Sulfur	Apricot	231.04	6	49.8	A
Sulfur	Artichoke, globe	14,503.36	119	1,966.5	A
Sulfur	Avocado	963.88	16	103.5	A
Sulfur	Bean, succulent	267.65	31	51.72	A
Sulfur	Bean, unspecified	845.72	27	194.89	A
Sulfur	Beet	24.8	2	9.0	A
Sulfur	Bermudagrass	617,195.79	317	24,225.0	A
Sulfur	Blackberry	7,495.82	160	1,082.75	A
Sulfur	Blueberry	2,451.74	10	187.1	A
Sulfur	Broccoli	5,859.54	179	1,747.39	A
Sulfur	Brussels sprout	35,851.08	701	8,697.65	A
Sulfur	Buildings/non-ag outdoor	1.91	N/A	0.01	U
Sulfur	Cabbage	7.2	2	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfur	Cannabis (all or unspecified)	256.23	117	87.47	A
Sulfur	Cannabis (all or unspecified)	0.24	2	2,400.0	K
Sulfur	Cannabis (all or unspecified)	1,699.37	2,830	11,910,214.4	S
Sulfur	Cannabis (all or unspecified)	6.32	5	12,914.0	U
Sulfur	Cantaloupe	17,949.12	38	1,772.19	A
Sulfur	Carrot	689,372.53	2,286	106,732.69	A
Sulfur	Cauliflower	370.4	6	61.05	A
Sulfur	Celery	4,629.8	125	1,071.65	A
Sulfur	Cherry	43,745.08	425	9,587.92	A
Sulfur	Chive	1.35	1	0.75	A
Sulfur	Citrus	175.5	2	3.5	A
Sulfur	Collard	29.68	4	4.32	A
Sulfur	Corn (forage - fodder)	1,364.16	1	116.0	A
Sulfur	Corn, human consumption	285.92	12	52.4	A
Sulfur	Cotton	3,407.08	9	594.9	A
Sulfur	County ag comm	0.85	N/A	N/A	N/A
Sulfur	Cucumber	45.73	4	16.0	A
Sulfur	Cucumber	0.08	2	144.0	S
Sulfur	Date	11,282.0	12	478.5	A
Sulfur	Dill	12.99	11	7.25	A
Sulfur	Eggplant	337.14	5	37.8	A
Sulfur	Endive (escarole)	55.51	11	27.03	A
Sulfur	Fava bean	236.8	8	43.0	A
Sulfur	Fig	0.19	1	1.5	A
Sulfur	Fumigation, other	3.6	1	1.0	A
Sulfur	Garlic	17,477.8	47	3,033.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfur	Grape	8,213,711.78	33,132	1,341,490.15	A
Sulfur	Grape, wine	2,097.5	4	195.0	?
Sulfur	Grape, wine	19,282,494.27	57,709	2,261,018.86	A
Sulfur	Grape, wine	1.6	1	600.0	U
Sulfur	Grapefruit	558.0	7	83.0	A
Sulfur	Grass, seed	6,174.0	3	210.0	A
Sulfur	Herb, spice	8.2	9	8.12	A
Sulfur	Industrial hemp	22.8	10	10.0	A
Sulfur	Kale	5,218.85	101	782.29	A
Sulfur	Landscape maintenance	697.62	N/A	N/A	N/A
Sulfur	Leek	144.05	3	18.03	A
Sulfur	Lemon	19,475.3	115	2,376.22	A
Sulfur	Lettuce, head	768.11	43	373.26	A
Sulfur	Lettuce, leaf	4,532.42	122	1,555.96	A
Sulfur	Mango	2,848.0	4	178.0	A
Sulfur	Melon	19,592.09	115	3,478.08	A
Sulfur	Mint	126.97	24	37.82	A
Sulfur	N-grnhs flower	119.85	34	89.35	A
Sulfur	N-grnhs plants in containers	41.4	3	10.5	A
Sulfur	N-grnhs plants in containers	11.96	12	129,158.0	S
Sulfur	N-grnhs transplants	520.96	1,034	266.93	A
Sulfur	N-grnhs transplants	1.6	1	3,807.0	S
Sulfur	N-outdr flower	2,935.09	398	1,083.57	A
Sulfur	N-outdr flower	0.02	2	6,000.0	S
Sulfur	N-outdr plants in containers	5,321.71	99	1,110.23	A
Sulfur	N-outdr plants in containers	4.39	5	16,950.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfur	N-outdr plants in containers	14.03	1	2,400.0	U
Sulfur	N-outdr transplants	8,169.68	135	2,456.07	A
Sulfur	N-outdr transplants	28.89	16	528,861.0	S
Sulfur	Nectarine	75,078.1	1,583	23,838.2	A
Sulfur	Oat (forage - fodder)	540.96	2	46.0	A
Sulfur	Olive	150.4	7	32.0	A
Sulfur	Onion, dry	57,569.35	139	10,408.07	A
Sulfur	Onion, green	0.24	1	1.34	A
Sulfur	Orange	4,855.24	27	1,252.16	A
Sulfur	Oregano	1.6	1	1.0	A
Sulfur	Peach	180,500.57	2,150	39,147.96	A
Sulfur	Pear	41,643.6	181	4,068.51	A
Sulfur	Peas	67,401.73	730	7,022.67	A
Sulfur	Pepper, fruiting	20,937.31	227	3,442.74	A
Sulfur	Pepper, spice	79.2	3	9.9	A
Sulfur	Pimento	364.3	4	29.0	A
Sulfur	Pistachio	1,096,374.19	1,662	178,508.25	A
Sulfur	Plum	44,972.88	736	11,428.22	A
Sulfur	Pluot	32.0	1	4.0	A
Sulfur	Pome fruit	11.44	1	1.0	A
Sulfur	Pomegranate	171,746.12	257	12,822.22	A
Sulfur	Pomelo	32.0	1	2.0	A
Sulfur	Potato	28.8	3	6.0	A
Sulfur	Prune	29,329.69	82	4,077.7	A
Sulfur	Pumpkin	39,821.46	49	2,014.12	A
Sulfur	Radish	4.8	2	2.0	A
Sulfur	Raspberry	4,088.56	49	687.84	A
Sulfur	Regulatory pest control	30,117.05	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfur	Research commodity	170.77	27	25.01	A
Sulfur	Research commodity	<0.01	1	300.0	S
Sulfur	Research commodity	64.45	N/A	N/A	N/A
Sulfur	Rights of way	33.75	N/A	N/A	N/A
Sulfur	Rosemary	14.4	9	8.0	A
Sulfur	Sage	52.23	59	28.55	A
Sulfur	Soil fumigation/preplant	1,715.45	4	120.0	A
Sulfur	Spinach	98.0	1	10.0	A
Sulfur	Squash	7,540.41	95	789.2	A
Sulfur	Squash, summer	4,118.43	53	363.02	A
Sulfur	Squash, winter	3,092.93	12	225.5	A
Sulfur	Squash, zucchini	1.94	1	2.0	A
Sulfur	Stone fruit	651.15	8	72.5	A
Sulfur	Strawberry	631,822.94	3,990	136,248.15	A
Sulfur	Strawberry	3.49	9	16,164.0	S
Sulfur	Structural pest control	11.27	N/A	N/A	N/A
Sulfur	Sugarbeet	388,906.67	279	19,374.15	A
Sulfur	Swiss chard	35.3	5	8.5	A
Sulfur	Tangelo	400.0	1	50.0	A
Sulfur	Tangerine	2,927.7	29	520.2	A
Sulfur	Tarragon	11.47	11	6.45	A
Sulfur	Thyme	25.99	22	13.86	A
Sulfur	Tomatillo	1.6	1	0.4	A
Sulfur	Tomato	413,811.27	687	22,667.29	A
Sulfur	Tomato, processing	5,994,092.77	3,033	253,139.93	A
Sulfur	Uncultivated ag	3,080.74	10	144.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfur	Uncultivated ag	4.16	N/A	0.01	U
Sulfur	Uncultivated non-ag	2.33	N/A	0.02	U
Sulfur	Unknown	63.97	1	19.99	A
Sulfur	Vertebrate control	38.81	N/A	N/A	N/A
Sulfur	Walnut	202.8	3	42.0	A
Sulfur	Watermelon	47,348.59	90	3,502.17	A
Sulfur	Wheat	1,692.58	5	107.5	A
Sulfur dioxide	Commodity fumigation	672.0	1	2.56	K
Sulfur dioxide	Commodity fumigation	88,712.04	N/A	N/A	N/A
Sulfur dioxide	Farm/ag building	205.92	N/A	589,680.0	U
Sulfur dioxide	Food processing plant	30.0	N/A	3,000.0	C
Sulfur dioxide	Fumigation, other	13.4	1	13.54	?
Sulfur dioxide	Fumigation, other	306.9	3	5,010.0	U
Sulfur dioxide	Fumigation, other	68,313.66	N/A	N/A	N/A
Sulfur dioxide	Grape	240.0	4	68.0	A
Sulfur dioxide	Grape	1,114.0	N/A	1,446,900.0	C
Sulfur dioxide	Grape	1,215.0	N/A	37,477.95	K
Sulfur dioxide	Grape	6,500.95	N/A	53,422,207.94	P
Sulfur dioxide	Grape	2,275.79	N/A	286,000.0	S
Sulfur dioxide	Grape	75,200.79	N/A	839,740.12	T
Sulfur dioxide	Grape	26,902.34	N/A	8,267,805.0	U
Sulfur dioxide	Grape, wine	0.75	N/A	0.76	P
Sulfur dioxide	Grape, wine	158.0	N/A	1,132.0	T
Sulfur dioxide	Grape, wine	125.88	N/A	6,578.31	U
Sulfur dioxide	Storage area/box	126.64	N/A	270.0	U
Sulfur dioxide	Structural pest control	701.83	N/A	N/A	N/A
Sulfur dioxide	Unknown	2.0	N/A	26.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfuric acid	Alfalfa	422.05	311	19,805.54	A
Sulfuric acid	Almond	1,725.32	1,315	47,823.24	A
Sulfuric acid	Apricot	2.63	4	65.53	A
Sulfuric acid	Bean, dried	1.28	3	145.0	A
Sulfuric acid	Blueberry	3.66	8	75.6	A
Sulfuric acid	Cabbage	0.46	1	35.0	A
Sulfuric acid	Cherry	6.32	11	180.83	A
Sulfuric acid	Commercial, institutional or industrial areas	0.05	2	1.5	A
Sulfuric acid	Corn (forage - fodder)	547.38	516	27,046.6	A
Sulfuric acid	Corn, grain	9.99	27	1,002.0	A
Sulfuric acid	Cotton	43.44	39	2,543.26	A
Sulfuric acid	Cucumber	3.05	4	256.0	A
Sulfuric acid	Fig	15.59	19	590.42	A
Sulfuric acid	Garlic	38.12	5	797.0	A
Sulfuric acid	Grape	223.18	387	6,186.41	A
Sulfuric acid	Grape, wine	107.56	154	3,978.78	A
Sulfuric acid	Grapefruit	20.03	24	539.24	A
Sulfuric acid	Landscape maintenance	0.46	3	21.0	A
Sulfuric acid	Lemon	98.32	124	2,769.26	A
Sulfuric acid	Lime	3.31	17	94.42	A
Sulfuric acid	N-outdr plants in containers	1.41	1	80.0	A
Sulfuric acid	Nectarine	8.4	39	206.9	A
Sulfuric acid	Oat	0.84	2	35.4	A
Sulfuric acid	Oat (forage - fodder)	34.17	42	1,999.07	A
Sulfuric acid	Olive	5.86	4	111.0	A
Sulfuric acid	Onion, dry	3.45	2	196.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sulfuric acid	Orange	118.47	187	3,498.1	A
Sulfuric acid	Peach	26.69	86	670.9	A
Sulfuric acid	Pecan	0.26	1	17.0	A
Sulfuric acid	Persimmon	0.11	1	3.0	A
Sulfuric acid	Pistachio	1,439.36	736	34,171.17	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfuric acid	Pistachio	0.16	7	39,844.0	S
Sulfuric acid	Pistachio	0.3	9	85.0	U
Sulfuric acid	Plum	4.67	21	133.73	A
Sulfuric acid	Potato	2.64	1	75.0	A
Sulfuric acid	Prune	2.46	5	60.0	A
Sulfuric acid	Rights of way	4.75	6	135.0	A
Sulfuric acid	Rights of way	7.98	N/A	N/A	N/A
Sulfuric acid	Rye	4.23	7	320.0	A
Sulfuric acid	Safflower	1.23	2	58.0	A
Sulfuric acid	Soil fumigation/preplant	2.03	3	96.0	A
Sulfuric acid	Sorghum (forage - fodder)	12.97	3	287.0	A
Sulfuric acid	Sorghum/milo	71.2	31	1,978.4	A
Sulfuric acid	Strawberry	0.59	1	21.0	A
Sulfuric acid	Sudangrass	4.23	6	320.0	A
Sulfuric acid	Sugarbeet (forage - fodder)	2.75	3	156.2	A
Sulfuric acid	Sweet potato	5.06	9	285.0	A
Sulfuric acid	Tangerine	151.12	229	4,745.37	A
Sulfuric acid	Tomato, processing	12.69	9	746.0	A
Sulfuric acid	Triticale	37.01	26	1,572.3	A
Sulfuric acid	Uncultivated ag	16.02	30	895.89	A
Sulfuric acid	Uncultivated non-ag	0.44	2	20.0	A
Sulfuric acid	Walnut	103.47	118	4,670.34	A
Sulfuric acid	Wheat	1.91	3	188.0	A
Sulfuric acid	Wheat (forage - fodder)	305.56	140	9,459.65	A
Sulfuryl fluoride	Almond	112,202.15	N/A	2,546.2	A
Sulfuryl fluoride	Almond	45,681.78	N/A	21,302,768.0	C
Sulfuryl fluoride	Almond	17,507.91	N/A	71,884.2	K

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfuryl fluoride	Almond	671.65	N/A	2,184,134.0	P
Sulfuryl fluoride	Almond	40,541.75	N/A	109,878.0	T
Sulfuryl fluoride	Commercial, institutional or industrial areas	5,114.75	N/A	1,459.99	C
Sulfuryl fluoride	Commodity fumigation	65,228.11	18	2,711,015.0	C
Sulfuryl fluoride	Commodity fumigation	7,228.71	8	187,176.0	S
Sulfuryl fluoride	Commodity fumigation	220,857.49	N/A	N/A	N/A
Sulfuryl fluoride	Date	53.89	9	15.06	A
Sulfuryl fluoride	Date	548.9	N/A	520.35	T
Sulfuryl fluoride	Dried fruit	436.86	N/A	329,556.0	C
Sulfuryl fluoride	Fumigation, other	164,916.99	N/A	N/A	N/A
Sulfuryl fluoride	Grape	5,643.69	N/A	7,899,900.0	C
Sulfuryl fluoride	Landscape maintenance	53.46	N/A	N/A	N/A
Sulfuryl fluoride	Nuts	2,019.95	5	70,000.0	C
Sulfuryl fluoride	Pistachio	55,804.67	N/A	19,735,882.0	C
Sulfuryl fluoride	Prune	3.99	N/A	2,340.0	C
Sulfuryl fluoride	Regulatory pest control	7,158.06	N/A	N/A	N/A
Sulfuryl fluoride	Research commodity	868.26	N/A	N/A	N/A
Sulfuryl fluoride	Rice	6,252.47	N/A	1,715,499.0	C
Sulfuryl fluoride	Rice	2,999.43	N/A	3,000.0	K
Sulfuryl fluoride	Structural pest control	2,623,381.06	N/A	N/A	N/A
Sulfuryl fluoride	Walnut	27,484.92	N/A	7,508,552.65	C
Sulfuryl fluoride	Walnut	20,315.29	N/A	10,703.33	K
Sulfuryl fluoride	Walnut	304.39	N/A	1,270,450.0	P

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Sulfuryl fluoride	Walnut	1,590.81	N/A	158,820.0	S
Sulfuryl fluoride	Walnut	37,356.24	N/A	66,493.8	T
Sulfuryl fluoride	Walnut	94.81	N/A	459,058.0	U
Swinglea glutinosa extract	Almond	6,412.01	49	3,626.69	A
Swinglea glutinosa extract	Apricot	93.49	6	47.4	A
Swinglea glutinosa extract	Cannabis (all or unspecified)	108.84	35	342,200.0	S
Swinglea glutinosa extract	Cucumber	22.53	6	19.7	A
Swinglea glutinosa extract	Grape	79.57	5	30.5	A
Swinglea glutinosa extract	Grape, wine	2,471.54	36	1,822.06	A
Swinglea glutinosa extract	N-outdr transplants	5.43	7	4.0	A
Swinglea glutinosa extract	Onion, dry	1,150.29	5	636.0	A
Swinglea glutinosa extract	Prune	36.62	1	27.0	A
Swinglea glutinosa extract	Tomato	22.68	9	13.69	A
Swinglea glutinosa extract	Tomato, processing	2,629.34	15	2,295.7	A
Tall oil	Alfalfa	5,991.5	1,373	70,349.28	A
Tall oil	Almond	5,905.68	1,797	74,408.02	A
Tall oil	Apple	149.19	33	853.62	A
Tall oil	Apricot	15.8	16	173.59	A
Tall oil	Avocado	51.77	53	597.2	A
Tall oil	Basil, sweet	<0.01	3	2.31	A
Tall oil	Beet	<0.01	1	4.49	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tall oil	Bermudagrass	233.55	33	2,272.2	A
Tall oil	Bok choy (choy sum, pak choi)	0.02	8	11.89	A
Tall oil	Broccoli	26.14	5	316.0	A
Tall oil	Cabbage	0.08	17	49.1	A
Tall oil	Cantaloupe	11.01	20	543.54	A
Tall oil	Carrot	223.73	59	3,020.5	A
Tall oil	Cherimoya	1.68	11	47.9	A
Tall oil	Cherry	468.14	396	5,276.08	A
Tall oil	Chestnut	0.36	2	14.0	A
Tall oil	Chinese cabbage (napa, wong bok, celery cabbage)	0.02	3	11.23	A
Tall oil	Chinese greens	0.05	1	1.5	A
Tall oil	Chive	0.06	1	2.0	A
Tall oil	Cilantro	0.05	11	31.73	A
Tall oil	Collard	0.09	16	56.49	A
Tall oil	Corn (forage - fodder)	238.31	116	5,217.34	A
Tall oil	Corn, human consumption	323.62	64	3,037.4	A
Tall oil	Cotton	848.76	193	13,007.16	A
Tall oil	Cucumber	2.31	1	13.67	A
Tall oil	Dandelion green	<0.01	1	1.37	A
Tall oil	Forage hay/silage	75.13	16	809.0	A
Tall oil	Garbanzo bean	3.85	1	150.0	A
Tall oil	Garlic	145.74	80	7,381.5	A
Tall oil	Grape	342.75	242	6,311.01	A
Tall oil	Grape, wine	6,953.07	2,242	89,018.93	A
Tall oil	Grapefruit	5.44	12	65.0	A
Tall oil	Guava	6.07	15	106.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tall oil	Hops	0.27	2	3.5	A
Tall oil	Kale	0.06	15	40.95	A
Tall oil	Kiwi fruit fuzzy	709.04	390	3,319.99	A
Tall oil	Landscape maintenance	60.04	N/A	N/A	N/A
Tall oil	Lemon	8.29	8	193.0	A
Tall oil	Lettuce, head	42.35	39	921.5	A
Tall oil	Lettuce, leaf	12.76	76	290.58	A
Tall oil	Lime	1.28	5	36.5	A
Tall oil	Melon	69.92	61	2,394.2	A
Tall oil	Mustard	0.03	7	18.24	A
Tall oil	Mustard greens	0.09	15	58.58	A
Tall oil	N-grnhs transplants	1.88	59	149.0	A
Tall oil	N-outdr flower	20.43	3	173.0	A
Tall oil	N-outdr transplants	6.94	25	111.15	A
Tall oil	Nectarine	86.14	98	800.44	A
Tall oil	Oat	16.42	3	209.0	A
Tall oil	Oat (forage - fodder)	50.86	9	816.0	A
Tall oil	Olive	69.06	41	820.0	A
Tall oil	Onion, dry	191.08	58	4,166.2	A
Tall oil	Orange	72.85	103	1,723.47	A
Tall oil	Parsley	0.04	6	28.17	A
Tall oil	Pastureland	4.1	1	100.0	A
Tall oil	Peach	214.48	223	2,212.73	A
Tall oil	Pear	438.2	495	17,535.55	A
Tall oil	Pecan	13.67	7	218.37	A
Tall oil	Pepper, fruiting	8.98	5	144.0	A
Tall oil	Persimmon	1.56	1	37.0	A
Tall oil	Pistachio	1,304.06	304	13,102.5	A
Tall oil	Plum	56.07	57	547.2	A
Tall oil	Pomegranate	138.45	18	885.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tall oil	Potato	3.39	1	40.0	A
Tall oil	Prune	133.18	27	780.03	A
Tall oil	Public health	72.9	N/A	N/A	N/A
Tall oil	Rangeland	0.69	2	6.0	A
Tall oil	Regulatory pest control	0.92	N/A	N/A	N/A
Tall oil	Rice	6,786.13	617	40,946.85	A
Tall oil	Rights of way	172.34	19	1,302.1	A
Tall oil	Rights of way	279.43	N/A	N/A	N/A
Tall oil	Ryegrass	3.87	2	63.0	A
Tall oil	Soil fumigation/preplant	4.7	3	41.66	A
Tall oil	Sorghum (forage - fodder)	48.69	14	2,002.0	A
Tall oil	Sorghum/milo	18.68	6	116.9	A
Tall oil	Soybean	2.05	1	70.0	A
Tall oil	Spinach	<0.01	4	5.39	A
Tall oil	Squash	1.88	2	32.33	A
Tall oil	Structural pest control	16.75	N/A	N/A	N/A
Tall oil	Sudangrass	131.68	28	1,446.88	A
Tall oil	Sugarbeet	217.62	72	4,522.3	A
Tall oil	Sugarbeet (forage - fodder)	19.74	2	126.2	A
Tall oil	Sugarcane	21.89	2	140.0	A
Tall oil	Sunflower	178.75	28	1,343.7	A
Tall oil	Swiss chard	0.03	16	19.92	A
Tall oil	Tangelo	7.44	10	215.3	A
Tall oil	Tangerine	37.01	26	662.01	A
Tall oil	Tomato	21.59	7	370.42	A
Tall oil	Tomato, processing	101.2	133	9,455.23	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tall oil	Triticale	6.15	3	179.0	A
Tall oil	Tropical/subtropical fruit	1.17	8	45.8	A
Tall oil	Turf/sod	0.03	N/A	70,000.0	S
Tall oil	Turnip	0.02	6	13.78	A
Tall oil	Uncultivated ag	472.29	176	6,308.34	A
Tall oil	Uncultivated non-ag	10.97	5	200.3	A
Tall oil	Vertebrate control	1.27	N/A	N/A	N/A
Tall oil	Walnut	6,551.63	1,708	69,630.2	A
Tall oil	Watermelon	1.19	1	7.0	A
Tall oil	Wheat	438.16	59	4,049.4	A
Tall oil	Wheat (forage - fodder)	11.56	23	1,424.33	A
Tall oil fatty acids	Alfalfa	10,402.26	2,649	135,893.12	A
Tall oil fatty acids	Almond	41,811.96	8,706	411,218.13	A
Tall oil fatty acids	Apple	2.78	22	235.69	A
Tall oil fatty acids	Apricot	151.71	86	981.44	A
Tall oil fatty acids	Artichoke, globe	177.42	120	1,904.1	A
Tall oil fatty acids	Arugula	0.74	41	309.16	A
Tall oil fatty acids	Asparagus	0.38	6	14.19	A
Tall oil fatty acids	Avocado	78.78	207	2,576.37	A
Tall oil fatty acids	Barley	118.27	31	2,871.6	A
Tall oil fatty acids	Barley (forage - fodder)	17.1	8	485.1	A
Tall oil fatty acids	Basil, sweet	42.03	70	188.85	A
Tall oil fatty acids	Bean, dried	78.17	40	1,644.9	A
Tall oil fatty acids	Bean, succulent	21.05	26	433.05	A
Tall oil fatty acids	Bean, unspecified	1.79	1	75.0	A
Tall oil fatty acids	Bermudagrass	1,024.6	91	7,261.8	A
Tall oil fatty acids	Blackberry	2.23	26	382.77	A
Tall oil fatty acids	Blueberry	135.45	66	982.16	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tall oil fatty acids	Bok choy (choy sum, pak choi)	3.99	66	161.55	A
Tall oil fatty acids	Broccoli	100.82	150	2,665.58	A
Tall oil fatty acids	Brussels sprout	259.0	6	335.1	A
Tall oil fatty acids	Cabbage	20.29	16	236.8	A
Tall oil fatty acids	Cantaloupe	117.11	31	2,426.23	A
Tall oil fatty acids	Carrot	549.8	149	8,299.3	A
Tall oil fatty acids	Cauliflower	5.98	23	238.5	A
Tall oil fatty acids	Celery	140.38	282	2,702.38	A
Tall oil fatty acids	Cherry	1,072.1	585	8,672.58	A
Tall oil fatty acids	Chinese cabbage (napa, wong bok, celery cabbage)	0.07	1	3.0	A
Tall oil fatty acids	Chinese greens	0.25	3	3.5	A
Tall oil fatty acids	Christmas tree	1.89	2	60.0	A
Tall oil fatty acids	Cilantro	78.09	254	1,364.06	A
Tall oil fatty acids	Citrus	35.82	12	605.5	A
Tall oil fatty acids	Cole crop	0.33	89	70.85	A
Tall oil fatty acids	Collard	5.68	9	234.3	A
Tall oil fatty acids	Corn (forage - fodder)	2,926.87	1,560	78,619.12	A
Tall oil fatty acids	Corn, grain	361.93	386	12,701.3	A
Tall oil fatty acids	Corn, human consumption	2,065.69	532	18,203.69	A
Tall oil fatty acids	Cotton	3,378.93	1,261	70,672.73	A
Tall oil fatty acids	Cucumber	15.89	22	442.72	A
Tall oil fatty acids	Ditch bank	148.89	115	1,415.02	A
Tall oil fatty acids	Fig	83.48	76	2,088.55	A
Tall oil fatty acids	Forage hay/silage	120.55	48	2,063.75	A
Tall oil fatty acids	Forage hay/silage	3.46	4	79.0	U
Tall oil fatty acids	Forest, timberland	613.69	32	1,367.74	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tall oil fatty acids	Garbanzo bean	1.73	3	33.0	A
Tall oil fatty acids	Garlic	525.91	71	5,113.1	A
Tall oil fatty acids	Ginger	0.03	10	4.75	A
Tall oil fatty acids	Golf course turf	20.26	N/A	112.72	A
Tall oil fatty acids	Grape	5,584.78	1,946	67,600.21	A
Tall oil fatty acids	Grape, wine	13,867.4	5,348	137,478.25	A
Tall oil fatty acids	Grapefruit	32.56	57	886.68	A
Tall oil fatty acids	Grass, seed	17.6	11	156.0	A
Tall oil fatty acids	Herb, spice	48.25	77	192.7	A
Tall oil fatty acids	Hops	0.2	1	4.8	A
Tall oil fatty acids	Kale	0.99	7	17.51	A
Tall oil fatty acids	Kiwi fruit fuzzy	392.17	138	1,289.78	A
Tall oil fatty acids	Landscape maintenance	1,559.77	N/A	N/A	N/A
Tall oil fatty acids	Lemon	519.63	420	7,006.92	A
Tall oil fatty acids	Lettuce, head	74.73	74	1,041.93	A
Tall oil fatty acids	Lettuce, leaf	23.27	131	1,334.34	A
Tall oil fatty acids	Melon	58.47	19	792.0	A
Tall oil fatty acids	Mint	77.53	20	818.5	A
Tall oil fatty acids	Mizuna	0.02	7	6.48	A
Tall oil fatty acids	N-grnhs flower	0.38	N/A	8.0	A
Tall oil fatty acids	N-grnhs flower	0.15	6	50,000.0	S
Tall oil fatty acids	N-grnhs plants in containers	3.16	202	168.46	A
Tall oil fatty acids	N-grnhs plants in containers	0.05	5	74,000.0	S
Tall oil fatty acids	N-grnhs transplants	14.44	17	131.45	A
Tall oil fatty acids	N-grnhs transplants	0.55	35	3,918,210.0	S
Tall oil fatty acids	N-outdr flower	1.88	22	45.51	A
Tall oil fatty acids	N-outdr plants in containers	92.76	1,190	2,765.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tall oil fatty acids	N-outdr transplants	205.99	229	4,791.77	A
Tall oil fatty acids	N-outdr transplants	5.86	348	39,779,031.0	S
Tall oil fatty acids	Nectarine	1,304.36	937	11,388.7	A
Tall oil fatty acids	Oat	51.55	17	483.9	A
Tall oil fatty acids	Oat (forage - fodder)	277.71	275	10,251.39	A
Tall oil fatty acids	Olive	602.9	143	6,487.69	A
Tall oil fatty acids	Onion, dry	618.83	104	6,005.4	A
Tall oil fatty acids	Orange	1,579.28	1,411	29,429.43	A
Tall oil fatty acids	Parsley	2.23	20	69.81	A
Tall oil fatty acids	Pasture (forage - fodder)	13.53	4	183.0	A
Tall oil fatty acids	Pastureland	63.04	43	1,390.0	A
Tall oil fatty acids	Pastureland	0.15	9	65,250.0	S
Tall oil fatty acids	Peach	1,355.61	1,112	12,351.32	A
Tall oil fatty acids	Pear	182.64	175	5,522.61	A
Tall oil fatty acids	Pear, asian (oriental pear, ya, ya li, nashi)	8.0	12	97.5	A
Tall oil fatty acids	Peas	<0.01	1	0.25	A
Tall oil fatty acids	Pecan	120.18	21	478.98	A
Tall oil fatty acids	Pepper, fruiting	126.24	55	1,289.97	A
Tall oil fatty acids	Persimmon	24.03	17	171.47	A
Tall oil fatty acids	Pistachio	22,243.15	3,240	175,526.57	A
Tall oil fatty acids	Plum	498.85	282	2,327.08	A
Tall oil fatty acids	Pomegranate	723.18	58	3,650.53	A
Tall oil fatty acids	Pomelo	1.54	4	25.0	A
Tall oil fatty acids	Potato	765.16	201	9,380.92	A
Tall oil fatty acids	Prune	781.16	142	6,761.08	A
Tall oil fatty acids	Public health	19.7	N/A	N/A	N/A
Tall oil fatty acids	Pumpkin	19.04	19	233.0	A
Tall oil fatty acids	Quince	4.15	12	59.3	A
Tall oil fatty acids	Rangeland	9.32	6	601.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tall oil fatty acids	Raspberry	11.94	168	774.97	A
Tall oil fatty acids	Regulatory pest control	3.63	N/A	N/A	N/A
Tall oil fatty acids	Research commodity	54.95	48	188.92	A
Tall oil fatty acids	Research commodity	0.03	N/A	N/A	N/A
Tall oil fatty acids	Rice	2,283.39	574	39,037.88	A
Tall oil fatty acids	Rice, wild	4.9	3	159.5	A
Tall oil fatty acids	Rights of way	2,784.46	135	16,684.5	A
Tall oil fatty acids	Rights of way	20.39	5	0.05	U
Tall oil fatty acids	Rights of way	4,377.71	N/A	N/A	N/A
Tall oil fatty acids	Root vegetable	0.24	28	49.75	A
Tall oil fatty acids	Rye	10.34	13	530.7	A
Tall oil fatty acids	Ryegrass	28.17	28	909.4	A
Tall oil fatty acids	Safflower	28.9	16	1,331.3	A
Tall oil fatty acids	Small fruits/berry	<0.01	1	1.0	A
Tall oil fatty acids	Sod farm (turf)	0.1	2	16.5	A
Tall oil fatty acids	Soil fumigation/preplant	441.39	37	3,851.51	A
Tall oil fatty acids	Sorghum (forage - fodder)	49.28	35	3,067.8	A
Tall oil fatty acids	Sorghum/milo	42.75	39	2,783.57	A
Tall oil fatty acids	Spinach	11.4	135	989.75	A
Tall oil fatty acids	Squash	4.67	43	195.0	A
Tall oil fatty acids	Squash, winter	4.95	3	123.0	A
Tall oil fatty acids	Strawberry	606.46	382	6,941.65	A
Tall oil fatty acids	Structural pest control	7.64	N/A	N/A	N/A
Tall oil fatty acids	Sudangrass	38.65	26	1,387.8	A
Tall oil fatty acids	Sugarbeet	2,605.04	163	13,072.1	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tall oil fatty acids	Sugarbeet (forage - fodder)	0.38	1	30.0	A
Tall oil fatty acids	Sunflower	254.76	81	3,909.51	A
Tall oil fatty acids	Sweet potato	5.86	10	285.1	A
Tall oil fatty acids	Tangelo	77.05	65	1,244.63	A
Tall oil fatty acids	Tangerine	587.73	1,082	19,250.98	A
Tall oil fatty acids	Tomato	405.38	179	7,865.83	A
Tall oil fatty acids	Tomato, processing	4,056.25	941	50,778.74	A
Tall oil fatty acids	Triticale	436.16	132	6,972.81	A
Tall oil fatty acids	Turf/sod	0.47	3	79.6	A
Tall oil fatty acids	Turnip	0.18	2	7.6	A
Tall oil fatty acids	Uncultivated ag	1,141.56	713	27,441.51	A
Tall oil fatty acids	Uncultivated non-ag	107.29	35	957.98	A
Tall oil fatty acids	Unknown	0.69	4	104.0	A
Tall oil fatty acids	Vegetables, fruiting	0.02	8	3.0	A
Tall oil fatty acids	Vegetables, leafy	2.68	345	537.5	A
Tall oil fatty acids	Walnut	7,026.5	1,983	69,177.25	A
Tall oil fatty acids	Water (industrial)	36.73	N/A	190.25	A
Tall oil fatty acids	Water area	36.52	18	157.95	A
Tall oil fatty acids	Watermelon	130.56	20	2,177.0	A
Tall oil fatty acids	Wheat	913.76	263	17,105.62	A
Tall oil fatty acids	Wheat (forage - fodder)	662.34	428	23,147.44	A
Tallow bis(2-hydroxyethyl)amine	Alfalfa	0.59	3	68.0	A
Tallow bis(2-hydroxyethyl)amine	Almond	3.27	6	197.4	A
Tallow bis(2-hydroxyethyl)amine	Cherry	0.68	21	63.25	A
Tallow bis(2-hydroxyethyl)amine	Corn (forage - fodder)	2.27	9	327.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Tallow bis(2-hydroxyethyl)amine</b>	Forage hay/silage	0.22	1	20.0	A
<b>Tallow bis(2-hydroxyethyl)amine</b>	Grape	26.27	105	2,699.25	A
<b>Tallow bis(2-hydroxyethyl)amine</b>	Grape, wine	7.87	29	470.0	A
<b>Tallow bis(2-hydroxyethyl)amine</b>	Oat (forage - fodder)	0.58	1	88.0	A
<b>Tallow bis(2-hydroxyethyl)amine</b>	Olive	2.08	1	190.0	A
<b>Tallow bis(2-hydroxyethyl)amine</b>	Pistachio	0.08	1	150.0	A
<b>Tallow bis(2-hydroxyethyl)amine</b>	Walnut	54.56	16	384.0	A
<b>Tartrazine</b>	Landscape maintenance	25.46	N/A	N/A	N/A
<b>Tartrazine</b>	Public health	0.03	N/A	N/A	N/A
<b>Tartrazine</b>	Regulatory pest control	2.01	N/A	N/A	N/A
<b>Tartrazine</b>	Rights of way	0.18	N/A	N/A	N/A
<b>Tartrazine</b>	Water area	42.96	25	710.0	A
<b>Tartrazine</b>	Water area	0.39	N/A	65.0	U
<b>Tau-fluvalinate</b>	Christmas tree	4.42	6	15.0	A
<b>Tau-fluvalinate</b>	Landscape maintenance	13.25	N/A	N/A	N/A
<b>Tau-fluvalinate</b>	N-grnhs flower	4.65	38	67.35	A
<b>Tau-fluvalinate</b>	N-grnhs flower	4.39	48	500,000.0	S
<b>Tau-fluvalinate</b>	N-grnhs plants in containers	168.53	452	470.94	A
<b>Tau-fluvalinate</b>	N-grnhs plants in containers	<0.01	1	84.0	C

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tau-fluvalinate	N-grnhs plants in containers	81.72	353	18,804,752.0	S
Tau-fluvalinate	N-grnhs transplants	5.8	21	633.2	A
Tau-fluvalinate	N-grnhs transplants	11.43	136	4,237,250.0	S
Tau-fluvalinate	N-outdr flower	342.69	638	1,502.09	A
Tau-fluvalinate	N-outdr plants in containers	203.64	272	571.87	A
Tau-fluvalinate	N-outdr plants in containers	25.08	111	3,570,556.0	S
Tau-fluvalinate	N-outdr plants in containers	21.69	37	954,402.0	U
Tau-fluvalinate	N-outdr transplants	8.52	17	40.25	A
Tau-fluvalinate	Regulatory pest control	13.52	N/A	N/A	N/A
Tau-fluvalinate	Research commodity	0.1	8	0.31	A
Tau-fluvalinate	Research commodity	0.26	N/A	N/A	N/A
Tau-fluvalinate	Rights of way	0.65	3	3.0	A
Tau-fluvalinate	Structural pest control	18.66	N/A	N/A	N/A
Tau-fluvalinate	Uncultivated non-ag	0.04	1	0.45	A
Tea tree oil	Blueberry	3.8	2	26.0	A
Tea tree oil	Tomato	<0.01	6	0.06	A
Tebuconazole	Almond	19,232.31	2,229	122,191.98	A
Tebuconazole	Apricot	24.27	12	226.3	A
Tebuconazole	Avocado	0.16	1	2.0	A
Tebuconazole	Bean, dried	4.08	1	45.0	A
Tebuconazole	Beet	25.27	10	157.02	A
Tebuconazole	Bermudagrass	2,530.27	149	11,725.26	A
Tebuconazole	Cabbage	0.56	1	5.0	A
Tebuconazole	Cantaloupe	32.04	3	198.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tebuconazole	Cherry	2,597.68	668	14,653.07	A
Tebuconazole	Cherry	129.6	N/A	2.0	U
Tebuconazole	Garlic	2,766.37	306	15,009.4	A
Tebuconazole	Golf course turf	1,442.45	8	1,511.29	A
Tebuconazole	Golf course turf	43.16	2	1,643,000.0	S
Tebuconazole	Grape	10,486.91	2,723	100,327.74	A
Tebuconazole	Grape, wine	23,687.85	5,898	231,753.62	A
Tebuconazole	Grass, seed	5.23	N/A	170,000.0	S
Tebuconazole	Kale	2.59	2	23.76	A
Tebuconazole	Landscape maintenance	3.58	1	3.0	A
Tebuconazole	Landscape maintenance	3.28	2	114,500.0	S
Tebuconazole	Landscape maintenance	15,611.51	N/A	N/A	N/A
Tebuconazole	Leek	40.55	53	238.51	A
Tebuconazole	Lumber, treated	7,673.73	N/A	7,592.7	K
Tebuconazole	Melon	11.39	2	69.4	A
Tebuconazole	N-grnhs flower	433.43	N/A	413.35	A
Tebuconazole	N-grnhs flower	73.09	N/A	2,483,000.0	S
Tebuconazole	N-grnhs plants in containers	20.42	21	48.49	A
Tebuconazole	N-grnhs plants in containers	0.02	12	3,950.0	S
Tebuconazole	N-grnhs transplants	28.42	13	30.2	A
Tebuconazole	N-outdr flower	249.0	112	478.18	A
Tebuconazole	N-outdr plants in containers	74.65	47	273.46	A
Tebuconazole	N-outdr plants in containers	0.15	10	35,000.0	S
Tebuconazole	N-outdr plants in containers	<0.01	2	445.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tebuconazole	N-outdr transplants	54.97	50	296.31	A
Tebuconazole	Nectarine	167.24	96	1,001.44	A
Tebuconazole	Onion, dry	360.44	20	1,666.8	A
Tebuconazole	Peach	1,113.94	323	5,379.16	A
Tebuconazole	Pear	4.5	1	38.0	A
Tebuconazole	Peas	1.57	1	8.8	A
Tebuconazole	Pecan	29.7	1	132.0	A
Tebuconazole	Pepper, fruiting	0.1	1	1.0	A
Tebuconazole	Pistachio	3,667.09	346	30,678.8	A
Tebuconazole	Plum	30.7	14	195.92	A
Tebuconazole	Pome fruit	0.08	1	0.5	A
Tebuconazole	Prune	476.6	48	2,420.42	A
Tebuconazole	Pumpkin	5.17	1	23.0	A
Tebuconazole	Regulatory pest control	0.45	N/A	N/A	N/A
Tebuconazole	Research commodity	1.09	16	9.91	A
Tebuconazole	Research commodity	2.21	36	361,000.0	S
Tebuconazole	Research commodity	0.17	N/A	N/A	N/A
Tebuconazole	Rights of way	7.32	N/A	N/A	N/A
Tebuconazole	Rye	13.56	1	62.0	A
Tebuconazole	Soil fumigation/preplant	1.94	1	25.0	A
Tebuconazole	Squash, winter	13.1	2	60.0	A
Tebuconazole	Stone fruit	0.96	3	9.0	A
Tebuconazole	Structural pest control	0.07	N/A	N/A	N/A
Tebuconazole	Sunflower	13.31	12	91.04	A
Tebuconazole	Tomatillo	0.1	1	1.0	A
Tebuconazole	Turf/sod	47.2	N/A	39.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tebuconazole	Uncultivated ag	3.27	1	28.0	A
Tebuconazole	Walnut	18,023.95	2,084	83,507.8	A
Tebuconazole	Watermelon	14.29	4	103.0	A
Tebuconazole	Wheat	35.69	8	318.0	A
Tebufenozide	Grape, wine	105.81	7	416.0	A
Tebufenozide	Kale	6.04	15	47.5	A
Tebufenozide	Mustard greens	0.13	1	1.0	A
Tebufenozide	N-grnhs transplants	1.11	10	10.0	A
Tebufenozide	Swiss chard	1.02	4	8.0	A
Tebuthiuron	Landscape maintenance	18.6	N/A	N/A	N/A
Tebuthiuron	Rights of way	126.5	5	59.25	A
Tebuthiuron	Rights of way	2,282.61	N/A	N/A	N/A
Tebuthiuron	Uncultivated ag	5.0	1	1.25	A
Tebuthiuron	Uncultivated non-ag	1.14	N/A	0.29	A
Tebuthiuron	Uncultivated non-ag	0.66	N/A	10,250.0	S
Tembotrione	Corn (forage - fodder)	8,866.97	2,187	109,347.87	A
Tembotrione	Corn, grain	105.9	31	1,401.4	A
Tembotrione	Corn, human consumption	274.71	81	3,383.1	A
Tembotrione	Research commodity	<0.01	2	500.0	S
Tembotrione	Vegetable	0.08	1	1.0	A
Temephos	Public health	8.77	N/A	N/A	N/A
Terbutylazine	Water (industrial)	179.87	N/A	97.0	U
Terrazole	N-grnhs flower	0.05	2	5,901.0	S
Terrazole	N-grnhs plants in containers	16.38	32	27.88	A
Terrazole	N-grnhs plants in containers	5.44	9	32,953.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Terrazole</b>	N-grnhs plants in containers	0.1	1	25,097.0	U
<b>Terrazole</b>	N-grnhs transplants	0.07	1	0.5	A
<b>Terrazole</b>	N-grnhs transplants	0.64	1	4,000.0	S
<b>Terrazole</b>	N-outdr plants in containers	101.76	89	144.78	A
<b>Terrazole</b>	N-outdr plants in containers	2.37	9	29,545.0	S
<b>Terrazole</b>	N-outdr transplants	0.13	1	1.0	A
<b>Terrazole</b>	N-outdr transplants	0.79	3	8,100.0	S
<b>Terrazole</b>	Structural pest control	0.02	N/A	N/A	N/A
<b>Tetrachloroethylene</b>	Landscape maintenance	9.18	N/A	N/A	N/A
<b>Tetrachloroethylene</b>	Public health	0.41	N/A	N/A	N/A
<b>Tetrachloroethylene</b>	Structural pest control	10.41	N/A	N/A	N/A
<b>Tetrachlorvinphos</b>	Golf course turf	<0.01	N/A	10.0	A
<b>Tetrachlorvinphos</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>Tetrachlorvinphos</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Tetraconazole</b>	Cantaloupe	41.19	11	647.7	A
<b>Tetraconazole</b>	Eggplant	1.24	2	19.0	A
<b>Tetraconazole</b>	Grape	1,648.12	910	41,372.68	A
<b>Tetraconazole</b>	Grape, wine	3,886.85	2,667	98,251.48	A
<b>Tetraconazole</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>Tetraconazole</b>	Melon	1.62	2	82.0	A
<b>Tetraconazole</b>	N-grnhs transplants	0.09	5	110,788.0	S
<b>Tetraconazole</b>	N-outdr plants in containers	2.22	5	54.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Tetraconazole</b>	N-outdr transplants	11.99	16	293.77	A
<b>Tetraconazole</b>	Pepper, fruiting	61.75	56	946.4	A
<b>Tetraconazole</b>	Pumpkin	4.78	2	77.0	A
<b>Tetraconazole</b>	Research commodity	0.03	N/A	N/A	N/A
<b>Tetraconazole</b>	Soil fumigation/preplant	0.85	2	25.75	A
<b>Tetraconazole</b>	Strawberry	1,053.19	833	26,162.36	A
<b>Tetraconazole</b>	Sugarbeet	7.17	2	69.0	A
<b>Tetraconazole</b>	Watermelon	124.79	43	1,920.46	A
<b>Tetrakis (hydroxymethyl) phosphonium sulfate</b>	Water (industrial)	2,639.56	N/A	5.0	U
<b>Tetramethrin</b>	Fumigation, other	<0.01	N/A	N/A	N/A
<b>Tetramethrin</b>	Landscape maintenance	1.03	N/A	N/A	N/A
<b>Tetramethrin</b>	N-outdr transplants	<0.01	3	0.03	A
<b>Tetramethrin</b>	Public health	0.01	N/A	N/A	N/A
<b>Tetramethrin</b>	Regulatory pest control	0.13	N/A	N/A	N/A
<b>Tetramethrin</b>	Rights of way	0.02	N/A	N/A	N/A
<b>Tetramethrin</b>	Structural pest control	6.46	N/A	N/A	N/A
<b>Tetraniliprole</b>	Landscape maintenance	0.36	1	4.0	A
<b>Tetraniliprole</b>	Landscape maintenance	3.92	N/A	N/A	N/A
<b>Tetrapotassium pyrophosphate</b>	Alfalfa	1.69	19	558.3	A
<b>Tetrapotassium pyrophosphate</b>	Almond	28.56	82	5,577.8	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tetrapotassium pyrophosphate	Apple	0.1	9	22.65	A
Tetrapotassium pyrophosphate	Apricot	0.07	6	2.4	A
Tetrapotassium pyrophosphate	Avocado	0.12	7	79.5	A
Tetrapotassium pyrophosphate	Avocado	<0.01	4	24,400.0	U
Tetrapotassium pyrophosphate	Bean, succulent	0.07	1	62.0	A
Tetrapotassium pyrophosphate	Broccoli	0.27	3	49.3	A
Tetrapotassium pyrophosphate	Cabbage	0.25	5	46.1	A
Tetrapotassium pyrophosphate	Cantaloupe	3.84	41	2,848.5	A
Tetrapotassium pyrophosphate	Cherry	0.79	1	18.0	A
Tetrapotassium pyrophosphate	Citrus	0.04	1	20.0	A
Tetrapotassium pyrophosphate	Cotton	1.0	9	241.7	A
Tetrapotassium pyrophosphate	Date	0.02	1	37.0	A
Tetrapotassium pyrophosphate	Ditch bank	<0.01	1	0.5	A
Tetrapotassium pyrophosphate	Forage hay/silage	0.01	1	0.5	A
Tetrapotassium pyrophosphate	Grape	38.81	268	12,095.81	A
Tetrapotassium pyrophosphate	Grape, wine	0.18	23	66.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tetrapotassium pyrophosphate	Grapefruit	0.16	4	100.0	A
Tetrapotassium pyrophosphate	Landscape maintenance	0.04	1	8.0	A
Tetrapotassium pyrophosphate	Landscape maintenance	13.92	N/A	N/A	N/A
Tetrapotassium pyrophosphate	Lemon	3.33	38	2,804.0	A
Tetrapotassium pyrophosphate	Lettuce, head	0.98	18	187.0	A
Tetrapotassium pyrophosphate	Lettuce, leaf	1.33	24	254.8	A
Tetrapotassium pyrophosphate	Melon	6.07	84	4,386.9	A
Tetrapotassium pyrophosphate	N-grnhs flower	1.76	85	287.0	A
Tetrapotassium pyrophosphate	N-grnhs flower	0.04	35	107,775.0	S
Tetrapotassium pyrophosphate	N-grnhs plants in containers	3.33	298	317.76	A
Tetrapotassium pyrophosphate	N-grnhs plants in containers	0.28	56	1,120,200.0	S
Tetrapotassium pyrophosphate	N-grnhs transplants	2.7	66	569.82	A
Tetrapotassium pyrophosphate	N-grnhs transplants	0.71	25	4,868,340.0	S
Tetrapotassium pyrophosphate	N-outdr flower	6.94	460	1,075.31	A
Tetrapotassium pyrophosphate	N-outdr plants in containers	12.16	735	1,069.89	A
Tetrapotassium pyrophosphate	N-outdr plants in containers	<0.01	1	2.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tetrapotassium pyrophosphate	N-outdr plants in containers	0.02	4	872.0	U
Tetrapotassium pyrophosphate	N-outdr transplants	0.11	13	32.0	A
Tetrapotassium pyrophosphate	N-outdr transplants	8.43	323	55,811,310.0	S
Tetrapotassium pyrophosphate	Orange	1.63	14	373.0	A
Tetrapotassium pyrophosphate	Peach	0.1	9	4.75	A
Tetrapotassium pyrophosphate	Plum	0.07	4	1.7	A
Tetrapotassium pyrophosphate	Pomegranate	0.03	2	1.25	A
Tetrapotassium pyrophosphate	Regulatory pest control	0.78	N/A	N/A	N/A
Tetrapotassium pyrophosphate	Research commodity	0.02	N/A	N/A	N/A
Tetrapotassium pyrophosphate	Rights of way	0.37	14	9.0	A
Tetrapotassium pyrophosphate	Rights of way	0.76	N/A	N/A	N/A
Tetrapotassium pyrophosphate	Soil fumigation/preplant	0.04	1	40.0	A
Tetrapotassium pyrophosphate	Strawberry	16.79	140	1,424.3	A
Tetrapotassium pyrophosphate	Structural pest control	1.87	N/A	N/A	N/A
Tetrapotassium pyrophosphate	Tangelo	0.33	5	275.0	A
Tetrapotassium pyrophosphate	Tangerine	0.79	3	109.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tetrapotassium pyrophosphate	Tomato, processing	2.97	35	1,982.5	A
Tetrapotassium pyrophosphate	Uncultivated ag	0.04	1	1.8	A
Tetrapotassium pyrophosphate	Walnut	0.07	6	79.0	A
Thiabendazole	Bean, dried	0.03	N/A	6,500.0	P
Thiabendazole	Citrus	2,715.93	N/A	446,178.04	T
Thiabendazole	Commodity fumigation	4,548.87	N/A	N/A	N/A
Thiabendazole	Food processing plant	273.96	12	148,694.76	?
Thiabendazole	Food processing plant	4,309.19	N/A	335,085.0	T
Thiabendazole	Grapefruit	300.15	N/A	42,260.12	T
Thiabendazole	Landscape maintenance	51.39	N/A	N/A	N/A
Thiabendazole	Lemon	3,442.39	N/A	989,779.88	T
Thiabendazole	Lime	2.21	N/A	149.9	T
Thiabendazole	Mushroom	525.93	332	2,494,521.0	S
Thiabendazole	Mushroom house	3.14	5	28,750.0	S
Thiabendazole	Mushroom soil	62.78	78	448,500.0	S
Thiabendazole	Orange	212.23	N/A	3,400.0	K
Thiabendazole	Orange	10,836.87	N/A	1,657,221.97	T
Thiabendazole	Tangelo	69.04	N/A	8,490.05	T
Thiabendazole	Tangerine	262.21	N/A	45,179.01	T
Thiabendazole	Watermelon	0.78	N/A	56,009.65	P
Thiabendazole, hypophosphite salt	Landscape maintenance	2.37	N/A	N/A	N/A
Thiamethoxam	Animal premise	1.76	N/A	1.0	U
Thiamethoxam	Apple	<0.01	1	0.02	A
Thiamethoxam	Apricot	2.05	4	23.84	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiamethoxam	Artichoke, globe	162.27	255	3,463.98	A
Thiamethoxam	Arugula	55.31	113	887.18	A
Thiamethoxam	Avocado	4.24	11	58.5	A
Thiamethoxam	Avocado	0.19	1	180,000.0	U
Thiamethoxam	Bean, dried	19.8	N/A	44,000.0	P
Thiamethoxam	Beet	17.1	19	274.83	A
Thiamethoxam	Blackberry	43.81	81	944.17	A
Thiamethoxam	Blueberry	6.79	12	108.47	A
Thiamethoxam	Bok choy (choy sum, pak choi)	9.43	22	83.35	A
Thiamethoxam	Broccoli	883.15	1,126	12,732.2	A
Thiamethoxam	Brussels sprout	707.61	800	9,380.46	A
Thiamethoxam	Cabbage	335.32	445	3,891.08	A
Thiamethoxam	Cabbage, savoy	0.25	1	5.27	A
Thiamethoxam	Canola (rape)	0.04	N/A	84.0	P
Thiamethoxam	Cantaloupe	221.5	29	2,817.28	A
Thiamethoxam	Cardoon	0.9	2	14.4	A
Thiamethoxam	Carrot	10.38	7	208.19	A
Thiamethoxam	Carrot	2,608.76	N/A	885.33	P
Thiamethoxam	Cauliflower	510.66	753	7,849.81	A
Thiamethoxam	Celeriac	2.0	11	48.64	A
Thiamethoxam	Celery	371.09	626	5,748.73	A
Thiamethoxam	Cherry	286.32	195	4,346.01	A
Thiamethoxam	Chinese cabbage (napa, wong bok, celery cabbage)	17.72	43	184.39	A
Thiamethoxam	Citrus	6.22	8	83.5	A
Thiamethoxam	Citrus	<0.01	N/A	14.0	U
Thiamethoxam	Collard	0.58	3	11.5	A
Thiamethoxam	Commodity fumigation	69.78	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiamethoxam	Cotton	1,339.49	201	21,695.15	A
Thiamethoxam	Cress, garden	0.15	1	2.4	A
Thiamethoxam	Cucumber	2.94	9	52.25	A
Thiamethoxam	Cucumber	3,911.91	N/A	280,959.84	P
Thiamethoxam	Eggplant	4.54	4	66.0	A
Thiamethoxam	Endive (escarole)	18.83	60	178.99	A
Thiamethoxam	Fennel	4.71	5	60.26	A
Thiamethoxam	Golf course turf	22.01	3	98.33	A
Thiamethoxam	Golf course turf	0.14	1	30,000.0	S
Thiamethoxam	Grape	623.8	114	5,920.87	A
Thiamethoxam	Grape, wine	15,237.7	2,136	98,539.44	A
Thiamethoxam	Grapefruit	159.38	118	1,848.66	A
Thiamethoxam	Kale	35.07	93	407.98	A
Thiamethoxam	Kohlrabi	5.23	41	39.4	A
Thiamethoxam	Kumquat	1.3	1	20.84	A
Thiamethoxam	Landscape maintenance	291.15	N/A	N/A	N/A
Thiamethoxam	Lemon	1,953.47	966	22,279.61	A
Thiamethoxam	Lettuce, head	1,753.26	2,233	25,471.82	A
Thiamethoxam	Lettuce, leaf	2,295.89	3,607	33,057.11	A
Thiamethoxam	Lime	4.19	9	62.8	A
Thiamethoxam	Melon	184.67	48	2,868.5	A
Thiamethoxam	Melon	2.08	N/A	37.84	P
Thiamethoxam	Mint	0.15	4	2.85	A
Thiamethoxam	Mizuna	0.41	10	6.6	A
Thiamethoxam	Mustard greens	2.58	13	35.59	A
Thiamethoxam	N-grnhs flower	23.28	13	104.8	A
Thiamethoxam	N-grnhs flower	1.94	24	309,728.5	S
Thiamethoxam	N-grnhs plants in containers	18.51	187	152.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiamethoxam	N-grnhs plants in containers	4.37	48	917,888.0	S
Thiamethoxam	N-grnhs plants in containers	0.13	1	8,000.0	U
Thiamethoxam	N-grnhs transplants	0.96	9	6.27	A
Thiamethoxam	N-grnhs transplants	<0.01	1	90,000.0	S
Thiamethoxam	N-outdr flower	6.18	28	50.2	A
Thiamethoxam	N-outdr plants in containers	67.47	212	455.05	A
Thiamethoxam	N-outdr plants in containers	0.06	10	22,045.0	S
Thiamethoxam	N-outdr plants in containers	4.63	10	159,934.0	U
Thiamethoxam	N-outdr transplants	6.84	27	95.69	A
Thiamethoxam	Nectarine	6.55	10	76.24	A
Thiamethoxam	Onion, dry	372.35	N/A	15,867.95	P
Thiamethoxam	Orange	8,930.31	5,209	101,772.23	A
Thiamethoxam	Orange	0.94	1	15.0	K
Thiamethoxam	Parsley	1.07	4	19.21	A
Thiamethoxam	Peach	32.37	35	376.59	A
Thiamethoxam	Pecan	0.88	1	14.0	A
Thiamethoxam	Pepper, fruiting	364.77	200	5,556.34	A
Thiamethoxam	Pepper, spice	9.98	4	176.4	A
Thiamethoxam	Pistachio	27.44	3	439.0	A
Thiamethoxam	Plum	6.37	10	74.08	A
Thiamethoxam	Pomelo	7.33	11	88.0	A
Thiamethoxam	Potato	139.27	10	946.2	A
Thiamethoxam	Pumpkin	43.34	29	395.45	A
Thiamethoxam	Pumpkin	10.27	N/A	2,092.24	P
Thiamethoxam	Radish	0.02	3	0.48	A
Thiamethoxam	Rapini	32.18	30	482.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiamethoxam	Raspberry	12.1	33	256.38	A
Thiamethoxam	Regulatory pest control	4.85	N/A	N/A	N/A
Thiamethoxam	Research commodity	1.79	13	11.14	A
Thiamethoxam	Research commodity	2.59	N/A	N/A	N/A
Thiamethoxam	Rights of way	6.72	N/A	N/A	N/A
Thiamethoxam	Soil fumigation/preplant	6.56	1	25.0	A
Thiamethoxam	Spinach	197.07	345	3,254.61	A
Thiamethoxam	Squash	9.73	11	88.5	A
Thiamethoxam	Squash	41.0	N/A	5,870.54	P
Thiamethoxam	Squash, summer	9.7	5	93.0	A
Thiamethoxam	Squash, winter	8.95	1	52.0	A
Thiamethoxam	Strawberry	1,238.02	737	19,990.53	A
Thiamethoxam	Structural pest control	2,633.67	N/A	N/A	N/A
Thiamethoxam	Sunflower	10.44	N/A	19,143.5	P
Thiamethoxam	Sweet potato	42.08	5	336.2	A
Thiamethoxam	Swiss chard	8.04	58	135.03	A
Thiamethoxam	Tangelo	106.21	81	1,323.15	A
Thiamethoxam	Tangerine	2,080.54	379	14,929.03	A
Thiamethoxam	Tomato	1,021.65	275	10,953.94	A
Thiamethoxam	Tomato, processing	6,084.28	695	62,773.13	A
Thiamethoxam	Turf/sod	9.89	4	44.93	A
Thiamethoxam	Turnip	0.07	1	1.1	A
Thiamethoxam	Upland cress	7.21	49	115.9	A
Thiamethoxam	Vegetables, fruiting	0.04	1	0.5	A
Thiamethoxam	Vegetables, leafy	0.26	5	4.65	A
Thiamethoxam	Vertebrate control	1.37	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiamethoxam	Walnut	7.13	5	130.0	A
Thiamethoxam	Watermelon	79.08	20	775.0	A
Thiamethoxam	Watermelon	0.04	N/A	10.41	P
Thidiazuron	Cotton	8,930.22	2,573	162,332.56	A
Thiencarbazono-methyl	Bermudagrass	0.24	6	38.5	A
Thiencarbazono-methyl	Golf course turf	0.62	N/A	33.83	A
Thiencarbazono-methyl	Landscape maintenance	0.78	11	43.1	A
Thiencarbazono-methyl	Landscape maintenance	23.03	N/A	N/A	N/A
Thiencarbazono-methyl	N-grnhs flower	0.47	N/A	34.0	A
Thiencarbazono-methyl	N-grnhs transplants	0.11	N/A	12.0	A
Thiencarbazono-methyl	N-outdr transplants	0.27	2	12.5	A
Thiencarbazono-methyl	Rights of way	0.98	N/A	N/A	N/A
Thiencarbazono-methyl	Turf/sod	0.88	8	104.36	A
Thifensulfuron-methyl	Research commodity	0.02	1	0.84	A
Thiobencarb	Research commodity	<0.01	N/A	N/A	N/A
Thiobencarb	Rice	231,986.36	820	70,110.69	A
Thiophanate	Almond	16.8	1	24.0	A
Thiophanate	Grape, wine	5.6	3	7.5	A
Thiophanate	Landscape maintenance	85.0	N/A	N/A	N/A
Thiophanate	N-grnhs flower	1.5	2	1.0	A
Thiophanate	N-grnhs flower	40.0	N/A	560,000.0	S
Thiophanate	N-grnhs plants in containers	1.0	1	2.0	A
Thiophanate	N-outdr flower	8.0	2	16.0	A
Thiophanate	Strawberry	455.35	15	654.4	A
Thiophanate-methyl	Almond	28,235.62	835	34,708.11	A
Thiophanate-methyl	Apple	39.2	4	77.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiophanate-methyl	Apricot	290.45	39	450.66	A
Thiophanate-methyl	Bean, dried	57.92	3	301.0	A
Thiophanate-methyl	Cantaloupe	243.67	19	695.16	A
Thiophanate-methyl	Cherry	2,076.59	104	2,236.5	A
Thiophanate-methyl	Christmas tree	18.81	8	44.0	A
Thiophanate-methyl	Fumigation, other	481.98	N/A	N/A	N/A
Thiophanate-methyl	Golf course turf	4,525.38	6	887.22	A
Thiophanate-methyl	Golf course turf	258.79	N/A	1,310,090.0	S
Thiophanate-methyl	Grape	5,141.52	204	7,050.34	A
Thiophanate-methyl	Grape	0.61	3	140.0	U
Thiophanate-methyl	Grape, wine	26,569.05	1,121	28,697.64	A
Thiophanate-methyl	Landscape maintenance	0.75	2	1.5	A
Thiophanate-methyl	Landscape maintenance	3.09	1	32,000.0	S
Thiophanate-methyl	Landscape maintenance	21,008.17	N/A	N/A	N/A
Thiophanate-methyl	Melon	189.44	12	539.5	A
Thiophanate-methyl	N-grnhs flower	509.72	136	299.01	A
Thiophanate-methyl	N-grnhs flower	135.1	63	1,144,784.0	S
Thiophanate-methyl	N-grnhs plants in containers	2,300.33	793	999.97	A
Thiophanate-methyl	N-grnhs plants in containers	502.07	409	7,768,785.13	S
Thiophanate-methyl	N-grnhs plants in containers	73.06	N/A	3,439,302.0	U
Thiophanate-methyl	N-grnhs transplants	280.84	136	1,971.54	A
Thiophanate-methyl	N-grnhs transplants	233.29	275	1,635,600.0	S
Thiophanate-methyl	N-outdr flower	1,080.38	1,334	2,916.67	A
Thiophanate-methyl	N-outdr flower	0.13	1	15,102.0	S
Thiophanate-methyl	N-outdr plants in containers	2,388.63	1,369	2,066.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiophanate-methyl	N-outdr plants in containers	430.1	292	4,790,680.17	S
Thiophanate-methyl	N-outdr plants in containers	329.29	23	1,254,951.0	U
Thiophanate-methyl	N-outdr transplants	1,050.54	139	1,282.88	A
Thiophanate-methyl	N-outdr transplants	14.63	14	30,600.0	S
Thiophanate-methyl	N-outdr transplants	1.35	N/A	325.0	U
Thiophanate-methyl	Nectarine	1,358.94	258	2,986.83	A
Thiophanate-methyl	Peach	1,491.48	187	2,132.8	A
Thiophanate-methyl	Pistachio	694.07	10	625.5	A
Thiophanate-methyl	Plum	471.57	181	881.47	A
Thiophanate-methyl	Prune	1,797.33	44	1,805.47	A
Thiophanate-methyl	Regulatory pest control	0.73	N/A	N/A	N/A
Thiophanate-methyl	Research commodity	10.39	6	10.98	A
Thiophanate-methyl	Research commodity	0.02	3	46.0	S
Thiophanate-methyl	Research commodity	1.72	N/A	N/A	N/A
Thiophanate-methyl	Rights of way	15.32	N/A	N/A	N/A
Thiophanate-methyl	Squash, summer	0.35	1	10.0	A
Thiophanate-methyl	Stone fruit	17.6	4	17.0	A
Thiophanate-methyl	Strawberry	9,633.66	502	13,863.9	A
Thiophanate-methyl	Structural pest control	5.88	N/A	N/A	N/A
Thiophanate-methyl	Turf/sod	36.57	1	16.0	A
Thiophanate-methyl	Turf/sod	2.41	N/A	75,000.0	S
Thiophanate-methyl	Uncultivated non-ag	0.21	1	0.55	A
Thiophanate-methyl	Watermelon	410.39	18	1,053.56	A
Thiram	Alfalfa	423.8	N/A	956,117.0	P
Thiram	Alfalfa	493.97	N/A	396.28	T

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiram	Arugula	0.19	N/A	150.0	P
Thiram	Basil, sweet	0.17	N/A	105.0	P
Thiram	Bean, dried	149.1	N/A	291,500.0	P
Thiram	Beet	4.96	N/A	3,808.09	P
Thiram	Broccoli	109.9	N/A	45,236.31	P
Thiram	Cabbage	28.57	N/A	10,523.65	P
Thiram	Cantaloupe	1.94	N/A	1,482.0	P
Thiram	Carrot	311.38	N/A	128,816.98	P
Thiram	Cauliflower	10.08	N/A	4,145.83	P
Thiram	Celery	0.61	N/A	263.38	P
Thiram	Cilantro	63.37	N/A	50,834.0	P
Thiram	Commodity fumigation	1.06	N/A	N/A	N/A
Thiram	Cucumber	35.84	N/A	26,248.55	P
Thiram	Eggplant	0.4	N/A	350.0	P
Thiram	Endive (escarole)	0.19	N/A	56.32	P
Thiram	Kale	1.62	N/A	636.75	P
Thiram	Landscape maintenance	26.11	N/A	N/A	N/A
Thiram	Leek	24.85	N/A	9,969.0	P
Thiram	Lettuce, head	0.14	N/A	110.0	P
Thiram	Lettuce, leaf	51.65	N/A	22,237.67	P
Thiram	Melon	0.76	N/A	607.0	P
Thiram	N-grnhs plants in containers	0.01	1	600.0	S
Thiram	N-grnhs transplants	19.8	6	7.5	A
Thiram	N-outdr flower	0.13	1	1.0	A
Thiram	N-outdr plants in containers	938.77	27	376.46	A
Thiram	N-outdr transplants	1,592.95	42	705.19	A
Thiram	Okra	50.3	N/A	42,351.0	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiram	Onion, dry	555.2	N/A	323,122.47	P
Thiram	Papaya	0.01	N/A	7.47	P
Thiram	Parsley	2.9	N/A	2,330.0	P
Thiram	Peas	13.51	N/A	6,130.3	P
Thiram	Pepper, fruiting	35.69	N/A	14,958.32	P
Thiram	Pepper, spice	22.04	N/A	9,148.52	P
Thiram	Pumpkin	3.33	N/A	2,042.2	P
Thiram	Radish	158.34	N/A	103,507.77	P
Thiram	Research commodity	0.43	7	7.0	U
Thiram	Rights of way	0.08	N/A	N/A	N/A
Thiram	Soil fumigation/preplant	2.81	1	0.75	A
Thiram	Spinach	1,791.62	N/A	777,183.16	P
Thiram	Spinach	130.24	N/A	53,486.18	T
Thiram	Squash	71.8	N/A	53,108.43	P
Thiram	Strawberry	127,199.04	1,556	56,048.71	A
Thiram	Strawberry	4.08	12	42,600.0	S
Thiram	Sudangrass	54.97	N/A	11.02	T
Thiram	Sugarbeet (forage - fodder)	0.16	N/A	60.85	P
Thiram	Swiss chard	4.7	N/A	2,478.0	P
Thiram	Tomato	11.88	N/A	8,708.93	P
Thiram	Turnip	4.84	N/A	2,020.12	P
Thiram	Vegetable	0.31	N/A	2.0	A
Thiram	Vegetable	582.32	N/A	840,017.4	P
Thiram	Watermelon	31.88	N/A	23,542.42	P
Thyme	Regulatory pest control	0.06	N/A	N/A	N/A
Thyme	Structural pest control	2.83	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Thyme oil	Structural pest control	1.61	N/A	N/A	N/A
Thymol	Beehive	4.39	2	34.0	A
Thymol	Beehive	16.5	N/A	600.0	P
Thymol	Beehive	319.43	107	12,004.0	U
Thymol	Commercial, institutional or industrial areas	0.04	N/A	1,000.0	S
Thymol	Commodity fumigation	0.02	N/A	N/A	N/A
Thymol	Public health	0.12	N/A	N/A	N/A
Thymol	Rights of way	50.0	N/A	N/A	N/A
Thymol	Structural pest control	1.1	N/A	N/A	N/A
Tolfenpyrad	Grapefruit	4.52	1	18.0	A
Tolfenpyrad	Lemon	312.57	40	1,144.66	A
Tolfenpyrad	N-grnhs flower	20.75	21	83.0	A
Tolfenpyrad	N-grnhs flower	1.28	9	150,080.0	S
Tolfenpyrad	N-grnhs plants in containers	16.25	60	55.08	A
Tolfenpyrad	N-grnhs plants in containers	122.56	167	10,167,451.5	S
Tolfenpyrad	N-grnhs plants in containers	0.5	2	11,000.0	U
Tolfenpyrad	N-grnhs transplants	0.08	1	0.5	A
Tolfenpyrad	N-grnhs transplants	5.99	52	879,500.0	S
Tolfenpyrad	N-outdr flower	41.41	38	90.86	A
Tolfenpyrad	N-outdr plants in containers	18.49	42	55.8	A
Tolfenpyrad	N-outdr plants in containers	57.9	85	6,239,788.75	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tolfenpyrad	N-outdr plants in containers	6.14	8	131,763.0	U
Tolfenpyrad	N-outdr transplants	4.89	6	20.5	A
Tolfenpyrad	Orange	1,569.07	231	5,610.17	A
Tolfenpyrad	Tangelo	43.48	10	154.33	A
Tolfenpyrad	Tangerine	299.63	52	1,076.66	A
Topramezone	Golf course turf	0.78	1	34.0	A
Topramezone	Landscape maintenance	11.85	N/A	N/A	N/A
Topramezone	N-grnhs flower	0.01	N/A	13,000.0	S
Topramezone	Turf/sod	2.56	4	117.0	A
Toxaphene	Structural pest control	0.25	N/A	N/A	N/A
Tralomethrin	Structural pest control	0.47	N/A	N/A	N/A
Triadimefon	Almond	4.82	1	7.5	A
Triadimefon	Golf course turf	68.83	N/A	63.0	A
Triadimefon	Golf course turf	8.94	N/A	130,000.0	S
Triadimefon	Landscape maintenance	5.81	2	6.0	A
Triadimefon	Landscape maintenance	691.4	N/A	N/A	N/A
Triadimefon	N-grnhs flower	118.1	19	128.0	A
Triadimefon	N-grnhs flower	7.63	3	248,152.0	S
Triadimefon	N-grnhs plants in containers	2.25	44	34.05	A
Triadimefon	N-grnhs transplants	7.16	2	5.48	A
Triadimefon	N-outdr flower	1.36	5	6.65	A
Triadimefon	N-outdr flower	9.73	N/A	200,000.0	S
Triadimefon	N-outdr plants in containers	12.4	32	96.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triadimefon	N-outdr plants in containers	0.63	9	190,000.0	S
Triadimefon	N-outdr plants in containers	0.17	2	2,250.0	U
Triadimefon	Research commodity	0.01	N/A	N/A	N/A
Triadimefon	Sod farm (turf)	74.91	5	55.33	A
Triadimefon	Structural pest control	2.02	N/A	N/A	N/A
Triadimenol	Squash	0.39	N/A	427.06	P
Triadimenol	Watermelon	3.12	N/A	3,453.43	P
Triallate	Bermudagrass	325.0	3	286.0	A
Triallate	N-outdr plants in containers	1.13	1	0.4	A
Tribenuron-methyl	Alfalfa	0.84	3	115.7	A
Tribenuron-methyl	Barley	45.51	61	3,657.65	A
Tribenuron-methyl	Barley (forage - fodder)	16.95	41	1,117.22	A
Tribenuron-methyl	Corn (forage - fodder)	0.88	4	134.0	A
Tribenuron-methyl	Forage hay/silage	47.74	108	6,093.09	A
Tribenuron-methyl	Grain	1.22	3	78.0	A
Tribenuron-methyl	Grape, wine	1.02	4	163.26	A
Tribenuron-methyl	Grass, seed	0.02	1	0.5	A
Tribenuron-methyl	N-outdr flower	0.02	1	0.5	A
Tribenuron-methyl	Oat	18.2	66	2,786.13	A
Tribenuron-methyl	Oat (forage - fodder)	147.56	534	23,180.64	A
Tribenuron-methyl	Rangeland	0.28	1	45.0	A
Tribenuron-methyl	Rights of way	0.01	1	2.0	A
Tribenuron-methyl	Soil fumigation/preplant	0.47	1	35.0	A
Tribenuron-methyl	Sunflower	80.43	121	5,112.63	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Tribenuron-methyl	Triticale	179.72	216	11,753.72	A
Tribenuron-methyl	Uncultivated ag	43.52	44	3,990.5	A
Tribenuron-methyl	Wheat	425.84	523	30,614.81	A
Tribenuron-methyl	Wheat (forage - fodder)	1,010.92	1,327	74,245.6	A
Tributyl tetradecyl phosphonium chloride	Water (industrial)	191.8	N/A	4.0	U
Tributyltin oxide	Structural pest control	0.01	N/A	N/A	N/A
Trichlorfon	Mushroom house	0.03	1	5,750.0	S
Trichlorfon	Structural pest control	0.02	N/A	N/A	N/A
Trichloro-s-triazinetrione	Landscape maintenance	3,879.29	N/A	N/A	N/A
Trichloro-s-triazinetrione	Regulatory pest control	1,578.0	N/A	N/A	N/A
Trichloro-s-triazinetrione	Water (industrial)	5,560.05	N/A	29.0	U
Trichlorofluoromethane	Landscape maintenance	7.84	N/A	N/A	N/A
Trichlorofluoromethane	Public health	0.26	N/A	N/A	N/A
Trichlorofluoromethane	Rights of way	2.83	N/A	N/A	N/A
Trichlorofluoromethane	Structural pest control	38.02	N/A	N/A	N/A
Trichoderma harzianum rifai strain krl-ag2	Almond	<0.01	1	0.03	A
Trichoderma harzianum rifai strain krl-ag2	Basil, sweet	0.08	43	65,643.0	S
Trichoderma harzianum rifai strain krl-ag2	Cannabis (all or unspecified)	2.02	308	4,536,833.0	S
Trichoderma harzianum rifai strain krl-ag2	Cucumber	0.07	2	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trichoderma harzianum rifai strain krl-ag2	Cucumber	<0.01	1	64.0	S
Trichoderma harzianum rifai strain krl-ag2	Grapefruit	<0.01	1	4.5	A
Trichoderma harzianum rifai strain krl-ag2	Herb, spice	1.41	28	22.01	A
Trichoderma harzianum rifai strain krl-ag2	Landscape maintenance	0.67	N/A	N/A	N/A
Trichoderma harzianum rifai strain krl-ag2	Lettuce, head	2.8	15	254.05	A
Trichoderma harzianum rifai strain krl-ag2	Lettuce, head	0.33	46	261,857.0	S
Trichoderma harzianum rifai strain krl-ag2	Lettuce, leaf	4.14	7	288.4	A
Trichoderma harzianum rifai strain krl-ag2	Lettuce, leaf	<0.01	1	750.0	S
Trichoderma harzianum rifai strain krl-ag2	N-grnhs flower	<0.01	1	0.5	A
Trichoderma harzianum rifai strain krl-ag2	N-grnhs flower	2.21	79	308,321.0	S
Trichoderma harzianum rifai strain krl-ag2	N-grnhs plants in containers	18.01	354	448.87	A
Trichoderma harzianum rifai strain krl-ag2	N-grnhs plants in containers	0.4	3	931.5	C
Trichoderma harzianum rifai strain krl-ag2	N-grnhs plants in containers	3.19	117	1,764,557.0	S
Trichoderma harzianum rifai strain krl-ag2	N-grnhs transplants	82.44	28	490.39	A
Trichoderma harzianum rifai strain krl-ag2	N-grnhs transplants	4.18	278	2,462,514.0	S
Trichoderma harzianum rifai strain krl-ag2	N-outdr flower	0.7	11	13.84	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trichoderma harzianum rifai strain krl-ag2	N-outdr plants in containers	4.2	132	823.9	A
Trichoderma harzianum rifai strain krl-ag2	N-outdr plants in containers	0.97	3	1,191.0	C
Trichoderma harzianum rifai strain krl-ag2	N-outdr plants in containers	1.21	67	1,196,093.0	S
Trichoderma harzianum rifai strain krl-ag2	N-outdr plants in containers	0.81	9	59,625.0	U
Trichoderma harzianum rifai strain krl-ag2	N-outdr transplants	7.66	4	36.0	A
Trichoderma harzianum rifai strain krl-ag2	N-outdr transplants	3.45	112	1,071,319.5	S
Trichoderma harzianum rifai strain krl-ag2	N-outdr transplants	0.05	2	60,000.0	U
Trichoderma harzianum rifai strain krl-ag2	Nursery soil	10.23	99	33,129.0	C
Trichoderma harzianum rifai strain krl-ag2	Oregano	0.02	3	3.5	A
Trichoderma harzianum rifai strain krl-ag2	Peach	0.01	2	1.06	A
Trichoderma harzianum rifai strain krl-ag2	Pepper, fruiting	0.18	3	30.0	A
Trichoderma harzianum rifai strain krl-ag2	Research commodity	<0.01	1	0.01	A
Trichoderma harzianum rifai strain krl-ag2	Research commodity	0.04	12	11,400.0	S
Trichoderma harzianum rifai strain krl-ag2	Rosemary	0.04	2	7.0	A
Trichoderma harzianum rifai strain krl-ag2	Strawberry	1.59	7	101.0	A
Trichoderma harzianum rifai strain krl-ag2	Strawberry	<0.01	1	1,100.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>Trichoderma harzianum rifai strain krl-ag2</b>	Tomato	1.71	9	104.0	A
<b>Trichoderma harzianum rifai strain krl-ag2</b>	Uncultivated ag	1.1	125	183.3	A
<b>Trichoderma harzianum rifai strain krl-ag2</b>	Uncultivated ag	0.47	23	1,257.0	C
<b>Trichoderma harzianum rifai strain krl-ag2</b>	Uncultivated ag	0.1	5	279.0	S
<b>Trichoderma icc 012 asperellum</b>	Cannabis (all or unspecified)	0.34	8	48,900.0	S
<b>Trichoderma icc 012 asperellum</b>	Celery	1.29	3	35.2	A
<b>Trichoderma icc 012 asperellum</b>	Grape	2.18	44	119.0	A
<b>Trichoderma icc 012 asperellum</b>	Grape, wine	60.21	145	3,225.34	A
<b>Trichoderma icc 012 asperellum</b>	Landscape maintenance	0.72	N/A	N/A	N/A
<b>Trichoderma icc 012 asperellum</b>	Lettuce, head	0.78	2	18.05	A
<b>Trichoderma icc 012 asperellum</b>	Lettuce, leaf	6.79	11	102.16	A
<b>Trichoderma icc 012 asperellum</b>	N-outdr plants in containers	1.95	1	97.66	A
<b>Trichoderma icc 012 asperellum</b>	N-outdr plants in containers	<0.01	1	1,000.0	S
<b>Trichoderma icc 012 asperellum</b>	Spinach	6.27	16	138.33	A
<b>Trichoderma icc 080 gamsii</b>	Cannabis (all or unspecified)	0.34	8	48,900.0	S
<b>Trichoderma icc 080 gamsii</b>	Celery	1.29	3	35.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Trichoderma icc 080 gamsii</b>	Grape	2.18	44	119.0	A
<b>Trichoderma icc 080 gamsii</b>	Grape, wine	60.21	145	3,225.34	A
<b>Trichoderma icc 080 gamsii</b>	Landscape maintenance	0.72	N/A	N/A	N/A
<b>Trichoderma icc 080 gamsii</b>	Lettuce, head	0.78	2	18.05	A
<b>Trichoderma icc 080 gamsii</b>	Lettuce, leaf	6.79	11	102.16	A
<b>Trichoderma icc 080 gamsii</b>	N-outdr plants in containers	1.95	1	97.66	A
<b>Trichoderma icc 080 gamsii</b>	N-outdr plants in containers	<0.01	1	1,000.0	S
<b>Trichoderma icc 080 gamsii</b>	Spinach	6.27	16	138.33	A
<b>Trichoderma virens strain g-41</b>	Basil, sweet	0.02	26	32,650.0	S
<b>Trichoderma virens strain g-41</b>	Cannabis (all or unspecified)	1.03	298	4,443,833.0	S
<b>Trichoderma virens strain g-41</b>	Landscape maintenance	0.35	N/A	N/A	N/A
<b>Trichoderma virens strain g-41</b>	Lettuce, head	1.46	7	252.8	A
<b>Trichoderma virens strain g-41</b>	Lettuce, head	0.11	26	149,350.0	S
<b>Trichoderma virens strain g-41</b>	Lettuce, leaf	2.2	7	288.4	A
<b>Trichoderma virens strain g-41</b>	N-grnhs flower	<0.01	1	0.5	A
<b>Trichoderma virens strain g-41</b>	N-grnhs flower	1.17	77	289,821.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Trichoderma virens strain g-41	N-grnhs plants in containers	3.32	278	145.51	A
Trichoderma virens strain g-41	N-grnhs plants in containers	0.21	3	931.5	C
Trichoderma virens strain g-41	N-grnhs plants in containers	0.49	78	1,313,063.0	S
Trichoderma virens strain g-41	N-grnhs transplants	1.02	16	250.39	A
Trichoderma virens strain g-41	N-grnhs transplants	0.83	97	752,714.0	S
Trichoderma virens strain g-41	N-outdr plants in containers	1.57	79	718.81	A
Trichoderma virens strain g-41	N-outdr plants in containers	0.51	3	1,191.0	C
Trichoderma virens strain g-41	N-outdr plants in containers	0.63	65	1,181,693.0	S
Trichoderma virens strain g-41	N-outdr plants in containers	0.43	9	59,625.0	U
Trichoderma virens strain g-41	N-outdr transplants	1.83	112	1,071,319.5	S
Trichoderma virens strain g-41	N-outdr transplants	0.03	2	60,000.0	U
Trichoderma virens strain g-41	Pepper, fruiting	0.09	3	30.0	A
Trichoderma virens strain g-41	Strawberry	0.84	7	101.0	A
Trichoderma virens strain g-41	Strawberry	<0.01	1	1,100.0	S
Trichoderma virens strain g-41	Tomato	0.04	1	8.0	A
Trichoderma virens strain g-41	Uncultivated ag	0.21	19	1,041.0	C

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Trichoderma virens strain g-41</b>	Uncultivated ag	0.04	4	225.0	S
<b>Triclopyr choline</b>	Commercial, institutional or industrial areas	9.28	N/A	299.36	A
<b>Triclopyr choline</b>	Commercial, institutional or industrial areas	17.03	N/A	27,866.54	K
<b>Triclopyr choline</b>	Commercial, institutional or industrial areas	0.68	N/A	383,061.0	S
<b>Triclopyr choline</b>	Ditch bank	6.28	N/A	6,550.0	S
<b>Triclopyr choline</b>	Forest, timberland	3,155.05	93	6,685.81	A
<b>Triclopyr choline</b>	Grape, wine	16.74	1	6.5	A
<b>Triclopyr choline</b>	Landscape maintenance	188.33	1	135.0	A
<b>Triclopyr choline</b>	Landscape maintenance	4,070.23	N/A	N/A	N/A
<b>Triclopyr choline</b>	N-outdr plants in containers	11.6	24	143,500.0	S
<b>Triclopyr choline</b>	Pastureland	162.17	2	67.75	A
<b>Triclopyr choline</b>	Rangeland	28.3	17	26.5	A
<b>Triclopyr choline</b>	Rights of way	246.62	9	81.0	A
<b>Triclopyr choline</b>	Rights of way	36,036.9	N/A	N/A	N/A
<b>Triclopyr choline</b>	Structural pest control	0.35	N/A	N/A	N/A
<b>Triclopyr choline</b>	Uncultivated ag	615.91	5	250.25	A
<b>Triclopyr choline</b>	Uncultivated non-ag	33.75	N/A	136.2	A
<b>Triclopyr choline</b>	Water area	62.89	N/A	27.85	A
<b>Triclopyr choline</b>	Water area	1.48	N/A	34,000.0	S
<b>Triclopyr, butoxyethyl ester</b>	Commodity fumigation	14.81	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Triclopyr, butoxyethyl ester	County ag comm	170.17	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Forage hay/silage	28.69	4	23.0	A
Triclopyr, butoxyethyl ester	Forest, timberland	14,853.26	255	7,484.99	A
Triclopyr, butoxyethyl ester	Golf course turf	779.13	N/A	826.48	A
Triclopyr, butoxyethyl ester	Golf course turf	3.33	N/A	58,000.0	S
Triclopyr, butoxyethyl ester	Grape, wine	4.62	1	5.0	A
Triclopyr, butoxyethyl ester	Landscape maintenance	49.29	20	161.02	A
Triclopyr, butoxyethyl ester	Landscape maintenance	0.35	1	15,000.0	S
Triclopyr, butoxyethyl ester	Landscape maintenance	17,941.13	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	N-grnhs flower	337.13	N/A	285.97	A
Triclopyr, butoxyethyl ester	N-grnhs flower	0.05	N/A	1.75	C
Triclopyr, butoxyethyl ester	N-grnhs flower	3.33	N/A	99,658.0	S
Triclopyr, butoxyethyl ester	N-grnhs flower	2.31	N/A	80.0	U
Triclopyr, butoxyethyl ester	N-grnhs plants in containers	0.14	N/A	7.0	C
Triclopyr, butoxyethyl ester	N-grnhs plants in containers	0.06	2	60,000.0	S
Triclopyr, butoxyethyl ester	N-grnhs transplants	2.62	N/A	34.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Triclopyr, butoxyethyl ester	N-outdr flower	0.27	1	0.5	A
Triclopyr, butoxyethyl ester	N-outdr flower	1.39	N/A	50.0	U
Triclopyr, butoxyethyl ester	N-outdr plants in containers	18.82	3	16.0	A
Triclopyr, butoxyethyl ester	N-outdr plants in containers	0.52	12	29,767.0	S
Triclopyr, butoxyethyl ester	N-outdr transplants	90.64	6	67.5	A
Triclopyr, butoxyethyl ester	Pastureland	306.64	29	480.29	A
Triclopyr, butoxyethyl ester	Pastureland	6.85	4	32,190.0	S
Triclopyr, butoxyethyl ester	Public health	124.38	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Rangeland	682.93	36	1,383.87	A
Triclopyr, butoxyethyl ester	Recreation area	8.88	N/A	6.4	A
Triclopyr, butoxyethyl ester	Regulatory pest control	157.83	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Residential	5.92	N/A	4.0	A
Triclopyr, butoxyethyl ester	Rights of way	902.63	32	509.5	A
Triclopyr, butoxyethyl ester	Rights of way	15,374.68	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Sod farm (turf)	77.0	10	70.0	A
Triclopyr, butoxyethyl ester	Structural pest control	1.5	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Triclopyr, butoxyethyl ester	Turf/sod	737.6	34	889.45	A
Triclopyr, butoxyethyl ester	Uncultivated ag	228.41	23	77.7	A
Triclopyr, butoxyethyl ester	Uncultivated ag	1.67	1	5,200.0	S
Triclopyr, butoxyethyl ester	Uncultivated non-ag	817.2	25	754.38	A
Triclopyr, butoxyethyl ester	Walnut	59.23	1	10.0	A
Triclopyr, triethylamine salt	Alfalfa	6.89	1	20.0	A
Triclopyr, triethylamine salt	Commodity fumigation	0.66	N/A	N/A	N/A
Triclopyr, triethylamine salt	County ag comm	9.99	N/A	N/A	N/A
Triclopyr, triethylamine salt	Ditch bank	468.52	32	364.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triclopyr, triethylamine salt	Forage hay/silage	110.16	3	213.1	A
Triclopyr, triethylamine salt	Forest, timberland	4,167.63	184	5,784.05	A
Triclopyr, triethylamine salt	Forest, timberland	80.81	N/A	8,847.0	U
Triclopyr, triethylamine salt	Golf course turf	43.53	N/A	60.5	A
Triclopyr, triethylamine salt	Golf course turf	0.47	N/A	25,500.0	S
Triclopyr, triethylamine salt	Grape, wine	0.09	N/A	N/A	A
Triclopyr, triethylamine salt	Landscape maintenance	10,054.4	N/A	N/A	N/A
Triclopyr, triethylamine salt	Lemon	113.98	4	110.25	A
Triclopyr, triethylamine salt	N-grnhs flower	38.39	N/A	49.0	A
Triclopyr, triethylamine salt	N-outdr flower	1.57	N/A	2.9	A
Triclopyr, triethylamine salt	N-outdr plants in containers	2.43	2	10.0	A
Triclopyr, triethylamine salt	Pastureland	245.94	12	327.84	A
Triclopyr, triethylamine salt	Pastureland	1.36	5	54,200.0	S
Triclopyr, triethylamine salt	Public health	30.14	N/A	N/A	N/A
Triclopyr, triethylamine salt	Rangeland	514.99	47	2,162.6	A
Triclopyr, triethylamine salt	Regulatory pest control	36.49	N/A	N/A	N/A
Triclopyr, triethylamine salt	Research commodity	0.01	N/A	N/A	N/A
Triclopyr, triethylamine salt	Rice	34,387.88	2,311	177,016.72	A
Triclopyr, triethylamine salt	Rights of way	2,406.54	87	1,480.0	A
Triclopyr, triethylamine salt	Rights of way	56,314.92	N/A	N/A	N/A
Triclopyr, triethylamine salt	Structural pest control	6.45	N/A	N/A	N/A
Triclopyr, triethylamine salt	Turf/sod	6.27	1	8.0	A
Triclopyr, triethylamine salt	Uncultivated ag	225.56	25	396.18	A
Triclopyr, triethylamine salt	Uncultivated ag	0.09	1	3,500.0	S
Triclopyr, triethylamine salt	Uncultivated non-ag	170.25	3	105.25	A
Triclopyr, triethylamine salt	Walnut	7.14	2	24.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triclopyr, triethylamine salt	Water (industrial)	273.43	N/A	156.73	A
Triclopyr, triethylamine salt	Water area	283.01	2	291.0	A
Triclopyr, triethylamine salt	Watermelon	10.49	N/A	12.78	A
Triethanolamine	Alfalfa	741.0	597	34,317.7	A
Triethanolamine	Almond	5,042.37	920	52,445.57	A
Triethanolamine	Apple	0.24	9	22.65	A
Triethanolamine	Apricot	0.32	7	3.29	A
Triethanolamine	Avocado	0.31	7	79.5	A
Triethanolamine	Avocado	<0.01	4	24,400.0	U
Triethanolamine	Barley	38.43	11	472.0	A
Triethanolamine	Bean, dried	4.15	3	64.0	A
Triethanolamine	Bean, succulent	9.78	5	182.0	A
Triethanolamine	Bermudagrass	3.46	18	1,151.0	A
Triethanolamine	Broccoli	25.85	28	425.5	A
Triethanolamine	Cabbage	0.64	5	46.1	A
Triethanolamine	Cantaloupe	19.74	45	3,013.5	A
Triethanolamine	Carrot	4.7	59	3,020.5	A
Triethanolamine	Cauliflower	1.16	1	7.5	A
Triethanolamine	Cherry	177.31	59	719.66	A
Triethanolamine	Cilantro	0.47	1	2.0	A
Triethanolamine	Citrus	0.1	1	20.0	A
Triethanolamine	Corn (forage - fodder)	143.77	54	2,552.9	A
Triethanolamine	Corn, grain	26.16	8	304.0	A
Triethanolamine	Corn, human consumption	6.03	37	2,354.4	A
Triethanolamine	Cotton	649.77	149	24,660.11	A
Triethanolamine	Date	0.06	1	37.0	A
Triethanolamine	Ditch bank	4.59	38	370.5	A
Triethanolamine	Forage hay/silage	1.34	11	548.5	A
Triethanolamine	Garlic	64.06	6	828.33	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triethanolamine	Grape	223.48	365	14,190.34	A
Triethanolamine	Grape, wine	218.9	209	1,847.77	A
Triethanolamine	Grapefruit	4.31	8	150.0	A
Triethanolamine	Kiwi fruit fuzzy	14.89	390	3,319.99	A
Triethanolamine	Landscape maintenance	0.09	1	8.0	A
Triethanolamine	Landscape maintenance	37.13	N/A	N/A	N/A
Triethanolamine	Lemon	15.4	52	2,860.1	A
Triethanolamine	Lettuce, head	2.51	18	187.0	A
Triethanolamine	Lettuce, leaf	3.66	28	387.4	A
Triethanolamine	Melon	23.07	85	4,543.9	A
Triethanolamine	N-grnhs flower	4.5	85	287.0	A
Triethanolamine	N-grnhs flower	0.09	35	107,775.0	S
Triethanolamine	N-grnhs plants in containers	23.52	320	365.26	A
Triethanolamine	N-grnhs plants in containers	0.71	56	1,120,200.0	S
Triethanolamine	N-grnhs transplants	6.89	66	569.82	A
Triethanolamine	N-grnhs transplants	1.82	25	4,868,340.0	S
Triethanolamine	N-outdr flower	19.25	465	1,078.08	A
Triethanolamine	N-outdr plants in containers	31.55	739	1,073.89	A
Triethanolamine	N-outdr plants in containers	<0.01	1	2.0	S
Triethanolamine	N-outdr plants in containers	0.05	4	872.0	U
Triethanolamine	N-outdr transplants	5.26	17	41.5	A
Triethanolamine	N-outdr transplants	21.49	323	55,811,310.0	S
Triethanolamine	Nectarine	5.97	37	308.48	A
Triethanolamine	Oat	0.34	3	209.0	A
Triethanolamine	Oat (forage - fodder)	11.03	4	89.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triethanolamine	Olive	11.43	17	527.77	A
Triethanolamine	Onion, dry	38.13	18	1,366.0	A
Triethanolamine	Orange	37.63	70	745.82	A
Triethanolamine	Peach	8.03	72	491.86	A
Triethanolamine	Persimmon	11.51	10	102.39	A
Triethanolamine	Pistachio	385.87	130	7,497.38	A
Triethanolamine	Plum	1.81	38	284.62	A
Triethanolamine	Pomegranate	2.98	20	886.55	A
Triethanolamine	Prune	1.92	10	149.0	A
Triethanolamine	Pumpkin	55.59	19	525.0	A
Triethanolamine	Rangeland	6.2	1	200.0	A
Triethanolamine	Regulatory pest control	2.0	N/A	N/A	N/A
Triethanolamine	Research commodity	0.04	N/A	N/A	N/A
Triethanolamine	Rice	38.73	125	11,012.87	A
Triethanolamine	Rights of way	898.68	67	22,806.0	A
Triethanolamine	Rights of way	18.62	N/A	N/A	N/A
Triethanolamine	Safflower	54.73	41	10,033.0	A
Triethanolamine	Soil fumigation/preplant	1.1	3	740.0	A
Triethanolamine	Strawberry	42.81	140	1,424.3	A
Triethanolamine	Structural pest control	4.76	N/A	N/A	N/A
Triethanolamine	Sudangrass	1.84	15	783.98	A
Triethanolamine	Sugarbeet	2.52	15	1,097.3	A
Triethanolamine	Sugarbeet (forage - fodder)	0.41	2	126.2	A
Triethanolamine	Sugarcane	0.46	2	140.0	A
Triethanolamine	Sunflower	0.04	1	24.0	A
Triethanolamine	Tangelo	1.45	6	283.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triethanolamine	Tangerine	43.02	44	614.71	A
Triethanolamine	Tomato, processing	627.37	135	7,967.0	A
Triethanolamine	Triticale	1.49	1	24.0	A
Triethanolamine	Uncultivated ag	643.71	168	5,364.6	A
Triethanolamine	Uncultivated non-ag	6.56	5	34.0	A
Triethanolamine	Walnut	1,453.43	405	16,737.36	A
Triethanolamine	Watermelon	28.41	4	288.0	A
Triethanolamine	Wheat	39.37	57	3,768.5	A
Triethanolamine	Wheat (forage - fodder)	81.35	5	656.6	A
Triethanolamine oleate	Alfalfa	35.41	72	3,445.39	A
Triethanolamine oleate	Almond	364.02	102	6,555.69	A
Triethanolamine oleate	Barley (forage - fodder)	8.21	7	991.0	A
Triethanolamine oleate	Cannabis (all or unspecified)	0.08	1	1.75	A
Triethanolamine oleate	Cannabis (all or unspecified)	<0.01	2	3,952.0	S
Triethanolamine oleate	Cherry	10.41	13	210.28	A
Triethanolamine oleate	Corn (forage - fodder)	19.65	42	1,682.6	A
Triethanolamine oleate	Cotton	34.82	52	2,888.28	A
Triethanolamine oleate	Grape	63.37	56	2,391.44	A
Triethanolamine oleate	Grape, wine	510.4	249	15,722.42	A
Triethanolamine oleate	Lettuce, head	5.4	18	326.0	A
Triethanolamine oleate	Lettuce, leaf	0.17	1	10.0	A
Triethanolamine oleate	Oat (forage - fodder)	1.0	3	120.5	A
Triethanolamine oleate	Orange	1.12	3	70.0	A
Triethanolamine oleate	Peach	28.24	15	815.2	A
Triethanolamine oleate	Persimmon	0.41	1	10.0	A
Triethanolamine oleate	Pistachio	48.88	39	1,438.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triethanolamine oleate	Plum	0.23	1	5.5	A
Triethanolamine oleate	Pomegranate	0.42	2	10.0	A
Triethanolamine oleate	Rights of way	0.25	3	4.0	A
Triethanolamine oleate	Rights of way	6.29	N/A	N/A	N/A
Triethanolamine oleate	Soil fumigation/preplant	37.43	19	2,986.52	A
Triethanolamine oleate	Sorghum (forage - fodder)	5.83	9	797.1	A
Triethanolamine oleate	Tangerine	0.21	1	2.5	A
Triethanolamine oleate	Tomato	14.14	46	844.25	A
Triethanolamine oleate	Triticale	16.75	19	1,794.95	A
Triethanolamine oleate	Uncultivated ag	0.06	1	5.0	A
Triethanolamine oleate	Walnut	2.19	3	106.0	A
Triethanolamine oleate	Wheat	8.67	16	766.8	A
Triethanolamine oleate	Wheat (forage - fodder)	80.65	151	8,806.82	A
Triethanolamine sulfonate	Orange	0.04	1	10.0	A
Triethylene glycol	Commodity fumigation	6.31	1	94,188.0	C
Triethylene glycol	Structural pest control	0.08	N/A	N/A	N/A
Trifloxystrobin	Almond	12,020.15	2,417	126,673.69	A
Trifloxystrobin	Apple	170.69	103	1,956.72	A
Trifloxystrobin	Apricot	79.43	71	750.47	A
Trifloxystrobin	Artichoke, globe	789.24	444	6,553.12	A
Trifloxystrobin	Basil, sweet	0.25	1	2.0	A
Trifloxystrobin	Beet	2.49	10	27.02	A
Trifloxystrobin	Blueberry	101.48	21	822.5	A
Trifloxystrobin	Bok choy (choy sum, pak choi)	2.69	8	21.88	A
Trifloxystrobin	Broccoli	32.84	41	269.79	A
Trifloxystrobin	Brussels sprout	838.6	439	6,850.15	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trifloxystrobin	Cabbage	70.05	65	580.46	A
Trifloxystrobin	Cantaloupe	25.18	3	203.1	A
Trifloxystrobin	Carrot	46.1	15	376.35	A
Trifloxystrobin	Cauliflower	25.37	36	211.85	A
Trifloxystrobin	Celery	225.91	263	2,556.39	A
Trifloxystrobin	Cherry	865.38	404	8,332.92	A
Trifloxystrobin	Chinese cabbage (napa, wong bok, celery cabbage)	30.02	24	242.24	A
Trifloxystrobin	Chrysanthemum, edible leaved	1.43	9	12.5	A
Trifloxystrobin	Cilantro	5.66	17	50.59	A
Trifloxystrobin	Citrus	3.99	2	46.0	A
Trifloxystrobin	Collard	6.64	15	53.75	A
Trifloxystrobin	Cucumber	10.33	10	83.77	A
Trifloxystrobin	Cucumber	<0.01	2	108.0	S
Trifloxystrobin	Endive (escarole)	1.34	9	10.78	A
Trifloxystrobin	Fennel	20.17	24	215.2	A
Trifloxystrobin	Golf course turf	23.42	N/A	101.3	A
Trifloxystrobin	Golf course turf	1.15	N/A	225,000.0	S
Trifloxystrobin	Grape	8,672.1	2,046	71,488.27	A
Trifloxystrobin	Grape	0.02	1	9,000.0	S
Trifloxystrobin	Grape, wine	11,572.51	2,878	113,080.99	A
Trifloxystrobin	Grapefruit	3.11	5	47.0	A
Trifloxystrobin	Herb, spice	1.15	4	10.0	A
Trifloxystrobin	Kale	55.78	89	465.32	A
Trifloxystrobin	Landscape maintenance	2.91	6	13.47	A
Trifloxystrobin	Landscape maintenance	0.57	2	106,000.0	S
Trifloxystrobin	Landscape maintenance	202.86	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trifloxystrobin	Lemon	109.66	53	1,049.17	A
Trifloxystrobin	Lettuce, head	782.02	670	6,662.21	A
Trifloxystrobin	Lettuce, leaf	1,465.02	1,539	12,277.12	A
Trifloxystrobin	Melon	3.21	9	26.94	A
Trifloxystrobin	Mustard greens	2.58	11	21.22	A
Trifloxystrobin	N-grnhs flower	45.81	131	359.81	A
Trifloxystrobin	N-grnhs flower	1.73	31	599,106.0	S
Trifloxystrobin	N-grnhs plants in containers	15.19	154	131.73	A
Trifloxystrobin	N-grnhs plants in containers	0.68	13	672,600.0	S
Trifloxystrobin	N-grnhs transplants	20.28	120	235.77	A
Trifloxystrobin	N-grnhs transplants	2.08	6	924,990.0	S
Trifloxystrobin	N-outdr flower	36.77	99	263.69	A
Trifloxystrobin	N-outdr plants in containers	38.51	213	431.03	A
Trifloxystrobin	N-outdr plants in containers	0.12	9	190,000.0	S
Trifloxystrobin	N-outdr plants in containers	0.72	5	6,050.0	U
Trifloxystrobin	N-outdr transplants	34.27	37	406.7	A
Trifloxystrobin	N-outdr transplants	19.83	43	8,807,910.0	S
Trifloxystrobin	Nectarine	1,009.77	539	9,180.27	A
Trifloxystrobin	Orange	528.99	155	5,046.49	A
Trifloxystrobin	Parsley	66.12	40	532.32	A
Trifloxystrobin	Peach	1,743.06	879	15,793.82	A
Trifloxystrobin	Pear	4.33	3	48.0	A
Trifloxystrobin	Pecan	2.35	2	24.0	A
Trifloxystrobin	Pepper, fruiting	396.55	164	3,387.92	A
Trifloxystrobin	Pepper, spice	4.39	8	35.48	A
Trifloxystrobin	Pepper, spice	<0.01	1	72.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trifloxystrobin	Pistachio	1,406.1	236	14,144.23	A
Trifloxystrobin	Plum	330.46	364	3,316.34	A
Trifloxystrobin	Pluot	3.12	3	30.66	A
Trifloxystrobin	Pome fruit	0.27	5	2.5	A
Trifloxystrobin	Prune	10.59	3	130.0	A
Trifloxystrobin	Pumpkin	119.72	28	1,009.7	A
Trifloxystrobin	Radish	0.31	2	3.25	A
Trifloxystrobin	Regulatory pest control	1.41	N/A	N/A	N/A
Trifloxystrobin	Research commodity	7.45	28	65.94	A
Trifloxystrobin	Research commodity	0.07	N/A	N/A	N/A
Trifloxystrobin	Sod farm (turf)	14.97	5	55.33	A
Trifloxystrobin	Spinach	0.07	2	0.63	A
Trifloxystrobin	Squash	5.06	9	40.62	A
Trifloxystrobin	Squash, summer	1.25	1	45.0	A
Trifloxystrobin	Squash, winter	1.86	1	19.0	A
Trifloxystrobin	Stone fruit	7.91	8	74.5	A
Trifloxystrobin	Strawberry	7,095.79	1,762	59,795.58	A
Trifloxystrobin	Strawberry	<0.01	3	900.0	S
Trifloxystrobin	Structural pest control	0.05	N/A	N/A	N/A
Trifloxystrobin	Swiss chard	2.78	21	29.37	A
Trifloxystrobin	Tangelo	3.19	4	29.94	A
Trifloxystrobin	Tangerine	603.43	189	5,522.93	A
Trifloxystrobin	Tomatillo	0.29	4	2.24	A
Trifloxystrobin	Tomato	494.93	149	4,306.84	A
Trifloxystrobin	Tomato, processing	409.09	39	3,844.0	A
Trifloxystrobin	Uncultivated ag	0.46	3	3.7	A
Trifloxystrobin	Vegetable	0.24	1	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trifloxystrobin	Vertebrate control	0.05	1	0.78	A
Trifloxystrobin	Walnut	120.87	45	1,218.65	A
Trifloxystrobin	Watermelon	239.02	42	1,973.46	A
Trifloxysulfuron-sodium	Golf course turf	0.27	N/A	23.5	A
Trifloxysulfuron-sodium	Landscape maintenance	32.08	N/A	N/A	N/A
Trifloxysulfuron-sodium	N-outdr flower	1.27	1	2.64	A
Trifloxysulfuron-sodium	Sod farm (turf)	2.57	10	144.65	A
Trifloxysulfuron-sodium	Turf/sod	7.42	19	363.75	A
Triflumizole	Apple	26.74	13	64.78	A
Triflumizole	Broccoli	0.2	1	1.0	A
Triflumizole	Brussels sprout	765.5	169	3,104.01	A
Triflumizole	Cabbage	11.93	3	47.64	A
Triflumizole	Cantaloupe	164.76	9	688.0	A
Triflumizole	Cauliflower	0.2	1	1.0	A
Triflumizole	Cherry	780.16	45	1,569.32	A
Triflumizole	Cilantro	21.09	8	84.1	A
Triflumizole	Cole crop	0.74	5	3.4	A
Triflumizole	Collard	10.77	12	43.0	A
Triflumizole	Cucumber	2.42	11	8.77	A
Triflumizole	Endive (escarole)	0.64	1	2.61	A
Triflumizole	Grape	5,276.92	398	19,666.91	A
Triflumizole	Grape, wine	1,111.1	306	5,254.8	A
Triflumizole	Herb, spice	0.75	1	3.0	A
Triflumizole	Kale	92.68	61	370.69	A
Triflumizole	Landscape maintenance	0.25	N/A	N/A	N/A
Triflumizole	Lettuce, head	17.21	10	70.21	A
Triflumizole	Lettuce, leaf	33.62	7	121.72	A
Triflumizole	Melon	107.89	11	498.1	A
Triflumizole	N-grnhs flower	78.83	58	164.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triflumizole	N-grnhs flower	1.99	17	92,500.0	S
Triflumizole	N-grnhs plants in containers	43.13	110	203.35	A
Triflumizole	N-grnhs plants in containers	3.0	20	487,500.0	S
Triflumizole	N-grnhs transplants	14.52	6	49.44	A
Triflumizole	N-grnhs transplants	4.38	5	17,309.0	S
Triflumizole	N-outdr flower	9.19	16	31.53	A
Triflumizole	N-outdr flower	0.02	2	3,500.0	S
Triflumizole	N-outdr plants in containers	9.34	62	42.5	A
Triflumizole	N-outdr plants in containers	0.25	1	42,000.0	S
Triflumizole	N-outdr transplants	140.07	36	570.12	A
Triflumizole	Parsley	43.2	14	173.18	A
Triflumizole	Pear	240.76	13	619.5	A
Triflumizole	Pumpkin	14.61	5	58.4	A
Triflumizole	Regulatory pest control	<0.01	N/A	N/A	N/A
Triflumizole	Research commodity	0.09	2	15,500.0	S
Triflumizole	Research commodity	0.01	N/A	N/A	N/A
Triflumizole	Soil fumigation/preplant	0.19	1	0.75	A
Triflumizole	Squash	32.36	52	130.0	A
Triflumizole	Strawberry	7,543.45	849	30,810.04	A
Triflumizole	Structural pest control	2.05	N/A	N/A	N/A
Triflumizole	Swiss chard	35.23	30	140.85	A
Triflumizole	Tomato	9.22	8	39.54	A
Triflumizole	Uncultivated ag	0.24	1	0.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triflumizole	Vegetables, fruiting	0.28	3	1.1	A
Triflumizole	Vegetables, leafy	57.76	119	236.75	A
Triflumizole	Watermelon	50.91	4	203.5	A
Trifluralin	Alfalfa	102,752.46	1,002	51,814.38	A
Trifluralin	Almond	12,115.26	180	9,996.24	A
Trifluralin	Asparagus	123.18	6	136.0	A
Trifluralin	Avocado	12.0	1	6.0	A
Trifluralin	Bean, dried	850.82	32	1,374.7	A
Trifluralin	Bean, succulent	77.36	13	157.45	A
Trifluralin	Bean, unspecified	156.15	33	315.98	A
Trifluralin	Bermudagrass	48,477.78	310	24,337.38	A
Trifluralin	Bok choy (choy sum, pak choi)	468.91	72	771.8	A
Trifluralin	Broccoli	3,050.89	419	6,010.67	A
Trifluralin	Brussels sprout	11.96	3	23.67	A
Trifluralin	Cabbage	324.53	56	359.22	A
Trifluralin	Cantaloupe	1,788.48	45	2,406.04	A
Trifluralin	Carrot	4,845.41	135	7,497.9	A
Trifluralin	Cauliflower	914.51	111	1,274.49	A
Trifluralin	Celery	745.6	42	876.36	A
Trifluralin	Chinese greens	72.49	21	139.0	A
Trifluralin	Collard	7.36	5	14.75	A
Trifluralin	Corn (forage - fodder)	464.54	5	506.2	A
Trifluralin	Cotton	9,037.82	157	10,856.7	A
Trifluralin	Cucumber	78.03	6	119.0	A
Trifluralin	Daikon	9.68	1	10.0	A
Trifluralin	Gai choy	19.18	4	74.0	A
Trifluralin	Gai lon	17.12	4	65.0	A
Trifluralin	Garbanzo bean	327.02	2	329.0	A
Trifluralin	Grape	3,102.9	42	1,555.34	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Trifluralin	Grape, wine	740.66	65	1,774.94	A
Trifluralin	Grass, seed	290.0	2	145.25	A
Trifluralin	Hops	9.43	5	14.47	A
Trifluralin	Kale	88.29	11	132.73	A
Trifluralin	Landscape maintenance	1,337.48	N/A	N/A	N/A
Trifluralin	Lemon	123.89	7	157.0	A
Trifluralin	Lettuce, leaf	36.75	23	72.74	A
Trifluralin	Melon	1,573.63	56	1,841.01	A
Trifluralin	Mint	7.6	1	15.0	A
Trifluralin	Mustard	61.77	5	126.0	A
Trifluralin	Mustard greens	22.11	30	40.2	A
Trifluralin	N-grnhs flower	1.01	1	2.25	A
Trifluralin	N-grnhs flower	1.88	7	54,000.0	S
Trifluralin	N-grnhs flower	0.22	7	4,293.0	U
Trifluralin	N-grnhs plants in containers	6.8	6	2.8	A
Trifluralin	N-outdr flower	138.91	64	73.67	A
Trifluralin	N-outdr plants in containers	2,505.11	936	953.55	A
Trifluralin	N-outdr plants in containers	0.58	4	8.4	K
Trifluralin	N-outdr plants in containers	37.04	88	786,845.94	S
Trifluralin	N-outdr plants in containers	1.13	9	21,551.0	U
Trifluralin	N-outdr transplants	6.52	2	50.0	A
Trifluralin	Okra	58.34	7	67.0	A
Trifluralin	Onion, green	3.01	4	8.0	A
Trifluralin	Peas	33.95	7	79.0	A
Trifluralin	Pepper, fruiting	1,313.31	89	2,372.15	A
Trifluralin	Pepper, spice	4.04	1	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trifluralin	Potato	1,340.05	30	2,622.8	A
Trifluralin	Pumpkin	18.33	3	22.75	A
Trifluralin	Radicchio	390.7	16	410.0	A
Trifluralin	Radish	18.41	3	32.07	A
Trifluralin	Rapini	249.82	47	615.4	A
Trifluralin	Regulatory pest control	15,780.63	N/A	N/A	N/A
Trifluralin	Research commodity	38.14	29	53.42	A
Trifluralin	Research commodity	2.31	N/A	N/A	N/A
Trifluralin	Rights of way	7.92	1	7.9	A
Trifluralin	Rights of way	817.05	N/A	N/A	N/A
Trifluralin	Safflower	4,369.35	96	4,809.7	A
Trifluralin	Soil fumigation/preplant	1,479.62	14	1,617.05	A
Trifluralin	Soybean	139.16	1	140.0	A
Trifluralin	Squash	9.13	3	12.65	A
Trifluralin	Structural pest control	28.23	N/A	N/A	N/A
Trifluralin	Sunflower	7,492.61	157	10,144.34	A
Trifluralin	Tomatillo	0.53	1	1.0	A
Trifluralin	Tomato	10,180.95	365	15,988.53	A
Trifluralin	Tomato, processing	81,638.07	1,526	109,207.1	A
Trifluralin	Turnip greens	3.34	23	6.94	A
Trifluralin	Uncultivated ag	3,384.03	81	4,749.6	A
Trifluralin	Vegetables, leafy	9.32	5	18.0	A
Trifluralin	Walnut	145.76	3	166.64	A
Trifluralin	Watermelon	829.21	52	1,418.9	A
Trifluralin	Wheat (forage - fodder)	79.52	1	80.0	A
Triflurosulfuron-methyl	Chicory	0.01	1	0.9	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triflusulfuron-methyl	Sugarbeet	100.02	53	4,110.24	A
Trimethylamine	Animal premise	0.02	N/A	39.0	U
Trimethylamine	Landscape maintenance	<0.01	N/A	N/A	N/A
Trimethylamine	Structural pest control	0.02	N/A	N/A	N/A
Trinexapac-ethyl	County ag comm	9.81	N/A	N/A	N/A
Trinexapac-ethyl	Golf course turf	809.57	27	9,362.74	A
Trinexapac-ethyl	Golf course turf	7.21	N/A	6,409,450.0	S
Trinexapac-ethyl	Landscape maintenance	8.83	35	149.3	A
Trinexapac-ethyl	Landscape maintenance	0.43	3	419,500.0	S
Trinexapac-ethyl	Landscape maintenance	7,821.64	N/A	N/A	N/A
Trinexapac-ethyl	N-grnhs flower	383.79	7	3,889.3	A
Trinexapac-ethyl	N-grnhs flower	4.26	N/A	4,126,000.0	S
Trinexapac-ethyl	N-grnhs plants in containers	0.22	1	9.0	A
Trinexapac-ethyl	N-grnhs transplants	65.49	N/A	969.33	A
Trinexapac-ethyl	N-outdr flower	0.78	N/A	18.0	A
Trinexapac-ethyl	Recreation area	0.98	N/A	525,000.0	S
Trinexapac-ethyl	Rice	11.88	3	315.18	A
Trinexapac-ethyl	Rights of way	2.98	N/A	N/A	N/A
Trinexapac-ethyl	Turf/sod	47.26	22	479.6	A
Trinexapac-ethyl	Turf/sod	1.36	N/A	756,800.0	S
Trinexapac-ethyl	Uncultivated non-ag	3.34	N/A	65.0	A
Triptolide	Landscape maintenance	<0.01	N/A	N/A	N/A
Triptolide	Regulatory pest control	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>Triptolide</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Trisodium phosphate</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>Trisodium phosphate</b>	Walnut	2.64	7	348.0	A
<b>Triticonazole</b>	Golf course turf	36.5	N/A	32.89	A
<b>Triticonazole</b>	Landscape maintenance	0.24	1	9,000.0	S
<b>Triticonazole</b>	Landscape maintenance	139.73	N/A	N/A	N/A
<b>Triticonazole</b>	N-grnhs flower	0.28	N/A	2.0	A
<b>Triticonazole</b>	N-grnhs flower	0.25	5	39,491.0	S
<b>Triticonazole</b>	N-grnhs plants in containers	1.61	8	6.53	A
<b>Triticonazole</b>	N-outdr flower	20.42	14	73.62	A
<b>Triticonazole</b>	N-outdr plants in containers	58.1	31	439.78	A
<b>Triticonazole</b>	Structural pest control	0.03	N/A	N/A	N/A
<b>Ulocladium oudemansii (u3 strain)</b>	Almond	78.3	3	58.0	A
<b>Ulocladium oudemansii (u3 strain)</b>	Apricot	11.25	2	10.0	A
<b>Ulocladium oudemansii (u3 strain)</b>	Cannabis (all or unspecified)	18.3	16	8.71	A
<b>Ulocladium oudemansii (u3 strain)</b>	Cannabis (all or unspecified)	51.41	26	650,340.0	S
<b>Ulocladium oudemansii (u3 strain)</b>	Industrial hemp	0.25	1	8,000.0	S
<b>Ulocladium oudemansii (u3 strain)</b>	N-grnhs flower	5.52	20	121,290.0	S
<b>Ulocladium oudemansii (u3 strain)</b>	Nectarine	59.29	11	51.0	A
<b>Ulocladium oudemansii (u3 strain)</b>	Peach	94.07	13	79.5	A
<b>Ulocladium oudemansii (u3 strain)</b>	Plum	26.32	4	19.0	A
<b>Ulocladium oudemansii (u3 strain)</b>	Pluot	29.9	3	20.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ulocladium oudemansii (u3 strain)	Research commodity	<0.01	1	700.0	S
Ulocladium oudemansii (u3 strain)	Strawberry	0.04	1	800.0	S
Uniconazole-p	N-grnhs flower	<0.01	3	1.7	A
Uniconazole-p	N-grnhs flower	<0.01	6	1,775.0	S
Uniconazole-p	N-grnhs plants in containers	0.28	349	69.33	A
Uniconazole-p	N-grnhs plants in containers	0.15	134	1,486,859.0	S
Uniconazole-p	N-grnhs transplants	1.35	138	2,676.67	A
Uniconazole-p	N-grnhs transplants	<0.01	12	22,616.0	S
Uniconazole-p	N-outdr plants in containers	0.15	69	51.49	A
Uniconazole-p	N-outdr plants in containers	0.05	19	200,200.0	S
Uniconazole-p	N-outdr transplants	<0.01	3	0.88	A
Uniconazole-p	Pepper, fruiting	<0.01	16	5.25	A
Uniconazole-p	Regulatory pest control	<0.01	N/A	N/A	N/A
Uniconazole-p	Tomato	0.02	24	7.0	A
Urea	Alfalfa	320.15	36	1,601.01	A
Urea	Almond	9,426.64	556	22,689.64	A
Urea	Apricot	27.93	5	60.22	A
Urea	Cabbage	0.72	2	55.0	A
Urea	Cantaloupe	186.81	30	3,723.78	A
Urea	Cherry	12.24	2	16.2	A
Urea	Corn (forage - fodder)	345.4	19	906.1	A
Urea	Corn, human consumption	90.54	10	166.0	A
Urea	Cotton	1,027.02	292	15,162.42	A
Urea	Fig	483.41	10	603.93	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Urea	Grape	28.21	4	48.4	A
Urea	Grape, wine	765.54	227	2,148.28	A
Urea	Landscape maintenance	977.64	N/A	N/A	N/A
Urea	Lettuce, leaf	4.01	6	331.0	A
Urea	N-outdr transplants	0.34	1	180,000.0	S
Urea	Oat (forage - fodder)	137.27	5	160.0	A
Urea	Onion, dry	3.67	5	280.0	A
Urea	Peach	110.41	11	192.87	A
Urea	Pecan	13.72	1	10.0	A
Urea	Pistachio	538.73	39	1,432.53	A
Urea	Plum	16.54	3	37.84	A
Urea	Prune	174.18	12	643.71	A
Urea	Rice	797.67	46	3,585.19	A
Urea	Rights of way	90.55	3	280.0	A
Urea	Rights of way	73.54	N/A	N/A	N/A
Urea	Structural pest control	232.47	N/A	N/A	N/A
Urea	Tomato	39.96	15	776.0	A
Urea	Tomato, processing	35.9	16	1,587.04	A
Urea	Triticale	73.21	3	125.8	A
Urea	Uncultivated ag	29.39	6	112.27	A
Urea	Walnut	1,398.44	125	3,958.29	A
Urea	Wheat	234.09	11	400.1	A
Urea	Wheat (forage - fodder)	788.86	17	920.0	A
Urea dihydrogen sulfate	Alfalfa	531.92	1,661	75,875.27	A
Urea dihydrogen sulfate	Almond	14,675.93	3,165	131,408.83	A
Urea dihydrogen sulfate	Apricot	19.06	23	117.69	A
Urea dihydrogen sulfate	Asparagus	7.69	15	1,221.0	A
Urea dihydrogen sulfate	Avocado	1.07	15	53.88	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Urea dihydrogen sulfate	Barley	1.23	7	585.0	A
Urea dihydrogen sulfate	Bermudagrass	22.78	34	1,770.88	A
Urea dihydrogen sulfate	Blueberry	43.64	11	151.24	A
Urea dihydrogen sulfate	Cabbage	0.19	1	4.0	A
Urea dihydrogen sulfate	Cannabis (all or unspecified)	0.91	3	24,960.0	S
Urea dihydrogen sulfate	Cantaloupe	0.4	1	85.0	A
Urea dihydrogen sulfate	Carrot	3.96	4	265.0	A
Urea dihydrogen sulfate	Celery	0.16	1	19.2	A
Urea dihydrogen sulfate	Cherry	698.06	168	4,086.48	A
Urea dihydrogen sulfate	Chinese broccoli (gai lon)	0.1	1	2.0	A
Urea dihydrogen sulfate	Citrus	0.03	1	1.0	A
Urea dihydrogen sulfate	Corn (forage - fodder)	117.07	175	9,245.15	A
Urea dihydrogen sulfate	Corn, grain	0.14	2	65.0	A
Urea dihydrogen sulfate	Corn, human consumption	2.15	2	36.0	A
Urea dihydrogen sulfate	Cotton	193,738.79	1,806	113,226.97	A
Urea dihydrogen sulfate	Cotton	0.63	N/A	1,940.25	U
Urea dihydrogen sulfate	Date	1.0	17	599.0	A
Urea dihydrogen sulfate	Ditch bank	0.15	3	52.0	A
Urea dihydrogen sulfate	Fig	1.65	3	130.3	A
Urea dihydrogen sulfate	Forage hay/silage	0.6	7	284.4	A
Urea dihydrogen sulfate	Grape	1,414.46	425	9,533.27	A
Urea dihydrogen sulfate	Grape, wine	660.4	418	8,625.87	A
Urea dihydrogen sulfate	Grapefruit	2.53	26	628.0	A
Urea dihydrogen sulfate	Grass, seed	2.79	35	920.5	A
Urea dihydrogen sulfate	Herb, spice	0.23	1	36.0	A
Urea dihydrogen sulfate	Kiwi fruit fuzzy	0.15	2	62.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Urea dihydrogen sulfate	Landscape maintenance	40.91	N/A	N/A	N/A
Urea dihydrogen sulfate	Lemon	64.81	229	6,977.53	A
Urea dihydrogen sulfate	Lime	0.22	2	68.0	A
Urea dihydrogen sulfate	Melon	5.32	17	521.46	A
Urea dihydrogen sulfate	Mustard	1.01	2	69.5	A
Urea dihydrogen sulfate	N-grnhs flower	3.42	N/A	24.0	A
Urea dihydrogen sulfate	Nectarine	32.22	73	269.73	A
Urea dihydrogen sulfate	Oat	1.18	2	75.0	A
Urea dihydrogen sulfate	Oat (forage - fodder)	1.09	1	14.0	A
Urea dihydrogen sulfate	Olive	222.45	53	2,996.02	A
Urea dihydrogen sulfate	Onion, dry	12.58	42	1,745.12	A
Urea dihydrogen sulfate	Orange	93.39	265	5,865.86	A
Urea dihydrogen sulfate	Pastureland	0.01	1	2.0	A
Urea dihydrogen sulfate	Peach	239.01	223	1,309.85	A
Urea dihydrogen sulfate	Pecan	160.8	13	764.32	A
Urea dihydrogen sulfate	Pepper, fruiting	11.9	2	42.0	A
Urea dihydrogen sulfate	Persimmon	6.58	9	67.7	A
Urea dihydrogen sulfate	Pistachio	13,912.26	1,211	53,398.22	A
Urea dihydrogen sulfate	Plum	117.24	512	2,519.62	A
Urea dihydrogen sulfate	Pomegranate	1.01	3	106.34	A
Urea dihydrogen sulfate	Pomelo	1.4	21	183.6	A
Urea dihydrogen sulfate	Prune	74.85	72	2,247.12	A
Urea dihydrogen sulfate	Research commodity	7.39	18	72.0	A
Urea dihydrogen sulfate	Rights of way	86.31	55	8,837.5	A
Urea dihydrogen sulfate	Rights of way	761.35	N/A	N/A	N/A
Urea dihydrogen sulfate	Rye	0.17	1	17.5	A
Urea dihydrogen sulfate	Ryegrass	0.42	2	100.0	A
Urea dihydrogen sulfate	Safflower	2.31	4	501.6	A
Urea dihydrogen sulfate	Small fruits/berry	9.58	2	62.22	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Urea dihydrogen sulfate	Soil fumigation/preplant	34.15	58	6,274.9	A
Urea dihydrogen sulfate	Sorghum/milo	1.47	1	72.0	A
Urea dihydrogen sulfate	Structural pest control	0.36	N/A	N/A	N/A
Urea dihydrogen sulfate	Sugarbeet	84.54	121	8,679.84	A
Urea dihydrogen sulfate	Tangelo	2.03	7	245.0	A
Urea dihydrogen sulfate	Tangerine	110.45	222	4,902.91	A
Urea dihydrogen sulfate	Tomato	46.3	24	783.9	A
Urea dihydrogen sulfate	Tomato, processing	50.66	70	5,013.06	A
Urea dihydrogen sulfate	Uncultivated ag	354.74	419	13,779.25	A
Urea dihydrogen sulfate	Uncultivated non-ag	17.71	37	2,546.0	A
Urea dihydrogen sulfate	Walnut	769.0	643	21,194.25	A
Urea dihydrogen sulfate	Watermelon	0.63	1	100.0	A
Urea dihydrogen sulfate	Wheat	46.57	46	3,572.2	A
Urea dihydrogen sulfate	Wheat (forage - fodder)	81.58	9	859.82	A
Urea inclusion adduct of polyoxy(ethylene)/polyoxy(propylene) block copolymer	Alfalfa	N/A	1	12.0	A
Urea inclusion adduct of polyoxy(ethylene)/polyoxy(propylene) block copolymer	Rights of way	3.76	N/A	N/A	N/A
Vanillin	Rights of way	0.05	N/A	N/A	N/A
Vegetable oil	Alfalfa	26,385.87	770	31,051.37	A
Vegetable oil	Almond	46,467.69	277	13,085.7	A
Vegetable oil	Apricot	1,916.66	27	243.85	A
Vegetable oil	Bean, dried	25.55	3	78.5	A
Vegetable oil	Bermudagrass	60.78	10	348.3	A
Vegetable oil	Cantaloupe	433.0	4	262.0	A
Vegetable oil	Cherry	12.45	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Vegetable oil	Corn (forage - fodder)	3,191.43	65	3,285.11	A
Vegetable oil	Corn, grain	244.1	1	457.6	A
Vegetable oil	Corn, human consumption	746.45	10	480.96	A
Vegetable oil	Cotton	264,383.41	1,180	170,798.24	A
Vegetable oil	Forage hay/silage	32.5	3	50.0	A
Vegetable oil	Garlic	1,431.67	14	1,716.5	A
Vegetable oil	Grape	18.44	3	121.0	A
Vegetable oil	Lemon	17.78	1	20.0	A
Vegetable oil	Lettuce, leaf	106.69	2	103.0	A
Vegetable oil	Melon	29.86	2	36.0	A
Vegetable oil	Mustard greens	506.83	4	570.0	A
Vegetable oil	N-outdr flower	5.33	1	3.0	A
Vegetable oil	Nectarine	510.67	5	46.5	A
Vegetable oil	Onion, dry	1,050.61	20	841.4	A
Vegetable oil	Peach	2,138.0	52	873.01	A
Vegetable oil	Pear	43.6	1	3.5	A
Vegetable oil	Pistachio	1,439.91	14	1,027.84	A
Vegetable oil	Plum	638.7	24	145.63	A
Vegetable oil	Pomegranate	210.49	5	236.44	A
Vegetable oil	Rights of way	6,588.6	11	4,330.0	A
Vegetable oil	Safflower	149,731.78	341	88,794.0	A
Vegetable oil	Soil fumigation/preplant	2,899.74	19	3,901.0	A
Vegetable oil	Tangerine	83.29	3	93.67	A
Vegetable oil	Tomato, processing	7,123.52	58	5,747.59	A
Vegetable oil	Triticale	137.84	1	155.0	A
Vegetable oil	Uncultivated ag	1,303.34	12	1,477.5	A
Vegetable oil	Watermelon	304.2	7	342.0	A
Vegetable oil	Wheat	81.26	2	50.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Vinclozolin	N-outdr transplants	1.63	1	1.3	A
Vinyl ester polymer	Airport	5.14	3	44.0	A
Vinyl ester polymer	Alfalfa	431.36	149	11,332.0	A
Vinyl ester polymer	Almond	106.85	20	748.71	A
Vinyl ester polymer	Cherry	96.76	33	515.31	A
Vinyl ester polymer	Corn (forage - fodder)	4.63	2	119.0	A
Vinyl ester polymer	Corn, human consumption	28.1	16	239.75	A
Vinyl ester polymer	Cotton	3.7	1	95.0	A
Vinyl ester polymer	Endive (escarole)	0.23	2	2.4	A
Vinyl ester polymer	Fennel	3.47	8	29.75	A
Vinyl ester polymer	Forage hay/silage	3.14	1	81.0	A
Vinyl ester polymer	Landscape maintenance	10.59	N/A	N/A	N/A
Vinyl ester polymer	Lettuce, leaf	10.98	17	110.11	A
Vinyl ester polymer	Olive	14.17	17	181.99	A
Vinyl ester polymer	Pepper, fruiting	1.4	4	18.0	A
Vinyl ester polymer	Rights of way	52.31	N/A	N/A	N/A
Vinyl ester polymer	Spinach	0.7	1	6.0	A
Vinyl ester polymer	Squash	5.26	2	60.0	A
Vinyl ester polymer	Squash, winter	259.0	7	196.0	A
Vinyl ester polymer	Uncultivated ag	2.44	2	46.33	A
Vinyl ester polymer	Walnut	46.47	34	557.88	A
Vinyl ester polymer	Wheat	12.58	5	307.0	A
Vinyl polymer	Alfalfa	88.6	295	15,497.45	A
Vinyl polymer	Almond	1,632.95	1,174	78,512.66	A
Vinyl polymer	Apple	6.43	40	421.21	A
Vinyl polymer	Artichoke, globe	0.88	1	20.1	A
Vinyl polymer	Arugula	0.15	3	3.4	A
Vinyl polymer	Avocado	0.87	1	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Vinyl polymer	Barley	7.04	6	1,434.0	A
Vinyl polymer	Bean, dried	0.8	3	132.0	A
Vinyl polymer	Bean, unspecified	5.64	8	118.0	A
Vinyl polymer	Bermudagrass	5.07	14	871.0	A
Vinyl polymer	Blackberry	0.16	2	5.35	A
Vinyl polymer	Blueberry	3.06	12	182.6	A
Vinyl polymer	Bok choy (choy sum, pak choi)	3.47	70	178.01	A
Vinyl polymer	Broccoli	92.96	616	5,478.05	A
Vinyl polymer	Brussels sprout	0.36	7	54.45	A
Vinyl polymer	Cabbage	15.4	208	1,652.07	A
Vinyl polymer	Carrot	8.79	7	205.6	A
Vinyl polymer	Cauliflower	13.45	148	1,171.48	A
Vinyl polymer	Celery	10.7	42	397.81	A
Vinyl polymer	Cherry	20.94	187	1,887.85	A
Vinyl polymer	Chinese cabbage (napa, wong bok, celery cabbage)	11.92	98	400.94	A
Vinyl polymer	Cilantro	10.04	130	346.24	A
Vinyl polymer	Collard	0.09	1	5.25	A
Vinyl polymer	Corn (forage - fodder)	65.91	200	6,894.68	A
Vinyl polymer	Corn, grain	12.33	45	1,878.5	A
Vinyl polymer	Corn, human consumption	2.31	14	528.0	A
Vinyl polymer	Cotton	26.16	39	2,707.2	A
Vinyl polymer	Eggplant	3.68	7	164.0	A
Vinyl polymer	Endive (escarole)	4.11	40	131.86	A
Vinyl polymer	Fig	4.2	6	282.0	A
Vinyl polymer	Forage hay/silage	5.93	18	642.4	A
Vinyl polymer	Garbanzo bean	2.76	1	158.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Vinyl polymer	Garlic	39.84	23	1,975.89	A
Vinyl polymer	Grape	18.61	63	1,533.13	A
Vinyl polymer	Grape, wine	65.6	158	5,951.26	A
Vinyl polymer	Kale	3.69	53	219.91	A
Vinyl polymer	Leek	0.07	1	4.39	A
Vinyl polymer	Lemon	0.9	2	60.2	A
Vinyl polymer	Lettuce, head	134.21	1,486	15,948.1	A
Vinyl polymer	Lettuce, leaf	228.94	2,708	21,872.4	A
Vinyl polymer	Melon	0.42	2	152.0	A
Vinyl polymer	N-outdr plants in containers	0.19	5	58.5	A
Vinyl polymer	N-outdr transplants	3.17	16	226.9	A
Vinyl polymer	Nectarine	22.56	16	644.9	A
Vinyl polymer	Oat	3.44	19	1,008.0	A
Vinyl polymer	Oat (forage - fodder)	27.2	80	3,617.07	A
Vinyl polymer	Olive	2.12	23	331.27	A
Vinyl polymer	Onion, dry	41.6	52	858.55	A
Vinyl polymer	Orange	11.71	25	1,377.0	A
Vinyl polymer	Pastureland	0.16	1	6.0	A
Vinyl polymer	Peach	56.43	74	1,796.97	A
Vinyl polymer	Peas	1.57	1	20.0	A
Vinyl polymer	Pepper, fruiting	30.81	66	1,206.88	A
Vinyl polymer	Pepper, spice	0.34	10	47.5	A
Vinyl polymer	Pistachio	289.36	596	38,869.38	A
Vinyl polymer	Plum	0.06	2	2.5	A
Vinyl polymer	Pomegranate	0.59	1	33.93	A
Vinyl polymer	Prune	9.32	30	976.47	A
Vinyl polymer	Pumpkin	14.96	40	1,505.9	A
Vinyl polymer	Radish	0.18	2	4.5	A
Vinyl polymer	Rangeland	0.27	2	125.0	A
Vinyl polymer	Raspberry	0.75	10	65.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Vinyl polymer	Research commodity	0.01	1	1.1	A
Vinyl polymer	Rice	11.8	12	674.5	A
Vinyl polymer	Rights of way	6.82	15	617.0	A
Vinyl polymer	Rights of way	19.55	N/A	N/A	N/A
Vinyl polymer	Rye	1.87	7	61.7	A
Vinyl polymer	Ryegrass	8.03	35	1,822.0	A
Vinyl polymer	Sorghum (forage - fodder)	1.31	3	150.0	A
Vinyl polymer	Sorghum/milo	3.76	3	130.0	A
Vinyl polymer	Spinach	2.95	12	37.5	A
Vinyl polymer	Squash	0.72	1	55.0	A
Vinyl polymer	Strawberry	12.4	29	653.0	A
Vinyl polymer	Sudangrass	15.52	57	3,168.0	A
Vinyl polymer	Sugarbeet	6.82	39	2,673.0	A
Vinyl polymer	Sunflower	2.58	3	33.7	A
Vinyl polymer	Tangerine	0.75	3	85.0	A
Vinyl polymer	Tomato	<0.01	1	0.5	A
Vinyl polymer	Tomato, processing	9.02	9	485.6	A
Vinyl polymer	Triticale	2.67	4	245.0	A
Vinyl polymer	Uncultivated ag	180.68	430	9,330.86	A
Vinyl polymer	Uncultivated non-ag	34.0	76	443.85	A
Vinyl polymer	Unknown	3.32	13	190.0	A
Vinyl polymer	Walnut	33.37	148	4,270.42	A
Vinyl polymer	Watermelon	12.15	19	1,302.4	A
Vinyl polymer	Wheat	38.86	107	8,151.6	A
Vinyl polymer	Wheat (forage - fodder)	36.96	94	5,469.95	A
Warfarin	Avocado	0.04	3	300.0	A
Warfarin	Landscape maintenance	0.42	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Warfarin	N-grnhs flower	<0.01	7	7.0	A
Warfarin	N-grnhs transplants	<0.01	14	42.0	A
Warfarin	N-outdr plants in containers	<0.01	7	87.5	A
Warfarin	Regulatory pest control	0.29	N/A	N/A	N/A
Warfarin	Rights of way	<0.01	2	2.0	A
Warfarin	Rights of way	<0.01	N/A	N/A	N/A
Warfarin	Structural pest control	0.21	N/A	N/A	N/A
Warfarin	Uncultivated ag	0.02	1	300.0	A
Warfarin	Vertebrate control	0.01	N/A	N/A	N/A
Warfarin, sodium salt	Pistachio	<0.01	1	167.0	A
Warfarin, sodium salt	Structural pest control	<0.01	N/A	N/A	N/A
Xanthan gum	Alfalfa	14.38	75	4,468.0	A
Xanthan gum	Almond	15.2	694	40,411.39	A
Xanthan gum	Artichoke, globe	0.01	2	0.98	A
Xanthan gum	Beet	0.4	4	6.48	A
Xanthan gum	Blackberry	3.59	2	12.26	A
Xanthan gum	Blueberry	0.02	7	149.0	A
Xanthan gum	Broccoli	0.91	6	13.72	A
Xanthan gum	Cabbage	0.01	2	47.5	A
Xanthan gum	Cauliflower	0.94	2	12.0	A
Xanthan gum	Celery	4.05	6	58.83	A
Xanthan gum	Cherry	0.17	26	563.91	A
Xanthan gum	Cilantro	26.85	87	426.03	A
Xanthan gum	Corn (forage - fodder)	14.78	109	5,570.76	A
Xanthan gum	Cotton	4.91	155	15,493.94	A
Xanthan gum	Eggplant	<0.01	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Xanthan gum	Endive (escarole)	0.56	16	23.87	A
Xanthan gum	Fennel	0.02	2	1.0	A
Xanthan gum	Garlic	<0.01	2	106.5	A
Xanthan gum	Grape	13.5	73	2,675.63	A
Xanthan gum	Grape, wine	37.01	180	6,765.22	A
Xanthan gum	Kale	0.05	2	2.12	A
Xanthan gum	Lemon	0.62	15	252.81	A
Xanthan gum	Lettuce, head	6.04	73	294.84	A
Xanthan gum	Lettuce, leaf	31.98	277	2,116.71	A
Xanthan gum	Mustard greens	1.38	3	20.78	A
Xanthan gum	Nectarine	0.95	11	47.0	A
Xanthan gum	Olive	9.08	2	143.33	A
Xanthan gum	Onion, dry	0.55	5	114.3	A
Xanthan gum	Orange	0.83	151	3,412.81	A
Xanthan gum	Parsley	0.73	4	16.57	A
Xanthan gum	Peach	0.68	7	368.4	A
Xanthan gum	Pear	0.6	2	6.0	A
Xanthan gum	Pecan	<0.01	1	8.0	A
Xanthan gum	Pepper, fruiting	14.51	7	334.0	A
Xanthan gum	Pistachio	0.29	80	3,002.79	A
Xanthan gum	Plum	<0.01	1	10.0	A
Xanthan gum	Pomegranate	0.02	6	117.97	A
Xanthan gum	Prune	<0.01	1	8.0	A
Xanthan gum	Pumpkin	<0.01	2	50.0	A
Xanthan gum	Rights of way	0.25	N/A	N/A	N/A
Xanthan gum	Ryegrass	0.33	1	4.0	A
Xanthan gum	Sorghum (forage - fodder)	0.04	4	830.0	A
Xanthan gum	Spinach	7.8	13	109.85	A
Xanthan gum	Strawberry	131.48	50	1,375.78	A
Xanthan gum	Swiss chard	0.26	4	3.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Xanthan gum	Tangelo	0.03	4	96.9	A
Xanthan gum	Tangerine	0.05	8	267.99	A
Xanthan gum	Tomato, processing	13.91	34	3,645.2	A
Xanthan gum	Uncultivated ag	8.06	14	113.3	A
Xanthan gum	Uncultivated non-ag	2.46	8	25.0	A
Xanthan gum	Walnut	2.09	156	6,105.1	A
Xanthan gum	Watermelon	0.02	2	150.0	A
Xanthan gum	Wheat (forage - fodder)	1.03	21	1,163.13	A
Xylene	Alfalfa	1.18	3	63.0	A
Xylene	Brussels sprout	84.72	11	138.0	A
Xylene	Cabbage	3.14	2	12.4	A
Xylene	Cherry	0.8	2	4.0	A
Xylene	Landscape maintenance	1.18	N/A	N/A	N/A
Xylene	Mint	0.04	1	2.0	A
Xylene	Mushroom house	0.06	1	5,750.0	S
Xylene	N-grnhs transplants	0.18	4	4.0	A
Xylene	N-outdr flower	6.88	3	19.0	A
Xylene	N-outdr plants in containers	0.64	2	1.5	A
Xylene	N-outdr plants in containers	0.02	3	32,001.5	S
Xylene	Pepper, fruiting	4.5	1	6.0	A
Xylene	Research commodity	2.84	N/A	N/A	N/A
Xylene	Strawberry	0.61	1	2.0	A
Xylene	Structural pest control	0.18	N/A	N/A	N/A
Xylene	Walnut	10.96	1	7.0	A
Xylene range aromatic solvent	Mushroom house	0.36	4	23,000.0	S
Xylene range aromatic solvent	Mushroom soil	0.59	2	11,500.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Xylene range aromatic solvent	Rights of way	107.19	N/A	N/A	N/A
Xylene range aromatic solvent	Structural pest control	<0.01	N/A	N/A	N/A
Yeast	Structural pest control	<0.01	N/A	N/A	N/A
Yucca schidigera	Almond	1,296.92	24	1,692.75	A
Yucca schidigera	Blueberry	539.72	28	1,885.0	A
Yucca schidigera	Cannabis (all or unspecified)	93.11	44	138.3	A
Yucca schidigera	Cannabis (all or unspecified)	58.1	85	732,800.0	S
Yucca schidigera	Grape	12,228.88	269	15,037.22	A
Yucca schidigera	Grape, wine	53.77	31	154.02	A
Yucca schidigera	Landscape maintenance	11.56	N/A	N/A	N/A
Yucca schidigera	Olive	1.6	1	5.0	A
Yucca schidigera	Orange	11.37	3	21.6	A
Yucca schidigera	Parsley	20.81	5	106.0	A
Yucca schidigera	Pistachio	951.81	13	1,645.2	A
Yucca schidigera	Rights of way	1.69	1	15.0	A
Yucca schidigera	Rights of way	7.92	N/A	N/A	N/A
Yucca schidigera	Walnut	28.39	2	30.0	A
Z,e-9,12-tetradecadien-1-yl acetate	Cauliflower	0.19	1	9.7	A
Z,e-9,12-tetradecadien-1-yl acetate	Structural pest control	91.06	N/A	N/A	N/A
Z-11-tetradecen-1-yl acetate	Grape	0.16	15	428.5	A
Z-11-tetradecen-1-yl acetate	Kiwi fruit fuzzy	0.27	140	2,295.65	A
Z-7-tetradecen-2-one	Structural pest control	<0.01	N/A	N/A	N/A
Z-8-dodecenol	Almond	<0.01	2	22.0	A
Z-8-dodecenol	Apple	1.41	23	411.85	A
Z-8-dodecenol	Apricot	1.16	111	1,471.1	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Z-8-dodecenol	Cherry	<0.01	3	14.25	A
Z-8-dodecenol	N-outdr plants in containers	<0.01	4	28.0	A
Z-8-dodecenol	Nectarine	8.33	694	8,168.5	A
Z-8-dodecenol	Peach	15.3	1,266	17,674.26	A
Z-8-dodecenol	Pear	1.91	56	1,943.8	A
Z-8-dodecenol	Pear, asian (oriental pear, ya, ya li, nashi)	0.29	25	341.5	A
Z-8-dodecenol	Plum	9.91	725	8,988.96	A
Z-8-dodecenol	Pluot	0.05	10	59.3	A
Z-8-dodecenol	Prune	<0.01	1	12.0	A
Z-8-dodecenol	Quince	0.02	2	10.0	A
Z-8-dodecenol	Research commodity	<0.01	1	6.0	A
Z-8-dodecenol	Stone fruit	0.12	8	240.5	A
Z-8-dodecenyl acetate	Almond	0.29	2	22.0	A
Z-8-dodecenyl acetate	Apple	142.27	23	411.85	A
Z-8-dodecenyl acetate	Apricot	102.95	111	1,471.1	A
Z-8-dodecenyl acetate	Cherry	0.14	3	14.25	A
Z-8-dodecenyl acetate	N-outdr plants in containers	0.13	4	28.0	A
Z-8-dodecenyl acetate	Nectarine	740.27	694	8,168.5	A
Z-8-dodecenyl acetate	Peach	1,299.66	1,266	17,674.26	A
Z-8-dodecenyl acetate	Pear	186.11	56	1,943.8	A
Z-8-dodecenyl acetate	Pear, asian (oriental pear, ya, ya li, nashi)	26.31	25	341.5	A
Z-8-dodecenyl acetate	Plum	883.41	725	8,988.96	A
Z-8-dodecenyl acetate	Pluot	3.98	10	59.3	A
Z-8-dodecenyl acetate	Prune	0.48	1	12.0	A
Z-8-dodecenyl acetate	Quince	1.47	2	10.0	A
Z-8-dodecenyl acetate	Research commodity	0.59	1	6.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Z-8-dodecenyl acetate	Stone fruit	6.04	8	240.5	A
Zeta-cypermethrin	Alfalfa	641.81	375	23,679.3	A
Zeta-cypermethrin	Almond	340.04	225	13,665.59	A
Zeta-cypermethrin	Artichoke, globe	7.02	17	264.6	A
Zeta-cypermethrin	Arugula	12.84	206	511.55	A
Zeta-cypermethrin	Bean, dried	17.37	8	667.75	A
Zeta-cypermethrin	Bean, succulent	4.96	14	201.2	A
Zeta-cypermethrin	Bean, unspecified	5.06	8	203.46	A
Zeta-cypermethrin	Beet	2.52	27	100.88	A
Zeta-cypermethrin	Bermudagrass	25.85	19	1,104.0	A
Zeta-cypermethrin	Bitter melon	0.07	1	3.0	A
Zeta-cypermethrin	Blackberry	158.65	600	5,300.68	A
Zeta-cypermethrin	Blueberry	4.64	16	185.78	A
Zeta-cypermethrin	Bok choy (choy sum, pak choy)	42.46	434	1,593.37	A
Zeta-cypermethrin	Broccoli	143.54	387	5,725.06	A
Zeta-cypermethrin	Brussels sprout	20.27	52	796.89	A
Zeta-cypermethrin	Cabbage	72.74	568	2,777.97	A
Zeta-cypermethrin	Canola (rape)	0.13	1	5.0	A
Zeta-cypermethrin	Cantaloupe	22.15	15	1,101.93	A
Zeta-cypermethrin	Carrot	37.56	30	1,531.8	A
Zeta-cypermethrin	Cauliflower	24.97	94	1,007.52	A
Zeta-cypermethrin	Celeriac	0.97	8	42.21	A
Zeta-cypermethrin	Celery	71.4	288	2,568.04	A
Zeta-cypermethrin	Cherry	9.21	18	376.0	A
Zeta-cypermethrin	Chinese amaranth (chinese spinach, tampala, yin choy)	1.74	3	50.0	A
Zeta-cypermethrin	Chinese broccoli (gai lon)	22.28	29	494.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Zeta-cypermethrin	Chinese cabbage (napa, wong bok, celery cabbage)	56.56	391	2,236.11	A
Zeta-cypermethrin	Chinese greens	1.06	3	23.0	A
Zeta-cypermethrin	Cilantro	26.91	191	1,061.12	A
Zeta-cypermethrin	Citrus	8.62	6	319.5	A
Zeta-cypermethrin	Collard	14.02	155	532.21	A
Zeta-cypermethrin	Corn (forage - fodder)	2.39	6	105.5	A
Zeta-cypermethrin	Corn, human consumption	210.01	232	7,891.22	A
Zeta-cypermethrin	Cotton	228.25	97	9,273.98	A
Zeta-cypermethrin	Cucumber	0.81	12	19.0	A
Zeta-cypermethrin	Daikon	3.02	13	119.5	A
Zeta-cypermethrin	Dandelion green	0.13	6	5.09	A
Zeta-cypermethrin	Eggplant	27.34	52	1,053.0	A
Zeta-cypermethrin	Endive (escarole)	6.23	72	251.43	A
Zeta-cypermethrin	Fennel	0.34	4	13.0	A
Zeta-cypermethrin	Gai choy	1.88	7	83.0	A
Zeta-cypermethrin	Gai lon	0.69	15	14.38	A
Zeta-cypermethrin	Garlic	5.56	6	226.2	A
Zeta-cypermethrin	Gourds (edible)	0.1	1	4.0	A
Zeta-cypermethrin	Grape	180.29	127	5,456.39	A
Zeta-cypermethrin	Grape, wine	3.14	6	80.0	A
Zeta-cypermethrin	Grapefruit	7.42	27	283.32	A
Zeta-cypermethrin	Kale	34.86	419	1,352.03	A
Zeta-cypermethrin	Kohlrabi	3.44	46	134.51	A
Zeta-cypermethrin	Landscape maintenance	3.57	N/A	N/A	N/A
Zeta-cypermethrin	Leek	6.12	54	245.16	A
Zeta-cypermethrin	Lemon	267.88	394	8,293.33	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Zeta-cypermethrin	Lettuce, head	188.41	462	7,956.6	A
Zeta-cypermethrin	Lettuce, leaf	280.79	1,174	11,167.73	A
Zeta-cypermethrin	Lime	0.05	1	2.0	A
Zeta-cypermethrin	Melon	16.87	17	831.77	A
Zeta-cypermethrin	Mizuna	0.11	3	4.7	A
Zeta-cypermethrin	Mustard	5.85	72	216.41	A
Zeta-cypermethrin	Mustard greens	13.44	193	530.83	A
Zeta-cypermethrin	N-grnhs plants in containers	1.34	36	23.02	A
Zeta-cypermethrin	N-grnhs transplants	1.52	35	41.77	A
Zeta-cypermethrin	N-grnhs transplants	<0.01	2	224.0	S
Zeta-cypermethrin	N-outdr flower	1.42	19	19.0	A
Zeta-cypermethrin	N-outdr flower	<0.01	1	3,040.0	S
Zeta-cypermethrin	N-outdr plants in containers	0.02	1	1.0	A
Zeta-cypermethrin	N-outdr transplants	5.23	84	148.81	A
Zeta-cypermethrin	Oat	0.02	1	1.0	A
Zeta-cypermethrin	Okra	0.88	3	25.0	A
Zeta-cypermethrin	Onion, dry	205.12	129	6,134.42	A
Zeta-cypermethrin	Onion, green	0.55	3	12.0	A
Zeta-cypermethrin	Orange	268.68	525	9,983.54	A
Zeta-cypermethrin	Parsley	24.07	91	933.45	A
Zeta-cypermethrin	Peas	5.62	30	223.62	A
Zeta-cypermethrin	Pepper, fruiting	134.84	166	4,872.47	A
Zeta-cypermethrin	Pepper, fruiting	<0.01	2	6,400.0	S
Zeta-cypermethrin	Pepper, spice	0.08	1	3.3	A
Zeta-cypermethrin	Pistachio	196.41	82	7,969.49	A
Zeta-cypermethrin	Plum	1.57	2	63.0	A
Zeta-cypermethrin	Pomelo	0.91	8	32.5	A
Zeta-cypermethrin	Potato	8.27	10	331.79	A
Zeta-cypermethrin	Pumpkin	0.14	2	5.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Zeta-cypermethrin	Quince	0.5	2	10.0	A
Zeta-cypermethrin	Radicchio	17.98	21	874.2	A
Zeta-cypermethrin	Radish	3.27	42	129.99	A
Zeta-cypermethrin	Rape (leafy vegetable)	0.8	2	16.0	A
Zeta-cypermethrin	Rapini	0.8	1	36.0	A
Zeta-cypermethrin	Raspberry	135.15	524	4,013.18	A
Zeta-cypermethrin	Regulatory pest control	<0.01	N/A	N/A	N/A
Zeta-cypermethrin	Research commodity	0.96	20	21.96	A
Zeta-cypermethrin	Research commodity	<0.01	1	500.0	S
Zeta-cypermethrin	Research commodity	0.01	N/A	N/A	N/A
Zeta-cypermethrin	Rice	8.79	8	353.0	A
Zeta-cypermethrin	Rice, wild	17.1	12	465.2	A
Zeta-cypermethrin	Rights of way	0.22	N/A	N/A	N/A
Zeta-cypermethrin	Safflower	1,568.16	241	62,901.2	A
Zeta-cypermethrin	Sorghum (forage - fodder)	7.18	5	308.7	A
Zeta-cypermethrin	Spinach	155.94	837	5,904.43	A
Zeta-cypermethrin	Squash	1.57	9	73.57	A
Zeta-cypermethrin	Squash, summer	3.88	7	155.53	A
Zeta-cypermethrin	Squash, winter	3.25	5	130.0	A
Zeta-cypermethrin	Squash, zucchini	0.2	2	10.25	A
Zeta-cypermethrin	Strawberry	0.02	6	2.85	A
Zeta-cypermethrin	Structural pest control	10.45	N/A	N/A	N/A
Zeta-cypermethrin	Sudangrass	1.5	2	60.0	A
Zeta-cypermethrin	Sugarbeet	504.19	265	20,210.4	A
Zeta-cypermethrin	Sunflower	0.41	4	16.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Zeta-cypermethrin	Swiss chard	13.15	256	474.86	A
Zeta-cypermethrin	Tangelo	4.56	11	165.3	A
Zeta-cypermethrin	Tangerine	59.44	119	2,097.06	A
Zeta-cypermethrin	Tomato	113.94	163	4,489.23	A
Zeta-cypermethrin	Tomato, processing	129.87	56	5,179.6	A
Zeta-cypermethrin	Turnip	3.43	56	136.46	A
Zeta-cypermethrin	Turnip greens	0.05	2	1.0	A
Zeta-cypermethrin	Uncultivated ag	3.99	2	162.0	A
Zeta-cypermethrin	Vegetable	0.04	3	0.9	A
Zeta-cypermethrin	Vegetables, leafy	0.06	1	1.0	A
Zeta-cypermethrin	Walnut	3.12	5	126.0	A
Zeta-cypermethrin	Watermelon	19.86	14	429.57	A
Zeta-cypermethrin	Wheat (forage - fodder)	7.35	4	295.0	A
Zeta-cypermethrin	Yam	0.36	4	1.25	A
Zinc 2-pyridinethiol-1-oxide	Grape, wine	0.07	2	10.0	A
Zinc naphthenate	Almond	1,226.59	10	493.3	A
Zinc naphthenate	Structural pest control	0.22	N/A	N/A	N/A
Zinc phosphide	Alfalfa	590.61	152	9,724.89	A
Zinc phosphide	Almond	2,635.5	267	24,132.63	A
Zinc phosphide	Apple	0.5	1	30.0	A
Zinc phosphide	Blueberry	3.02	1	18.85	A
Zinc phosphide	Cherry	0.28	1	6.75	A
Zinc phosphide	Forage hay/silage	0.12	1	0.5	A
Zinc phosphide	Grape	11.04	4	235.0	A
Zinc phosphide	Grape, wine	113.87	37	1,496.76	A
Zinc phosphide	Landscape maintenance	416.68	N/A	N/A	N/A
Zinc phosphide	Lemon	0.16	5	184.0	A
Zinc phosphide	N-grnhs transplants	0.4	5	25.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Zinc phosphide	N-outdr flower	1.2	5	25.0	A
Zinc phosphide	N-outdr plants in containers	7.58	3	2.5	A
Zinc phosphide	Nectarine	7.59	4	78.89	A
Zinc phosphide	Orange	0.48	6	36.0	A
Zinc phosphide	Pastureland	0.09	1	4.0	A
Zinc phosphide	Peach	17.86	2	178.56	A
Zinc phosphide	Pecan	<0.01	2	42.0	A
Zinc phosphide	Pistachio	20.12	20	759.0	A
Zinc phosphide	Plum	2.0	1	20.0	A
Zinc phosphide	Potato	8.3	2	83.0	A
Zinc phosphide	Prune	1.26	2	21.0	A
Zinc phosphide	Pumpkin	0.5	1	13.0	A
Zinc phosphide	Rangeland	18.44	4	686.5	A
Zinc phosphide	Regulatory pest control	0.09	N/A	N/A	N/A
Zinc phosphide	Rights of way	10.85	11	536.0	A
Zinc phosphide	Rights of way	86.08	N/A	N/A	N/A
Zinc phosphide	Structural pest control	33.7	N/A	N/A	N/A
Zinc phosphide	Tangerine	0.02	1	10.0	A
Zinc phosphide	Uncultivated ag	16.73	18	2,300.5	A
Zinc phosphide	Uncultivated non-ag	0.62	3	53.0	A
Zinc phosphide	Vertebrate control	317.76	6	148.0	A
Zinc phosphide	Vertebrate control	252.66	N/A	N/A	N/A
Zinc phosphide	Walnut	22.31	20	930.5	A
Zinc phosphide	Watermelon	3.0	5	975.0	A
Zinc sulfate	Alfalfa	14.92	26	1,090.84	A
Zinc sulfate	Almond	222.98	55	2,262.38	A
Zinc sulfate	Corn (forage - fodder)	62.54	29	1,694.28	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Zinc sulfate	Cotton	264.56	42	8,323.0	A
Zinc sulfate	Orange	25.62	10	244.0	A
Zinc sulfate	Peach	0.4	1	10.0	A
Zinc sulfate	Pistachio	1.76	2	288.0	A
Zinc sulfate	Rights of way	0.37	N/A	N/A	N/A
Zinc sulfate	Tomato	0.41	1	26.0	A
Zinc sulfate	Tomato, processing	3.86	3	210.0	A
Ziram	Almond	86,781.45	334	15,110.15	A
Ziram	Apple	4.56	1	1.0	A
Ziram	Apricot	6,625.52	96	1,190.84	A
Ziram	Cherry	1,068.03	19	311.6	A
Ziram	Grape	12,268.22	201	5,816.42	A
Ziram	Grape, wine	2,040.49	22	697.15	A
Ziram	Landscape maintenance	9.12	N/A	N/A	N/A
Ziram	N-outdr plants in containers	81.32	6	17.25	A
Ziram	N-outdr transplants	30.4	2	5.0	A
Ziram	Nectarine	82,496.78	1,159	13,299.82	A
Ziram	Peach	177,673.4	2,275	31,396.13	A
Ziram	Pear	15,674.02	114	3,777.32	A
Ziram	Plum	618.48	16	104.84	A
Ziram	Research commodity	38.0	2	8.0	A
Ziram	Research commodity	0.06	N/A	N/A	N/A
Ziram	Rights of way	0.76	N/A	N/A	N/A
Ziram	Stone fruit	15.2	1	9.0	A
Ziram	Tangerine	50.95	1	8.38	A
Ziram	Walnut	243.2	1	40.0	A
Zoxamide	Cucumber	7.8	2	47.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
Zoxamide	Potato	330.61	36	1,896.1	A
Zoxamide	Tomato	13.28	1	80.0	A
Zoxamide	Tomato, processing	266.63	19	1,606.5	A